QUICKSILVER
Marine Parts & Accessories

2026

Accessories Guide



MERCURY
Precision Parts

EUROPE, MIDDLE EAST
and AFRICA EDITION

TABLE OF CONTENTS

Introduction c

Engine Accessories 1

Engine Maintenance 227

Oils | Lubricants | Engine Care 259

Quick Reference Guide 315

Controls and Rigging 353

Propellers 575

Inflatable Boats 809

Boating Accessories 825

Part Number to Page Number Reference 827

OE to Quicksilver Cross Reference 925

Part Description Index 927

Notes:

HOW TO USE YOUR PARTS AND ACCESSORIES GUIDE

Part and Packaging Information

Packaging and Unit Pricing

There are three different units of packaging for parts and accessories, they are:

1. Individually — Items that do not indicate any package quantity are priced and sold individually.
2. Priced individually, sold in specified quantity — When part numbers show the "@" sign, order the quantity you require. Orders will be rounded up to the next quantity.
3. Priced and packaged in quantities of a specified number — The items are sold in a specified case or package quantity. The quantities ordered should reflect the number of cases or packages you would like to purchase.

Part Classification

Part classification codes help to quickly identify a parts category. The following parts classification chart identify the part category use.

Part Classification Codes		
5 — Sterndrives	39 — Piston rings	90 — Printed and advertising material
6 — Transom/gimbal housing	40 — Lock rings (piston pin)	91 — Tools and equipment
10 — Screws and bolts	41 — Piston pins	92 — Paint and lubricants
11 — Nuts	42 — Muffler	93 — Miscellaneous parts
12 — Washers (plain)	43 — Gears	97 — Anodes
13 — Washers (lock and wave)	44 — Propeller shafts	98 — Kits
14 — Washers (tab)	45 — Drive shafts	100 — Cowls and starter housings
15 — Shims	46 — Water pump cartridges	200 — Flywheels
16 — Studs	47 — Impellers	300 — Ignition components
17 — Pins and rivets	48 — Propellers	400 — Crankshafts
18 — Cotter pins	50 — Starters	500 — Center main bearings
19 — Welch plugs	51 — Cylinder liner	600 — Connecting rods
20 — Valves (shut-off)	52 — Clutches	700 — Pistons
21 — Check valves	53 — Rings (snap, "E", retaining)	800 — Cylinder blocks
22 — Fittings	54 — Clips and clamps	900 — Crankcases
23 — Bushings and spacers	55 — Shock absorbers	1000 — Cylinder block covers
24 — Springs	57 — V-belts	1100 — End caps and bearing housings
25 — O-rings and grommets	61 — Powerheads	1200 — Fuel tanks
26 — Seals	62 — Inflatable boat parts	1300 — Carburetors and components
27 — Gaskets	64 — Throttle, shift and steering	1400 — Clamps and swivel brackets
28 — Keys	67 — Boating accessories	1500 — Driveshaft housings
29 — Needle bearings	68 — Inflatable boat parts	1600 — Gear housings
30 — Ball bearings	79 — Instrument gauges	2100 — Cowls and starter housings
31 — Roller bearings	82 — Potentiometer	2400 — Cam shaft and crankshaft
32 — Lines (fuel, air, water)	83 — Varistors and rectifiers	2700 — Pistons
33 — Spark plugs	84 — Wiring harness and electrical cables	2800 — Cylinder blocks
34 — Reeds and reed stops	85 — Insulators	3300 — Carburetors and components
35 — Filters and strainers	86 — Connectors, terminals, terminal blocks	3400 — Clamp and swivel braces
36 — Filter caps	87 — Switches	3500 — Driveshaft housing
37 — Decals	88 — Fuses and light bulbs	3600 — Transmission
38 — Serial and name plates	89 — Solenoids	4000 — Cowls

Parts and Accessories Ordering Information

Brunswick Marine in EMEA recommends using Extranet for all product ordering, order status and Dealer account information. For all of your concerns on P&A ordering questions, please call your Customer Service representative.

Mercury Precision, SmartCraft and Quicksilver Parts and Accessories Limited Warranty

Limited Warranty Statements

This Mercury Precision, SmartCraft and Quicksilver Parts and Accessories Limited Warranty (the "Limited Warranty") applies to Mercury Precision, SmartCraft and Quicksilver Parts and Accessories and Mercury Racing propellers (the "Parts and Accessories") purchased in the EMEA from an authorized Mercury dealer or distributor. Terms and conditions may vary in other regions of the world. For product purchased in EMEA, "Mercury Marine" is Brunswick Marine in EMEA., LLC, with its registered office at Parc Industriel de Petit-Rechain, Avenue Mercury 8, 48900 Verviers, Belgium. Contact e-mail address: BME.service@mercmarine.com. This Limited Warranty gives you specific rights, and you may also have other legal rights that vary from country to country. For the avoidance of doubt, this limited warranty does not adversely affect any of your statutory rights to the legal guarantee (as applicable).

What is Covered

Mercury Marine warrants each new or factory rebuilt Parts and Accessories to be free from defects in material and workmanship during the period described following.

Duration of Coverage

This limited warranty provides coverage for one year from either the date on which the product is first sold to a retail purchaser by an authorized Mercury dealer or distributor, or the date on which the product is first put into service, whichever occurs first.

Except when used for racing or other competitive activity, Parts and Accessories installed on Mercury Racing products that have product warranty duration of less than one year, carry a limited warranty coverage for a period of time equal to, and not greater than, the duration of the limited warranty originally provided with the parent product. The repair or replacement of parts, or the performance of service under this warranty, does not extend the life of this warranty beyond its original expiration date. Unexpired warranty coverage can be transferred to a subsequent purchaser upon proper re-registration of the product.

Conditions That Must be Met in Order to Obtain Warranty Coverage

Warranty coverage is available only to retail purchasers that purchase from a dealer or distributor authorized by Mercury Marine to distribute the product in the country in which the sale occurred. Routine maintenance outlined in the Operation and Maintenance Manual must be timely performed in order to maintain warranty coverage. Mercury Marine reserves the right to make warranty coverage contingent upon proof of proper maintenance.

What Mercury Will Do

Mercury Marine's sole and exclusive obligation under this warranty is limited to, at Mercury Marine's option, repairing a defective part, replacing such part or parts with new or refunding the purchase price of the Mercury product. Mercury reserves the right to improve or modify products from time to time without assuming an obligation to modify products previously manufactured.

How to Obtain Warranty Coverage

The purchaser must provide Mercury Marine with a reasonable opportunity to repair, and reasonable access to the product for warranty service. Warranty claims shall be made by delivering the product for inspection to a Mercury dealer or distributor authorized to service the product. If the purchaser cannot deliver the product to an authorized Mercury dealer or distributor, written notice must be given to Mercury Marine. We will then arrange for the inspection and any covered repair. The purchaser shall pay for all related transportation charges and travel time. If the service provided is not covered by this warranty, the purchaser shall pay for all related labor, material, and any other expenses associated with that service. The purchaser shall not, unless requested by Mercury Marine, ship the product or parts of the product directly to Mercury Marine. The original purchase receipt establishes the warranty period and must be presented to the dealer or distributor at the time warranty service is requested in order to obtain coverage.

What is Not Covered

This limited warranty does not cover routine maintenance items, tune ups, adjustments, normal wear, damage caused by abuse, abnormal use, double lab finished propellers, use of a propeller or gear ratio that does not allow the engine to run in its recommended wide open throttle RPM range (refer to the Operation and Maintenance Manual), operation of the product in a manner inconsistent with the recommended operation/duty cycle section of the Operation and Maintenance Manual, exceeding the horsepower limitations for the product as listed on the Mercury Racing propeller or in the Quicksilver Precision/Mercury Racing Accessory Guide, neglect, accident, submersion, improper installation (proper installation specifications are explained in the installation instructions for the product), improper service, use of an accessory or part not manufactured or sold by Mercury Marine, jet pump impellers and liners, operation with fuels, oils or lubricants which are not suitable for use with the product (refer to the Operation and Maintenance Manual), alteration or removal of parts, water entering the engine through the fuel intake, air intake or exhaust system, or damage to the product from insufficient cooling water caused by blockage of the cooling system by a foreign body, running the engine out of water, mounting the engine too high on the transom, or running the boat with the engine trimmed out too far. Use of the product for racing or other competitive activity, or operating with a racing type lower unit, at any point, even by a prior owner of the product voids the warranty.

Mercury Precision, SmartCraft and Quicksilver Parts and Accessories that are used for any purpose for which they are not intended (outside anticipated marine applications) are excluded from coverage under this warranty statement. Expenses related to haul–out, launch, towing, storage, telephone, rental, inconvenience, slip fees, insurance coverage, loan payments, loss of time, loss of income, or any other type of incidental or consequential damages are not covered by this warranty. Also, expenses associated with the removal and/or replacement of boat partitions or material caused by boat design for access to the product are not covered by this warranty.

No individual or entity, including authorized Mercury dealers and distributors, has been given authority by Mercury Marine to make any affirmation, representation or warranty regarding the product, other than those contained in this limited warranty, and if made, shall not be enforceable against Mercury Marine. For additional information regarding events and circumstances covered by this warranty, and those that are not, see the Warranty Coverage section of the Operation and Maintenance Manual, incorporated by reference into this warranty

Disclaimers and Limitations

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED. TO THE EXTENT THAT THEY CANNOT BE DISCLAIMED, THE IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE LIFE OF THE EXPRESS WARRANTY. INCIDENTAL AND CONSEQUENTIAL DAMAGES ARE EXCLUDED FROM COVERAGE UNDER THIS WARRANTY. SOME COUNTRIES DO NOT ALLOW FOR THE DISCLAIMERS, LIMITATIONS AND EXCLUSIONS IDENTIFIED ABOVE, AS A RESULT, THEY MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY FROM COUNTRY TO COUNTRY.

ExtraNET

ExtraNET is Brunswick Marines exclusive on-line system that will provide you access to the tools that will make your business efficient and profitable. Our electronic systems are intended to meet the needs of your business, large or small. The system allows you to perform functions faster and more accurately, enter orders, access product and warranty information more efficiently and much more. ExtraNET customers enjoy extra benefits, such as:

- Create orders for parts & accessories, certain finished products like outboards, inflatable boats, etc.
- Browse product configurator
- Check part and product availability
- View product history by serial number
- View order status and print invoices, statements and age analysis
- File product registration and consult pipeline
- File warranty claims
- Parts and products ordering 7 days a week
- File product protection plans

All ExtraNET systems are subject to change, as we continue to improve our products based on customer input.

New Electronic Parts Catalog

The New Electronic Parts Catalog (EPC) containing the Mercury Parts Catalogs and Service Bulletins is available for ExtraNET customers on a USB memory stick (P/N 8M0118036) for offline usage and via a link on the ExtraNET for online usage.

Features of the Electronic Parts Catalog include:

- Improved look and feel with easier navigation
- Enhanced search functionality • Key word search • Part number search • Document search • Multiple searches open at the same time
- Mobile-friendly interfaces for portable devices, with real-time updates – no need to worry about running updates in the online version!
- Convenient "hot spots" to find part numbers on schematics faster
- Multi-language translation
- Track your activity and to-do projects with personal notes
- Daily pricing update for the online version and weekly pricing update for the offline version

Recommended System Requirements Electronic Parts Catalog

- Microsoft Windows 7 or Newer Operating System
- 550 MHz or faster processor
- 512 MB RAM or greater
- 12 GB of free hard disk space (if installing the EPC on a hard drive)
- USB Drive
- High Speed Internet access
- Internet Explorer 10.0 or greater
- Color monitor (resolution 1024 x 768 pixels)
- Local Printer

Extranet Customer Service Contact Information

Please contact your customer representative or your Mercury distributor representative.

Notes:

TABLE OF CONTENTS

Outboard 5

Accent Panels 114
Air Filters 90
Anode Application Charts 105
Anodes - Outboard Kits 95
Anodes - Prop Nut/Spool 104
Anodes - Side Mounted/Pocket 104
Anodes - Transom Bracket/Power Trim 101
Anodes - Trim Tab/Plate 98
Automatic Outboard Flushing System 61
Avator Accessories 115
Battery Cable Kit 30
Battery Charging Kit 21
Battery Charging Kits Chart - Mercury/ Mariner 22
Carburetor Anti-Icing Kits 86
Co-Pilot Kit 45
Cowl Mounted Button 33
Dealer Support Aids 20
Deck Oil Fill Kit 88
Driveshaft Extension Chart 49
Driveshaft Extension Kit 47
Electric Start Kit 32
Electric Start Kits Chart - Mercury/Mariner . 35
Extension Kit - 2 1/2 Inch (64mm) 49
Flushing Attachments 58
Front Low Water Pick-up Plug Kit 62
Fuel Filters 72
Fuel Line Fittings and Components 68
Fuel Lines and Primer Bulbs - (Non-US Compliant) 64
Fuel Lines and Primer Bulbs (US-EPA Compliant) 67
Fuel System Accessories 67
Fuel Tanks - Portable - Premium (Non-US Compliant) 63
Fuel Tanks - Portable - Standard (Non-US Compliant) 64
Fuel Tanks - Portable - Super (Non-US Compliant) 63
Gearcase Filler Plugs 62
Gear Housing Replacement Skegs 89
Heavy Abrasion Water Pump Kit 20
High Altitude Gear Sets & Gearcases (4 cylinder) 58
High Altitude Gear Sets & Gearcases (V-6) . . . 57
High Energy Alternator Kits 21
High Speed Water Pickup Inserts 62
Kicker Strap Kit 95
Lifting Devices - Outboard 94
Mercathode 94
Mercury, Mariner 3-Cylinder (70, 75, 80, 90 HP) 116
Mercury, Mariner V-6 117
Mercury 150 Hp 4-Stroke Outboard Gearcases 119
Mercury 40-60 Hp 4-Stroke Outboard Bigfoot Gearcases 118
Mercury 75, 90 & 115 Hp 4-Stroke Outboard Gearcases 118
Mercury Mariner 4-Cylinder (100, 115, 125 HP) 116
Neutral Interlock 34
Oil Filters - FourStroke Outboard 90
Outboard Mounting Hardware 54
Outboard Mounting Hardware Chart 57
Outboard Rigging Hose Kit 45
Power Trim Chart - Mercury/Mariner 2-Cycle 27
Power Trim Chart - Mercury/Mariner FourStroke 26
Power Trim Kit 25
Power Trim Switch Kit 25
Remote Control Engine Harness 34
Remote Mounted Power Trim Accessories . . . 26
Remote Oil Tank Conversion Kits 87
Remote Oil Tanks and Components 87
Rigging Hoses Chart - Mercury/Mariner . . . 46
Shallow Water Drive Kit 47
Sideshift Conversion Kit 47
Spark Plug Application Chart - 2-Cycle . . . 14
Spark Plug Application Chart - Early Mariner 19
Spark Plug Application Chart - FourStroke . 12
Spark Plugs - Standard 5

TABLE OF CONTENTS - ENGINE ACCESSORIES

Spark Plugs - Suppressor (Resistor) 7
Starter Ropes for Manual Starters 86
Steering Bracket without Carrying Handle . . . 45
Thermostat Kit 82
Thermostats Chart - Mercury/Mariner 83
Tiller Handle - Big Tiller Steering 39
Tiller Handle Harness Button 33
Tiller Handle Kits Chart - Mercury/Mariner . .40
Tiller Handle Kit - Traditional Style 37
Trailering Clip 29
Trailering Clips Chart - Mercury/Mariner/ Force 29
Trailering Tilt Support Brackets 29
Transom Mounted Ignition Keyswitch 34
Trim Limit Kits 29
Verado 135-200 L4 Outboard Gearcases . . . 119
Verado 200-275 L6 Outboard Gearcases . . . 119
Verado 300 L6 Outboard Gearcases 119
Vertical Manual Starter Rope Guide 86
Voltage Regulator/Rectifier Kit 21
Water Eliminator 72
Water Separating Fuel Filters 75

MerCruiser 120

Air Intake Silencer Kit 129
Air Intake Tube Kit 129
Anode Chart - MerCruiser 189
Anode Chart - Propeller Nut 185
Anode Charts - Accessories and Inboard . 191
Anode - Engine 188
Anode - Heat Exchanger 188
Anode Kits 182
Anodes - Driveshaft Housing 184
Anodes - Gear Housing 186
Anodes - Propeller 184
Anodes - Transom 183
Anodes - Trim Cylinder 187
Bearing Kit 126
Boost Pump Kit 174
Carburetor Wedge Kit 154
Closed Cooling Kit Chart (Dry Joint Exhaust) 159
Closed Cooling Kit Chart - MCM (Pre-Dry Joint Exh) 163
Closed Cooling Kit Chart - MIE (Pre-Dry Joint Exh) 165
Closed Cooling Kit Chart - Ski (Pre-Dry Joint Exh) 165
Closed Cooling Kits 154
Custom Engine Covers 126
Driveshaft Extension (Jackshaft) Kit Chart 169
Driveshaft Extension (Jackshaft) Kits 168
Driveshaft Housings - Basic 196
Driveshaft Housings - Complete 195
Dual Station Senders 128
Engine Circulating Pump Drain Kit 165
Engine Flush Connector Kit 166
Engine Flush Kit 166
Exhaust Block-Off Plate 133
Exhaust Elbow/Riser Kits (8.1L & 8.2L, non-EC, 2001 & newer) 141
Exhaust Elbow Riser Kits (8.1L) Emissions Control 149
Exhaust Elbow Riser Kits (8.2L) Emissions Control 150
Exhaust In-Line Shutter Kit 132
Exhaust Manifold Fittings 154
Exhaust Outlet Flapper Kits 132
Exhaust Pipe Kits 133
Exhaust Riser Chart - Gas, Emissions Control Engines 153
Exhaust Riser Chart - Gasoline Engine (Non-EC engines) 143
Exhaust Riser Kits (Gas, Dry Joint, Small Block, non-EC, 2002 & newer) 137
Exhaust Riser Kits (Gas, Small Block, Emissions Control) 147
Exhaust Riser Kits (Gas, Wet Joint, 2002 & older) 136
Exhaust Riser Kits For Diesel Engines 135
Flushing Attachments 167
Front Belt Cover Kit 130
Fuel Filter Kit 174
Gear Housing Replacement Skegs 180
Gear Housings - Basic 198
Gear Housings - Complete 197

Gear Lube Monitor Kits 127
High Capacity Water Separating Fuel Filter - Gasoline or Diesel 174
Hot Water Heater Fitting Kits 130
Hot Water Heater T-Fitting Kit Chart 131
Mercathode 181
Oil Drain Hose Kit Chart 173
Oil Drain Hose Kits 172
Propeller Shaft Couplers for MIE only 180
Racor Water Separating Fuel Filters -Diesel . 179
Racor Water Separating Fuel Filters -Gasoline 178
Remote Oil Filter Kit Chart 171
Remote Oil Filter Kits 171
Seawater Hose Drain Kit 165
Seawater Pickups 179
Seawater Strainer 180
Serpentine Belt Kit Chart 129
Serpentine Belt Kits 128
Spark Plug Chart - MerCruiser 122
Spark Plugs - MerCruiser 120
Sterndrives - Alpha One 192
Sterndrives - Alpha One Gen II 192
Sterndrives - Bravo One 192
Sterndrives - Bravo One (Classic) 192
Sterndrives - Bravo One (SeaCore) 193
Sterndrives - Bravo Three 194
Sterndrives - Bravo Three (Classic) 194
Sterndrives - Bravo Three (SeaCore) 194
Sterndrives - Bravo Two 193
Sterndrives - Bravo Two (Classic) 193
Sterndrives - Bravo Two (SeaCore) 193
Tailstock Kits 170
Thru Transom Exhaust Outlets 132
Tilt Up Limit Spacer Kit 127
Trailering Clips 127
Transom Adapter Kit 181
Transom Assembly - Alpha 191
Transom Assembly - Bravo 191
Transom Assembly - Bravo (SeaCore) 191
Trim In Limit Spacer Kits 127
Water Eliminator 174
Water Separating Fuel Filters -Diesel 177
Water Separating Fuel Filters -Gasoline 175
ZF/Hurth 45C Direct Across 199
ZF/Hurth 630A Down Angle Transmission . . 199
ZF/Hurth 630 V-Drive Transmission 199

Racing 200

Bearing Upgrade Kits 212
Bravo Gimbal Ring Conversion Kit 211
Bravo HD Propshaft Kit 212
Cylinder Heads for 2.5 EFI Drag 200
Cylinder Heads for V-6 Outboard 200
Driveshaft Assembly 212
Electric Fuel Pumps 201
Engine Harness Rigging Kits-Non DTS 206
Engine Mounts 204
Extension (Wing) Plates 207
Flushing Kits 203
Fuel Filter 207
Fuel Filter Assembly 202
Gearcase Charts - Outboard 2.5L Model . . 204
Heavy Duty Battery Cables for V-6 Outboards 201
M Series Driveline Kits 210
M Series Transom 209
NXT1 Prop Hub Kits 210
NXT1 Steering Indicator 210
NXT1 Water Pickup Kits 210
Outboard Gearcases - Torque Master for 2.5L Models 204
Outboard HD Propshaft Kits 200
Plastic Reed Valves 201
Power Steering 211
QC4v Engines 211
Race DTS Accessories 212
Rigging Accessories 203
Spacer Kits 204
Stage 2 Muffler Kit 209
Stator 200
Sterndrive Accessories 205
Switches and Electrical Components 202
Transom Mounted Water Pickup 212
Trim Hoses 203
Trim Pumps 202

X-Haust Accessories 209
X-Haust Stage 1 Tailpipe Kits 207
X-Haust Tailpipe Hardware Kits 208

Jet Drive 213

Anode Chart - Sport Jet 217
Anodes - Sport Jet 217
Flushing Kits 216
Ignition Key Switch with Harnesses 216
Jet Drive 135 & 270 Deg. Steering System . . 214
Jet Drive Shift Cables 213
Platinum Plus Throttle and Shift Cable SAE . 213
Replacement Inlet Grates 216
Steering Cable Bulkhead Fittings and Bellows Kits 215
Steering Cable Rod End 215

Marine Batteries and Accessories 218

Battery Accessories 219
Marine Batteries 218

Vented Outboard Splash Covers 220

4-Stroke Vented Splash Covers With Quick Panel Access 223

Tow and Stow Engine Covers 224

Point-of-Sale Product Displays 225

Logo Decals 225

OUTBOARD

SPARK PLUGS - STANDARD

All spark plugs carried are not contained in this section. Spark plugs shown here are the Mercury/Mariner Outboard Service recommended replacements at time of printing. View the application charts following this section for specific outboard model recommendations.

SPARK PLUG



33-**8M0114743**

NGK BP6HS-10/18. Check and set gap per owner's manual or the emissions control information decal if present.

2/2.5/3.3 Hp 2-Stroke (Serial 0T884302-UP)
2.5/3 HP(NON-SHIFT) (Serial 0A855097-0G710612)
MERC 3.5 H.P. (Serial 6202173-UP)

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176682**

NGK, BU8H, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10

SPARK PLUG



33-**8M0176684**

NGK, BP8HS-15, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, solt @ multiples of 10

SPARK PLUG



33-**8M0176665**

NGK B7HS/82. Check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

33-**8M0176669**

NGK B8HS /68. Check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10.

SPARK PLUG



33-**8M0236887**

NGK, B5HS, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**896329827**

Champion L76V, check and set gap per owner's manual or the emissions control information decal if present.

Fits 40 hp through 50 hp and 75 through 120 hp 2-stroke Force outboards and 90 hp through 120 hp SportJet

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176690**

NGK, BP7HS-10, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10

SPARK PLUG



33-**813413**

NGK, B7S, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**813416**

NGK, BR6S

Fits 2 Cycle Outboards 6 (60) (1408611-2126763), 9.8 (110) (1470349-2098351), 10 (100) (1290910-1499331), 15 (150) (1290910-149331), 20 (200) (1290910-149331) (1558310-2094830), 25 (250) (1290910-149331), 30 (300) (1271884-1960826), 35 (350, 35A) (1271884-1960826), 40 (400) (1279685-1476509), 45 (450) (1476510-1531568), 50 (500) (1421113-2097444), 60 (600) (1303411-1542744), 70 (700) (1296411-1566239). Replacement for NGK BR6S.

SPARK PLUG



33-**8M0176615**

NGK, BP8HN-10, check and set gap per owner's manual or the emissions control information decal if present.

SPARK PLUG



33-**896323**

Champion, L82C. Use only the spark plug listed in your engine owner's manual.

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176668**

NGK, BP8HS-10

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176627**

NGK, BPZ8HS-15, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176626**

NGK, BPZ8HS-10, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0244155**

NGK spark plug #BR8ES, sold @ 10

SPARK PLUG



33-**8M0244156**

NGK spark plug #BR6FS, sold @ qty 10

SPARK PLUGS - SUPPRESSOR (RESISTOR)

All spark plugs carried are not contained in this section. Spark plugs shown here are the Mercury/Mariner Outboard Service recommended replacements at time of printing. View the application charts following this section for specific outboard model recommendations.

SPARK PLUG



33- **941**

Champion, QL77CC, check and set gap per owner's manual or the emissions control information decal if present.

Fits Mercury 3.0l outboards

Priced individually, sold @ multiples of 6

SPARK PLUG



33-**896329898**

Champion, QL76V, check and set gap owner's manual of the emissions control decal if present.

8/9.9 Bodensee 4-Stroke (Serial 0H000058-0H016909)
8 Bodensee 4-Stroke (Serial 0H017100-0H017265)

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**896329885**

Qty. 4

Fits V-135 (0A904646 and up), V-150 (150, 1500, XR2/4/6/Magnum/ II/III) Carb (4868998-0G960499), V-150 EFI (0D082000-0G960499), V-175 (175, 1750) Carb (4301235-0G960499), V-175 EFI (0D000750-0G960499), V-200 (200, 2000) Carb (4839034-0G960499), V-200 EFI (0C100860-0C291520) (0C291521-0G960499), V-220 Laser (0B117316 and up), V-225 (2.4L) (5628028 and up), V-250/275 (3.4L) (0C101891 and up), V-300 (3.4L) (5611648 and up)

SPARK PLUG



33- **938**

Champion, QL78YC

6/8/SAILMATE 9.9/SAILPOWER 15 H.P. (Serial 0D281000-0G760299)
6/8/9.9/15 Hp (Serial 0A197112-0D280999)
6/8/9.9/15 Hp (Serial 0G760300-0T979999)
8/9.9/13.5/15 (2-Stroke) (Serial 0T980000-UP)
15 Hp Sea Pro/Marathon (Serial 0G044365-0G437999)
20/25/Jet 20/Super 15/15XD/25 SeaPro/Marathon 2 Cylinder (Serial 0G044027-0G760299)
20/25/Jet 20 Seapro/Marathon 15XD Super 15/Jet 20) (2-Stroke) (Serial 0G760300-0T979999)
20 H.P /25 H.P. SEA PRO /MARATHON 25 SUPER 15 (Serial 0B238464-0G044026)
20/25/Jet 20 - 20/25 SeaPro/Marathon (2-Stroke) (Serial 0T980000-UP)
30/40 (2 Cylinder) 2-Stroke (Serial 0G055314-UP)
40/50 (3 Cylinder) 2-Stroke (Serial 1B000001-UP)
40/50 H.P. JET 30 (3 CYL.) (Serial 0G590000-0G760299)
50/55/60/JET 45 (Serial 0D000750-0G589999)
55/60/45 JET/60 BIGFOOT (2-Stroke) (Serial 0G590000-0G760299)
55/60 Jet 40/45 (3 Cylinder) (Serial 0G760300-0T979999)
55/60 Jet 40 (3 Cylinder) (Serial 0T980000-UP)
115/125 Hp 80 Jet (4 Cylinder) (Serial 0T980000-UP)
100 / 115 Hp (4 Cylinder) (Serial 0C100000-0D283221)
100/115/125 Hp 80 Jet (4 Cylinder) (Serial 0D283222-1B316463)
135/140/150/200/XR6/MAGNUM III/140Jet (2.5L)(Carb) (Serial 0G960500-1B226999)
150/200 EFI (2.5L) (Serial 0T801000-UP)
150/175/200 EFI (2.5L) (Serial 0G760300-0T800999)
225/225 SeaPro/Marathon (3.0L) Carb (Serial 0G245605-0G760299)
225 EFI ProMax/SuperMagnum (Serial 0G857000-0T429939)
240 EFI Jet Drive (Serial 0E384500-0E406399)
240 EFI And 240 EFI M2 Jet Drive (Serial 0E406400-UP)
240 EFI M2 Jet Drive (Serial 0E370718-0E406399)

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176618**

NGK, BPR7HS-10, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

33-**8M0176625**

NGK, BPR6HS-10, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176629**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

SPARK PLUG



33-**8M0176659**

NGK, BR9HS-10, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176642**

NGK, BR6HS, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176670**

NGK, DPR6EA-9, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176661**

NGK, R7347-9, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold at multiples of 4

SPARK PLUG



33-**827859**

NGK, CR6HS, check and set gap per owner's manual or the emissions control information decal if present.

Fits Mercury 8hp (serial No. 0H000058 and up, 0H017100-0H017265) and 9hp (0H00058-0H016909) outboards requiring NGK CR6HS spark plugs

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176612**

NGK, BR7HS-10, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176657**

NGK, LZFR6J, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

SPARK PLUG - SHOP PACK



33-**8M0058936**

NGK IZFR6J, check and set gap per owner's manual or the emissions control information decal if present.

25 spark plugs in one shop package.

Priced individually, sold @ multiples of 25

SPARK PLUG



33-**8M0176692**

NGK, ZFR5F, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4

SPARK PLUG



33-**8M0176681**

Champion - LFR5A-11, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176619**

NGK, BR8HS-10, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176631**

NGK, LFR6A-11, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**883323001**

Champion, RA8HC, check and set gap per owner's manual or the emissions control information decal if present.

35-40 Jet/40/50/60 EFI SeaPro - 4 Stroke 4 Cylinder (Serial 1C453840-UP)
30/40 EFI 4-Stroke (3 Cylinder) (Serial 0T409000-UP)
40 EFI (3 Cylinder) 4-Stroke (Serial 1B227000-1B355027)
40/50/60 EFI (4 Cylinder) 4-Stroke (Serial 0T409000-1C050251)
40/50/60/Jet 40 EFI - 4 Cylinder 4-Stroke (Serial 1C050252-1C453839)
60R HP FourStroke (Serial 1C615064-UP)
Formula 60 - 4 Cylinder 4-Stroke (Serial 1C104574-UP)

Priced individually, sold @ multiples of 4

SPARK PLUG - SHOP PACK



33-**8M0176654**

NGK ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.

25 spark plugs in one shop package.

SPARK PLUG



33-**8M0176677**

NGK, IZFR5G, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

SPARK PLUG - SHOP PACK



33-**8M0058933**

NGK IZFR5G, check and set gap per owner's manual or the emissions control information decal if present.

25 spark plugs in one shop package.

Priced individually, sold @ multiples of 25

SPARK PLUG



33-**8M0176678**

NGK IZFR5J, check and set gap per owner's manual or the emissions control information decal if present.

SPARK PLUG - SHOP PACK



33-**8M0058935**

NGK IZFR5J, check and set gap per owner's manual or the emissions control information decal if present.

25 spark plugs in one shop package.

Priced individually, sold @ multiples of 25

SPARK PLUG



33-**896329874**

Champion, RL82C, check and set gap per owner's manual or the emissions control information decal if present.

Fits 25hp Lightning (3 cylinder) (0E268781 and up)

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176683**

NGK, LFR4A-E, check and set gap per owner's manual or the emissions control information decal if present.

Price individually, sold at multiples of 10

SPARK PLUG



33-**8M0176653**

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

SPARK PLUG



33-**8M0176616**

NGK non-Iridium IX - LKAR7C-9, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10.

Fits: 175-300 & 450R V6 (3.4L) and V8 (4.6L) FourStroke outboards.

SPARK PLUG



33-**8M0176691**

NGK, ZFR5F-11

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176655**

NGK, IZFR7M, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176673**

NGK, ITR4A15 (Iridium)

Fits 2001 & newer MCM/MIE 4.3L, 5.0L, 5.7L & 6.2L MPI engines with ECM 555.
Note: Replaces AC# 41-101, 41-932 & 41-993
Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0180173**

Resistor style spark plug. Qty. 4
500-600 hp V12 7.6L Outboards
Priced individually, sold @ multiples of 4

SPARK PLUG WIRES



84-**8M0238747**

Includes 12 spark plug wires for complete service.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

SPARK PLUG



33-**8M0176629**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

SPARK PLUG



33-**8M0176612**

NGK, BR7HS-10, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG APPLICATION CHART - FOURSTROKE

Spark Plug Application Chart – FourStroke Outboard

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
2.5 FourStroke	JPN	0R131842 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
3.5 FourStroke	JPN	0R131842 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
4 FourStroke	JPN	0R000001 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.035
4 FourStroke	BEL	0P073456 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.035
5 FourStroke	JPN	0R000001 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.035
5 FourStroke	BEL	0P073456 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.035
6 FourStroke	JPN	0R000001 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.035
6 FourStroke	BEL	0P073456 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.035
8 FourStroke Bodensee	USA	0H000058 - 0H017349	N/A	N/A	33-827859	NGK CR6HS	.026
8 FourStroke Bodensee	USA	0G760300 - 0T178499	N/A	N/A	33-827859	NGK CR6HS	.026
8 FourStroke Bodensee	BEL	0P086824 - 0P325499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
8 FourStroke	JPN	0R042475 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
8 FourStroke	BEL	0P325500 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
9.9 FourStroke	USA	0H000058 - 0H016909	N/A	N/A	33-827859	NGK CR6HS	.026
9.9 FourStroke	USA	0G760300 - 0T979999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
9.9 FourStroke	BEL	0P075166 - 0P325499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
9.9 FourStroke	JPN	0R042475 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
9.9 FourStroke	BEL	0P325500 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
15 FourStroke	USA	0G590000 - 1B727495	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
15 FourStroke	BEL	9973100 and up	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
15 FourStroke, (Carb and EFI)	JPN	0R235949 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
20 FourStroke (Carb and EFI)	JPN	0R235168 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
25 FourStroke (Carb)	USA	0G590000 - 1B344298	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
25 FourStroke (Carb)	BEL	9973100 - 0P388282	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
25 FourStroke (EFI)	JPN	0R106999 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
25 FourStroke (EFI)	BEL	0P401000 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
25 Jet, FourStroke	JPN	0R165086 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
30 (Carb) FourStroke	USA	0G760300 - 1B226999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
30 (Carb) FourStroke	BEL	0P094500 - 0P400999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
30 (EFI) FourStroke	USA	0T409000 - 1B226999	N/A	N/A	33-883323001	Champion RA8HC	.040
30 (EFI) FourStroke	JPN	0R106999 and up	N/A	N/A	33-8M0234113	NGK DCPR6E	.033
40 (3 cyl. Carb) FourStroke	USA	0G760300 - 1B226999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (3 cyl. Carb) FourStroke	BEL	0P094500 - 0P400999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (3 cyl. EFI) FourStroke	USA	0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (3 cyl. EFI) FourStroke	BEL	0P153500 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (3 cyl. EFI) FourStroke	CHN	1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40/45 (4 cyl.) FourStroke	USA	0G231123 - 0T178499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. Carb) FourStroke	USA	0T228405 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. Carb) FourStroke	BEL	0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. EFI) FourStroke	USA	0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (4 cyl. EFI) FourStroke	BEL	0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (4 cyl. EFI) FourStroke	CHN	1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 JET (4 cyl. EFI) FourStroke	CHN	1C051324 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 FourStroke	USA	0G231123 - 0T178499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (Carb) FourStroke	USA	0T178500 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (Carb) FourStroke	BEL	0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (EFI) FourStroke	USA	0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 (EFI) FourStroke	BEL	0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 (EFI) FourStroke	CHN	1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
60 (Carb) FourStroke	USA	0T178500 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
60 (Carb) FourStroke	BEL	0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
60 (EFI) FourStroke	USA	0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
60 (EFI) FourStroke	BEL	0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
60 (EFI) FourStroke	CHN	1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
75 FourStroke, 1596cc	USA	0G960500 - 1B366822	N/A	N/A	33-859495Q	NGK LFR5A-11	.043
75 FourStroke, 1.7L	USA	1B366823 - 2B094995	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
75 FourStroke, 2.1L	USA	2B094996 and up	N/A	N/A	33-8M0204728	NGK ZFR5F	.032
80 FourStroke, 1.7L	USA	1B366823 - 2B094955	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
80 FourStroke, 2.1L	USA	2B094956 and up	N/A	N/A	33-8M0204728	NGK ZFR5F	.032
80 FourStroke	BEL	0P401000 and up	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
90 FourStroke, 1596cc	USA	0G960500 - 1B366822	N/A	N/A	33-859495Q	NGK LFR5A-11	.043
90 FourStroke, 1.7L	USA	1B366823 - 2B094995	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
90 FourStroke, 2.1L	USA	2B094996 and up	N/A	N/A	33-8M0204728	NGK ZFR5F	.032
100 FourStroke, 1.7L	USA	1B366823 - 2B094995	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
100 Fourstroke, 2.1L	USA	2B094996 and up	N/A	N/A	33-8M0204728	NGK ZFR5F	.032
100 FourStroke	BEL	0P401000 and up	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
115 (EFI) FourStroke, 1741cc	USA	0T178500 - 1B366822	N/A	N/A	33-881284Q	NGK LFR6A-11	.041
115 FourStroke, 1.7L	USA	1B366823 - 2B094995	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
115/115 ProXS FourStroke, 2.1L	USA	2B094996 and up	N/A	N/A	33-8M0204728	NGK ZFR5F	.032
135 Verado	USA	1B227000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
135 Verado	BEL	0P419487 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
150 EFI FourStroke	USA	1B905505 and up	N/A	N/A	33-8M0204728	NGK ZFR5F	.032
150 Verado	USA	1B227000 - 2B576734	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
150 Verado	BEL	0P419487 - 2B576734	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
175 Verado	USA	1B227000 - 2B576734	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
175 Verado	BEL	0P464488 - 2B576734	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
200 Verado, 4&6 cylinder	USA	0T980000 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
200 Verado, 4&6 cylinder	BEL	0P409357 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
225 (EFI) FourStroke	USA	0T653945 - 2B578935	N/A	N/A	33-859495Q	NGK LFR5A-11	.043
225 Verado	USA	0T980000 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
225 Verado	BEL	0P409357 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
250 Verado	USA	0T980000 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
250 Verado	BEL	0P409357 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
275 Verado	USA	0T980000 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
275 Verado	BEL	0P409357 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
300 Verado	USA	0T980000 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
300 Verado	BEL	0P520553 - 2B578935	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
350 SCi Verado	USA	1B718256 - 2B143542	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
350-400 L6 (2.6L) Verado	USA	2B141617 - 3B342962	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
175-300 & V6 (3.4L) & V8(4.6L)	USA	2B529482 and up	N/A	N/A	33-8M0204737	NGK LART7C-9	.035
450R V8 (4.6)	USA	1E083006 - 1E099720	N/A	N/A	33-8M0204737	NGK LART7C-9	.035
350-400 V10 (5.7L) Verado	USA	3B266064 and up	N/A	N/A	33-8M0204737	NGK LART7C-9	.035
500-600 V12 (7.6L)	USA	3B060047 and up	N/A	N/A	33-8M0180173	NGK ILKAR7G-9	.035

SPARK PLUG APPLICATION CHART - 2-CYCLE

Spark Plug Application Chart – 2-Cycle Outboard

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mecury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
2.2	USA	8075603 and up	N/A	N/A	33- 19796	NGK BPR6HS-10	.040
2.5		0A855097 and up	33-8M0114743	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3		0A855097 - 0G710612	N/A	N/A	33- 19796	NGK BPR6HS-10	.040
3.3		0D901217 and up	33-8M0114743	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3.5	USA	6202173 and up	33-8M0114743	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3.6	USA	5404657 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.6	BEL	9252831 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.6	CAN	7145388 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.9 (39)		1655013 - 2498135	33-8M0236887	NGK B5HS	N/A	N/A	.025
4 (40)(1 cyl.)		2498136 - 2771621	33-8M0236887	NGK B5HS	N/A	N/A	.030
4 (40)(1 cyl.)		2771622 - 0A809600	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
4 (40)(2 cyl.) Gnat	BEL	9075839 - 9256980	33-813472	NGK B6HS	33-813472	NGK BR6HS	.050
4 (40)(2 cyl.) Gnat	CAN	7085673 - 7146487	33-813472	NGK B6HS	33-813472	NGK BR6HS	.050
4 (40)(2 cyl.)	USA	5589202 - 5595531	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	AUS	8065265 - 8068064	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	BEL	9256981 - 9258280	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	CAN	7146488 - 7143687	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (1 cyl.)	USA	0A809601 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (1 cyl.)	BEL	9477830 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4.5 (45)(1 cyl.)	USA	4107220 - 0A809600	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
4.5 (45)(1 cyl.)	AUS	8026540 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
4.5 (45)(1 cyl.)	BEL	9072179 - 9477829	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
4.5 (45)(1 cyl.)	CAN	7045758 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
5 (1 cyl.)	USA	0A809601 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
5 (1 cyl.)	BEL	9477830 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
6 (60)	USA	1408611 - 2126763	33-813416	NGK B6S	N/A	N/A	.025
6 (60)	CAN	1958792 - 2096170	33-813416	NGK B6S	N/A	N/A	.025
6 (60)(60J)	USA	2126764 and up	33-813472	NGK B6HS	33-813472	NGK BR6HS	.030
6 (60)(60J)	CAN	2096171 and up	33-813472	NGK B6HS	33-813472	NGK BR6HS	.030
6	USA	0A197112 - 0T800749	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
6	BEL	9461526 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
7.5 (75)		2529895 - 3801457	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
7.5 (75)	USA	3801458 - 4851692	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
7.5 (75)	AUS	8015315 - 8051349	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
7.5 (75)	BEL	9043194 - 9181725	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
7.5 (75)	CAN	7028598 - 7111897	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
7.5 (75)	USA	4851693 - 5226934	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
7.5 (75)	AUS	8051350 - 8058019	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
7.5 (75)	BEL	9181726 - 9219255	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
7.5 (75)	CAN	7111898 - 7136037	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
7.5	USA	5206550 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	AUS	8057545 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	BEL	9217756 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	CAN	7125388 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
8	USA	0A197112 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
8	BEL	9461526 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
9.8 (110)		1470349 - 2098351	33-813416	NGK B6S	N/A	N/A	.025
9.8 (110)		2098352 - 2798056	33-8M0114739	NGK B7HS	N/A	N/A	.030
9.8 (110)		2798057 - 3795657	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mecury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
9.8 (110)	USA	3795658 - 4839253	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
9.8 (110)	AUS	8015040 - 8050624	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
9.8 (110)	BEL	9041439 - 9165304	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
9.8 (110)	CAN	7027323 - 7111347	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
9.8 (110)	USA	4839254 - 5206549	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
9.8 (110)	AUS	8050625 - 8057544	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
9.8 (110)	BEL	9165303 - 9217755	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
9.8 (110)	CAN	7111348 - 7125387	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
9.8	USA	5206550 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	AUS	8057545 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	BEL	9217756 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	CAN	7125388 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.9	USA	0A197112 - 0G112449	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
9.9	BEL	9461526 - 9831799	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
9.9	USA	0G112450 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
9.9	BEL	9831800 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
10 (100)		1290910 - 1499331	33-813416	NGK B6S	N/A	N/A	.025
10 (XR10/SEA PRO 10)	USA	0D038000 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
10 (XR10/SEA PRO 10)	BEL	9596000 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
10 Magnum/Marathon	USA	0D038000 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
10 Magnum/Marathon	BEL	9596000 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
15 (150)		1290910 - 1499331	33-813416	NGK B6S	N/A	N/A	.025
15	USA	0B292414 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
15	BEL	9542620 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
15 Sea Pro/Marathon	USA	0G044365 - 0G437999	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
15 Sea Pro/Marathon	USA	0G438000 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
15 Sea Pro/Marathon	BEL	9927000 and up	33-8M0114746	NGK BP8HS-15	33- 14814568	NGK BPZ8HS-15	.060
15 Sea Pro XD	BEL	9927000 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
15 (Super 15)	USA	0B238464 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
15 (Super 15)	BEL	9507381 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
15 (Super 15)	CAN	0A730007 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
18 (18, 18XD)	USA	5837437 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
18 (18, 18XD)	AUS	8071973 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
18 (18, 18XD)	BEL	9308306 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
20 (200)		1290910 - 1499331	33-813416	NGK B6S	N/A	N/A	.025
20 (200)		1558310 - 2094830	33-813416	NGK B6S	N/A	N/A	.025
20 (200)		2094831 - 2827676	33-8M0114739	NGK B7HS	N/A	N/A	.030
20 (20, 200)	USA	2827677 - 6443972	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
20 (20, 200)	AUS	8006265 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
20 (20, 200)	BEL	9016254 - 9415100	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
20 (20, 200)	CAN	7012358 - 7209532	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
20 (20, 20XD)	USA	6443973 - 0T800749	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
20 (20, 20XD)	BEL	9415101 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
20 (20, 20XD)	CAN	7209533 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
20 JET	USA	5705532 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
20 JET	AUS	8073158 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
20 JET	BEL	9315316 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
20 JET	CAN	7166928 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
25 (250)		1290910 - 1499331	33-813416	NGK B6S	N/A	N/A	.025
25 (25, 25XD, 20 JET)	USA	5705532 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
25 (25, 25XD, 20 JET)	AUS	8073158 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
25 (25, 25XD, 20 JET)	BEL	9315316 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
25 (25, 25XD, 20 JET)	CAN	7166928 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
25 LIGHTNING(3 cyl)	USA	0E268781 and up	33-896323	Champion L82C	33-896329874	Champion RL82C	.035
30 (300)		1271884 - 1960826	33-813416	NGK B6S	N/A	N/A	.025
30 (2 cyl.)644cc	USA	0G053314 - 0T598999	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040

OUTBOARD

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mecury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
30 (2 cyl.)644cc	BEL	9854537 - 0P206999	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
30 (Lightning)430cc	USA	0G575500 and up	33-8M0181925	NGK B7HS-10	33-8M0181925	NGK BR7HS-10	.040
30 JET (4 cylinder)	USA	0C159200 - 0G589999	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
30 JET (4 cylinder)	BEL	9570790 - 9973099	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
30 JET (3 cylinder)	USA	0G590000 - 0T178499	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
30 JET (3 cylinder)	BEL	9973100 - 0P094499	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
35 (350, 35A)		1271884 - 1960826	33-813416	NGK B6S	N/A	N/A	.025
35 (350)		1960827 - 2097831	33-813413	NGK B7S	N/A	N/A	.025
35 (350)		2097832 - 2874703	33-8M0114739	NGK B7HS	N/A	N/A	.030
35	USA	6445653 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
35	BEL	9384476 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
35	CAN	7209608 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
40 (400)		1279685 - 1476509	33-813416	NGK B6S	N/A	N/A	.025
40 (40, 400, 402)	USA	2874704 - 0G053313	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
40 (40, 400, 402)	AUS	8002335 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
40 (40, 400, 402)	BEL	3339688 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
40 (40, 400, 402)	CAN	3340783 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
40 (2 cyl.)	USA	0G053314 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
40 (3 cyl.)	USA	0G531301 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
40 (3 cyl.)	BEL	9973100 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
40 (4 cyl.)	USA	0C159200 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
40 (4 cyl.)	BEL	9570790 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
40 JET	USA	0T178500 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
40 JET	BEL	0P094500 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
45 (450)		1476510 - 1531568	33-813416	NGK B6S	N/A	N/A	.025
45 (4 cyl.)	USA	5531630 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
45 (4 cyl.)	AUS	8063985 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
45 (4 cyl.)	BEL	9248006 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
45 (4 cyl.)	CAN	7143688 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
45 JET	USA	0G760300 - 0T129554	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
45 JET	BEL	0P017000 - 0P094499	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
50 (500)	USA	1421113 - 2097444	33-813416	NGK B6S	N/A	N/A	.025
50 (500)	CAN	1770179 - 2116317	33-813416	NGK B6S	N/A	N/A	.025
50 (500)	USA	2097445 - 4357639	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
50 (500)	AUS	2863739 - 8029514	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
50 (500)	BEL	9001581 - 9107213	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
50 (500)	CAN	2116318 - 7068997	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
50 (50, 500)(4 cyl.)	USA	4357640 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	AUS	8030090 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	BEL	9107214 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	CAN	7068998 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
50 (3 cyl.)	USA	6428681 - 0D000749	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
50 (3 cyl.)	BEL	9385911 - 9683054	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
50 (3 cyl.)	CAN	7208333 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
50 (3 cyl.)	USA	0D000750 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
50 (3 cyl.)	BEL	9683055 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
55 (3 cyl.)	USA	0D000750 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
55 (3 cyl.)	BEL	9741042 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
60 (600)		1303411 - 1542744	33-813416	NGK B6S	N/A	N/A	.025
60 (3 cyl.)	USA	6428681 - 0D000749	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
60 (3 cyl.)	BEL	9385911 - 9683054	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
60 (3 cyl.)	CAN	7208333 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
60 (3 cyl.)	USA	0D000750 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
60 (3 cyl.)	BEL	9683055 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
65 (650)(4 cyl.)		1542745 - 2119748	33-813413	NGK B7S	N/A	N/A	.025

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mecury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
65 (650S)(4 cyl.)		2119749 - 2309310	33-8M0114739	NGK B7HS	N/A	N/A	.030
65 (650SS)(4 cyl.)		2119749 - 2309310	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
65 (650)(3 cyl.)	USA	3293184 - 4571651	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
65 (650)(3 cyl.)	AUS	8006640 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
65 (650)(3 cyl.)	BEL	9020074 - 9135824	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
65 (650)(3 cyl.)	CAN	7013633 - 7087822	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
65 JET	USA	0D283222 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
65 JET	BEL	9793577 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
70 (700)		1296411 - 1566239	33-813416	NGK B6S	N/A	N/A	.025
70 (3 cyl.)	USA	4571652 - 6428680	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
70 (3 cyl.)	AUS	8042350 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
70 (3 cyl.)	BEL	9135825 - 9385910	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
70 (3 cyl.)	CAN	7087823 - 7208332	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
70 (3 cyl.)	USA	0A996142 - 0C221999	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
70 (3 cyl.)	BEL	9483121 - 9589038	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
75 (4 cyl.)	USA	6432907 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
75 (4 cyl.)	BEL	9393856 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
75 (4 cyl.)	CAN	7208573 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
75 (3 cyl.)	USA	0C222000 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
75 (3 cyl.)	BEL	9589039 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
75 (3 cyl.)(1.5L Optimax)	USA	0T980000 and up	N/A	N/A	33-8M0176678	NGK IZFR5J	.032
80 (800)(6 cyl.)		1335465 - 1566239	33-813413	NGK B7S	N/A	N/A	.025
80 (800)(4 cyl.)		2559001 - 3493912	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
80 (80, 800)(4 cyl.)	USA	4831999 - 6432900	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	AUS	8050200 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	BEL	9177626 - 9393855	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	CAN	7110998 - 7208572	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
80 (3 cyl.)	USA	0A996142 - 0C221999	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
80 (3 cyl.)	BEL	9483121 - 9589038	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
80 JET	USA	0D283222 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
80 JET	BEL	9793577 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
85 (850)(6 cyl.)		1460999 - 1766823	33-813413	NGK B7S	N/A		.025
85 (850)(4 cyl.)	USA	3493913 - 4831998	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
85 (850)(4 cyl.)	AUS	8005440 - 8050199	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
85 (850)(4 cyl.)	BEL	9011604 - 9177625	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
85 (850)(4 cyl.)	CAN	7010108 - 7110997	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
90 (900)		1766824 - 1869775	33-813413	NGK B7S	N/A	N/A	.025
90 (90, 900)(6 cyl.)	USA	4845301 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
90 (90, 900)(6 cyl.)	AUS	8060545 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
90 (90, 900)(6 cyl.)	CAN	7111698 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
90 (3 cyl.)	USA	0A996142 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
90 (3 cyl.)	BEL	9483121 and up	33-896329833	NGK BUHW-2	33-896329898	NGK BUZHW-2	
90 (3 cyl.)(1.5L Optimax)	USA	0T801000 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
95 (950)		1869776 - 1962186	33-8M0114739	NGK B7HS	N/A	N/A	.030
95 (950)		1962187 - 2318585	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
100 (1000)		1464949 - 2318585	33-813413	NGK B7S	N/A	N/A	.025
100 (1000SS/1000BP)		2318586 - 3253111	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
100 (4 cyl.)	USA	0B209468 - 0G960499	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
100 (4 cyl.)	BEL	9523034 - 0P058999	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
110 (1100)		1870204 - 1962661	33-8M0114739	NGK B7HS	N/A	N/A	.030
110 (1100)		1962662 - 2314955	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
115 (115, 1150)(6 cyl.)	USA	2836019 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
115 (115, 1150)(6 cyl.)	AUS	8008665 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
115 (115, 1150)(6 cyl.)	CAN	7010763 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
115 (4 cyl.)	USA	0C100000 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
115 (4 cyl.)	BEL	9559771 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040

OUTBOARD

Model		Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mecury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
115 (3 cyl.)(1.5L Optimax)	USA	0T801000 and up	N/A	N/A	33-8M0176678	NGK IZFR5J	.032
115 Pro XS	USA	1B751825 and up	N/A	N/A	33-8M0176678	NGK IZFR5J	.032
125 (1250)(6 cyl.)		2314956 - 3253111	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
125 (4 cyl.)	USA	0D283222 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
125 (4 cyl.)	BEL	9793577 and up	33-816737Q	NGK BP8H-N-10	33- 938	NGK BPZ8H-N-10	.040
135 (1350)(6 cyl.)		2839369 - 3293233	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
140 (140, 1400)(6 cyl.)	USA	3293234 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
140 (140, 1400)(6 cyl.)	AUS	8052650 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
140 (140, 1400)(6 cyl.)	CAN	7112773 and up	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
150 (1500)(6 cyl.)	USA	3502806 - 4865677	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
150 (1500)(6 cyl.)	AUS	8005615 - 8052649	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
150 (1500)(6 cyl.)	CAN	7010533 - 7112772	33-896329827	NGK BUHW	33-896329898	NGK BUZHW	
V-135	USA	0A904646 and up	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-135 DFI	USA	0G590000 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-150 (150, 1500) Carb	USA	4868998 - 0G960499	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-150 (150, 1500) Carb	USA	0G960500 and up	N/A	N/A	33- 938	NGK BPZ8HS-10	.040
V-150 EFI	USA	0D082000 - 0G960499	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-150 EFI	USA	0G960500 and up	N/A	N/A	33- 938	NGK BPZ8HS-10	.040
V-150 (XR2/4/6/Magnum II/III)	USA	4868998 - 0G960499	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-150 (XR2/4/6/Magnum II/III)	USA	0G960500 and up	N/A	N/A	33- 938	NGK BPZ8HS-10	.040
V-150 DFI	USA	0G590000 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-150 ProXS	USA	1B690542 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-175 (175, 1750) Carb	USA	4301235 - 0G960499	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-175 (175, 1750) Carb	AUS	8058870 and up	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-175 EFI	USA	0D000750 - 0G960499	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-175 EFI	USA	0G960500 - 0T800999	N/A	N/A	33- 938	NGK BPZ8HS-10	.040
V-175 DFI	USA	0T178500 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-175 Pro XS	USA	1B516339 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-200 (200, 2000) Carb	USA	4839034 - 0G960499	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-200 (200, 2000) Carb	AUS	8061595 - 8065672	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-200 (200, 2000) Carb	USA	0G960500 and up	N/A	N/A	33- 938	NGK BPZ8HS-10	.040
V-200 EFI	USA	0C100861 - 0C291520	N/A	N/A	33-896329885	NGK BUZ8H	
V-200 EFI	USA	0C291521 - 0G960499	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-200 EFI (2.5L)	USA	0G960500 and up	N/A	N/A	33- 938	NGK BPZ8HS-10	.040
V-200 EFI (3.0L)	USA	0T750164 and up	N/A	N/A	33- 941	Champion QL77CC	.040
V-200 DFI	USA	0G386496 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-200 Pro XS	USA	1B504989 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-220 Laser	USA	0B117316 and up	N/A	N/A	33-896329885	NGK BUZ8H	
V-225 (2.4L)	USA	5628028 and up	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-225 (3.0L)Carb	USA	0D280813 - 0G437999	N/A	N/A	33- 938	NGK BPZ8H-N-10	.040
V-225 (3.0L)Carb	USA	0G438000 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 Sea Pro & Marathon	USA	0G245605 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 EFI(3.0L)	USA	0G129222 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 DFI	USA	0G590000 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-225 DFI (DTS)	USA	0G599000 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-225 Pro XS	USA	1B104549 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-250 (3.4L)	USA	0C101891 and up	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-250 EFI (3.0L)	USA	0G129222 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-250 DFI (3.0L)	USA	1B528615 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-250 Pro XS	USA	1B426561 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-275 (3.4L)	USA	0C101891 and up	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	
V-300 (3.4L)	USA	5611648 and up	33- 13686Q	NGK BU8H	33-896329885	NGK BUZ8H	

SPARK PLUG APPLICATION CHART - EARLY MARINER

Spark Plug Application Chart - Early Mariner


Model	SN Code	Serial # Range	Standard Spark Plug Manufacturer's P/N	Standard Spark Plug Mercury P/N	Suppressor(Resistor) Spark Plug Manufacturer's P/N	Suppressor(Resistor) Spark Plug Mercury P/N	Gap
2A (M)	646	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
2B (M)	6A1	000101 - 011600	B6HS	33-813472	BR6HS	33-813472	.024
2B (M)	6A1	011601 and up	B5HS	33-8M0236887	BR5HS	N/A	.024
3.5 (M)	642	00000 - 23740	B7HS	33-8M0114739	BR7HS	N/A	.024
3.5 (ML)	642	00000 - 41690	B7HS	33-8M0114739	BR7HS	N/A	.024
3.5 (M)	642	23741 and up	B6HS	33-813472	BR6HS	33-813472	.024
3.5 (ML)	642	41691 and up	B6HS	33-813472	BR6HS	33-813472	.024
4A (M, ML)	6E0	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
5A (M, ML)	661	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
5C (M, ML)	6E3	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
6C (M, ML)	6H8	ALL - ALL	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
6D (M, ML)	6H6	ALL - ALL	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
8A (M, ML)	655	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
8B (M, ML)	677	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W8(M, ML)	677	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
8 Marathon	677	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
K8 (M, ML)	680	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
8C (M, ML, MUL)	6G1	ALL - ALL	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
9.9C (M)	682	000551 - 032885	B7HS	33-8M0114739	BR7HS	N/A	.024
9.9C (ML)	682	300826 - 338410	B7HS	33-8M0114739	BR7HS	N/A	.024
9.9C (E)	682	250101 - 250945	B7HS	33-8M0114739	BR7HS	N/A	.024
9.9C (EL)	682	550141 - 552315	B7HS	33-8M0114739	BR7HS	N/A	.024
9.9C (M)	682	032886 and up	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
9.9C (ML)	682	338411 and up	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
9.9C (E)	682	250946 and up	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
9.9C (EL)	682	552316 and up	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
15A (M, ML)	651	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (M)	684	000101 - 020025	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (ML)	684	300101 - 316415	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (E)	684	250101 - 251060	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (EL)	684	550101 - 551615	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (M)	684	020026 and up	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
15C (ML)	684	316416 and up	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
15C (E)	684	251061 and up	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
15C (EL)	684	551616 and up	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
W15	662	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W15B	684	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W15(Marathon) (M,ML, MUL)	684	ALL - ALL	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
K15 (M, ML)	669	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
K15 (M, ML)	6K4	ALL - ALL	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
K15 (M, ML)	6M7	ALL - ALL	B7HS-10	33-8M0181925	BR7HS-10	N/A	.039
20A (M, ML)	653	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
20C (M, ML, E, EL)	6A9	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
25A (M, ML, E, EL)	648	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
25C (M, ML, E, EL)	695	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W25 (M, ML)	648	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W25 (M, ML)	695	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024

OUTBOARD

Model	SN Code	Serial # Range	Standard Spark Plug Manufacturer's P/N	Standard Spark Plug Mercury P/N	Suppressor(Resistor) Spark Plug Manufacturer's P/N	Suppressor(Resistor) Spark Plug Mercury P/N	Gap
W25 (Marathon)(M, ML)	694	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
K25 (M, ML)	6A4	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
28 (M, ML, E, EL)	664	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
30A (M, ML, E, EL)	689	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W30 (Marathon)(M, ML)	689	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
40A (M, ML, E, EL)	676	ALL - ALL	B8HS	33-8M0157387	BR8HS	N/A	.024
40B (M, ML, E, EL)	676	ALL - ALL	B8HS	33-8M0157387	BR8HS	N/A	.024
40C (M, ML, E, EL)	6E9	ALL - ALL	B8HS	33-8M0157387	BR8HS	N/A	.024
W40 (M, ML)	676	ALL - ALL	B8HS	33-8M0157387	BR8HS	N/A	.024
W40 (Marathon)(M, ML)	6F6	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
K40 (M, ML)	6F5	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
48 (M, ML)	670	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W48 (M,ML)	670 A	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
55 (M, ML)	663	ALL - ALL	B8HS	33-8M0157387	BR8HS	N/A	.024
55 (E)	663	00000 - 004040	B8HS	33-8M0157387	BR8HS	N/A	.024
55 (EL)	663	00000 - 315378	B8HS	33-8M0157387	BR8HS	N/A	.024
55 (E)	663	004041 and up	B8HS-10	N/A	BR8HS-10	33-8M0181926	.039
55 (EL)	663	315379 and up	B8HS-10	N/A	BR8HS-10	33-8M0181926	.039
W55 (ML)	663	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
60 (E)	675	000101 - 000780	B8HS	33-8M0157387	BR8HS	N/A	.024
60 (EL)	675	300101 - 302050	B8HS	33-8M0157387	BR8HS	N/A	.024
60 (E)	675	000781 and up	B8HS-10	N/A	BR8HS-10	33-8M0181926	.039
60 (EL)	675	302051 and up	B8HS-10	N/A	BR8HS-10	33-8M0181926	.039
60 (E, EL)	6FO	ALL - ALL	B8HS-10	N/A	BR8HS-10	33-8M0181926	.039

DEALER SUPPORT AIDS

FUEL INJECTOR O-RING KIT



25-8M0221321

Enough o-rings to reseal 6 injectors.

Fits 175-600hp V6 (3.4L), V8 (4.6L), V10 (5.7L) & V12 (7.6L) FourStroke outboards.

CLAMP KIT- V12 500-600HP

Image not Available.

8M0225355

Every clamp needed on the engine for 500-600hp Verado outboards. This kit includes 2 engines worth of these clamps to help aid in servicing Mercury outboards.

Use on 500-600hp Verado outboard

CLAMP KIT

Image not Available.

8M0225356

Every clamp needed on the engine for 40-400hp FourStroke outboards. This kit includes 2 engines worth of these clamps to help aid in servicing Mercury outboards.

Use on 40-400hp FourStroke outboard

HEAVY ABRASION WATER PUMP KIT

HEAVY ABRASION RESISTANT WATER PUMP




8M0092022

Heavy duty face plate and housing designed to improve life in highly abrasive water conditions.

Fits F60 BigFoot/Command Thrust and F75-115 FourStroke outboards.

HEAVY ABRASION RESISTANT WATER PUMP



8M0137849

Heavy duty face plate and housing designed to improve life in highly abrasive water conditions.

15/20 EFI FourStroke outboards, 0R833820 and above.

HIGH ENERGY ALTERNATOR KITS

Replace standard stators with optional ones having alternator coils of higher amperage output.

HIGH ENERGY ALTERNATOR KIT



398-**852387A11**

Kit contains alternator and regulator/rectifier to convert from 6 amp output to 15 amp output.

Fits Mercury/Mariner 25 hp. Carbureted FourStroke (0G590000 and newer), 30 (3 cyl.) FourStroke (MY1999-2005) and 40 (3 cyl.) FourStroke (MY1999 & newer).

HIGH-OUTPUT ALTERNATOR KIT - 115-AMP



8M0176702

The high-output alternator kit is the perfect solution for boaters who need greater battery-charging capacity for heavy-drawing onboard electronics and accessories. Each kit includes an easy-to-install drop-in alternator that raised the output from 85 to 115 amps - also includes is the required cable assembly, which includes a 150-amp fuse and 4-gauge better cable.

3.4L V6 and 4.6L V8 Fourstroke, Pro XS, and SeaPro engines with Conventional Midsections

VOLTAGE REGULATOR/RECTIFIER KIT

Replaces existing rectifier on electric models and provides DC current regulated to a maximum of 14.5 volts.

VOLTAGE REGULATOR/RECTIFIER KIT



815279A 3

Kit contains regulator/rectifier, wiring and mounting hardware.

Fits Mercury / Mariner 40 (4 cyl. 1989 & newer) and 50/60 (3 cyl. USA 0D000750-0D181999, BEL 9683055-9740999) with enclosed box type electrical plates.

BATTERY CHARGING KIT

For use with lighting coils. These provide direct current for recharging a 12-volt battery.

BATTERY CHARGING KIT



16838A 4

Kit contains voltage rectifier, wiring and mounting hardware.

Fits Mercury/Mariner 4/5 hp. 2 cycle and FourStroke outboards. See chart for specific engine models.

BATTERY CHARGING KIT



62351A10

Kit contains voltage rectifier, wiring and mounting hardware.

Fits various Mercury/Mariner 6 hp. thru 60 hp. 2 cycle outboards. See application chart for specific engine models.

BATTERY CHARGING KIT



828038A 1

Kit contains voltage rectifier, wiring and mounting hardware.

Fits Mercury/Mariner 9.9 hp. FourStroke, 1995 - 1998, and 8 hp. FourStroke (Bodensee) engines 1995-2000.

BATTERY CHARGING KIT



895299A02

A kit designed to provide 6 amp battery charging capability at wide open throttle to a manual start outboard.

Fits the 8/9.9 hp. FourStroke, Model Year 2005 and newer, both standard and BigFoot models.

BATTERY CHARGING KIT



895299A03

Allows manual start models to provide a 12 amp charge to a 12 volt battery at wide open throttle.

Fits the 15/20 Hp. FourStroke (351cc) outboard, serial number 0R235168 - 0R833819.

BATTERY CHARGING KIT



898103A90

Allows manual start models to charge 15 amps to a 12 volt battery at wide open throttle.

Fits the 25-30 Hp EFI FourStroke outboard, serial number 0R106999 & above.

BATTERY CHARGING KIT



8M0056549

Kit contains volatge rectifier, wiring and mounting hardware. Used for providing a 4 amp DC charge to a 12 volt battery at wide open throttle.

Fits Mercury/Mariner 4/5/6hp. FourStroke outboards beginning with serial number 0R411838. Some models may require lighting coils be added. See application chart for specific models.

BATTERY CHARGING KIT



8M0137842

Kit contains voltage rectifier and mounting hardware.

15/20 EFI FourStroke outboard, 0R833820 and above.

BATTERY CHARGING KITS CHART - MERCURY/MARINER

Mercury/Mariner Battery Charging Kits

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Lighting Coil Kits	Charging Rectifier Kits	Extra Required Harness
4	Mercury/Mariner		1990 - 2026	USA	0A855097 and up	16837A 2	16838A 4	N/A
4	Mercury/Mariner		1990 - 2026	BEL	9586000 and up	16837A 2	16838A 4	N/A
4	Mariner	Early Japanese			6E0/6E3 Models and up	N.L.A.	N.L.A.	N/A
4 FourStroke	Mercury/Mariner		1999 - 2005	JPN	0R000001 - 0R067089	16837A 2	16838A 4	N/A
4 FourStroke	Mercury/Mariner		1999 - 2005	BEL	0P073456 - 0P400999	16837A 2	16838A 4	N/A

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Lighting Coil Kits	Charging Rectifier Kits	Extra Required Harness
4 FourStroke	Mercury/Mariner		2006 - 2011	JPN	0R067090 - 0R411837	N.L.A.	16838A 4	N/A
4 FourStroke	Mercury/Mariner		2006 - 2011	BEL	0P401000 - 0R411837	N.L.A.	16838A 4	N/A
4 FourStroke	Mercury/Mariner		2011	JPN	0R411838 - 0R426996	N/A(1)	8M0056549	N/A
4 FourStroke	Mercury/Mariner		2011 - 2026	JPN	0R426997 and up	8M0056548	8M0056549	N/A
5	Mercury/Mariner		1990 - 2026	USA	0A855097 and up	16837A 2	16838A 4	N/A
5	Mercury/Mariner		1990 - 2026	BEL	9586000 and up	16837A 2	16838A 4	N/A
5	Mariner	Early Japanese			6E0/6E3 Models and up	N.L.A.	N.L.A.	N/A
5 FourStroke	Mercury/Mariner		1999 - 2005	JPN	0R000001 - 0R067089	16837A 2	16838A 4	N/A
5 FourStroke	Mercury/Mariner		1999 - 2005	BEL	0P073456 - 0P400999	16837A 2	16838A 4	N/A
5 FourStroke	Mercury/Mariner		2006 - 2011	JPN	0R067090 - 0R411837	N.L.A.	16838A 4	N/A
5 FourStroke	Mercury/Mariner		2006 - 2011	BEL	0P401000 - 0R411837	N.L.A.	16838A 4	N/A
5 FourStroke	Mercury/Mariner		2011	JPN	0R411838 - 0R426996	N/A(1)	8M0056549	N/A
5 FourStroke	Mercury/Mariner	Sailpower	2011 - 2026	JPN	0R426997 and up	N/A(1)	8M0056549	N/A
		ML model, non-EPA				N/A(1)	8M0056549	N/A
		EPA and all other models				8M0056548	8M0056549	N/A
6	Mercury/Mariner		1986 - 2003	USA	0A197112 - 0T800749	42282A 4	62351A10	N/A
6	Mercury/Mariner		1986 - 2026	BEL	9461526 and up	42282A 4	62351A10	N/A
6 FourStroke	Mercury/Mariner		1999 - 2005	JPN	0R000001 - 0R067089	16837A 2	16838A 4	N/A
6 FourStroke	Mercury/Mariner		1999 - 2005	BEL	0P073456 - 0P400999	16837A 2	16838A 4	N/A
6 FourStroke	Mercury/Mariner		2006 - 2011	JPN	0R067090 - 0R411837	N.L.A.	16838A 4	N/A
6 FourStroke	Mercury/Mariner		2006 - 2011	BEL	0P401000 - 0R411837	N.L.A.	16838A 4	N/A
6 FourStroke	Mercury/Mariner		2011	JPN	0R411838 - 0R426996	N/A(1)	8M0056549	N/A
6 FourStroke	Mercury/Mariner		2011 - 2026	JPN	0R426997 and up	8M0056548	8M0056549	N/A
8	Mercury/Mariner		1986 - 2026	USA	0A197112 and up	42282A 4	62351A10	N/A
8	Mercury/Mariner		1986 - 2026	BEL	9461526 and up	42282A 4	62351A10	N/A
8 FourStroke	Mercury/Mariner	232 cc. Bodensee	1995 - 1998	USA	0H000058 - 0H017099	N/A	828038A 1	N/A
8 FourStroke	Mercury/Mariner	232 cc. Bodensee	1999 - 2000	USA	0G760300 - 0T178499	N/A(1)	828038A 1	N/A
8 FourStroke	Mercury/Mariner	323 cc. Bodensee	2001 - 2004	BEL	0P086824 - 0P325499	N/A(1)	N/A(2)	856558A 2
8 FourStroke	Mercury/Mariner	209 cc.	2005 - 2026	JPN	0R042575 and up	N/A(4)	895299A02	N/A
8 FourStroke	Mercury/Mariner		2005 - 2026	BEL	0P325500 and up	N/A(4)	895299A02	N/A
9.9	Mercury/Mariner		1986 - 2026	USA	0A197112 and up	42282A 4	62351A10	N/A
9.9	Mercury/Mariner		1986 - 2026	BEL	9461526 and up	42282A 4	62351A10	N/A
9.9 FourStroke	Mercury/Mariner	232 cc.	1995 - 1998	USA	0H000058 - 0H016909	N/A(1)	828038A 1	N/A
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	USA	0G760300 - 0T979999	N/A(1)	N/A(2)	856558A 2
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	BEL	0P075166 - 0P325499	N/A(1)	N/A(2)	856558A 2
9.9 FourStroke	Mercury/Mariner	209 cc.	2005 - 2026	JPN	0R042475 and up	N/A(4)	895299A02	N/A
9.9 FourStroke	Mercury/Mariner		2005 - 2026	BEL	0P325500 and up	N/A(4)	895299A02	N/A
15	Mercury/Mariner		1986 - 2026	USA	0A197112 and up	42282A 4	62351A10	N/A
15	Mercury/Mariner		1986 - 2026	BEL	9461526 and up	42282A 4	62351A10	N/A
15	Mariner	Early Japanese	Prior to - 1988			N.L.A.	NLA	84- 86939A 2
15 FourStroke	Mercury/Mariner	323 cc.	1998 - 2008	USA	0G590000 and up	N/A(1)	N/A(2)	856558A 2
15 FourStroke	Mercury/Mariner		1998 - 2008	BEL	9973100 and up	N/A(1)	N/A(2)	856558A 2
15 FourStroke	Mercury/Mariner		2008 - 2018	JPN	0R235949 - 0R833819	N/A	895299A03	N/A
15 EFI FourStroke	Mercury/Mariner		2018 - 2026	JPN	0R833820 - and up	N/A	8M0137842	N/A
18	Mercury/Mariner		1980 - 1985	USA	5837437 and up	42282A 4	62351A10	N/A
18	Mercury/Mariner		1980 - 1983	AUS	8071973 and up	42282A 4	62351A10	N/A
18	Mercury/Mariner		1980 - 1985	BEL	9308306 and up	42282A 4	62351A10	N/A
18	Mercury/Mariner		1980 - 1985	CAN	7173723 and up	42282A 4	62351A10	N/A
20	Mercury/Mariner		1986 - 2003	USA	6443973 - 0T800749	42282A 4	62351A10	N/A
20	Mercury/Mariner		1986 - 2026	BEL	9415101 and up	42282A 4	62351A10	N/A
20	Mercury/Mariner		1986 - 2003	CAN	7209533 and up	42282A 4	62351A10	N/A
20 FourStroke	Mercury/Mariner		2008 - 2018	JPN	0R235168 - 0R833819	N/A	895299A03	N/A
20 EFI FourStroke	Mercury/Mariner		2018 - 2026	JPN	0R833820 - and up	N/A	8M0137842	N/A
25	Mercury/Mariner		1980 - 2026	USA	5837437 and up	42282A 4	62351A10	N/A

OUTBOARD

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Lighting Coil Kits	Charging Rectifier Kits	Extra Required Harness
25	Mercury/Mariner		1980 - 2026	AUS	8071973 and up	42282A 4	62351A10	N/A
25	Mercury/Mariner		1980 - 2026	BEL	9308306 and up	42282A 4	62351A10	N/A
25	Mercury/Mariner		1980 - 2026	CAN	7173723 and up	42282A 4	62351A10	N/A
25 FourStroke	Mercury/Mariner	Carb models	1998 - 2006	USA	0G590000 and up	(3)	(3)	N/A
25 FourStroke	Mercury/Mariner	Carn models	1998 - 2006	BEL	9973100 and up	(3)	(3)	N/A
25 FourStroke	Mercury/Mariner	EFI models	2006 - 2026	JPN	0R106999 and up	(4)	898103A90	N/A
25 FourStroke	Mercury/Mariner	EFI models	2006 - 2026	BEL	0P401000 and up	(4)	898103A90	N/A
30	Mariner	2 cylinder, Early Japanese				N.L.A.	NLA	84- 86939A 2
30	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2002	USA	0G053314 - 0T598999	N/A(1)	62351A10	N/A
30	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2002	BEL	9854537 - 0P206999	N/A(1)	62351A10	N/A
30 FourStroke	Mercury/Mariner	EFI models	2006 - 2026	JPN	0R106999 and up	(4)	898103A90	N/A
30 FourStroke	Mercury/Mariner	EFI models	2006 - 2026	BEL	0P401000 and up	(4)	898103A90	N/A
35	Mercury/Mariner	2 cylinder	1984 - 2026	USA	6445653 and up	42282A 4	62351A10	N/A
35	Mercury/Mariner	2 cylinder	1984 - 2026	BEL	9384476 and up	42282A 4	62351A10	N/A
35	Mercury/Mariner	2 cylinder	1984 - 2026	CAN	7209608 and up	42282A 4	62351A10	N/A
40	Mariner	2 cylinder, Early Japanese				N.L.A.	NLA	84- 86939A 2
40	Mercury/Mariner	2 cylinder	1980 - 1984	USA	5823918 - 0G053313	42282A 4	62351A10	N/A
40	Mercury/Mariner	2 cylinder	1980 - 1984	AUS	8070640 and up	42282A 4	62351A10	N/A
40	Mercury/Mariner	2 cylinder	1980 - 1984	BEL	9298955 - 9854536	42282A 4	62351A10	N/A
40	Mercury/Mariner	2 cylinder	1980 - 1984	CAN	7169338 and up	42282A 4	62351A10	N/A
40	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2003	USA	0G053314 - 0T800749	N/A(1)	62351A10	N/A
40	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2003	BEL	9854537 - 0P267999	N/A(1)	62351A10	N/A
40	Mercury/Mariner	3 cylinder	1997 - 2026	USA	0G531301 and up	N/A(1)	62351A10	N/A
40	Mercury/Mariner	3 cylinder	1997 - 2026	BEL	9973100 and up	N/A(1)	62351A10	N/A
40	Mercury/Mariner	4 cylinder	1989 - 1997	USA	0C159200 and up	N.L.A.	62351A10	N/A
40	Mercury/Mariner	4 cylinder	1989 - 1997	BEL	9570790 and up	N.L.A.	62351A10	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	USA	0A914859 and up	N.L.A.	62351A10	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	AUS	8063985 and up	N.L.A.	62351A10	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	BEL	9248006 and up	N.L.A.	62351A10	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	CAN	0A709616 and up	N.L.A.	62351A10	N/A
50	Mercury/Mariner	4 cylinder	1980 - 1985	USA	5531630 - 0A914858	N.L.A.	62351A10	N/A
50	Mercury/Mariner	4 cylinder	1980 - 1985	AUS	8063985 - 8063984	N.L.A.	62351A10	N/A
50	Mercury/Mariner	4 cylinder	1980 - 1985	BEL	9248006 - 9248005	N.L.A.	62351A10	N/A
50	Mercury/Mariner	4 cylinder	1980 - 1985	CAN	7143688 - 0A709615	N.L.A.	62351A10	N/A
55	Mercury/Mariner	51.8 CID	1996 - 1997	USA	0D000750 - 0G589999	N/A(1)	62351A10	N/A
55	Mercury/Mariner	51.8 CID	1996 - 1997	BEL	9741042 - 9973099	N/A(1)	62351A10	N/A
55	Mercury/Mariner	59 CID	1998 - 2026	USA	0G590000 and up	N/A(1)	62351A10	N/A
55	Mercury/Mariner	59 CID	1998 - 2026	BEL	9973100 and up	N/A(1)	62351A10	N/A
60	Mercury/Mariner	59 CID	1998 - 2026	USA	0G590000 and up	N/A(1)	62351A10	N/A
60	Mercury/Mariner	59 CID	1998 - 2026	BEL	9973100 and up	N/A(1)	62351A10	N/A

(1) Lighting coils are already a part of the stator assembly and not required as a separate kit.

(2) Charging rectifier already present on outboard and not required to be added.

(3) Kits are not available for this model.

(4) Lighting coils are included in the battery charging kit.

POWER TRIM KIT

These kits are designed to add power trim to motors not equipped with power trim at time of manufacture. Remote operation of any power trim requires the use of a power trim control panel or a trim type remote control if not already so equipped.

POWER TRIM KIT



8M0055001

Single ram integral trim with cowl mounted trim switch.

Fits various Mercury/Mariner 30 thru 50 hp. 4-Stroke and 55/60 (3 cyl,) 2 cycle outboards. See application chart for specific engine models.

POWER TRIM KIT



8M0055003

Single ram integral trim with cowl mounted trim switch.

Fits Mercury/Mariner 40 hp. (3 cyl.) FourStroke EFI outboards beginning with Model Year 2006. See application chart for specific engine models.

POWER TRIM KIT



8M0055008

Single ram integral trim with cowl mounted trim switch.

Fits Mercury/Mariner 40 hp. (3 cyl.) 4-Stroke Bigfoot, 40 hp. (4 cyl., 996 cc.) 4-Stroke Bigfoot, 50/60 hp. (4 cyl., 996 cc.) 4-Stroke, and 60 (3 cyl.) 2 cycle Bigfoot outboards. See application chart for specific engine models.

POWER TRIM KIT



855654A 6

Single ram integral trim with cowl mounted trim switch.

Fits Mercury/Mariner 30/40 hp. (3 cyl.) 4-Stroke outboards with Bigfoot gearcase beginning with serial number 0T294065-1B226999. See application chart for specific engine models.

POWER TRIM KIT



8M0231194

Three ram integral power trim.

Fits Mercury/Mariner 70/75/80/90 hp. (3 cyl.) 2 cycle outboards, 1987 thru 1997 1/2 and 75 hp. (4 cyl.) 2 cycle, 1984 thru 1987. See application chart for specific engine models.

POWER TRIM & TILT KIT



8M0171817

Fits Force 90/120 hp. outboards (USA 0E093700-0E173408).

POWER TRIM SWITCH KIT

Operates the power trim kit added to an electric model.

POWER TRIM SWITCH KIT



87- **14645A 4**

Toggle switch style. Tiller handle mounted.

Fits Mercury/Mariner 40 JET and 50/60 HP outboards and operates the power trim kit added to a base ELHO model engine. See Tiller application chart for specific engine models.

POWER TRIM SWITCH KIT



87- **18286A18**

Rocker style switch with 10 ft. harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location.

Fits Mercury/Mariner models equipped with integral trim pump.

POWER TRIM SWITCH KIT



87-**8M0042301**

Rocker switch style with bullet connectors. Cowl mounted. Connects directly to engine harness.

Fits Force 30-125 hp. Outboards.

REMOTE MOUNTED POWER TRIM ACCESSORIES

These accessories can be used with applications requiring the installation of the remote mounted style power trim pump.

POWER TRIM PUMP MOUNTING BRACKET



862548A 1

Allows mounting to floor or transom. Includes lag bolts and washers.

Fits various Mercury / Mariner applications requiring a remote style power trim pump.

POWER TRIM CHART - MERCURY/MARINER FOURSTROKE

THESE ARE NOT REPLACEMENT POWER TRIMS. These kits are add-on power trim kits designed for addition to outboard engines that were not furnished a power trim at time of manufacture.

FourStroke Outboard Power Trim Kit Chart

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Analog Trim Sender	Starboard Mount Analog Trim Sender
25 FourStroke	Carb Model w/Standard Gearcase	1998 - 2006	USA	0G590000 and up	822344A13	822573A12	N/A
25 FourStroke	Carb Model w/Standard Gearcase	1998 - 2006	BEL	9973100 and up	822344A13	822573A12	N/A
25 FourStroke	BigFoot Gearcase	1998 - 2005	USA	0G590000 - 1B226999	822344A13	822573A12	N/A
25 FourStroke	BigFoot Gearcase	1998 - 2005	BEL	9973100 - 0P400999	822344A13	822573A12	N/A
25 FourStroke	EFI Models	2006 - 2026	JPN	0R106999 and up	N/A(2)	822573A12	N/A
25 FourStroke	EFI Models	2006 - 2026	BEL	0P401000 and up	N/A(2)	822573A12	N/A
30 FourStroke	3 cylinder. Standard Gearcase	1999 - 2001	USA	0G760300 - 0T294064	8M0055001	N/A	8M0098264
30 FourStroke	3 cylinder. Standard Gearcase	1999 - 2001	BEL	0P017000 - 0P153499	8M0055001	N/A	8M0098264
30 FourStroke	3 cylinder. Standard Gearcase	2001 - 2005	USA	0T294065 - 1B226999	8M0055002	N/A	8M0098264
30 FourStroke	3 cylinder. Standard Gearcase	2001 - 2005	BEL	0P153500 - 0P400999	8M0055002	N/A	8M0098264
30 FourStroke	EFI Models	2006 - 2026	JPN	0R106999 and up	N/A(2)	822573A12	N/A
30 FourStroke	EFI Models	2006 - 2026	BEL	0P401000 and up	N/A(2)	822573A12	N/A
40 FourStroke	3 cylinder. Standard Gearcase	1999 - 2001	USA	0G760300 - 0T294064	8M0055001	N/A	8M0098264
40 FourStroke	3 cylinder. Standard Gearcase	1999 - 2001	BEL	017000 - 0P153499	8M0055001	N/A	8M0098264
40 FourStroke	3 cylinder. BigFoot Gearcase	1999 - 2001	USA	0G760300 - 0T294064	8M0055008	N/A	8M0098264
40 FourStroke	3 cylinder. BigFoot Gearcase	1999 - 2001	BEL	0P017000 - 0P094499	8M0055008	N/A	8M0098264
40 FourStroke	3 cylinder. Standard Gearcase	2001 - 2005	USA	0T294065 - 1B226999	8M0055002	N/A	8M0098264
40 FourStroke	3 cylinder. Standard Gearcase	2001 - 2005	BEL	0P094500 - 0P400999	8M0055002	N/A	8M0098264
40 FourStroke	3 cylinder. EFI	2006	USA	1B227000 - 1B344398	8M0055003	N/A	8M0098264
40 FourStroke	3 cylinder. EFI	2006	BEL	0P401000 - 0P515896	8M0055003	N/A	8M0098264
40 FourStroke	3 cylinder. EFI	2006	CHN	1C000001 - 1C049738	8M0055003	N/A	8M0098264

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Analog Trim Sender	Starboard Mount Analog Trim Sender
40 FourStroke	3 cylinder EFI	2007 - 2026	CHN	1C049739 and up	8M0055003	N/A	8M0098264
40 FourStroke	3 cylinder. BigFoot Gearcase	2001	USA	0T294065 - 0T408999	855654A 6	N/A	8M0098264
40 FourStroke	3 cylinder. BigFoot Gearcase	2001	BEL	0P094500 - 0P153499	855654A 6	N/A	8M0098264
40 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	USA	0G231123 - 0G760299	822344A13	822573A12	N/A
40 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	BEL	0P073323 - 0P094499	8M0055001	N/A	8M0098264
40 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
40 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	BEL	0P094500 - 0P515896	8M0055008	N/A	8M0098264
40 FourStroke	4 cylinder. 996 cc. BigFoot	2006	CHN	1C000001 - 1C050251	8M0055008	N/A	8M0098264
40 FourStroke	4 cylinder. 996 cc. BigFoot	2007 - 2026	CHN	1C050252 and up	N/A(4)	N/A	8M0098264
45 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	USA	0G231123 - 0G760299	822344A13	822573A12	N/A
45 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	BEL	9944807 - 0P016999	822344A13	822573A12	N/A
45 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	USA	0G076300 - 0T178499	822344A13	822573A12	N/A
45 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	BEL	0P017000 - 0P094499	822344A13	822573A12	N/A
45 FourStroke	4 cylinder. BigFoot Gearcase	1999 - 2000	USA	0G076300 - 0T178499	8M0055001	N/A	8M0098264
45 FourStroke	4 cylinder. BigFoot Gearcase	1999 - 2000	BEL	0P017000 - 0P094499	8M0055001	N/A	8M0098264
50 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	USA	0G231123 - 0G760299	822344A13	822573A12	N/A
50 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	BEL	9944807 - 0P016999	822344A13	822573A12	N/A
50 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	USA	0G076300 - 0T178499	8M0055001	N/A	8M0098264
50 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	BEL	0P017000 - 0P094499	8M0055001	N/A	8M0098264
50 FourStroke	4 cylinder. BigFoot Gearcase	1998 - 2000	USA	0G590000 - 0T178499	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. Standard	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. Standard	2001 - 2006	BEL	0P094500 - 0P515896	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. Standard	2006	CHN	0C000001 - 0C050251	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. Standard	2007 - 2026	CHN	0C0500252 and up	N/A(4)	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	BEL	0P094500 - 0P515896	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. BigFoot	2006	CHN	1C000001 - 1C050251	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. BigFoot	2007 - 2026	CHN	1C050252 and up	N/A(4)	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc. Standard	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc. Standard	2001 - 2026	BEL	0P094500 and up	8M0055008	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2026	BEL	0P094500 and up	8M0055008	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc.	2006 - 2026	CHN	1C000001 and up	8M0055008	N/A	8M0098264

(2) Accessory trim not available for non-trim models.

(3) Power trim is furnished standard on the "Pro-Kicker" model.

(4) All models furnished with trim as standard.

POWER TRIM CHART - MERCURY/MARINER 2-CYCLE

THESE ARE NOT REPLACEMENT POWER TRIMS. These kits are add-on power trim kits designed for addition to outboard engines that were not furnished a power trim at time of manufacture.

Two Cycle Outboard Power Trim Kit Chart

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Trim Sender	Starboard Mount Trim Sender
30	2 cylinder (644 cc) Long shaft.(4)	1995 - 1996 1/2	USA	0G124405 - 0G380073	822344A11	822573A12	N/A
30	2 cylinder (644 cc) Long shaft.(4)	1995 - 1996 1/2	BEL	9840763 - 9928056	822344A11	822573A12	N/A
30	2 cylinder (644 cc) Long shaft.(4)	1996 1/2 - 2002	USA	0G380074 - 0T598999	822344A13	822573A12	N/A
30	2 cylinder (644 cc) Long shaft.(4)	1996 1/2 - 2002	BEL	9928059 - 0P206999	822344A13	822573A12	N/A
30 JET	4 cylinder	1993 - 1997	USA	0C159200 - 0G589999	8M0055000	N/A	N/A
30 JET	3 cylinder. Long shaft only.	1998 - 2000	USA	0G590000 - 0T178499	822344A13	822573A12	N/A
40	4 cylinder.	1993 - 1997	USA	0D182000 and up	8M0055000	N/A	8M0098264
40	4 cylinder.	1993 - 1997	BEL	9741000 and up	8M0055000	N/A	8M0098264
40	2 cylinder (644 cc) Long shaft.(4)	1995 - 1996 1/2	USA	0G124405 - 0G380073	822344A11	822573A12	N/A
40	2 cylinder (644 cc) Long shaft.(4)	1995 - 1996 1/2	BEL	9840763 - 9928056	822344A11	822573A12	N/A

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Trim Sender	Starboard Mount Trim Sender
40	2 cylinder (644 cc) Long shaft.(4)	1996 1/2 - 2026	USA	0G380074 and up	822344A13	822573A12	N/A
40	2 cylinder (644 cc) Long shaft.(4)	1996 1/2 - 2026	BEL	9928059 and up	822344A13	822573A12	N/A
40	3 cylinder 59 CID, Long shaft only.	1997 1/2 - 2026	USA	0G531301 and up	822344A13	822573A12	N/A
40	3 cylinder 59 CID, Long shaft only.	1997 1/2 - 2026	BEL	9973100 and up	822344A13	822573A12	N/A
40 JET	59 CID	2001 - 2026	USA	0T178500 and up	8M0055001	N/A	8M0098264
40 JET	59 CID	2001 - 2026	BEL	0P094500 and up	8M0055001	N/A	8M0098264
45 JET	51.8 CID	1993 - 1997	USA	0D182000 - 0G589999	8M0054999(2)	N/A	8M0098264
45 JET	59 CID	1998 - 2000	USA	0D590000 - 0T178499	8M0055001	N/A	8M0098264
50	3 cylinder 51.8 CID	1993 - 1997	USA	0D182000 - 0G58999	8M0054999(2)	N/A	8M0098264
50	3 cylinder 51.8 CID	1993 - 1997	BEL	9733882 - 9973099	8M0054999(2)	N/A	8M0098264
50	3 cylinder 59 CID, Long shaft only.	1998 - 2026	USA	0G590000 and up	822344A13	822573A12	N/A
50	3 cylinder 59 CID, Long shaft only.	1998 - 2026	BEL	9973100 and up	822344A13	822573A12	N/A
55	3 cylinder 59 CID, Requires electric start.	1998 - 2026	USA	0G590000 and up	8M0055001	N/A	8M0098264
55	3 cylinder 59 CID, Requires electric start.	1998 - 2026	BEL	9973100 and up	8M0055001	N/A	8M0098264
60	3 cylinder.	1993 - 1997	USA	0D182000 - 0G589999	8M0054999(2)	N/A	8M0098264
60	3 cylinder.	1993 - 1997	BEL	9733882 - 9973099	8M0054999(2)	N/A	8M0098264
60	3 cylinder. BigFoot Models	1998 - 2026	USA	0G590000 and up	8M0055008	N/A	8M0098264
60	3 cylinder. BigFoot Models	1998 - 2026	BEL	9973100 and up	8M0055008	N/A	8M0098264
60	3 cylinder. Non-BigFoot Models	1998 - 2026	USA	0G590000 and up	8M0055001	N/A	8M0098264
60	3 cylinder. Non-BigFoot Models	1998 - 2026	BEL	9973100 and up	8M0055001	N/A	8M0098264
70	3 cylinder.	1987 - 2026	USA	0A966142 and up	8M0231194(2)	8M0098273	8M0098264
70	3 cylinder.	1987 - 2026	BEL	9502500 and up	8M0231194(2)	8M0098273	8M0098264
75	4 cylinder.	1984 - 1987	USA	6428681 - 0B122929	8M0231194(2)	8M0098273	8M0098264
75	4 cylinder.	1984 - 1987	BEL	9385911 - 9469199	8M0231194(2)	8M0098273	8M0098264
75	4 cylinder.	1984 - 1987	CAN	7208333 - 0A721307	8M0231194(2)	8M0098273	8M0098264
75	3 cylinder.	1987 - 1997 1/2	USA	0A966142 - 0G531985	8M0231194(2)	8M0098273	8M0098264
75	3 cylinder.	1987 - 1997 1/2	BEL	9502500 - 9934136	8M0231194(2)	8M0098273	8M0098264
75	3 cylinder w/electric start only.	1997 1/2 - 2026	USA	0G531986 and up	830250A 7 (5)	N/A	8M0098264
75	3 cylinder w/electric start only.	1997 1/2 - 2026	BEL	9934137 and up	830250A 7 (5)	N/A	8M0098264
80	3 cylinder.	1987 - 2026	USA	0A966142 and up	8M0231194(2)	8M0098273	8M0098264
80	3 cylinder.	1987 - 2026	BEL	9502500 and up	8M0231194(2)	8M0098273	8M0098264
90	3 cylinder.	1987 - 1997 1/2	USA	0A966142 - 0G531985	8M0231194(2)	8M0098273	8M0098264
90	3 cylinder.	1987 - 1997 1/2	BEL	9502500 - 9934136	8M0231194(2)	8M0098273	8M0098264
90	3 cylinder w/electric start only.	1997 1/2 - 2026	USA	0G531986 and up	830250A 7 (5)	N/A	8M0098264
90	3 cylinder w/electric start only.	1997 1/2 - 2026	BEL	9934137 and up	830250A 7 (5)	N/A	8M0098264

(1) Power trim can not be added to a non-trim 35 EL model due to the transom bracket used in manufacture. Power trim was available as a factory supplied option.

(2) Installation on a tiller handle model requires the addition of a Power Trim Switch kit found in this section or in Electrical Accessories.

(3) May back fit to 1984 if the 5 tilt pin position clamp brackets are in use.

(4) Non-Sea Pro/Marathon only.

(5) Available at Seaway Marine 206-937-7373 (USA) or seawaymarine.com

TRIM LIMIT KITS

Used to limit tilt or trim-up travel on V-6 outboard power trim applications.

TRIM LIMIT SWITCH KIT



87-**887979A 2**

Kit includes a mercury switch to limit power trim travel and a new, shorter tilt bracket. Switch harness utilizes bullet connectors.

Plugs into the harness for trim relay control on the 3.0L OptiMax (Model Year 2003 & newer).

TRIM LIMIT SWITCH KIT



87-**814407A 3**

Kit includes a mercury switch to limit power trim travel and a new, shorter tilt bracket.

Fits all Mercury/Mariner V-6 outboard applications which use engine mounted power trim solenoids.

TRIM REDUCER KIT



858915A 1

Kit includes a series of spacers to be installed in the trim cylinder.

Fits V-6 outboard applications (USA 0D082000 and Newer) and the 4 cylinder 135/150/175/200 hp. Verado outboard.

TRAILERING TILT SUPPORT BRACKETS

Locks motor in a tilted position.

TILT SUPPORT BRACKET KIT



8M0072610

This shorter bracket will support the engine in a reduced trim up position when tilt is limited. Prevents engine from trim bleed down. Recommended for use with the trim limit control 8M0059532.

Fits the F150 EFI FourStroke outboard, serial number 1B905505 and above.

TRAILERING CLIP

TRAILERING CLIP



833006A 1

Clips over center trim ram in extended position. Locks motor in a tilted position.

Fits Mercury/Mariner V-6 engines with Design II (3 ram) power trim systems and the 135/150/175 hp. Verado outboard.

TRAILERING CLIPS CHART - MERCURY/MARINER/FORCE

Mercury/Mariner/Force Trailering Clips

Model	Model Notes	Brand	Year Range	Country	Serial # Range	Trailering Clips
V-6	With Design II (3 ram) Power Trims	Mercury/Mariner	1986 - 2026	USA	0A904646 and up	833006A 1
40	1992C Models and Newer.	Force	1992 - 1994	USA	0E000001 - 0E093699	N.L.A.
50	1991B, 1992C Models and Newer.	Force	1991 - 1994	USA	0E000001 - 0E093699	N.L.A.
70	1991B, 1992C Models and Newer.	Force	1991 - 1995	USA	0E000001 - 0E138599	N.L.A.
75		Force	1996 - 2026	USA	0E138600 and up	N.L.A.
L Drives		Force	1990 - 1992	USA	0E000001 and up	N.L.A.

BATTERY CABLE KIT

Longer than standard cables. Kits contain two 12 ft. (3.66 m) battery cables.

BATTERY CABLE KIT



84-**8M0210761**

Pair of 12 foot (3.7m) cables, 1 red(+) Positive and 1 black(-) Negative, 4 gauge with ring terminals. 105c 4AWG SGT, 5/16 engine direct to battery, 3/8 and 5/16 boat. This is an optional accessory kit and may not reflect the original cables on your engine. For original manufactured service part replacement, the Electronic Parts Catalog should always be used for each specific engine. For alternate length cables, consult the appropriate service manual.

Fits Mercury/Mariner outboard engines

BATTERY CABLE-POS



84- **88439A25**

Single 12 ft. positive cable. 4 Gauge with ring terminals.

BATTERY CABLE-NEG



84- **88439A26**

Single 12 ft. negative cable. 4 Gague with ring terminals

BATTERY CABLE KIT



84-**8M0133542**

This kit includes two 12 ft. long cables (one red, one black), 2 AWG, 5/16" ring terminal engine side and 3/8" ring terminal battery side. SGX or STX min 125C cable.

When the application demands 2 gauge wire size.

NEGATIVE BATTERY CABLE



84-**8M0136942**

Includes one 12 ft. long cable (black), 2 AWG, 5/16-inch ring terminal engine side and 3/8-inch ring terminal battery side. SGX or STX min 125C cable.

When the application demands 2AWG wire size

HEAVY DUTY BATTERY CABLES



84- **61378A 2**

6AWG, 72" inch, 1/4-5/16 engine, 5/16-3/8 battery

For use with Mercury/Mariner V-6 Outboards

ENGINE TO HOT STUD KIT - 1/0 AWG



84-**8M0149414**

Includes: engine to hot stud negative & positive cables. Ships on engine from factory. 12ft – 3/8" terminal boat side

Fits Mercury 5.7L V10 350/400, 5.7L V10 400R and 7.6L V12 600hp Verado and 500hp SeaPro outboard engines.

ALTERNATOR TO ISOLATOR CABLE

Image not Available.

84-**8M0171478**

Orange 1/0 gauge / SGX/STX 125c / 5/16 to 5/16 terminals - 12ft. (Quantity of 1 needed)

Fits Mercury 5.7L V10 350/400 HP and 7.6L V12 600hp Verado and 500hp SeaPro outboard engines.

ISOLATOR CHARGE CABLES



84-**8M0149788**

Red 2 gauge / SGX/STX 125c / 5/16 to 5/16 terminals - 3ft. (Quantity of 2 needed)

Fits Mercury 5.7L V10 350/400, 400R HP and 7.6L V12 600hp Verado and 500hp SeaPro outboard engines.

84-**8M0149789**

Red 2 gauge / SGX/STX 125c / 5/16 to 5/16 terminals - 6ft. (Quantity of 2 needed)


Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

84-**8M0149790**

Red 2 gauge / SGX/STX 125c / 5/16 to 5/16 terminals - 10ft. (Quantity of 2 needed)

Fits Mercury 5.7L V10 350/400, 400R HP and 7.6L V12 600hp Verado and 500hp SeaPro outboard engines.

DUAL BATTERY ISOLATOR



87-**8M0240486**

70-amp, dual battery

FUSE



88-**8M0174088**

MRBF fuse - White, 175 amp. (Quantity of 2 needed)

Fits Mercury 5.7L V10 350/400/425, 400R hp and 7.6L V12 600hp Verado and 500hp SeaPro outboard engines.

CABLE BOOT



85-**8M0204731**

Insulator cable boot, red.

FUSE BAR HOLDER KIT



56-**8M0144608**

Bussman MRBF fuse holder (3/8" mounting hole with M8 1.25 (5/16) stud) and hardware.

GROUNDING CABLE



84-**8M0151976**

Black 1/0 gauge / SGX/STX 125c / 5/16 to 3/8 terminals - 2ft

84-**8M0151977**

Black 1/0 gauge / SGX/STX 125c / 5/16 to 3/8 terminals - 3ft

84-**8M0151978**

Black 1/0 gauge / SGX/STX 125c / 5/16 to 3/8 terminals - 4.5ft

84-**8M0151979**

Black 1/0 gauge / SGX/STX 125c / 5/16 to 3/8 terminals - 6ft

EXTENSION HARNESS



84-**8M0176937**

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (5ft)

84-**8M0176939**

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (10ft)

84-**8M0176940**

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (15ft)

84-**8M0176941**

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (20ft)

84-**8M0176942**

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (25ft)

POSITIVE BATTERY CABLE



84-**8M0136941**

Includes one 12 ft. long (red) cable, 2 AWG, 5/16" ring terminal engine side and 3/8" ring terminal battery side. SGX or STX min 125C cable.

When the application demands 2AWG wire size

ISOLATOR ADAPTER



84-**8M0175114**

2-pin adapter harness from extension to isolator excitation and ground. Connects isolator extension to isolator. Provides fused ground for FET based alternators when using Rig Center Gen2

ELECTRIC START KIT

Converts a manual start engine to an electric start. Additional buttons, harnesses or key switches may be required to complete conversion. See application chart.

ELECTRIC START KIT



50- **90983A 5**

Includes alternator kit. Also requires a tiller handle harness & start button or remote control harness assembly.

Fits various Mercury/Mariner 6-25 hp. 2 cycle outboards. See application chart for specific engine models.

ELECTRIC START CONVERSION KIT



8M0069693

Includes the components necessary to convert a manual start tiller handle outboard to an electric start tiller handle outboard.

Fits the 8/9.9 hp. FourStroke, Model Year 2005 and newer, both standard and BigFoot models.

ELECTRIC START KIT



8M0137846

15/20 EFI FourStroke outboard, 0R833820 and above.

ELECTRIC START KIT



50-**822462A 1**

Includes 15 AMP alternator and regulator/rectifier. Also requires a tiller handle harness & start button or remote control harness/enrichner kit.

Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (1994-1997). See application chart for specific engine models.

ELECTRIC START KIT



50-**822462A 4**

Includes 15 AMP alternator and regulator/rectifier. Tiller handle versions also require use of a transom mounted ignition/choke/horn assembly.

Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (1998 and Newer). See application chart for specific engine models.

ELECTRIC START CONVERSION KIT



50-**899783A01**

Converts an MH (manual start tiller) to an EH (electric start tiller) model.
25-30 Hp EFI FourStroke outboard, serial number 0R106999 & 1R162636.

ELECTRIC START KIT



8M0191055

Converts manual start engine to electric start.
Fits Mercury 25/30 hp EFI FourStroke outboard engines [1R154758 & Up]

ELECTRIC START KIT



50-**822462A 2**

Includes 15 AMP alternator and regulator/rectifier.
Fits Mercury/Mariner 55/60 hp. 2 cycle outboards (1998 and Newer). See application chart for specific engine models.

ELECTRIC START KIT



50-**822462A06**

Includes 15 AMP alternator and regulator/rectifier. Tiller handle versions also require use of a transom mounted ignition/choke/horn assembly.
Fits Mercury/Mariner 40 hp. 2 cycle (3 cyl. 1997 1/2 and Newer) and 50 hp. 2 cycle (3 cyl. 1998 and Newer). See application chart for specific engine models.

TILLER HANDLE HARNESS BUTTON

Mounted to the tiller handle of an engine being converted to electric start, this button will activate the solenoid for the starter motor.

TILLER HANDLE HARNESS BUTTON



87- **95810A 8**

Fits various Mercury/Mariner 6-25 hp. 2 cycle tiller handle shift outboards. See application chart for specific engine models.

TILLER HANDLE HARNESS BUTTON



87-**823609A 7**

Can also be used when converting electric remote to a tiller handle.
Fits Mercury/Mariner 6-15 hp. 2 cycle outboards (1994 and Newer) and Mercury / Mariner 20/25 hp. 2 cycle outboards (USA 0G044027 and Newer, BEL 9807909 and Newer).

COWL MOUNTED BUTTON

Mounted to the cowl of an engine being converted to electric start, this button will activate the solenoid for the starter motor.

COWL MOUNTED BUTTON



87-**825294A 2**

Fits Mercury / Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G055314-0G589999, BEL 9854537-9928480).

REMOTE CONTROL ENGINE HARNESS

Used along with an electric start conversion kit, this harness will allow hook up to a remote control.

REMOTE CONTROL ENGINE HARNESS



84- **12334A 2**

Fits various Mercury/Mariner 6-15 hp.2 cycle outboards. See application chart for specific engine models.

REMOTE CONTROL ENGINE HARNESS



84-**824477A 3**

Harness includes an enrichner kit.

Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G055314-0G589999, BEL 9854537-9928480).

TRANSOM MOUNTED IGNITION KEYSWITCH

A transom mounted keyswitch allowing for activation of the starter solenoid, a choke or enrichner valve.

TRANSOM MOUNTED IGNITION KEYSWITCH



15000A 7

Includes a push-to-choke function and a warning horn. Has a 6 ft. (182 cm) cable length. Has an 8 pin engine connector.

Fits many varying outboards and applications through Model Year 2005 where a keyswitch with warning horn and choke (enrichner) function is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards.

TRANSOM MOUNTED IGNITION KEYSWITCH



15000A14

Includes a push-to-choke function and a warning horn. Has a 6 ft. (182 cm) cable length. Has the 14 pin engine connector.

Fits many varying outboards and applications beginning in Model Year 2006 where a keyswitch with warning horn and choke (enrichner) function is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards.

NEUTRAL INTERLOCK

Used when adding an electric start conversion kit or adding a tiller handle to an electric model, ensuring start-in-gear protection.

NEUTRAL INTERLOCK



87-**813960A 4**

Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G590000 and Newer, BEL 9973100 and Newer).

ELECTRIC START KITS CHART - MERCURY/MARINER

Mercury/Mariner Electric Start Kits

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Electric Start Kit	Start Button Or Keyswitch	Optional Remote Control Engine Harness
6	Mercury/Mariner	With tiller handle shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
6	Mercury/Mariner	With tiller handle shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
6	Mariner	With side shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	N.L.A.	84- 12334A 2(1)
6	Mariner	With side shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	N.L.A.	84- 12334A 2(1)
6	Mercury/Mariner		1994 - 2003	USA	0D281000 - 0T800749	50- 90983A 5	87-823609A 7	84- 12334A 2(1)
6	Mercury/Mariner		1994 - 2026	BEL	9792200 and up	50- 90983A 5	87-823609A 7	84- 12334A 2(1)
8	Mercury/Mariner	With tiller handle shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
8	Mercury/Mariner	With tiller handle shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
8	Mariner	With side shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	N.L.A.	84- 12334A 2(1)
8	Mariner	With side shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	N.L.A.	84- 12334A 2(1)
8	Mercury/Mariner		1994 - 2026	USA	0D281000 and up	50- 90983A 5	87-823609A 7	84- 12334A 2(1)
8	Mercury/Mariner		1994 - 2026	BEL	9792200 and up	50- 90983A 5	87-823609A 7	84- 12334A 2(1)
8 FourStroke	Mercury/Mariner		1995 - 1998	USA	0H000058 - 0H017099	N.L.A.	N.L.A.	N.L.A.(1)
8 FourStroke	Mercury/Mariner		1999	USA	0H017100 - 0H017349	N.L.A.	N.L.A.	N.L.A.(1)
8 FourStroke	Mercury/Mariner		1999 - 2000	USA	0G760300 - 0T178499	N.L.A.	N.L.A.	N.L.A.(1)
8 FourStroke	Mercury/Mariner	323 cc.	2001 - 2004	BEL	0P086824 - 0P325499	NLA	NLA	NLA(1)
8 FourStroke	Mercury/Mariner	Manual Tiller Model	2005 - 2026	JPN	0R042475 and up	8M0069693	N/A	N/A
8 FourStroke	Mercury/Mariner	Manual Tiller Model	2005 - 2026	BEL	0P325500 and up	8M0069693	N/A	N/A
9.9	Mercury/Mariner	With tiller handle shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
9.9	Mercury/Mariner	With tiller handle shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
9.9	Mariner	With side shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	N.L.A.	84- 12334A 2(1)
9.9	Mariner	With side shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	N.L.A.	84- 12334A 2(1)
9.9	Mercury/Mariner		1994 - 2026	USA	0D281000 and up	50- 90983A 5	87-823609A 7	84- 12334A 2(1)
9.9	Mercury/Mariner		1994 - 2026	BEL	9792200 and up	50- 90983A 5	87-823609A 7	84- 12334A 2(1)
9.9 FourStroke	Mercury/Mariner	232 cc.	1995 - 1998	USA	0H000058 - 0H016909	N.L.A.	N.L.A.	N.L.A.(1)
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	USA	0G760300 - 0T979999	NLA	NLA	NLA(1)
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	BEL	0P075166 - 0P325499	NLA	NLA	NLA(1)
9.9 FourStroke	Mercury/Mariner	Manual Tiller Model	2005 - 2026	JPN	0R042475 and up	8M0069693	N/A	N/A
9.9 FourStroke	Mercury/Mariner	Manual Tiller Model	2005 - 2026	BEL	0P325500 and up	8M0069693	N/A	N/A
15	Mercury/Mariner	With tiller handle shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
15	Mercury/Mariner	With tiller handle shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
15	Mariner	With side shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	N.L.A.	84- 12334A 2(1)
15	Mariner	With side shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	N.L.A.	84- 12334A 2(1)
15	Mercury/Mariner		1994 - 2026	USA	0D281000 and up	50- 90983A 5	87-823609A 7	84- 12334A 2(1)
15	Mercury/Mariner		1994 - 2026	BEL	9792200 and up	50- 90983A 5	87-823609A 7	84- 12334A 2(1)
15	Mercury/Mariner	Sea Pro and Marathon	1994 1/2 - 2026	USA	0G044027 and up	50- 90983A 5	87-823609A 7	NLA(1)
15	Mercury/Mariner	Sea Pro and Marathon	1994 1/2 - 2026	BEL	9807909 and up	50- 90983A 5	87-823609A 7	NLA(1)
15 FourStroke	Mercury/Mariner	323 cc.	1998	USA	0G590000 - 0G760299	NLA	N.L.A.	NLA(1)
15 FourStroke	Mercury/Mariner	323 cc.	1999 - 2008	USA	0G760300 and up	NLA	NLA	NLA(1)
15 FourStroke	Mercury/Mariner	351 cc.	2008 - 2018	JPN	0R235949 - 0R833819	NLA	N/A	N/A
15 EFI FourStroke	Mercury/Mariner		2018 - 2026	JPN	0R833820 - and up	8M0137846	N/A	N/A
15	Mariner	Early Japanese			684 Series and up	N.L.A.	N/A	N/A
18XD	Mercury		1984 - 1985	USA	6443973 and up	50- 90983A 5	87- 95810A 8	NLA(1)
18XD	Mercury		1984 - 1985	BEL	9378151 - 9415100	50- 90983A 5	87- 95810A 8	NLA(1)
18XD	Mercury		1984 - 1985	CAN	7209533 and up	50- 90983A 5	87- 95810A 8	NLA(1)
20	Mercury	With tiller handle shift	1986 - 1994 1/2	USA	6443973 - 0G044026	50- 90983A 5	87- 95810A 8	NLA(1)
20	Mercury	With tiller handle shift	1986 - 1994 1/2	BEL	9415101 - 9807908	50- 90983A 5	87- 95810A 8	NLA(1)
20	Mercury	With tiller handle shift	1986 - 1994 1/2	CAN	7209533 and up	50- 90983A 5	87- 95810A 8	NLA(1)

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Electric Start Kit	Start Button Or Keyswitch	Optional Remote Control Engine Harness
20	Mariner	With side shift	1986 - 1994 1/2	USA	6443973 - 0G044026	50- 90983A 5	N.L.A.(5)	NLA(1)
20	Mariner	With side shift	1986 - 1994 1/2	BEL	9415101 - 9807908	50- 90983A 5	N.L.A.(5)	NLA(1)
20	Mariner	With side shift	1986 - 1994 1/2	CAN	7209533 and up	50- 90983A 5	N.L.A.(5)	NLA(1)
20	Mercury/Mariner		1994 1/2 - 2003	USA	0G044027 - 0T800749	50- 90983A 5	87-823609A 7	NLA(1)
20	Mercury/Mariner		1994 1/2 - 2026	BEL	9807909 and up	50- 90983A 5	87-823609A 7	NLA(1)
20 FourStroke	Mercury/Mariner	351 cc.	2008 - 2018	JPN	0R235168 - 0R833819	NLA	N/A	N/A
20 EFI FourStroke	Mercury/Mariner		2018 - 2026	JPN	0R833820 - and up	8M0137846	N/A	N/A
25, 25XD	Mercury	With tiller handle shift	1984 - 1994 1/2	USA	6443973 - 0G044026	50- 90983A 5	87- 95810A 8	NLA(1)
25, 25XD	Mercury	With tiller handle shift	1984 - 1994 1/2	BEL	9415101 - 9807908	50- 90983A 5	87- 95810A 8	NLA(1)
25, 25XD	Mercury	With tiller handle shift	1984 - 1994 1/2	CAN	7209533 and up	50- 90983A 5	87- 95810A 8	NLA(1)
25	Mariner	With side shift	1986 - 1994 1/2	USA	6443973 - 0G044026	50- 90983A 5	N.L.A.(5)	NLA(1)
25	Mariner	With side shift	1986 - 1994 1/2	BEL	9415101 - 9807908	50- 90983A 5	N.L.A.(5)	NLA(1)
25	Mariner	With side shift	1986 - 1994 1/2	CAN	7209533 and up	50- 90983A 5	N.L.A.(5)	NLA(1)
25	Mercury/Mariner		1994 1/2 - 2026	USA	0G044027 and up	50- 90983A 5	87-823609A 7	NLA(1)
25	Mercury/Mariner		1994 1/2 - 2026	BEL	9807909 and up	50- 90983A 5	87-823609A 7	NLA(1)
25 FourStroke	Mercury/Mariner	Carb models only	1998 - 2006	USA	0G590000 - 1B344298	(3)	N/A	N/A
25 FourStroke	Mercury/Mariner	Carb models only	1998 - 2006	BEL	9973100 - 0P358282	(3)	N/A	N/A
25 FourStroke	Mercury/Mariner	EFI Tiller models	2006 - 2022	JPN	0R106999 - 1R162636	50-899783A01	N/A	N/A
25 FourStroke	Mercury/Mariner	EFI Tiller models	2006 - 2022	BEL	0P401000 - 1R162636	50-899783A01	N/A	N/A
25 FourStroke	Mercury	EFI Tiller models	2022 - 2026	JPN	1R154758 and up	8M0191055	N/A	N/A
30	Mercury/Mariner		1994 - 1997	USA	0G055314 - 0G589999	50-822462A 1	87-825294A 2	84-824477A 3(1)
30	Mercury/Mariner		1994 - 1997	BEL	9854537 - 9928480	50-822462A 1	87-825294A 2	84-824477A 3(1)
30	Mercury/Mariner		1998 - 2002	USA	0G590000 - 0T598999	50-822462A 4(2)	15000A 7	N/A
30	Mercury/Mariner		1998 - 2002	BEL	9973100 - 0P206999	50-822462A 4(2)	15000A 7	N/A
30 FourStroke	Mercury/Mariner	EFI Tiller models	2006 - 2022	JPN	0R106999 - 1R162636	50-899783A01	N/A	N/A
30 FourStroke	Mercury/Mariner	EFI Tiller models	2006 - 2022	BEL	0P401000 - 1R162636	50-899783A01	N/A	N/A
30 FourStroke	Mercury	EFI Tiller models	2022 - 2026	JPN	1R154758 and up	8M0191055	N/A	N/A
40	Mercury/Mariner	2 cylinder	1994 - 1997	USA	0G055314 - 0G589999	50-822462A 1	87-825294A 2	84-824477A 3(1)
40	Mercury/Mariner	2 cylinder	1994 - 1997	BEL	9854537 - 9928480	50-822462A 1	87-825294A 2	84-824477A 3(1)
40	Mercury/Mariner	2 cylinder	1998 - 2026	USA	0G590000 and up	50-822462A 4(2)	15000A 7	N/A
40	Mercury/Mariner	2 cylinder	1998 - 2026	BEL	9973100 and up	50-822462A 4(2)	15000A 7	N/A
40	Mercury/Mariner	3 cylinder	1997 1/2 - 2026	USA	0G531801 and up	50-822462A06	15000A 7	N/A
40	Mercury/Mariner	3 cylinder	1997 1/2 - 2026	BEL	9973100 and up	50-822462A06	15000A 7	N/A
50	Mercury/Mariner	3 cylinder	1998 - 2026	USA	0G590000 and up	50-822462A06	15000A 7	N/A
50	Mercury/Mariner	3 cylinder	1998 - 2026	BEL	9973100 and up	50-822462A06	15000A 7	N/A
55MH	Mercury/Mariner	3 cylinder, 51.8 CID	1996 - 1997	USA	0D000750 - 0G589999	NLA	N/A	N/A
55MH	Mercury/Mariner	3 cylinder, 51.8 CID	1996 - 1997	BEL	9741042 - 9973099	NLA	N/A	N/A
55	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2026	USA	0G590000 and up	50-822462A 2	N/A	N/A
55	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2026	BEL	9973100 and up	50-822462A 2	N/A	N/A
60	Mercury/Mariner	59 CID	1998 - 2026	USA	0G590000 and up	50-822462A 2	N/A	N/A
60	Mercury/Mariner	59 CID	1998 - 2026	BEL	9973100 and up	50-822462A 2	N/A	N/A

(1) Required for hook-up to optional remote control or transom mounted keyswitch.

(2) Neutral Interlock kit no. 87-813960A 4 required to complete this conversion.

(3) No kit available for this model.

(5) Use the comparable black colored Mercury harness button 87-95810A 8.

TILLER HANDLE KIT - TRADITIONAL STYLE

Used to convert a remote steering engine to tiller handle operation. Traditional mechanical steering handle.

TILLER HANDLE KIT



8M0103839

Converts an electric start remote control outboard to an electric start tiller handle outboard.

Fits 9.9 hp. FourStroke, Model Year 2005 & newer, both standard and BigFoot models requiring SAE ended throttle/shift cables. Serial Numbers USA-0R042475-0R192771 & BEL-0P325500-0P513329.

TILLER HANDLE CONVERSION KIT



8M0103837

Converts an ERC to EH model.

Fits the 9.9 hp. FourStroke outboard with EPA calibrations and requiring Mercury style ended throttle/shift cables. Serial Numbers USA-0R192772 & newer, BEL-0P513330 & newer.

TILLER HANDLE CONVERSION KIT



8M0104197

Converts an ERC (electric remote model) to an EH (electric tiller model). Power trim models require additional kit 87-898101A02 to relocate trim switch from the cowl to the handle.

Fits the 15 hp. FourStroke (351cc) outboard, serial number 0R235949 - 0R833819.

STANDARD TILLER CONVERSION KIT - 10/15/20HP EFI 4-STROKE RC TO EITHER NON OR POWER TILT TILLER



8M0137854

Converts remote control to tiller handle.

15/20 EFI FourStroke outboard, 0R833820 and above.

TILLER HANDLE CONVERSION KIT



8M0104198

Converts an ERC (electric remote model) to an EH (electric tiller model). Power trim models require additional kit 87-898101A02 to relocate trim switch from the cowl to the handle.

Fits the 20 hp. FourStroke (351cc) outboard, serial number 0R235168 - 0R833819.

TILLER HANDLE CONVERSION KIT



8M0051062

This kit converts an ERC (electric remote control) model to a tiller handle operation. Models with power trim will have trim switch on the side of the cowl. To replace that switch with one on the handle, order an 87-898101A01 trim switch kit if desired.

Fits the 25-30 Hp EFI FourStroke Outboard, serial number 0R106999 thru 1R162636

TRIM SWITCH KIT




87-**898101A01**

When installing a tiller handle conversion kit to a remote model that has power trim, it may be desired to replace the cowl mounted trim switch with one mounted on the handle. This kit will make that trim switch conversion from the cowl to the tiller handle.

Fits the 25-30 Hp EFI FourStroke Outboard, serial number JPN-0R106999 & above and BEL-0P401000 & above.

REMOTE CONTROL TO MID TILLER CONVERSION KIT



8M0222282

Compatible with Mercury S&T barrel style cables.

25/30 hp EFI FourStroke RC to MID Tiller

STANDARD TILLER CONVERSION KIT - 25/30HP EFI 4-STROKE RC TO NON-POWER TILT TILLER



8M0191051

This kit converts a remote-control non-power trim engines to a tiller. Includes throttle shift cables.

Fits the 25-30 Hp EFI FourStroke Outboard, serial number 0R154758 & above

STANDARD TILLER CONVERSION KIT - 25/30HP EFI 4-STROKE RC TO POWER TILT TILLER

8M0191052

This kit converts a remote-control power trim engines to a tiller. Includes throttle shift cables.

Fits the 25-30 Hp EFI FourStroke Outboard, serial number 0R154758 & above

TILLER HANDLE KIT



821455T 8

Black handle. Electric start models require transom mounted keyswitch and a neutral interlock. Power trim models require a trim switch kit. Hand adjustable co-pilot included.

Fits various Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards. See application chart for specific engine models.

TILLER HANDLE KIT



880095A05

Black handle. Kit contains the complete handle assembly, hand adjustable co-pilot and shift components.

Fits Mercury/Mariner 40 hp. (4 cyl.) FourStroke Bigfoot EFI Model and 50/60 hp. (4 cyl.) FourStroke EFI Model outboards (USA 0T409000-1B226999 and BEL 0P153500-0P400999).

TILLER HANDLE KIT



880093A03

Black handle. Kit contains the complete handle assembly, hand adjustable co-pilot and shift components. Converts an ERC (remote) model to an EH (tiller) model.

Fits Mercury/Mariner 40 hp. (3 cyl.) FourStroke EFI and 40/50/60 hp. (4 cyl.) FourStroke EFI Model outboards (CHN-1C050252 & above).

TILLER HANDLE KIT



816366A48

Black handle. See application chart for additional components required to complete the conversion. Power trim models require a trim switch kit.

Fits various Mercury/Mariner 60 hp. and 45 JET 2 cycle outboards (1999 and Newer). See application chart for specific engine models.

TILLER HANDLE KIT



12022A40

Black handle. JET outboards require a shift attaching kit.

Fits various Mercury/Mariner 65 JET/75/90 hp. (3 cyl.) 2 cycle outboards (1997 and Newer). See application chart for specific engine models.

TILLER HANDLE - BIG TILLER STEERING

The Big Tiller has improved features and is designed to allow driving a large tiller Outboard engine easily, safely and is ergonomically friendly. The Big Tiller is used on large 40-115 HP FourStroke, 75-250 HP OptiMax, 135-200 HP 4 cylinder DTS Verado engines.

CABLE KIT T/S 40-60HP 4-STROKE



8M0082354

The kit includes two T/S cables (29" and 32.5"). These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 40 - 60 HP engines. This kit is not compatible with Jet Outboard engines.

CABLE KIT T/S 74-115HP 4-STROKE (1.7L)



8M0082351

The kit includes two T/S cables (40.35" and 42.32"), These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 1.7L 75-115 HP FourStroke engines.

THROTTLE AND SHIFT KIT- BIG TILLER 150HP 4-STROKE 3.0L



8M0082355

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 3.0L 150 HP FourStroke engines.

THROTTLE AND SHIFT KIT- 75-115 1.5L OPTIMAX TILLER

8M0082352

The kit includes 2 - T/S cables. These cables are designed to provide the best in class installation for this engine family.

The kit is designed to work with 75 - 115 HP OptiMax engines.

THROTTLE AND SHIFT KIT- 135HP+ OPTIMAX



8M0082353

The kit includes 2 - T/S cables. These cables are designed to provide the best in class installation for this engine family.

The kit is designed to work with the 135HP+ OptiMax engines.

TROLL CONTROL TILLER PAD ACCESSORY



87-**8M0083437**

Included with all Big Tillers for 150-300hp. RPM adjustment at your fingertips. This kit can be added to the Big Tiller Mechanical without P/S as an option.

Y Harness not included. Mechanical use only. Not compatible with DTS applications.

LED LIGHT TILLER ACCESSORY



87-**897978T02**

Included with Big Tiller 175-300hp. Optional for 150 4-Stroke. Allows for easy installation on the new Big Tiller. Light up your boat with a soft Amber light to make night fishing or early morning fishing more flexible.

OUTBOARD STABILIZER CLIPS- TRAILERING



64-**891762A04**

Helps keep engine centered during trailering. Safety orange durable plastic material.

Fits most cylinder rods on engines manufactured in 1997 and newer. Snaps over outboard's hydraulic steering cylinder rods.

TILLER HANDLE KITS CHART - MERCURY/MARINER

Mercury/Mariner Tiller Handle Kits

Model	Model Notes	Year Range		Serial # Range	Tiller Handle Kit Part Number	Handle Color
8 FourStroke	232 cc. With Side Shift.	1995 - 1998	USA	0H000058 - 0H017099	N.L.A.	Black
					N.L.A.	Gray
8 FourStroke	232 cc. With Side Shift.	1999 - 2000	USA	0H017100 - 0H017349	N.L.A.	Black
8 FourStroke	232 cc. With Side Shift.	1999 - 2000	USA	0G760300 and up	N.L.A.	Black
8 FourStroke	232 cc. With Shift in Handle.	1995 - 1998	USA	0H000058 - 0H017099	N.L.A.	Black
					N.L.A.	Gray
8 FourStroke	232 cc. With Shift in Handle.	1999 - 2000	USA	0H017100 - 0H017349	N.L.A.	Black
8 FourStroke	232 cc. With Shift in Handle.	1999 - 2000	USA	0G760300 and up	N.L.A.	Black
8 FourStroke	323 cc.	2001 - 2004	BEL	0P086824 - 0P325499	N.L.A.	Black
8 FourStroke	Manual start models	2005 - 2006	JPN	0R042475 - 0R192771	8M0103839(14)	Black
			BEL	0P325500 - 0P513329		
9.9 FourStroke	232 cc. With Side Shift.	1995 - 1998	USA	0H000058 - 0H016909	N.L.A.	Black
					N.L.A.	Gray
9.9 FourStroke	232 cc. With Shift in Handle.	1995 - 1998	USA	0H000058 - 0H016909	N.L.A.	Black
					N.L.A.	Gray
9.9 FourStroke	323 cc.	1999 - 2004	USA	0G760300 - 0T979999	N.L.A.	Black
		1999 - 2004	BEL	0P075166 - 0P325499		
9.9 FourStroke	SAE Manual Remote(14)	2005 - 2006	JPN	0R042475 - 0R192771	8M0103839(14)	Black
			BEL	0P325500 - 0P513329		
9.9 FourStroke	SAE Electric Remote(14)	2005 - 2006	JPN	0R042475 - 0R192771	8M0103840(14)	Black
			BEL	0P325500 - 0P513329		
9.9 FourStroke, EPA	MERC Electric Remote(15)	2006 - 2026	JPN	0R192772 and up	8M0103837(15)	Black
9.9 FourStroke, EU	MERC Electric Remote(15)	2006 - 2026	BEL	0P513330 and up	N.L.A.(15)	Black
15 FourStroke	323cc	1998	USA	0G590000 - 0G760299	N.L.A.	Black
					N.L.A.	Gray
15 FourStroke	323cc	1999 - 2008	USA	0G760300 and up	N.L.A.	Black
15 FourStroke	351cc, Electric Remote	2008 - 2018	JPN	0R235949 - 0R833819	8M0104197(13)	Black
15 EFI FourStroke		2018 - 2026	JPN	0R833820 - and up	8M0137854	Black
20		1984 - 1987	USA	6443973 - 0B238463	N.L.A.	Gray
			BEL	9415101 - 9507380		
			CAN	7209533 - 0A730006		
20		1988 - 1994	USA	0B238464 - 0G044026		Gray
			BEL	9507381 - 9807908		
			CAN	0A730007 and up		
20		1994 1/2 - 2003	USA	0G044027 - 0T800749	821468A 7(1)	Black
			BEL	9807909 and up		
20 JET		1994 - 1998	USA	0G044027 - 0G760299	N/A	N/A
20 JET		1999 - 2026	USA	0G760300 and up	N/A	N/A
20 FourStroke	351cc, Electric Remote	2008 - 2018	JPN	0R235168 - 0R833819	8M0104198(13)	Black
20 EFI FourStroke		2018 - 2026	JPN	0R833820 - and up	8M0137854	Black
25		1994 1/2 - 2005	USA	0G044027 - 1B226999	821468A 7(1)	Black
25 FourStroke	351cc, Electric remote		BEL	9807909 - 0P400999		
25 FourStroke		1998	USA	0G590000 - 0G760299	NLA(2)	Black
					N.L.A.(9)	Gray
25 FourStroke	Carbureted Models	1999 - 2006	USA	0G760300 - 1B344298	N.L.A.(2)	Black
25 FourStroke	EFI, Manual Version	2006 - 2026	JPN	0R106999 and up	N.L.A.(12)	Black
			BEL	0P401000 and up		
25 FourStroke	EFI, Electric Version	2006 - 2026	JPN	0R106999 and up	8M0051062(13)	Black
			BEL	0P401000 and up		

Model	Model Notes	Year Range		Serial # Range	Tiller Handle Kit Part Number	Handle Color
30E / EL	(Japanese Origin) Without oil injection.			689 Series and up	N.L.A.(3)	Gray
30E / EL	(Japanese Origin) With oil injection.			689 Series and up	N.L.A.(4)	Gray
30	2 cylinder, 644 cc.	1994 - 1998	USA	0G053314 - 0G760299	821455T 8(5)	Black
			BEL	9812719 - 0P016999		
30		1994 - 1998	USA	0G053314 - 0G760299	N.L.A.(9)	Gray
			BEL	9812719 - 0P016999		
30	2 cylinder, 644 cc.	1999 - 2002	USA	0G760300 - 0T598999	821455T 8(5)	Black
			BEL	0P017000 - 0P206999		
30 FourStroke	3 cyl. Carbureted	1999 - 2026	USA	0G760300 and up	N/A(2)	Black
			BEL	0P094500 and up		
30 FourStroke	3 cyl. EFI	2002 - 2005	USA	0T409000 - 1B226999	821455A16(2)	Black
			BEL	0P153500 - 0P400999		
30 FourStroke	EFI, Manual Version	2006 - 2026	JPN	0R106999 and up	N.L.A.(12)	Black
			BEL	0P401000 and up		
30 FourStroke	EFI, Electric Version	2006 - 2026	JPN	0R106999 and up	8M0051062(13)	Black
			BEL	0P401000 and up		
30 Jet	4 cylinder.	1994 - 1997	USA	0C159200 - 0G589999	N.L.A.	Black
30 Jet	3 cylinder.	1998	USA	0G590000 - 0G760299	N.L.A.(2)(4)	Black
30 Jet	3 cylinder.	1998	USA	0G590000 - 0G760299	N.L.A.(2)(4)(9)	Black
30 Jet	3 cylinder.	1999 - 2026	USA	0G760300 and up	N.L.A.(2)(4)	Black
35	2 cyl. Models w/ 2 piece steering arm.	Prior to - 1989	USA	0C159200 and up	N.L.A.(2)	Black
		Prior to - 1989	BEL	9570790 and up		
35-40 Jet FourStroke	RC or Big Tiller to New 35-40 HP Tiller Jet Conversion	2026			98-8M0159451	Black
40	4 cyl. Models w/ 2 piece steering arm & single tri	1989 - 1997	USA	0C159200 and up	N.L.A.	Black
			BEL	9570790 and up		
40	4 cyl. Models w/ 2 piece steering arm & single tri	1989 - 1997	USA	0C159200 and up	N.L.A.	Gray
			BEL	9570790 and up		
40	2 cylinder, 644 cc.	1994 - 1998	USA	0G053314 - 0G760299	821455T 8(2)(5)	Black
			BEL	9812719 - 0P016999		
40	2 cylinder, 644 cc.	1994 - 1998	USA	0G053314 - 0G760299	N.L.A.(9)	Gray
			BEL	9812719 - 0P016999		
40	2 cylinder, 644 cc.	1999 - 2026	USA	0G760300 and up	821455T 8(2)(5)	Black
		1999 - 2026	BEL	0P017000 and up		
40E / EL	2 cyl.(Japanese Origin) Without oil injection.			6E9 Series and up	95419A 1(3)	Gray
40E / EL	2 cyl.(Japanese Origin) With oil injection.			6E9 Series and up	95419A 1(4)	Gray
40	3 cylinder.	1997 1/2 - 1998	USA	0G531301 - 0G760299	N.L.A.(2)(4)	Black
			BEL	9973100 - 0P016999		
40	3 cylinder.	1997 1/2 - 1998	USA	0G531301 - 0G760299	N.L.A.(2)(4)(9)	Black
			BEL	9973100 - 0P016999		
40	3 cylinder.	1999 - 2005	USA	0G760300 - 1B226999	N.L.A.(2)(4)	Black
40	3 cylinder.	1999 - 2026	BEL	0P017000 and up	N.L.A.(2)(4)	Black
40 FourStroke	3 cyl. Carb	1999 - 2005	USA	0G760300 - 1B226999	N/A(2)	Black
			BEL	0P094500 - 0P400999		
40 FourStroke	3 cyl. EFI	2002 - 2005	USA	0T409000 - 1B226999	821455A16(2)	Black
			BEL	0P153500 - 0P400999		
40 FourStroke	3 cyl. Manual-Short Shaft	2006	USA	1B227000 - 1B344398	N/A(10)	Black
	3 cyl. EFI-Short Shaft	2006	USA	1B227000 - 1B344398	NLA(2)(10)	Black
	3 cyl. EFI-Short Shaft only	2006	BEL	0P401000 - 0P515896	NLA(2)(10)	Black
	3 cyl. EFI-Long Shaft	2006	CHN	1C000001 - 1C049738	821455A24(11)	Black
	3 cyl. EFI-Long Shaft	2006	BEL	0P401000 - 0P515896	821455A24(11)	Black
40 FourStroke	3 cyl. EFI	2007 - 2026	CHN	1C049739 and up	880093A03	Black
40 FourStroke	4 cylinder with Standard Gearcase	1996 - 1998	USA	0G231123 - 0G760299	N.L.A.	Black
					(9)	Gray

OUTBOARD

Model	Model Notes	Year Range		Serial # Range	Tiller Handle Kit Part Number	Handle Color
40 FourStroke	4 cylinder with BigFoot Gearcase	1996 - 1998	USA	0G231123 - 0G760299	N.L.A.	Black
					(9)	Gray
40 FourStroke	4 cylinder with Standard Gearcase	1999 - 2000	USA	0G760300 - 0T178499	N.L.A.	Black
40 FourStroke	4 cylinder with BigFoot Gearcase	1999 - 2000	USA	0G760300 - 0T178499	N.L.A.	Black
40 FourStroke	4 cylinder Carb Model w/ BigFoot Gearcase 996 cc.	2001	USA	0T178500 - 0T408999	NLA	Black
			BEL	0P094500 - 0P153499		
40 FourStroke	4 cylinder EFI Model w/ BigFoot gearcase 996 cc.	2002 - 2005	USA	0T409000 - 1B226999	880095A05	Black
			BEL	0P153500 - 0P400999		
40 FourStroke	4 cylinder EFI Model w/BigFoot gearcase 996 cc.l	2006	USA	1B227000 - 1B344306	880095A04	Black
			BEL	0P401000 - 0P515896		
40 FourStroke	4 cylinder EFI Model w/BigFoot gearcase 996 cc.l	2006	CHN	1C000001 - 1C050251	880095A04	Black
40 FourStroke	4 cylinder EFI, Traditional Tiller	2007 - 2026	CHN	1C050252 and up	880093A03	Black
	Big Tiller for RC Models				NLA(16)	Black
	Big Tiller for Tiller Models				NLA(16)	Black
40 JET		2001 - 2026	USA	0T178500 and up	816366A48(2)	Black
			BEL	0P094500 and up		
40 JET FourStroke	4 cylinder EFI	2007 - 2026	CHN	1C051324 and up	N.L.A.	Black
40-60 FourStroke	Standard Tiller to New 40-60 HP Tiller Conversion	2026			98-8M0159447	Black
40-60 FourStroke	RC or Big Tiller to New 40-60 HP Tiller Conversion	2026			98-8M0159449	Black
40-60 SeaPro FourStroke	RC or Big Tiller to New 40-60 HP Tiller SeaPro Conversion	2026			98-8M0159453	Black
45	4 cyl. w/2 pc steering arm & 2 trim cylinders	1989	USA	0C159200 and up	N.L.A.(2)	Black
			BEL	9570790 and up		
45 FourStroke	4 cylinder with Standard Gearcase	1996 - 1998	USA	0G231123 - 0G760299	N.L.A.	Black
45 FourStroke	4 cylinder with BigFoot Gearcase	1996 - 1998	USA	0G231123 - 0G760299	N.L.A.	Black
45 FourStroke	4 cylinder with Standard Gearcase	1999 - 2000	USA	0G760300 - 0T178499	N.L.A.	Black
45 FourStroke	4 cylinder with BigFoot Gearcase	1999 - 2000	USA	0G760300 - 0T178499	N.L.A.	Black
45 Jet		1994 - 1998	USA	0D182000 - 0G760299	N.L.A.(2)	Black
					N.L.A.(9)	Gray
45 Jet		1999 - 2000	USA	0G760300 - 0T178499	816366A48(2)	Black
50	Models w/2 pc steering arm & 2 trim cylinders	Prior to - 1989 1/2	USA	Prior to - 0C160935	N.L.A.(2)	Black
			BEL	Prior to - 9469199		
50	Models w/2 pc steering arm & single trim cylinder	1989 1/2 - 1990	USA	0C160936 - 0D042363	N.L.A.(2)	Black
			BEL	9469200 - 9671686		
50	51.8 CID	1991 - 1997	USA	0D042364 - 0G589999	N.L.A.(2)	Black
			BEL	9671687 - 9973099		
50	51.8 CID	1991 - 1997	USA	0D042364 - 0G589999	N.L.A.(9)	Gray
			BEL	9671687 - 9973099		
50	59 CID	1998	USA	0G590000 - 0G760299	N.L.A.(2)(4)	Black
			BEL	9973100 - 0P016999		
50	59 CID	1998	USA	0G590000 - 0G760299	N.L.A.(2)(4)(9)	Black
			BEL	9973100 - 0P016999		
50		1999 - 2026	USA	0G760300 and up	N.L.A.(2)(4)	Black
		1999 - 2026	BEL	0P017000 and up		
50 FourStroke	4 cylinder with Standard Gearcase	1996 - 1998	USA	0G231123 - 0G760299	N.L.A.	Black
50 FourStroke	4 cylinder with BigFoot Gearcase	1996 - 1998	USA	0G231123 - 0G760299	N.L.A.	Black
					(9)	Gray
50 FourStroke	4 cylinder with Standard Gearcase	1999 - 2000	USA	0G760300 - 0T178499	N.L.A.	Black
50 FourStroke	4 cylinder with BigFoot gearcase	1999 - 2000	USA	0G760300 - 0T178499	N.L.A.	Black
50 FourStroke	4 cylinder, Carbureted, 996 cc.	2001	USA	0T178500 - 0T408999	N.L.A.	Black
			BEL	0P094500 - 0P253499		
50 FourStroke	4 cylinder, EFI, 996 cc.	2002 - 2005	USA	0T409000 - 1B226999	880095A05	Black
			BEL	0P153500 - 0P400999		
50 FourStroke	4 cylinder, EFI, 996 cc.	2006	USA	1B227000 - 1B344306	880095A04	Black
			BEL	0P400999 - 0P515896		
50 FourStroke	4 cylinder, EFI, 996 cc.	2006	CHN	1C000001 - 1C050251	880095A04	Black

Model	Model Notes	Year Range		Serial # Range	Tiller Handle Kit Part Number	Handle Color
50 FourStroke	4 cylinder EFI, Traditional Tiller	2007 - 2026	CHN	1C050252 and up	880093A03	Black
	Big Tiller for RC Models				N.L.A.(16)	Black
	Big Tiller for H Models				N.L.A.(16)	Black
60	Models w/2 pc steering arm & 2 trim cylinders	Prior to - 1989 1/2	USA	Prior to - 0C160935	N.L.A.(2)	Black
			BEL	Prior to - 9469199		
60	Models w/2 pc steering arm & single trim cylinder	1989 1/2 - 1990	USA	0C160936 - 0D042363	N.L.A.(2)	Black
			BEL	9469200 - 9671686		
60		1991 - 1998	USA	0D042364 - 0G760299	N.L.A.(2)	Black
			BEL	9671687 - 0P016999		
60		1991 - 1998	USA	0D042364 - 0G760299	N.L.A.(9)	Gray
			BEL	9671687 - 0P016999		
60		1999 - 2026	USA	0G760300 and up	816366A48(2)	Black
			BEL	0P017000 and up		
60 FourStroke	4 cylinder, Carbureted, 996 cc.	2001	USA	0T178500 - 0T408999	N.L.A.	Black
			BEL	0P094500 - 0P153499		
60 FourStroke	4 cylinder, EFI, 996 cc.	2002 - 2005	USA	0T409000 - 1B226999	880095A05	Black
			BEL	0P153500 - 0P400999		
60 FourStroke	4 cylinder, EFI, 996 cc.	2006	USA	1B227000 - 1B344306	880095A04	Black
			BEL	0P400999 - 0P515896		
60 FourStroke	4 cylinder, EFI, 996 cc.	2006	CHN	1C000001 - 1C050251	880095A04	Black
60 FourStroke	4 cylinder EFI, Traditional Tiller	2007 - 2026	CHN	1C050252 and up	880093A03	Black
	Big Tiller for RC Models				N.L.A.(16)	Black
	Big Tiller for Tiller Models				N.L.A.(16)	Black
65 Jet	3 cylinder	1993 - 1996	USA	0D182000 - 0G449550	N.L.A.	Black
					N.L.A.	Gray
65 Jet	3 cylinder	1997 - 1998	USA	0G449551 - 0G760299	12022A40	Black
					(9)	Gray
65 Jet	3 cylinder	1999 - 2026	USA	0G760300 and up	12022A40	Black
65-80 Jet FourStroke	RC or Big Tiller to New 65-80 HP Tiller Jet Conversion	2026			98-8M0159456	Black
75		1993 - 1996	USA	0D182000 - 0G449550	N.L.A.	Black
			BEL	9742452 - 9934127		
75		1993 - 1996	USA	0D182000 - 0G449550	(9)	Gray
			BEL	9742452 - 9934127		
75		1997 - 2026	USA	0G449551 and up	12022A40	Black
			BEL	9934128 and up		
75 Optimax	1.5L, DFI	2005	USA	0T980000 - 1B226999	896648A07	Black
75 Optimax	1.5L, DFI	2006 - 2026	USA	1B227000 and up	N.L.A.	Black
	Big Tiller, Power Steering				N.L.A.	Black
	Big Tiller, non-Power Steering				N.L.A.	Black
75 FourStroke	4 cyl. Carb	2000 - 2003	USA	OG960500 - 0T800749	N.L.A.	Black
75 FourStroke	4 cyl. Carb w/EZ shift gearcase	2004 - 2005	USA	0T800750 - 1B226999	816366A32 (17)	Black
75 FourStroke	4 cylinder, EFI	2005	USA	0T980000 - 1B226999	N.L.A.(8)	Black
75 FourStroke	4 cylinder, EFI	2006	USA	1B227000 - 1B366822	N.L.A.	Black
75 FourStroke, 1.7L	4 cylinder, EFI, Traditional Tiller	2006 - 2014	USA	1B366823 - 2B094955	N.L.A.	Black
	Big Tiller, Power Steering				N.L.A.(16)	Black
	Big Tiller, non-Power Steer				N.L.A.(16)	Black
80 Jet	4 cylinder	1997 - 1998	USA	0G449551 - 0G760299	N.L.A.	Black
80 Jet	4 cylinder	1997 - 1998	USA	0G449551 - 0G760299	N.L.A.	Black
80 Jet	4 cylinder	1999 - 2006	USA	0G760300 - 1B261437	N.L.A.	Black
90		1993 - 1996	USA	0D182000 - 0G449550	N.L.A.	Black
			BEL	9742452 - 9934127		
90		1993 - 1996	USA	0D182000 - 0G449550	(9)	Gray
			BEL	9742452 - 9934127		
90		1997 - 2026	USA	0G449551 and up	12022A40	Black
			BEL	9934128 and up		

OUTBOARD

Model	Model Notes	Year Range		Serial # Range	Tiller Handle Kit Part Number	Handle Color
90 Optimax	1.5L, DFI	2005	USA	0T980000 - 1B226999	896648A07	Black
90 Optimax	1.5L, DFI	2006 - 2026	USA	1B227000 and up	N.L.A.	Black
	Big Tiller, Power Steering				N.L.A.(16)	Black
	Big Tiller, non-Power Steer				N.L.A.(16)	Black
90 FourStroke	4 cyl. Carb	2000 - 2003	USA	OG960500 - 0T800749	N.L.A.	Black
90 FourStroke	4 cyl. Carb w/EZ shift gearcase	2004 - 2005	USA	0T800750 - 1B226999	816366A32 (17)	Black
90 FourStroke	4 cylinder, EFI	2005	USA	0T980000 - 1B226999	N.L.A.(8)	Black
90 FourStroke	4 cylinder, EFI	2006	USA	1B227000 - 1B366822	N.L.A.	Black
90 FourStroke, 1.7L	4 cylinder, EFI, Traditional Tiller	2006 - 2014	USA	1B366823 - 2B094955	N.L.A.	Black
	Big Tiller, Power Steering				N.L.A.(16)	Black
	Big Tiller, non-Power Steering				N.L.A.(16)	Black
100		1997 - 1999	USA	0G449551 - 0G965520	N.L.A.	Black
75-115 FourStroke	RC or Big Tiller to New 75-115 HP Tiller Conversion	2026			98-8M0159456	Black
75-115 HP SeaPro FourStroke	RC or Big Tiller to New 75-115 HP Tiller SeaPro Conversion	2026			98-8M0159460	Black
			BEL	9934128 - 0P058999		
115		1997 - 2026	USA	0G449551 and up	N.L.A.	Black
			BEL	9934128 and up		
115 Optimax	1.5L, DFI	2004 - 2005	USA	0T801000 - 1B226999	896648A07	Black
115 Optimax	1.5L, DFI	2006 - 2026	USA	1B227000 and up	N.L.A.	Black
	Big Tiller, Power Steering				N.L.A.(16)	Black
	Big Tiller, non-Power Steering				N.L.A.(16)	Black
115 FourStroke	EFI	2001 - 2003	USA	0T178500 - 0T800749	N.L.A.	Black
115 FourStroke	EFI	2004 - 2005	USA	0T800750 - 1B226999	NLA(17)(1	Black
115 FourStroke	EFI	2006	USA	1B227000 - 1B366822	N.L.A.	Black
115 FourStroke, 1.7L	EFI	2006 - 2014	USA	1B366823 - 2B094955	N.L.A.	Black
	Big Tiller, Power Steering				N.L.A.(16)	Black
	Big Tiller, non-Power Steering				N.L.A.(16)	Black
125		1997 - 2026	USA	0G449551 and up	N.L.A.	Black
			BEL	9934128 and up		
150 EFI FourStroke	Non-DTS, Big Tiller, Power Steering	2011 - 2026	USA		N.L.A.(16)	Black
135-250 Optimax	Non-DTS, Big Tiller, Power Steering	2006 - 2026	USA	1B227000 and up	N.L.A.(16)	Black
135-200 L4 Verado	DTS, Big Tiller, Power Steering	2006 - 2026	USA	1B227000 and up	N.L.A.(16)	Black

(1) Tiller handle harness button 87-823609A 7 or transom mounted keyswitch 15000A 7 required to complete conversion.

(2) Conversion of power trim models will require a suitable power trim switch.

(3) Keyswitch panel 47974A10 required to complete conversion.

(4) Transom mounted ignition keyswitch 15000A 7 required to complete conversion.

(5) Transom mounted ignition keyswitch 15000A 7 and neutral interlock 87-813960A 4 required to complete conversion.

(8) On-engine adapter harness 84-858740T06 also required.

(9) Gray kits are no longer available.

(10) Has Vertical actuated shift.

(11) Has Rotary actuated shift.

(12) Converts an MRC to an MH model.

(13) Converts an ERC to an EH model. PT models may require trim switch. See part record.

(14) Engines requiring SAE style ended throttle/shift cables.

(15) Engines requiring Mercury style ended throttle/shift cables.

(16) Order Throttle/Shift cables separate depending on engine application.

(17) Available at Seaway Marine 206-937-7373 (USA) or seawaymarine.com

CO-PILOT KIT

Stabilizes or restricts engine when placed in a full tilt position to aid in keeping it from bouncing and contacting other surrounding surfaces.

CO-PILOT KIT



898103A92

Intended for use on models that are not originally furnished with co-pilot components. The owner's manual should be consulted for important steering friction information.

Fits Mercury/Mariner 25 hp. & 30 hp. EFI FourStroke outboards (JPN 0R106999 & above, BEL 0P401000 & above).

CO-PILOT KIT



98-**8M0140877**

Intended for use on models that are not originally furnished with co-pilot components.

15/20 EFI FourStroke outboard, 0R833820 and above.

SAIL CO-PILOT KIT



8M0097129

Locks the engine in the straight position, allowing boat to be steered with auxiliary rudder.

F4/5/6 hp Sail-Power outboards.

STEERING BRACKET WITHOUT CARRYING HANDLE

Used with single RideGuide steering to convert tiller handle models to remote steering.

STEERING BRACKET WITHOUT CARRYING HANDLE



816667A 2

Fits Mercury/Mariner 30/40 hp. (2 cylinder) 2 cycle outboards (USA 0G055314 and newer, BEL 9854537 and newer) and 25/30/40/45/50 hp. 4-Stroke outboards.

OUTBOARD RIGGING HOSE KIT

Used to enclose remote harness, hoses, cables, etc. between engine cowl and boat transom.

RIGGING TUBE KIT



32-**8M0062693**

Rigging Tube kit includes 5 ft. length (2 inch diameter x 2.3 threads per inch) tube that screws into the fitting coming out of the engine. Includes new grommet 8M0061160 that is used when installing rigging tubes. Remove existing grommet from cowl and replace with this grommet.

Used on 150 EFI 4-Stroke engine only

32-**825191A03**

Rigging Tube kit includes 5 ft. length (2 inch diameter x 2.3 threads per inch) tube that screws into the fitting coming out of the Verado. If OptiMax engine, requires the use of the clamp to attach to fitting coming out of engine. Included in the kit is plastic transom fitting that screws to the tube and can be fastened to the boat.

2005 and newer Verado engines as well as all Opti Max engines

HOSE-60 INCHES



32-**8M0204713**

Rigging hose, 60 inches.

RIGGING HOSE

32-**859055 50**

Replacement Hose, furnished in a 50 ft. bulk length that can be cut to required length.

Fits various Mercury / Mariner V-6 outboards. See application chart for specific engine models.

Priced individually, sold @ multiples of 2

COWL FITTING



875266A 2

Used on engine end of rigging hose.

Fits various Mercury / Mariner V-6 outboards. Furnished standard with the engines beginning with model year 2,000. See application chart for specific engine models.

COWL FITTING



8M8027677

Used on engine end of rigging hose.

Fits various Mercury / Mariner V-6 outboards. Furnished standard with the engines beginning with model year 2,000.

RIGGING TUBE KIT



32-**842756T01**

Mercury Racing version, the cowl fitting bolts firmly into place. Because the 2-1/2 inch tubing threads into the one piece couplers instead of over them, greater clearance is achieved for outboard rigging hardware including throttle cables, electronics cables, steering lines, and fuel lines. The durable hose and one piece couplers provide a complete seal at both the engine and boat ends. Hose length is 5 feet.

Fits all production 3.0 liter V-6 EFI and OptiMax cowls as well as Racing 3.0 liter OptiMax cowls.

RIGGING HOSES CHART - MERCURY/MARINER

Mercury/Mariner Rigging Hoses

Model	Brand	Year Range	Country	Serial # Range	Rigging Hose Kit Part Number	Cowl Fitting Required
2.0L V-6	Mercury/Mariner	1996 - 1999	USA	0G303046 - 0G949999	32-825191A03	875266A 2
2.0L V-6	Mercury/Mariner	2000 - 2026	USA	0T065504 and up	32-825191A03	Incl. With Engine
2.5L V-6	Mercury/Mariner	1996 - 1999	USA	0G303046 - 0G949999	32-825191A03	875266A 2
2.5L V-6	Mercury/Mariner	2000 - 2026	USA	0T065504 and up	32-825191A03	Incl. With Engine
2.5L OPTIMAX	Mercury/Mariner	1998 - 1999	USA	0G590000 - 0G949999	32-825191A03	875266A 2
2.5L OPTIMAX	Mercury/Mariner	2000 - 2026	USA	0T065504 and up	32-825191A03	Incl. With Engine
3.0L V-6	Mercury/Mariner	1994 - 1999	USA	0D280813 - 0G949999	32-825191A03	875266A 2
3.0L V-6	Mercury/Mariner	2000 - 2026	USA	0T014000 and up	32-825191A03	Incl. With Engine
3.0L DFI	Mercury/Mariner	1997	USA	0G386496 - 0G589999	32-825191A03	875266A 2
3.0L OPTIMAX	Mercury/Mariner	1998 - 1999	USA	0G590000 - 0G949999	32-825191A03	8M8027677
3.0L OPTIMAX	Mercury/Mariner	2000 - 2026	USA	0T014000 and up	32-825191A03	Incl. With Engine
225 EFI FourStroke	Mercury/Mariner	2003 - 2026	USA	0T635945 and up	32-825191A03	Incl. With Engine
Verado	Mercury/Mariner	2005 - 2026	USA	0T980000 and up	32-825191A03	Incl. With Engine
150 EFI FourStroke	Mercury/Mariner	2011 - 2026	USA	1B905505 and up	32-8M0062693	Incl. With Engine

SHALLOW WATER DRIVE KIT

Provides a tilt mechanism to allow for trolling or low speed running in the sixth tilt pin position.

SHALLOW WATER DRIVE KIT



12756A 1

This kit is designed to be added to remote control models. It is furnished standard on the tiller handle models.

Fits Mercury/Mariner 20/25 hp. 2 cycle models (1986 and Newer), 9.9 hp. FourStroke models (1999-2004) and 15 hp. FourStroke (323cc).

SIDESHIFT CONVERSION KIT

Converts a tiller handle shift to a side shift.

SIDESHIFT CONVERSION KIT



821190A 1

1992 and older.

Fits Mercury / Mariner 6-15 hp. 2 cycle outboards (USA 0A197112-0D181999, BEL 9461526-9740999).

821190A 3

1993 and newer.

Fits Mercury/Mariner 6-15 hp. 2 cycle outboards (USA 0D182000 and Newer, BEL 9741000 and Newer).

DRIVESHAFT EXTENSION KIT

A motor leg spacer kit providing 5" (127mm) of extension.

5 INCH EXTENSION KIT



8M0137852

Painted black, converts 20" (508mm) to 25" (635 mm).

15/20 EFI FourStroke outboard, 0R833820 and above.

8M0128829

Painted black, converts 20 inch (508mm) to 25 inch (635mm)

Fits Mercury 25/30 hp fourstroke outboards, 0R106999 and up.

5 INCH EXTENSION KIT



12092A20

Painted black, converts 20" (508 mm) to 25" (635 mm).

Fits Mercury/Mariner 40/50/60 Bigfoot FourStroke outboards (CHN 1C050252 & above, BEL 0P401000 & above)

5 INCH EXTENSION KIT



12092A13

Painted black, converts 20" (508mm) to 25" (635mm).

Fits various Mercury 70-125 hp. 2 cycle outboards (1998) and Mercury / Mariner 70-125 hp. 2 cycle outboards (1999 and Newer). See application chart for specific engine models.

5 INCH EXTENSION KIT



8M0105089

Painted, converts 20 in. (508MM) to 25 in. (635MM).

Fits Mercury/Mariner 75-115 FourStroke (2.1L) standard gearcase outboards beginning with serial number USA 2B094996 & Up.

8M0105090

Painted, converts 20 in. (508MM) to 25 in. (635MM).

Fits Mercury/Mariner 75-115 FourStroke (2.1L) Command Thrust (CT) gearcase outboards beginning with serial number USA 2B094996 & Up.

5 INCH EXTENSION KIT



8M0105087

Converts 20 inch (508mm) L model to a 25 inch (635mm) XL model.

Fits the Mercury/Mariner F150 hp. EFI FourStroke 4 cylinder outboard.

5 INCH SPACER KIT (BLACK)



8M0185982

Must purchase spacer kit and a driveshaft extension kit to do a complete installation on V6 & V8 FourStroke outboards. The max extension length available is Extra Extra Long(XXL), measuring at 76.2CM(30IN).

Fits V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, but it can be installed on the 300HP SeaPro.

10 INCH SPACER KIT (BLACK)

8M0230288

Must purchase spacer kit and a driveshaft extension kit to do a complete installation on the NEW V6 and V8 FourStroke outboards. The max extension length available is Extra Extra Long (XXL), measuring at 76.2CM (30in.).

NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

5 INCH SPACER KIT (SILVER)



8M0228079

Must purchase spacer kit and a driveshaft extension kit to do a complete installation on V6 and V8 FourStroke outboards. The max extension length available is Extra Extra Long (XXL), measuring at 76.2CM (30IN).

V6(3.4L) & V8(4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, but it can be installed on the 300HP SeaPro.

10 INCH SPACER KIT (SILVER)

8M0230292

Must purchase spacer kit and a driveshaft extension kit to do a complete installation on the NEW V6 and V8 FourStroke outboards. The max extension length available is Extra Extra Long (XXL), measuring at 76.2CM (30in.)

NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

DRIVESHAFT KIT-LONG



45-**8M0168203**

4.8 ratio gearcase long shaft 50.8cm (20.inch). Must purchase spacer kit to do complete extension installation.

V6(3.4L) and V8(4.6L) FourStroke outboards.

DRIVESHAFT EXTENSION KIT- XL

45-**8M0168206**

4.8 ratio gearcase extra-long shaft 50.8cm (25.inch). Must purchase spacer kit to do complete extension installation.

DRIVESHAFT EXTENSION KIT- XXL

45-**8M0168209**

4.8 ratio gearcase long shaft 50.8cm (30.inch). Must purchase spacer kit to do complete extension installation.

Fits 175hp 3.4L V6, 200hp 3.4L V6, and 225hp 3.4L V6

DRIVESHAFT EXTENSION KIT-LONG

45-**8M0168204**

5.44 ratio gearcase long shaft 50.8cm (20.inch). Must purchase spacer kit to do complete extension installation.

Fits 200-300hp 4.6L V8 ProXS, 250-300hp

DRIVESHAFT EXTENSION KIT-XL

45-**8M0168208**

5.44 ratio gearcase long shaft 50.8cm (25.inch). Must purchase spacer kit to do complete extension installation.

Fits 175-225hp 3.4L V6, 250-300hp 4.6L V8 SeaPro, 200hp 3.4L V6 SeaPro, 200-450hp Racing 4.6L V8, 225-300hp 4.6L V8 ProXS, 250-300hp 4.6L V8 Verado


DRIVESHAFT KIT- XXL

45-**8M0168210**

5.44 ratio gearcase long shaft 50.8cm (30.inch). Must purchase spacer kit to do complete extension installation. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

V6(3.4L) and V8(4.6L) FourStroke outboards.

5" DRIVESHAFT EXTENSION KIT



8M0200168

Kit includes all necessary parts to perform the driveshaft extension

Fits 5.7L V10 350HP and 400HP Verado Outboards

10" DRIVESHAFT EXTENSION KIT

8M0230290

Kit includes all necessary parts to perform the driveshaft extension

Fits 5.7L V10 350 and 400HP Verado Outboards


15" DRIVESHAFT EXTENSION KIT

8M0200174

Kit includes all necessary parts to perform the driveshaft extension

Fits 5.7L V10 350HP and 400HP Verado Outboards

5" SPACER KIT



98-**8M0177855**

Converts 25" XL or 35" XXXL to 30" XXL model. Refer to Electronic Parts Catalog for exact kit content.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro Outboards.


10" SPACER KIT

98-**8M0177856**

Converts 25" XL or 30" XXL to 35" XXXL. Refer to Electronic Parts Catalog for exact kit content.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

DRIVE SHAFT CONVERSION KIT



98-**8M0177989**

Converts 30" XXL or 35" XXXL to 25" XL model. Refer to Electronic Parts Catalog for exact kit content.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

EXTENSION KIT - 2 1/2 INCH (64MM)

2 1/2 INCH EXTENSION KIT



816696A 1

Painted black, converts 20 in. (508mm) to 22 1/2 in. (572mm).

Fits various Mercury/Mariner 50/55/60 hp. 2 cycle outboards. See application chart for specific engine models.

DRIVESHAFT EXTENSION CHART

Mercury/Mariner/Force/Chrysler Extension Kits

Model	Brand	Model Note	Year Range		Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Converts20 Inch (508 mm) and 25 Inch (635 mm) To 15 Inch (381 mm)	Color
3.5	Chrysler			USA		N.L.A.	N/A	N/A		Unpainted
4	Chrysler			USA		N.L.A.	N/A	N/A		Unpainted
4	Force		1984 - 1987	USA	E000001 and up	N.L.A.	N/A	N/A		Unpainted
4	Mercury	With thru hub exhaust	1987 - 1998	USA	0A809601 - 0G710612	N.L.A.	N/A	N/A		Black
4	Mercury	With thru hub exhaust	1987 - 1998	BEL	9477830 - 0P016999	N.L.A.	N/A	N/A		Black
4	Mariner	With thru hub exhaust	1987 - 1998	USA	0A809601 - 0G710613	N.L.A.	N/A	N/A		Black
4	Mariner	With thru hub exhaust	1987 - 1998	BEL	9477830 - 0P016999	N.L.A.	N/A	N/A		Black
4	Mercury/Mariner		1999 - 2026	USA	0G710613 and up	N.L.A.	N/A	N/A		Black
4	Mercury/Mariner		1999 - 2026	BEL	0P017000 and up	N.L.A.	N/A	N/A		Black
4 FourStroke	Mercury/Mariner		1999 - 2026	JPN	0R000001 and up	N.L.A.	N/A	N/A		Black
4 FourStroke	Mercury/Mariner		1999 - 2026	BEL	0P073456 and up	N.L.A.	N/A	N/A		Black
5	Force		1988 - 2026	USA	E000001 and up		N/A	N/A		Unpainted
5	Mercury	With thru hub exhaust	1987 - 1998	USA	0A809601 - 0G710612	N.L.A.	N/A	N/A		Black
5	Mercury	With thru hub exhaust	1987 - 1998	BEL	9477830 - 0P016999	N.L.A.	N/A	N/A		Black
5	Mariner	With thru hub exhaust	1987 - 1998	USA	0A809601 - 0G710612	N.L.A.	N/A	N/A		Black
5	Mariner	With thru hub exhaust	1987 - 1998	BEL	9477830 - 0P016999	N.L.A.	N/A	N/A		Black
5	Mercury/Mariner		1999 - 2026	USA	0G710613 and up	N.L.A.	N/A	N/A		Black
5	Mercury/Mariner		1999 - 2026	BEL	0P017000 and up	N.L.A.	N/A	N/A		Black
5 FourStroke	Mercury/Mariner		1999 - 2026	JPN	0R000001 and up	N.L.A.	N/A	N/A		Black
5 FourStroke	Mercury/Mariner		1999 - 2026	BEL	0P073456 and up	N.L.A.	N/A	N/A		Black
6	Mercury		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.		Black
6	Mercury		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.		Black
6	Mariner		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.		Black
6	Mariner		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.		Black
6	Mercury		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.		Black
6	Mercury		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.		Black
6	Mariner		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.		Gray
6	Mariner		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.		Gray
6	Mercury		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.		Black
6	Mercury		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.		Black

OUTBOARD

Model	Brand	Model Note	Year Range		Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Converts20 Inch (508 mm) and 25 Inch (635 mm) To 15 Inch (381 mm)	Color
6	Mariner		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.		Gray
6	Mariner		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.		Gray
6	Mercury/Mariner		1999 - 2003	USA	0G760300 - 0T800749	N/A	N/A	N.L.A.		Black
6	Mercury/Mariner		1999 - 2003	BEL	0P017000 and up	N/A	N/A	N.L.A.		Black
6 FourStroke	Mercury/Mariner		1999 - 2026	JPN	0R000001 and up	N.L.A.	N/A	N/A		Black
6 FourStroke	Mercury/Mariner		1999 - 2026	BEL	0P073456 and up	N.L.A.	N/A	N/A		Black
8	Mercury		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.		Black
8	Mercury		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.		Black
8	Mariner		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.		Black
8	Mariner		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.		Black
8	Mercury		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.		Black
8	Mercury		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.		Black
8	Mariner		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.		Gray
8	Mariner		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.		Gray
8	Mercury		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.		Black
8	Mercury		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.		Black
8	Mariner		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.		Gray
8	Mariner		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.		Gray
8	Mercury/Mariner		1999 - 2006	USA	0G760300 and up	N/A	N/A	N.L.A.		Black
8	Mercury/Mariner		1999 - 2006	BEL	0P017000 and up	N/A	N/A	N.L.A.		Black
8 FourStroke	Mercury	232 CC.	1995 - 1998	USA	0H000058 - 0H017099	N/A	N/A	N.L.A.		Black
8 FourStroke	Mariner	232 CC.	1995 - 1998	USA	0H000058 - 0H017099	N/A	N/A	N.L.A.		Gray
8 FourStroke	Mercury/Mariner	232 CC.	1999	USA	0H017100 - 0H017349	N/A	N/A	N.L.A.		Black
8 FourStroke	Mercury/Mariner	232 CC.	1999 - 2000	USA	0G760300 and up	N/A	N/A	N.L.A.		Black
8 FourStroke	Mercury/Mariner	323 CC.	2001 - 2004	BEL	0P086824 - 0P325499	N/A	N/A	N.L.A.		Black
8 FourStroke	Mercury/Mariner		2005 - 2026	JPN	0R042475 and up	N/A	N/A	853783A06		Black
8 FourStroke	Mercury/Mariner		2005 - 2026	BEL	0P325500 and up	N/A	N/A	853783A06		Black
9.9	Chrysler	Low profile only.		USA		N.L.A.	N/A	N/A		N/A
9.9	Force	Low profile only.		USA	E000001 and up	N.L.A.	N/A	N/A		N/A
9.9	Mercury		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.		Black
9.9	Mercury		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.		Black
9.9	Mariner		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.		Black
9.9	Mariner		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.		Black
9.9	Mercury		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.		Black
9.9	Mercury		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.		Black
9.9	Mariner		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.		Gray
9.9	Mariner		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.		Gray
9.9	Mercury		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.		Black
9.9	Mercury		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.		Black
9.9	Mariner		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.		Gray
9.9	Mariner		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.		Gray
9.9	Mercury/Mariner		1999 - 2006	USA	0G760300 and up	N/A	N/A	N.L.A.		Black
9.9	Mercury/Mariner		1999 - 2006	BEL	0P017000 and up	N/A	N/A	N.L.A.		Black
9.9 FourStroke	Mercury	232 CC.	1995 - 1998	USA	0H000058 - 0H016909	N/A	N/A	N.L.A.		Black
9.9 FourStroke	Mariner	232 CC.	1995 - 1998	USA	0H000058 - 0H016909	N/A	N/A	N.L.A.		Gray
9.9 FourStroke	Mercury/Mariner	323 CC.	1999 - 2004	USA	0G760300 - 0T979999	N/A	N/A	N.L.A.		Black
9.9 FourStroke	Mercury/Mariner	323 CC.	1999 - 2004	BEL	0P075166 - 0P325499	N/A	N/A	N.L.A.		Black
9.9 FourStroke	Mercury/Mariner	Standard Gearcase	2005 - 2026	JPN	0R042475 and up	N/A	N/A	853783A06		Black
9.9 FourStroke	Mercury/Mariner	Standard Gearcase	2005 - 2026	BEL	0P325500 and up	N/A	N/A	853783A06		Black
9.9 FourStroke	Mercury/Mariner	BigFoot Gearcase	2005 - 2026	JPN	0R052328 and up	N/A	N/A	853783A05		Black
9.9 FourStroke	Mercury/Mariner	BigFoot Gearcase	2005 - 2026	BEL	0P325500 and up	N/A	N/A	853783A05		Black
12.9	Chrysler		1968 - 1983	USA		N.L.A	N/A	N/A		N/A
15	Force	Low profile only.	1984 - 1997	USA	E000001 - E287999	N.L.A.	N/A	N/A		N/A

Model	Brand	Model Note	Year Range		Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Converts20 Inch (508 mm) and 25 Inch (635 mm) To 15 Inch (381 mm)	Color
15	Mercury		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.		Black
15	Mercury		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.		Black
15	Mariner		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.		Black
15	Mariner		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.		Black
15	Mercury		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.		Black
15	Mercury		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.		Black
15	Mariner		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.		Gray
15	Mariner		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.		Gray
15	Mercury		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.		Black
15	Mercury		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.		Black
15	Mariner		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.		Gray
15	Mariner		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.		Gray
15	Mercury/Mariner		1999 - 2006	USA	0G760300 and up	N/A	N/A	N.L.A.		Black
15	Mercury/Mariner		1999 - 2006	BEL	0P017000 and up	N/A	N/A	N.L.A.		Black
15 FourStroke	Mercury		1998	USA	0G590000 - 0G760299	N/A	N/A	N.L.A.		Black
15 FourStroke	Mariner		1998	USA	0G590000 - 0G760299	N/A	N/A	N.L.A.		Gray
15 FourStroke	Mercury/Mariner	323cc	1999 - 2008	USA	0G760300 and up	N/A	N/A	N.L.A.		Black
15 FourStroke	Mercury/Mariner	323cc	1999 - 2008	BEL	0P075166 and up	N/A	N/A	N.L.A.		Black
15 EFI FourStroke	Mercury/Mariner		2018 - 2026	JPN	0R833820 and up	N/A	N/A	8M0137852		Black
20 EFI FourStroke	Mercury/Mariner		2018 - 2026	JPN	0R833820 and up	N/A	N/A	8M0137852		Black
25 (4-Stroke)	Mercury/Mariner	Carb Model Only	1998 - 2005	USA	0G590000 - 1B344298	N/A	NLA	N/A		Black
30/40	Mercury	2 cylinder	1994 - 1998	USA	0G055314 - 0G760299	N/A	N.L.A.	N/A		Black
30/40	Mercury	2 cylinder	1994 - 1998	BEL	9854537 - 0P016999	N/A	N.L.A.	N/A		Black
30/40	Mariner	2 cylinder	1994 - 1998	USA	0G055314 - 0G760299	N/A	N.L.A.	N/A		Gray
30/40	Mariner	2 cylinder	1994 - 1998	BEL	9854537 - 0P016999	N/A	N.L.A.	N/A		Gray
30/40	Mercury/Mariner	2 cylinder	1999 - 2006	USA	0G760300 and up	N/A	N.L.A.	N/A		Black
30/40	Mercury/Mariner	2 cylinder	1999 - 2006	BEL	0P017000 and up	N/A	N.L.A.	N/A		Black
30 FourStroke	Mercury/Mariner	3 cylinder	1999 - 2005	USA	0G760300 - 1B226999	N/A	N.L.A.	N/A		Black
40	Mercury	3 cylinder, 59 CID	1997 1/2 - 1998	USA	0G531301 - 0G760299	N/A	N.L.A.	N/A		Black
40	Mercury	3 cylinder, 59 CID	1997 1/2 - 1998	BEL	9973100 - 0P016999	N/A	N.L.A.	N/A		Black
40	Mariner	3 cylinder, 59 CID	1997 1/2 - 1998	USA	0G531301 - 0G760299	N/A	N.L.A.	N/A		Gray
40	Mariner	3 cylinder, 59 CID	1997 1/2 - 1998	BEL	9973100 - 0P016999	N/A	N.L.A.	N/A		Gray
40	Mercury/Mariner	3 cylinder, 59 CID	1999 - 2006	USA	0G760300 and up	N/A	N.L.A.	N/A		Black
40	Mercury/Mariner	3 cylinder, 59 CID	1999 - 2006	BEL	0P017000 and up	N/A	N.L.A.	N/A		Black
40 FourStroke	Mercury	4 cylinder	1995 - 1998	USA	0G231123 - 0G760299	N/A	N.L.A.	N/A		Black
40 FourStroke	Mariner	4 cylinder	1995 - 1998	USA	0G231123 - 0G760299	N/A	N.L.A.	N/A		Gray
40 FourStroke	Mercury/Mariner	4 cylinder	1999 - 2000	USA	0G760300 and up	N/A	N.L.A.	N/A		Black
40 FourStroke	Mercury/Mariner	4 Cylinder with BigFoot gearcase 996 cc.	2001 - 2006	USA	0T178500 - 1C050251	N/A	N/A	12092A18		Black
40 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	BEL	0P094500 - 0P400999	N/A	N/A	12092A18		Black
40 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2026	CHN	1C050252 and up	N/A	N/A	12092A20		Black
40 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2026	BEL	0P401000 and up	N/A	N/A	12092A20		Black
40 FourStroke	Mercury/Mariner	3 cylinder	1999 - 2005	USA	0G760300 - 1B226999	N/A	N.L.A.	N/A		Black
40 FourStroke	Mercury/Mariner	3 cylinder, BigFoot	2000 - 2005	USA	0G960500 - 1B226999	N/A	N/A	N.L.A.		Black
45 FourStroke	Mercury	4 cylinder	1995 - 1998	USA	0G231123 - 0G760299	N/A	N.L.A.	N/A		Black
45 FourStroke	Mariner	4 cylinder	1995 - 1998	USA	0G231123 - 0G760299	N/A	N.L.A.	N/A		Gray
45 FourStroke	Mercury/Mariner	4 cylinder	1999 - 2000	USA	0G760300 and up	N/A	N.L.A.	N/A		Black
50	Mercury	3 cylinder, 51.8 CID	1991 - 1997	USA	0D000750 - 0G589999	N/A	816696A 1	N/A		Black
50	Mercury	3 cylinder, 51.8 CID	1991 - 1997	BEL	9682500 - 9973099	N/A	816696A 1	N/A		Black
50	Mariner	3 cylinder, 51.8 CID	1991 - 1997	USA	0D000750 - 0G589999	N/A	N.L.A.	N/A		Gray

OUTBOARD

Model	Brand	Model Note	Year Range		Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Converts20 Inch (508 mm) and 25 Inch (635 mm) To 15 Inch (381 mm)	Color
50	Mariner	3 cylinder, 51.8 CID	1991 - 1997	BEL	9682500 - 9973099	N/A	N.L.A.	N/A		Gray
50	Mercury	3 cylinder, 59 CID	1998	USA	0G590000 - 0G760299	N/A	N.L.A.	N/A		Black
50	Mercury	3 cylinder, 59 CID	1998	BEL	9973100 - 0P016999	N/A	N.L.A.	N/A		Black
50	Mariner	3 cylinder, 59 CID	1998	USA	0G590000 - 0G760299	N/A	N.L.A.	N/A		Gray
50	Mariner	3 cylinder, 59 CID	1998	BEL	9973100 - 0P016999	N/A	N.L.A.	N/A		Gray
50	Mercury/Mariner	3 cylinder, 59 CID	1999 - 2006	USA	0G760300 and up	N/A	N.L.A.	N/A		Black
50	Mercury/Mariner	3 cylinder, 59 CID	1999 - 2006	BEL	0P017000 and up	N/A	N.L.A.	N/A		Black
50 FourStroke	Mercury	4 cylinder	1995 - 1998	USA	0G231123 - 0G760299	N/A	N.L.A.	N/A		Black
50 FourStroke	Mariner	4 cylinder	1995 - 1998	USA	0G231123 - 0G760299	N/A	N.L.A.	N/A		Gray
50 FourStroke	Mercury/Mariner	4 cylinder	1999 - 2000	USA	0G760300 - 0T178499	N/A	N.L.A.	N/A		Black
50 FourStroke	Mercury/Mariner	BigFoot	1998 - 2000	USA	0G590000 - 0T178499	N/A	N/A	N.L.A.		Black
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2001 - 2006	USA	0T178500 - 1B344306	N/A	816696A12	N/A		Black
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006	CHN	1C000001 - 1C050251	N/A	816696A12	N/A		Black
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2001 - 2006	BEL	0P094500 - 0P515896	N/A	816696A12	N/A		Black
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006 - 2026	CHN	1C050252 and up	N/A	879150A88	N/A		N/A
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006 - 2026	BEL	0P515897 and up	N/A	879150A88	N/A		N/A
50 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	USA	0T178500 - 1B344306	N/A	N/A	12092A18		Black
50 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	BEL	0P094500 - 0P400999	N/A	N/A	12092A18		Black
50 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2026	CHN	1C050252 and up	N/A	N/A	12092A20		Black
50 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2026	BEL	0P401000 and up	N/A	N/A	12092A20		Black
55/60	Mercury	3 cylinder	1991 - 1998	USA	0D000750 - 0G760299	N/A	816696A 1	N/A		Black
55/60	Mercury	3 cylinder	1991 - 1998	BEL	9682500 - 0P016999	N/A	816696A 1	N/A		Black
55/60	Mariner	3 cylinder	1991 - 1998	USA	0D000750 - 0G760299	N/A	N.L.A.	N/A		Gray
55/60	Mariner	3 cylinder	1991 - 1998	BEL	9682500 - 0P016999	N/A	N.L.A.	N/A		Gray
55/60	Mercury/Mariner	3 cylinder	1999 - 2006	USA	0G760300 and up	N/A	816696A 1	N/A		Black
55/60	Mercury/Mariner	3 cylinder	1999 - 2006	BEL	0P017000 and up	N/A	816696A 1	N/A		Black
60 Work	Mercury	BigFoot	1994 - 1998	USA	0D279350 - 0G760299	N/A	N.L.A.	N/A		Black
60 Work	Mercury	BigFoot	1994 - 1998	BEL	9793445 - 0P016999	N/A	N.L.A.	N/A		Black
60 Work	Mariner	BigFoot	1994 - 1998	USA	0D279350 - 0G760299	N/A	N.L.A.	N/A		Gray
60 Work	Mariner	BigFoot	1994 - 1998	BEL	9793445 - 0P016999	N/A	N.L.A.	N/A		Gray
60 Work	Mercury/Mariner	BigFoot	1999 - 2006	USA	0G760300 and up	N/A	N.L.A.	N/A		Black
60 Work	Mercury/Mariner	BigFoot	1999 - 2006	BEL	0P017000 and up	N/A	N.L.A.	N/A		Black
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2001 - 2006	USA	0T178500 - 1B344306	N/A	816696A12	N/A		Black
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006	CHN	1C000001 - 1C050251	N/A	816696A12	N/A		Black
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2001 - 2006	BEL	0P094500 - 0P515896	N/A	816696A12	N/A		Black
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006 - 2026	CHN	1C050251 and up	N/A	879150A88	N/A		N/A
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006 - 2026	BEL	0P515897 and up	N/A	879150A88	N/A		N/A
60 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	USA	0T178500 - 1B344306	N/A	N/A	12092A18		Black
60 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	BEL	0P094500 - 0P400999	N/A	N/A	12092A18		Black
60 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2026	CHN	1C050252 and up	N/A	N/A	12092A20		Black
60 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2026	BEL	0P401000 and up	N/A	N/A	12092A20		Black
70/75/80/90	Mercury	3 cylinder	1987 - 1993	USA	0A996142 - 0G283221	N/A	N/A	N.L.A.		Black

Model	Brand	Model Note	Year Range		Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Converts20 Inch (508 mm) and 25 Inch (635 mm) To 15 Inch (381 mm)	Color
70/75/80/90	Mercury	3 cylinder	1987 - 1993	BEL	9483121 - 9793576	N/A	N/A	N.L.A.		Black
70/75/80/90	Mariner	3 cylinder	1987 - 1993	USA	0A996142 - 0G283221	N/A	N/A	N.L.A.		Black
70/75/80/90	Mariner	3 cylinder	1987 - 1993	BEL	9483121 - 9793576	N/A	N/A	N.L.A.		Black
70/75/80/90	Mercury	3 cylinder	1994 - 1997	USA	0G283222 - 0G589999	N/A	NLA	N.L.A.		Black
70/75/80/90	Mercury	3 cylinder	1994 - 1997	BEL	9793577 - 9973099	N/A	NLA	N.L.A.		Black
70/75/80/90	Mariner	3 cylinder	1994 - 1997	USA	0G283222 - 0G589999	N/A	N.L.A.	N.L.A.		Black
70/75/80/90	Mariner	3 cylinder	1994 - 1997	BEL	9793577 - 9973099	N/A	N.L.A.	N.L.A.		Black
75/90	Mercury	3 cylinder	1998	USA	0G590000 - 0G760299	N/A		12092A13		Black
75/90	Mercury	3 cylinder	1998	BEL	9973100 - 0P016999	N/A		12092A13		Black
75/90	Mariner	3 cylinder	1998	USA	0G590000 - 0G760299	N/A		N.L.A.		Gray
75/90	Mariner	3 cylinder	1998	BEL	9973100 - 0P016999	N/A		N.L.A.		Gray
75/90	Mercury/Mariner	3 cylinder	1999 - 2006	USA	0G760300 and up	N/A		12092A13		Black
75/90	Mercury/Mariner	3 cylinder	1999 - 2006	BEL	0P017000 and up	N/A		12092A13		Black
75/90 FourStroke	Mercury/Mariner	4 cylinder, 1.7L	2006 - 2014	USA	1B366823 - 2B094995	N/A	N/A	N.L.A.		Black
75-100 FourStroke	Mercury/Mariner	2.1L, Standard	2014 - 2026	USA	2B094996 and up	N/A	N/A	8M0105089		Black
75-100 FourStroke	Mercury/Mariner	2.1L, Command Thrust	2014 - 2026	USA	2B094996 and up	N/A	N/A	8M0105090		Black
100/115/125	Mercury	4 cylinder	1987 - 1993	USA	0A996142 - 0G283221	N/A	N/A	N.L.A.		Black
100/115/125	Mercury	4 cylinder	1987 - 1993	BEL	9483121 - 9793576	N/A	N/A	N.L.A.		Black
100/115/125	Mariner	4 cylinder	1987 - 1993	USA	0A996142 - 0G283221	N/A	N/A	N.L.A.		Black
100/115/125	Mariner	4 cylinder	1987 - 1993	BEL	9483121 - 9793576	N/A	N/A	N.L.A.		Black
100/115/125	Mercury	4 cylinder	1994 - 1997	USA	0G283222 - 0G589999	N/A	NLA	N.L.A.		Black
100/115/125	Mercury	4 cylinder	1994 - 1997	BEL	9793577 - 9973099	N/A	NLA	N.L.A.		Black
100/115/125	Mariner	4 cylinder	1994 - 1997	USA	0G283222 - 0G589999	N/A	N.L.A.	N.L.A.		Black
100/115/125	Mariner	4 cylinder	1994 - 1997	BEL	9793577 - 9973099	N/A	N.L.A.	N.L.A.		Black
100/115/125	Mercury	4 cylinder	1998	USA	0G590000 - 0G760299	N/A		12092A13		Black
100/115/125	Mercury	4 cylinder	1998	BEL	9973100 - 0P016999	N/A		12092A13		Black
100/115/125	Mariner	4 cylinder	1998	USA	0G590000 - 0G760299	N/A		N.L.A.		Gray
100/115/125	Mariner	4 cylinder	1998	BEL	9973100 - 0P016999	N/A		N.L.A.		Gray
100/115/125	Mercury/Mariner	4 cylinder	1999 - 2006	USA	0G760300 and up	N/A		12092A13		Black
100/115/125	Mercury/Mariner	4 cylinder	1999 - 2006	BEL	0P017000 and up	N/A		12092A13		Black
115 FourStroke	Mercury/Mariner	4 cylinder, 1.7L	2006 - 2014	USA	1B366823 - 2B094955	N/A	N/A	N.L.A.		Black
115 FourStroke	Mercury/Mariner	2.1L, Standard	2014 - 2026	USA	2B094996 and up	N/A	N/A	8M0105089		Black
115 FourStroke	Mercury/Mariner	2.1L, Command Thrust	2014 - 2026	USA	2B094996 and up	N/A	N/A	8M0105090		Black
150 EFI FourStroke	Mercury/Mariner	4 cylinder	2011 - 2026	USA	1B905505 and up	N/A	N/A	8M0105087		Black
175-300/ 300R	Mercury	V6(3.4L) / V8 (4.6L)	2018 - 2026	USA	2B529482 and up	8M0185982	8M0230288	N/A	Needs Driveshaft Kit	Black
175-300/ 300R	Mercury	V63.4L) / V8 (4.6L)	2018 - 2026	USA	2B529482 and up	8M0228079	42-8M0188206	N/A	Needs Driveshaft Kit	Silver
350-400	Mercury	V10 (5.7L)	2022 - 2026	USA	3B266064 and up	8M0200168	8M0230290	8M0200174		Silver
500-600	Mercury	V12 (7.6L)	2020 - 2026	USA	3B060047 and up	98-8M0177855	98-8M0177856	N/A	98-8M0177989	Silver

OUTBOARD MOUNTING HARDWARE

Used for permanent mounting of an engine to the boat transom.

TRANSOM SUPPORT BRACKET



67-**896305001**

Used to reinforce the transom- transom bolts and washers used with this bracket to strengthen the transom area where the engine in mounted.

MOUNTING BOLT



10- **67755005**

Stainless mounting bolt, 2.5 in. (1.25 in. thread)

10-**8M0131814**

Stainless mounting bolt, 3.5 in. (1.25 in. thread)

MOUNTING BOLT



10-**814259**

Stainless mounting bolt 1/2 in. x 4.00 in. (2.25 in. Thread)

MOUNTING BOLT



10-**8M0149747**

Standard 4 1/2" Length Mounting Bolt (2.25 in. thread)

Fits current Mercury/Mariner 40 hp. thru V-6 outboards (2-cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer). Furnished standard with the 135-175 hp. Verado outboards.

MOUNTING BOLT



10-**8M0038370**

Stainless mounting bolt, 1/2 in. x 5.50 in. (3.25 in. Thread)

Shipped standard with the 200/225/250/275 hp. Verado outboard.

5.5" BOLT KIT (6-BOLT ONLY)

10-**8M0185652**

Qty. 6

For 5.7L V10 350HP and 400HP Verado Outboards

MOUNTING BOLT



10- **67755 2**

Optional 6 1/2" Length Mounting Bolt (2.75 in. thread)

Fits current Mercury/Mariner 40 hp. and above outboards (2 cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer).

6.5" BOLT KIT (6-BOLT ONLY)

10-**8M0185653**

Qty. 6

For 5.7L V10 350HP and 400HP Verado Outboards

MOUNTING BOLT

10-**8M0028080**

Optional 7 1/2" Length Mounting Bolt (2.75 in. thread)

Fits current Mercury/Mariner 40 hp. and above outboards (2 cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer).

7.5" BOLT KIT (6-BOLT ONLY)

10-**8M0185654**

Qty. 6

For 5.7L V10 350HO and 400HP Verado Outboards

8" BOLT KIT (6-BOLT ONLY)



10-**8M0185655**

Qty. 6

For 5.7L V10 350HP and 400HP Verado Outboards

BOLT KIT-TRANSOM



10- **67755A22**
Bolt kit includes 4 pcs of 2-1/2 in. bolts, washers and nuts.

10- **67755A26**
Bolt kit includes 4 pcs of 3 1/2" bolts, washers and nuts.

10- **67755A13**
Bolt kit includes 4 pcs of 4-1/2 in. bolts, washers and nuts.

10- **67755A14**
Bolt kit includes 4 pcs of 5-1/2 in. bolts, washers and nuts.

10- **67755A15**
Bolt kit includes 4 pcs of 6-1/2 in. bolts, washers and nuts.

10- **67755A17**
Bolt kit includes 4 pcs of 7-1/2 in. bolts, washers and nuts.

10- **67755A18**
Bolt kit includes 4 pcs of 8 in. bolts, washers and nuts.

5.5” TRANSOM BOLT KIT - 5/8



10-**8M0171826**
Quantity of 1
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10-**8M0171827**
Quantity of 6.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

6.5” TRANSOM BOLT KIT - 5/8

10-**8M0171828**
Quantity of 1.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10-**8M0171829**
Quantity of 6.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

7.5” TRANSOM BOLT KIT - 5/8



10-**8M0171830**
7.5 inch by 5/8 quantity of 1.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10-**8M0171831**
Quantity of 6.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

8.5” TRANSOM BOLT KIT - 5/8



10-**8M0171832**
Quantity of 1.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10-**8M0171833**
Quantity of 6.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

9.5” TRANSOM BOLT KIT - 5/8



10-**8M0171834**
Quantity of 1.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

9.5” TRANSOM BOLT KIT - 5/8



10-**8M0171835**
Quantity of 6.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10.5” TRANSOM BOLT KIT - 5/8



10-**8M0171836**
Quantity of 1.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10-**8M0171837**

Quantity of 6.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

12.5" TRANSOM BOLT KIT - 5/8

10-**8M0176953**

Quantity of 1.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10-**8M0176954**

Quantity of 6.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

MOUNTING HARDWARE



56- **92729A49**

Includes 2 screws 10-43216, 2 washers 12-67983, and 2 nuts 11-826711-8.

Will mount the Model Year 2005 and newer 8/9.9 hp. FourStroke outboards with standard gearcase or the BigFoot model without factory power trim.

MOUNTING NUT KIT



11-**8M0109756**

Includes 6 nuts (.500-20, hex, brass) and 2 nuts with nylon inserts.

Fits any Mercury outboard with a .500-20 mounting bolt and strongly recommended for use on the Verado 350/400 Hp. models.

DOUBLE NUT KIT



8M0182202

Kit contains: 12 nuts & washers

For 5.7L V10 350HP and 400HP Verado Outboards

FLAT WASHER



12-**8M0204665**

17/32 in. x 7/8 in. x 7/64 in., Stainless steel

For mounting an outboard to the transom. Shipped standard with the 135-175 hp. Verado.

Priced individually, sold @ multiples of 10

FLAT WASHER



12-**8M0204648**

Stainless Steel x 1.50 in. OD

Fits current Mercury/Mariner 40 hp. thru V-6 outboards (2-cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer). This is also the "inner" washer furnished with the 200/225/250/275 hp. Verado outboard.

Priced individually, sold @ multiples of 5

FLAT WASHER



12-**8M0204704**

Stainless washer x 1.06 in. OD

Shipped standard as the "outer" washer with the 200/225/250/275 hp. Verado outboard.

Priced individually, sold @ multiples of 2

TRANSOM SUPPORT WASHER



67-**896392**

Used to reinforce the transom- transom bolts and washers used with this reinforced washer to strengthen the transom area where the engine in mounted.

NUT



11-**8M0204734**

For Power Trim/Transom Assembly - Standard and Counter Rotation
Fits 350-400HP 5.7L V10 including 400R 5.7L V10 and 500R 4.6L V8.

HEX NUT



11-**826711 17**

Hex Nylock Nut, brass
Fits current Mercury/Mariner 40 hp. thru V-6 outboards (2-cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer). Also shipped standard with the 135-275 hp. Verado outboard.

NUT



11-**896602**

HEX LOCK M14 NYLON INSERT

OUTBOARD MOUNTING HARDWARE CHART

Used for permanent mounting of an engine to the boat transom.

Transom Mounting Bolt Kit Chart

Outboard Mounting Hardware Chart

Thread Length (Inches)	Bolt Length (Inches)	Individual / Kit	Part Number
1.25	2.5	Kit	10- 67755A22
		Individual	10- 67755005
1.25	3.5	Kit	10- 67755A26
		Individual	10-8M0131814
2.25	4	Individual	10-814259
2.25	4.5	Kit	10- 67755A13
		Individual	10-8M0149747
3.25	5.5	Kit	10- 67755A14
		Individual	10-8M0038370
2.75	6.5	Kit	10- 67755A15
		Individual	10- 67755 2
2.75	7.5	Kit	10- 67755A17
		Individual	10-8M0028080
2.75	8	Kit	10- 67755A18
		Individual	10-8M0185655
3.00	5.5	Individual	10-8M0171826
		Multiple of 6	10-8M0171827
3.00	6.5	Individual	10-8M0171828
		Multiple of 6	10-8M0171829
3.00	7.5	Individual	10-8M0171830
		Multiple of 6	10-8M0171831
3.00	8.8	Individual	10-8M0171832
		Multiple of 6	10-8M0171833
3.00	9.5	Individual	10-8M0171834
		Multiple of 6	10-8M0171835
3.00	10.5	Individual	10-8M0171836
		Multiple of 6	10-8M0171837
3.00	12	Individual	10-8M0176953
		Multiple of 6	10-8M0176953

HIGH ALTITUDE GEAR SETS & GEARCASES (V-6)

Due to a loss of horsepower at high altitudes, a lower gear reduction (higher numerical ratio) will enhance performance.

SEAL KIT



26- **89238A 2**

Fits Mercury / Mariner 135/150 V-6 outboards (USA 0A904646 and Newer) and 175/200 V-6 outboards (USA 6618751 and Newer).

GEARCASE ASSEMBLY COMPLETE



1647- **9148T81**

Black, 2:1 ratio. 20" long shaft. 14 pinion teeth.
Standard Rotation (RH).
Fits Mercury 135-200 (2.5L) V-6 outboards

HIGH ALTITUDE GEAR SETS & GEARCASES (4 CYLINDER)

Due to a loss of horsepower at high altitudes, a lower gear reduction (higher numerical ratio) will enhance performance.

REVERSE GEAR



43-**850034T**

Used with 6 jaw reverse clutch. Pinion/forward gear ass'y. and seal or seal & bearing kit are also required.

Fits Mercury/Mariner 100/115/125 hp. 2-cycle outboard (USA 0B209468 and Newer, BEL 9523034) with 6 jaw reverse clutch.

REVERSE GEAR



43- **12635T**

Used with 3 jaw reverse clutch. Pinion/forward gear ass'y. and seal or seal & bearing kit are also required.

Fits Mercury/Mariner 100/115/125 hp. 2-cycle outboard (USA 0B209468 and Newer, BEL 9523034) with 3 jaw reverse clutch.

SEAL & BEARING KIT (W/O FORWARD BEARING)



31-**803496T 1**

Fits the 2.07:1 ratio gearcase on Mercury/Mariner 75/90 (4-Stroke) and 100/115/125 (2 Cycle) with either 3 or 6 jaw reverse clutch and the original 43-19672 pinion gear. See chart for specific engine applications.

GEAR HOUSING ASSEMBLY COMPLETE



1667- **9011J16**

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth.
Includes the newer 6 jaw reverse clutch and a new powerhead gasket with upper shift shaft for correct throw

Fits Mercury 75-125 hp. 2-cycle outboards with 3 jaw reverse clutch

FLUSHING ATTACHMENTS

Allow for fresh water hook-up to the engine for running at idle or for flushing of the block. Care should be observed in using the correct application.

FLUSHING ATTACHMENT



8M0057047

For static flush only. Furnished with each engine.

Fits the F4-5-6hp. FourStroke outboard, 0R411838 and above.

FLUSHING ATTACHMENT



12612T 2

Fits Mercury/Mariner 4-15 hp. 2 cycle outboard, the 4/5/6 hp. FourStroke, and the 8/9.9/15 hp. FourStroke (323cc) with standard gearcase. Will allow for running at idle speeds.

Priced individually, sold @ multiples of 5

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

FLUSHING ATTACHMENT



12612Q 2

Fits Mercury/Mariner 4-15 hp. 2 cycle outboard, the 4/5/6 FourStroke, and the 8/9.9/15 hp. (323cc) with standard gearcase. Will allow for running at idle speeds.

Priced individually, sold @ multiples of 5

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FLUSHING ATTACHMENT



44357T 2

Will allow for running at idle speeds.

Fits Mercury/Mariner 20 hp. and higher outboards, 9.9/15 hp. FourStroke (323cc) Bigfoot outboards, all Model Year 2005 and Newer 8/9.9 hp. Four Stroke outboards, 15 hp. FourStroke (351cc) outboards, all MerCruiser Sterndrives (except Bravo One Performance & Blackhawk) and MHP Torque Master gearcases.
Note: 2000 and newer V-6 outboards and MerCruiser Bravo drives with dual water pick-up also require Dual Water Pick-Up Flush Seal Kit p/n 881150K 1.

Priced individually, sold @ multiples of 4

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

FLUSHING ATTACHMENT



44357Q 2

Will allow for running at idle speeds. Attaches to the water intakes; provides a fresh water connection when flushing the cooling system or operating the engine.

Fits Mercury/Mariner 20 hp. and higher outboards, 9.9/15 hp. FourStroke (323cc) Bigfoot outboards, all Model Year 2005 and Newer 8/9.9 hp. Four Stroke outboards, 15 hp. FourStroke (351cc) outboards, all MerCruiser Sterndrives (except Bravo One Perf. & Blackhawk) and MHP Torque Master gearcases.
Note: 2000 and newer V-6 outboards and MerCruiser Bravo drives with dual water pick-up also require Dual Water Pick-Up Flush Seal Kit p/n 881150Q 1.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DUAL WATER PICKUP FLUSH SEAL KIT



881150K 1

Provides a front water pick-up seal for gearcases with dual water pick-ups

Fits 2000 and newer Mercury/Mariner V-6 outboards with dual water pick-ups; and 2000 and newer MerCruiser Bravo drives with dual water pick-ups.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

DUAL WATER PICKUP FLUSH SEAL KIT



881150Q 1

Provides a front water pick-up seal for gearcases with dual water pick-ups

Fits 2000 and newer Mercury/Mariner V-6 outboards with dual water pick-ups; and 2000 and newer MerCruiser Bravo One drives with dual water pick-ups.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FLUSHING ATTACHMENT



22-820543A 1

For consumer use. Only for use while engine is not running.

Fits 90/95/120 Sport-Jet.

FLUSHING ATTACHMENT



16841Q02

Fits Mercury/Mariner 4/5 hp. (1 cyl.) 2 cycle outboards, F2.5/3.5 hp. FourStroke outboards, F4/5/6 FourStroke Outboards (0R411837 and below) and 8/9.9 hp. FourStroke outboards (model year 2005 & newer). Only for use when engine is not running.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

REPLACEMENT CAP



19-**821908**

For consumer use sport-jet flushing attachment.

Fits the consumer use 90/95/120 Sport-Jet flushing attachment. Standard flushing kit on the Sport Jet 175 and the 200 OptiMax, 210 and 240 EFI Jet Drives.

FLUSHING KIT



22-**820573**

Dealer kit, flushes engine while the engine is running. This kit is not for permanent installation. It is intended as a dealer service tool aid.

Fits Sport-Jet 90/95/120 engines.

COASTAL FLUSH KIT



858566A 1

Allows for the addition of a remote flush. Due to location of the flush kit, a temperature gauge can only be used with the addition of a 12415A 2 sending kit.

Fits Mercury/Mariner 75-125 hp. (1993 and Newer) 2 cycle outboards. Engine can be flushed without taking boat out of the water.

COASTAL FLUSH KIT



858566A02

Standard on Saltwater models, this kit will add the same flushing capabilities to the non-saltwater models. Kit allows hooking a flush hose to the front of the engine.

Fits the 75/90/115hp. (1.5L) OptiMax outboards beginning with the 2004 Model Year.

COASTAL FLUSH KIT



858566A03

Kit allows hooking a flush hose to the front of the engine.

Fits the 75-115 hp. EFI FourStroke (1.7L) outboard engine, s/n 1B366823-2B094955.

FLUSHING ATTACHMENT



848703A 1

Fits Mercury Racing CLE gearcases. Engines may be run at idle speeds.

FLUSHING ATTACHMENT



848998A 1

Fits Mercury Racing Sport Master gearcases. Engines may be run at idle speeds.

FLUSHING KIT



22-**852400**

Cowl flushing attachment. Engines should not be running when flushing cooling system. Helps prevent a buildup of deposits from clogging the internal water passages.

Fits Mercury/Mariner V-6 engines equipped with flush systems.

QUICK CONNECT FLUSHING KIT



8M0236724

Flush your outboard engine with ease, this convenient kit features a quick-connect fitting to a hose for fast, hassle-free flushing. Includes: 1- Cover, 1- Quick Connect Hose Fitting, 1- Fitting for cowl, 1- O-ring, 1- Fitting for inside cowl and 1- Clamp.

Fits Mercury 75-300hp FourStroke outboards

QUICK CONNECT FLUSHING KIT



8M0236725

Flush your outboard engine with ease, this convenient kit features a quick-connect fitting to a hose for fast, hassle-free flushing. Includes: 1- Cover, 1- Quick Connect Hose Fitting, 1- Fitting for cowl, 1- O-ring, 1- Fitting for inside cowl and 1- Clamp.

Fits Mercury 350-425hp FourStroke outboards

COVER



8M0237340

Replacement cover that sits flush with the lower cowl for quick connect flush kit.

75-115hp, 150hp, 3.4L V6 175-225hp, 4.6L V8 200-500hp, 5.7L V10 350-425hp Verado, FourStroke, Pro XS and SeaPro Outboards

REPLACEMENT QUICK CONNECT HOSE FITTING



22-**8M0237339**

Replacement fitting that is used on the hose for the Quick Connect Flush Kit.

75-115hp, 150hp, 3.4L V6 175-225hp, 4.6L V8 200-500hp Verado, FourStroke, Pro XS and SeaPro Outboards

QUICK DISCONNECT-TANK END



30185Q 3

Bayonet style

Bayonet style push and turn type quick disconnect for the older 6.6 gallon fuel tank.

Priced individually, sold @ multiples of 3

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



F197787Q3

Engine end fits Force 5 hp., and fits 9.9/15 (1997 and prior) and 25 hp. (3 cyl., 1997 and prior).

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

AUTOMATIC OUTBOARD FLUSHING SYSTEM

FLUSH KIT - DUAL



8M6015250

Dual engine flush kit w/ install

FLUSH KIT - TRIPLE



8M6015251

Flush kit for 3 engine install

FLUSH KIT - QUAD



8M6015252

Flush Kit for 4-engine install

HIGH SPEED WATER PICKUP INSERTS

Designed to replace standard water pickup inserts, providing additional ram pressure that forces more water into the cooling system.

WATER INLET



17280A 2

Recommended only where overheating is a known to be a problem, they increase the chance of debris getting caught in the water intake.

Replaces the 8-hole insert on the Mercury / Mariner 2.0L, 2.4L, 2.5L and 3.0L outboards with 4 3/4" gearcases except the 225/250 (3.0L, 1994-1996).

WATER INLET SCREENS



35-**8M0215223**

Drillable water inlet screens.

Fits 5.7L V10 350-425hp outboards

WATER INLET SCREENS



35-**8M0207396**

Drillable water inlet screens to let you choose the flow of water.

Fits 7.6L V12 600hp Verado and 500hp SeaPro outboards

FRONT LOW WATER PICK-UP PLUG KIT

Used in special applications where debris is plugging the low water pick-ups in the nose of the gearcase. This will also limit the amount of cooling water flow. Do not use this kit if the side water pick-ups are out of the water when the boat is on plain.

WATER INLET PLUG KIT



8M0052921

Contains plugs and gasket to seal the low water pickups from injesting debris into the engine water cooling passages.

Fits the Verado gearcase and the Torquemaster II with the shift shaft bushing fastened with 4 screws.

GEARCASE FILLER PLUGS

GEARCASE FILLER PLUGS



22-**8M0163134**

Used to fix gearcase water pressure issues with the dual water inlet gearcase not supplying adequate water pressure and flow to the engine at the high installation "X" dimension heights that were used with the low water inlet gearcase.

Fits O/B & MCM Bravo gearcases with dual water pickups. 300 series stainless steel passivated. Size 1/16-27 PFT - SAE Short. Used with NPT tap.

FUEL TANKS - PORTABLE - SUPER (NON-US COMPLIANT)

Meet ABYC, CSA and UL standards. High strength blow molded construction using high density, high molecular weight polyethylene. Formulated protection against ultraviolet exposure and aging. Helps prevent fading and keeps plastic pliable for longer life.

SUPER 6.6 GAL (25 L) FUEL TANK



1200-**8M0083451**

6.6 US gal (25 L) capacity, 19 in. (480 mm) x 12 1/2 in. (318 mm) x 11 1/8 in. (282mm) with "shielded" quick connect fuel outlet.
Manual venting. Integral fuel level gauge.

For use with double sealed fuel connector. This tank can not be sold in areas governed by US-EPA regulations.

SUPER 6.6 US GAL (25 L) FUEL TANK



1200-**8M0083452**

6.6 US gal (25 L) capacity, 21 3/4 in. (552 mm) x 14 1/2 in. (368 mm) x 10 in. (254 mm) with "shielded" quick connect fuel outlet.
Manual venting. Integral fuel level gauge.

For use with double sealed fuel connector. This tank can not be sold in areas governed by US-EPA regulations.

REPLACEMENT CAP



36-**816976Q 1**

Replacement cap, manual venting.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SUPER 3.2 US GAL (12 L) FUEL TANK



1200-**8M0083449**

3.2 US gal (12 L) capacity, 14 1/2 in. (368 mm) x 9 3/4 in. (248 mm) x 9 in. (229 mm) with "shielded" quick connect fuel outlet.
Manual venting. Integral fuel level gauge.

For use with double sealed fuel connector.

FUEL TANKS - PORTABLE - PREMIUM (NON-US COMPLIANT)

Meet ABYC, CSA and UL standards. High strength blow molded construction using high density, high molecular weight polyethylene. Formulated protection against ultraviolet exposure and aging. Helps prevent fading and keeps plastic pliable for longer life.

PREMIUM 6.6 GAL (25 L) FUEL TANK



1200-**8M0047607**

6.6 US gal (25 L) capacity, 19 in. (480 mm) x 12 1/2 in. (318 mm) x 11 1/8 in. (282mm).
Furnished with 1/4-18 threaded fuel line fitting, and manual venting cap, and integral fuel level gauge.

This tank can not be sold in areas governed by US-EPA regulations.

PREMIUM 6.6 US GAL (25 L) FUEL TANK



1200-**8M0047603**

Includes a 1/4" NPT threaded fuel line opening, a mechanical fuel gauge and top vented fuel cap.

This tank can not be sold in areas governed by US-EPA regulations.

PREMIUM 3.2 US GAL (12 L) FUEL TANK



1200-**8M0047599**

Includes a 1/4" NPT threaded fuel line opening, a mechanical fuel gauge and top vented fuel cap.

REPLACEMENT CAP



36-**816976Q 1**

Replacement cap, manual venting.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FUEL TANKS - PORTABLE - STANDARD (NON-US COMPLIANT)

Meet ABYC, CSA and UL standards. High strength blow molded construction using high density, high molecular weight polyethylene. Formulated protection against ultraviolet exposure and aging. Helps prevent fading and keeps plastic pliable for longer life.

STANDARD 6.6 US GAL (25 L) FUEL TANK



1200-**8M0057254**

6.6 US gal (25 L) capacity, 21 3/4 in. (552 mm) x 14 1/2 in. (368 mm) x 10 in. (254 mm).
Furnished with 1/4-18 threaded fuel line fitting and manual venting cap.

This tank can not be sold in areas governed by US-EPA regulations.

STANDARD 3.2 US GAL (12 L) FUEL TANK



1200-**8M0056211**

3.2 US gal (12 L) capacity, 14 1/2 in. (368 mm) x 9 3/4 in. (248 mm) x 9 in. (229 mm).
Furnished with 1/4-18 threaded fuel line fitting and manual venting cap.

FUEL LINES AND PRIMER BULBS - (NON-US COMPLIANT)

These assemblies may be used in all applications not governed by the US-EPA 2011 regulations. If those regulations do apply, please refer to a 2011 US Compliant Section either here or in an Accessories Guide for applicable assemblies complete with provision for a pressurized fuel tank and low permeation primer bulb.

8 FT. FUEL LINE ASSEMBLY



32-**8M0054328**

Low Permeation (EPA compliant) hose has 1/8" NPT threaded fitting on engine end and 1/4" NPT threaded fitting on the tank end. A non-EPA compliant primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits varying applications using the older style twist type disconnects at the engine end and either a bayonet or thread-in fitting on the tank end. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Mercury Precision Branded, Box Point of Sale Packaged.

8 FT. FUEL LINE ASSEMBLY



32-**8M0054329**

Low Permeation (EPA compliant) hose has standard quick connect type fitting on engine end and 1/4" NPT threaded fitting on the tank end. A non-EPA compliant primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury / Mariner outboards using clip on type disconnect at engine ends and a tank with threaded fuel pickup fitting. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Mercury Precision Branded, Box Point of Sale Packaged.

8 FT. FUEL LINE ASSEMBLY



32-**8M0054330**

Low Permeation hose has double sealed quick connect type fitting on tank end and clip-on type quick connect on engine end. Primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits Force 40 hp. And larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip-on type disconnects at both tank and engine ends. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Mercury Precision Branded, Box Point of Sale Packaged.

8 FT. FUEL LINE ASSEMBLY



32-**8M0054325**

Low Permeation (EPA compliant) hose has double sealed quick connect type fitting on tank end and clip-on type quick connect on engine end. A non-EPA compliant primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip-on type disconnects at both tank and engine ends. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Quicksilver Branded, Box Point of Sale Packaged.

8 FT. FUEL LINE ASSEMBLY



32-**8M0056640**

Has double sealed quick connect type fitting on (Super) tank end and no fitting on engine end. Primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits remote model 40-60 hp. FourStroke Mercury/Mariner outboards 2008 and newer. US-EPA regulated engines and boats may not use this hose.

8 FT. FUEL LINE ASSEMBLY



32-**8M0061895**

Low Permeation hose has quick connect fittings on both ends. "EPA-MERC-PB15-2" primer bulb is included in this 8 ft. (2.44 m) assembly. Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

Fits Force 40 hp. And larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip-on type disconnects at both tank and engine ends.

Mercury Precision Branded, Box Point of Sale Packaged.

8 FT. FUEL LINE ASSEMBLY



32-**8M0061892**

Low permeation hose has standard quick connect type fitting on engine end and 1/4" NPT threaded fitting on the tank end. "EPA-MERC-PB15-2" primer bulb is included in this 8 ft. (2.44 m) assembly. Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnect at engine ends and a tank with threaded fuel pickup fitting.

Mercury Precision Branded, Box Point of Sale Packaged.

9 FT. FUEL LINE ASSEMBLY - NO CONNECTORS



32-**8M0061899**

There are no ends on this 9 ft. (2.74 m) fuel line assembly featuring the "EPA-MERC-PB15-2" primer bulb. Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

This 5/16 inch (8 mm) I.D. fuel line will adapt to a variety of uses by adding connectors as desired.

8 FT. FUEL LINE ASSEMBLY

32-**8M0061293**

There are no ends on this 8 ft. (2.44 m) fuel line assembly with a non-EPA compliant primer bulb. Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

This 5/16 inch (8 mm) I.D. fuel line will adapt to a variety of uses by adding connectors as desired. US-EPA regulated boats and engines may not use this hose assembly.

12 FT. FUEL LINE ASSEMBLY



32-**8M0061897**

Low permeation hose has quick connect type fitting on both ends. "EPA-MERC-PB15-2" primer bulb is included in this 12 ft. (3.66 m) assembly. Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnects at both tank and engine ends.

Mercury Precision Branded, Box Point of Sale Packaged.

12 FT. FUEL LINE ASSEMBLY



32-**8M0054332**

Low Permeation hose has double sealed quick connect type fitting on tank end, and standard quick connect fitting on engine end. Primer bulb is included in this 12 ft. (3.66 m) assembly.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnects at both tank and engine ends. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Mercury Precision Branded, Box Point of Sale Packaged.

FUEL LINE ASSEMBLY- UNIVERSAL



32-**8M0038468**

Fuel hose (only). CE certified 5/16" I.D. (.315 in. 8 mm) fuel line with no connectors. 9 ft. (2.74 m) Premium fuel line for custom manufacturing fuel line assemblies.

BULK FUEL LINE



32-**8M0038500**

Low Permeation hose, 5/16 in. (8 mm) I.D. x 100 ft. (30.5 m) spool. (EPA compliant).

Fits fuel line assemblies for delivering fuel from the fuel tank to the engine fuel connector.

32-**8M0038563**

Low Permeation hose, 3/8 inch (9.5 mm) I.D. x 100 ft. (30.5 m) roll. EPA Compliant.

200/250/300 Pro 4-Stroke Verado (6 Cylinder) (Serial 1B830170-2B210453) 200/225/250/275/300 4-Stroke Verado (6 Cylinder) (Serial 1B517434-2B144122) 350-400/350 PRO/400R Verado (4-Stroke)(6 Cylinder) (Serial 2B141124-3B342962)

PRIMER BULB ASSEMBLY



8M0054316

For use with our 1/4 in. I.D. (black) fuel line. This bulb may be used in all applications not governed by US-EPA 2011 regulations.

Priced individually, sold @ multiples of 4

Mercury Precision Branded, Box Point of Sale Packaged.

PRIMER BULB ASSEMBLY



8M0054314

Using materials resistant to the chemistry of today's fuels, this bulb is designed to remain pliable longer. Two hose clamps are included.

For use with our gray color, 5/16 in. (8 mm) I.D. fuel line & 3/8" I.D. Fuel Line. This bulb may be used in all applications not governed by US-EPA 2011 regulations.

Priced individually, sold @ multiples of 4

Mercury Precision Branded, Box Point of Sale Packaged.

PRIMER BULB ASSEMBLY



8M0061876

Using materials resistant to the chemistry of today's fuels, this bulb is designed to remain pliable longer. Two hose clamps are included. Only Mercury/Quicksilver bulbs will have the molded EPA compliance statement "EPA-MERC-PB15". Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

This bulb is a 2011 EPA Certified low permeation bulb. For use with our gray color, 5/16 in. (8 mm) I.D. fuel line & 3/8" I.D. fuel line.

Priced individually, sold @ multiples of 4

Mercury Precision Branded, Box Point of Sale Packaged.

PRIMER BULB ASSEMBLY



8M0052976

Using materials resistant to the chemistry of today's fuels, this bulb is designed to remain pliable longer. Two hose clamps are included. Mercury/Quicksilver bulbs will have the molded EPA compliance statement "EPA-MERC-PB15". Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

This bulb is a 2011 EPA Certified low permeation bulb. For use with 1/4 in. (6.35 mm) I.D. fuel line.

Priced individually, sold @ multiples of 4

Mercury Precision Branded, Box Point of Sale Packaged.

8M0052975

Using materials resistant to the chemistry of today's fuels, this bulb is designed to remain pliable longer. Two hose clamps are included. Mercury/Quicksilver bulbs will have the molded EPA compliance statement "EPA-MERC-PB15". Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

This bulb is a 2011 EPA Certified low permeation bulb. For use with 1/4 in. (6.35 mm) I.D. fuel line.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Box Point of Sale Packaged.

FUEL LINES AND PRIMER BULBS (US-EPA COMPLIANT)

These products are US-EPA complaint for the calendar year 2011.

All engines and boats built after Jan. 1, 2009 and subject to US-EPA regulations, require the new "Low Permeation" hoses without exception. Unless otherwise stated, all assemblies shown utilize the Universal 5/16 in. (8 mm) I.D. fuel line assembled with various combinations of primer bulb and/or fuel line fittings for delivery of fuel to the outboard engine.

FUEL LINE ASSEMBLY



32-**8M0230561**

Low permeation hose has standard quick connect type fitting on engine and 1/4" NPT treaded fitting on the tank end. EPA-MERC-PB15 primer bulb assembly and fuel demand valve assembly. Bulb will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

Fits 8-9.9HP (2024 and Newer)

FUEL SYSTEM ACCESSORIES

POLY FUEL CAN



67-**8M0171186**

Anti-pilfer packaging • Heavy gauge high-density polyethylene with UV inhibitor for durability • Lightweight • Pouring spout with brass filter • UL classified-conforms to ANSI/ASTM D3435-80l.

5 Liter

POLY FUEL CAN




67-**8M9200702**

Anti-pilfer packaging • Heavy gauge high-density polyethylene with UV inhibitor for durability • Lightweight • Pouring spout with brass filter • U.N. Certification

20 Liter

OIL ABSORBER



67-**808840Q**

Keep your bilge clean while protecting the environment. Made from 100% polypropylene fiber. Absorbs up to 10 times its weight in oil, gas or diesel fuel while repelling water. Will not rot, mildew, deteriorate or sink. Non-toxic, non-polluting. Can be recycled.

Quicksilver Branded, Point of Sale Packaged.

FUEL LINE FITTINGS AND COMPONENTS

THREADED HOSE BARB



22-**8M0204732**

For use with 3/8" (9.5 mm) I.D. hose and applications requiring a 3/8" to 3/8" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket

A brass fitting for use with both gasoline fuel only. This material should not be used with diesel fuels.

BARB FITTING



22-**8M0161234**

Stainless steel, supplied with protective plastic caps on both ends.

THREADED HOSE BARB



22- **34982**

For use with 3/8" (9.5 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A .375 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.

THREADED HOSE BARB



22-**8M0125175**

For use with 3/8"-18 (9.5MM). Threads into our portable fuel tanks and will also work with our water separating filter bracket.

.375 inch ID stainless steel fitting for use with both gasoline and diesel fuel.

THREADED HOSE BARB



22-**8M0058419**

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A stainless steel fitting for use with both gasoline and diesel fuel.
This fitting has a .300 inch ID.

THREADED HOSE BARB-ENGINE END



22- **89772T 1**

For use with .3125 In. (8 mm) I.D. hose and applications requiring a .125 In. NPT thread.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

22- **89772Q 1**

For use with .3125 In. (8 mm) I.D. hose and applications requiring a .125 In. NPT thread.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PIPE PLUG




22-**8M0204652**

1/4" -18 NPT (Steel)

Priced individually, sold @ multiples of 2

QUICK DISCONNECT



22- **13563T 3**

Used with newer fuel line diameter.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnect and 5/16" I.D (8 mm) fuel line.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-TANK END



22- **13563T 7**

Clip-on style.

A double sealed clip-on type disconnect for the fuel tank end and fits a 5/16" (8 mm) I.D. fuel line. Only fits tanks manufactured calendar year 2010 or prior.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-TANK END



22- **13563Q 7**

Clip-on style.

A double sealed clip-on type disconnect for the fuel tank end and fits a 5/16" (8 mm) I.D. fuel line.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



22- **14213K**

Used with older 1/4" I.D. Hose

Fits Force 40 hp. and larger (1993 and newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnect at engine ends and 1/4" I.D. (black) fuel line.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

22- **14213Q**

Used with older 1/4" I.D. Hose

Fits Force 40 hp. and larger (1993 and newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnect at engine ends and 1/4" I.D. (black) fuel line.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



22- **13563Q 3**

Used with newer fuel line diameter.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnect at engine ends and 5/16" I.D (8 mm) fuel line.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-TANK END



30185T 3

Bayonet style.

Bayonet style push and turn type quick disconnect for the older 6.6 gallon fuel tank.

Priced individually, sold @ multiples of 3

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



30635T 3

Small twist lock type connector.

For Mercury / Mariner 3.9 thru 9.8 hp. Outboards (1971 and older) utilizing twist lock type connector.

Priced individually, sold @ multiples of 3

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



F197787T3

Engine end fits Force 5 hp., and fits 9.9/15 (1997 and prior) and 25 hp. (3 cyl., 1997 and prior).

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

FEMALE FUEL CONNECTOR- QUICK DISCONNECT



22-8M0215250

For use with 5/16 in. (8 mm) I.D. fuel line.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

Fits 8/9.9HP EFI 2 Cyl. (209cc) Serial Number [1R281445 & Up] and 25/30HP EFI 3 Cyl. Serial Number [1R154758 & Up] Mercury outboard engines.

QUICK DISCONNECT-ENGINE END



22831T 3

Twist lock type connector.

For Mercury / Mariner utilizing twist lock type connector (except Mercury 3.9 thru 9.8 hp., 1971 and older).

Priced individually, sold @ multiples of 3

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

FUEL CONNECTOR - ENGINE END



F213238T2

Small inlet used on older style Force and Chrysler outboards.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

FUEL CONNECTOR - ENGINE END



F213238Q2

Small inlet used on older style Force and Chrysler outboards.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

CONNECTOR KIT



22-**804787T**

Contains both on-engine and mating fuel line connector.
For use with 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

22-**804787Q**

Contains both on-engine and mating fuel line connector.
For use with 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

MALE FUEL CONNECTOR - QUICK DISCONNECT



22-**816856T 3**

For use with 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

ON-ENGINE FUEL CONNECTOR

22-**816856Q 3**

For use with 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

THREADED HOSE BARB



22- **89771T 2**

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.
A .250 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

22- **89771Q 2**

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.
A .250 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FUEL LINE COUPLER



22-**8M0001721**

Barbed ends.
Provides for coupling Mercury .375 ID fuel line with Mercury .3125 ID fuel line.
Priced individually, sold @ multiples of 2

FUEL LINE SNAPPER CLAMP



54- **41582T 7**

Fuel line hose clamp.
For use with our gray color, 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

54- **41582Q 7**

For use with our gray color, 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

CONNECTOR



22-**892356**

Connector-3/8X3/8 INLINE/VMI

FUEL CONNECTOR




22-**8M0215251**

For use with 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 3

Fits 8/9.9HP EFI 2 Cyl. (209cc) Serial Number [1R281445 & Up] and 25/30HP EFI 3 Cyl. Serial Number [1R154758 & Up] Mercury outboard engines.

TELLTALE KIT



98-**8M0177357**

Includes: telltale cover, hose, tubing, clamp, hardware, and instruction sheet. V12 engines are not equipped with standard telltale and this kit allows the customer to have a visual telltale.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

WATER ELIMINATOR

Uses polymer crystals encased in a plastic filter to absorb water from the fuel in a fuel tank.

WATER ELIMINATOR



67-**808887Q**

Contains a drying agent commonly used to keep small, sealed containers dry. It absorbs water that has collected in the fuel tank.
How to use: Attach to the inside fuel cap with the lanyard (included). Adjust the lanyard so the Water Eliminator sits at the bottom of the fuel tank. Replace as needed.
For use in all octane grades of gasoline, including ethanol blended. Not recommended for diesel fuel.

For use in all 2-cycle and 4-cycle gasoline outboard, sterndrive, inboard and jet drive marine engines.

Priced individually, sold @ multiples of 6

Quicksilver Branded, Point of Sale Packaged.

FUEL FILTERS

INLINE FUEL FILTER



35-**816296K03**

In-line fuel filter used with 1/4 in. ID fuel line.

Located under the cowling, on the outboard engine. Found in use with 1/4" hose. Mainly used with the 8/9.9/15 hp. FourStroke outboard (323cc, USA-0T003862-1B727495).

Priced individually, sold @ multiples of 3

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

INLINE FUEL FILTER



35-**816296K 2**

In-line fuel filter used with 5/16 in. ID fuel line.

Priced individually, sold @ multiples of 3

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

35-**816296Q 2**

In-line fuel filter used with 5/16 in. ID fuel line.

25 Hp (1998) Sears (Serial 225.5925-225592590)
25 (4- Stroke) (Serial 0G590000-0G760299)
Force 40/50 H.P. (1998-1999)
40/50 /45 Bodensee/50 Bigfoot 4-Stroke (Serial 0E345000-0T178499)
75 Hp (Serial 6432901-Up)
75 Hp (1998) Force
90 Hp Force (1991-1999)
90/115 H.P. (INLINE) (Serial 6436123-Up)
100 / 115 Hp (4 Cylinder) (Serial 0A722297-0D283221)
120 Hp Force (1995-1997)
135/150 H.P (V-6) (Serial 0A904646-0C100860)
135/150/175/200 XR6 MAGNUM III 105-140 JET (Serial 0C239553-0D081999)
175 H.P. V-6 (Serial 4301235-0C100860)
135 / 150 / 175 / 200 (2.5L) XR4/MAGNUM II (1991)
200 H.P. (V-6) (Serial 0C100861-0C100860)
350 MAG TOURNAMENT SKI (CARB) (Serial 5239232-0C100860)
XR-4 Magnum II (Serial 0B242885-0C239552)

Priced individually, sold @ multiples of 3

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FUEL PUMP FILTER



35- **49088T 2**

Used on all MerCruiser engines with Rochester 2 barrel carburetor and Carter fuel pump.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

INLINE FUEL FILTER



35-**8M0157133**

An in-line fuel filter located under cowl on outboard engines.

Fits the 4/5 hp. 2-cycle (1999 & newer), the 4/5/6 hp. FourStroke (1999 & newer), the 8/9.9 hp. FourStroke (2005 & newer) and the 15/20 hp. FourStroke (351cc, 2008 and newer).

FUEL FILTER KIT



35- **87946K04**

149 micron screen

Replacement fuel filter screen and viton seal for use with Mercury/Mariner outboard under-cowl fuel filter assemblies with screw-on bowl. This kit services the prior filter assembly that was all white in color (both top and bowl).

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

FUEL FILTER



35- **73532**

Fits Mercury 1984-88 75hp TwoStroke 4-cylinder (s/n 6432901 and up) and 1980-83 80hp 4-cylinder (S/N 5582562-6432900) outboards

FUEL FILTER



35- **80365M**

Fits 9.9/15 HP 4-Stroke Outboards

FUEL FILTER



35-**877565T 1**

Fits 25 Hp - 90 Hp 4-Stroke Carbureted Outboards
1999 and Newer

FUEL FILTER



35-**879885K**

In-line, under cowl fuel filter.

Used on the 30/40 EFI FourStroke outboard, the 4 cylinder (996 cc) 40/50/60 hp. EFI FourStroke outboards, the 75-115 FourStroke (1.7L, s/n 1B366823-2B094995), the 75-115 FourStroke (2.1L, s/n 2B094996 and above), the 150 EFI FourStroke (1B905505 and above) and the 135 thru 300 hp. Verado outboards.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

FUEL FILTER KIT



35-**816296A 3**

In-line fuel filter used with 1/4 in. ID fuel line.

Located under the cowling, on the outboard engine. Found in use with 1/4" hose. Mainly used with the 8/9.9/15 hp. FourStroke outboard (323cc, USA-0T003862-1B727495).

SCREEN



35- **59072**

Inlet fuel pump.

Fits Mercury TwoStroke Carb 90hp (serial No. 5594657 and up), 115 (serial No. 5600967 and up),135/150hp V6 (serial No. 0A904646-0C100860), V6 150hp XR-2 Marathon Magnum (1978-1985), V6 175hp (1976-1988), and V6 200hp (1978-1988) outboards

Priced individually, sold @ multiples of 3

FUEL FILTER ELEMENT



35-**8M0168897**

Fits Mercury/Mariner 75/90/115 hp. FourStroke carbureted outboards.

FUEL FILTER ELEMENT



35-**8M0122424**

Under cowl replacement cartridge where applicable.

Fits the under cowl L4 Verado outboard replaceable cartridge fuel filter, the 200-300 hp. L6 Verado (2B144122 & Below) 1.5L & 3.0L DFI outboards that utilize a vapor separator with a top screw-in type filter. Also fits the MCM 4.5L and 6.2L (2A456613 & newer) engines.

Mercury Precision Branded, Box Point of Sale Packaged.

35-**8M0122423**

Under cowl replacement cartridge where applicable.

Fits the under cowl L4 Verado outboard replaceable cartridge fuel filter, the 200-300 hp. L6 Verado (2B144122 & Below) 1.5L & 3.0L DFI outboards that utilize a vapor separator with a top screw-in type filter. Also fits the MCM 4.5L and 6.2L (2A456613 & newer) engines.

Quicksilver Branded, Box Point of Sale Packaged.

FUEL FILTER SCREEN

35-**8M0090809**

In-line, under cowl fuel filter Inline fuel filter. Prevents harmful debris that may be in the gasoline fuel tank from getting to the engine to rob it of power and efficiency.

Used on the 75-115hp & 115hp ProXs 2.1L EFI FourStroke (2B094996 & above), 150hp EFI FourStroke (1B905505 & above), 150R and 200R 3.4L V6 (3B547096 & above), 200-400hp L6 Verado (2B141124 & 3B342962), 175-300hp 3.4L V6 and 4.6L V8 FourStroke and Verado (2B529482 & above), 250R and 300R 4.6L V8 (1E080500 & above), 350/400/425 5.7L V10 Verado (Serial 3B266064-UP), 500-600hp 7.6L V12 Verado (3B060047 & above)

FUEL FILTER SCREEN KIT



8M0154660

Screen fuel filter, fuel supply module hose, clamp, and instruction sheet.

Fits Mercury 150hp EFI FourStroke outboards (S/N: 1B905505 and above)

INLINE FUEL FILTER



35-**879884T**

A cartridge type fuel filter located under the cowl on outboard engines.

40-60hp 3- and 4-cylinder EFI FourStroke outboards

FUEL FILTER ELEMENT



35-**8M0219171**

A cartridge type of fuel filter element, located under the cowl on outboard engines. Element of fuel filter assembly, 879884T.

Fits Mercury 40-60hp EFI FourStroke outboards (0T409000 & Up)

FUEL PUMP FILTER



35-**8M0046751**

Fits MCM 120/2.5L, 140/3.0L/LX, 3.7L, 3.8L & 4.3L engines.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

WATER SEPARATING FUEL FILTERS

WATER SEPARATING FUEL FILTER KIT



8M0056547

Accessory under cowl kit.

Fits the Mercury/Mariner 4/5/6 hp. FourStroke outboards starting with serial number 0R411838.

WATER SEPARATING FUEL FILTER



8M0157616

NEW design to be smaller to better fit the hand, the internal holding capacity of this filter is as great as our standard filter. A new o-ring for the water sensor is included with each filter. This new filter when used with the new water-in-fuel sensor 8M0157779, meets U.S. Coast Guard and ABYC H-24 fuel-system requirements. Designed to meet 33 CFR 183.590 or ISO 10088 fire test.

This replacement filter fits the vessel mounted filter kit furnished standard with all FSM equipped 6-cylinder Verado, Gen 5 (s/n 2B144123 and 3B342962) and 350-425hp 5.7L V10 Verado outboards.

WATER SEPARATING FUEL FILTER - BOAT MOUNTED



8M0166596

Removes 99% of water and other impurities from gasoline for optimum fuel system performance. 10 Micron filtration over 90% efficiency

7.6L V12 600hp Verado and 500hp SeaPro

WATER SEPARATING FUEL FILTER KIT



8M0109543

A vessel mounted water separating fuel filter featuring a see-through bowl for visual inspection and a drain for servicing. A water in fuel sensor will provide an alert compatible with Mercury controls and instrumentation. Hose fittings are included for 3/8 inch (9.5 mm) I.D. fuel lines and 2 adjustable hose clamps. For use with vented fuel tanks only.

Fits Mercury and Mariner F150hp EFI FourStroke 4-cylinder and F75-115hp FourStroke (S/N 2B094996 and above) outboards

WATER SEPARATING FUEL FILTER - QUICKSILVER



8M0157620

NEW design to be smaller to better fit the hand, the internal holding capacity of this filter is as great as our standard filter. A new o-ring for the water sensor is included with each filter. This new filter when used with the new water-in-fuel sensor 8M0157779, meets U.S. Coast Guard and ABYC H-24 fuel-system requirements. Designed to meet 33 CFR 183.590 or ISO 10088 fire test.

This replacement filter fits the vessel mounted filter kit furnished standard with all FSM equipped 6-cylinder Verado outboards, Gen 5 (s/n 2B144123 and above).

QUICKSILVER WATER SEPARATING FUEL FILTER



35-8M0146203

Outboard Element without Plastic Bowl, spins on to existing Quicksilver filter heads with 11/16-16 threads.

For outboards, allows for filter replacement when re-using the see-through plastic bowl. Degree of filtration is 10 micron.

QUICKSILVER WATER SEPARATING FUEL FILTER



35-8M0146206

Outboard Element without Plastic Bowl, spins on to existing Racor filter heads with 1-14 threads.

For outboards, allows for filter replacement when re-using the see-through plastic bowl. Degree of filtration is 10 micron.

FUEL FILTER



35-802893T

25 micron. Used in addition to engine filter for water separating in the boat

Used in both outboard and MerCruiser applications (except 1992 MerCruiser 4.3 L Gen II engines equipped with an in-line fuel filter & 1.6L Vazer and 3.0L MPI engines).

Mercury Precision Branded, Box Point of Sale Packaged.

FUEL FILTER



35-802893Q01

25 micron. Fuel filter used in addition to engine filter for water separating in the boat

Used in both outboard and MerCruiser applications (except 1992 MerCruiser 4.3 L Gen II engines equipped with an in-line fuel filter & 1.6L Vazer and 3.0L MPI engines).

Priced individually, sold @ multiples of 6

Quicksilver Branded, Box Point of Sale Packaged.

FUEL FILTER KIT



35-802893A 4

Filter Kit, including filter canister and bracket. All Mercury, Mariner and Force outboards with a pulse driven fuel pump that do not already have a water separating fuel filter can gain benefit from this externally mounted kit. Degree of filtration is 25 micron. minimum.

Used in both outboard and MerCruiser applications

Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35- 18458T 3

Water separating fuel filter with the black screw-in sensor.

Located under the cowl on all Mercury/Mariner V-6 EFI outboard engines, 1995 and earlier.

Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35- **18458Q 3**

Water separating fuel filter with the black screw-in sensor.

Located under the cowl on all Mercury/Mariner V-6 EFI outboard engines, 1995 and earlier.

Quicksilver Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35- **18458T 4**

Water separating fuel filter with the blue screw-in sensor.

Located under the cowl on all Mercury/Mariner V-6 EFI/DFI outboard engines, 1996 and newer.

Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35- **18458Q 4**

Water separating fuel filter with the blue screw-in sensor.

Located under the cowl on all Mercury/Mariner V-6 EFI/DFI outboard engines, 1996 and newer.

Quicksilver Branded, Box Point of Sale Packaged.

WIF SENSOR EXTENSION HARNESS 2PIN



84-**8M0042697**

Detects water in fuel. Provides a 144-inch (12 ft.) extension for the vessel mounted water separating fuel filters that are equipped with a WIF (water in fuel) sensor.

Fits on 135-200hp L4, 200-400hp L6, 175-225hp V6, 200-250 hp V8, 500-600hp V12 FourStroke outboards.

WATER SEPARATING FUEL FILTER KIT



35-**8M0114618**

This vessel mounted kit (with higher capacity) replaces the engine on-board water separating fuel filter. It features the use of a see-through plastic bowl for visual inspection and a drain for servicing. This kit may be used as optional to the standard kit now shipped with Gen 5, FSM equipped 6-cylinder Verados. For use with vented fuel tanks only.

Fits the 6-cylinder Gen IV and newer Verado outboard and must be installed in a compartment open to the atmosphere or void of ignition sources.

ON-ENGINE WATER SEPARATING FUEL FILTER



35-**8M0176313**

This filter separates water from fuel as it remover other impurities. Fuel contaminated water can result in poor engine performance, stalling, and damage to the fuel system. 10-Micron Filtration

Fits 150R and 200R 3.4L V6 [3B547096 and Up], 175-300hp 3.4L V6 and 4.6L V8 [2B529482 & Up], 250R and 350R 4.6L V8 [1E080500 and Up] FourStroke outboards.

Quicksilver Branded, Box Point of Sale Packaged.

QUICKSILVER WATER SEPARATING FUEL FILTER



35-**8M0116793**

Replaces element with plastic bowl and spins on existing Quicksilver filter heads.

For outboards, has a see-through plastic bowl allowing for visual inspection. Check for adequate clearance prior to mounting. Degree of filtration is 10 micron.

WATER SEPARATING FUEL FILTER KIT



8M0097838

Filter Kit, consisting of filter canister featuring sight bowl and manual drain and including our filter bracket with fittings. No water in fuel sensor is included or used with this kit. For use with vented fuel tanks only.

Vessel mounted in a ventilated location open to the atmosphere or void of ignition sources, this kit is intended for use with Mercury, Mariner or Force gasoline outboard engines that do not already have a water separating fuel filter. This kit is included standard with the F75-150 FourStroke SeaPro outboards beginning in 2014.

WATER SEPARATING FUEL FILTER KIT



35-**8M0113498**

This vessel mounted kit (with higher capacity) replaces the engine on-board water separating fuel filter. It features the use of a see-through plastic bowl for visual inspection and a drain for servicing. For use with vented fuel tanks only.

Fits the 135-200 Hp. 4-cylinder Verado outboard and must be installed in a compartment open to the atmosphere or void of ignition sources.

WATER SEPARATING FUEL FILTER KIT - FIRE COMPLIANT



8M0157708

Contains water separating fuel filter, water-in-fuel sensor, base, electrical harness, 2 barbed connectors, and 2 pipe plugs. This kit was designed to meet U.S Coast Guard and ABYC H-24 fuel-system requirements. Also designed to meet 33 CFR 183.590 or ISO 10088 fire test.

Shipped standard with all FSM equipped 6-cylinder Verado outboards, 350/400HP L6 Verado. It will also work with inboard vessels and vessels that have generator applications. This is the only approved fuel filter kit that meets the fire test regulations mentioned above.

WATER SEPARATING FUEL FILTER



35-**8M0079963**

High volume replacement filter featuring 10 micron filtration with over 90% efficiency, flowing 120 gallons per hour while separating water from your fuel. The internal epoxy coating protects against corrosion and the low pressure drop reduces fuel flow restriction helping to prevent vapor-locking and stalling. This filter contains 25% more media than comparable aftermarket filters, providing longer life and improved water separation.

Fits remote mounted applications that do not have clearance issues.

WATER SEPARATING FUEL FILTER



35-**8M0079962**

High volume replacement filter featuring 10 micron filtration with over 90% efficiency, flowing 120 gallons per hour while separating water from your fuel. The internal epoxy coating protects against corrosion and the low pressure drop reduces fuel flow restriction helping to prevent vapor-locking and stalling. This filter contains 25% more media than comparable aftermarket filters, providing longer life and improved water separation.

Fits remote mounted applications that do not have clearance issues.

WATER-IN-FUEL SENSOR (WIF)



8M0157779

Helps detect water-in-fuel. Designed to meet 33 CFR 183.590 or ISO 10088 fire test, which meets U.S. Coast Guard and American Boat and Yacht Council (ABYC H-24) fuel-system requirements. This sensor is included with complete water separating fuel filter kit 8M0157707.

Works with all boats that run a vessel mounted water separating fuel filter 8M0157616.

WATER-IN-FUEL SENSOR(WIF)



8M0199976

Helps detect water in fuel.
Works with part number 8M0182201
Fits 5.7L V10 350-400hp outboards

WATER IN FUEL SENSOR (WIF)



8M0214989

Help detect water-in-fuel.
Fits 75- 150 EFI, L4, L6, 3.0L DSI outboards, Zeus 3000 and other boat mounted fuel filters.

WATER SEPARATING FUEL FILTER KIT



35-**8M0082291**

High capacity water separating fuel filter kit allows for 120 gallons per hour fuel flow. 10-micron fuel filter with over 90% efficiency removes harmful contaminants, particles and power robbing water from your fuel between your tank and the engine. The filter in the kit contains more than 25% more filter media than non-Quicksilver filters. Internal epoxy coating and corrosion resistant external paint for increased weather resistance.

For use with 2-cycle and 4-stroke outboards and both gasoline and diesel stern drive and inboard engines. This kit includes the vessel mount head, without the fittings. It can deliver high fuel volume flow for multiple outboard, stern drive or inboard engine applications. Brass or stainless-steel fuel line fittings sold separately. Check your owner's manual for inspection and replacement schedules.

PORTABLE FUEL FILTER "MR FUNNEL"



35-**8M0032639**

5 GPM
Proprietary filter prevent water, dirt and debris from passing through the fuel tank.
Works with gasoline, kerosine and diesel fuel.

PORTABLE FUEL FILTER "MR FUNNEL"



35-**8M0241364**

12 GPM
Proprietary filter prevents water, dirt and debris from passing through the fuel tank.
Works with gasoline, kerosine and diesel fuel.

WATER SEPARATING FILTER BRACKET



89876A 3

Includes brass fittings. 11/16-16 threads
For vessel mounted applications.

PIPE PLUG



22-**8M0204652**

1/4" -18 NPT (Steel)
Priced individually, sold @ multiples of 2

FUEL LINE SNAPPER CLAMP



54- **41582T 7**

Fuel line hose clamp.
For use with our gray color, 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

WIF SENSOR EXTENSION HARNESS 2PIN



84-**8M0105263**

Helps detect water in fuel.

Provides a 36 inch (914 mm) extension for the vessel mounted water separating fuel filters that are equipped with a WIF (water in fuel) sensor.

84-**8M0105264**

Helps detect water in fuel.

Provides a 72-inch (1.8 m) extension for the vessel mounted water separating fuel filters that are equipped with a WIF (water in fuel) sensor.

WATER SEPARATING FUEL FILTER - ON ENGINE



35-**8M0106635**

This filter separates water from fuel as it removes other impurities. Fuel contaminated water can result in poor engine performance, stalling and damage to the fuel system.10 Micron filtration.

Fits 150R and 200R 3.4L V6 [3B547096 and Up], 175-300hp 3.4L V6 and 4.6L V8 [2B529482 & Up], 250R and 350R 4.6L V8 [1E080500 and Up] FourStroke outboards. Replace fuel filter every 100hrs. of normal use or minimally once per season.

Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER - BOAT MOUNTED



35-**8M0126144**

Removes 99% of water and other impurities from gasoline. 10 Micron filtration over 95% efficiency.

Fits: 175-300HP V6 (3.4L) & V8 (4.6L) FourStroke outbaords. Replace filter every 100hrs. of normal use or minimally once per season.

Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER KIT



35-**8M0135386**

A vessel mounted water separating fuel filter featuring a see-through bowl for visual inspection and a drain for servicing. A water in fuel sensor will provide an alert compatible with Mercury controls and instrumentation.

Fits: 175-350HP V6 (3.4L) & V8 (4.6L) FourStroke outboards. Must be installed in a compartment open to the atmosphere or void of ignition sources.

BOAT MOUNTED FUEL FILTER KIT



98-**8M0150504**

Includes (qty. 2) 5/8 to 1/2 quick connects, water separating fuel filter and fuel filter sensor harness.

WATER SEPARATING FUEL FILTER KIT-FIRE COMPLIANT



8M0182201

Contains water separating fuel filter, water-in-fuel sensor, base, electrical harness, 2 barbed connectors and 2 pipe plugs. This kit was designed to meet U.S. Coast Guard and ABYC H-24 fuel system requirements. Also designed to meet 33 CFR 183.590 or IS 10088 fire test.

Fits 5.7L V10 350-400hp outboards

WATER SEPARATING FUEL FILTER KIT - FIRE COMPLIANT



8M0166540

Kit includes: fuel filter, filter base, water-in-fuel sensor, fittings, plug and fuel filter extension harness. This kit was designed to meet US Coast Guard and ABY CH-24 fuel system requirements. Also designed to meet 33 CFR 183.90 or ISO 10088 fire test.

450R 4.6L V8 (1E083006-1E099720), 500Rhp 4.6L V8 (1E099432 & Up), 500-600hp Verado (3B0600047 & Up)

1 p,

WATER SEPARATING FUEL FILTER KIT - FIRE COMPLIANT



8M0157707

Contains water separating fuel filter, water-in-fuel sensor, base, electrical harness, 2 barbed connectors, and 2 pipe plugs. This kit was designed to meet U.S Coast Guard and ABYC H-24 fuel-system requirements. Also designed to meet 33 CFR 183.590 or ISO 10088 fire test.

Shipped standard with all FSM equipped 6-cylinder Verado outboards, Gen 5 L6 Verado. It will also work with inboard vessels and vessels that have generator applications. This is the only approved fuel filter kit that meets the fire test regulations mentioned above.

WATER SEPARATING FUEL FILTER KIT



98-**8M0103686**

An option to the standard provided, vessel mounted water separating filter kit. Contains filter, bracket hose and harness to install a water separating filter under the cowl of a 6-cylinder, Gen 5, FSM equipped Verado outboard.

Fits the Gen 5, 6-cylinder Verado outboard (s/n 2B144123 and above).

FUEL FILTER KIT



35-**802893A 4**

Filter Kit, including filter canister and bracket. All Mercury, Mariner and Force outboards with a pulse driven fuel pump that do not already have a water separating fuel filter can gain benefit from this externally mounted kit. Degree of filtration is 25 micron. minimum.

Used in both outboard and MerCruiser applications

Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER KIT



35-**802893Q 4**

Filter Kit, including filter canister and bracket. All Mercury, Mariner and Force outboards with a pulse driven fuel pump that do not already have a water separating fuel filter can gain benefit from this externally mounted kit. Degree of filtration is 25 micron. minimum.

Used in both outboard and MerCruiser applications

Quicksilver Branded, Box Point of Sale Packaged.

CARBURETOR FUEL FILTER



35- **53336T**

For Rochester 2 & 4-barrel and MerCarb 2-barrel carburetors.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

THERMOSTAT KIT

Raises engine operating temperature for improved running and idling qualities.

THERMOSTAT KIT



14586A 3

Includes 120 degree thermostat and gaskets.

Fits various Mercury/Mariner 6-25 hp. 2 cycle outboards. See application chart for specific engine models.

THERMOSTAT KIT



14586A 6

Includes 120 degree thermostat, gaskets and poppet valve.

Fits various Mercury / Mariner 50/55/60 hp. 2 cycle outboards. See application chart for specific engine models.

THERMOSTAT KIT



14586A 7

Includes 130 degree thermostat, gaskets and poppet valve.

Fits Mercury / Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G044027 and Newer, BEL 9855139 and Newer).

THERMOSTAT



14586

120 Degrees

Fits 2Stroke:
6-9.9hp (serial 0A197112-0T999999)
10hp Magnum, Marathon, Sea Pro (serial 0D038000-0T979999)
XR10 (serial 0D038000-0T979999)
15hp Mercury, Marathon, Sea Pro (serial 0A197112-0T999999)
20hp 2 Cylinder (serial 0A730007-0T979999)
20 Jet (serial 0G044027-0T999999)
20-25XD 2 Cylinder (serial 6443973-0B238463)
25hp 2 Cylinder (serial 0T980000-0T999999)
25hp Mercury, 25 Marathon, Sea Pro, Super 15 2 Cylinder (serial 0G044027-0T979999)
30-40hp 2 Cylinder (serial 0G055314-0G760299)
40hp 4 Cylinder Carb (serial 0T178500-0T598999)
40-60hp 4 Cylinder EFI(serial 0T178500-1C453839)
45 Jet (serial 0D000750-0G589999)
50-60hp 3 Cylinder (serial 0D000750-0G589999)
65 Jet (serial 00d283222-0T999999)
Formula 60 (serial 1C104574 and Up)
75-90hp 3 Cylinder (serial 0D283222-0T999999)
100hp 4 Cylinder (serial 0A722297-0G965520)
115hp 4 Cylinder (serial 0C100000-0T979999)
125hp 4 Cylinder (0D283222-0T999999)
225X EFI ProMax (serial 0T430254-0T819605)
250/275hp (serial 0C101891-0T979999)

THERMOSTAT KIT



825212A 1

Includes 120 degree thermostat and gaskets.

Fits 30 hp and 40 hp 3 cylinder 4-stroke outboards See application chart for specific engine models.

THERMOSTAT KIT



850055A 2

Includes 110 degree thermostat and gaskets.

Fits various Mercury / Mariner 40/50/55/60 hp. 2 cycle outboards. See application chart for specific engine models.

THERMOSTAT ASSEMBLY



8M0162139

Replacement Thermostat Assembly

140°F degree thermostat for select 150R and 200R 3.4L V6 (3B547096 & above), 175-300hp 3.4L V6 and 4.6L V8 (2B529482 & above), 250R and 300R 4.6L V8 (1E080500 & above) and 450R 4.6L V8 (1E083006-1E099720) FourStroke Outboards.

THERMOSTAT ASSEMBLY



8M0174561

Thermostat housing, 140°F. The additional seals, gaskets, clamps and attaching hardware sold separately. See your owner's manual or service manual for more information.

135-175hp L4, 200-400hp L6, and 400R L6 FourStroke outboards

THERMOSTAT ASSEMBLY



8M0228544

Upper thermostat assembly

For 5.7L V10 350hp and 400hp Verado Outboards

THERMOSTAT ASSEMBLY



8M0177662

Includes top and bottom housing, 160 degree thermostat, 140 degree thermostat, spring, retainer, gasket, O-ring, plate, and hardware.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro (3B060047-3B332192)

THERMOSTAT ASSEMBLY



8M0219845

Includes 160 degree thermostat for serial number 3B332193 and above.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro (3B332193 and above)

THERMOSTAT ASSEMBLY



8M0219846

Includes 140 degree thermostat for serial number 3B332193 and above.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro (3B332193 and above)

THERMOSTATS CHART - MERCURY/MARINER

Mercury/Mariner Thermostats

Model	Brand	Year Range	Country	Serial # Range	Thermostat Kit
6	Mercury/Mariner	1986 - 2003	USA	0A197112 - 0T800749	14586A 3(2)
6	Mercury/Mariner	1986 - 2006	BEL	9461526 and up	14586A 3(2)
8	Mercury/Mariner	1986 - 2006	USA	0A197112 and up	14586A 3(2)
8	Mercury/Mariner	1986 - 2006	BEL	9461526 and up	14586A 3(2)
9.9	Mercury/Mariner	1986 - 2026	USA	0A197112 and up	14586A 3(2)
9.9	Mercury/Mariner	1986 - 2026	BEL	9461526 and up	14586A 3(2)
8 FourStroke	Mercury/Mariner	2001 - 2004	BEL	0P086824 - 0P325499	825212A 1(2)
9.9 FourStroke	Mercury/Mariner	1999 - 2004	USA	0G760300 - 0T979999	825212A 1(2)

Model	Brand	Year Range	Country	Serial # Range	Thermostat Kit
9.9 FourStroke	Mercury/Mariner	1999 - 2004	BEL	0P075166 - 0P325499	825212A 1(2)
15	Mercury/Mariner	1988 - 2026	USA	0B292414 and up	14586A 3(2)
15	Mercury/Mariner	1988 - 2026	BEL	9542620 and up	14586A 3(2)
15 SEA PRO	Mercury	1994 - 2026	USA	0G044365 and up	14586A 3(2)
15 SEA PRO	Mercury	1994 - 2026	BEL	9927000 and up	14586A 3(2)
SUPER 15	Mariner	1988 - 2026	USA	0B238464 and up	14586A 3(2)
SUPER 15	Mariner	1988 - 2026	BEL	9507381 and up	14586A 3(2)
SUPER 15	Mariner	1988 - 2026	CAN	0A730007 and up	14586A 3(2)
15 FourStroke (323cc)	Mercury/Mariner	1998 1/2 - 2008	USA	0G590000 - 1B727495	825212A 1(2)
15 FourStroke (323cc)	Mercury/Mariner	1999 - 2008	BEL	0P075166 and up	825212A 1(2)
15 EFI FourStroke	Mercury/Mariner	2018 - 2026	JPN	0R833820 - and up	8M0139434
20	Mercury/Mariner	1986 - 2003	USA	0B114231 - 0T800749	14586A 3(2)
20	Mercury/Mariner	1986 - 2026	BEL	9467988 and up	14586A 3(2)
20	Mercury/Mariner	1986 - 2003	CAN	0A719661 and up	14586A 3(2)
20 EFI FourStroke	Mercury/Mariner	2018 - 2026	JPN	0R833820 - and up	8M0139434
25 (2 Cyl)	Mercury/Mariner	1986 - 2026	USA	0B114231 and up	14586A 3(2)
25 (2 Cyl)	Mercury/Mariner	1986 - 2026	BEL	9467988 and up	14586A 3(2)
25 (2 Cyl)	Mercury/Mariner	1986 - 2026	CAN	0A719661 and up	14586A 3(2)
25 SEA PRO	Mercury	1988 - 2026	USA	0B238464 and up	14586A 3(2)
25 SEA PRO	Mercury	1988 - 2026	BEL	9507381 and up	14586A 3(2)
25 SEA PRO	Mercury	1988 - 2026	CAN	0A730007 and up	14586A 3(2)
25 FourStroke	Mercury/Mariner	1998 - 2005	USA	0G590000 - 1B226999	825212A 1(2)
25 FourStroke	Mercury/Mariner	1999 - 2005	BEL	0P075166 - 0P400999	825212A 1(2)
30 (2 Cyl)	Mercury/Mariner	1994 - 2026	USA	0G044027 and up	14586A 7(3)
30 (2 Cyl)	Mercury/Mariner	1994 - 2026	BEL	9855139 and up	14586A 7(3)
30 FourStroke	Mercury/Mariner	1999 - 2005	USA	0G760300 - 1B226999	825212A 1(2)
30 FourStroke	Mercury/Mariner	1999 - 2005	BEL	0P017000 - 0P400999	825212A 1(2)
35	Mercury/Mariner	1984 - 2026	USA	6445653 and up	N.L.A.(3)
35	Mercury/Mariner	1984 - 2026	BEL	9384476 and up	N.L.A.(3)
40 (2 Cyl)	Mercury/Mariner	1994 - 2026	USA	0G044027 and up	14586A 7(3)
40 (2 Cyl)	Mercury/Mariner	1994 - 2026	BEL	9855139 and up	14586A 7(3)
40 (3 Cyl)	Mercury/Mariner	1997 - 2026	USA	0G531301 and up	850055A 2(2)
40 (3 Cyl)	Mercury/Mariner	1997 - 2026	BEL	9973100 and up	850055A 2(2)
40 FourStroke (3 cyl.)	Mercury/Mariner	1998 - 2026	USA	0G231123 and up	825212A 1(2)
40 FourStroke (3 cyl.)	Mercury/Mariner	1999 - 2026	BEL	0P017000 and up	825212A 1(2)
45 FourStroke	Mercury/Mariner	1996 - 2000	USA	0G231123 and up	825212A 1(2)
50 (3 Cyl)	Mercury/Mariner	1987 - 1990	USA	0B110789 - 0D000749	N.L.A.(3)
50 (3 Cyl)	Mercury/Mariner	1987 - 1990	BEL	9482600 - 9671686	N.L.A.(3)
50 (3 Cyl)	Mercury/Mariner	1991 - 1993	USA	0D000750 - 0D181999	N.L.A.(3)
50 (3 Cyl)	Mercury/Mariner	1991 - 1993	BEL	9682500 - 9740999	N.L.A.(3)
50 (3 Cyl)	Mercury/Mariner	1994 - 1997	USA	0D182000 - 0G589999	14586A 6(3)
50 (3 Cyl)	Mercury/Mariner	1994 - 1997	BEL	9741000 - 9973099	14586A 6(3)
50 (3 Cyl)	Mercury/Mariner	1998 - 2026	USA	0G590000 and up	850055A 2(2)
50 (3 Cyl)	Mercury/Mariner	1998 - 2026	BEL	9973100 and up	850055A 2(2)
50 FourStroke	Mercury/Mariner	1995 - 2000	USA	0G231123 - 0T178499	825212A 1(2)
55 (3 Cyl)	Mercury/Mariner	1991 - 1993	USA	0D000750 - 0D181999	N.L.A.(3)
55 (3 Cyl)	Mercury/Mariner	1991 - 1993	BEL	9682500 - 9740999	N.L.A.(3)
55 (3 Cyl)	Mercury/Mariner	1994 - 1997	USA	0D182000 - 0G589999	14586A 6(3)
55 (3 Cyl)	Mercury/Mariner	1994 - 1997	BEL	9741000 - 9973099	14586A 6(3)
55 (3 Cyl)	Mercury/Mariner	1998 - 2026	USA	0G590000 and up	850055A 2(2)
55 (3 Cyl)	Mercury/Mariner	1998 - 2026	BEL	9973100 and up	850055A 2(2)
60 (3 Cyl)	Mercury/Mariner	1987 - 1990	USA	0B110789 - 0D000749	N.L.A.(3)
60 (3 Cyl)	Mercury/Mariner	1987 - 1990	BEL	9482600 - 9671686	N.L.A.(3)
60 (3 Cyl)	Mercury/Mariner	1991 - 1993	USA	0D000750 - 0D181999	N.L.A.(3)
60 (3 Cyl)	Mercury/Mariner	1991 - 1993	BEL	9682500 - 9740999	N.L.A.(3)
60 (3 Cyl)	Mercury/Mariner	1994 - 1997	USA	0D182000 - 0G589999	14586A 6(3)

Model	Brand	Year Range	Country	Serial # Range	Thermostat Kit
60 (3 Cyl)	Mercury/Mariner	1994 - 1997	BEL	9741000 - 9973099	14586A 6(3)
60 (3 Cyl)	Mercury/Mariner	1998 - 2026	USA	0G590000 and up	850055A 2(2)
60 (3 Cyl)	Mercury/Mariner	1998 - 2026	BEL	9973100 and up	850055A 2(2)
70 (3 Cyl)	Mercury/Mariner	1987 - 2026	USA	0A996142 and up	14586(1)
70 (3 Cyl)	Mercury/Mariner	1987 - 2026	BEL	9483121 and up	14586(1)
75 (3 Cyl)	Mercury/Mariner	1990 - 2026	USA	0C222000 and up	14586(1)
75 (3 Cyl)	Mercury/Mariner	1990 - 2026	BEL	9589039 and up	14586(1)
80 (3 Cyl)	Mercury/Mariner	1987 - 2026	USA	0A996142 and up	14586(1)
80 (3 Cyl)	Mercury/Mariner	1987 - 2026	BEL	9483121 and up	14586(1)
90 (3 Cyl)	Mercury/Mariner	1987 - 2026	USA	0A996142 and up	14586(1)
90 (3 Cyl)	Mercury/Mariner	1987 - 2026	BEL	9483121 and up	14586(1)
100 (4 Cyl)	Mercury/Mariner	1988 - 2026	USA	0B209468 and up	14586(1)
100 (4 Cyl)	Mercury/Mariner	1988 - 2026	BEL	9523034 and up	14586(1)
115 (4 Cyl)	Mercury/Mariner	1989 - 2026	USA	0C100000 and up	14586(1)
115 (4 Cyl)	Mercury/Mariner	1989 - 2026	BEL	9559771 and up	14586(1)
125 (4 Cyl)	Mercury/Mariner	1994 - 2026	USA	0D283222 and up	14586(1)
125 (4 Cyl)	Mercury/Mariner	1994 - 2026	BEL	9793577 and up	14586(1)
135 (L4)	Mercury	2005 - 2018	USA	1B227000 - 2B576734	8M0174561
150 (L4)	Mercury	2005 - 2018	USA	1B227000 - 2B576734	8M0174561
150 (L6)	Mercury	2011 - 2026	USA	1B905505 - 2B576734	8M0090819
150R(V6)	Mercury	2024 - 2026	USA		8M0162139
175 (L4)	Mercury	2005 - 2018	USA	1B227000 - 2B576734	8M0174561
175 (V6)	Mercury	2018 - 2026	USA	2B529482 and up	8M0162139
200 (L4)	Mercury	2005 - 2026	USA	1B227000 - 2B576734	8M0174561
200 (L6)	Mercury	2005 - 2018	USA	1B227000 - 2B578935	8M0174561
200 (V6)	Mercury	2018 - 2026	USA	2B529482 and up	8M0162139
200R (V6)	Mercury	2024 - 2026	USA	3B547096 and up	8M0162139
200 (V8)	Mercury	2018 - 2026	USA	2B529482 and up	8M0162139
225 (L6)	Mercury	2005 - 2018	USA	1B227000 - 2B578935	8M0174561
225 (V6)	Mercury	2018 - 2026	USA	2B529482 and up	8M0162139
225 (V8)	Mercury	2018 - 2026	USA	2B529482 and up	8M0162139
250 (L6)	Mercury	2007 - 2018	USA	1B517434 - 2B578935	8M0174561
250 (V8)	Mercury	2018 - 2026	USA	2B529482 and up	8M0162139
250R (V8)	Mercury	2018 - 2026	USA	1E080500 and up	8M0162139
275 (L6)	Mercury	2007 - 2018	USA	1B517434 - 2B578935	8M0174561
300 (L6)	Mercury	2007 - 2018	USA	1B517434 - 2B578935	8M0174561
300 (V8)	Mercury	2018 - 2026	USA	2B529482 and up	8M0162139
300R (V8)	Mercury	2018 - 2026	USA	1E080500 and up	8M0162139
350 (L6)	Mercury	2014 - 2023	USA	2B141124 - 3B342962	8M0174561
350 (V10)	Mercury	2022 - 2026	USA	3B266064 and up	8M0228544
400 (L6)	Mercury	2018 - 2023	USA	2B618256 - 3B342962	8M0174561
400 (V10)	Mercury	2022 - 2026	USA	3B266064 and up	8M0228544
500 (V12)	Mercury	2020 - 2026	USA	3B060047 and up	8M0177662
600(V12)	Mercury	2020 - 2026	USA	3B060047 and up	8M0177662

(1) Includes new thermostat, thermostat gasket, washer and cover gasket.

(2) Includes thermostat & gaskets.

(3) Includes thermostat, gaskets and poppet valve.

STARTER ROPES FOR MANUAL STARTERS

STARTER ROPE



50- **12066K10**

Fits Mercury/Mariner outboards, 4/5hp. (2-cycle) 1990 and newer, 7.5-50hp. (2-cycle)1963-1985, 20-75hp. (2-cycle) 1986 & newer, 2.5-6hp. FourStroke 1995 & newer, 8/9.9 FourStroke (232cc, 323cc) 1995-2004, 15hp. FourStroke (323cc) 1998-2006, 25hp. FourStroke (Carb) 1998-2005, 30hp. FourStroke (747cc) 1999-2005, 40hp. FourStroke (747cc) 1998 & newer. Also fits Force, 9.9hp & above, 1984-1998

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

STARTER ROPE



50-**8M0110703**

Fits Mercury/Mariner 2.5/3.3 hp 2-cycle outboards, F2.5/3.5 hp FourStroke outboards, and 6-15 hp 2-cycle outboards, 1986 and newer.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

STARTER ROPE



50-**8M0110715**

Fits the F25-30 hp. EFI FourStroke outboards, serial number 0R106999 & above, fits the F15 hp. FourStroke, serial number 0R235949 and above, and fits the F20 hp. FourStroke outboard, serial number 0R235168 & above.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

VERTICAL MANUAL STARTER ROPE GUIDE

Converts a manual start from a horizontal to a vertical direction pull.

STARTER ROPE GUIDE



16839A 4

Fits Mercury/Mariner 4/5 hp. (1 cyl.) 2 cycle outboards (USA 0A855097 and Newer, BEL 9589154 and Newer) and Mercury/Mariner 4/5/6 hp. FourStroke outboards.

CARBURETOR ANTI-ICING KITS

Where carburetor icing is common, kit uses hot water from the engine to heat the carburetor. Used on electric or manual models.

CARBURETOR ANTI-ICING KIT



828155A 3

Any engine not already having a thermostat will require the addition of an appropriate thermostat kit from the thermostat chart.

Fits Mercury / Mariner 50/60 hp. (3 cyl.) 2 cycle outboards (USA 0G589999 and prior, BEL 9973099 and prior).

CARBURETOR ANTI-ICING KIT



828155A 4

1994 and older manual start models must also order washer p/n 12-47533-1.

Fits Mercury / Mariner 75/90 hp. (3 cyl.) 2 cycle outboards.

CARBURETOR ANTI-ICING KIT



856642A 2

Includes hoses and fittings.

Fits Mercury / Mariner 135-225 V-6 outboards (0G303046 and Newer) with Walbro "WMV" series carburetors.

REMOTE OIL TANK CONVERSION KITS

Converts the engine to use a remote pressurized 3 US gal (11 L) oil tank.

REMOTE OIL TANK KIT



1263-**812718A 2**

Includes remote oil tank, on board tank, lines, fittings and hardware.

Fits Mercury / Mariner 50/60 hp. (3 cyl., 51.8 CID) 2 cycle outboards (USA 0D182000 and Newer, BEL 9793445 and Newer).

REMOTE OIL TANK KIT



1257- **8742A25**

Includes remote oil tank, lines, fittings and hardware to convert to a pressurized remote 2 cycle oil tank system.

Fits Mercury/Mariner 75, 90, 115 hp (1.5L) OptiMax outboards, model year 2004 and newer.

REMOTE OIL TANKS AND COMPONENTS

Remote pressurized oil tank reservoir system.

REMOTE 1.8 US GAL (6.8 L) OIL TANK



15943A 1

Remote 1.8 US gal (6.8 L) Oil Tank, complete with tank, lines mounting bracket and all hardware.

Optional tank size for Mercury / Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- **8742A21**

Remote 3.0 US gal (11 L) Oil Tank with sender, complete with tank, lines, floor mounting bracket and all hardware.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- **8742A22**

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, floor mounting bracket and all hardware.

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly is only used in floor mounted applications.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- **8742A23**

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, mounting bracket and all hardware (old bracket design).

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly may be optionally floor or wall mounted.

OIL TANK HOLD DOWN KIT



12335A 1

With bracket, strap and hardware.

Fits the 3.0 gallon (11 L) remote oil reservoir tank. This optional bracket may be either floor or wall mounted as desired.

OIL TANK HOLD DOWN KIT



884481A 1

With floor bracket, strap and hardware.

Fits the 3.0 gallon (11 L) remote oil reservoir tank. Bracket may only be used as a floor mounted application.

OIL TANK HOLD DOWN KIT



824954A 1

With bracket, strap and hardware.

Fits the 1.8 gallon (6.8 L) remote oil reservoir tank.

OIL TANK HOSE EXTENSION



41729A 3

Includes 30 ft. (9.14 m) of double barrel hose and 4 tie straps.

Can be used with either remote oil reservoir tank which requires a longer hose due to location.

DECK OIL FILL KIT

Allows filling remote oil reservoirs from deck mounted filler pipe.

DECK FILL KIT - OIL (STRAIGHT ELBOW)



15969A09

Complete with deck fittings, 4 ft. (1.22 m) fill hose, filler cap and necessary mounting hardware.

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

DECK FILL KIT - OIL (80 DEGREE ELBOW)



15969A10

Complete with deck fittings, 4 ft. (1.22 m) fill hose, filler cap and necessary mounting hardware.

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

REPLACEMENT TANK ADAPTER



15967

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

FILL CAP O-RING



25- **11332**

Replacement O-Ring for Fill Cap
2.225 x .210

DECK FILL KIT - OIL (STRAIGHT ELBOW)



15969A13

Comes with deck fittings, filler cap and mounting hardware. Oil fill hose must be ordered separately to complete the assembly.

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

DECK FILL KIT - OIL (80 DEGREE ELBOW)




15969A11

Comes with deck fittings, filler cap and mounting hardware. Oil fill hose must be ordered separately to complete the assembly.

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

GEAR HOUSING REPLACEMENT SKEGS

REPLACEMENT SKEG



898245A01

Fits Verado outboards, 135 through 300 hp. and 3.0L gearcases that have a 4.80 inch diameter torpedo.

REPLACEMENT SKEG



8M0052924

Precision die cast 360XK alloy for stronger, more uniform welds.

Fits the Verado and 3.0L gearhousings with a 5.44 inch diameter torpedo.

REPLACEMENT SKEG



15985A02

Precision die cast 360XK alloy for stronger, more uniform welds.

Fits Mercury/Mariner 50-60hp BigFoot 3-cyl, 70-90hp (serial No. US 0A996142 and newer, BEL 9483121 and newer), 100-125hp (0B209468 and newer), 75-115hp FourStroke (1B366823-2B094955), and Force 90 and 120hp (0E093700 and newer) outboards

REPLACEMENT SKEG




859447A 1

Precision die cast 360XK alloy for stronger, more uniform welds.

Fits Mercury / Mariner 75/80 (4 cyl.), 90/115 (6 cyl.) and most V-6 outboard models including 2.5L OptiMax. Has adequate depth for the 3.0L models but is not an exact silhouette of the original skeg.

REPLACEMENT SKEG



8M0090442

Precision die cast 360XK alloy for stonger, more uniform welds.

Fits the standard gearcase on the F75-115 hp. (2.1L) FourStroke outboards, serial number 2B094996 and above.

REPLACEMENT SKEG



8M0060147

Pecision die cast 360XK alloy for stronger, more uniform welds.

Fits the Mercury/Mariner F150 hp. EFI FourStroke 4 cylinder outboard, and the F75-115 hp. (2.1L) FourStroke Command Thrust outboard serail number 2B094996 and above..

AIR FILTERS

AIR FILTER



35-**8M0082911**

Fits the 75-115 EFI FourStroke outboards (1731cc) serial number 1B366823-2B094995.

AIR FILTER



35-**896247**

Fits the L-4 Verado outboard.

AIR FILTER



35-**893318T02**

Fits the L-6 Verado outboard.

OIL FILTERS - FOURSTROKE OUTBOARD

FOURSTROKE OUTBOARD OIL FILTER



35-**8M0162831**

FourStroke Outboard replaceable screw-on type canister filters.

Fits Mercury/Mariner 8/9.9 hp. FourStroke outboards (323cc) , 15/20 hp. FourStroke carbureted outboards, 15/20 EFI FourStroke outboards, 0R833820 and above and the 25/30 hp. EFI FourStroke outboard (MY2006 & newer).

FOURSTROKE OUTBOARD OIL FILTER



35-**8M0162829**

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

Fits Mercury/Mariner 25 hp. FourStroke (Carb, MY2006 & prior), 30 hp. FourStroke (3 cyl., MY2005 & prior), all 40-60 hp. FourStroke outboards (MY 1998 & newer), all 75-115 hp. FourStroke outboards (USA 1B366822 & prior), and all 75-115 hp. FourStroke outboards (USA 2B094996 and above).

Mercury Precision Branded, Box Point of Sale Packaged.

OIL DRIP TRAY



8M0052100

After the oil resevoir has been properly drained, this tray when in place will help to prevent oil from dripping into the lower cowl when removing the side mounted engine filters listed in the application.

Fits the F25/30hp. EFI FourStroke Outboards and the F40-60hp. FourStroke outboards.

FOURSTROKE OUTBOARD OIL FILTER



35-822626Q15

Replaceable screw-on type canister filters.

Fits Mercury/Mariner V-225 hp. (V-6) FourStroke outboard and also replaces Yamaha 225 hp. four stroke outboard filter 69J-13440-00-00.

FOURSTROKE OUTBOARD OIL FILTER



35-877761K01

Replaceable screw-on type canister filter.

Fits the 75/90/115 hp. FourStroke outboard (USA 1B366823-2B094995 1731 cc.) and the new 150 hp. EFI FourStroke outboard.

Mercury Precision Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877767K01

Replaceable screw-on type canister filter.

Fits the 135/150/175/200 hp. Verado In-line 4 cylinder outboard.

Mercury Precision Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877767Q01

Replaceable screw-on type canister filter. Replaces the production 896546_ series oil filter.

Fits the 135/150/175/200 hp. Verado In-line 4 cylinder outboard.

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877769K01

Replaceable screw-on type canister filter.

Fits the 200/225/250/275/300/350/400R hp. Verado In-line 6 cylinder outboard.

Mercury Precision Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877769Q01

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

Fits the 200/225/250/275/300/350/400R hp. Verado In-line 6 cylinder outboard. s/n [1B517424 & above]

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-8M0123025

Replaces screw-on canister filters. Requires filter wrench #889277

Fits: 150R and 200R 3.4L V6 (3B547096 & above), 175-300hp 3.4L V6 and 4.6L V8 (2B529482& above), 250R and 300R 4.6L V8 (1E080500 & above) and 450R 4.6L V8 (1E083006 & 1E099720) FourStroke outboards.

Mercury Precision Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-8M0176312

Replacement screw-on type canister filter

Fits: 150R and 200R 3.4L V6 (3B547096 & above), 175-300hp 3.4L V6 and 4.6L V8 (2B529482& above), 250R and 300R 4.6L V8 (1E080500 & above) and 450R 4.6L V8 (1E083006 & 1E099720) FourStroke outboards.

Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-8M0205848

Replaces screw-on canister oil filter for 5.7L V10 350HP and 400HP Verado and 350HP SeaPro serial No. 3B266064 and above.

5.7L V10 350-425hp Verado and 350hp SeaPro serial No. 3B266064 and above.

OIL FILTER



35-8M0205859

Replacement oil filter for V10 Verado.

Fits Mercury 5.7L V10 350-425hp Verado and SeaPro outboards

FOURSTROKE OUTBOARD OIL FILTER



35-8M0168366

Replaceable screw-on type canister filter.

7.6L V12 600hp Verado and 500hp SeaPro -(s/n:3B060051 & above)

1 p,

TRANSMISSION FILTER



35-8M0177646

Includes 2 NBR O-rings.50-micron stainless steel oil suction filter

For Mercury 7.6L V12 600hp Verado and 500hp SeaPro - (s/n:3B060051 and above)

OIL FILTER WRENCH



91-889277002

Made of metal. Requires a 3/8" drive.

Fits the Mercury 35-822626T 7 screw-on type canister oil filter found on the V-225 hp. FourStroke outboard.

OIL FILTER WRENCH



91-889277

Made of metal. Requires a 3/8" drive.

Fits the Quicksilver 35-822626Q15 screw-on type canister oil filter found on the V-225 hp. FourStroke outboard and the new 877767__ & 877769__ series filters for the 135-300 Verado.

OIL FILTER WRENCH



91-889277K01

Metal wrench, requires a 3/8 in. drive ratchet.

Fits the (877761__) oil filter found on the 75-115 EFI FourStroke outboard (serial number 1B366823-2B094955) and the 150 hp. EFI FourStroke outboard. Also fits the MCM (866340__) oil filter and (802893__) fuel filter found on many MCM engines.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCH



91-**889277K03**

Metal wrench, requires a 3/8 in. drive ratchet.

Fits the 896546_ series & 883701_ series oil filter found on the early Verado 135-275 hp. FourStroke outboards.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCH



91-**802653Q02**

This is a formed metal tool for strength and durability.

Fits replaceable screw-on type canister oil filters wherever found on current Mercury/Mariner FourStroke outboards 9.9 thru 60 hp., the 75-115 hp. s/n 1B366822 & below, and the 75-115 hp. s/n 2B094996 and above..

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCH



91-**889277Q03**

Metal wrench, requires a .375 in. drive ratchet.

Removes the 896546_ series and 883701_ series production oil filters found on the early Verado 135-275 hp. FourStroke outboards.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL DRAIN FUNNEL KIT



91-**892866A01**

Helps to direct draining crankcase oil past the cavitation plate.

Fits the XL version of the L6 Verado outboard.

OIL DRIP TRAY



8M0052100

After the oil resevoir has been properly drained, this tray when in place will help to prevent oil from dripping into the lower cowl when removing the side mounted engine filters listed in the application.

Fits the F25/30hp. EFI FourStroke Outboards and the F40-60hp. FourStroke outboards.

DRAIN SCREW GASKET



26-**8M0183616**

Keep spares on hand to assure placement after changing gear lube in gearcase.

Used with the 3/8-16 drain/fill screw found on all MerCruiser and most Mercury/Mariner outboard gearcases except those of Japanese origin.

2 p,

OIL DRAIN PUMP



802889Q 1

8/9.9 4-stroke outboards require additional adapter 828369

Fits all MCM/MIE engines with threaded fitting on dipstick tube, and Mercury/Mariner 8/9.9 FourStroke outboards MY2004 and prior.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

ADAPTER



828369

Adapts the standard threaded style MerCruiser crankcase pump for use on the Mercury/Mariner 8/9.9 hp. FourStroke outboards (MY2004 & prior) and the 15hp. FourStroke outboard (323cc).

OIL PUMP EXTRACTION TUBE



32-**859717A 2**

.375 in O.D. tube, 19.5 in. long

Connects to the crankcase oil pump for use on the Zeus drive and various Mercury/ Mariner FourStroke outboards.

OIL LEVEL STATUS KIT



8M0142265

Optional kit for to report oil level status to be used in conjunction with SmartCraft gauges or displays.

Feature comes standard on 4.6L V8 Verado AMS. Can be added to 3.4L V6 and 4.8L V8 engines that do not have this feature. Oil level status can be viewed on VesselViews and SmartCraft gauges.

LIFTING DEVICES - OUTBOARD

LIFTING EYE/FLYWHEEL PULLER



91-**895343T02**

A combination tool utilized for both lifting the engine and for pulling the flywheel.

Fits the 75-115 hp. FourStroke outboards (s/n 1B366823 and above), 135-400 hp. Verado outboards, and the F150 EFI FourStroke outboard. Verado 400R outboard.

LIFTING STRAP




91-**883705T01**

An engine lifting strap for handling of the various FourStroke outboards.

Fits 225 EFI, V6 (3.4L), V8 (4.6L) and V10 (5.7L) FourStroke outboards.

LIFTING STRAP



91-**8M0181805**

An engine lifting strap for handling V12 Verado outboards.

Fits 350-400hp 5.7L V10 and 500-600hp 7.6L V12 Verado outboards

MERCATHODE

Automatically protects the drive unit from galvanic corrosion. The increased output provides greater protection for underwater aluminum parts. Its reliable, efficient operation requires an insignificant amount of current when protection is needed.

MERCATHODE ANODE



97- **72957A 5**

Replacement anode assembly for 88334 series Mercathode systems.

MERCATHODE ELECTRODE



72958A 5

Service reference electrode for blue, red, and yellow transom mounted mercathode systems.

MERCATHODE REFERENCE ELECTRODE TESTER



91-**8M0135998**

Use with a digital multimeter to test the function of Mercathode systems. Senses an electrical current in the water when testing the Mercathode system.

MERCATHODE KIT - YELLOW TRANSOM KIT



8M0180081

Kit includes: MerCathode-yellow (1,000ma), Rig Center MerCathode Power Harness, anode, reference electrode, 5-amp harness assembly, cable assembly and Instruction sheet.

For use on all high-horsepower outboard applications, including Mercury 7.6L V12 600hp Verado and 500hp SeaPro outboards

MERCATHODE CONTROLLER - YELLOW 1000MA



8M0180481

Kit includes: MerCathode 1000mA module and fastening hardware.

Fits both new round ceramic active electrodes for all transom and drive mounted systems.

ACTIVE ANODE ASSEMBLY



97-**8M0181304**

New ceramic round active anode for blue, red and yellow transom mounted mercathode systems. Add-on 2nd active anode for yellow controller.

HARNESS - MERCATHODE POWER BATTERY



84-**8M0060271**

5amp ATC fuse power harness direct to battery, 8ft.

CABLE - GROUND



84- **79138A 8**

Ground harness 16ga, Mercathode to 5/6inch ground, 6ft.

KICKER STRAP KIT

KICKER STRAP KIT



896297A01

Aids power tilt versions in preventing excessive bouncing and stress to transom clamp brackets when fully tilted. Will automatically straighten engine in fully trimmed position. If kicker is attached to main engine for steering, attachment must be disconnected for main engine steering when the kicker engine is not in use.

Furnished standard with the MY 2005 & newer, 9.9 hp. ELHPT FourStroke, this kit can be added to the MY 2005 & newer, 9.9 hp. ELPT & EXLPT models.

ANODES - OUTBOARD KITS

ANODE KIT



97-**8M0107547**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

Fits Mercury/Mariner: 40-60HP EFI FourStroke BigFoot/Command Thrust only, 75-115HP EFI FourStroke (1B366823-2B094995), 75-115HP EFI FourStroke (2B094996 and Up) Standard gearcase model only.

Mercury Precision Branded, Box Point of Sale Packaged.

ANODE KIT



97-**8M0107546**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

Fits Mercury/Mariner: 40-60HP EFI FourStroke BigFoot/Command Thrust only, 75-115HP EFI FourStroke (1B366823-2B094995), 75-115HP EFI FourStroke (2B094996 and Up) Standard gearcase model only.

Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-**8M0107549**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

Fits Mercury/Mariner: 75-115HP EFI FourStroke (2B094996 and Up) BigFoot and Command Thrust gearcase only, 150HP EFI FourStroke (1B905505 and Up).

Mercury Precision Branded, Box Point of Sale Packaged.

ANODE KIT



97-**8M0107551**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

Fits Mercury/Mariner: 135-200HP 4 cylinder Verado, 75-115 (1.5L) and 135-250HP (2.5L and 3.0L) Optimax engines.

Mercury Precision Branded, Box Point of Sale Packaged.

ANODE KIT



97-**8M0107550**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

Fits Mercury/Mariner: 135-200HP 4 cylinder Verado, 75-115 (1.5L) and 135-250HP (2.5L and 3.0L) Optimax engines.

Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-**8M0126671**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are not included.

Fits the 6 cylinder, 200-300Hp. Verado outboards.

Mercury Precision Branded, Box Point of Sale Packaged.

97-**8M0126670**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are not included.

Fits the 6 cylinder, 200-300Hp. Verado outboards.

Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-**8M0116590**

Aluminum anodes - For use in saltwater and freshwater. This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fastener included.

350SCi Verado (1B716557-2B143542) & 350-400 L6 Verado (2B141124-3B342962)

Mercury Precision Branded, Box Point of Sale Packaged.

ANODE KIT



97-**8M0116589**

Aluminum anodes - For use in saltwater or freshwater. This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

350-400HP L6 Verado, SCi Verado, Pro Verado, Racing (1B716557 and Up).

Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



8M0205953

Includes square plate, trim aluminum anodes and hardware.

Fits 175-225hp V6 (3.4L) and 225-300hp V8 (4.6L) CMS outboards.

ANODE KIT



8M0205954

Includes square and power trim aluminum anodes and hardware.

Fits Mercury 3.4L V6 175-225hp and 4.6L V8 225-300hp outboards with Conventional MidSection (CMS)

ANODE KIT



8M0205955

Includes square plate, all trim and trim manifold aluminum anodes plus hardware.

Fits 250-300hp V8 (4.6L) Verado outboards.

Mercury Precision Branded, Box Point of Sale Packaged.

8M0205956

Includes square plate, all trim and trim manifold aluminum anodes plus hardware.

Fits 4.6L V8 250-300hp Verado outboards

ANODE KIT - ALUMINUM



97-**8M0179981**

Aluminum anode kit - For use in saltwater and freshwater. This is a complete kit to replace all factory installed anodes found on the outboard.

For Mercury 7.6L V12 600hp Verado and 500hp SeaPro - (s/n:3B060051 and above)

1 p,

ANODE KIT - MAGNESIUM



97-**8M0179982**

Magnesium anode kit for use only in freshwater - Inspect and change as needed

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

1 p,

ANODE BULK PACK



97-**8M0059338**

25 Aluminum Trim Tab anodes per box. Equivalent to the individually packaged 31640T4/Q4.

Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

ANODE BULK PACK



97-**8M0059339**

10 Aluminum Anodic Plates per box. Equivalent to individually packaged 76214T5. Provides additional clearance for high rake propellers.

Fits Mercury and Mariner 35-300hp, Force 90 and120hp outboards (1995 and newer), MerCruiser Alpha One Gen II and Bravo One, Two, Three and X, XR and XZ drives

ANODE KIT BULK PACK



97-**8M0172259**

20 Aluminum anodes per box.

ANODE SIDE POCKET BULK PACK



97-**8M0059344**

10 Aluminum side pocket anodes per box
Located in side pockets on the gearhousing just above the cavitation plate. Equivalent to the 826134Q/T. No hardware included in this bulk pack of 10 pieces.

Fits Mercury and Mariner 30-300hp outboards and Force 90 and 120hp outboards (1995 and newer)

ANODE PLUG ASSEMBLY



97-**8M0135965**

Includes: Screw, O-ring, Anode and Anode Plug.

Fits: 8/9.9hp EFI 2 Cyl. 209cc(1R281445 & above), 9.9hp EFI 2 Cyl. 333cc(1R008146-1R278792), 10-20hp EFI 2 Cyl. (0R833820 & above), 25/30hp EFI 3 Cyl. (0R106999-1R162636) and 25/30hp EFI 3 Cyl. (1R154758 & above) FourStroke Outboards.

ANODES - TRIM TAB/PLATE

ANODE PLATE



97- **15300**

Zinc

Fits V135-200 and XR-4 2Stroke Carb outboards

TRIM TAB



17264T 2

Fits Force Model 70B (1991), Force 70A (1992), Force 70C (1991-1992), Force 70 (0E000001-0E138599), Force 75 (0E138600-0E344999), Mercury/Mariner F40 FourStroke, 3 cylinder, Longshaft (CHN 1C000001-1C049738), Mercury/Mariner F40/50/60 FourStroke 996cc (standard gearcase 1.83:1 ratio) and also fits the Mercury/Mariner 50hp. 2-cycle, 3 cylinder, standard gearcase (USA 0D000750-0G589999, BEL 9683055-9973099), and 55/60hp. 2-cycle, 3 cylinder, standard gearcase (USA 0D000750 and above, BEL 9683055 and above).

TRIM TAB



97- **31640T 6**

Magnesium - For freshwater use only. Do not use in Saltwater applications.

Fits most Mercury/Mariner outboards 35-125hp outboards and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

97- **31640Q 4**

Aluminum

Fits most Mercury/Mariner outboards 30-200 hp outboards and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97- **31640T 6**

Magnesium - For freshwater use only. Do not use in Saltwater applications.

Fits most Mercury/Mariner outboards 35-125hp outboards and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

TRIM TAB



8M0236553

EDP - Black, this painted tab will not perform an anodic function.

Fits most Mercury/Mariner outboards 35-125hp outboards and all MerCruiser except Bravo. Che

ANODE KIT



97- 42121Q02

Aluminum, located under the cavitation plate on the following products.

Force Standard Gearcase Models:
9.9/15 hp. 2-cycle MY1998

Mercury/Mariner Standard Gearcase Models:
6/8/9.9 hp. 2-cycle MY1986 & newer
F8/9.9 hp. FourStroke MY1995-2004
F13.5 hp. FourStroke MY2001 & newer
F15 hp. FourStroke MY1998-2006
XR10
10 Marathon
10 Seapro
10 Viking

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PLATE ASSY



97- 47820A 1

Zinc

2Stroke Carb 200hp

ANODIC PLATE



97- 76214T 5

Aluminum
Provides additional clearance for high rake propellers.

Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97- 76214Q 5

Aluminum
Provides additional clearance for high rake propellers.

Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97- 76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

Fits Mercury and Mariner 35-300hp outboards, Force 90 and 120hp outboards (1995 and newer), MerCruiser Alpha One Gen II and Bravo One, Two and Three drives

ANODIC PLATE



97- 76214T 1

Aluminum

Fits 200-300hp OptiMax outboards

ANODIC PLATE



76214T 3

Zinc

Fits 200-300hp Optimax Outboards

TRIM TAB



82795T

Zinc

Fits early Mariner models 20C (6A9), 25C (695), 28 (664), 30A (689).

TRIM TAB



83859T

Zinc

Fits early Mariner outboards 40B (676), 40C (6E9), 48 (670), W-48 (670), 55 (663), and 60 (675).

TRIM TAB



94286T 1

Aluminum

Fits the Mercury/Mariner 18/25hp. 2-cycle outboards that use the top inserted screw.

TRIM TAB ANODE



97- **98432T 6**

Zinc

Fits Mercury/Mariner 9.9/15hp (323cc) FourStroke Bigfoot, Force 25 hp (0E090400-0E344999) and various Mercury/Mariner 2-cycle outboard models (15 hp SeaPro thru 25 hp).

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

TRIM TAB



822157T 2

Zinc

Fits the F25 FourStroke (Carb models), F30 FourStroke (0G760300-1B226999, 0P094500-0P400999), F40 FourStroke 3-cylinder (0G760300-1B344398, 0P094500 and above), F40/45/50 FourStroke (935cc, standard gearcase).

TRIM TAB ANODE



97-**822777T 1**

Aluminum

For applications where extra clearance is required for high rake propellers.

Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**822777Q 1**

Aluminum

For applications where extra clearance is required for high rake propellers.

Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**822777A 2**

Magnesium - For freshwater use only. Do not use in saltwater applications.

Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.

ANODE



97-**823913Q**

Aluminum

Fits Mercury/Mariner 2.5/3/3.3 hp 2-cycle outboards (1990 and newer), F2.5/3.5 hp. FourStroke (MY 2006 and newer), and 6-40 hp 2-cycle outboards of Japanese origin (serial number 0N000001 & above).

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

TRIM TAB



8M0231857

EDP painted, this tab does not provide anodic protection.

Assists with mechanical steering torque on standard gearcase models of the F75-115 FourStroke, s/n 2B094996 and above.

ANTI VENT PLATE



97-**8M0137814**

Aluminum

Fits: 175-300hp V6 (3.4L) and V8 (4.6L) FourStroke outboards, 350/400/425 5.7L V10 Verado (Serial 3B266064-UP) Outboards

ANODE



97-**8M0200103**

Antivent Plate - Magnesium

Fits Mercury 175-225hp 3.4L V6 and ProXS (2B529482 and up), 200-300hp 4.6L V8 and ProXS, SeaPro (2B529482 and up), 300hp 4.6L V8 Verado (2B529482 and up), Mercury Racing 150R 3.4L V6 (3B547096 and up), 300R (1E080500 and up), 400R 5.7L V10 (3B272954 and up], 450R (1E083006-1E099720), 500R 4.6L V8 (1E099432 and up), 350-425hp 5.7L V10 Verado (3B266064 and up)

ANODE



97-**8M0177453**

Aluminum anti-ventilation gearcase anode for freshwater and saltwater applications - Inspect and change as needed.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ANODE




97-**8M0179229**

Magnesium anti-ventilation gearcase anode for use only in freshwater - Inspect and change as needed

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ANODES - TRANSOM BRACKET/POWER TRIM

POWER TRIM ANODE



97-**818298T 1**

Aluminum

Located on the bottom of the external power trim pump assembly.

Fits Mercury/Mariner 30/40 FourStroke, 40 (4 cylinder), 50 (3 cylinder 1987-1997), 55 (3 cylinder), 60-90 (3 cylinder 1987 & newer), 75 (4 cylinder), 75/90 FourStroke, 100-125 (4cyl), 115 (6 cylinder 1984-1988), and all V-6 and OptiMax outboard engines. "NEW" V6 (3.4L) & V8 (4.6L) *excluding Verado and Verado Seapro FourStroke outboards.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**818298Q 1**


Aluminum

Located on the bottom of the external power trim pump assembly.

Fits Mercury/Mariner 30/40 FourStroke, 40 (4 cylinder), 50 (3 cylinder 1987-1997), 55 (3 cylinder), 60-90 (3 cylinder 1987 & newer), 75 (4 cylinder), 75/90 FourStroke, 100-125 (4cyl), 115 (6 cylinder 1984-1988), and all V-6 and OptiMax outboard engines. "NEW" V6 (3.4L) & V8 (4.6L) *excluding Verado and Verado Seapro FourStroke outboards.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

POWER TRIM ANODE



97-**8M0057772**

Aluminum. Located on the bottom of the external power trim assembly.

Fits the 150 Hp. EFI FourStroke outboard, 1B905505 and above.

POWER TRIM ANODE



97-**818298T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications. Located on the bottom of the external power trim pump assembly.

Fits Mercury/Mariner 30/40 FourStroke, 40 (4 cylinder), 50 (3 cylinder 1987-1997), 55 (3 cylinder), 60-90 (3 cylinder 1987 & newer), 75 (4 cylinder), 75/90 FourStroke, 100-125 (4cyl), 115 (6 cylinder 1984-1988), and all V-6 and OptiMax outboard engines.

ANODE



97-**823912**

Aluminum, Round style.

Fits Mercury/Mariner 4/5 hp. 2-cycle (MY1987 & newer), F4/5/6 hp. FourStroke (MY1999 & newer), F8/9.9 hp. FourStroke (MY2005 & newer), 15 hp. 2-cycle Seapro (MY2005 & newer), F25/30 EFI FourStroke (MY2006 & newer).

ANODE KIT



97-**825271 1**

Aluminum

Fits the Mercury/Mariner 25hp Carbureted FourStroke outboard Model Years 1998-2006, and also fits the Mercury/Mariner 40/50hp 3 cylinder, 2-cycle outboard (USA 0G590000 & above, BEL 9973100 & above).

ANODE TRANSOM BRACKET



97-**875208**

Square style.

Fits Mercury/Mariner 4/5 hp. 2-cycle (MY1999 & newer), F4/5/6 hp. FourStroke (MY1999 & newer), and F8/9.9 hp. FourStroke (MY2005 & newer). and 10/15/20 hp FourStroke [06833820 thru 1R162636] and 25/30 hp FourStroke [1R154758 & Up]

ANODE




97-**804043**

Clamp bracket, power tilt only.

Fits 25/30HP EFI 3 Cyl. 4-Stroke Mercury outboards [0R106999 thru 1R162636] and 25-50hp (2006 and up) 2-stroke Jet, International and Lightning outboards.

PLATE ASSEMBLY-TRANSOM BRACKET



89949A 1

Aluminum

Transom bracket anode that fits Mercury/Mariner V-6 outboards, V-150/150XR-2 (USA 6616990 and below), V-175 (USA 6618750 and below), V-200 (USA 6055032 and below), V-250/275 Carb (0C101891 and above), and the V-3.4 Litre.

ANODE



97-**8M0217563**

Aluminum

350hp Mercury Verado SCI L6 (serial No. 1B16557 and 2B143542)
350-400hp L6 Verado (serial No. 2B141617 and 3B342962)
350-425hp 5.7L V10 Verado(3B266064 and up)

POWER TRIM ANODE



97-**893404**

Multiple pieces may be required per engine application.

Fits L6 Verado outboard, 200/225/250/275/300, 350-400hp, V8 (4.6L)250-300hp, and 250R-450R Verado SeaPro FourStroke outboards.

97-**8M0220986**

Magnesium- For freshwater use only. Do not use in saltwater applications. Multiple pieces may be required per engine application.

Fits L6 Verado outboard, 200/225/250/275/300, 350-400hp, V8 (4.6L)250-300hp, and 250R-450R Verado SeaPro FourStroke outboards.

POWER TRIM ANODE



97-**880653**

Aluminum, Power Trim

Fits L6 Verado outboard, 200/225/250/275/300, 350-400hp, V8 (4.6L)250-300hp, and 250R-450R Verado SeaPro FourStroke outboards.

97-**8M0220987**

Magnesium- For freshwater use only. Do not use in saltwater applications. Power trim assembly anode.

Fits L6 Verado outboard, 200/225/250/275/300, 350-400hp, V8 (4.6L)250-300hp, and 250R-450R Verado SeaPro FourStroke outboards.

ANODE



97-**8M0217561**

Helps protect your Verado from corrosion

350-400hp L6 FourStroke (2B141124-3B342962)
350-425hp 5.7L V10 Verado (3B266064 & UP)
450R-500R 4.6L V8 Race (1E083006 & UP)

ALUMINUM TRIM ANODE



97-**8M0204939**

For 5.7L V10 350hp and 400hp Verado Outboard

Fits Mercury 5.7L V10 350-425hp Verado outboards

ANODE



97-**8M0177560**

Aluminum anti-ventilation anode for freshwater and saltwater applications - Inspect and change as needed.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ANODE



97-**8M0179780**

Aluminum anti-ventilation anode for freshwater and saltwater applications - Inspect and change as needed.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ANODE



97-**8M0179781**

Magnesium anti-ventilation transom bracket anode. For use only in freshwater - Inspect and change as needed

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ANODES - SIDE MOUNTED/POCKET

ANODE



97-**819232**

Aluminum, side mounted anode.

Fits Force outboards, 1991 (90E, 90H, 120H), 1992 (90A, 90C, 120A, 120C), and 1992-1994 (90/120/150 0E000001-0E093699).

ANODE



97-**823912**

Aluminum, Round style.

Fits Mercury/Mariner 4/5 hp. 2-cycle (MY1987 & newer), F4/5/6 hp. FourStroke (MY1999 & newer), F8/9.9 hp. FourStroke (MY2005 & newer), 15 hp. 2-cycle Seapro (MY2005 & newer), F25/30 EFI FourStroke (MY2006 & newer).

SIDE POCKET ANODE



97-**826134T**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

Fits Mercury/Mariner 30-300hp outboards and also fits Force 90 & 120hp 1995 and newer outboards.

Priced individually, sold @ multiples of 3

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

Fits Mercury/Mariner 30-300hp outboards and also fits Force 90 & 120hp 1995 and newer outboards.

Priced individually, sold @ multiples of 3

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

Fits Mercury/Mariner 35-300hp outboards and Force 90 & 120hp 1995 and newer outboards

ANODES - PROP NUT/SPOOL

REPLACEMENT PROP NUT ANODE



97-**809662T**

2 in. Aluminum Anode Shell
Replacement Shell for 809662A 1

2" aluminum anode shell
is a replacement anode for 809662A1, and fits Mercury 700-1500 outboards and MerCruiser MC-I sterndrives

PROP NUT ANODE KIT



809664A 1

1-1/8 in. Shaft, 3/4 in. NF 16

Fits Mercury/Mariner 70 hp and higher outboards (except 225 EFI FourStroke); Also fits MC-I, R, MR, Alpha, Bravo One & TRS sterndrives (1970 & newer)

ANODE APPLICATION CHARTS

Mercury/Mariner FourStroke Outboard Anodes

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
4 FourStroke	With round Anode	JPN	0R000001 and up	N/A		N/A		97-823912	Alum.
		BEL	0P073456 and up						
4 FourStroke	With square Anode	JPN	0R000001 and up	N/A		N/A		97-875208	Alum.
		BEL	0P073456 and up						
5 FourStroke	With round Anode	JPN	0R000001 and up	N/A		N/A		97-823912	Alum.
		BEL	0P073456 and up						
5 FourStroke	With square Anode	JPN	0R000001 and up	N/A		N/A		97-875208	Alum.
		BEL	0P073456 and up						
6 FourStroke	With round Anode	JPN	0R000001 and up	N/A		N/A		97-823912	Alum.
		BEL	0P073456 and up						
6 FourStroke	With square Anode	JPN	0R000001 and up	N/A		N/A		97-875208	Alum.
		BEL	0P073456 and up						
8 FourStroke	Standard Gearcase	JPN	0R042475 and up	853762T01	Zinc	N/A		N/A	
		BEL	0P325500 and up						
8 FourStroke	Bigfoot Gearcase	JPN	0R042475 and up	853762T01	Zinc	97-875208		N/A	
		BEL	0P325500 and up						
8 FourStroke	Bodensee	USA	0G760300 - 0T178499	97- 42121Q02	Alum.	N/A		N/A	
8 FourStroke	Bodensee	BEL	0P086824 - 0P325499	97- 98432T 6	Zinc	N/A		N/A	
9.9 FourStroke	Standard Gearcase	USA	0G760300 - 0T979999	97- 42121Q02	Alum.	N/A		N/A	
9.9 FourStroke	Standard Gearcase	BEL	0P075166 - 0P325499	853762T01	Zinc	97-875208			
9.9 FourStroke	Standard Gearcase	JPN	0R042475 - 1R279944	853762T01	Zinc	N/A		N/A	
		BEL	0P325500 and up						
9.9 FourStroke	Bigfoot Gearcase	USA	0H000058 - 0H016909	97- 98432T 6	Zinc	N/A		N/A	
		USA	0G760300 - 1B226999						
		BEL	0P075166 - 0P400999						
9.9 FourStroke	Bigfoot Gearcase	JPN	0R042475 - 1R279944	853762T01	Zinc	97-875208		N/A	
		BEL	0P325500 and up						
9.9 FourStroke	With round anode	JPN	1R008146 - 1R278792			97-823913Q		97-8M0137344	
9.9 FourStroke	With square anode	JPN	1R008146 - 1R278792			97-875208		97-8M0137344	
9.9 FourStroke		JPN	1R281445 and up	853762T01		97-875208			
15 FourStroke	Standard Gearcase, 323cc	USA	0G590000 - 1B727495	97- 42121Q02	Alum.	N/A		N/A	
		BEL	9973100 and up						
15 FourStroke	Bigfoot Gearcase, 323cc	USA	0G590000 - 1B727495	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9973100 and up						
15 FourStroke	Sea Pro	JPN	0R051685 - 0R833819	97-803731	Zinc	97-823913Q		N/A	
15 FourStroke	351cc.	JPN	0R235949 - 0R833819	853762T01		97-875208		N/A	
15 FourStroke	With round anode	JPN	0R833820 and up			97-823913Q		97-8M0137344	
15 FourStroke	With square anode	JPN	0R833820 and up			97-875208		97-8M0137344	
20 FourStroke	351cc.	JPN	0R235168 - 0R833819	853762T01		97-875208		N/A	
20 FourStroke	With round anode	JPN	0R833820 and up			97-823913Q		97-8M0137344	
20 FourStroke	With square anode	JPN	0R833820 and up			97-875208		97-8M0137344	
25 FourStroke	Carb	USA	0G590000 - 1B344298	822157T 2	Zinc	97-825271 1	Alum.	N/A	
		BEL	9973100 - 0P388282						
25 FourStroke	EFI, Manual Trim	JPN	0R106999 - 1R162636	853762	Zinc	97-804043		N/A	
25 FourStroke	EFI, PowerTrim	JPN	0R106999 - 1R162636	853762	Zinc	97-823912002	Alum.	N/A	
25 FourStroke	Sea Pro	JPN	0R051710 - 1R162636	853762	Zinc	97-804043		N/A	
25 FourStroke	EFI, Power Tilt	JPN	1R154758 and up	853762	Zinc	97-804043		N/A	
25 FourStroke	EFI,Gas Assist	JPN	1R154758 and up	853762	Zinc	97-875208		N/A	
30 FourStroke	3 cylinder	USA	0G760300 - 1B226999	822157T 2	Zinc	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	0P094500 - 0P400999						

OUTBOARD

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
30 FourStroke	EFI	USA	0T409000 - 1B226999	822157T 2	Zinc	97-818298T 1	Alum.		
		BEL	0P153500 - 0P400999						
30 FourStroke	EFI, Manual Trim	JPN	0R106999 and up	822157T 2	Zinc	97-804043			
30 FourStroke	EFI, PowerTrim	JPN	0R106999 and up	822157T 2	Zinc	97-823912002	Alum.		
30 FourStroke	EFI, Power Tilt	JPN	1R154758 and up	853762	Zinc	97-804043		N/A	
30 FourStroke	EFI,Gas Assist	JPN	1R154758 and up	853762	Zinc	97-875208		N/A	
40 FourStroke	3 cylinder, Carb	USA	0G760300 - 1B226999	822157T 2	Zinc	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	0P094500 - 09400999						
40 FourStroke	3 cylinder, Carb	USA	0G760300 - 1B226999			97-818298T 3	Mag	97-826134T 3	Mag
		BEL	0P094500 - 09400999						
40 FourStroke	3 cylinder, EFI	USA	0T409000 - 1B344398	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
		BEL	0P153500 and up						
						97-818298T 3	Magn.	97-826134T 3	Magn.
40 FourStroke	3 cylinder, EFI, LongShaft	CHN	1C000001 - 1C049738	17264T 2	Alum.	97-818298T 1	Alum.	N/A	
						97-818298T 3	Magn.	97-826134T 3	Magn.
40 FourStroke	3 cylinder, EFI, ShortShaft	CHN	1C000001 - 1C049738	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
						97-818298T 3	Magn.	97-826134T 3	Magn.
40/45 FourStroke	4 cylinder	USA	0G231123 - 0T178499	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
						97-818298T 3	Magn.	97-826134T 3	Magn.
40 FourStroke	4 cylinder, Carb	USA	0T228405 - 0T598999	822157T 2	Zinc	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	0P094500 - 0P206999						
						97-818298T 3	Magn.	97-826134T 3	Magn.
40 FourStroke	4 cylinder, EFI	USA	0T409000 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	0P207000 and up						
		CHN	0C000001 and up			97-818298T 3	Magn.	97-826134T 3	Magn.
45 FourStroke	BigFoot-Bodensee	USA	0G231123 - 0T178499	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	0P017000 and up						
						97-818298T 3	Magn.	97-826134T 3	Magn.
45 FourStroke	Bodensee	USA	0G231123 - 0T178499	822157T 2	Zinc	97-825271 1	Alum.	N/A	
		BEL	0P017000 and up						
						97-818298T 3	Magn.	97-826134T 3	Magn.
50 FourStroke	Standard Gearcase	USA	0G231123 - 0G760299	822157T 2	Zinc	97-825271 1	Alum.	N/A	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
50 FourStroke	Standard Gearcase	USA	0G760300 - 0T178499	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
						97-818298T 3	Magn.	97-826134T 3	Magn.
50 FourStroke	Standard Gearcase	USA	0T178500 - 0T598999	17264T 2	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9944807 - 0P016999	822157T 2	Zinc	97-825271 1	Alum.	N/A	
						97-818298T 3	Magn.	97-826134T 3	Magn.
50 FourStroke		BEL	0P017000 - 0P094499	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
						97-818298T 3	Magn.	97-826134T 3	Magn.
50 FourStroke	Standard Gearcase	BEL	0P094500 - 0P206999	17264T 2	Alum.	97-818298T 1	Alum.	N/A	
						97-818298T 3	Magn.	97-826134T 3	Magn.
50 FourStroke	Bigfoot Gearcase	USA	0G231123 - 0T598999	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9944807 - 0P206999						
						97-818298T 3	Magn.	97-826134T 3	Magn.
50 FourStroke	EFI	USA	0T409000 - 1B344306	17264T 2	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
	EFI	BEL	0P153500 and up	17264T 2	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
	EFI	CHN	1C000001 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
60 FourStroke	Carb	USA	0T178500 - 0T598999	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	0P094500 - 0P206999						
						97-818298T 3	Magn.	97-826134T 3	Magn.
60 FourStroke	EFI	USA	0T409000 - 1B344306	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	0P207000 and up						
		CHN	1C000001 and up						

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
						97-818298T 3	Magn.	97-826134T 3	Magn.
75 FourStroke	Carb	USA	0G960500 - 1B226999	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
75 FourStroke	EFI, 1596 cc	USA	1B172291 - 1B366822	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
75 FourStroke	EFI, 1731 cc	USA	1B366823 - 2B094995	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
75/80 FourStroke	EFI, 2.1L Standard Gearcase	USA	2B094996 and up	8M0231857	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
75/80 FourStroke	EFI, 2.1L Command Thrust	USA		97- 76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum
						97-818298T 3	Magn.	97-826134T 3	Magn.
80 FourStroke	EFI, 1596 cc	USA	1B227000 - 1B366822	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
80 FourStroke	EFI, 1731 cc	USA	1B366823 - 2B094995	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
90 FourStroke	Carb	USA	0G960500 - 1B226999	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
90 FourStroke	EFI, 1596 cc	USA	1B172291 - 1B366822	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
90 FourStroke	EFI, 1731 cc	USA	1B366823 - 2B094955	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
90/100 FourStroke	EFI, 2.1L Standard Gearcase	USA	2B094996 and up	8M0231857	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
90/100 Fourstroke	EFI, 2.1L Command Thrust	USA		97- 76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
100 FourStroke	EFI, 1741 cc	USA	1B172291 - 1B366822	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
100 FourStroke	EFI, 1731 cc	USA	1B366823 - 2B094995	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
115 FourStroke	EFI	USA	0T178500 - 2B094995	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
115 FourStroke	EFI, 2.1L Standard Gearcase	USA	2B094996 and up	8M0231857	EDP	97-818298T 1	Alum.	97-826134T	Alum.
						97-818298T 3	Magn.	97-826134T 3	Magn.
115 FourStroke	EFI, 2.1L Command Thrust	USA		97- 76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
				97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
135 FourStroke	Verado	USA	1B227000 - 2B576734	97- 76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
				97- 76214A 6	Magn.			97-826134T 3	Magn.
150 FourStroke	EFI	USA	1B905505 and up	97- 76214T 5	Alum.	97-8M0057772	Alum.	97-826134T	Alum.
				97- 76214A 6	Magn.			97-826134T 3	Magn.
150 FourStroke	Verado	USA	1B227000 - 2B576734	97- 76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
				97- 76214A 6	Magn.			97-826134T 3	Magn.
175 FourStroke	Verado	USA	1B227000 - 2B576734	97- 76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
				97- 76214A 6	Magn.			97-826134T 3	Magn.
200 FourStroke	Verado	USA	1B517159 - 2B576734	97- 76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
				97- 76214A 6	Magn.			97-826134T 3	Magn.
200 FourStroke	Verado (6 cyl.)	USA	0T980000 - 2B578935	97- 76214T 5	Alum.	97-880653	Alum.	97-826134T	Alum.
						97-8M0220987	Magn.		
				97- 76214A 6	Magn.	97-893404(1)	Alum.	97-826134T 3	Magn.
						97-8M0220986	Magn.		
225 FourStroke	EFI	USA	0T653945 and up	N.L.A.		N.L.A.			
225 FourStroke	Verado	USA	0T980000 - 2B578935	97- 76214T 5	Alum.	97-880653	Alum.	97-826134T	Alum.
						97-8M0220987	Magn.		
						97-893404(1)			
				97- 76214A 6	Magn.	97-8M0220986	Magn	97-826134T 3	Magn
250 FourStroke	Verado	USA	0T980000 - 2B578935	97- 76214T 5	Alum.	97-880653		97-826134T	Alum.
						97-8M0220987	Magn.		

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
						97-893404(1)			
				97- 76214A 6	Magn.	97-8M0220986	Magn.	97-826134T 3	Magn
275 FourStroke	Verado	USA	0T980000 - 2B578935	97- 76214T 5	Alum.	97-880653		97-826134T	Alum.
						97-8M0220987	Magn.		
						97-893404(1)			
				97- 76214A 6	Magn.	97-8M0220986	Magn.	97-826134T 3	Magn
300 FourStroke	Verado	USA	1B517434 - 2B144122	97- 76214T 5	Alum.	97-880653		97-826134T	Alum.
						97-8M0220987	Magn.		
						97-893404(1)			
				97- 76214A 6	Magn.	97-8M0220986	Magn.	97-826134T 3	
350 FourStroke	Verado	USA	2B141617 - 3B342962	97- 76214T 5	Alum.	97-8M0217561		97-826134T	Alum.
						97-893404(1)			
				97- 76214A 6	Magn.	97-8M0220986	Magn.	97-826134T 3	Magn.
175-225 FourStroke	V6 (3.4L)	USA	2B529482 and up	97-8M0137814	Alum.	97-818298T 1			
225-300 FourStroke	V8 (4.6L) *Excludes Verado	USA	2B529482 and up	97-8M0137814	Alum.	97-818298T 1			
250-300 FourStroke	V8 (4.6L) Verado and Verado SeaPro	USA	2B529482 and up	97-8M0137814	Alum.	97-893404(1)	Alum.		
						97-8M0220986	Magn.		
						97-880653	Alum.		
						97-8M0220987	Magn.		
350-400	V10 (5.7L) Verado	USA	3B266064 and up	97-8M0137814	Alum.	97-8M0204939	Alum.		
						97-8M0217561	Alum.		
						97-8M0217563	Alum.		
500-600	V12 (7.6L) Verado	USA	3B060061 and up	97-8M0177453	Alum.	97-8M0179780	Alum.		
				97-8M0179229	Magn.	97-8M0179781	Magn.		
						97-8M0177560	Alum.		
						97-8M0179705	Magn.		

(1) 4 pcs required

Mercury/Mariner 2-Cycle Outboard Anodes

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
2		USA	0T884302 and up	97-823913Q	Alum.	N/A		N/A	
2.2M		USA	8075603 and up	97-823913Q	Alum.	N/A		N/A	
2.5		USA	0A856377 and up	97-823913Q	Alum.	N/A		N/A	
		BEL	0P017000 and up						
3		USA	0A856377 - 0G710612	97-823913Q	Alum.	N/A		N/A	
3.3		USA	0D901657 and up	97-823913Q	Alum.	N/A		N/A	
		BEL	0P017000 and up						
4	1 cylinder	USA	0A809601 - 0G710612	N/A		N/A		97-823912	Alum.
		BEL	9477830 - 0P016999						
4	With round Anode	USA	0G710613 and up	N/A		N/A		97-823912	Alum.
		BEL	0P017000 and up						
4	With square Anode	USA	0G710613 and up	N/A		N/A		97-875208	
		BEL	0P017000 and up						
5	1 cylinder	USA	0A809601 - 0G710612	N/A		N/A		97-823912	Alum.
		BEL	9477830 - 0P016999						
5	With round Anode	USA	0G710613 and up	N/A		N/A		97-823912	Alum.
		BEL	0P017000 and up						
5	With square Anode	USA	0G710613 and up	N/A		N/A		97-875208	
		BEL	0P017000 and up						
6	1 cylinder	USA	0A197112 - 0T800749	97- 42121Q02	Alum.	N/A		N/A	
		BEL	9461526 and up						
7.5 (75)		USA	5206550 and up	N.L.A.	Zinc	N/A		N/A	
		AUS	8057545 and up						

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
		BEL	9217756 and up						
		CAN	7125388 and up						
8		USA	0A197112 and up	97- 42121Q02	Alum.	N/A		N/A	
		BEL	9461526 and up						
9.8		USA	5206550 and up	N.L.A.	Zinc	N/A		N/A	
		AUS	8057545 and up						
		BEL	9217756 and up						
		CAN	7125388 and up						
9.9		USA	0A197112 and up	97- 42121Q02	Alum.	N/A		N/A	
		BEL	9792200 - 0P325499						
10	XR10/Sea Pro	USA	0D038000 and up	97- 42121Q02	Alum.	N/A		N/A	
		BEL	9596000 and up						
15		USA	0A197112 and up	97- 42121Q02	Alum.	N/A		N/A	
		BEL	9542620 and up						
15		USA	0A197112 and up	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9542620 and up						
15	Sea Pro/Marathon	USA	0G044365 and up	97- 42121Q02	Alum.	N/A		N/A	
		BEL	9927000 and up						
15	Sea Pro/Marathon	USA	0G044365 and up	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9927000 and up						
15	Sea Pro XD	BEL	9927000 - 0P325499	97- 98432T 6	Zinc	N/A		N/A	
18		USA	5837437 - 6416712	94286T 1	Alum.	N/A		N/A	
		AUS	8071973 and up						
		BEL	9308306 - 9378115						
		CAN	7173723 - 7207857						
18		USA	5837437 - 6416712	97- 98432T 6	Zinc	N/A		N/A	
		AUS	8071973 and up						
		BEL	9308306 - 9378115						
		CAN	7173723 - 7207857						
18	Top inserted screw	USA	6416713 - 6443972	94286T 1	Alum.	N/A		N/A	
		BEL	9378116 - 9415100						
		CAN	7207858 - 7209532						
18	Bottom inserted screw	USA	6416713 - 6443972	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9378116 - 9415100						
		CAN	7207858 - 7209532						
18XD		USA	6443973 - 0B238463	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9378151 - 9507380						
		CAN	7209533 - 0A730006						
20XD		USA	6443973 - 0B238463	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9415101 - 9507380						
		CAN	7209523 - 0A730006						
20	2 cylinder	USA	0B238464 - 0T979999	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9507381 and up						
		CAN	0A730007 and up						
25		USA	5705532 - 6416712	94286T 1	Alum.	N/A		N/A	
		AUS	8073258 and up						
		BEL	9315316 - 9378115						
		CAN	7166928 - 7207857						
25	Bottom inserted screw	USA	6416713 - 6443972	97- 98432T 6	Zinc	N/A		N/A	
		CAN	7207858 - 7209532						
		BEL	9378116 - 9415100						
25	Top inserted screw	USA	6416713 - 6443972	94286T 1	Alum.	N/A		N/A	
		CAN	7207858 - 7209532						
		BEL	9378116 - 9415100						

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
25XD		USA	6443973 - 0B238463	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9415101 - 9507380						
		CAN	7209533 - 0A730006						
25	Standard & Sea Pro	USA	0B238464 and up	97- 98432T 6	Zinc	N/A		N/A	
		BEL	9507381 and up						
		CAN	0A730007 and up						
30	2 cylinder	USA	0G053314 - 0T598999	822157T 2	Zinc	97-825271 1	Alum.	N/A	
30		BEL	9854537 - 0P206999						
35	2 cylinder	USA	6445653 and up	97- 31640T 4	Alum.	N/A		N/A	
		CAN	209608 and up						
		BEL	9384476 and up						
35	2 cylinder	USA	6445653 and up	97- 31640T 6	Magn.	N/A		N/A	
		CAN	209608 and up						
		BEL	9384476 and up						
40	2 cylinder	USA	2874704 - 0G053313	97- 31640T 4	Alum.	97-825271 1	Alum.	N/A	
		AUS	8002335 and up						
		BEL	3339688 - 0P016999						
		CAN	3340783 and up						
40	2 cylinder	USA	2874704 - 0G053313	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		AUS	8002335 and up						
		BEL	3339688 - 0P016999						
		CAN	3340783 and up						
40	2 cylinder	USA	0G053314 and up	822157T 2	Zinc	N/A	Zinc	N/A	
		BEL	0P017000 and up						
40	3 cylinder	USA	0G590000 - 0T999999	822157T 2	Zinc	97-825271 1	Alum.	N/A	
		BEL	9973100 and up						
40	4 cylinder	USA	0C159200 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9570790 and up						
40	4 cylinder	USA	0C159200 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		BEL	9570790 and up						
45	4 cylinder	USA	5531630 and up	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8063985 and up						
		BEL	9248006 and up						
		CAN	7143688 and up						
45	4 cylinder	USA	5531630 and up	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8063985 and up						
		BEL	9248006 and up						
		CAN	7143688 and up						
50	4 cylinder	USA	4357640 and up	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8030090 and up						
		BEL	9107214 and up						
		CAN	7068998 and up						
50	4 cylinder	USA	4357640 and up	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8030090 and up						
		BEL	9107214 and up						
		CAN	7068998 and up						
50	3 cylinder	USA	6428681 - 0B122929	97- 31640T 4	Alum.	N/A		N/A	
		BEL	9385911 - 9469199						
		CAN	7208333 - 0A7211307						
50	3 cylinder	USA	0B122930 - 0D000749	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9469200 - 9683054						
		CAN	0A721308 and up						
50	3 cylinder	USA	0D000750 - 0G589999	17264T 2	Zinc	97-818298T 1	Alum.	N/A	
		BEL	9683055 - 9973099						
50	3 cylinder, BigFoot	USA	0D000750 - 0G589999	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9683055 - 9973099						

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
50	3 cylinder	USA	0G590000 and up	822157T 2	Zinc	97-825271 1	Alum.	N/A	
		BEL	9973100 and up						
55	3 cylinder (1.64:1 ratio)	USA	0D000750 and up	17264T 2	Zinc	97-818298T 1	Alum.	N/A	
		BEL	9741042 and up						
60	3 cylinder	USA	6428681 - 0B122929	97- 31640T 4	Alum.	N/A		N/A	
		BEL	9385911 - 9469199						
		CAN	7208333 - 0A7211307						
60	3 cylinder	USA	0B122930 - 0D000749	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9469200 - 9683054						
		CAN	0A721308 and up						
60	3 cylinder	USA	0D000750 and up	17264T 2	Zinc	97-818298T 1	Alum.	N/A	
		BEL	9683055 and up						
60	3 cylinder, BigFoot	USA	0D000750 - 0G760299	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9683055 - 0P016999						
60	3 cylinder, BigFoot	USA	0G760300 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	0P017000 and up						
65 (650)	4 cylinder	USA	1542745 - 3293183	97- 31640T 4	Alum.	N/A		N/A	
65 (650)		USA	1542745 - 3293183	97- 31640T 6	Magn.				
65 (650)	3 cylinder	USA	3293184 - 4571651	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8006640 - 8042349						
		BEL	9020074 - 9135824						
		CAN	7013633 - 7087822						
65 (650)	3 cylinder	USA	3293184 - 4571651	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8006640 - 8042349						
		BEL	9020074 - 9135824						
		CAN	7013633 - 7087822						
70	3 cylinder	USA	4571652 - 0A996141	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8042350 and up						
		BEL	9135825 - 9385910						
		CAN	7087823 - 7208332						
70	3 cylinder	USA	4571652 - 0A996141	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8042350 and up						
		BEL	9135825 - 9385910						
		CAN	7087823 - 7208332						
70	3 cylinder	USA	0A996142 - 0C221999	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9506481 and up						
75	4 cylinder	USA	6432901 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
	4 cylinder	BEL	9393856 and up						
	4 cylinder	CAN	7208573 and up						
75	4 cylinder	USA	6432901 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		BEL	9393856 and up						
		CAN	7208573 and up						
75	3 cylinder	USA	0A996142 - 0T979999	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9483121 - 9793576						
75	3 cylinder	USA	0A996142 - 0T979999	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
		BEL	9483121 - 9793576						
75	3 cylinder	USA	0T980000 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
75	3 cylinder	USA	0T980000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
		BEL	9793577 and up						
75	3 cylinder, Optimax 1.5L	USA	0T980000 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
75	3 cylinder, Optimax 1.5L	USA	0T980000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
80 (80, 800)	4 cylinder	USA	2559001 - 6432900	97- 31640T 4	Alum.	N/A		N/A	
80 (80, 800)	4 cylinder	USA	2559001 - 6432900	97- 31640T 6	Magn.	N/A		N/A	

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
80 (80, 800)	4 cylinder	USA	4831999 - 6432900	97- 31640T 4	Alum.	N/A		N/A	
	4 cylinder	AUS	8050200 and up						
	4 cylinder	BEL	9177626 - 9393855						
	4 cylinder	CAN	7110998 - 7208572						
80 (80, 800)	4 cylinder	USA	4831999 - 6432900	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8050200 and up						
		BEL	9177626 - 9393855						
		CAN	7110998 - 7208572						
80	3 cylinder	USA	0A996142 - 0C221999	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9483121 and up						
80	3 cylinder	USA	0A996142 - 0C221999	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		BEL	9483121 and up						
85 (850)	4 cylinder	USA	3493913 - 4831998	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8005440 - 8050199						
		BEL	9011604 - 9177625						
		CAN	7010108 - 7110997						
85 (850)	4 cylinder	USA	3493913 - 4831998	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8005440 - 8050199						
		BEL	9011604 - 9177625						
		CAN	7010108 - 7110997						
90 (900)	6 cylinder	USA	1766824 - 1869775	97- 31640T 4	Alum.	N/A		N/A	
90 (900)		USA	1766824 - 1869775	97- 31640T 6	Magn.	N/A		N/A	
90 (90, 900)	6 cylinder	USA	4845301 - 6436122	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8060545 and up						
		CAN	7111698 and up						
90 (90, 900)	6 cylinder	USA	4845301 - 6436122	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8060545 and up						
		CAN	7111698 and up						
90	6 cylinder	USA	6436123 - 0A996141	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		CAN	7208848 and up						
90	6 cylinder	USA	6436123 - 0A996141	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		CAN	7208848 and up						
90	3 cylinder	USA	0A996142 - 0D283221	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9483121 - 9793576						
90	3 cylinder	USA	0A996142 - 0D283221	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		BEL	9483121 - 9793576						
90	3 cylinder	USA	0D283222 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
90	3 cylinder	USA	0D283222 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
		BEL	9793577 and up						
90	3 cylinder	USA	0D283222 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
90 Optimax	3 cylinder, 1.5L	USA	0T801000 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
90 Optimax		USA	0T801000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
95 (950)	6 cylinder	USA	1869776 - 2318585	97- 31640T 4	Alum.	N/A		N/A	
100 (1000)		USA	1768404 - 2318585	97- 31640T 4	Alum.	N/A		N/A	
100 (1000)		USA	1768404 - 2318585	97- 31640T 6	Magn.	N/A		N/A	
100 (1000SS/1000BP)		USA	2318586 - 2413843	97- 31640T 4	Alum.	N/A		N/A	
100 (1000SS/1000BP)		USA	2318586 - 2413843	97- 31640T 6	Magn.	N/A		N/A	
1000SS		USA	2484633 - 2836018	97- 31640T 4	Alum.	N/A		N/A	
1000SS		USA	2484633 - 2836018	97- 31640T 6	Magn.	N/A		N/A	
100	3 cylinder	USA	0B209468 - 0D283221	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9793577 - 9793576						
100	3 cylinder	USA	0B209468 - 0D283221	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		BEL	9793577 - 9793576						

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
100	3 cylinder	USA	0D283222 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
100	3 cylinder	USA	0D283222 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
		BEL	9793577 and up						
100	3 cylinder	USA	0D283222 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
110 (1100)		USA	1870204 - 2314955	97- 31640T 4	Alum.	N/A		N/A	
110 (1100)		USA	1870204 - 2314955	97- 31640T 6	Magn.	N/A		N/A	
115 (115, 1150)	6 cylinder	USA	2836019 - 6435122	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8008665 and up						
		CAN	7010763 and up						
115 (115, 1150)	6 cylinder	USA	2836019 - 6435122	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8008665 and up						
		CAN	7010763 - 7208847						
115	6 cylinder	USA	6436123 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		CAN	7208848 and up						
115	6 cylinder	USA	6436123 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		CAN	7208848 and up						
115	4 cylinder	USA	0C100000 - 0D283221	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL	9559771 - 9793576						
115	4 cylinder	USA	0C100000 - 0D283221	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		BEL	9559771 - 9793576						
115	3 cylinder	USA	0D283222 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
115	3 cylinder	USA	0D283222 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
		BEL	9793577 and up						
115	3 cylinder	USA	0D283222 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
115 Optimax	3 cylinder, 1.5L	USA	0T801000 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
115 Optimax		USA	0T801000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-115	6 cylinder, DFI	USA	0G960500 - 0T178499	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
125 (1250)	6 cylinder	USA	2314956 - 3293233	97- 31640T 4	Alum.	N/A		N/A	
125 (1250)		USA	2314956 - 3293233	97- 31640T 6	Magn.	N/A		N/A	
125	3 cylinder	USA	0D283222 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
125	3 cylinder	USA	0D283222 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
		BEL	9793577 and up						
125	3 cylinder	USA	0D283222 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL	9793577 and up						
140 (140, 1400)	6 cylinder	USA	3293234 and up	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8052650 and up						
		CAN	7112773 and up						
140 (140, 1400)	6 cylinder	USA	3293234 and up	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8052650 and up						
		CAN	7112773 and up						
150 (1500)	6 cylinder	USA	3502806 - 4865677	97- 31640T 4	Alum.	N/A		N/A	
		AUS	8005615 - 8052649						
		CAN	7010533 - 7112772						
150 (1500)	6 cylinder	USA	3502806 - 4865677	97- 31640T 6	Magn.	N/A		N/A	
		AUS	8005615 - 8052649						
		CAN	7010533 - 7112772						
V-135/150/175	Carb-EFI-DFI	USA	0A904646 - 0D081999	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-135/150/175	Carb-EFI-DFI	USA	0A904646 - 0D081999	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
V-135/150/XR6/175	Carb-EFI-DFI	USA	0D082000 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-135/150/XR6/175	Carb-EFI-DFI	USA	0D082000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-135/150/XR6/175	Carb-EFI-DFI	USA	0D082000 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.

Model	Model Notes		Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
V-135/150/XR6/175	Carb-EFI-DFI w/ flat anode	USA	0D082000 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-135/150/XR6/175	Carb-EFI-DFI w/ flat anode	USA	0D082000 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-150 XR-2		USA	4868998 - 6616990	97- 31640T 4	Alum.	89949A 1	Alum.	N/A	
V-150 XR-2		USA	4868998 - 6616990	97- 31640T 6	Magn.	89949A 1	Alum.	N/A	
V-150 XR-2		USA	6616991 - 0A904646	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-150 XR-2		USA	6616991 - 0A904646	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
V-150 XR-4	Bottom inserted screw	USA	0B242885 - 0D081999	97- 15300	Zinc	97-818298T 1	Alum.	N/A	
V-150 XR-4	Top inserted screw	USA	0B242885 - 0D081999	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-200	Carb	USA	5464486 - 6055032	97- 31640T 4	Alum.	89949A 1	Alum.	N/A	
V-200	Carb	USA	5464486 - 6055032	97- 31640T 6	Magn.	89949A 1	Alum.	N/A	
V-200 (2.4/2.5L)	Carb & EFI	USA	5624878 - 0D081999	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-200 (2.4/2.5L)	Carb & EFI	USA	5624878 - 0D081999	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
V-200 (2.4/2.5L)	Carb & EFI	USA	0D082000 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-200 (2.4/2.5L)	Carb & EFI	USA	0D082000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-200 (2.4/2.5L)	Carb & EFI	USA	0D082000 and up	8M0236553	EDP	97-818298T 1	Alum.	97-826134T	Alum.
V-200 (2.4/2.5L)	Carb-EFI w/ flat anode	USA	0D082000 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-200 (2.4/2.5L)	Carb-EFI w/ flat anode	USA	0D082000 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-200 (3.0L)	EFI-DFI-DTS w/ flate anode	USA	0G386496 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-200 (3.0L)	EFI-DFI-DTS w/ flate anode	USA	0G386496 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-220 Laser		USA	0B117316 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-220 Laser		USA	0B117316 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
V-225 (2.4L)		USA	5628028 - 6073191	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-225 (2.4L)		USA	5628028 - 6073191	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
V-225 (3.0L)	Carb, C-2 Casting w/ trim tab	USA	0D280813 - 0G437999	97-822777Q 1	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-225 (3.0L)	Carb, C-2 Casting w/ trim tab	USA	0D280813 - 0G437999	N.L.A.	EDP	97-818298T 3	Magn.	97-826134T 3	Magn.
V-225 (3.0L)	Carb, C-2 Casting w/ flat anode	USA	0D280813 - 0G437999	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-225 (3.0L)	Carb, C-2 Casting w/ flat anode	USA	0D280813 - 0G437999	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-225 (3.0L)	Carb, C-3 Casting w/ flat anode	USA	0G438000 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-225 (3.0L)	Carb, C-3 Casting w/ flat anode	USA	0G438000 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-225/250 (3.0L)	EFI-DFI-DTS w/ flat anode	USA	0G129222 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-225/250 (3.0L)	EFI-DFI-DTS w/ flat anode	USA	0G129222 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-250/275	Carb	USA	0C101891 and up	NLA	EDP	89949A 1	Alum.	N/A	
V-3.4 Litre		USA	5611648 and up	N.L.A.		89949A 1	Alum.	N/A	

ACCENT PANELS

REDLINE RED ACCENT PANEL - 3.4L V6



100-**8M0142211**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

Fits: 3.4L V6 FourStroke Outboards

PACIFIC BLUE ACCENT PANEL - 3.4L V6

100-**8M0142212**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

3.4L V6 FourStroke Outboards

MERCURY SILVER ACCENT PANEL - 3.4L V6

100-**8M0142213**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

3.4L V6 FourStroke Outboards

GRAPHITE GRAY ACCENT PANEL - 3.4L V6

100-**8M0142214**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

3.4L V6 FourStroke Outboards

PRO BLACK (MATTE FINISH) ACCENT PANEL - 3.4L V6

100-**8M0142215**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

3.4L V6 FourStroke Outboards

READY-FOR-PAINT ACCENT PANEL - 3.4L V6

100-**8M0142216**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable). Perfect option for a customer looking to paint match a specific color.

3.4L V6 FourStroke Outboards

REDLINE RED ACCENT PANEL - V8 4.6L
100-**8M0142205**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

4.6L V8 FourStroke Outboards

PACIFIC BLUE ACCENT PANELS - 4.6L V8
100-**8M0142206**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

4.6L V8 FourSroke Outboards

MERCURY SILVER ACCENT PANEL - 4.6L V8
100-**8M0142207**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

4.6L V8 FourStroke Outboards

GRAPHITE GRAY ACCENT PANELS - V8 4.6L
100-**8M0142208**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

4.6L V8 FourStroke Outboards

PRO BLACK (MATTE FINISH) ACCENT PANEL - 4.6L V8
100-**8M0142209**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable).

4.6L V8 FourStroke Outboards

READY-FOR-PAINT ACCENT PANEL - 4.6L V8
100-**8M0142210**

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable). Perfect option for any customer looking to paint match a specific color.

4.6L V8 FourStroke Outboards

REDLINE RED ACCENT PANEL KIT
94-**8M0203820**

Kit includes: Panels, 3D Mercury Lenz, V10 Decal, M-Icon, and alignment guide

For 350/400/425 5.7L V10 Verado Outboards

PACIFIC BLUE ACCENT PANEL KIT
94-**8M0203821**

Kit includes: Panels, 3D Mercury Lenz, V10 Decal, M-Icon, and alignment guide

For 350/400/425 5.7L V10 Verado Outboards

MERCURY SILVER ACCENT PANEL KIT
94-**8M0203822**

Kit includes: Panels, 3D Mercury Lenz, V10 Decal, M-Icon, and alignment guide

For 350/400/425 5.7L V10 Verado Outboards

GRAPHITE GREY ACCENT PANEL KIT
94-**8M0203823**

Kit includes: Panels, 3D Mercury Lenz, V10 Decal, M-Icon, and alignment guide

For 350/400/425 5.7L V10 Verado Outboards

PRO BLACK ACCENT PANEL KIT
94-**8M0203824**

Kit includes: Panels, 3D Mercury Lenz, V10 Decal, M-Icon, and alignment guide

For 350/400/425 5.7L V10 Verado Outboards

PAINT READY ACCENT PANEL KIT
94-**8M0203825**

Kit includes: Panels, 3D Mercury Lenz, V10 Decal, M-Icon, and alignment guide

For 350/400/425 5.7L V10 Verado Outboards

350HP DECAL



37-**8M0204800**

Only need to purchase HP decal separately

For 5.7L V10 350hp Verado Outboards

400HP DECAL



37-**8M0204801**

Only need to purchase HP decal separately

For 5.7L V10 400hp Verado Outboards

350HP SEAPRO DECAL



37-**8M0204802**

Only need to purchase HP decal separately

For 5.7L V10 350hp SeaPro AMS Outboards

AVATOR ACCESSORIES

BATTERY BAG



8M0211714

Battery Bag for Avator 1 kWh Li-Ion battery.

MOTOR BAG



8M0211715

Motor carrying bag with wheels and straps to easy transport.
For Avator short shaft version 7.5e, 20/35e

AVATOR BAG SET



8M0211716

Bag set for combination battery and motor carrying

AVATOR 7.5E ENGINE COVER



8M0217517

Protects cowling and reflects sun rays
Battery tray easy to open (zipper system)

MERCURY, MARINER 3-CYLINDER (70, 75, 80, 90 HP)

GEAR HOUSING ASSEMBLY COMPLETE



1667- **9011J16**

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth.
Includes the newer 6 jaw reverse clutch and a new powerhead gasket with upper shift shaft for correct throw

Fits Mercury 75-125 hp. 2-cycle outboards with 3 jaw reverse clutch

GEAR HOUSING ASSEMBLY COMPLETE



1667- **9011J15**

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth.
Fits Mercury 75-125 hp. 2-cycle outboards with 6 jaw reverse clutch

MERCURY MARINER 4-CYLINDER (100, 115, 125 HP)

GEAR HOUSING ASSEMBLY COMPLETE



1667- **9011J 6**

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.
Fits Mercury 100/115/125 hp. (4 cylinder) 2-cycle outboards with 6 jaw reverse clutch

GEAR HOUSING ASSEMBLY COMPLETE



1667- **9011J16**

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth.
Includes the newer 6 jaw reverse clutch and a new powerhead gasket with upper shift shaft for correct throw

Fits Mercury 75-125 hp. 2-cycle outboards with 3 jaw reverse clutch


GEAR HOUSING ASSEMBLY COMPLETE



1667- **9011J15**

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth.
Fits Mercury 75-125 hp. 2-cycle outboards with 6 jaw reverse clutch

GEAR HOUSING ASSEMBLY COMPLETE



1667- **9011J 7**

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.
Fits Mercury 100/115/125 hp. (4 cylinder) 2-cycle outboards with 3 jaw reverse clutch.

GEAR HOUSING ASSEMBLY COMPLETE



1667- **9011J37**

Black, 2.33:1 gear ratio. 20" long shaft length. 12 pinion teeth.
Fits Mercury 75-90 hp. (3-cylinder) 2-cycle OptiMax/DFI outboards.

1667- **9011J33**

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.
Fits Mercury 115 hp. (3-cylinder) 2-cycle OptiMax/DFI outboards.

1667- **9011J39**

Black, 2.33:1 gear ratio. 25" extra long shaft length. 12 pinion teeth.
Fits Mercury 75-90 hp. (3-cylinder) 2-cycle OptiMax/DFI outboards.

1667- **9011J35**

Black, 2.07:1 gear ratio. 25" extra long shaft length. 14 pinion teeth.
Fits Mercury 75-115 hp. (3-cylinder) 2-cycle OptiMax/DFI outboards.

MERCURY, MARINER V-6

GEARCASE ASSEMBLY COMPLETE



1647- **9148T81**

Black, 2:1 ratio. 20" long shaft. 14 pinion teeth.
Standard Rotation (RH).

Fits Mercury 135-200 (2.5L) V-6 outboards

1647- **9148T82**

Black, 2:1 ratio. 25" extra long shaft. 14 pinion teeth.
Standard Rotation (RH)

Fits Mercury 135-200 (2.5L) V-6 outboards

1647- **9148T84**

Black, 1.87:1 ratio. 20" long shaft. 15 pinion teeth.
Standard Rotation (RH)

Fits Mercury 135-200 (2.5L) V-6 outboards

1647- **9148T85**

Black, 1.87:1 ratio. 25" extra long shaft. 15 pinion teeth.
Standard Rotation (RH)

Fits Mercury 135-200 (2.5L) V-6 outboards

1647- **9148T86**

Black, 1.87:1 ratio. 25" extra long shaft. 15 pinion teeth.
Counter Rotation (LH)

Fits Mercury 135-200 (2.5L) V-6 outboards

OUTBOARD GEARCASE ASSEMBLY



1600-**8M0236231**

Black, 1.75 Gear Ratio, 20 " shaft. 12 pinion teeth, Standard Rotation (RH)13-Spline driveshaft.

Fits Mercury or Mariner 200, 225, 250 horsepower 3.0L OptiMax/DFI outboards. (s/n 1B504988 and prior)

1600-**8M0236242**

Black, 1.75 Gear Ratio, 25 " shaft. 12 pinion teeth, Standard Rotation (RH)13-Spline driveshaft.

Fits Mercury or Mariner 200, 225, 250 horsepower 3.0L OptiMax/DFI outboards. (s/n 1B504988 and prior)

GEARCASE ASSEMBLY COMPLETE



1600-**8M0236258**

Black, 1.85:1 gear ratio, 25 inch. 13 pinion teeth. (CXL model) driveshaft length, left hand counter rotation

Fits the 6-cylinder Verado with 4.80-inch torpedo diameter

1600-**8M0236259**

Black, 1.85:1 gear ratio, 30 inches. 13 pinion teeth. (XXL model) driveshaft length, right hand rotation

Fits the 6-cylinder Verado with 4.80-inch torpedo diameter

OUTBOARD GEARCASE ASSEMBLY



1623-**8M0236249**

Black, 1.75 Gear Ratio, 30 " shaft. 12 pinion teeth, Counter Rotation (LH) 13 spline driveshaft.

Fits Mercury or Mariner 200, 225, 250 horsepower 3.0L OptiMax/DFI outboards. (s/n 1B504988 and prior)

GEARCASE ASSEMBLY COMPLETE

1600-**8M0236250**

Black, 20 inch (L model) shaft length. 12 pinion teeth, right hand rotation

Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

1600-**8M0236251**

Black, 25-inch (XL model) shaft length. 12 pinion teeth, right hand rotation

Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

1600-**880686A51**

Black, 30 inch (XXL model) shaft length. 12 pinion teeth, right hand rotation

Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

1600-**880686A52**

Black, 25 inch (CXL model) shaft length. 12 pinion teeth, left hand counter rotation

Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

1600-**880686A53**

Black, 30 inch (CXXL model) shaft length. 12 pinion teeth, left hand counter rotation

Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

TORQ MASTER I GEARCASE ASSEMBLY



1600-**8M0236271**

Silver, 1.75:1 gear ratio, 20 inch. 12 pinion teeth. (L model) driveshaft length

Fits the 3.0L Pro XS, right hand rotation, may only be used in Torque Master I applications. Torque Master II may not be substituted.

TORQ MASTER I GEARCASE ASSEMBLY



1689-**8M0072953**

Silver, 1.75:1 gear ratio, 25 inch. 12 pinion teeth. (XL model) driveshaft length

Fits the 3.0L Pro XS, right hand rotation, may only be used in Torque Master I applications. Torque Master II may not be subtituted.

MERCURY 40-60 HP 4-STROKE OUTBOARD BIGFOOT GEARCASES

GEARCASE ASSEMBLY COMPLETE



1667- **9011G90**

Black, 2.33:1 gear ratio. 20" long shaft length. 12 pinion teeth.

Fits Mercury 40-60 hp Bigfoot 4-Stroke Outboards. (s/n 1C033810 & Below Bigfoot)

MERCURY 75, 90 & 115 HP 4-STROKE OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1667- **9011J 2**

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.

Fits Mercury 75-115 hp 4-Cylinder, 4-Stroke Outboards. (s/n 0G960500 – 0T598999)

1600-**888845T01**

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.

Fits Mercury 115 hp 4-Cylinder, 4-Stroke Outboards. (s/n 0T801000 – above)

1600-**888845T02**

Black, 2.07:1 gear ratio. 25" extra long shaft length. 14 pinion teeth.

Fits Mercury 115 hp 4-Cylinder, 4-Stroke Outboards. (s/n 0T801000 – above)

1667- **9011J29**

Black, 2.33:1 gear ratio. 20" long shaft length. 12 pinion teeth.

Fits Mercury 75-90 hp 4-Cylinder, 4-Stroke Outboards. (s/n 0T599000 – 0T800999)

1600-**888845T03**

Black, 2.33:1 gear ratio. 20" long shaft length. 12 pinion teeth.

Fits Mercury 75-90-115 hp 4-Cylinder, 4-Stroke Outboards. (s/n 1B172291 – 1B366822)

MERCURY 150 HP 4-STROKE OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1600-**8M0099218**
Black, 1:92:1 gear ratio. 20" long shaft length. 13 pinion teeth.
Fits Mercury 150 hp 4-Cylinder, 4-Stroke Outboards. (s/n 2B138363 - above)

1600-**8M0099221**
Black, 1:92:1 gear ratio. 25" extra long shaft length. 13 pinion teeth.
Fits Mercury 150 hp 4-Cylinder, 4-Stroke Outboards. (s/n 2B138363 - above)

VERADO 135-200 L4 OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1600-**8M0236261**
Black, RH, 2.08:1 gear ratio. 20" (L) long shaft length. 13 pinion teeth.
Fits Mercury 135, 150, 175, 200 hp L4 Verado

1600-**8M0236262**
Black, RH, 2.08:1 gear ratio. 25" (XL) extra long shaft length. 13 pinion teeth.
Fits Mercury 135, 150, 175, 200 hp L4 Verado

1600-**8M0236263**
Black, LH, 2.08:1 gear ratio. 25" (CXL) extra long shaft length. 13 pinion teeth.
Fits Mercury 135, 150, 175, 200 hp L4 Verado

VERADO 200-275 L6 OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1600-**8M0236255**
Black, 1.85:1 gear ratio, 20 inch. 13 pinion teeth. (L model) driveshaft length, right hand rotation
Fits the 6-cylinder Verado with 4.80-inch torpedo diameter

1600-**8M0236256**
Black, 1.85:1 gear ratio, 25 inches. 13 pinion teeth. (XL model) driveshaft length, right hand rotation
Fits the 6-cylinder Verado with 4.80-inch torpedo diameter

1600-**8M0236258**
Black, 1.85:1 gear ratio, 25 inch. 13 pinion teeth. (CXL model) driveshaft length, left hand counter rotation
Fits the 6-cylinder Verado with 4.80-inch torpedo diameter

1600-**8M0236259**
Black, 1.85:1 gear ratio, 30 inches. 13 pinion teeth. (XXL model) driveshaft length, right hand rotation
Fits the 6-cylinder Verado with 4.80-inch torpedo diameter

1600-**8M0236260**
Black, 1.85:1 gear ratio, 30 inches. 13 pinion teeth. (CXXL model) driveshaft length, left hand counter rotation
Fits the 6-cylinder Verado with 4.80-inch torpedo diameter

VERADO 300 L6 OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1600-**8M0236264**
Black, 1.75:1 gear ratio, 20 inch. 12 pinion teeth (L model) driveshaft length, right hand counter rotation.
Fits the 6-cylinder Verado with 4.80-inch torpedo diameter.

1600-**8M0236267**
Black, 1.75:1 gear ratio, 20-inch, 12 pinion teeth, (CL model) driveshaft length, left hand counter rotation.
Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

1600-**8M0236265**
Black, 1.75:1 gear ratio, 25-inch, 12 pinion teeth, (XL model) driveshaft length, right hand counter rotation.
Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

1600-**8M0236269**
Black, 1.75:1 gear ratio, 25-inch, 12 pinion teeth, (CXL model) driveshaft length, left hand counter rotation.
Fits the 6-cylinder Verado with 4.80-inch torpedo diameter.

1600-**880686T56**
Black, 1.75:1 gear ratio, 30 inch, 12 pinion teeth, (XXL model) driveshaft length, right hand counter rotation.
Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

1600-**8M0236270**
Black, 1.75:1 gear ratio, 30-inch, 12 pinion teeth, (CXXL model) driveshaft length, left hand counter rotation.
Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

MERCRUISER

SPARK PLUGS - MERCRUISER

SPARK PLUG



33-**8M0129146**

AC, 41-983 (Platinum)
Fits MCM 496 Mag & HO and MIE 8.1L & HO
Priced individually, sold @ multiples of 4

SPARK PLUG



33-**862029**

AC, MR43LTS
Fits 2002-2016 MerCruiser 4.3L, 5.0L & 5.7L carbureted engines
Priced individually, sold @ multiples of 8

SPARK PLUG



33-**8M0204752**

AC, MR43T
Fits MerCruiser 2.5L & 3.0L (1974-1991), 4.3L (1985-1996), 5.0L & 5.7L (1977-1997), 7.4L (1981-1997) and 8.2L (1990-2001)
Priced individually, sold @ multiples of 8

SPARK PLUG



33-**813425**

NGK, AR6FS
Fits 215 MCM & MIE (Ford) 302 V8 1970-1972 (2781153-3563181), 225 MCM & MIE (Ford) 302 V8 1973-1974 (3385721-4166999), 888 (Ford) 302 V8 1971-1977 (3108723-4887829), 233 MCM & MIE (Ford) 351 V8 1975-1977 (4173000-4902304), 255 MCM & MIE (Ford) 351 V8 1973-1980 (3258728-5907057). Replacement for NGK AR6FS
Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176622**

NGK, BPR5EFS-13
Fits MCM 4.5L & 6.2L Mercury engines
Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176649**

NGK, BPR6ES
Fits 2010 and newer MerCruiser 8.2L MPI engines
Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176613**

NGK, BPR6EFS

Fits 1998-2001 MerCruiser 3.0L, 4.3L, 5.0L, 5.7L & 7.4L engines
Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0176634**

NGK, BPR6FS

Fits MerCruiser 3.7L engines
Priced individually, sold @ multiples of 10

SPARK PLUG



33-**813471 1**

NGK, BR6ES

Fits MerCruiser 110 L4 1963-1966 (1537370-2044033), 120 L4 1964-1974 (1666601-3825578), 140 L4 1968-1974 (2508261-3826282), 140 L6 1963 (1538930-1725960), 150 L6 1964-1966 (1666495-2048046), 160 L6 1967-1969 (2048022-2770031), 165 L6 1970 (2770032-2771483), 200 L6 1969 (2453769-2712072). Replacement for NGK BR6ES

Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176673**

NGK, ITR4A15 (Iridium)

Fits 2001 & newer MCM/MIE 4.3L, 5.0L, 5.7L & 6.2L MPI engines with ECM 555.
Note: Replaces AC# 41-101, 41-932 & 41-993
Priced individually, sold @ multiples of 4

SPARK PLUG



33-**8M0176651**

NGK, R5673-8

Priced individually, sold @ multiples of 10

SPARK PLUG



33-**8M0046007**

NGK, TR51X (Iridium)

Fits 1999-2001 MerCruiser 350 Mag MPI Horizon engines
Priced individually, sold @ multiples of 4

SPARK PLUG - SHOP PACK



33-**8M0176674**

NGK ITR4A15

25 spark plugs in one shop package

33-**8M0176614**

NGK, BR6FS, check and set gap per owner's manual or the emissions control information decal if present.

25 spark plugs in one shop package.

SPARK PLUG



33-**8M0176633**

NGK, BKR6ES, check and set gap per owner's manual or the emissions control information decal if present.

Fits 2012 and newer MCM Racing 520, 540 & 565 EFI engines (s/n 0M967821 and up)

SPARK PLUG CHART - MERCRUISER

MCM Spark Plug Chart

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
100 Vazer	98/ L4	Delco - HEI	2007 - 2009	1A035000 and up	33-896329818	.035
110	153/ L4	Delco	1963 - 1966	1537370 - 2044033	33-813471 1	.035
120	153/ L4	Delco	1964 - 1974	1666601 - 3825578	33-813471 1	.035
120	153/ L4	Delco	1974 - 1986	3825579 - 0B531853	33-8M0204752	.035
2.5L	153/ L4	Delco	1987 - 1989	0B531854 - 0C853255	33-8M0204752	.035
140	181/ L4	Delco	1968 - 1974	2508261 - 3826282	33-813471 1	.035
140	181/ L4	Delco	1974 - 1986	3826283 - 0B450800	33-8M0204752	.035
3.0L	181/ L4	Delco	1987 - 1989	0B450801 - 0C856558	33-8M0204752	.035
3.0L	181/ L4	Prestolite	1990 - 1991	0C856559 - 0D504541	33-8M0204752	.035
3.0L	181/ L4	Delco Digital	1990 - 1991	0C856559 - 0D504541	33-8M0204752	.035
3.0L	181/ L4	EST	1991 - 1994	0D504542 - 0F603999	33-816336Q	.035
3.0L	181/ L4	EST	1998	0L010042 - 0L340999	33-816336Q	.035
3.0L	181/ L4	EST	1999 - 2016	0L341000 - 2A506300	33-862029	.045
3.0L MPI	181/ L4	EST	2008 - 2016	1A072812 - 2A502810	33-862029	.045
3.0LX	181/ L4	Prestolite	1990 - 1991	0C856559 - 0D504541	33-8M0204752	.035
3.0LX	181/ L4	Delco Digital	1990 - 1991	0C856559 - 0D504541	33-816336Q	.035
3.0LX	181/ L4	EST	1991 - 1997	0D504542 - 0K999999	33-816336Q	.035
165	224/ L4	Delco	1987	0B434940 - 0B77451	33- 97389	.035
170	224/ L4	Delco	1985 - 1986	6916779 - 0B434940	33- 97389	.035
180	224/ L4	Delco & Prestolite	1987	0B436391 - 0B775248	33- 97389	.035
190	224/ L4	Delco	1985 - 1986	6916779 - 0B436390	33- 97389	.035
3.7L	224/ L4	Delco	1988 - 1989	0B774252 and up	33- 97389	.035
3.7LX	224/ L4	Delco & Prestolite	1988 - 1989	0B775249 and up	33- 97389	.035
470	224/ L4	Delco	1976 - 1984	4208730 - 6916778	33- 97389	.035
485	224/ L4	Delco	1980 - 1982	5685394 - 6218036	33- 97389	.035
488	224/ L4	Delco	1983 - 1984	6170297 - 6916778	33- 97389	.035
140	194/ L6	Delco	1963	1538930 - 1725960	33-813471 1	.035
150	230/ L6	Delco	1964 - 1966	1666495 - 2048046	33-813471 1	.035
160	250/ L6	Delco	1967 - 1969	2048022 - 2770031	33-813471 1	.035
165	250/ L6	Delco	1970	2770032 - 2771483	33-813471 1	.035
165	250/ L6	Delco	1971 - 1981	2771484 - 5813433	33-8M0204752	.035
200	292/ L6	Delco	1969	2453769 - 2712072	33-813471 1	.035
185 (4 bbl.)	229/ V-6	Prestolite	1983 - 1984	6330183 - 6919655	33-8M0204752	.035
175	262/ V-6	Thunderbolt IV	1987	0B527955 - 0B773242	33-8M0204752	.035
185 (2 bbl.)	262/ V-6	Thunderbolt IV	1985 - 1987	6919656 - 0B527954	33-8M0204752	.035
205	262/ V-6	Thunderbolt IV	1985 - 1987	0A331455 - 0B775129	33-8M0204752	.035
262 Mag.(TBI)(Gen+)	262/ V-6	Delco - HEI	1996 - 1997	0F803800 - 0K999999	33-862029	.045
4.3L	262/ V-6	Thunderbolt IV	1988 - 1993	0B773243 - 0F000877	33-8M0204752	.035
4.3L	262/ V-6	Thunderbolt IV	1993 - 1996	0F000878 - 0F802999	33-8M0204752	.040
4.3L (Gen +)	262/ V-6	Thunderbolt V	1998 - 2004	0L010044 - 0W300012	33-862029	.045
4.3L TKS	262/ V-6	Thunderbolt V	2004 - 2015	0W300013 - 2A454127	33-862029	.060
4.3L EFI (Gen+)(TBI)	262/ V-6	Delco & Mercury - HEI	1998 - 2001	0L012009 - 0M299999	33-862029	.045
4.3L MPI	262/ V-6	Delco - HEI	2002 - 2016	0M300000 - 2A506375	33-8M0204739	.060
4.3L MPI EC	262/ V-6	Delco - HEI	2011 - 2016	1A637496 - 2A528897	33-8M0204739	.060
4.3LH (Gen +)	262/ V-6	Thunderbolt IV	1998 - 2002	0L010044 - 0M614999	33-862029	.045
4.3LX	262/ V-6	Thunderbolt IV	1988 - 1993	0B775130 - 0F001219	33-8M0204752	.035
4.3LX	262/ V-6	Thunderbolt IV	1993 - 1996	0F001220 - 0F802999	33-8M0204752	.040

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
4.3LX (Gen +)	262/ V-6	Thunderbolt IV	1996 - 1997	0F803000 - 0K999999	33-862029	.045
4.3LXH (Gen +)	262/ V-6	Thunderbolt IV	1996 - 1997	0F803000 - 0K999999	33-862029	.045
4.5L MPI	275/ V6	Mercury	2014 - 2026	2A441953 and up	33-8M0095454	.051
215 MCM & MIE (Ford)	302/ V-8	Mallory	1970 - 1972	2781153 - 3563181	33-813425	.030
225 MCM & MIE (Ford)	302/ V-8	All	1973 - 1974	3385721 - 4166999	33-813425	.030
888 (Ford)	302/ V-8	All	1971 - 1977	3108723 - 4887829	33-813425	.030
198 MIE	305/ V-8	Mallory	1977	4776402 - 4931099	33-8M0204752	.035
200	305/ V-8	Thunderbolt IV	1985 - 1987	6899058 - 0B774444	33-8M0204752	.035
228	305/ V-8	Mallory	1977 - 1982	4765100 - 6218461	33-8M0204752	.035
228	305/ V-8	Thunderbolt IV	1983 - 1984	6218462 - 6899268	33-8M0204752	.035
228 MIE	305/ V-8	Mallory	1977 - 1980	4765100 - 5907057	33-8M0204752	.035
230	305/ V-8	Thunderbolt IV	1985 - 1987	6899269 - 0B773739	33-8M0204752	.035
230 MIE (LH)	305/ V-8	Thunderbolt IV	1981 - 1987	5907058 - 0B788151	33-8M0204752	.035
230 MIE (RH)	305/ V-8	Thunderbolt IV	1981 - 1987	5907058 - 0B788151	33-8M0204752	.035
5.0L	305/ V-8	Thunderbolt IV	1988 - 1995	0B774445 - 0F600999	33-8M0204752	.035
5.0L (Gen +)	305/ V-8	Thunderbolt V	1998 - 2004	0L015751 - 0W300009	33-862029	.045
5.0L TKS	305/ V-8	Thunderbolt V	2004 - 2010	0W300010 - 1A607561	33-862029	.060
5.0L EFI (Gen +)	305/ V-8	Delco & Mercury - HEI	1998 - 2001	0L012052 - 0M299999	33-862029	.045
5.0L MIE (LH)	305/ V-8	Thunderbolt IV	1988	0B788152 - 0C396832	33-8M0204752	.035
5.0L MIE (RH)	305/ V-8	Thunderbolt IV	1988	0B788152 - 0C396832	33-8M0204752	.035
5.0L MPI	305/ V-8	Delco - HEI	2002 - 2014	0M300000 - 2A445009	33-8M0204739	.060
5.0L MPI EC	305/ V-8	Delco - HEI	2008 - 2014	1A300000 - 2A444777	33-8M0204739	.060
5.0LX	305/ V-8	Thunderbolt IV	1988 - 1995	0B773740 - 0F600999	33-8M0204752	.035
898	305/ V-8	Mallory	1977 - 1982	4762210 - 6218461	33-8M0204752	.035
898	305/ V-8	Thunderbolt IV	1983 - 1984	6218462 - 6899057	33-8M0204752	.035
225 MIE (GM)	327/ V-8	Thunderbolt	1968	2278647 - 2694014	N.L.A.	N/A
250 MCM & MIE	327/ V-8	Thunderbolt	1968 - 1969	2314301 - 2639854	N.L.A.	N/A
250	350/ V-8	Mallory	1977	4768000 - 4908849	33-8M0204752	.035
255 MCM & MIE (GM)	350/ V-8	Mallory & Mercury	1975 - 1976	3258728 - 4767999	33-8M0204752	.035
260	350/ V-8	Mallory	1978 - 1982	4908850 - 6218461	33-8M0204752	.035
260	350/ V-8	Thunderbolt IV	1982 - 1987	6218462 - 0B773304	33-8M0204752	.035
260 MIE (LH)	350/ V-8	Thunderbolt IV	1981 - 1987	5907058 - 0B788151	33-8M0204752	.035
260 MIE (RH)	350/ V-8	Thunderbolt IV	1981 - 1987	5907058 - 0B788151	33-8M0204752	.035
270 MCM & MIE	350/ V-8	Thunderbolt	1969 - 1972	2851074 - 3385720	N.L.A.	N/A
280 TRS	350/ V-8	Mercury	1975	4176250 - 4499390	33-8M0204752	.035
280 TRS	350/ V-8	Mallory	1976	4499391 - 4770199	33-8M0204752	.035
300	350/ V-8	Thunderbolt IV	1985 - 1986	6668677 - 0B430367	33-8M0204752	.035
320 EFI	350/ V-8	Thunderbolt IV	1987 - 1989	0A543604 - 0C622418	33-8M0204752	.035
350 Mag. Alpha	350/ V-8	Thunderbolt IV & V	1986 - 1997	0A635178 - 0K999999	33-8M0204752	.035
350 Mag. Alpha EFI (Gen+)	350/ V-8	Delco - HEI	1996	0K001509 - 0K999999	33-862029	.045
350 Mag. Bravo MPI	350/ V-8	Delco - HEI	1995	0F415189 - 0F601999	33-8M0204752	.035
350 Mag. Bravo MPI (Gen+)	350/ V-8	Delco - HEI	1996 - 1997	0F602000 - 0K999999	33-862029	.045
350 Mag. EFI Ski	350/ V-8	Delco - HEI	1994 - 1997	0F215561 - 0K999999	33-862029	.045
350 Mag. MPI (Gen+)	350/ V-8	Delco - HEI	1998	0L010019 - 0L325952	33-862029	.045
350 Mag. MPI (Gen+)	350/ V-8	Mercury -HEI	1999 - 2001	0L325953 - 0M299999	33-862029	.045
350 Mag. MPI	350/ V-8	Delco - HEI	2002 - 2015	0M300000 - 2A455872	33-8M0204739	.060
350 Mag. MPI EC	350/ V-8	Delco - HEI	2008 - 2015	1A300000 - 2A455878	33-8M0204739	.060
350 Mag. MPI Horizon	350/ V-8	Delco - HEI	2002 - 2007	0M300000 and up	33-8M0204739	.060
350 Mag. MPI Horizon MIE	350/ V-8	Mercury -HEI	1999 - 2001	0L304700 - 0M299999	33-8M0046007	.045
350 Mag. MPI Horizon MIE	350/ V-8	Delco - HEI	2002 - 2007	0M300000 - 1A089999	33-8M0204739	.060
350 Mag. MPI MIE (Gen+)	350/ V-8	Delco - HEI	1998	0L002008 - 0L302199	33-862029	.045

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
350 Mag. MPI MIE (Gen+)	350/ V-8	Mercury -HEI	1998 - 2001	0L302200 - 0M299999	33-862029	.045
350 Mag. MPI MIE	350/ V-8	Delco -HEI	2002 - 2007	0M300000 - 1A089999	33-8M0204739	.060
350 Mag. MPI Ski	350/ V-8	Delco - HEI	1995 - 1996	0F350583 - 0F799999	33-8M0204752	.035
350 Mag. MPI Ski (Gen+)	350/ V-8	Delco - HEI	1998	0L002600 - 0L304599	33-862029	.045
350 Mag. MPI Ski (Gen+)	350/ V-8	Mercury -HEI	1999 - 2001	0L304600 - 0M299999	33-862029	.045
350 Mag. MPI Ski	350/ V-8	Delco -HEI	2002 - 2007	0M300000 - 1A089999	33-8M0204739	.060
350 Mag. Ski	350/ V-8	Thunderbolt IV & V	1991 - 1997	0D505450 - 0K999999	33-8M0204752	.035
5.7L	350/ V-8	Thunderbolt IV & V	1988 - 1997	0B773305 - 0K999999	33-8M0204752	.035
5.7L (Gen +)	350/ V-8	Thunderbolt V	1998 - 2004	0L010037 - 0W300754	33-862029	.045
5.7L TKS	350/ V-8	Thunderbolt V	2004 - 2009	0W300755 - 1A600136	33-862029	.060
5.7L EFI	350/ V-8	Delco - HEI	1995 - 1997	0F225560 - 0K999999	33-8M0204752	.035
5.7L EFI (Gen +)	350/ V-8	Delco & Mercury - HEI	1998 - 2001	0L010035 - 0M299999	33-862029	.045
5.7L EFI MIE (Gen+)	350/ V-8	Delco - HEI	1997	0K040300 - 0K999999	33-862029	.045
5.7L MIE (LH)	350/ V-8	Thunderbolt IV	1988 - 1993	0B788152 - 0F024999	33-8M0204752	.035
5.7L MIE (RH)	350/ V-8	Thunderbolt IV	1988 - 1993	0B788152 - 0F024999	33-8M0204752	.035
5.7L MIE	350/ V-8	Thunderbolt IV	1993 - 1995	0F025000 - 0K999999	33-8M0204752	.035
5.7L MIE (Gen+)	350/ V-8	Thunderbolt V	1998 - 2004	0L002003 - 0W090899	33-862029	.045
5.7L MIE TKS	350/ V-8	Thunderbolt V	2004 - 2010	0W090900 - 1A092388	33-862029	.060
5.7L MPI Horizon MIE	350/ V-8	Delco -HEI	2008 - 2015	1A090000 - 2A455371	33-8M0204739	.060
5.7L MPI MIE	350/ V-8	Delco -HEI	2008 - 2015	1A090000 - 2A455523	33-8M0204739	.060
5.7L MPI MIE EC	350/ V-8	Delco -HEI	2008 - 2016	1A090000 - 2A455371	33-8M0204739	.060
5.7L MPI Tow Sports	350/ V-8	Delco -HEI	2008 - 2016	1A090000 - 2A455977	33-8M0204739	.060
5.7L MPI Tow Sports EC	350/ V-8	Delco -HEI	2008 - 2015	1A090000 - 2A452508	33-8M0204739	.060
5.7L Ski	350/ V-8	Prestolite & Mallory	1985 - 1995	0A338553 - 0F775199	33-8M0204752	.035
5.7L Ski	350/ V-8	Thunderbolt IV & V	1987 - 1997	0B514627 - 0K999999	33-8M0204752	.035
5.7L Ski	350/ V-8	Thunderbolt V	1998 - 2004	0L002005 - 0W090899	33-862029	.045
5.7L Ski TKS	350/ V-8	Thunderbolt V	2004 - 2011	0W090900 - 1A092837	33-862029	.060
5.7LX	350/ V-8	Thunderbolt V	1996 - 1997	0F601000 - 0K999999	33-8M0204752	.035
5.7LX Bravo EFI (Gen +)	350/ V-8	Delco - HEI	1996 - 1997	0F800300 - 0K999999	33-862029	.045
5.7LX EFI	350/ V-8	Delco - HEI	1996 - 1997	0F752400 - 0K999999	33-8M0204752	.035
Black Scorpion Ski (Gen+)	350/ V-8	Delco - HEI	1996 - 2002	0F800000 - 0M391599	33-862029	.045
Black Scorpion Ski (Gen+)	350/ V-8	Delco - HEI	2003 - 2007	0M391600 - 0W698432	33-8M0204739	.060
Scorpion 350	350/ V-8	Delco - HEI	2008 - 2015	0W698433 - 2A460164	33-8M0204739	.060
Scorpion 350 EC	350/ V-8	Delco - HEI	2008 - 2015	0W698433 - 2A460148	33-8M0204739	.060
233 MCM & MIE (Ford)	351/ V-8	Mercury & Prestolite	1975 - 1977	4173000 - 4902304	33-813425	.030
255 MIE & MCM (Ford)	351/ V-8	Mallory & Mercury	1973 - 1980	3258728 - 5907057	33-813425	.030
377 Mag	377/ V-8	Delco -HEI	2008 - 2015	1A300000 - 2A455858	33-8M0204739	.060
377 Mag EC	377/ V-8	Delco -HEI	2008 - 2015	1A300000 - 2A455601	33-8M0204739	.060
377 Scorpion MCM	377/ V-8	Delco - HEI	1999 - 2005	0L416146 - 0M907201	33-862029	.045
377 Scorpion Ski	377/ V-8	Delco - HEI	1997 - 1998	0K000656 - 0L600314	33-862029	.045
6.2L MPI (Mercury)	377/ V-8	Mercury	2015 - 2026	2A456613 and up	33-8M0095454	.051
MX 6.2L MPI	377/ V-8	Mercury -HEI	2000 - 2001	0L680003 - 0M299999	33-862029	.045
MX 6.2L MPI	377/ V-8	Delco -HEI	2002 - 2007	0M300000 - 1A299999	33-8M0204739	.060
MX 6.2L MPI Horizon	377/ V-8	Delco -HEI	2002 - 2007	0M300000 and up	33-8M0204739	.060
MX 6.2L MPI Horizon MIE	377/ V-8	Delco -HEI	2002 - 2015	0M300000 - 2A452368	33-8M0204739	.060
MX 6.2L MPI MIE	377/ V-8	Mercury -HEI	1999 - 2001	0L670000 - 0M299999	33-862029	.045
MX 6.2L MPI MIE	377/ V-8	Delco -HEI	2002 - 2007	0M300000 and up	33-8M0204739	.060
6.2L MPI MIE EC	377/ V-8	Delco -HEI	2008 - 2015	1A090000 - 2A455246	33-8M0204739	.060
MX 6.2L MPI Ski	377/ V-8	Delco -HEI	2002 - 2007	0M317000 - 0W689999	33-8M0204739	.060
MX 6.2L Blk Scorpion Ski	377/ V-8	Delco - HEI	2001 - 2002	0L670015 - 0M391599	33-862029	.045
MX 6.2L Blk Scorpion Ski	377/ V-8	Delco - HEI	2003 - 2007	0M391750 - 0W698432	33-8M0204739	.060
Scorpion 377	377/ V-8	Delco - HEI	2008 - 2015	0W698433 - 2A460138	33-8M0204739	.060
Scorpion 377 HO EC	377/ V-8	Delco - HEI	2009 - 2010	1A091488 - 1A092170	33-8M0204739	.060

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
325 MCM & MIE	427/ V-8	Thunderbolt	1969 - 1974	2278747 and up	33-813421 4	.035
330 MCM & MIE	454/ V-8	Mallory	1977 - 1981	4623115 - 6083144	33-8M0204752	.035
330 MCM & MIE	454/ V-8	Thunderbolt	1977 - 1981	4623115 - 6083144	33-813421 4	.035
330	454/ V-8	Thunderbolt IV	1982 - 1987	6083145 - 0B816540	33-8M0204752	.035
340 MIE	454/ V-8	Thunderbolt IV	1981 - 1987	5889914 - 0B788365	33-8M0204752	.035
350 MIE	454/ V-8	Thunderbolt	1974 - 1976	3780450 - 4623109	33-813421 4	.035
370 TRS	454/ V-8	Mallory	1978 - 1985	4179554 - 6721527	33-813421 4	.035
370 TRS	454/ V-8	Holley	1978 - 1985	4883520 - 6721527	33-8M0204752	.035
370 TRS	454/ V-8	Thunderbolt IV	1985 - 1987	6721528 - 0B714586	33-8M0204752	.035
400 TRS	454/ V-8	Mallory	1980 - 1986	5668232 - 0B457644	33-813421 4	.035
400 TRS	454/ V-8	Holley	1980 - 1986	5668232 - 0B457644	33-8M0204752	.035
420	454/ V-8	Thunderbolt IV	1987 - 1989	0A398941 - 0B622418	33-8M0204752	.035
425	454/ V-8	Thunderbolt IV	1990 - 1993	0B622419 - 0D937011	33-8M0204752	.035
440 TRS	454/ V-8	Mallory	1983 - 1986	6181070 - 0B485220	33-813421 4	.035
440 TRS	454/ V-8	Holley	1983 - 1986	6181070 - 0B485220	33-8M0204752	.035
450	454/ V-8	Thunderbolt IV	1995 - 1996	0F347100 - 0F347277	33-8M0204752	.035
454 Mag. Alpha	454/ V-8	Thunderbolt IV	1986 - 1988	0A631894 - 0B785148	33-8M0204752	.035
454 Mag. Bravo	454/ V-8	Thunderbolt IV	1988 - 1997	0B721206 - 0K999999	33-8M0204752	.035
454 Mag. EFI	454/ V-8	Delco - HEI	1994 - 1996	0F115700 - 0F802349	33-8M0204752	.035
454 Mag. EFI Ski	454/ V-8	Delco - HEI	1995 - 1996	0F215800 - 0F820099	33-8M0204752	.035
454 Mag. MPI	454/ V-8	Delco - HEI	1996 - 2001	0F802350 - 0M024999	33-8M0204752	.040
454 Mag. MPI Horizon MIE	454/ V-8	Delco - HEI	1998 - 2001	0L002200 - 0L674000	33-8M0204752	.040
454 Mag. MPI Ski	454/ V-8	Delco - HEI	1996 - 1997	0F820100 - 0K999999	33-8M0204752	.040
525 SC	454/ V-8	Thunderbolt IV	1991 - 1999	0D456000 - 0L415623	33-8M0204752	.035
7.4L Bravo	454/ V-8	Thunderbolt IV	1988 - 1997	0B771113 - 0K999999	33-8M0204752	.035
7.4L EFI MIE	454/ V-8	Delco - HEI	1996 - 1997	0F874815 - 0K999999	33-8M0204752	.035
7.4L MIE	454/ V-8	Thunderbolt IV & V	1981 - 1997	5889914 - 0K999999	33-8M0204752	.035
7.4L MPI (L29)	454/ V-8	Delco - HEI	1998 - 2001	0L010003 - 0M024330	33-816336Q	.045
7.4L MPI MIE	454/ V-8	Delco - HEI	1995 - 1997	0F563052 - 0K999999	33-8M0204752	.035
7.4L MPI MIE (L29)	454/ V-8	Delco - HEI	1998 - 2001	0L002006 - 0L674613	33-816336Q	.045
7.4LX Bravo EFI	454/ V-8	Delco - HEI	1996 - 1997	0F820000 - 0K999999	33-8M0204752	.035
7.4LX Bravo MPI	454/ V-8	Delco - HEI	1996 - 1997	0F602010 - 0K999999	33-8M0204752	.035
460 TRS	482/ V-8	Mallory & Holley	1983 - 1986	6180970 - 6181046	33-813421 4	.035
496 Mag & HO	496/ V-8	Delco	2001 - 2010	0M025000 - 1A352731	33-8M0129146	.060
496 Mag & HO EC	496/ V-8	Delco	2008 - 2010	1A066166 - 1A350440	33-8M0129146	.060
8.1S & HO MIE	496/ V-8	Delco	2001 - 2010	0M026000 - 1A380318	33-8M0129146	.060
8.1S & HO MIE EC	496/ V-8	Delco	2008 - 2010	0W697154 - 1A380251	33-8M0129146	.060
500	502/ V-8	Thunderbolt IV	1994 - 1998	0F213293 - 0L001772	33-8M0204752	.035
500 (Gen +)	502/ V-8	Thunderbolt IV	1999	0L414639 - 0L601036	33-8M0204752	.035
500 EFI	502/ V-8	Delco - HEI	1998 - 2005	0L001477 and up	33-8M0204752	.035
502 Mag.	502/ V-8	Thunderbolt IV	1990 - 1993	0C878221 - 0F114528	33-8M0204752	.035
502 Mag. EFI	502/ V-8	Delco - HEI	1993 - 1996	0D840650 - 0F802599	33-8M0204752	.035
502 Mag. MPI	502/ V-8	Delco - HEI	1996 - 2001	0F802600 - 0M024999	33-8M0204752	.040
525 EFI	502/ V-8	Mercury - HEI	2003 - 2026	0M900146 and up	33-8M0114747	.035
575 SCi	502/ V-8	Delco - HEI	2000 - 2005	0L306696 - 0M950526	33-813421 4	.040
600 SC	502/ V-8	Thunderbolt IV	1991 - 1993	0D456489 - 0D763875	33-8M0204752	.035
600 SC	502/ V-8	Thunderbolt IV	1993 - 1996	0D763876 - 0F877642	33-813421 4	.035
8.2L Mag	502/ V-8	Mercury - HEI	2010 - 2026	1A351597 and up	33-8M0114747	.060
8.2L Mag EC	502/ V-8	Mercury - HEI	2010 - 2026	1A350340 and up	33-8M0114747	.006
8.2L MIE	502/ V-8	Thunderbolt IV & V	1990 - 1996	0C878221 - 0F819619	33-8M0204752	.035
8.2L MIE	502/ V-8	Mercury - HEI	2010 - 2026	1A350802 and up	33-8M0114747	.060
8.2L MIE EC	502/ V-8	Mercury - HEI	2010 - 2026	1A350802 and up	33-8M0114747	.060

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
8.2L MPI MIE	502/ V-8	Delco - HEI	1996 - 2001	0F819620 - 0L674200	33-8M0204752	.040
500 Bulldog	540/ V-8	Thunderbolt IV	1990 - 1996	0C577003 - 0F745405	33-8M0204752	.035
500 Bulldog	540/ V-8	Thunderbolt IV	1997 - 2001	0K000248 - 0M050281	33-8M0204752	.040
575	540/ V-8	Thunderbolt IV	1986 - 1992	0A677429 - 0D763716	33-813421 4	.035
800SC	572/ V-8	Thunderbolt IV	1993 - 1996	0D763836 - 0F877725	33-813421 4	.035
800SC	572/ V-8	Thunderbolt IV	1997 - 2026	0K000223 and up	33-813421 4	.040

CUSTOM ENGINE COVERS

ENGINE COVER WITH FLAME GRAPHICS



879147T94

Want the hottest engine in the marina? Heat things up with a flame engine cover. You're sure to get everyone's attention at the next owner's rendezvous.

Fits All Scorpion models built between 1995 and the present.
Note: Scorpion emblem not included.

ENGINE COVER - BLUE FLAME



8M0079198

This engine cover features a custom hand air-brushed blue flame design. Being a custom part there will be some visible differences from one part to the next. It is the same as used on some Plus Series engines.

Fits non-ECT 4.3 MPI, 5.0 MPI, 350 MAG, & 377 MAG MerCruiser engines built between 2001-2015. It also fits all 4.3L, 350, 357, and 383 Plus Series engines.

ENGINE COVER - RED FLAME



8M0103982

This engine cover features a custom hand air-brushed red flame design. Being a custom part there will be some visible differences from one part to the next. It is the same as used on some Plus Series engines.

Fits non-ECT 4.3 MPI, 5.0 MPI, 350 MAG, & 377 MAG MerCruiser engines built between 2001-2015. It also fits all 4.3L, 350, 357, and 383 Plus Series engines.

BEARING KIT

GIMBAL BEARING KIT



30-879194A00

Perma-Lube Bearing Kit required to retrofit the new XR/XZ drives to older Bravo transom plate assemblies to provide enough clearance for the larger u-joint on the new XR/XZ drives.

Fits Bravo transom assemblies

TILT UP LIMIT SPACER KIT

Limits the tilt (up) range to prevent the drive unit from hitting the swim platform.

TRIM LIMIT SPACER KIT



15768A 3

2 per kit

Fits Alpha One & Gen II (1987 and newer) & Bravo drives.

TRIM IN LIMIT SPACER KITS

Reduces "stern lift" by preventing the drive unit from reaching the last few degrees of full trim under. See MerCruiser Service Bulletin # 94-1 for additional details.

TRIM LIMIT SPACER KIT



23-**806445A 1**

Internal Cylinder Kit, For negative trim (in) limit of .750 in.(19 mm) to 1.00 in.(25 mm).

Fits Bravo drives (s/n 0F214599 and below)

TRAILERING CLIPS

To support drive in the tilt up position while trailering.

TRAILERING CLIP



817019T 2

Fits MC-I, R, MR, Alpha, Bravo & Vazer drives.
Priced & packaged in qty. of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

817019Q 2

Fits MC-I, R, MR, Alpha, Bravo & Vazer drives.
Priced & packaged in qty. of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GEAR LUBE MONITOR KITS

GEAR LUBE MONITOR KIT



806193A49

Mounts on inner transom, connecting internally to the upper driveshaft housing. Includes low gear lube warning sensor that connects to the engine audio warning system. Warning feature requires that the Audio Warning System is installed on the engine.

Fits Alpha One Gen II (s/n 0D491000 and above).

GEAR LUBE RESERVOIR KIT



865585A02

1 quart reservoir kit with float switch.
Designed to replace the smaller rectangular reservoir for added gear lube capacity.

Fits Bravo drives running under excessive loads in a heavy use environment.

GEAR LUBE RESERVOIR RELOCATION KIT



806054A 1

Reservoir Relocation Kit. Used to relocate the "square" reservoir bottle from the engine to the transom. This kit should be used when the installation of any other accessory kit would interfere with the reservoir at its factory installed location.

Fits Alpha & Bravo models (1994 and newer)

DUAL STATION SENDERS

Replaces factory installed sender on engine. For use with dual station instrumentation.

ENGINE OIL PRESSURE SENDER



37293T

Fits MCM/MIE gasoline engines

SERPENTINE BELT KITS

The second MCM V-6 or V-8 engine used in a dual engine boat can have the power steering pump removed by using one of these belt kits. If the pump is not removed, the plastic power steering hose coupler must be changed to a brass one. DO NOT RUN the power steering pump continuously with the plastic shipping coupler. Order a Belt Kit or a Brass Coupler.

SERPENTINE BELT & PULLEY KIT



889432A 1

Fits 2002-2003 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with standard cooling that the power steering pump is being removed (s/n 0M343008-0M999999).

SERPENTINE BELT & PULLEY KIT



889433A 1

Fits 2002-2003 MCM V-6 & V-8 (305, 350 & 377 cid) Alpha engines with closed cooling and Bravo engines that the power steering pump is being removed (s/n 0M343008-0M999999).

SERPENTINE BELT KIT



807901A 3

For dual engine applications where power steering pump is being removed.

Fits MCM V-6 & V-8 (305 & 350 cid) Bravo engines with standard cooling. Also fits MCM 4.3L Bravo; 5.0L & 5.7L Alpha/Bravo with closed cooling. See application chart for specific engine models.

SERPENTINE BELT



57-**865615Q08**

2535 mm length

Fits 1999-2002 MCM V-6 & V-8 (305, 350 & 377 cid) Bravo engines with high mounted alternator that the power steering pump is being removed (s/n 0L619000-0M343007).

57-**865615Q09**

1780 mm length

Fits 1999-2001 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with high mounted alternator (s/n 0L619000-0M320024)

57-**865615Q07**

2467 mm length

Fits 1998-2001 MCM V-8 (454 & 502 cid) Bravo engines with serpentine belt that the power steering pump is being removed.

57-**865615Q02**

2285 mm length

Fits 2001-2004 MIE 8.1S engines (s/n 0M025000-0W389999). Also fits 2001-2005 MCM 496 Mag engines (s/n 0M025000-0W309999) that the power steering pump has been removed.

P/S HOSE COUPLER



22-**860099001**

Required kit when leaving the power steering pump on the second engine in dual engine applications. Connects the power steering hoses together.

Fits all MCM engines with power steering

SERPENTINE BELT KIT CHART

MCM Serpentine Belt Kits

For use on engines with power steering pump removed

Model	Year Range	Serial # Range	Belt Kit	Optional Brass Coupler
MCM V-6 (Gen +) Alpha	1996 - 1999	0F803000 - 0L619083	N.L.A.	22-860099001
MCM V-6 (Gen +) Alpha	1999 - 2002	0L619084 - 0M320024	57-865615Q09	22-860099001
MCM V-6 (Gen +) Alpha	2002	0M320025 - 0M343007	57-865615Q09(1)	22-860099001
MCM V-6 (Gen +) Alpha, RWC	2002 - 2003	0M343008 - 0M999999	889432A 1	22-860099001
MCM V-6 (Gen +) Alpha, FWC	2002 - 2003	0M343008 - 0M999999	889433A 1	22-860099001
MCM V-6 (Gen +) Bravo	1996 - 1999	0F803000 - 0L619083	807901A 3	22-860099001
MCM V-6 (Gen +) Bravo	1999 - 2002	0L619084 - 0M320024	57-865615Q08	22-860099001
MCM V-6 (Gen +) Bravo	2002	0M320025 - 0M343007	57-865615Q08(2)	22-860099001
MCM V-6 (Gen +) Bravo	2002 - 2003	0M343008 - 0M999999	889433A 1	22-860099001
MCM V-8 (305 & 350 cid) Alpha	1997 - 1999	0K001506 - 0L618999	N.L.A.	22-860099001
MCM V-8 (305 & 350 cid) Alpha	1999 - 2002	0L619000 - 0M320024	57-865615Q09	22-860099001
MCM V-8 (305 & 350 cid) Alpha	2002	0M320025 - 0M343007	57-865615Q09(1)	22-860099001
MCM V-8 (305 & 350 cid) Alpha, RWC	2002 - 2003	0M343008 - 0M999999	889432A 1	22-860099001
MCM V-8 (305 & 350 cid) Alpha, FWC	2002 - 2003	0M343008 - 0M999999	889433A 1	22-860099001
MCM V-8 (305 & 350 cid) Bravo	1998 - 1999	0K001506 - 0L618999	807901A 3	22-860099001
MCM V-8 (305, 350 & 377 cid) Bravo	1999 - 2002	0L619000 - 0M320024	57-865615Q08	22-860099001
MCM V-8 (305, 350 & 377 cid) Bravo	2002	0M320025 - 0M343007	57-865615Q08(2)	22-860099001
MCM V-8 (305, 350 & 377 cid) Bravo	2002 - 2003	0M343008 - 0M999999	889433A 1	22-860099001
MCM V-8 (454 cid)	1998 - 2001	0L010003 - 0M024999	57-865615Q07	22-860099001
MCM V-8 (496 cid)	2001 - 2003	0M025000 - 0W000004	57-865615Q02	22-860099001
MCM V-8 (502 cid)	1998 - 2001	0L017000 - 0M024999	57-865615Q07	22-860099001

(1) 889432A 1 Serpentine Belt Kit: Order this belt kit instead of the one listed if the engine has a 4-1/4 in.(108 mm) diameter grooved idler pulley.

(2) 889433A 1 Serpentine Belt Kit: Order this belt kit instead of the one listed if the engine has a 4-1/4 in.(108 mm) diameter grooved idler pulley.

AIR INTAKE SILENCER KIT

SILENCER KIT - AIR INTAKE



98-**8M0063432**

Reduces the throttle intake noise at cruise speed and mid-range RPM.
Not recommended for V-drive installations.

Backfits all MCM/MIE 8.2L engines w/o intake air silencer

AIR INTAKE TUBE KIT

AIR INTAKE TUBE AND FILTER KIT



8M0085794

Increases air flow for better turbo efficiency. Standard equiptment on current Tier 3 engines.

Back fits all MCM/MIE V6 TDI Tier 2 diesel engines with CEZ serial numbers.

FRONT BELT COVER KIT

BELT COVER KIT



8M0122079

Auxilary kit to enclose the belt & pulleys
Fits MCM/MIE 3.0L V6 diesel (s/n 70380001 & up)

HOT WATER HEATER FITTING KITS

Includes the necessary fittings to provide a means of supplying hot water to a remote location.

HOT WATER FITTING KIT



22-**806836A 3**

Fits 1992-2016 MCM 3.0L/LX (s/n 0D616823 thru 2A506300)

HOT WATER FITTING KIT



879288A03

Fits 2008-2016 MCM 3.0 MPI Emissions Control engine.

HOT WATER FITTING KIT



22-**8M0119308**

Fits 2001-2016 MCM V-6 & MCM/MIE V-8 (305, 350 & 377 cid) MPI engines (s/n 0M300000 and up). Also fits Mercury 4.5 & 6.2 MPI engines (2014 and newer)

HOT WATER FITTING KIT



22- **72932A 3**

Fits MCM/MIE V-6 & V-8 (305, 350, 377, 454 & 502 cid) engines with front mounted heat exchanger (s/n 0F490650 and above), except MPI engines s/n 0M300000 and above.

HOT WATER FITTING KIT



22-**806837A 1**

Fits MCM 496 Mag & MIE 8.1S engines.

HOT WATER FITTING KIT



22-**8M0045175**

Fits MCM/MIE 8.2

HOT WATER FITTING KIT



22-**806837A 2**

Fits 1.7 MS & MI 120 diesel.

HOT WATER FITTING KIT



889074A 1

With shut-off valve,
For heater hose with 5/8 in. (16 mm) I.D.
Fits 1998 & newer MCM/MIE 2.0L, 2.8L & 4.2L Diesel models

HOT WATER FITTING KIT



22-8M0094865

Fits MCM/MIE 3.0L V6 TDI Diesel models

HOT WATER HEATER T-FITTING KIT CHART

MCM Hot Water T-fittings

Model	Year Range	Serial # Range	Hot Water Fitting Kit
MCM 4 cyl. (181 cid)	1992 - 2004	0D616823 - 0W301999	22-806836A 3
MCM 4 cyl. (181 cid) MPI	2008 - 2016	1A072812 - 2A502810	879288A03(8)
MCM V-6 (262 cid) Carb & TBI engines	1995 - 2015	0F490650 - 2A454127	22- 72932A 3
MCM V-6 (262 cid) MPI engines	2002 - 2016	0M300000 - 2A506375	22-8M0119308
MCM V-6 (262 cid) MPI EC engines	2011 - 2016	1A637496 - 2A528897	22-8M0119308
MCM 4.5L V6 MPI	2014 - 2026	2A441953 and up	22-8M0119308
MCM V-8 (305, 350 & 377 cid) Carb & TBI engines	1995 - 2010	0F490650 - 1A600136	22- 72932A 3
MCM V-8 (305, 350 & 377 cid) MPI engines	1995 - 2001	0F490650 - 0M299999	22- 72932A 3
MCM V-8 (305, 350 & 377 cid) MPI engines	2002 - 2015	0M300000 - 2A455878	22-8M0119308
MCM 6.2L (Mercury)	2015 - 2026	2A456613 and up	22-8M0119308
MCM V-8 (454 & 502 cid)	1995 - 2001	0F490650 and up	22- 72932A 3
MCM 496 Mag & HO	2000 - 2010	0M025000 - 1A352731	22-806837A 1
MCM 8.2 Mag & HO	2010 - 2026	1A350340 and up	22-8M0045175
MIE V-8 MPI (Except MIE 8.1S)	2002 - 2015	0M300000 and up	22-8M0119308
MIE 6.2L MPI (Mercury)	2015 - 2026	2A456613 and up	22-8M0119308
MIE 8.1S Horizon & HO	2000 - 2010	0M025000 and up	22-806837A 1
MIE 8.2 Horizon & HO	2010 - 2026	1A350802 and up	22-8M0045175
MCM/MIE 3.0L V6 TDI	2013 - 2026	All - All	22-8M0094865
MCM/MIE VM Diesel(5)	1989 - 2002	0B993002 and up	N.L.A.
MCM/MIE 2.0L, 2.8L & 4.2L	1998 - 2026	0L667439 and up	889074A 1

(1) Engines with 1-1/2 in.(38mm) I.D. circulating pump hose between thermostat hsg. and circulating pump

(2) Engines with 1-3/4 in.(45mm) I.D. circulating pump hose between thermostat hsg. and circulating pump

(3) Will not fit models with rear mounted heat exchanger

(4) Will fit models with rear mounted heat exchanger

(5) All models with 5/8 in.(16mm) hose

(6) All models with 17mm hose

(7) No kit available

(8) Not required for closd cooled engines

THRU TRANSOM EXHAUST OUTLETS

Outlets come with internal shutters and external flappers. Each kit includes 2 tips.

QUICK-CHANGE THRU TRANSOM EXHAUST TIPS



843434A 1

Polished stainless steel tips feature a in.quick change in. anti-backflow valve. 2 outlets per kit.

For 3 in. (76 mm) I.D. exhaust pipe. Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages.

843426A 1

Polished stainless steel tips feature a in.quick change in. anti-backflow valve. 2 outlets per kit.

For 4 in. (102 mm) I.D. exhaust pipe. Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages.

TRANSOM EXHAUST TIPS FLAPPER ASSEMBLY



8M0109049

This kit is to repair the internal rubber flapper baffle for one 3 in. (76 mm) I.D. exhaust tip 843434A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

TRANSOM EXHAUST TIPS FLAPPER ASSEMBLY



8M0109050

This kit is to repair the internal rubber flapper baffle for one 4 in. (102 mm) I.D. exhaust tip 843426A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips.

TRANSOM EXHAUST TIPS REPAIR KIT



843434A 2

This kit is to repair the internal rubber flapper baffle for one 3 in. (76 mm) I.D. exhaust tip 843434A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

843426A 2

This kit is to repair the internal rubber flapper baffle for one 4 in. (102 mm) I.D. exhaust tip 843426A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

EXHAUST OUTLET FLAPPER KITS

EXHAUST FLAPPERS



12644A 1

For 4 in.(102 mm) O.D. exhaust outlets, 1 flapper in kit

Fits 4-inch outside diameter through-transom exhaust outlets

34765Q02

For 3 in.(76 mm) O.D. exhaust outlets, 1 flapper in kit

EXHAUST IN-LINE SHUTTER KIT

EXHAUST SHUTTER KIT



98-**8M0109256**

In-line water shutter

Fits MIE engines with 4 in. (101.6 mm) exhaust

EXHAUST BLOCK-OFF PLATE

Used to block-off the gimbal housing when thru transom exhaust is installed. Install plate before engine is installed.

EXHAUST BLOCK-OFF PLATE



861776A 2

Fits 1987 and newer Alpha and Bravo transoms

EXHAUST PIPE KITS

EXHAUST "Y" PIPE KIT



98-**8M0117124**

For use with Silent Choice type exhaust systems. Also used to convert engines with thru transom exhaust to thru prop exhaust. Standard pipe on all thru prop exhaust gasoline sterndrive models.

Fits all V-8 engines with 4 in.(102 mm) exhaust systems; except MCM 8.1L & 8.2L engines

EXHAUST "Y" PIPE KIT



98-**8M0117125**

Used to convert MCM 8.1L & 8.2L engines with thru transom exhaust to thru prop exhaust.
Also requires the use of intermediate elbow kit in conjunction with this "Y" Pipe Kit. For 8.1L & 8.2L non-Emissions Control engines, use 44267A02 or A03. For 8.1L Emissions Control engines, use 44267A04, A05, A06, A07 or A08. For 8.2L Emissions Control engines with three catalyst exhaust manifolds, use 879288A12, A13, A14, A15 or A16.

Fits all MCM 8.1L & 8.2L sterndrive engines, except 2012 & newer 8.2L EC engines with single catalyst exhaust manifolds.

INTERMEDIATE ELBOW KIT



44267A02

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L & 8.2L non-EC sterndrive engines with exhaust risers 2 in. (51 mm) to 8 in. (203 mm) high.

INTERMEDIATE ELBOW KIT



44267A03

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L & 8.2L non-EC sterndrive engines w/o exhaust risers and w/ exhaust risers up to 2 in. (51 mm) high.

INTERMEDIATE ELBOW KIT



44267A04

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with standard 0" risers.

INTERMEDIATE ELBOW KIT



44267A05

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with 2 in. (51 mm) risers.

INTERMEDIATE ELBOW KIT



44267A06

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with 4 in. (102 mm) risers.

INTERMEDIATE ELBOW KIT



44267A07

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with 6 in. (152 mm) risers.

INTERMEDIATE ELBOW KIT



44267A08

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with 8 in. (203 mm) risers.

INTERMEDIATE ELBOW KIT



879288A12

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 0 in. risers

INTERMEDIATE ELBOW KIT



879288A13

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 2 in. (51 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



879288A14

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 4 in. (102 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



879288A15

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 6 in. (152 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



8M0095832

Required when changing exhaust elbow height to 2 in. (51 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 2 in. (51 mm) risers (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095833

Required when changing exhaust elbow height to 4 in. (102 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 4 in. (102 mm) risers (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095834

Required when changing exhaust elbow height to 6 in. (152 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 6 in. (152 mm) risers (s/n 2A041665 and up)

EXHAUST "S" PIPE KIT



807611T

Optional exhaust pipe for Tow Sports non-EC engine models with 4 in.(102 mm) exhaust.

EXHAUST "S" PIPE KIT



18563A 1

Allows exhaust outlets to be mounted below a swim platform. 2 pipes in kit.

Fits V-8 sterndrive models with 4 in. (102 mm) exhaust (s/n 0W309999 and below)

EXHAUST REDUCER KIT



44349A 1

Reduces exhaust hose from 4 in.(102 mm) to 3 in.(76 mm). Straight reducer. 2 reducers in kit.

Fits MIE V-8 engines.

EXHAUST RISER KITS FOR DIESEL ENGINES

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system.

RISER KIT



863330A 2

3 in.(76 mm)

Fits 2001-2009 MCM & CMD 1.7L diesel engines.

RISER KIT



8M0098892

6 in. (127 mm)

Fits MIE 4.2L V8 TDI diesel engines.

EXHAUST RISER KITS (GAS, WET JOINT, 2002 & OLDER)

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 9 in.(228 mm). Two different types of exhaust elbows have been used (cast iron and stainless steel). To tell which one you have, look at the elbows mounting bolts. Cast iron elbows use 4 long bolts. Stainless steel elbows use four short 1 in.(25 mm) long bolts. For MCM/MIE 8.1L engines see "Exhaust Elbow/Riser Kits (8.1L) Non-Emissions Ctrl" section.

RISER KIT



93320A14

3 in.(76 mm)

Fits 1997 & older MCM/MIE V-8 engines with stainless steel exhaust elbows.

RISER KIT




93320A13

3 in. (76 mm)

Fits MCM V-6 carb & TBI engines with 2 piece exhaust manifolds (s/n 0M614999 & below).
Fits MCM/MIE/Tow Sports V-8 (305, 350, 377, 454 & 502 cid) engines with cast iron elbows (s/n 0M299999 & below); MCM V-8 (305 & 350 cid) carb engines (s/n 0M300000-0M599999) and MIE & Tow Sports carb engines (s/n 0M300000-0M316999).

RISER KIT



93320A15

3 in. (76 mm)

Fits 2001-2002 MCM 4.3L MPI (s/n 0M300000-0M614999);
Fits 2001-2002 MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M300000-0M599999);
Fits 2001-2002 MIE & Tow Sports V-8 (350 & 377 cid) MPI engines (s/n 0M300000-0M316999)

RISER KIT



807477A 5

6 in.(152 mm)

Fits 1997 & older V-8 with stainless steel exhaust elbows.

RISER KIT



93322A12

6 in. (152 mm)

Fits MCM V-6 carb & TBI engines with 2 piece exhaust manifolds (s/n 0M614999 & below).
Fits MCM/MIE/Tow Sports V-8 (305, 350, 377, 454 & 502 cid) engines with cast iron elbows (s/n 0M299999 & below); MCM V-8 (305 & 350 cid) carb engines (s/n 0M300000-0M599999) and MIE & Tow Sports carb engines (s/n 0M300000-0M316999).

RISER KIT



93322A10

6 in. (152 mm)

Fits 2001-2002 MCM 4.3L MPI (s/n 0M300000-0M614999);
Fits 2001-2002 MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M300000-0M599999);
Fits 2001-2002 MIE & Tow Sports V-8 (350 & 377 cid) MPI engines (s/n 0M300000-0M316999)

INTERMEDIATE ELBOW KIT



14801A 1

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) engines (0W309999 and below)

EXHAUST RISER KITS (GAS, DRY JOINT, SMALL BLOCK, NON-EC, 2002 & NEWER)

Raises the height of the GM V-6 & V-8 small block (non-EC) engines with dry joint exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 6 in. (152 mm). For MCM/MIE 8.1L & 8.2L (non-EC) engines see "Exhaust Elbow/Riser Kits (8.1L & 8.2L) Non-Emissions Ctrl" section. For EC engines, see the Emissions Control Riser section.
NOTE: For Mercury 4.5L & 6.2L (non-EC) engines see "Exhaust Riser Kits (Gas, Small Block, Emissions Control)" since the 4.5L & 6.2L (non-EC) engines use the same riser kits as the EC engines.

RISER KIT



865995A01

1.7 in. (43 mm) for standard cooling and dry joint exhaust manifolds.
Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up) & MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up).

RISER KIT



865996A01

1.7 in. (43 mm) for CLOSED COOLING and dry joint exhaust manifolds.
Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up) & MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up).

RISER KIT



866007A01

1.7 in. (43 mm) for standard cooling and dry joint exhaust manifolds.
Fits Tow Sports V-8 (350 & 377 cid) non-EC engines w/ in-line transmission (s/n 0M390000 and up).

RISER KIT



864306A 3

3 in. (76 mm) for standard cooling and dry joint exhaust manifolds.
Fits 2002 MCM V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M600000-0M614999).

RISER KIT



864306A 2

3 in. (76 mm) for CLOSED COOLING and dry joint exhaust manifolds.
Fits 2002 MCM V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M600000-0M614999).

RISER KIT



864306A 5

3 in. (76 mm) for standard cooling and dry joint exhaust manifolds.
Fits 2002 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M317000-0M389999).

RISER KIT



864306A 4

3 in. (76 mm) for CLOSED COOLING and dry joint exhaust manifolds.
Fits 2002 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M317000-0M389999).

RISER KIT




864929A 1

3 in. (76 mm) for standard cooling and dry joint exhaust manifolds.

Fits 2002-2004 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M615000-0W309999).

RISER KIT



864929A 2

3 in. (76 mm) for CLOSED COOLING and dry joint exhaust manifolds.

Fits 2002-2004 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M615000-0W309999).

RISER KIT



864929A 3

3 in. (76 mm) for standard cooling and dry joint exhaust manifolds.

Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up); also fits 2002-2016 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up)

RISER KIT



864929A 4

3 in. (76 mm) for CLOSED COOLING and dry joint exhaust manifolds.

Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up); also fits 2002-2016 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up)

RISER KIT



866208A02

4.7 in. (119 mm) for standard cooling and dry joint exhaust manifolds.

Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up); also fits 2002-2016 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up)

RISER KIT



866208A03

4.7 in. (119 mm) for CLOSED COOLING and dry joint exhaust manifolds.

Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up); also fits 2002-2016 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up)

RISER KIT



864908A 1

6 in. (152 mm) for standard cooling and dry joint exhaust manifolds.

Fits 2004-2016 MCM V-6 (s/n 0W310000 and up); 2002-2016 MCM V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M615000 and up) & MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up).

RISER KIT



864908A 2

6 in. (152 mm) for CLOSED COOLING and dry joint exhaust manifolds.

Fits 2004-2016 MCM V-6 (s/n 0W310000 and up); 2002-2016 MCM V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M615000 and up) & MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up).

RISER HOSE KIT



32-**865022A 1**

Used in conjunction with 3 in. (76 mm), 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & standard cooling

Fits 2002 and newer MCM 4.3L MPI engines (s/n 0M615000 and up).

RISER HOSE KIT



32-**865024A 1**

Used in conjunction with 1.7 in.(43 mm) & 3 in. (76 mm) exhaust risers & CLOSED COOLING

Fits 2002 and newer MCM 4.3L engines (s/n 0M615000 and up).

RISER HOSE KIT



32-**865027A 1**

Used in conjunction with 3 in. (76 mm) exhaust risers & standard cooling

Fits 2002-2016 MCM 4.3L MPI engines with 7 point drain system (s/n 0M615000 and up).

RISER HOSE KIT



32-**865029A 1**

Used in conjunction with 1.7 in. (43 mm) & 3 in. (76 mm) exhaust risers & CLOSED COOLING

Fits 2002-2016 MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M615000 and up) & MIE V-8 (350 & 377 cid) MPI engines (s/n 0M390000 and up)

RISER HOSE KIT



32-**865998A01**

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING

Fits 2004-2016 MCM 4.3L MPI engines (s/n 0W310000 thru 2A506375).

RISER HOSE KIT



32-**865033A 1**

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & standard cooling

Fits 2002-2016 MCM V-8 (305, 350 & 377 cid) MPI engines with 1 or 3 point drain system (s/n 0M615000 and up).

RISER HOSE KIT



32-**865035A 1**

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & standard cooling

Fits 2002-2016 MIE V-8 (350 & 377 cid) MPI engine with in-line transmission (s/n 0M390000 and up).

RISER HOSE KIT



32-**865041A 1**

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING

Fits 2002-2016 MIE V-8 (350 & 377 cid) MPI engines with V-drive transmission (s/n 0M390000 and up).

RISER HOSE KIT



32-**865043A 1**

Used in conjunction with 1.7 in. (43 mm), 3 in. (76 mm), 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & standard cooling

Fits 2002-2016 MIE V-8 (350 cid) carb engines with V-drive transmission (s/n 0M390000 and up).

INTERMEDIATE ELBOW KIT



866000A01

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-6 with 1.7 in. (43 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866001A01

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-6 with 3 in. (76 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



865949A01

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-6 with 4.7 in. (119 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866002A01

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-6 with 6 in. (152 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



14801A 1

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-8 (305, 350 & 377 cid) engines (0W309999 and below)

INTERMEDIATE ELBOW KIT



866003A01

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-8 (305, 350 & 377 cid) engines with 1.7 in. (43 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866004A01

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-8 (305, 350 & 377 cid) engines with 3 in. (76 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866209A01

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) engines with 4.7 in. (119 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866005A01

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) engines with 6 in. (152 mm) risers (s/n 0W310000 and up)

DROP DOWN BRACKET



863714T01

Used in conjunction with the 1.7 in. (43 mm) riser kits to relocate the shift plate to a lower position. Bracket is only necessary when boat hull design interferes with shift cable routing.

EXHAUST ELBOW/RISER KITS (8.1L & 8.2L, NON-EC, 2001 & NEWER)

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 8 in.(203 mm) available. For use on MCM/MIE 8.1L & 8.2L Non-Emissions Control engines only.

EXHAUST ELBOW KIT - 2 IN.(51 MM)



862974A05

This elbow is 2 in.(51 mm) higher than the standard elbow. This replaces what was the 3 in.(76 mm) riser kit used on previous big block engines.
Fits MCM/MIE 8.1L & 8.2L non-EC engines

RISER KIT - 6 IN.(152 MM)



98-**8M0124068**

This riser will raise the elbow an additional 6 in.(152 mm). If the engine has a 2 in.(51 mm) elbow already on engine, but only needs an additional 4 in.(102 mm) rise, this kit will not work. Order 862354A 1 Exh. Elbow/Riser kit instead.
Fits MCM/MIE 8.1L & 8.2L non-EC engines

EXHAUST ELBOW/RISER KIT - 6 IN.(152 MM)



98-**8M0124070**

Order this kit if the engine has a 2 in.(51 mm) elbow already installed on it, but only needs an additional 4 in.(102 mm) rise. The 2 in.(51 mm) elbow is removed and replaced with the standard rise elbows and a 6 in.(152 mm) riser kit which are included in kit.
Fits MCM/MIE 8.1L & 8.2L non-EC engines

EXHAUST ELBOW/RISER KIT - 8 IN.(203 MM)



98-**8M0124069**

If the engine has a standard rise elbow already on engine and needs another 8 in.(203 mm) rise, order this kit. The standard rise elbow is removed and replaced with a 2 in.(51 mm) rise elbow and a 6 in.(152 mm) riser kit which are included in this kit.

Fits MCM/MIE 8.1L & 8.2L non-EC engines

EXHAUST "Y" PIPE KIT



98-**8M0117125**

Used to convert MCM 8.1L & 8.2L engines with thru transom exhaust to thru prop exhaust.
Also requires the use of intermediate elbow kit in conjunction with this "Y" Pipe Kit. For 8.1L & 8.2L non-Emissions Control engines, use 44267A02 or A03. For 8.1L Emissions Control engines, use 44267A04, A05, A06, A07 or A08. For 8.2L Emissions Control engines with three catalyst exhaust manifolds, use 879288A12, A13, A14, A15 or A16.

Fits all MCM 8.1L & 8.2L sterndrive engines, except 2012 & newer 8.2L EC engines with single catalyst exhaust manifolds.

INTERMEDIATE ELBOW KIT



44267A02

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L & 8.2L non-EC sterndrive engines with exhaust risers 2 in. (51 mm) to 8 in. (203 mm) high.

INTERMEDIATE ELBOW KIT



44267A03

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L & 8.2L non-EC sterndrive engines w/o exhaust risers and w/ exhaust risers up to 2 in. (51 mm) high.

EXHAUST ELBOW KIT



8M0062053

This elbow is 6 in.(152 mm) higher than the standard elbow.

Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST RISER CHART - GASOLINE ENGINE (NON-EC ENGINES)

1.7 in. (43 mm) Exhaust Risers-Gasoline Engines

Engine Model	Model Note	Year Range	Serial # Range	1.7 in.(43 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
	MCM STERNDRIVE MODELS					
MCM V-6 (262 cid)	Engines with standard cooling	2004 - 2016	0W310000 - 2A506375	865995A01(2)	(1)	866000A01(3)
MCM V-6 (262 cid)	Engines with closed cooling	2004 - 2016	0W310000 - 2A506375	865996A01(2)	32-865024A 1	866000A01(3)
MCM V-8 (305, 350 & 377 cid)	Engines with standard cooling	2004 - 2015	0W310000 - 2A455872	865995A01(2)	(1)	866003A01(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2004 - 2009	0W310000 - 1A607561	865996A01(2)	(1)	866003A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2004 - 2015	0W310000 - 2A455872	865996A01(2)	32-865029A 1	866003A01(3)
	MIE INBOARD MODELS					
MIE V-8 (350 cid)	Carb engines with standard cooling (in-line)	2002 - 2010	0M390000 - 1A092388	865995A01	(1)	(1)
MIE V-8 (350 cid)	Carb engines with standard cooling (V-drive)	2002 - 2010	0M390000 - 1A092388	865995A01	32-865043A 1	(1)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002 - 2010	0M390000 - 1A092388	865996A01	(1)	(1)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling	2002 - 2015	0M390000 - 2A455523	865995A01	32-865029A 1	(1)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling	2002 - 2015	0M390000 - 2A455523	865996A01	32-865029A 1	(1)
	MIE TOW SPORTS MODELS					
SKI V-8 (350 & 377 cid)	MPI engines	2002 - 2015	0M390000 - 2A460138	866007A01	(1)	(1)

(1) Kit not required

(2) Additional kit(s) listed are only required upon initial installation of a riser kit. If replacing existing risers, additional kit(s) listed are not required.

(3) Installation kit is only required on sterndrive engines that have the exhaust going thru the propeller.

3 in. (76 mm) Exhaust Risers-Gasoline Engines

Engine Model	Model Note	Year Range	Serial # Range	3 in.(76 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
	MCM STERNDRIVE MODELS					
MCM 4 cyl. (153 cid)		1983 - 1989	6229718 - 0C853255	N.L.A.	(6)	N.L.A.
MCM 4 cyl. (181 cid)		1983 - 1989	6229718 - 0C853255	N.L.A.	(6)	N.L.A.
MCM 4 cyl. (181 cid)		1990 - 2016	0C856559 - 2A506300	(5)	N/A	N/A
MCM V-6 (229 cid)		1983 - 1984	6330183 - 6919655	93320A13(1)	(6)	N.L.A.(3)
MCM V-6 (262 cid)		1985 - 1986	0A331455 - 0B527954	93320A13(1)	(6)	N.L.A.(3)
MCM V-6 (262 cid)		1987 - 2001	0B527955 - 0M299999	93320A13(1)(4)(7)	(6)	NLA(3)
MCM V-6 (262 cid)	Carb engines	2002	0M300000 - 0M614999	93320A13(7)	(6)	NLA(3)
MCM V-6 (262 cid)	Carb engines with standard cooling	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	(6)	NLA(3)
MCM V-6 (262 cid)	Carb engines with standard cooling	2004 - 2015	0W310000 - 2A454127	864929A 3(7)	(6)	866001A01(3)
MCM V-6 (262 cid)	Carb engines with closed cooling	2004	0W000000 - 0W309999	864929A 2(7)	32-865024A 1	NLA(3)
MCM V-6 (262 cid)	Carb engines with closed cooling	2004 - 2015	0W310000 - 2A454127	864929A 4(7)	32-865024A 1	866001A01(3)
MCM V-6 (262 cid)	MPI engines	2002	0M300000 - 0M614999	93320A15(7)	(6)	NLA(3)
MCM V-6 (262 cid)	MPI engines w/ standard cooling (1 & 3 point drain	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	32-865022A 1	NLA(3)
MCM V-6 (262 cid)	MPI engines w/ standard cooling (1 & 3 point drain	2004 - 2016	0W310000 - 2A506375	864929A 3(7)	32-865022A 1	866001A01(3)
MCM V-6 (262 cid)	MPI engines with standard cooling (7 point drain)	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	32-865027A 1	NLA(3)
MCM V-6 (262 cid)	MPI engines with standard cooling (7 point drain)	2004 - 2016	0W310000 - 2A506375	864929A 3(7)	32-865027A 1	866001A01(3)
MCM V-6 (262 cid)	MPI engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864929A 2(7)	32-865024A 1	NLA(3)
MCM V-6 (262 cid)	MPI engines with closed cooling	2004 - 2016	0W310000 - 2A506375	864929A 4(7)	32-865024A 1	866001A01(3)
MCM V-8 (305 & 350 cid)		1981 - 1984	5907058 - 0B525981	93320A13(1)	(6)	N.L.A.(3)
MCM V-8 (305 & 350 cid)	Cast iron exhaust elbows	1985 - 2001	0B525982 - 0M299999	93320A13(1)(7)	(6)	14801A 1(3)

Engine Model	Model Note	Year Range	Serial # Range	3 in.(76 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MCM V-8 (305 & 350 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	93320A14(1)(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines	2002	0M300000 - 0M599999	93320A13(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2002	0M600000 - 0M614999	864306A 3(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2004 - 2009	0W310000 - 1A607561	864929A 3(3)	(6)	866004A01(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2002	0M600000 - 0M614999	864306A 2(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864929A 2(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2004 - 2009	0W310000 - 1A607561	864929A 4(7)	(6)	866004A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines	2002	0M300000 - 0M599999	93320A15(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling	2002	0M600000 - 0M614999	864306A 3(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling	2004 - 2015	0W310000 - 2A455872	864929A 3(7)	(6)	866004A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2002	0M600000 - 0M614999	864306A 2(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864929A 2(7)	32-865029A 1	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2004 - 2015	0W310000 - 2A455872	864929A 4(7)	32-865029A 1	866004A01(3)
MCM V-8 (454 cid)	TR/TRS drive	1982 - 1989	6083145 and up	93320A13(1)	(6)	N.L.A.
MCM V-8 (454 or 502 cid)	Cast iron exhaust elbows	1981 - 2002	5889914 and up	93320A13(1)(7)	(6)	N.L.A.(3)
MCM V-8 (454 or 502 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	93320A14(1)(7)	(6)	N.L.A.(3)
	MIE INBOARD MODELS					
MIE V-8 (305 & 350 cid)		1981 - 1988	5907058 - 0C396832	93320A13(1)	(6)	(6)
MIE V-8 (350 cid)		1989 - 2001	0C396833 - 0M299999	93320A13(1)	(6)	(6)
MIE V-8 (350 cid)	Carb engines	2002	0M300000 - 0M316999	93320A13	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling	2002	0M317000 - 0M389999	864306A 5	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling (in-line)	2002 - 2026	0M390000 and up	864929A 3	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling (V-drive)	2002 - 2026	0M390000 and up	864929A 3(7)	32-865043A 1	(6)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002	0M317000 - 0M389999	864306A 4	(6)	(6)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002 - 2010	0M390000 - 1A092388	864929A 4	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines	2002	0M300000 - 0M316999	93320A15	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling	2002	0M317000 - 0M389999	864306A 5	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling	2002 - 2015	0M390000 - 2A455523	864929A 3	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling	2002	0M317000 - 0M389999	864306A 4	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling	2002 - 2015	0M390000 - 2A455523	864929A 4(7)	32-865029A 1	(6)
MIE V-8 (454 or 502 cid)	Cast iron exhaust elbows	1981 - 2002	5889914 and up	93320A13(1)	(6)	(6)
MIE V-8 (454 or 502 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	93320A14(1)	(6)	(6)
	MIE TOW SPORTS MODELS					
SKI V-8 (350 cid)		1985 - 1984	0A338553 - 0B525981	93320A13(1)	(6)	(6)
SKI V-8 (350 & 377cid)		1985 - 2001	0B525982 - 0M299999	93320A13(1)	(6)	(6)
SKI V-8 (350 cid)	Carb engines	2002	0M300000 - 0M316999	93320A13	(6)	(6)
SKI V-8 (350 cid)	Carb engines	2002 - 2011	0M317000 - 1A092837	(5)	N/A	N/A
SKI V-8 (350 & 377 cid)	MPI engines	2002	0M300000 - 0M316999	93320A15	(6)	(6)
SKI V-8 (350 & 377 cid)	MPI engines	2002 - 2015	0M317000 - 2A460138	(5)	N/A	N/A

(1) If riser is going on a 1997 and older engine, that has the exhaust manifolds in the closed cooling system, also order 2 pcs. of 27-860231 separator gaskets to go between the manifold and risers.

(3) Installation Kit is only required on sterndrive engines that have the exhaust going thru the propeller.

(4) Will not fit MCM V-6 engines with the 1 pc exhaust manifold.

(5) No kit available

(6) Kit not required

(7) Additional kit(s) listed are only required upon initial installation of a riser kit. If replacing existing risers, additional kit(s) listed are not required.

4.7 in. (119 mm) Exhaust Risers-Gasoline Engines

Engine Model	Model Note	Year Range	Serial # Range	4.7 in.(119 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
	MCM STERNDRIVE MODELS					
MCM V-6 (262 cid)	Carb engines with standard cooling	2004 - 2015	0W310000 - 2A454127	866208A02(3)	(2)	865949A01(4)
MCM V-6 (262 cid)	Carb engines with closed cooling	2004 - 2015	0W310000 - 2A454127	866208A03(3)	(2)	865949A01(4)
MCM V-6 (262 cid)	MPI engines with standard cooling (7 point drain)	2004 - 2016	0W310000 - 2A506375	866208A02(3)	32-865022A 1	865949A01(4)
MCM V-6 (262 cid)	MPI engines with closed cooling	2004 - 2016	0W310000 - 2A506375	866208A03(3)	32-865998A01	865949A01(4)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2004 - 2009	0W310000 - 1A607561	866208A02(3)	(2)	866209A01(4)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2004 - 2009	0W310000 - 1A607561	866208A03(3)	N.L.A.	866209A01(4)
MCM V-8 (305, 350 & 377 cid)	MPI engines w/ standard cooling 1 & 3 point drain)	2004 - 2015	0W310000 - 2A455872	866208A02(3)	32-865033A 1	866209A01(4)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling (7 point drain)	2004 - 2015	0W310000 - 2A455872	866208A02(3)	(2)	866209A01(4)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2004 - 2015	0W310000 - 2A455872	866208A03(3)	N.L.A.	866209A01(4)
	MIE INBOARD MODELS					
MIE V-8 (350 cid)	Carb engines with standard cooling (in-line)	2002 - 2010	0M390000 - 1A092388	866208A02	(2)	(2)
MIE V-8 (350 cid)	Carb engines with standard cooling (V-drive)	2002 - 2010	0M390000 - 1A092388	866208A02(3)	32-865043A 1	(2)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002 - 2010	0M390000 - 1A092388	866208A03(3)	N.L.A.	(2)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling (in-line)	2002 - 2015	0M390000 - 2A455523	866208A02(3)	32-865035A 1	(2)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling (V-drive)	2002 - 2015	0M390000 - 2A455523	866208A02(3)	N.L.A.	(2)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling (in-line)	2002 - 2015	0M390000 - 2A455523	866208A03(3)	N.L.A.	(2)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling (V-drive)	2002 - 2015	0M390000 - 2A455523	866208A03(3)	32-865041A 1	(2)
	MIE TOW SPORTS MODELS					
SKI V-8 (350 & 377 cid)	MPI engines	2002 - 2015	0M390000 - 2A460138	(1)	N/A	N/A

(1) No kit available

(2) Kit not required

(3) Additional kit(s) listed are only required upon initial installation of a riser kit. If replacing existing risers, additional kit(s) listed are not required.

(4) Installation kit is only required on sterndrive engines that have the exhaust going thru the propeller.

6 in. (152 mm) Exhaust Risers-Gasoline Engines

Engine Model	Model Note	Year Range	Serial # Range	6 in.(152 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
	MCM STERNDRIVE MODELS					
MCM 4 cyl. (153 cid)		1983 - 1989	6229718 - 0C853255	N.L.A.	(6)	N.L.A.
MCM 4 cyl. (181 cid)		1983 - 1989	6229718 - 0C853255	N.L.A.	(6)	N.L.A.
MCM 4 cyl. (181 cid)		1990 - 2016	0C856559 - 2A506300	(5)	N/A	N/A
MCM V-6 (229 cid)		1983 - 1984	6330183 - 6919655	93322A12(1)(2)	(6)	N.L.A.(3)
MCM V-6 (262 cid)		1985 - 1986	0A331455 - 0B527954	93322A12(1)(2)	(6)	N.L.A.(3)
MCM V-6 (262 cid)		1987 - 2001	0B527955 - 0M299999	93322A12(1)(2)(4)	(6)	N.L.A.(3)
MCM V-6 (262 cid)	Carb engines	2002	0M300000 - 0M614999	93322A12(7)	(6)	N.L.A.(3)
MCM V-6 (262 cid)	Carb engines with standard cooling	2002 - 2004	0M615000 - 0W309999	(5)	N/A	N/A
MCM V-6 (262 cid)	Carb engines with standard cooling	2004 - 2015	0W310000 - 2A454127	864908A 1(7)	(6)	866002A01(3)
MCM V-6 (262 cid)	Carb engines with closed cooling	2004	0W000000 - 0W309999	(5)	N/A	N/A
MCM V-6 (262 cid)	Carb engines with closed cooling	2004 - 2015	0W310000 - 2A454127	864908A 2(8)	(6)	866002A01(3)
MCM V-6 (262 cid)	MPI engines	2002	0M300000 - 0M614999	93322A10(7)	(6)	N.L.A.(3)
MCM V-6 (262 cid)	MPI engines with standard cooling	2002 - 2004	0M615000 - 0W309999	(5)	N/A	N/A
MCM V-6 (262 cid)	MPI engines with standard cooling	2004 - 2016	0W310000 - 2A506375	864908A 1(7)	32-865022A 1	866002A01(3)
MCM V-6 (262 cid)	MPI engines with closed cooling	2002 - 2004	0M615000 - 0W309999	(5)	N/A	N/A
MCM V-6 (262 cid)	MPI engines with closed cooling	2004 - 2016	0W310000 - 2A506375	864908A 2(7)	32-865998A01	866002A01(3)
MCM V-8 (305 & 350 cid)		1981 - 1984	5907058 - 0B525981	93322A12(1)(2)	(6)	N.L.A.(3)
MCM V-8 (305 & 350 cid)	Cast iron exhaust elbows	1985 - 2001	0B525982 - 0M299999	93322A12(1)(2)(7)	(6)	14801A 1(3)

Engine Model	Model Note	Year Range	Serial # Range	6 in.(152 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MCM V-8 (305 & 350 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	807477A 5(1)(2)(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines	2002	0M300000 - 0M599999	93322A12(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2002	0M600000 - 0M614999	N.L.A.(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2002 - 2004	0M615000 - 0W309999	864908A 1(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2004 - 2009	0W310000 - 1A607561	864908A 1(7)	(6)	866005A01(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2002	0M600000 - 0M614999	N.L.A.(7)	N.L.A.	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864908A 2(7)	N.L.A.	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2004 - 2009	OW310000 - 1A607561	864908A 2(7)	N.L.A.	866005A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines	2002	0M300000 - 0M599999	93322A10(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling	2002	0M600000 - 0M614999	N.L.A.(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines w/ standard cooling (1 & 3 point drain	2002 - 2004	0M615000 - 0W309999	864908A 1(7)	32-865033A 1	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines w/ standard cooling (1 & 3 point drain	2004 - 2015	0W310000 - 2A455872	864908A 1(7)	32-865033A 1	866005A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling (7 point drain)	2002 - 2004	0M615000 - 0W309999	864908A 1(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling (7 point drain)	2004 - 2015	0W310000 - 2A455872	864908A 1(7)	(6)	866005A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2002	0M600000 - 0M614999	N.L.A.(7)(8)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864908A 2(7)	N.L.A.	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2004 - 2015	0W310000 - 2A455872	864908A 2(7)	N.L.A.	866005A01(3)
MCM V-8 (454 cid)	TR/TRS drive	1982 - 1989	6083145 and up	93322A12(1)(2)	(6)	N.L.A.
MCM V-8 (454 or 502 cid)	Cast iron exhaust elbows	1981 - 2002	5889914 and up	93322A12(1)(2)(7)	(6)	N.L.A.(3)
MCM V-8 (454 or 502 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	807477A 5(1)(2)(7)	(6)	N.L.A.(3)
	MIE INBOARD MODELS					
MIE V-8 (305 & 350 cid)		1981 - 1988	5907058 - 0C396832	93322A12(1)(2)	(6)	(6)
MIE V-8 (350 cid)		1989 - 2001	0C396833 - 0M299999	93322A12(1)(2)	(6)	(6)
MIE V-8 (350 cid)	Carb engines	2002	0M300000 - 0M316999	93322A12	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling	2002	0M317000 - 0M389999	N.L.A.	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling (in-line)	2002 - 2010	0M390000 - 1A092388	864908A 1	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling (V-drive)	2002 - 2010	0M390000 - 1A092388	864908A 1(7)	32-865043A 1	(6)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002	0M317000 - 0M389999	N.L.A.(7)	N.L.A.	(6)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002 - 2010	0M390000 - 1A092388	864908A 2(7)	N.L.A.	(6)
MIE V-8 (350 & 377 cid)	MPI engines	2002	0M300000 - 0M316999	93322A10	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling	2002	0M317000 - 0M389999	N.L.A.	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling (in-line)	2002 - 2015	0M390000 - 2A455523	864908A 1(7)	32-865035A 1	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling (V-drive)	2002 - 2015	0M390000 - 2A455523	864908A 1(7)	N.L.A.	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling	2002	0M317000 - 0M389999	N.L.A.(8)	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling (in-line)	2002 - 2015	0M390000 - 2A455523	864908A 2(7)	N.L.A.	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling (V-drive)	2002 - 2015	0M390000 - 2A455523	864908A 2(7)	32-865041A 1	(6)
MIE V-8 (454 or 502 cid)	Cast iron exhaust elbows	1981 - 2002	5889914 and up	93322A12(1)(2)	(6)	(6)
MIE V-8 (454 or 502 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	807477A 5(1)(2)	(6)	(6)
	MIE TOW SPORTS MODELS					
SKI V-8 (350 cid)		1985 - 1984	0A338553 - 0B525981	93322A12(1)(2)	(6)	(6)
SKI V-8 (350 & 377cid)		1985 - 2001	0B525982 - 0M299999	93322A12(1)(2)	(6)	(6)
SKI V-8 (350 cid)	Carb engines	2002	0M300000 - 0M316999	93322A12	(6)	(6)
SKI V-8 (350 cid)	Carb engines	2002 - 2011	0M317000 - 1A092837	(5)	N/A	N/A
SKI V-8 (350 & 377 cid)	MPI engines	2002	0M300000 - 0M316999	93322A10	(6)	(6)

Engine Model	Model Note	Year Range	Serial # Range	6 in.(152 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
SKI V-8 (350 & 377 cid)	MPI engines	2002 - 2015	0M317000 - 2A460138	(5)	N/A	N/A

(1) If riser is going on a 1997 and older engine, that has the exhaust manifolds in the closed cooling system, also order 2 pcs. of 27-860231 separator gaskets to go between the manifold and risers.

(2) If engine has a remote oil filter, an Oil Filter Hose Extension Kit or Oil Filter Bracket may be required.

(3) Installation Kit is only required on sterndrive engines that have the exhaust going thru the propeller.

(4) Will not fit MCM V-6 engines with the 1 pc exhaust manifold.

(5) No kit available

(6) Kit not required

(7) Additional kit(s) listed are only required upon initial installation of a riser kit. If replacing existing risers, additional kit(s) listed are not required.

(8) If engine had a Quicksilver closed cooling kit installed, it will be necessary to order a warm riser kit, p/n 864908A 2, instead of the one listed. Warm risers will have the water hose fitting located on the upper part of the riser, close to the exhaust e

EXHAUST RISER KITS (GAS, SMALL BLOCK, EMISSIONS CONTROL)

Raises the height of the V-6 & V-8 small block EC engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 8 in.(203 mm). For MCM/MIE 8.1L & 8.2L EC engines see "Exhaust Elbow Riser Kits (8.1L) Emissions Control" section or "Exhaust Elbow Riser Kits (8.2L) Emissions Control" section.

RISER KIT



8M0153670

2 in. (51 mm) for Emissions Control exhaust, hot dipped and top coated

Fits 2008 and newer MCM/MIE/Ski V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.
Note: This kit does NOT include elbow gaskets for FWC engines. The FWC elbow gaskets 27-8M2004606 will need to be ordered separately

RISER KIT



8M0153671

4 in. (102 mm) for Emissions Control exhaust, hot dipped and top coated

Fits 2008 and newer MCM/MIE/Ski V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.
Note: This kit does NOT include elbow gaskets for FWC engines. The FWC elbow gaskets 27-8M2004606 will need to be ordered separately

RISER KIT



8M0153486

6 in. (152 mm) for Emissions Control exhaust, hot dipped and top coated

Fits 2008 and newer MCM/MIE/Ski V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.
Note: This kit does NOT include elbow gaskets for FWC engines. The FWC elbow gaskets 27-8M2004606 will need to be ordered separately

INTERMEDIATE ELBOW KIT



879288A35

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines with 2 in. (51 mm) risers. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.

INTERMEDIATE ELBOW KIT



879288A36

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines with 4 in. (102 mm) risers. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.

INTERMEDIATE ELBOW KIT



879288A37

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines with 6 in. (152 mm) risers. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.

INTERMEDIATE ELBOW KIT



879288A38

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) EC engines with 8 in. (203 mm) risers.

HOSE KIT



32-**8M0051174**

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 2 in.(51 mm) risers

HOSE KIT



32-**8M0051175**

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 4 in.(102 mm) risers

HOSE KIT



32-**8M0051176**

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 6 in.(152 mm) risers

HOSE KIT



8M0096701

Supplemental hose kit required for standard cooling engines.
Fits 2014 & newer MCM 4.5L V6 EC & non-EC engines w/ 6 in.(152 mm) risers

HOSE KIT



8M0089504

Supplemental hose kit required for closed cooling engines.
Fits 2014 & newer MCM 4.5L V6 EC & non-EC engines w/ 6 in.(152 mm) risers

EXHAUST ELBOW RISER KITS (8.1L) EMISSIONS CONTROL

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 8 in.(203 mm) available. For use on MCM/MIE 8.1L Emissions Control engines only.

EXHAUST ELBOW KIT



8M0062051

This elbow is 2 in.(51 mm) higher than the standard elbow.

Fits MCM/MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062052

This elbow is 4 in.(102 mm) higher than the standard elbow.

Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062053

This elbow is 6 in.(152 mm) higher than the standard elbow.

Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



879288T84

Design II

This elbow is 8 in.(203 mm) higher than the standard elbow.

Fits MCM 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350340-2A41664); also fits MCM/MIE 8.1L EC engines

EXHAUST "Y" PIPE KIT



98-8M0117125

Used to convert MCM 8.1L & 8.2L engines with thru transom exhaust to thru prop exhaust.

Also requires the use of intermediate elbow kit in conjunction with this "Y" Pipe Kit. For 8.1L & 8.2L non-Emissions Control engines, use 44267A02 or A03. For 8.1L Emissions Control engines, use 44267A04, A05, A06, A07 or A08. For 8.2L Emissions Control engines with three catalyst exhaust manifolds, use 879288A12, A13, A14, A15 or A16.

Fits all MCM 8.1L & 8.2L sterndrive engines, except 2012 & newer 8.2L EC engines with single catalyst exhaust manifolds.

INTERMEDIATE ELBOW KIT



44267A04

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with standard 0" risers.

INTERMEDIATE ELBOW KIT



44267A05

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with 2 in. (51 mm) risers.

INTERMEDIATE ELBOW KIT



44267A06

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with 4 in. (102 mm) risers.

INTERMEDIATE ELBOW KIT



44267A07

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with 6 in. (152 mm) risers.

INTERMEDIATE ELBOW KIT



44267A08

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L EC engines with 8 in. (203 mm) risers.

EXHAUST ELBOW RISER KITS (8.2L) EMISSIONS CONTROL

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 8 in.(203 mm) available. For use on MCM/MIE 8.2L Emissions Control engines only.

EXHAUST ELBOW KIT



8M0057574

2 in.(51 mm) riser height, hot dipped and top coated

Fits 2012 & newer MCM/MIE 8.2L Emissions Control engines with single catalyst exhaust manifolds (s/n 2A041665 and up)

EXHAUST ELBOW KIT



8M0057575

4 in.(102 mm) riser height, hot dipped and top coated

Fits 2012 & newer MCM/MIE 8.2L Emissions Control engines with single catalyst exhaust manifolds (s/n 2A041665 and up)

EXHAUST ELBOW KIT



8M0057576

6 in.(152 mm) rider height, hot dipped and top coated

Fits 2012 & newer MCM/MIE 8.2L Emissions Control engines with single catalyst exhaust manifolds (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095832

Required when changing exhaust elbow height to 2 in. (51 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 2 in. (51 mm) risers (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095833

Required when changing exhaust elbow height to 4 in. (102 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 4 in. (102 mm) risers (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095834

Required when changing exhaust elbow height to 6 in. (152 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 6 in. (152 mm) risers (s/n 2A041665 and up)

EXHAUST ELBOW KIT



8M0062051

This elbow is 2 in.(51 mm) higher than the standard elbow.

Fits MCM/MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062052

This elbow is 4 in.(102 mm) higher than the standard elbow.

Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062053

This elbow is 6 in.(152 mm) higher than the standard elbow.

Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



879288T84

Design II

This elbow is 8 in.(203 mm) higher than the standard elbow.

Fits MCM 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350340-2A41664); also fits MCM/MIE 8.1L EC engines

EXHAUST ELBOW KIT



8M0062051

This elbow is 2 in.(51 mm) higher than the standard elbow.

Fits MCM/MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062052

This elbow is 4 in.(102 mm) higher than the standard elbow.

Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062053

This elbow is 6 in.(152 mm) higher than the standard elbow.

Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062054

This elbow is 8 in.(203 mm) higher than the standard elbow.

Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

INTERMEDIATE ELBOW KIT



879288A13

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 2 in. (51 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



879288A14

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 4 in. (102 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



879288A15

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 6 in. (152 mm) risers (s/n 2A041664 and below)

EXHAUST "Y" PIPE KIT



98-**8M0117125**

Used to convert MCM 8.1L & 8.2L engines with thru transom exhaust to thru prop exhaust.

Also requires the use of intermediate elbow kit in conjunction with this "Y" Pipe Kit. For 8.1L & 8.2L non-Emissions Control engines, use 44267A02 or A03. For 8.1L Emissions Control engines, use 44267A04, A05, A06, A07 or A08. For 8.2L Emissions Control engines with three catalyst exhaust manifolds, use 879288A12, A13, A14, A15 or A16.

Fits all MCM 8.1L & 8.2L sterndrive engines, except 2012 & newer 8.2L EC engines with single catalyst exhaust manifolds.

EXHAUST RISER CHART - GAS, EMISSIONS CONTROL ENGINES

Exhaust Risers (Gas, Emissions Control engines)

Engine Model	Model Note	Year Range	Serial # Range	Riser Kit	Riser Height	Intermediate Elbow Kit	Hose Kit
MCM 4.3 EC	MPI engines	2011 - 2016	1A637496 - 2A528897	8M0153670(7)	2 in. (51 mm)	879288A35(1)	32-8M0051174(4)
MCM 4.3L EC	MPI engines	2011 - 2016	1A637496 - 2A528897	8M0153671(7)	4 in. (102 mm)	879288A36(1)	32-8M0051175(4)
MCM 4.3L EC	MPI engines	2011 - 2016	1A637496 - 2A528897	8M0153486(7)	6 in. (152 mm)	879288A37(1)	32-8M0051176(4)
MCM 4.5L MPI	EC & Non-EC	2014 - 2026	2A441953 and up	8M0153670(7)	2 in. (51 mm)	879288A35(1)	N/A
MCM 4.5L MPI	EC & Non-EC	2014 - 2026	2A441953 and up	8M0153671(7)	4 in. (102 mm)	879288A36(1)	N/A
MCM 4.5L MPI	EC & Non-EC w/ standard cooling	2014 - 2026	2A441953 and up	8M0153486(7)	6 in. (152 mm)	879288A37(1)	8M0096701(5)
MCM 4.5L MPI	EC & Non-EC w/ closed cooling	2014 - 2026	2A441953 and up	8M0153486(7)	6 in. (152 mm)	879288A37(1)	8M0089504(6)
MCM/MIE V-8 (305, 350 & 377 cid)	MPI engines	2008 - 2015	1A300000 - 2A455878	8M0153670(7)	2 in. (51 mm)	879288A35(1)	N/A
MCM/MIE V-8 (305, 350 & 377 cid)	MPI engines	2008 - 2015	1A300000 - 2A455878	8M0153671(7)	4 in. (102 mm)	879288A36(1)	N/A
MCM/MIE V-8 (305, 350 & 377 cid)	MPI engines	2008 - 2015	1A300000 - 2A455878	8M0153486(2)(3)(7)	6 in. (152 mm)	879288A37(1)	N/A
MCM/MIE V-8 (305, 350 & 377 cid)	MPI engines	2008 - 2015	1A300000 - 2A455878	N.L.A.(2)(3)	8 in. (203 mm)	879288A38(1)	N/A
MCM/MIE/Tow Sports 6.2L MPI	EC & Non-EC	2015 - 2026	2A456613 and up	8M0153670(7)	2 in. (51 mm)	879288A35(1)	N/A
MCM/MIE/Tow Sports 6.2L MPI	EC & Non-EC	2015 - 2026	2A456613 and up	8M0153671(7)	4 in. (102 mm)	879288A36(1)	N/A
MCM/MIE/Tow Sports 6.2L MPI	EC & Non-EC	2015 - 2026	2A456613 and up	8M0153486(7)	6 in. (152 mm)	879288A37(1)	N/A
MIE Tow Sports V-8 (350 & 377 cid)	MPI engines with standard cooling	2008 - 2015	1A090000 - 2A460148	8M0153670	2 in. (51 mm)	N/A	N/A
MCM/MIE V-8 (496 cid)	MPI engines	2008 - 2010	1A066166 - 1A380251	8M0062051	2 in. (52 mm)	44267A05(1)	N/A
MCM/MIE V-8 (496 cid)	MPI engines	2008 - 2010	1A066166 - 1A380251	8M0062052	4in. (102 mm)	44267A06(1)	N/A
MCM/MIE V-8 (496 cid)	MPI engines	2008 - 2010	1A066166 - 1A380251	8M0062053	6 in. (152 mm)	44267A07(1)	N/A
MCM/MIE V-8 (496 cid)	MPI engines	2008 - 2010	1A066166 - 1A380251	879288T84	8 in. (203 mm)	44267A08(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with 3 catalyst exhaust manifolds	2010 - 2012	1A350340 - 2A041664	8M0062051	2 in. (52 mm)	879288A13(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with 3 catalyst exhaust manifolds	2010 - 2012	1A350340 - 2A041664	8M0062052	4 in. (102 mm)	879288A14(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with 3 catalyst exhaust manifolds	2010 - 2012	1A350340 - 2A041664	8M0062053	6 in. (152 mm)	879288A15(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with 3 catalyst exhaust manifolds	2010 - 2012	1A350340 - 2A041664	879288T84	8 in. (203 mm)	N.L.A.(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with single catalyst exhaust manifolds	2012 - 2026	2A041665 and up	8M0057574	2 in. (52 mm)	8M0095832(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with single catalyst exhaust manifolds	2012 - 2026	2A041665 and up	8M0057575	4 in. (102 mm)	8M0095833(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with single catalyst exhaust manifolds	2012 - 2026	2A041665 and up	8M0057576	6 in. (152 mm)	8M0095834(1)	N/A

(1) Only required on sterndrive engines that have the exhaust going thru the prop.

(2) Order Poppet Valve Kit 879288A26 if converting a closed cooled MCM engine having 0 in., 2 in. or 4 in. risers.

(3) Order Poppet Valve Kit 879288A27 if converting a closed cooled MIE engine having 0 in., 2 in. or 4 in. risers.

(4) Hose kit required only if closed cooled engine

(5) Use on standard cooling engines

(6) Use on closed cooling engines

(7) Order FWC elbow gaskets 27-8M2004606 separately if installing on a closed cooled MCM/MIE engine

EXHAUST MANIFOLD FITTINGS

EXHAUST MANIFOLD DRAIN ELBOW



22-**862210A01**

Stainless steel with drain

Fits MCM/MIE V-6 & V-8 engines with center rise exhaust manifolds.

EXHAUST MANIFOLD ELBOW



22- **36305T**

Brass material without drain

Use on big block V-8 engines that have the exhaust manifolds in the closed cooling system.

CARBURETOR WEDGE KIT

CARBURETOR WEDGE KIT



879288T62

Helps eliminate carburetor lean out condition in extremely hard right turns.

Fits MCM 3.0L engines (1998-2016)

CLOSED COOLING KITS

Some engine models will require a closed cooling kit, a belt kit, and a seawater pump kit. Other models will not require all these kits. A note indicates that there might be a different kit that is required to make the kits fit the engine on which the closed cooling is being installed. N/A = Not Applicable.

CLOSED COOLING KIT




879288A02

Side mounted kit.
This kit fits front mount engines only.

Fits 2008-2016 MCM 3.0 MPI Emissions Control engine.

CLOSED COOLING KIT



860427A 4

Front mounted kit.


Fits 1996-1999 MCM V-6 engines with serpentine belt (s/n 0F803000-0L619083)
Fits 1997 MCM V-8 (350 cid) engines w/ serpentine belt (s/n 0K001506-0K999999)

864920A02

Front mounted kit. Full closed system which also protects the dry joint exhaust manifolds from corrosion.

Fits 2002-2016 MCM V-6 & V-8 (305, 350 & 377) MPI engines (s/n 0M600000 thru 2A506375).
Fits 2002-2015 MIE V-8 (350 cid) MPI engines (s/n 0M317000 thru 2A455523).
See application chart.

CLOSED COOLING KIT




61086A11

Side mounted kit.
This kit fits front mount engines only.

Fits MCM 120, 140, 2.5L & 3.0L/LX (1983-2016)

CLOSED COOLING KIT



8M0051178

Front mounted kit. Full closed system which also protects the dry joint exhaust manifolds from corrosion.

Fits 2011-2016 MCM 4.3L MPI Emissions Control engines.

860427A 5

Front mounted kit.

Fits 1997-1999 MCM V-8 (305 & 350 cid) engines (s/n 0K001501-0L618999).
Fits 1997-2001 MIE & Tow Sports V-8 (350 & 377 cid) Gen+ engines (s/n 0K040006-0M299999)
Fits 2001-2002 MIE & Tow Sports V-8 (350 cid) carb engines (s/n 0M300000-0M316999). See application chart.

860427A 7

Front mounted kit.

Fits 1999-2001 MCM V-8 (305, 350 & 377 cid) engines (s/n 0L619000-0M299999).
Fits 2001-2002 MCM V-8 (305, 350 & 377 cid) Carb engines (s/n 0M300000-0M590000). See application chart.

807639A 3

Front mounted kit.

Fits 1996-2001 MCM & MIE V-8 (454 & 502 cid) engines. See application chart.

CLOSED COOLING KIT



98-**8M0139982**

Front mounted kit

Fits 2005-2015 MCM V-6 TKS engines (s/n 0W310000 thru 2A454127).

CLOSED COOLING KIT



8M0193968

Front mounted kit. Full closed system which also protects the exhaust manifolds from corrosion.

Fits 2014 & newer MCM 4.5L MPI engines (s/n 2A441953 & up)

CLOSED COOLING KIT



98-**8M0123588**

Front mounted kit. Full closed system which also protects the exhaust manifolds from corrosion.

Fits 2016 & newer MCM 6.2L Bravo (s/n 2A530776 & up) & TowSport 6.2L (s/n 2A530774 & up). NOTE: If installing on 6.2L TowSport V-drive models with the exhaust elbow outlets pointing to the fromt of the engine, this kit can only be used on DTS models only.

CLOSED COOLING KIT



879288A39

Front mounted kit. Full closed system which also protects the dry joint exhaust manifolds from corrosion.

Fits 2008-2016 MCM/MIE V-8 (305, 350 & 377) MPI Emissions Control engines.

SERPENTINE BELT & PULLEY KIT



889432A 1

Fits 2002-2003 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with standard cooling that the power steering pump is being removed (s/n 0M343008-0M999999).

SERPENTINE BELT & PULLEY KIT



889433A 1

Fits 2002-2003 MCM V-6 & V-8 (305, 350 & 377 cid) Alpha engines with closed cooling and Bravo engines that the power steering pump is being removed (s/n 0M343008-0M999999).

SERPENTINE BELT KIT



807901T 6

Fits MCM 4.3L Alpha. See application chart for specific engine models.

SERPENTINE BELT KIT



807901A 5

Fits MCM 4.3L Bravo; 5.0L & 5.7L Alpha/Bravo. See application chart for specific engine models.

807901A 3

For dual engine applications where power steering pump is being removed.

Fits MCM V-6 & V-8 (305 & 350 cid) Bravo engines with standard cooling. Also fits MCM 4.3L Bravo; 5.0L & 5.7L Alpha/Bravo with closed cooling. See application chart for specific engine models.

SERPENTINE BELT



57-**865615Q03**

2704 mm length

Fits 2001-2016 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with closed cooling and Bravo engines with standard cooling (s/n 0M320025 thru 2A455872)

57-**865615Q09**

1780 mm length

Fits 1999-2001 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with high mounted alternator (s/n 0L619000-0M320024)

57-**865615Q08**

2535 mm length

Fits 1999-2002 MCM V-6 & V-8 (305, 350 & 377 cid) Bravo engines with high mounted alternator that the power steering pump is being removed (s/n 0L619000-0M343007).

57-**865615Q07**

2467 mm length

Fits 1998-2001 MCM V-8 (454 & 502 cid) Bravo engines with serpentine belt that the power steering pump is being removed.

SEAWATER PUMP KIT



98-**8M0139981**

Fits MCM 4.3L EC Alpha engines. Used in conjunction with closed cooling kit. See closed cooling kit application chart.

SEAWATER PUMP KIT



46-**8M0122666**

Fits 2016 & newer MCM 4.5L MPI engines (s/n 2A441953 & up). Used in conjuction with Closed Cooling Kit

REAR COVER ASSEMBLY



863674A05

Brass housing with stainless steel wear plate

Fits current small block brass seawater pump w/ air fittings

SEAWATER PUMP KIT



46-**807151A 5**

Fits MCM V-8 (305 & 350 cid) Alpha engines. See application chart.

SEAWATER PUMP KIT



46-**807151A25**

Fits 1999-2001 MCM V-8 (305 & 350 cid) Alpha engines (s/n 0L619000-0M299999). See application chart.

SEAWATER PUMP KIT



46-**8M0139983**

Fits 2001-2016 MCM V-6 & V-8 (305 & 350 cid) Alpha engines (s/n 0M300000 thru 2A506375). Use only in conjunction with closed cooling kit. See closed cooling application chart.

HOSE EXTENDER KIT



860315A 1

Required if seawater hose is routed across the intake manifold.
Fits MCM 4.3L Alpha/Bravo & 5.0L Alpha. See application chart.

FUEL LINE KIT



32-**861070T**

Fits MCM 5.7L Alpha/Bravo. See application chart.

HOSE KIT



98-**8M0112578**

Supplemental hose kit used in conjuction with main closed cooling kit 8M0112577. Fits 2015-2016 MCM 6.2L Bravo (s/n 2A456613-2A530775)

HOSE KIT



98-**8M0123590**

Supplemental hose kit used in conjuction with main closed cooling kit 8M0123588. Fits 2016 & newer MCM 6.2L Bravo (s/n 2A530776 & up)

HOSE KIT



98-**8M0112579**

Supplemental hose kit used in conjuction with main closed cooling kit 8M0112577. Fits 2015-2016 TowSport 6.2L in-line engines (s/n 2A456613-2A530773)

HOSE KIT



98-**8M0123592**

Supplemental hose kit used in conjuction with main closed cooling kit 8M0123588. Fits 2016 & newer TowSport 6.2L in-line engines (s/n 2A530774 & up)

HOSE KIT



98-**8M0112580**

Supplemental hose kit used in conjuction with main closed cooling kit 8M0112577.
Fits 2015-2016 TowSport 6.2L V-drive engines (s/n 2A456613-2A530773).

HOSE KIT



98-**8M0123593**

Supplemental hose kit used in conjuction with main closed cooling kit 8M0123588.
Fits 2016 & newer TowSport 6.2L V-drive engines (s/n 2A530774 & up).

HOSE KIT



32-**879172A16**

Supplemental hose kit used in conjuction with main closed cooling kit 879288A39.
Fits 2008-2016 MCM & MIE in-line V-8 (305, 350 & 377 cid) MPI Emissions Control engines

HOSE KIT



32-**879172A17**

Supplemental hose kit used in conjuction with main closed cooling kit 879288A39.
Fits 2008-2016 MIE V-drive V-8 (305, 350 & 377 cid) MPI Emissions Control engines

HOSE KIT



32-**865039A02**

Supplemental hose kit used in conjuction with main closed cooling kit 879288A39.
Fits 2008-2011 MCM Axius V-8 (305, 350 & 377 cid) MPI Emissions Control engines

RISER HOSE KIT



32-**865090A01**

Fits MCM V-6 MPI engines (s/n 0M600000 thru 2A506375).

RISER HOSE KIT



32-**865998A01**

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING
Fits 2004-2016 MCM 4.3L MPI engines (s/n 0W310000 thru 2A506375).

RISER HOSE KIT



32-**8M0082066**

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING
Fits 2005-2015 MCM 4.3L TKS engines (s/n 0W310000 thru 2A454127).

HOSE KIT



32-**8M0051174**

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 2 in.(51 mm) risers

HOSE KIT



32-**8M0051175**

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 4 in.(102 mm) risers

HOSE KIT



32-**8M0051176**

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 6 in.(152 mm) risers


BRACKET



865188T01

Replacement bracket required for specific engine applications when adding closed cooling.
Fits MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M600000-0M616622).

BLOCK OFF KIT



8M0095447

Fits Alpha & Bravo transoms to block off the water inlet connector for engines using thru hull water pickups.

CLOSED COOLING KIT CHART (DRY JOINT EXHAUST)

When adding a closed cooling kit to an engine with 6 in. (152 mm) cold exhaust risers, it will be necessary to replace the exhaust risers with 6 in. (152 mm) warm exhaust risers (p/n 864908A 2). The difference between cold & warm exhaust risers can be identified by the location of the riser hose fitting. Cold exhaust risers will have the hose fitting toward the lower part of the exhaust riser close to the exhaust manifold. Warm exhaust risers will have the hose fitting toward the upper part of the exhaust riser close to the exhaust elbow.

Closed Cooling Kits (2002 and newer)

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MERCRUISER STERNDRIVE MODELS (MCM)						
MCM 3.0L	2002 - 2016	0M087452 - 2A506300	61086A11(2)	N/A	N/A	N/A
MCM 3.0L MPI EC	2008 - 2011	1A072812 - 1A648622	879288A02	N/A	8M0049841(4)	N/A
MCM 3.0L MPI EC	2011 - 2016	1A648623 - 2A502810	879288A02	N/A	78-8M0059346(4)	N/A
MCM 4.3L	2002 - 2005	0M600000 - 0W309999	(1)	N/A	N/A	N/A
MCM 4.3L	2005 - 2015	0W310000 - 2A454127	98-8M0139982	N/A	N/A	32-8M0082066(18)

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MCM 4.3L MPI Alpha	2002 - 2006	0M600000 - 0W649999	864920A02(5)(7)(16)	46-8M0139983(6)	77-865831T07(4)	32-865090A01(11)
MCM 4.3L MPI Alpha	2006 - 2007	0W650000 - 1A063239	864920A02(5)(16)	46-8M0139983(6)	77-865831T06(4)	32-865090A01(11)
MCM 4.3L MPI Alpha	2007 - 2008	1A063240 - 1A343327	864920A02(5)(16)	46-8M0139983(6)	77-865831T08(4)	32-865090A01(11)
MCM 4.3L MPI Alpha	2009 - 2016	1A343328 - 2A506375	864920A02(5)(16)	46-8M0139983(6)	8M0064760(4)	32-865090A01(11)
MCM 4.3L 180 MPI Alpha	2015 - 2016	2A457710 - 2A506375	(1)	N/A	N/A	N/A
MCM 4.3L MPI Alpha EC(12)	2011 - 2011	1A634796 - 1A648622	8M0051178(5)(13)	98-8M0139981(6)	8M0054004(4)	(15)
MCM 4.3L MPI Alpha EC(12)	2011 - 2016	1A648623 - 2A528897	8M0051178(5)(13)	98-8M0139981(6)	78-8M0059348(4)	(15)
MCM 4.3L 180 MPI Alpha EC(12)	2015 - 2016	2A457710 - 2A528897	(1)	N/A	N/A	N/A
MCM 4.3L MPI Bravo	2002 - 2004	0M600000 - 0W029410	864920A02(5)(9)	N/A	77-865001T02(4)	32-865090A01(11)
MCM 4.3L MPI Bravo	2004 - 2006	0W029411 - 0W649999	864920A02(5)(9)	N/A	77-865833T06(4)	32-865090A01(11)
MCM 4.3L MPI Bravo	2006 - 2007	0W650000 - 1A063239	864920A02(5)(9)	N/A	77-865833T05(4)	32-865090A01(11)
MCM 4.3L MPI Bravo	2007 - 2008	1A063240 - 1A343327	864920A02(5)(9)	N/A	77-865833T07(4)	32-865090A01(11)
MCM 4.3L MPI Bravo	2009 - 2016	1A343328 - 2A506375	864920A02(5)(9)	N/A	8M0064759(4)	32-865090A01(11)
MCM 4.3L MPI Bravo EC(12)	2011 - 2011	1A637496 - 1A648622	8M0051178(5)	863674A05(17)	8M0054006(4)	(15)
MCM 4.3L MPI Bravo EC(12)	2011 - 2016	1A648623 - 2A528897	8M0051178(5)	863674A05(17)	78-8M0059350(4)	(15)
MCM 4.5L MPI Alpha	2014 - 2016	2A441953 - 2A530777	8M0193968(5)	46-8M0122666(6)(19)	N/A	N/A
MCM 4.5L MPI Alpha	2016 - 2026	2A530778 and up	8M0193968(5)	46-8M0122666(6)(19)	N/A	N/A
MCM 4.5L MPI Bravo	2014 - 2016	2A441953 - 2A530777	8M0193968	N/A	N/A	N/A
MCM 4.5L MPI Bravo	2016 - 2026	2A530778 and up	8M0193968	N/A	N/A	N/A
MCM 5.0L Alpha	2002 - 2009	0M600000 - 1A607561	N.L.A.(5)	46-8M0139983(6)	N/A	N.L.A.(8)
MCM 5.0L Bravo	2002 - 2009	0M600000 - 1A607561	N.L.A.(5)(9)	N/A	N/A	N.L.A.(8)
MCM 5.0L MPI Alpha	2002 - 2004	0M600000 - 0W029410	864920A02(5)(7)	46-8M0139983(6)	77-865835T03(4)	N.L.A.(8)
MCM 5.0L MPI Alpha	2004	0W029411 - 0W309999	864920A02(5)	46-8M0139983(6)	77-865835T03(4)	N.L.A.(8)
MCM 5.0L MPI Alpha	2004 - 2006	0W310000 - 0W649999	864920A02(5)	46-8M0139983(6)	77-866190T06(4)	N.L.A.(8)
MCM 5.0L MPI Alpha	2006 - 2008	0W650000 - 1A343327	864920A02(5)	46-8M0139983(6)	77-866190T07(4)	N.L.A.(8)
MCM 5.0L MPI Alpha	2009 - 2014	1A343328 - 2A445009	864920A02(5)	46-8M0139983(6)	77-879194T83(4)	N.L.A.(8)
MCM 5.0L MPI Alpha EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)	46-8M0139983(6)	8M0071875(4)	32-879172A16
MCM 5.0L MPI Alpha EC(12)	2011 - 2014	1A648623 - 2A444777	879288A39(5)	46-8M0139983(6)	78-8M0059352(4)	32-879172A16
MCM 5.0L MPI Bravo	2002 - 2004	0M600000 - 0W029410	864920A02(5)(7)(9)	N/A	77-865003T03(4)	N.L.A.(8)
MCM 5.0L MPI Bravo	2004	0W029411 - 0W309999	864920A02(5)(9)	N/A	77-865837T02(4)	N.L.A.(8)
MCM 5.0L MPI Bravo	2004 - 2006	0W310000 - 0W649999	864920A02(5)(9)	N/A	77-866192T06(4)	N.L.A.(8)
MCM 5.0L MPI Bravo	2006 - 2008	0W650000 - 1A343327	864920A02(5)(9)	N/A	77-866192T05(4)	N.L.A.(8)
MCM 5.0L MPI Bravo	2009 - 2014	1A343328 - 2A445009	864920A02(5)(9)	N/A	77-879194T85(4)	N.L.A.(8)
MCM 5.0L MPI Bravo EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071877(4)	32-879172A16
MCM 5.0L MPI Bravo EC(12)	2011 - 2014	1A648623 - 2A444777	879288A39(5)(9)	N/A	78-8M0059354(4)	32-879172A16
MCM 5.0L MPI Bravo DTS	2004 - 2008	0W310000 - 1A343327	864920A02(5)(9)	N/A	866237T04(4)	N.L.A.(8)
MCM 5.0L MPI Bravo DTS	2009 - 2014	1A343328 - 2A445009	864920A02(5)(9)	N/A	78-8M0059270(4)	N.L.A.(8)
MCM 5.0L MPI Bravo Axius DTS	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	879172T80(4)	N.L.A.(8)
MCM 5.0L MPI Bravo Axius DTS	2009 - 2010	1A343328 - 1A623184	864920A02(5)(9)	N/A	77-879194T99(4)	N.L.A.(8)
MCM 5.0L MPI Bravo DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071884(4)	32-879172A16
MCM 5.0L MPI Bravo DTS EC(12)	2011 - 2014	1A648623 - 2A444777	879288A39(5)(9)	N/A	78-8M0059366(4)	32-879172A16
MCM 5.0L MPI Bravo Axius DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071888(4)	32-879172A16(14)
MCM 5.7L Alpha	2002 - 2009	0M600000 - 1A600136	N.L.A.(5)	46-8M0139983(6)	N/A	N.L.A.(8)
MCM 5.7L Bravo	2002 - 2009	0M600000 - 1A600136	N.L.A.(5)(9)	N/A	N/A	N.L.A.(8)
MCM 350 Mag MPI Alpha	2002 - 2004	0M600000 - 0W309999	864920A02(5)(7)	46-8M0139983(6)	77-865839T03(4)	N.L.A.(8)
MCM 350 Mag MPI Alpha	2004 - 2006	0W310000 - 0W649999	864920A02(5)	46-8M0139983(6)	77-866123T06(4)	N.L.A.(8)
MCM 350 Mag MPI Alpha	2006 - 2008	0W650000 - 1A343327	864920A02(5)	46-8M0139983(6)	77-866123T05(4)	N.L.A.(8)
MCM 350 Mag MPI Alpha	2009 - 2015	1A343328 - 2A455872	864920A02(5)	46-8M0139983(6)	77-879194T87(4)	N.L.A.(8)
MCM 350 Mag MPI Alpha EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)	46-8M0139983(6)	8M0071878(4)	32-879172A16
MCM 350 Mag MPI Alpha EC(12)	2011 - 2015	1A648623 - 2A455878	879288A39(5)	46-8M0139983(6)	78-8M0059356(4)	32-879172A16
MCM 350 Mag MPI Bravo	2002 - 2004	0M600000 - 0W029410	864920A02(5)(7)(9)	N/A	77-865005T03(4)	N.L.A.(8)
MCM 350 Mag MPI Bravo	2004	0W029411 - 0W309999	864920A02(5)(9)	N/A	77-865841T02(4)	N.L.A.(8)
MCM 350 Mag MPI Bravo	2004 - 2006	0W310000 - 0W649999	864920A02(5)(9)	N/A	77-866125T06(4)	N.L.A.(8)

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MCM 350 Mag MPI Bravo	2006 - 2008	0W650000 - 1A343327	864920A02(5)(9)	N/A	77-866125T05(4)	N.L.A.(8)
MCM 350 Mag MPI Bravo	2009 - 2015	1A343328 - 2A455872	864920A02(5)(9)	N/A	77-879194T89(4)	N.L.A.(8)
MCM 350 Mag MPI Bravo DTS	2004 - 2008	0W310000 - 1A343327	864920A02(5)(9)	N/A	866239T04(4)	N.L.A.(8)
MCM 350 Mag MPI Bravo DTS	2009 - 2015	1A343328 - 2A455872	864920A02(5)(9)	N/A	78-8M0059272(4)	N.L.A.(8)
MCM 350 Mag MPI Axius Bravo DTS	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	879288T03(4)	N.L.A.(8)
MCM 350 Mag MPI Axius Bravo DTS	2009 - 2010	1A343328 - 1A623184	864920A02(5)(9)	N/A	77-879288T91(4)	N.L.A.(8)
MCM 350 Mag MPI Bravo EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071880(4)	32-879172A16
MCM 350 Mag MPI Bravo EC(12)	2011 - 2015	1A648623 - 2A455878	879288A39(5)(9)	N/A	78-8M0059358(4)	32-879172A16
MCM 350 Mag MPI Bravo DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071885(4)	32-879172A16
MCM 350 Mag MPI Bravo DTS EC(12)	2011 - 2015	1A648623 - 2A455878	879288A39(5)(9)	N/A	78-8M0059368(4)	32-879172A16
MCM 350 Mag MPI Bravo Axius DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071889(4)	32-879172A16(14)
MCM 377 Mag MPI Bravo	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	77-866130T05(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo	2009	1A343328 - 1A345479	864920A02(5)(9)	N/A	77-879194T39(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo	2009	1A345480 - 1A345492	864920A02(5)(9)	N/A	77-879288T93(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo	2009	1A345493 - 1A345765	864920A02(5)(9)	N/A	77-879194T39(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo	2009	1A345766 - 1A345767	864920A02(5)(9)	N/A	77-879288T93(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo	2009	1A345768 - 1A346789	864920A02(5)(9)	N/A	77-879194T39(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo	2009 - 2015	1A346790 - 2A455858	864920A02(5)(9)	N/A	77-879288T93(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo DTS	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	866243T05(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo DTS	2009	1A343328 - 1A345479	864920A02(5)(9)	N/A	77-879194T44(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo DTS	2009	1A345480 - 1A345492	864920A02(5)(9)	N/A	78-8M0059274(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo DTS	2009	1A345493 - 1A345765	864920A02(5)(9)	N/A	77-879194T44(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo DTS	2009	1A345766 - 1A345767	864920A02(5)(9)	N/A	78-8M0059274(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo DTS	2009	1A345768 - 1A346789	864920A02(5)(9)	N/A	77-879194T44(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo DTS	2009 - 2015	1A346790 - 2A455858	864920A02(5)(9)	N/A	78-8M0059274(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo Axius DTS	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	879194T73(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo Axius DTS	2009	1A343328 - 1A345479	864920A02(5)(9)	N/A	77-879355T82(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo Axius DTS	2009	1A345480 - 1A345492	864920A02(5)(9)	N/A	77-879194T17(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo Axius DTS	2009	1A345493 - 1A345765	864920A02(5)(9)	N/A	77-879355T82(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo Axius DTS	2009	1A345766 - 1A345767	864920A02(5)(9)	N/A	77-879194T17(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo Axius DTS	2009	1A345768 - 1A346789	864920A02(5)(9)	N/A	77-879355T82(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo Axius DTS	2009 - 2010	1A346790 - 1A623184	864920A02(5)(9)	N/A	77-879194T17(4)	N.L.A.(8)
MCM 377 Mag MPI Bravo EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0052735(4)	32-879172A16
MCM 377 Mag MPI Bravo EC(12)	2011 - 2015	1A648623 - 2A455601	879288A39(5)(9)	N/A	78-8M0059363(4)	32-879172A16
MCM 377 Mag MPI Bravo DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0052739(4)	32-879172A16
MCM 377 Mag MPI Bravo DTS EC(12)	2011 - 2015	1A648623 - 2A455601	879288A39(5)(9)	N/A	78-8M0059257(4)	32-879172A16
MCM 377 Mag MPI Bravo Axius DTS EC(12)	2008 - 2011	1A300000 - 1A623184	879288A39(5)(9)	N/A	8M0071890(4)	32-879172A16(14)
MCM 6.2L MPI Mercury	2015 - 2016	2A456613 - 2A530775	N.L.A.(5)	N/A	N/A	98-8M0112578
MCM 6.2L MPI Mercury	2016 - 2026	2A530776 and up	98-8M0123588(5)	N/A	N/A	98-8M0123590
MCM MX 6.2 MPI Bravo	2002 - 2004	0M600000 - 0W029410	864920A02(5)(7)(9)	N/A	77-865008T04(4)	N.L.A.(8)
MCM MX 6.2 MPI Bravo	2004	0W029410 - 0W309999	864920A02(5)(9)	N/A	77-865846T02(4)	N.L.A.(8)
MCM MX 6.2 MPI Bravo	2004 - 2006	0W310000 - 0W649999	864920A02(5)(9)	N/A	866130T06(4)	N.L.A.(8)
MCM MX 6.2 MPI Bravo	2006 - 2007	0W650000 - 1A299999	864920A02(5)(9)	N/A	77-866130T05(4)	N.L.A.(8)
MCM MX 6.2 MPI Bravo DTS	2004 - 2007	0W310000 - 1A299999	864920A02(5)(9)	N/A	866243T05(4)	N.L.A.(8)
MERCRUISER INBOARD MODELS (MIE)						
MIE 350 Mag MPI	2002 - 2004	0M317000 - 0W389999	864920A02(5)	N/A	77-865006T04(4)	N.L.A.(10)
MIE 350 Mag MPI	2004 - 2006	0W390000 - 0W689999	864920A02(5)	N/A	77-866127T05(4)	N.L.A.(10)
MIE 350 Mag MPI	2006 - 2008	0W690000 - 1A089999	864920A02(5)	N/A	866127T04(4)	N.L.A.(10)
MIE 350 Mag MPI DTS	2004 - 2008	0W390000 - 1A089999	864920A02(5)	N/A	866241T06(4)	N.L.A.(10)
MIE 5.7L	2002 - 2010	0M317000 - 1A092388	N.L.A.(5)	N/A	N/A	N.L.A.(10)
MIE 5.7L MPI	2008	1A090000 - 1A091825	864920A02(5)	N/A	866127T04(4)	N.L.A.(10)
MIE 5.7L MPI	2009 - 2015	1A091826 - 2A455523	864920A02(5)	N/A	77-879194T91(4)	N.L.A.(10)
MIE 5.7L MPI w/ In-Line EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0071881(4)	32-879172A16
MIE 5.7L MPI w/ In-Line EC(12)	2011 - 2015	1A092818 - 2A455371	879288A39(5)	N/A	78-8M0059360(4)	32-879172A16

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MIE 5.7L MPI w/ V-Drive EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0071881(4)	32-879172A17
MIE 5.7L MPI w/ V-Drive EC(12)	2011 - 2015	1A092818 - 2A455371	879288A39(5)	N/A	78-8M0059360(4)	32-879172A17
MIE 5.7L MPI DTS	2008	1A090000 - 1A091825	864920A02(5)	N/A	866241T06(4)	N.L.A.(10)
MIE 5.7L MPI DTS	2009 - 2015	1A091826 - 2A455523	864920A02(5)	N/A	77-879194T97(4)	N.L.A.(10)
MIE 5.7L MPI DTS w/ In-Line EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0071886(4)	32-879172A16
MIE 5.7L MPI DTS w/ In-Line EC(12)	2011 - 2015	1A092818 - 2A455371	879288A39(5)	N/A	78-8M0059248(4)	32-879172A16
MIE 5.7L MPI DTS w/ V-Drive EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0071886(4)	32-879172A17
MIE 5.7L MPI DTS w/ V-Drive EC(12)	2011 - 2015	1A092818 - 2A455371	879288A39(5)	N/A	78-8M0059248(4)	32-879172A17
MIE MX 6.2 MPI	2002 - 2004	0M317000 - 0W389999	864920A02(5)	N/A	77-865009T04(4)	N.L.A.(10)
MIE MX 6.2 MPI	2004 - 2006	0W390000 - 0W689999	864920A02(5)	N/A	77-866132T06(4)	N.L.A.(10)
MIE MX 6.2 MPI	2006 - 2008	0W690000 - 1A091517	864920A02(5)	N/A	77-866132T05(4)	N.L.A.(10)
MIE MX 6.2 MPI	2009	1A091518 - 1A091825	864920A02(5)	N/A	77-879194T41(4)	N.L.A.(10)
MIE MX 6.2 MPI	2009 - 2015	1A091826 - 2A452368	864920A02(5)	N/A	77-879288T95(4)	N.L.A.(10)
MIE MX 6.2 MPI DTS	2004 - 2008	0W390000 - 1A091517	864920A02(5)	N/A	866245T06(4)	N.L.A.(10)
MIE MX 6.2 MPI DTS	2009	1A091518 - 1A091825	864920A02(5)	N/A	77-879355T80(4)	N.L.A.(10)
MIE MX 6.2 MPI DTS	2009 - 2015	1A091826 - 2A452368	864920A02(5)	N/A	77-879288T99(4)	N.L.A.(10)
MIE 6.2 MPI w/ In-Line EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0052737(4)	32-879172A16
MIE 6.2 MPI w/ In-Line EC(12)	2011 - 2015	1A092818 - 2A455246	879288A39(5)	N/A	78-8M0059364(4)	32-879172A16
MIE 6.2 MPI w/ V-Drive EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0052737(4)	32-879172A17
MIE 6.2 MPI w/ V-Drive EC(12)	2011 - 2015	1A092818 - 2A455246	879288A39(5)	N/A	78-8M0059364(4)	32-879172A17
MIE 6.2 MPI DTS w/ In-Line EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0052742(4)	32-879172A16
MIE 6.2 MPI DTS w/ In-Line EC(12)	2011 - 2015	1A092818 - 2A455246	879288A39(5)	N/A	78-8M0059259(4)	32-879172A16
MIE 6.2 MPI DTS w/ V-Drive EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0052742(4)	32-879172A17
MIE 6.2 MPI DTS w/ V-Drive EC(12)	2011 - 2015	1A092818 - 2A455246	879288A39(5)	N/A	78-8M0059259(4)	32-879172A17
MERCRUISER TOW SPORTS MODELS (SKI)						
Ski 5.7L Carb	2002 - 2011	0M317000 - 1A092837	(1)	N/A	N/A	N/A
Ski 350 Mag MPI	2002 - 2007	0M317000 - 1A089999	(1)	N/A	N/A	N/A
Ski 6.2L MPI In-Line	2015 - 2016	2A456613 - 2A530773	N.L.A.(5)	N/A	N/A	98-8M0112579
Ski 6.2L MPI In-Line	2016 - 2026	2A530774 and up	98-8M0123588(5)	N/A	N/A	98-8M0123592
Ski 6.2L MPI V-Drive	2015 - 2016	2A456613 - 2A530773	N.L.A.(5)(20)	N/A	N/A	98-8M0112580
Ski 6.2L MPI V-Drive	2016 - 2026	2A530774 and up	98-8M0123588(5)	N/A	N/A	98-8M0123593
Ski MX 6.2 MPI	2002 - 2007	0M317000 - 0W689999	(1)	N/A	N/A	N/A
Black Scorpion Ski	2002 - 2015	0M317000 - 2A460164	(1)	N/A	N/A	N/A

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MX 6.2 Black Scorpion Ski	2002 - 2015	0M317000 - 2A460138	(1)	N/A	N/A	N/A

(1) No Kit Available

(2) This closed cooling kit will not fit 3.0L engines with optional side mounts

(4) The ECM must be replaced when installing a closed cooling kit on this specific engine application. Due to the many updates throughout the year, the ECM listed may not be the appropriate ECM for your engine serial number. Please check the latest Electronic Parts Catalog

(5) Note the additional required kit(s) listed to complete the installation.

(6) Thru hull water pickup is not included with seawater pump kits. Obtain locally.

(7) 865188T01 Front Lift Bracket: Order this replacement bracket if the engine s/n is 0M600000-0M616622 or if a Bravo engine with an air actuated drain system.

(8) This hose kit required only if engine has 6 in. (152 mm) exhaust risers.

(9) Bravo drive applications require the installation of an additional thru-hull or transom mounted water pickup along with the drive unit water pickups. Order these components separately.

(10) This hose kit required only if engine has in-line transmission and 6 in. (152 mm) exhaust risers.

(11) If engine is equipped with 6 in. risers, also order Hose Kit 32-865998A01

(12) Emission Controlled engine

(13) This closed cooling kit will fit Alpha engines with the standard single point drain that incorporates the rod actuated water distribution housing only, and will NOT fit Alpha engines with the special single point drain tee fitting 22-8M2020634 with the blue drain plug which was required in some boats due to the hull design.

(14) Hose kit 32-865039A02 is also required for Axius EC engines

(15) If engine is equipped with risers, 1 of the following hose kits is also required to be ordered separately. Order 32-8M0051174 for engines with 2 in. risers. Order 32-8M0051175 for engines with 4 in. risers. Order 32-8M0051176 for engines with 6 in. risers.

(16) If this kit is being mounted on a 4.3L Alpha engine, also order serpentine belt 57-865615Q03

(17) This air actuated seawater pump rear cover is required to be ordered separately for Bravo applications.

(18) This hose kit only required if engine is equipped with 4.7 in. (119 mm) or 6 in. (152 mm) risers

(19) Alpha models also required a Water Block Off Kit p/n 8M0095447 to be ordered separately

(20) This kit will only fit 6.2L V-Drive Towsport models with DTS. Will not fit V-Drive models with mechanical throttle.

CLOSED COOLING KIT CHART - MCM (PRE-DRY JOINT EXH)

MCM Closed Cooling Kits (2002 and older)

Model	Model Notes	Heat Exchanger Location	Year Range	Serial # Range	Closed Cooling Kit	Belt Kit	Seawater Pump Kit
MCM 4 cyl. (153 cid)		Side	1983 - 1989	6229718 - 0C853255	61086A11	N/A	N/A
MCM 4 cyl. (181cid)	Carb engines	Side	1983 - 2026	6229718 and up	61086A11(19)	N/A	N/A
MCM V-6 (229 cid)		Front	1983 - 1984	6330183 - 6919655	N.L.A.	N/A	N.L.A.(2)
MCM V-6 (262 cid) Alpha	Stamped steel crankshaft pulley	Front	1985 - 1990	0A331455 - 0D445799	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-6 (262 cid) Alpha	Cast crankshaft pulley	Front	1985 - 1990	0A331455 - 0D445799	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-6 (262 cid) Alpha	V-belt	Front	1991 - 1996	0D445800 - 0F802999	N.L.A.(6)	N/A	N.L.A.(2)(3)
MCM V-6 (262 cid) Alpha	Serpentine belt	Front	1996 - 1999	0F803000 - 0L619083	860427A 4(1)(6)(11)	807901T 6(4)(5)	N/A
MCM V-6 (262 cid) Alpha		Front	1999 - 2001	0L619084 - 0M299999	N.L.A.	(21)	N/A
MCM V-6 (262 cid) Alpha	Carb engines	Front	2002	0M300000 - 0M343007	N.L.A.	(21)	N/A
MCM V-6 (262 cid) Alpha	Carb engines	Front	2002	0M343008 - 0M599999	N.L.A.	(22)	N/A
MCM V-6 (262 cid) Alpha	MPI engines	Front	2002	0M300000 - 0M343007	N.L.A.	(21)	46-8M0139983(2)
MCM V-6 (262 cid) Alpha	MPI engines	Front	2002	0M343008 - 0M599999	N.L.A.	(22)	46-8M0139983(2)
MCM V-6 (262 cid) Bravo	Serpentine belt	Front	1996 - 1999	0F803000 - 0L619083	860427A 4(1)(6)(11)	807901A 5(5)(7)	N/A
MCM V-6 (262 cid) Bravo		Front	1999 - 2001	0L619084 - 0M299999	N.L.A.	(20)	N/A
MCM V-6 (262 cid) Bravo	Carb engines	Front	2002	0M300000 - 0M343007	N.L.A.	(20)	N/A
MCM V-6 (262 cid) Bravo	Carb engines	Front	2002	0M343008 - 0M599999	N.L.A.	(23)	N/A
MCM V-6 (262 cid) Bravo	MPI engines	Front	2002	0M300000 - 0M343007	N.L.A.	(20)	N/A
MCM V-6 (262 cid) Bravo	MPI engines	Front	2002	0M343008 - 0M599999	N.L.A.	(23)	N/A
MCM V-8 (305 & 350 cid)		Front	1983 - 1986	6218462 - 0B525981	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-8 (305 & 350 cid) Alpha	Stamped steel crankshaft pulley	Front	1987 - 1990	0B525982 - 0D445799	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-8 (305 & 350 cid) Alpha	Cast crankshaft pulley	Front	1987 - 1990	0B525982 - 0D445799	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-8 (305 & 350 cid) Alpha	V-belt	Front	1991 - 1996	0D445800 - 0F999999	N.L.A.(6)(12)	N/A	N.L.A.(2)
MCM V-8 (305 & 350 cid) Alpha	Serpentine belt	Front	1997	0K001506 - 0K999999	860427A 4(6)(13)	807901A 5(5)(7)	46-807151A 5(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	Serpentine belt	Front	1997 - 1999	0K001506 - 0K999999	860427A 5(6)	807901A 5(5)(7)	46-807151A 5(2)

Model	Model Notes	Heat Exchanger Location	Year Range	Serial # Range	Closed Cooling Kit	Belt Kit	Seawater Pump Kit
MCM V-8 (305 & 350 cid Gen+) Alpha		Front	1998 - 1999	0L010035 - 0L618999	860427A 5(6)(11)	807901A 5(5)(7)	46-807151A 5(2)
MCM V-8 (305 & 350 cid Gen+) Alpha		Front	1999 - 2001	0L619000 - 0M299999	860427A 7(6)	(20)	46-807151A25(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	Carb engines	Front	2002	0M300000 - 0M343007	860427A 7(6)	(20)	46-8M0139983(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	Carb engines	Front	2002	0M343008 - 0M599999	860427A 7(6)	(23)	46-8M0139983(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	MPI engines	Front	2002	0M300000 - 0M343007	N.L.A.	(20)	46-8M0139983(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	MPI engines	Front	2002	0M343008 - 0M599999	N.L.A.	(23)	46-8M0139983(2)
MCM V-8 (305 & 350 cid) Bravo	V-belt	Front	1989 - 1996	0C407810 - 0F999999	N.L.A.(12)(14)	N/A	N/A
MCM V-8 (305 & 350 cid) Bravo	Serpentine belt	Front	1997	0K001506 - 0K999999	860427A 4(6)(13)	807901A 5(5)(7)	N/A
MCM V-8 (305 & 350 cid Gen+) Bravo		Front	1997 - 1999	0K001501 - 0L618999	860427A 5(6)	807901A 5(5)(7)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo		Front	1999 - 2001	0L619000 - 0M299999	860427A 7	(20)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo	Carb engines	Front	2002	0M300000 - 0M343007	860427A 7	(20)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo	Carb engines	Front	2002	0M343008 - 0M599999	860427A 7	(23)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo	MPI engines	Front	2002	0M300000 - 0M343007	N.L.A.	(20)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo	MPI engines	Front	2002	0M343008 - 0M599999	N.L.A.	(23)	N/A
MCM V-8 (454 cid) TR/TRS	CEO exhaust manifolds	Rear	1982 - 1987	6083145 - 0B816540	N.L.A.(17)	N/A	N/A
MCM V-8 (454 cid) Alpha		Front	1986 - 1988	0A631894 and up	N/A	N/A	
MCM V-8 (454 cid) Bravo	Carb engines	Front	1988 - 1996	0B721206 - 0F800699	N.L.A.(15)	N/A	N/A
MCM V-8 (454 cid) Bravo	MPI engines	Front	1994 - 1996	0F115700 - 0F602009	N/A	N/A	
MCM V-8 (454 cid) Bravo	TBI & MPI engines & front mounted, vertical oil cooler	Front	1996 - 1997	0F602010 - 0K999999	807639A 3(16)	N/A	N/A
MCM V-8 (454 cid Gen VI) Bravo	Carb engines	Front	1996 - 1997	0F800700 - 0K999999	807639A 3	N/A	N/A
MCM V-8 (454 cid) Bravo	MPI engines & serpentine belt	Front	1998 - 2001	0L010003 - 0M024999	807639A 3	N/A	
MCM V-8 (502 cid) Bravo	Carb engines	Front	1990 - 1993	0C878221 - 0F114528	N.L.A.(15)	N/A	N/A
MCM V-8 (502 cid) Bravo	MPI engines	Front	1993 - 1996	0D840650 - 0F802599	N/A	N/A	
MCM V-8 (502 cid) Bravo	MPI engines & front mounted, vertical oil cooler	Front	1996 - 1997	0F802600 - 0K999999	807639A 3	N/A	N/A
MCM V-8 (502 cid) Bravo	MPIengines & serpentine belt	Front	1998 - 2001	0L017000 - 0M024999	807639A 3	N/A	

(1) This kit will fit all engines except the 1996 262 Mag EFI engines (S/N 0F803800 - 0F999999) with VST fuel system which does not have a kit available for it.

(2) Thru hull water pickup is not included with seawater pump kits

(3) If the seawater temperature that this boat will be operating in does not exceed 80 deg. F {26 deg. C}, a Seawater Pump Kit does not have to be installed. If the seawater temperature exceeds 80 deg. F {26 deg. C} , then a Pump kit is required.

(4) 807901A 4 Belt Kit: Order this belt kit instead of the one listed if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.

(5) 861578 P/S Pulley: Order this metal 5-3/4 in. (146 mm) P/S pulley if the engine has a plastic 4-3/4 in. (121 mm) O.D. power steering pulley. Reference MerCruiser Parts Bulletin 98-1

(6) Note the additional required kit(s) listed to complete the installation.

(7) 807901A 3 Belt Kit: Order this belt kit instead of the one listed if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.

(10) 57-861050 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.

(11) 860315A 2 Extender and Hose Kit: Also order this kit if installing on a V-6 or V-8 (305 CID) with a carburetor

(12) Kit will not fit 1995-1996 (350 CID) EFI engines (S/N 0F225560 - 0F999999) with VST fuel system. No kit available.

(13) 32-861070T Fuel Line: Order this fuel line if the engine is below S/N 0K154018 and has a 2 bbl carburetor

(14) 85152A 2 Oil Cooler: This kit is required if boat will be operated in seawater above 90 Deg. F {32 Deg. C}

(15) 17833A 7 Installation Kit: This kit is required when 3 in. (76 mm) or 6 in. (152 mm) risers are installed.

(16) 32- 62987A 3 Hose Kit: Order this kit if engine is a 7.4LX TBI and is equipped with 5/8 in. (16 mm) I.D. hose and fittings from the back of the intake manifold to the engine water circulating pump

(17) 44443A 3 Installation Kit: This kit is also required

(18) No kit available

(19) Closed cooling kit will not fit 3.0L engines with side mounts

(20) 57-863876 8 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.

(21) 57-863876 9 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.

(22) 889432A 1 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.

(23) 889433A 1 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.

CLOSED COOLING KIT CHART - MIE (PRE-DRY JOINT EXH)

MIE Closed Cooling Kits (2002 and older)

Model	Model Notes	Year Range	Serial # Range	Closed Cooling Kit
	FRONT MOUNTED COOLING KITS			
MIE V-8 (350 & 377 cid Gen+)		1997 - 2001	0K040300 - 0M299999	860427A 5
MIE V-8 (350 cid Gen+)	Carb engines	2002	0M300000 - 0M316999	860427A 5
MIE V-8 (454 cid Gen VI)	MPI & TBI engines	1996 - 2001	0F820104 - 0L674613	807639A 3
MIE V-8 (502 cid Gen VI)	MPI engines	1996 - 2001	0F819620 - 0L674200	807639A 3

(1) This installation kit is required when 3 in. (76 mm) or 6 in. (152) risers are installed.

(2) Order this hose kit if engine is equipped with 5/8 in. (16 mm) I.D. hose and fittings from the back of the intake manifold to the engine water circulating pump

(3) Use ONLY rear mounted closed cooling kit

(4) Use ONLY front mounted closed cooling kit

(5) No kit available

CLOSED COOLING KIT CHART - SKI (PRE-DRY JOINT EXH)

SKI Closed Cooling Kits (2002 and older)

Model	Model Notes	Year Range	Serial # Range	Closed Cooling Kit	Installation Kit
	FRONT MOUNTED COOLING KITS				
Ski V-8 (350 cid)	4 bbl. carb & serpentine belt	1997	0K040400 - 0K999999	860427A 4	N/A
Ski V-8 (350 cid Gen+)		1997 - 2001	0K040006 - 0M299999	860427A 5	N/A
Ski V-8 (350 cid Gen+)	Carb engines	2002	0M300000 - 0M316999	860427A 5	N/A

SEAWATER HOSE DRAIN KIT

This kit will allow draining of the seawater pump without having to remove the seawater hose. Kit is inserted into the existing seawater hose.

SEAWATER HOSE DRAIN KIT



861505A 1

Fits MCM/MIE engines equipped with a seawater pump.

ENGINE CIRCULATING PUMP DRAIN KIT

This kit will allow draining of the engine circulating water pump without having to remove the hose. Kit contains new circulating pump hose with drain fitting.

CIRCULATING PUMP HOSE



32-**861590A05**

Fits MCM/MIE GM V-6 and V-8 (305, 350 & 377 cid) engines

ENGINE FLUSH CONNECTOR KIT

For use with the engine circulating water pump drain kit (32-861590A2). Kit contains a quick disconnect fitting to attach to garden hose. Kit is designed to flush raw water cooled MIE & Ski engines without running the engine.

ENGINE FLUSH CONNECTOR KIT



22-**861932A 1**

Fits MIE & Tow Sports engines with drainable circulating pump hose.

ENGINE FLUSH KIT

ENGINE FLUSH KIT



898235A01

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 1988 & newer MCM 4.3L, 5.0L, 5.7L & 6.2L non-EC engines with BRAVO drives & MIE's. Also fits 1988-2001 MCM 7.4L & 8.2L non-EC engines with BRAVO drives & MIE's.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED on V-6 engines with 1 pc exhaust manifolds or engines with stainless steel exhaust elbows.

ENGINE FLUSH KIT



98-**8M0123083**

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 2011 & newer MCM V6 4.3L MPI EC, Mercury 4.5L & 6.2L engines with BRAVO drives. Also fits Mercury 6.2 Towsports engines.

ENGINE FLUSH KIT



98-**8M0158580**

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 2019 & newer Mercury 6.2L 370HP jet power inboard engines.

ENGINE FLUSH KIT



879288A40

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 2008 & newer MCM 5.0L, 5.7L & 6.2L Emissions Control engines with BRAVO drives & MIE's.

ENGINE FLUSH KIT



898235A02

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 2001 & newer MCM/MIE 8.1L & 8.2L non-EC engines.

ENGINE FLUSH KIT



8M0057577

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 2008 and newer MCM/MIE 8.1L & 8.2L Emissions Control engines.

ENGINE FLUSH KIT



98-**8M0117940**

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components. Designed for engines with a 1.25 in (32 mm) I.D. inlet water hose

Fits MCM/MIE 135 & 150 (6.7L) diesel engines with BRAVO drives.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED.

ENGINE FLUSH KIT



98-**8M0117939**

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components. Designed for engines with a 1.50 in (38 mm) I.D. inlet water hose

Fits MCM QSD 2.0L, 2.8L & 4.2L diesel engines with BRAVO drives & MIE's.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED.

98-**8M0117938**

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components. Designed for engines with a 1.75 in (44 mm) I.D. inlet water hose

Fits MCM/MIE V-6 & V-8 TDI diesel engines. Also fits MCM/MIE 180, 200, 230, 260 & 280 (6.7L) diesel engines.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED.

ENGINE FLUSH KIT



98-**8M0117941**

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components. Designed for engines with a 2.00 in (51 mm) I.D. inlet water hose

Fits MIE 480, 500 & 550 (6.7L) Tier 3 diesel engines.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED.

FLUSHING ATTACHMENTS

FLUSHING ATTACHMENT



44357T 2

Will allow for running at idle speeds.

Fits Mercury/Mariner 20 hp. and higher outboards, 9.9/15 hp. FourStroke (323cc) Bigfoot outboards, all Model Year 2005 and Newer 8/9.9 hp. Four Stroke outboards, 15 hp. FourStroke (351cc) outboards, all MerCruiser Sterndrives (except Bravo One Performance & Blackhawk) and MHP Torque Master gearcases.
Note: 2000 and newer V-6 outboards and MerCruiser Bravo drives with dual water pick-up also require Dual Water Pick-Up Flush Seal Kit p/n 881150K 1.

Priced individually, sold @ multiples of 4

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

FLUSHING ATTACHMENT



44357Q 2

Will allow for running at idle speeds. Attaches to the water intakes; provides a fresh water connection when flushing the cooling system or operating the engine.

Fits Mercury/Mariner 20 hp. and higher outboards, 9.9/15 hp. FourStroke (323cc) Bigfoot outboards, all Model Year 2005 and Newer 8/9.9 hp. Four Stroke outboards, 15 hp. FourStroke (351cc) outboards, all MerCruiser Sterndrives (except Bravo One Perf. & Blackhawk) and MHP Torque Master gearcases.
Note: 2000 and newer V-6 outboards and MerCruiser Bravo drives with dual water pick-up also require Dual Water Pick-Up Flush Seal Kit p/n 881150Q 1.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DUAL WATER PICKUP FLUSH SEAL KIT



881150K 1

Provides a front water pick-up seal for gearcases with dual water pick-ups

Fits 2000 and newer Mercury/Mariner V-6 outboards with dual water pick-ups; and 2000 and newer MerCruiser Bravo drives with dual water pick-ups.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.


FLUSHING KIT



849996T 1

Use for flushing gearcases with low water inlets/pick up.
Fits MCM Bravo I Performance & BlackHawk drives

FLUSHING ATTACHMENT



8M0179906

Kit contains hooks (2), shock cords (2), flushing cap and hose fitting.
Used for flushing the Bravo Four S sterndrive

GEARCASE FILLER PLUGS



22-**8M0163134**

Used to fix gearcase water pressure issues with the dual water inlet gearcase not supplying adequate water pressure and flow to the engine at the high installation "X" dimension heights that were used with the low water inlet gearcase.
Fits O/B & MCM Bravo gearcases with dual water pickups. 300 series stainless steel passivated. Size 1/16-27 PFT - SAE Short. Used with NPT tap.

DRIVESHAFT EXTENSION (JACKSHAFT) KITS

Converts standard sterndrive package to a driveshaft configuration for conventional center console and triple engine high performance applications.

JACKSHAFT MAIN KIT



98634A20

For use with DHB power steering system. Also order driveshaft kit separately to complete the installation.
Note: V-6 & V-8 (305, 350 & 377 cid) engines (s/n 0W650000 thru 2A528847) & 496 Mag engines (s/n 0W310000 thru 1A352731) also require harness 84-866785T01. If DTS, additional harness 84-866784T01 is also required.
Fits 1994 and newer MCM V-6 & V-8 gasoline models with DHB p/s cylinder (except MCM 4.5L & 6.2L - Mercury engines)

JACKSHAFT MAIN KIT



98-**8M0124634**

Order driveshaft kit separately to complete the installation.
Note: If DTS, additional harness 84-866784T01 is also required.
Fits 2014 and newer Mercury 4.5L & 2016 and newer 6.2L engines (s/n 2A530774 and up)

JACKSHAFT MAIN KIT



8M0101387

Primary application is triple engines. (Shaft not included)
Fits MCM 2.0L diesel

JACKSHAFT MAIN KIT

Image not Available.

98-**8M0108250**

Order Driveshaft Kit and exhaust tubes separately to complete installation
Fits MCM 3.0L V6 VM diesel engines

JACKSHAFT MAIN KIT



98-**8M0120321**

Primary application is triple engines. (Shaft not included)
Fits MCM 3.0L V6 TDI diesel

JACKSHAFT MAIN KIT



8M0085664

Primary application is triple engines. (Shaft not included)
Fits MCM 4.2L V8 TDI diesel

DRIVESHAFT KIT



45- **94819T 5**

34-1/2 in.(876 mm) driveshaft. Primary application is for use with the 2.8L, 4.2L & 7.3L diesel main kits, also triple engines applications.

DRIVESHAFT KIT



45- **86978A 3**

39.64 in.(1 m) optional driveshaft.

DRIVESHAFT KIT



45-**864286A 1**

63 in. (1.6 m) driveshaft. (Optional shaft for use with 2.8L, 4.2L & 7.3L diesel main kits.)

EXHAUST FLANGE KIT



862268A 4

Included with 98634A20 driveshaft Extension Kit
Fits MCM V-6 & V-8 gasoline models with DHB p/s cylinder.

DRIVESHAFT EXTENSION (JACKSHAFT) KIT CHART

MCM Driveshaft Extension Kits

Model	Model Notes	Year Range	Serial # Range	Main Kit	Drive Shaft (Standard)	Drive Shaft (Optional)
MCM V-6 & V-8	For engines w/ Saginaw p/s system	1991 - 1993	0D445877 - 0F114599	N.L.A.	N/A	45- 94819T 5(2)
MCM V-6 & V-8	For DHB p/s system (except 4.3L MPI & 496 Mag)	1994 - 2006	0F114600 - 0W649999	98634A20	N/A	45- 94819T 5(2)
MCM V-6 & V-8	For DHB p/s system (except 4.3L MPI & 496 Mag)	2006 - 2014	0W650000 and up	98634A20(7)(8)(9)	N/A	45- 94819T 5(2)
MCM 4.3L MPI		2002 - 2006	0M300000 - 0W649999	98634A20	N.L.A.	45- 94819T 5(2)
MCM 4.3L MPI		2006 - 2016	0W650000 - 2A528897	98634A20(7)(8)	N.L.A.	45- 94819T 5(2)
MCM 4.5L		2014 - 2016	2A441953 - 2A530777	98-8M0124634	N/A	45- 94819T 5(2)
MCM 4.5L		2016 - 2026	2A530778 and up	98-8M0124634	N/A	45- 94819T 5(2)
MCM 6.2L		2015 - 2016	2A456613 - 2A530777	98-8M0124634	N/A	45- 94819T 5(2)
MCM 6.2L		2016 - 2026	2A530778 and up	98-8M0124634	N/A	45- 94819T 5(2)
MCM 496 Mag		2001 - 2005	0M025000 - 0W309999	98634A20	N/A	45- 94819T 5(2)
MCM 496 Mag		2005 - 2010	0W310000 - 1A352731	98634A20(7)(8)	N/A	45- 94819T 5(2)
MCM 8.2L Mag		2010 - 2026	1A350340 and up	98634A20(7)(8)	N/A	45- 94819T 5(2)

Model	Model Notes	Year Range	Serial # Range	Main Kit	Drive Shaft (Standard)	Drive Shaft (Optional)
MCM D1.7L DTI		2001 - 2009	0M055000 and up	N.L.A.	N.L.A.	N.L.A.
MCM D2.8L ES & EI		1997 - 2005	0K144109 - 88010499	N.L.A.	45- 94819T 5	45-864286A 1
QSD 2.8L		2007 - 2026	88300000 and up	N.L.A.	45- 94819T 5	45-864286A 1
3.0L V6 TDI		2013 - 2026	All - All	98-8M0120321	45- 94819T 5	N/A
4.2L V8 TDI		2013 - 2026	All - All	8M0085664	45- 94819T 5	N/A
MCM D4.2L		1994 - 1997	0D554732 - 0L668673	N.L.A.	45- 94819T 5	45-864286A 1
MCM D4.2L ES & EI		1997 - 2026	0K144114 and up	N.L.A.	45- 94819T 5	45-864286A 1
QSD 4.2L		2007 - 2026	88400000 and up	N.L.A.	45- 94819T 5	45-864286A 1
MCM D7.3L		1994 - 1996	0F060000 and up	N.L.A.	45- 94819T 5	45-864286A 1
MCM D7.3L D-Tronic		1997 - 2001	0K095775 and up	N.L.A.	45- 94819T 5	45-864286A 1

(1) Exhaust tube only

(2) For triple engine applications, this shorter driveshaft [34-1/2 in.(876mm)] may be required.

(3) Exhaust extension kit is for use on engines 300 HP and below.

(5) No kit available

(6) Exhaust flange kit

(7) Order transom harness 84-866785T01separately to complete an MPI engine installation.

(8) Order this additional harness 84-866784T01 if engine has DTS

(9) Order transom harness 84-899719T05 separately to complete a carburated engine installation.

TAILSTOCK KITS

TAILSTOCK KIT



98-**8M0106961**

For jet drive applications
Fits QSD 2.0L, 2.8L & 4.2L diesels


TAILSTOCK KIT



8M0098561

For jet drive applications
Fits 3.0L V6 TDI diesels

TAILSTOCK KIT



8M0202721

For jet drive applications
Fits 3.0L VM V6 diesels

TAILSTOCK KIT



8M0098562

For jet drive applications
Fits 4.2L V8 TDI diesels

TAILSTOCK KITS



98-**8M0106963**

For jet drive applications
Fits Mercury 6.2L and 8.2L engines

REMOTE OIL FILTER KITS

Relocates the oil filter from lower block mount to a higher exhaust elbow mount for ease of servicing.

REMOTE OIL FILTER KIT



807459A 3

Fits 1996-2002 MCM V-6 (Gen+) Carb & TBI engines (s/n 0F803000-0M614999). Also fits the 4.3L Plus-Series engine.

REMOTE OIL FILTER KIT



35-**806329A 1**

Fits 1996-2015 MCM/MIE V-8 (305 & 350 cid) engines with 4 in.(102 mm) O.D. exhaust elbows. Also fits 1997-2002 Tow Sports V-8 (350 & 377 cid) engines (s/n 0K040001-0M316999). See application chart.

REMOTE OIL FILTER KIT



807459A09

Fits 1997-2002 MCM V-8 (305 & 350 cid) carb engines with standard cooling (s/n 0K001501-0M614999).

REMOTE OIL FILTER KIT



864990A 1

Fits 2001-2002 MCM V-8 (305 & 350 cid) carb engines with closed cooling (s/n 0M300000-0M614999). Fits 2002-2009 MCM V-8 (305 & 350 cid) carb engines (s/n 0M615000 thru 1A607561).

REMOTE OIL FILTER KIT CHART

MCM Remote Oil Filter Kits

Model	Model Notes	Year Range	Serial # Range	Remote Oil Filter Kit
MCM 4 cyl. (153 & 181 cid)		1983 - 1995	6229718 and up	(5)
MCM 4 cyl. (181 cid)		1996 - 2015	0F604000 and up	N.L.A.
MCM V-6 (229 cid)		1983 - 1984	6330183 and up	(5)
MCM V-6 (262 cid)	3 in.(76 mm) exhaust elbows	1985 - 1986	0A331455 - 0B527955	(5)
MCM V-6 (262 cid)	4 in.(102 mm) exhaust elbows	1985 - 1990	0A331455 - 0D445799	N.L.A.
MCM V-6 (262 cid)		1991 - 1996	0D445800 - 0F802999	N.L.A.(2)(3)

Model	Model Notes	Year Range	Serial # Range	Remote Oil Filter Kit
MCM V-6 (262 cid) (Gen +)	Carb & TBI engines	1996 - 2002	0F803000 - 0M614999	807459A 3
MCM V-6 (262 cid) (Gen +)	Carb engines	2002 - 2015	0M615000 - 2A454127	N.L.A.
MCM V-6 (262 cid) (Gen +)	MPI engines	2002 - 2016	0M300000 - 2A506375	(6)
MCM V-8 (305 & 350 cid)	CEO exhaust manifolds	1983 - 1986	6218462 - 0B525981	N.L.A.(4)
MCM V-8 (305 & 350 cid)	3 in.(76 mm) exhaust elbows	1987 - 1990	0B525982 - 0D445799	N.L.A.(4)
MCM V-8 (305 & 350 cid)	4 in.(102 mm) exhaust elbow	1987 - 1990	0B525982 - 0D445799	35-806329A 1(1)(2)(3)
MCM V-8 (305 & 350 cid) Alpha		1991 - 1996	0D445800 - 0K001500	35-806329A 1(1)(2)(3)
MCM V-8 (305 & 350 cid) Bravo		1991 - 1996	0D445800 - 0K001500	(6)
MCM V-8 (305 & 350 cid)		1997 - 2001	0K001501 - 0M299999	807459A09
MCM V-8 (305 & 350 cid)	Carb engines	2002	0M300000 - 0M614999	807459A09
MCM V-8 (305 & 350 cid)	Carb engines	2002 - 2009	0M615000 - 1A607561	864990A 1
MCM V-8 (305, 350 & 377 cid)	MPI engines	2002 - 2014	0M300000 - 2A445872	(6)
MIE V-8 (305, 350 & 377 cid)	CEO exhaust manifolds	1981 - 2026	5907058 and up	(6)
Ski V-8 (350 cid)	3 in.(76 mm) exhaust elbows	1987 - 1990	0B514627 - 0D434549	N.L.A.(4)
Ski V-8 (350 cid)	4 in.(102 mm) exhaust elbow	1987 - 1996	0B514627 - 0K040000	35-806329A 1(1)(2)(3)
Ski V-8 (350 cid)		1997 - 2002	0K040001 - 0M316999	35-806329A 1(1)(2)(3)
Ski V-8 (350 & 377 cid)		2002 - 2015	0M317000 - 2A455977	(5)
MX 6.2L Black Scorpion Ski		2001 - 2015	0L670015 - 2A460138	(7)
MCM/MIE V-8 (454, 496 & 502 cid)	CEO exhaust manifolds	1982 - 2026	6083145 and up	(6)
Ski V-8 (454 cid)		1995 - 1996	0F215800 and up	(6)

(1) If the engine has stainless steel exhaust elbows on it, order Oil Filter Bracket Kit P/N 817403A 4 also.

(2) If the engine has 6 in.(152 mm) risers installed on it, an Oil Filter Hose Extension Kit may be required.

(3) If the engine has cast iron exhaust elbows and 3 in.(76 mm) risers, order 2 studs P/N 16-11376

(4) If the engine has 3 in.(76 mm) risers, order 2 studs P/N 16-34713

(5) No Kit Available

(6) Standard Equipment

(7) Factory installed option only

OIL DRAIN HOSE KITS

These oil drain kits allow draining of engine oil through the oil pan drain plug.

OIL DRAIN KIT



32-**865277A02**

Includes special tether so oil drain hose can be pulled out through the boat bilge drain hole to drain engine oil. Boat needs to be removed from the water to take advantage of this feature.

Fits 1983 and newer MCM GM 4 cyl, 1995 and older MCM V-6 & V-8 engines (all, except 8.1L) with standard (SAE) 1/2-20 oil drain plug threads.

OIL DRAIN KIT



32-**865278A03**

Includes special tether so oil drain hose can be pulled out through the boat bilge drain hole to drain engine oil. Boat needs to be removed from the water to take advantage of this feature.

Fits 1997-2000 MCM V-6 (s/n 0K000000-0M000000).

OIL DRAIN KIT



32-865278A04

Includes special tether so oil drain hose can be pulled out through the boat bilge drain hole to drain engine oil. Boat needs to be removed from the water to take advantage of this feature.

Fits 2009-2016 and newer MCM V-6 MPI engines (s/n 1A343329 thru 2A528897).

OIL DRAIN KIT



32-865281A02

Includes special tether so oil drain hose can be pulled out through the boat bilge drain hole to drain engine oil. Boat needs to be removed from the water to take advantage of this feature.

Fits 1996 and up MCM V-8 engines with metric M12 oil pan drain plug threads. Also fits 4.5L V6 engines.

OIL DRAIN HOSE KIT CHART

MCM Oil Drain Hose Kits

Model	Model Notes	Year Range	Serial # Range	Oil Drain Hose Kit with Tether
MCM 4 cyl. (153 & 181 cid)		1983 - 2016	6229718 - 2A506300	32-865277A02
MCM V-6 (229cid)		1983 - 1984	6330183 - 6919655	32-865277A02
MCM V-6 (262cid)		1985 - 1996	0A331455 - 0F802999	32-865277A02
MCM V-6 (262cid)	Cast aluminum oil pan	1996	0F803000 - 0K000000	(1)
MCM V-6 (262cid)		1997 - 2002	0K000001 - 0M614999	32-865278A03
MCM V-6 (262cid)	Jackshaft models	1999 - 2012	0L320000 and up	N.L.A.
MCM V-6 (262cid)	MPI engines	2009 - 2016	1A343329 - 2A528897	32-865278A04
MCM V-6 4.5L	MPI engines	2014 - 2026	2A441953 and up	32-865281A02
MCM V-8 (305 & 350cid)	1/2-20 oil plug threads	1983 - 1995	6218462 - 0F600999	32-865277A02
MCM V-8 (305, 350 & 377cid)	12MM oil plug threads	1996 - 2015	0F601000 - 2A455872	32-865281A02
MCM V-8 (305, 350 & 377cid)	MPI engines	2009 - 2015	1A342186 - 2A455878	32-865281A02
MCM V-8 6.2L Mercury	MPI engines	2016 - 2026	2A456613 and up	32-865281A02
MCM V-8 (454cid)	1/2-20 oil plug threads	1982 - 1996	6083145 - 0F800699	32-865277A02
MCM V-8 (454cid)	12MM oil plug threads	1996 - 2001	0F800700 - 0M024999	32-865281A02
MCM V-8 (496cid)	12MM oil plug threads	2009 - 2012	1A349411 - 1A352731	32-865281A02
MCM V-8 (502cid)	1/2-20 oil plug threads	1990 - 1993	0C878221 - 0F802599	32-865277A02
MCM V-8 (502cid)	12MM oil plug threads	1996 - 2026	0F802600 - 0M024999	32-865281A02

(1) Kit not available

WATER ELIMINATOR

Uses polymer crystals encased in a plastic filter to absorb water from the fuel in a fuel tank. Supplied with a 2 ft.(610 mm) lanyard. Sold in counter display box. Approximate dimensions: 3-1/2 in.(89 mm) a 1-1/4 in.(32 mm).

WATER ELIMINATOR



67-808887Q

Contains a drying agent commonly used to keep small, sealed containers dry. It absorbs water that has collected in the fuel tank.
How to use: Attach to the inside fuel cap with the lanyard (included). Adjust the lanyard so the Water Eliminator sits at the bottom of the fuel tank. Replace as needed.
For use in all octane grades of gasoline, including ethanol blended. Not recommended for diesel fuel.

For use in all 2-cycle and 4-cycle gasoline outboard, sterndrive, inboard and jet drive marine engines.

Priced individually, sold @ multiples of 6

Quicksilver Branded, Point of Sale Packaged.

BOOST PUMP KIT

BOOST PUMP KIT



862264A 7

Helps minimize vapor locking
Fits MCM/MIE 4.3L, 5.0L, 5.7L & 6.2L EFI/MPI engines

FUEL FILTER KIT

FUEL FILTER KIT



35-864572A 1

Prevents blockage of the boost pump inlet from debris that may be in the fuel tank. This filter is installed in-line between the fuel tank and boost pump. Standard equipment with all current engines using a boost pump. This filter will backfit older MerCruiser 8.1S/496 Mag engines.

Fits all MCM/MIE gasoline engines using a boost pump.

FUEL FILTER



35-864572

Replacement in-line filter
Fits all MCM/MIE gasoline engines using a boost pump.

HIGH CAPACITY WATER SEPARATING FUEL FILTER - GASOLINE OR DIESEL

WATER SEPARATING FUEL FILTER KIT



35-8M0082291

High capacity water separating fuel filter kit allows for 120 gallons per hour fuel flow. 10-micron fuel filter with over 90% efficiency removes harmful contaminants, particles and power robbing water from your fuel between your tank and the engine. The filter in the kit contains more than 25% more filter media than non-Quicksilver filters. Internal epoxy coating and corrosion resistant external paint for increased weather resistance.

For use with 2-cycle and 4-stroke outboards and both gasoline and diesel stern drive and inboard engines. This kit includes the vessel mount head, without the fittings. It can deliver high fuel volume flow for multiple outboard, stern drive or inboard engine applications. Brass or stainless-steel fuel line fittings sold separately. Check your owner's manual for inspection and replacement schedules.

WATER SEPARATING FUEL FILTER KIT



35-8M0082290

Kit consisting of our vessel mounted head (without fittings) and our High Capacity water separating fuel filter. Our brass fittings may be used with gas engines but stainless steel fittings p/n 22-8M0058419 are required in diesel applications. Filter features 10 micron, 90% efficiency with a 120 gallon per hour flow rate.

Compatible with most 2-Stroke and 4-Stroke Outboards and most Inboard & Sterndrive Gas and Diesel Engines.

WATER SEPARATING FUEL FILTER



35-**8M0079963**

High volume replacement filter featuring 10 micron filtration with over 90% efficiency, flowing 120 gallons per hour while separating water from your fuel. The internal epoxy coating protects against corrosion and the low pressure drop reduces fuel flow restriction helping to prevent vapor-locking and stalling. This filter contains 25% more media than comparable aftermarket filters, providing longer life and improved water separation.

Fits remote mounted applications that do not have clearance issues.

WATER SEPARATING FUEL FILTERS -GASOLINE

FUEL FILTER KIT



35-**802893A 4**

Filter Kit, including filter canister and bracket. All Mercury, Mariner and Force outboards with a pulse driven fuel pump that do not already have a water separating fuel filter can gain benefit from this externally mounted kit. Degree of filtration is 25 micron. minimum.

Used in both outboard and MerCruiser applications

Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER KIT



35-**807172A 1**

For gasoline use only.

For use on 1992 MCM 4.3L Gen II engines equipped with an in-line fuel filter.

FUEL FILTER



35-**866594K01**

10 micron

For MerCruiser 1.6L Vazer and 3.0L MPI EC engines

Mercury Precision Branded, Box Point of Sale Packaged.

FUEL FILTER



35-**866594Q01**

10 micron

For MerCruiser 1.6L Vazer and 3.0L MPI EC engines

Quicksilver Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35-**8M0000202**

Fits Mercury Racing 850, 1075 & 1200 SCi engines

WATER SEPARATING FUEL FILTER KIT



35-**8M0000493**

For Mercury Racing 1200 SCi and all QC4V engines

FUEL FILTER



35-**802893T**

25 micron. Used in addition to engine filter for water separating in the boat

Used in both outboard and MerCruiser applications (except 1992 MerCruiser 4.3 L Gen II engines equipped with an in-line fuel filter & 1.6L Vazer and 3.0L MPI engines).

Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35-**892687A02**

Replacement filter & canister

Fits 2004-2015 MerCruiser sterndrive and inboard engines with Gen III fuel cooler

WATER SEPARATING FUEL FILTER



35-**8M0093688**

Replacement filter

Fits 2004-2015 MCM/MIE engines with Gen III fuel cooler

FUEL FILTER ELEMENT



35-**8M0122424**

Under cowl replacement cartridge where applicable.

Fits the under cowl L4 Verado outboard replaceable cartridge fuel filter, the 200-300 hp. L6 Verado (2B144122 & Below) 1.5L & 3.0L DFI outboards that utilize a vapor separator with a top screw-in type filter. Also fits the MCM 4.5L and 6.2L (2A456613 & newer) engines.

Mercury Precision Branded, Box Point of Sale Packaged.

FUEL FILTER REMOVAL / INSTALL TOOL



91-**896661**

Aids in the removal and installation of the fuel filter cap assembly.

75/90/115 DFI 1.5L (3 Cylinder) (Serial 1B227000-1B736885)
75/90/115/125 DFI 1.5L (3 Cylinder) (Serial 1B736885-2B112577)
115 Pro XS 1.5L - 3 Cylinder (Serial 1B751825-2B123429)
135/150/175 4-Stroke (Serial 1B381712-1B517158)
135/150/175/200 4-Stroke (Serial 1B517159-2B576734)
200 OPTIMAX V6 DFI (Serial 1B912786-2B535571)
200 DFI (3.0L)(DTS) (Serial 0T801000-1B417701)
225 DFI (3.0L)(DTS) (Serial 0T599000-1B417701)
200/225 DFI (3.0L)(DTS) (Serial 0T599000-1B964735)
200/225 (3.0L)(Mechanical) (Serial 1B417702-1B504988)
200/225/250/200 Pro XS (3.0L)(Mechanical) (Serial 1B504989-2B535086)
200/225/250/275 4-Stroke Verado (Serial 1B227000-1B517433)
200/225/250/275/300 4-Stroke Verado (6 Cylinder) (Serial 1B517434-2B144122)
200/250/300 Pro Verado (4-Stroke)(6 Cylinder) (Serial 1B830170-2B577715)
200/225/250/300 HP Verado 6 CYL (Serial 2B144123-2B578935)
350-400/350 PRO/400R Verado (4-Stroke)(6 Cylinder) (Serial 2B141124-3B342962)

WATER SEPARATING FILTER BRACKET



89876A 3

Includes brass fittings. 11/16-16 threads

For vessel mounted applications.

OIL FILTER WRENCH



91-**889277K01**

Metal wrench, requires a 3/8 in. drive ratchet.

Fits the (877761__) oil filter found on the 75-115 EFI FourStroke outboard (serial number 1B366823-2B094955) and the 150 hp. EFI FourStroke outboard. Also fits the MCM (866340__) oil filter and (802893__) fuel filter found on many MCM engines.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

THREADED HOSE BARB



22- **89771T 2**

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A .250 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

THREADED HOSE BARB



22-**8M0058419**

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A stainless steel fitting for use with both gasoline and diesel fuel.
This fitting has a .300 inch ID.

THREADED HOSE BARB



22-**8M0125175**

For use with 3/8"-18 (9.5MM). Threads into our portable fuel tanks and will also work with our water separating filter bracket.

.375 inch ID stainless steel fitting for use with both gasoline and diesel fuel.

FUEL LINE SNAPPER CLAMP



54- **41582T 7**

Fuel line hose clamp.

For use with our gray color, 5/16 in. (8 mm) I.D. fuel line.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

WATER SEPARATING FUEL FILTERS -DIESEL

WATER SEPARATING FUEL FILTER



35-**8M0150911**

Fits 1.7 MS 120

WATER SEPARATING FUEL FILTER



35-**879172104**

Fits all QSD 2.0, 2.8, & 4.2 engines

WATER SEPARATING FUEL FILTER



35-**8M0103963**

Fits 530D-TA/D183/D3.0L (s/n 0B993002-0D725459), 636D-TA/D219/D3.6L (s/n 0B993002-0F306929), and D254/D4.2L (s/n 0C489461-0F450249) diesel engines

WATER SEPARATING FUEL FILTER



35-**807256T**

Fits 2.8 EI & ES, D3.0L (s/n 0D725460 and up), D3.6L (s/n 0F306930 and up), and D4.2L (s/n 0F450250 and up)

WATER SEPARATING FUEL FILTER



35-**8M0135210**

Replacement element

Fits MCM/MIE 3.0L V6 VM diesel engines.

WATER SEPARATING FUEL FILTER



35-**880830T**

Replacement element

Fits 4.2L MI & MS

WATER SEPARATING FUEL FILTER



35-**808275**

Fits D7.3L (s/n 0F060000 and up)

WATER SEPARATING FUEL FILTER



35-**8M0231398**

Replacement element

Fits MCM/MIE 1.9L, 2.5L, 3.0L V6 amd 4.2L V8 TDI diesel engines.

WATER SEPARATING FUEL FILTER



35-**8M6002390**

Fits MCM/MIE 4.2L V8 TDI 335 & 370 diesel engines (s/n CMC000200 & up)

RACOR WATER SEPARATING FUEL FILTERS -GASOLINE

These unique filters have a reusable bowl at the bottom of the filter. The bowl is made of metal to meet U.S. Coast Guard Regulations. These filters will flow up to 90 gallons (341 L) per hour and spin on existing MerCruiser and Volvo Penta inboards. Note: Clearance problems may occur in some instances. Check filter clearance prior to installation. For gasoline use. Can be mounted to filter bracket 89876A 3.

RACOR WATER SEPARATING FUEL FILTER



35-**809100**

Includes metal bowl.

All MCM/MIE models, except 1992 MCM 4.3L Gen II engines equipped with an in-line fuel filter. Degree of filtration is 10 micron.

RACOR WATER SEPARATING FUEL FILTER



35-**809101**

All MCM/MIE models, except 1992 MCM 4.3L Gen II engines equipped with an in-line fuel filter. Degree of filtration is 10 micron.

RACOR WATER SEPARATING FUEL FILTERS -DIESEL

10 micron filter

RACOR WATER SEPARATING FUEL FILTER



35-**850481**

3/4 in.(19 mm) - 16 SAE thread inlet and outlet
For diesel engines

35-**809867**

14 mm thread inlet and outlet
For diesel engines

RACOR WATER SEPARATING FUEL FILTER



35-**809868T**

Replacement Racor 10 micron element
For diesel engines with Racor water separating fuel filter

SEAWATER PICKUPS

SEAWATER PICKUP



88845A 1

Transom mount, for 1-1/4 in.(32 mm) hose.
Fits any sterndrive engine that has an engine mounted seawater pump.

SEAWATER PICKUP



22-**8M0102849**

Transom mount, for 1-1/2 in.(38 mm) hose.
Primarly used on diesel engines with 1-1/2 in.(38 mm) seawater inlet hose.

SEAWATER PICKUP



22-**818170A 2**

Bronze, thru hull mount with seacock, 1-1/2 in.(38 mm) pipe size.
Primarily used on diesel applications with 1-1/2 in.(38 mm) seawater inlet hose

SEAWATER PICKUP



8M0113313

Bronze, thru hull mount, 2" (51 mm) pipe size
Primarily used on diesel applications with 2" (51 mm) seawater hose

SEAWATER STRAINER

SEAWATER STRAINER



35-**860603**

Primarily used on diesel applications. For use with 1-1/2 in. (38 mm) I.D. seawater inlet hose. Order 1-1/2 in. (38 mm) barb fittings separately p/n 22-816339.

FITTING



22-**816339**

1-1/2 in.(38 mm) barb fitting for use with seawater strainer 35-860603

PROPELLER SHAFT COUPLERS FOR MIE ONLY

Includes set screw and through bolts.

PROPELLER SHAFT COUPLER



79476A 4

5 in.(127 mm) diameter flange, 1-3/8 in.(35 mm) diameter bore

Fits Borg Warner 71 series Inline - 1.5:1, 2:1, 2.5:1, or 3:1 ratio; Borg Warner 71 series V-Drives; all 72 series; and all Hurth series transmissions

79476A 5

5 in.(127 mm) diameter flange, 1-1/2 in.(38 mm) diameter bore

Fits Borg Warner 71 series Inline - 1.5:1, 2:1, 2.5:1, or 3:1 ratio; Borg Warner 71 series V-Drives; all 72 series; and all Hurth series transmissions

79476A 6

5 in.(127 mm) diameter flange, 1-3/4 in.(44 mm) diameter bore

Fits Borg Warner 71 series Inline - 1.5:1, 2:1, 2.5:1, or 3:1 ratio; Borg Warner 71 series V-Drives; all 72 series; and all Hurth series transmissions

GEAR HOUSING REPLACEMENT SKEGS

REPLACEMENT SKEG



90185A 1

Will not fit original Alpha One drives

For MCM Alpha One Gen II drives (s/n 0D469859 and above)

REPLACEMENT SKEG



815632A02

For MCM Bravo One & Bravo Three drives

REPLACEMENT SKEG



806688A02

For MCM Bravo Two drives

TRANSOM ADAPTER KIT

For use when replacing a Volvo or BMW sterndrive with a new standard MCM Alpha or Bravo sterndrive. It provides a rugged mounting that seals the competitors larger transom cutouts and eliminates costly rework to fiberglass, aluminum, or steel transoms.

TRANSOM ADAPTER KIT



827691A 1

For use when replacing a Volvo or BMW sterndrive with a standard MerCrusier Alpha or Bravo sterndrive assembly. This kit provides a rugged mounting support that seals the competitors' larger transom cutouts and eliminates costly rework to fiberglass, aluminum, or steel transoms.

For use with 1970-1987 BMW Z-drives Mark 1 & Mark 2
For use with 1969-1977 Volvo AQ250, 270, 275, 280, 258, 290 & 290DP
For use with 1997 & older Volvo DP sterndrivedrives

MERCATHODE

Automatically protects the sterndrive from galvanic corrosion. A solid state device that operates off a 12 voltThe increased output provides greater protection for underwater aluminum parts. Its reliable, efficient operation requires an insignificant amount of current when protection is needed.

MERCATHODE KIT - RED ALPHA MCM UPGRADE



98-**8M0122010**

Factory fit
Anode/reference electrode unit mounts in place of zinc anode under the gimbal housing, eliminating the need to drill holes through the transom. The new black Gen III MerCathode controller with the red decal is mounted inside the boat.

Fits 2014 and newer 4.5L V6 with Alpha drives

MERCATHODE KIT - RED MCM SERVICE KIT



8M0089497

Universal and 100% service kit for all MCM drives. Kit contains red controller, round ceramic drive anode/electrode, signal harness, power harness and parts bag.

Fits 2014 and newer Bravo drives

MERCATHODE KIT



8M0085693

Anode/reference electrode unit mounts in place of zinc anode under the gimbal housing, eliminating the need to drill holes through the transom. The new black Gen III Mercathode controller with the blue decal is mounted inside the boat.

Fits R, MR, Alpha One & Gen II, and Bravo drives. (2013 and older)

MERCATHODE KIT



42600A14

Kit includes the new black Gen III MerCathode controller with the red decal and 2 transom mounted anodes for boats requiring additional corrosion protection. This kit is used in conjunction with gimbal mounted anode/reference electrode unit p/n 98869A14. The new MerCathode controller replaces the existing blue controller mounted inside the boat.

Fits R, MR, Alpha One, Gen II & Bravo drives

MERCATHODE KIT - YELLOW TRANSOM KIT



8M0180081

Kit includes: MerCathode-yellow (1,000ma), Rig Center MerCathode Power Harness, anode, reference electrode, 5-amp harness assembly, cable assembly and Instruction sheet.

For use on all high-horsepower outboard applications, including Mercury 7.6L V12 600hp Verado and 500hp SeaPro outboards

MERCATHODE CONTROLLER - RED 360MA



8M0100517

Black Gen III controller with red decal.

Fits R, MR, Alpha One & Gen II, and Bravo drives. Fits both new round ceramic and rectangle/square platinum active electrodes.

MERCATHODE CONTROL UNIT



42600A09

Black Gen III MerCathode controller with blue decal and attaching hardware only. To be connected in parallel with 98869A14 Mercathode systems for certain salt water applications.

Fits R, MR, Alpha One & Gen II, and Bravo drives.

MERCATHODE ANODE



97- **72957A 5**

Replacement anode assembly for 88334 series Mercathode systems.

MERCATHODE ELECTRODE



72958A 5

Service reference electrode for blue, red, and yellow transom mounted mercathode systems.

MERCATHODE REFERENCE ELECTRODE TESTER



91-**8M0135998**

Use with a digital multimeter to test the function of Mercathode systems. Senses an electrical current in the water when testing the Mercathode system.

ANODE KITS

ANODE KIT



97-**888756K02**

Aluminum anodes - For use in saltwater or freshwater.
Fits 1984-1990 MR & Alpha One drives (s/n 6225577-0D469828)
Mercury Precision Branded, Box Point of Sale Packaged.

ANODE KIT



97-**888755K02**

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1984-1990 MR & Alpha One drives (s/n 6225577-0D469828)
Mercury Precision Branded, Box Point of Sale Packaged.

97-**888755Q04**

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1984-1990 MR & Alpha One drives (s/n 6225577-0D469828)
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-**888755K01**

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1991 and newer Alpha One Gen II drives (s/n 0D469829 and up)
Mercury Precision Branded, Box Point of Sale Packaged.

ANODE KIT



97-**888756K01**

Aluminum anodes - For use in saltwater or freshwater.
Fits 1991 and newer Alpha One Gen II drives (s/n 0D469829 and up)
Mercury Precision Branded, Box Point of Sale Packaged.

ANODE KIT



97-**888758K01**

Aluminum anodes - For use in saltwater or freshwater.
Fits 1988 and newer Bravo One drives (s/n 0B664190 and up)
Mercury Precision Branded, Box Point of Sale Packaged.

97-**888757K01**

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1988 and newer Bravo One drives (s/n 0B664190 and up)
Mercury Precision Branded, Box Point of Sale Packaged.

ANODE KIT



97-**888761K01**

Aluminum anodes - For use in saltwater or freshwater
Fits 1988 and newer Bravo II drives (s/n 0B664190 and up)
Fits 1995-2002 Bravo III drives (s/n 0F345868-0M179451)
Mercury Precision Branded, Box Point of Sale Packaged.

97-**888760K01**

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1988 and newer Bravo II drives (s/n 0B664190 and up)
Fits 1995-2002 Bravo III drives (s/n 0F345868-0M179451)
Mercury Precision Branded, Box Point of Sale Packaged.

97-**888760Q03**

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1988 and newer Bravo II drives (s/n 0B664190 and up)
Fits 1995-2002 Bravo III drives (s/n 0F345868-0M179451)
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-**888761K02**

Aluminum anodes - For use in saltwater or freshwater.
Fits 2003 and newer Bravo III drives (s/n 0M179452 and up)
Mercury Precision Branded, Box Point of Sale Packaged.

97-**888760K02**

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 2003 and newer Bravo III drives (s/n 0M179452 and up)
Mercury Precision Branded, Box Point of Sale Packaged.

97-**888760Q04**

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 2003 and newer Bravo III drives (s/n 0M179452 and up)
Quicksilver Branded, Box Point of Sale Packaged.

ANODES - TRANSOM

ANODIC PLATE



34762A 1

Zinc
Fits older MerCuiser I,II, TR & TRS sterndrives

ANODE KIT



97- **55989Q 9**

Aluminum
Fits MC-I, R, MR, Alpha and Bravo drives (s/n 0F386995 and below)
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97- **55989T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits MC-I drives

GIMBAL HOUSING ANODE



97-**821631T 1**

Aluminum

Fits R, MR, Alpha One, Gen II, Bravo I, II, III, X, XR & XZ drives.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**821631Q 1**

Aluminum

Fits R, MR, Alpha One, Gen II, Bravo I, II, III, X, XR & XZ drives.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**821631T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.

Fits MerCruiser R, MR, Alpha One, Gen II, Bravo One, Two, Three, and X, XR and XZ drives

ANODE-HANGING




97-**809690A 1**

Aluminum

Provides additional corrosion protection when boat is at mooring. Fits all applications when hung over side of the boat.

ANODES - DRIVESHAFT HOUSING

DRIVESHAFT HOUSING ANODE



97-**821629T 1**

Aluminum

Fits Alpha One Gen II drives.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**821629Q 1**

Aluminum

Fits Alpha One Gen II drives.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**821629A 2**

Magnesium - For freshwater use only. Do not use in saltwater applications.

Fits Alpha One Gen II drives.

DRIVESHAFT HOUSING ANODE



97-**821630T 1**

Aluminum

Fits Bravo I, II, III, X XR & XZ drives.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**821630Q 1**

Aluminum

Fits Bravo I, II, III, X, XR & XZ drives.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**821630A 2**

Magnesium - For freshwater use only. Do not use in saltwater applications.

Fits MerCruiser Bravo One, Two, Three and X, XR and XZ drives

ANODES - PROPELLER

PROP NUT ANODE KIT



809664A 1

1-1/8 in. Shaft, 3/4 in. NF 16

Fits Mercury/Mariner 70 hp and higher outboards (except 225 EFI FourStroke); Also fits MC-I, R, MR, Alpha, Bravo One & TRS sterndrives (1970 & newer)

PROP NUT ANODE KIT



97-**809666A02**

Aluminum, For use in saltwater or freshwater.
1-3/8 in. Shaft, 1 in. NF 14

Fits Bravo III drives (s/n 0M179451 and below)

97-**809666A03**

Magnesium, For use in freshwater only.
1-3/8 in. Shaft, 1 in. NF 14

Fits MerCruiser Bravo Three Drives (serial No. 0M179451 and below)

REPLACEMENT PROP NUT ANODE



97-**809662T**

2 in. Aluminum Anode Shell
Replacement Shell for 809662A 1

2" aluminum anode shell
is a replacement anode for 809662A1, and fits Mercury 700-1500 outboards and MerCruiser MC-I sterndrives

REPLACEMENT PROP NUT ANODE



97-**809666T**

2-5/16 in. Aluminum Anode Shell
Replacement Shell for 809666A 1and 809666A02

2-5/16" aluminum anode shell
is a replacement anode for 809666A02, and fits MerCruiser Bravo Three sterndrives

97-**809666T01**

2-5/16 in. Magnesium Anode Shell
Replacement Shell for 809666A03

REPLACEMENT PROP NUT ANODE



97-**809670T**

2-1/2 in. Aluminum Anode Shell
Replacement Shell for 809670A 1

2-1/2" aluminum anode shell is a replacement anode for 809670A1, and fits MerCruiser Bravo Two, TR and MC-III sterndrives

PROP NUT ANODE



97-**865182Q01**

Aluminum
Fits Bravo III (s/n 0M179452 and up)
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**865182A02**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Bravo III (s/n 0M179452 and up)

ANODE CHART - PROPELLER NUT

Prop Nut Anodes

Thread Size/ per inch	Shaft Size	Zinc Size	Outside Diameter	Space Pounds	Space Grams	Complete Pounds	Complete Grams	Anodic Prop Nut Kit	Replacement Prop Nut Anode
3/4 inch NC 10	1 inch	C	2 inch	1.06	481.8	1.55	704.5	N.L.A.	97-809662T
3/4 inch NF 16	1 inch	C	2 inch	1.06	481.8	1.55	704.5	809664A 1	97-809662T
7/8 inch NC 9	1-1/4 inch	D	2-5/16 inch	1.50	681.8	2.20	999.9	N.L.A.	97-809666T
7/8 inch NF 14	1-1/4 inch	D	2-5/16 inch	1.50	681.8	2.20	999.9	N.L.A.	97-809666T
1 inch NF 14	1-3/8 inch	E	2-1/2 inch	1.70	772.7	2.55	1159	N.L.A.	97-809670T

ANODES - GEAR HOUSING

TRIM TAB



97- 31640T 4

Aluminum

Fits most Mercury/Mariner outboards 35-125hp outboards and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97- 31640Q 4

Aluminum

Fits most Mercury/Mariner outboards 30-200 hp outboards and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97- 31640T 6

Magnesium - For freshwater use only. Do not use in Saltwater applications.

Fits most Mercury/Mariner outboards 35-125hp outboards and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

TRIM TAB



34127T 2

Zinc

An optional trim tab for R, MR and Alpha One drives. Provides increased steering torque reduction for non-power steering applications. Will not work with Black Max or other high rake propellers.

ANODIC PLATE



97- 76214T 5

Aluminum

Provides additional clearance for high rake propellers.

Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.

Priced individually, sold @ multiples of 2

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97- 76214Q 5

Aluminum

Provides additional clearance for high rake propellers.

Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97- 76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

Fits Mercury and Mariner 35-300hp outboards, Force 90 and 120hp outboards (1995 and newer), MerCruiser Alpha One Gen II and Bravo One, Two and Three drives

TRIM TAB ANODE



97-822777T 1

Aluminum

For applications where extra clearance is required for high rake propellers.

Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-822777A 2

Magnesium - For freshwater use only. Do not use in saltwater applications.

Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.

ANODIC PLATE



97- 76214 4

Aluminum

Fits Bravo III with 2 pc. anti-ventilation plate
Fits Bravo III w/ 1 pc housing (s/n 0M179452 and up)
Fits Vazer

97- 76214 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

Fits Bravo III with 2 pc. anti-ventilation plate

ANODE



97-806187A 1

Aluminum

Fits BlackHawk

ANODE



97-**847635**
Aluminum
Fits SSM VI & VII

BEARING CARRIER ANODE



97-**806105T 1**
Aluminum
Fits Alpha One Gen II and Vazer drives
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**806105Q 1**
Aluminum
Fits Alpha One Gen II and Vazer drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

BEARING CARRIER ANODE



97-**806188Q01**
Aluminum
Fits Bravo I
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**806188A 2**
Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Bravo I

PROP NUT ANODE



97-**865182Q01**
Aluminum
Fits Bravo III (s/n 0M179452 and up)
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**865182A02**
Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Bravo III (s/n 0M179452 and up)

ANODES - TRIM CYLINDER

TRIM CYLINDER ANODE



97-**806189T 1**
Aluminum
Fits Alpha One Gen II drives.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**806189Q 1**
Aluminum
Fits Alpha One Gen II drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**806189A 2**
Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Alpha One Gen II drives

TRIM CYLINDER ANODE



97-**806190T 1**
Aluminum
Fits Vazer and Bravo I, II, III, X, XR, XZ and Blackhawk drives.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

97-**806190Q 1**

Aluminum
Fits Vazer and Bravo I, II, III, X, XR, XZ and Blackhawk drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-**806190A 2**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Vazer and Bravo I, II, III, X, XR, XZ and Blackhawk drives.

ANODE - ENGINE

ENGINE ANODE ASSEMBLY



97-**8M0151541**

M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)
Fits 2.0L, 2.8L, 3.0L & 4.2L in-line diesel engines
Also fits the 1.9L, 2.5L, 3.0L V6 & 4.2L V8 TDI diesel engines

ENGINE ANODE ASSEMBLY



97-**8M0151540**

Longer length for extended corrosion protectionM18 x 1.5 Plug w/ thread-in anode (40mm length x 15mm O.D.)
Fits QSD 2.8L & 4.2L diesel engines. Also fits 3.0L V6 TDI diesel engines

ANODE - HEAT EXCHANGER

HEAT EXCHANGER ANODE



97-**806000**

3/8-18 NPT Plug w/ thread-in anode (32mm length x 13mm O.D.)
Fits 1994-2009 D2.8L, D3.0L, D3.6L & D4.2L in-line diesel engine heat exchangers, Also fits Racing 850 SCi, 1025 SCi, 1075 SCi & 1200SCi oil cooler housing.

ANODE CHART - MERCRUISER

MerCruiser Anodes

Model	Year Range	Serial # Range	Gimbal Anodic Pate	Mat.	Gimbal Anodic Bolt Head	Mat.	Anodic trim Tab/ Plate	Mat.	Anodic Trim Tab (Opt.)	Mat.	D/S Hsg. Anodic Plate	Mat.	Trim Cylinder Anode	Mat.	Bearing Carrier Anode	Mat.	Anodic Prop Nut Kit	Prop Nut Anode Only
60	1965 - 1966	1830753 - 2063740	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		N.L.A.	N.L.A.
60	1965 - 1966	1830753 - 2063740	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	N.L.A.
80	1966 - 1969	2063741 - 2898029	34762A 1	Zinc	N/A		N.L.A.		N/A		N/A		N/A		N/A		N.L.A.	97-809662T
90	1970 - 1972	2898020 - 3225967	34762A 1	Zinc	N/A		N.L.A.		N/A		N/A		N/A		N/A		N.L.A.	97-809662T
I	1963	1534570 - 1684187	34762A 1	Zinc	N/A		34127T 2	Zinc	N/A		N/A		N/A		N/A		N.L.A.	97-809662T
IA/IB/IC	1964	1684188 - 1777798	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		N.L.A.	97-809662T
IA/IB/IC	1964	1684188 - 1777798	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	97-809662T
IA/IB/IC (EZ-Shift)	1965 - 1966	1776349 - 2065189	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		N.L.A.	97-809662T
IA/IB/IC (EZ-Shift)	1965 - 1966	1776349 - 2065189	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	97-809662T
120/140	1967 - 1969	2062141 - 2791956	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		N.L.A.	97-809662T
120/140	1967 - 1969	2062141 - 2791956	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	97-809662T
120/140	1970 - 1977	2791957 - 4893634	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
120/140	1970 - 1977	2791957 - 4893634	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
120/140	1978 - 1982	4893635 - 6225576	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
120/140	1978 - 1982	4893635 - 6225576	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
160	1967 - 1969	2065190 - 2763441	34762A 1	Zinc	N/A		34127T 2	Zinc	N/A		N/A		N/A		N/A		N.L.A.	97-809662T
165	1970 - 1977	2763442 - 4890459	N/A		97- 55989Q 9	Alum.	34127T 2	Zinc	N/A		N/A		N/A		N/A		809664A 1	97-809662T
165	1978 - 1981	4890460 - 6268064	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
165	1978 - 1981	4890460 - 6268064	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
II	1962 - 1967	1474909 - 2278488	N/A		N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		N.L.A.	97-809666T
II	1962 - 1967	1474909 - 2278488	N/A		N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	97-809666T
II (1.78:1)	1969	2507945 - 2671321	N/A		N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		N.L.A.	97-809666T
II (1.78:1)	1969	2507945 - 2671321	N/A		N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	97-809666T
III	1968 - 1969	2373127 - 3002613	34762A 1	Zinc	N/A		34127T 2	Zinc	N/A		N/A		N/A		N/A		N.L.A.	97-809670T
215E	1970 - 1972	2909035 - 2915034	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		N.L.A.	97-809670T
215E	1970 - 1972	2909035 - 2915034	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	97-809670T
215H	1970	2782203 - 2909034	34762A 1	Zinc	N/A		34127T 2	Zinc	N/A		N/A		N/A		N/A		N.L.A.	97-809670T
225-S	1974	3856268 - 4200499	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
225-S	1974	3856268 - 4200499	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
228	1977 - 1982	4782330 - 6229157	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
228	1977 - 1982	4782330 - 6229157	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
233	1975 - 1977	4200500 - 4782329	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
233	1975 - 1977	4200500 - 4782329	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
250	1977	4791300 - 4898729	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
250	1977	4791300 - 4898729	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCRUISER

Model	Year Range	Serial # Range	Gimbal Anodic Pate	Mat.	Gimbal Anodic Bolt Head	Mat.	Anodic trim Tab/ Plate	Mat.	Anodic Trim Tab (Opt.)	Mat.	D/S Hsg. Anodic Plate	Mat.	Trim Cylinder Anode	Mat.	Bearing Carrier Anode	Mat.	Anodic Prop Nut Kit	Prop Nut Anode Only
II-TR	1973 - 1976	3377316 - 4794899	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		N.L.A.	97-809670T
II-TR	1973 - 1976	3377316 - 4794899	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	97-809670T
255-TRS	1973 - 1974	3377316 - 4203749	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
255-TRS	1973 - 1974	3377316 - 4203749	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
260	1978 - 1982	4898730 - 6229157	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
260	1978 - 1982	4898730 - 6229157	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
280-TRS	1975 - 1976	4203750 - 4895399	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
280-TRS	1975 - 1976	4203750 - 4895399	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
470	1976 - 1882	4208730 - 6225576	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
470	1976 - 1882	4208730 - 6225576	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
485	1980 - 1982	5487437 - 6225576	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
485	1980 - 1982	5487437 - 6225576	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
888	1971 - 1977	3106717 and up	N/A		97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
888	1971 - 1977	3106717 and up	N/A		97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
R/MR/Alpha One	1983 - 1989	6225577 - 0D469858	97-821631T 1	Alum.	97- 55989Q 9	Alum.	97- 31640T 4	Alum.	34127T 2	Zinc	N/A		N/A		N/A		809664A 1	97-809662T
R/MR/Alpha One	1983 - 1989	6225577 - 0D469858	97-821631T 3	Magn.	97- 55989T 3	Magn.	97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
Alpha One (Gen.II)	1991 - 2026	0D469859 and up	97-821631T 1	Alum.	N/A		97- 76214T 5	Alum.	97- 31640T 4	Alum.	97-821629T 1	Alum.	97-806189T 1	Alum.	97-806105T 1	Alum.	809664A 1	97-809662T
Alpha One (Gen.II)	1991 - 2026	0D469859 and up	97-821631T 3	Magn.	N/A		97- 76214A 6	Magn.	97- 31640T 6	Magn.	97-821629A 2	Magn.	97-806189A 2	Magn.	N.L.A.	Magn.	809664A 1	97-809662T
Alpha One SS	1986 - 1989	0A545004 and up	N/A		97- 55989Q 9	Alum.	97-822777T 1	Alum.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
Alpha One SS	1986 - 1989	0A545004 and up	N/A		97- 55989Q 9	Magn.	97-822777A 2	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
Vazer	2007 - 2008	0W995000 and up	N.L.A.	Alum	N/A		97- 76214 4	Alum.	N/A		N.L.A.		97-806190T 1	Alum.	97-806105T 1	Alum.	809664A 1	97-809662T
Bravo One	1988 - 2026	0B664190 and up	97-821631T 1	Alum.	N/A		97- 76214T 5	Alum.	N/A		97-821630T 1	Alum.	97-806190T 1	Alum.	97-806188Q01	Alum.	809664A 1	97-809662T
Bravo One	1988 - 2026	0B664190 and up	97-821631T 3	Magn.	N/A		97- 76214A 6	Magn.	N/A		97-821630A 2	Magn.	97-806190A 2	Magn.	97-806188A 2	Mag.	809664A 1	97-809662T
Bravo Two	1989 - 2026	0C564952 and up	97-821631T 1	Alum.	N/A		97- 76214T 5	Alum.	N/A		97-821630T 1	Alum.	97-806190T 1	Alum.	97-806188Q01		N.L.A.	97-809670T
Bravo Two	1989 - 2026	0C564952 and up	97-821631T 3	Magn.	N/A		97- 76214A 6	Magn.	N/A		97-821630A 2	Magn.	97-806190A 2	Magn.	N/A		N.L.A.	97-809670T
Bravo Three	1993 - 2001	0D763691 - 0M179452	97-821631T 1	Alum.	N/A		97- 76214T 5	Alum.	97- 76214 4	Alum.	97-821630T 1	Alum.	97-806190T 1	Alum.	N/A	Alum.	97-809666A02	97-809666T
Bravo Three	1993 - 2001	0D763691 - 0M179451	97-821631T 3	Magn.	N/A		97- 76214A 6	Magn.	97- 76214 6	Magn.	97-821630A 2	Magn.	97-806190A 2	Magn.	N/A	Magn.	97-809666A03	97-809666T01
Bravo Three	2002 - 2026	0M179453 and up	97-821631T 1	Alum.	N/A		97- 76214T 5	Alum.	97- 76214 4	Alum.	97-821630T 1	Alum.	97-806190T 1	Alum.	N/A	Alum.	N/A	97-865182Q01
Bravo Three	2002 - 2026	0M179453 and up	97-821631T 3	Magn.	N/A		97- 76214A 6	Magn.	97- 76214 6	Magn.	97-821630A 2	Magn.	97-806190A 2	Magn.	N/A	Magn.	N/A	97-865182A02
Blackhawk	1994 - 1995	0F186717 and up	N/A		N/A		97-806187A 1	Alum.	N/A		N/A		97-806190T 1	Alum.	N/A		N/A	N/A
SSM II/III/IV	1982 - 1995		34762A 1	Zinc	N/A		N/A		N/A		N/A		N/A		N/A		N/A	N/A
SSM VI/VII	1990 - 1995		97-848653T	Alum.	N/A		97-847635	Alum.	N/A		N/A		N/A		N/A		N/A	N/A
TR	1977 - 1987	4794900 and up	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		N.L.A.	97-809670T
TR	1977 - 1987	4794900 and up	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		N.L.A.	97-809670T
TRS	1977 - 1987	4794900 and up	34762A 1	Zinc	N/A		97- 31640T 4	Alum.	N/A		N/A		N/A		N/A		809664A 1	97-809662T
TRS	1977 - 1987	4794900 and up	34762A 1	Zinc	N/A		97- 31640T 6	Magn.	N/A		N/A		N/A		N/A		809664A 1	97-809662T


ANODE CHARTS - ACCESSORIES AND INBOARD

Closed Cooling Anodes

Model	Year Range	Anode	Mat.	Size
120/140/165	1972 - 1982	97-808112	Zinc	1-1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
888/215/225	1972 - 1977	97-808112	Zinc	1 1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
233/255	1973 - 1977	97-808112	Zinc	1 1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
255/280 (G.M.)	1975 - 1977	97-808112	Zinc	1 1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
325/350	1972 - 1976	97-808112	Zinc	1 1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
888/215	1971	N.L.A.	Zinc	1 3/4 inch X 3/8 inch anode w/ 1/4 inch pipe plug
325/350	1971	N.L.A.	Zinc	1 3/4 inch X 3/8 inch anode w/ 1/4 inch pipe plug
7.3L V-8 Diesel	1993 - 1995	97-808112	Zinc	2 inch X 1/2 inch anode with 3/8 inch pipe plug
530/636 Diesel	1989	97-8M0151541	Zinc	3/4 inch X 3/4 inch anode only
D183/D219 Diesel	1990 - 1993	97-8M0151541	Zinc	3/4 inch X 3/4 inch anode only
D254 Diesel	1990 - 1993	97-8M0151541	Zinc	3/4 inch X 3/4 inch anode only
D3.0/D3.6L Diesel	1994 - 1995	97-8M0151541	Zinc	3/4 inch X 3/4 inch anode only
D4.2L Diesel	1994 - 1995	97-8M0151541	Zinc	3/4 inch X 3/4 inch anode only

TRANSOM ASSEMBLY - ALPHA

TRANSOM ASSEMBLY



6-6010000CP
1982-1990 Alpha One


6-6010000DP
1991-1993 Alpha One Gen II

6-61000005P
Includes complete power trim pump
1994-2016 Alpha One Gen II

6-61000002P
Alpha One Gen II - Digital.
Mercury 4.5L V6 Engine

TRANSOM ASSEMBLY - BRAVO

BRAVO MAGNUM TRANSOM



6-62000024P
Includes power trim pump
Used with 4.3L, 5.0L, 5.7L, 350, 357, 377, 383, 6.2L non-DTS engines

TRANSOM ASSEMBLY

6-62000010P
Bravo, Digital.
Used with 4.5, 6.2L (2016 and newer), 8.2L, 8.2L H.O. & DTS engines.

6-6315002TP
Bravo, SmartCraft
Used with 496 & 496 H.O.

6-6345002TP
Bravo, Magnum - Axius Gen I
Used with 5.0L, 350 Mag, 377 Mag, 496 & HO MPI engines w/ Axius Gen I steering

TRANSOM ASSEMBLY




6-6511002NZ
Bravo, Heavy Duty (w/o sender)
Used with Racing Products engines

6-620000091
Bravo, Heavy Duty w/ digital sender
Used with Racing Products engines

TRANSOM ASSEMBLY - BRAVO (SEACORE)

TRANSOM ASSEMBLY



6-6911002TP
Bravo, Magnum - Seacore
Used with SeaCore 4.3L, 5.0L, 350, & 377 non-DTS engines

6-62000012P
Bravo, Digital, SeaCore
Used with SeaCore 4.5L, 6.2L (2016 & newer), 8.2L, 8.2L H.O. & DTS engines

6-**6A15002TP**

Bravo, SmartCraft - Seacore
Used with SeaCore 496 & 496 H.O. engines

6-**6A45002TP**

Bravo, SmartCraft - SeaCore Axius Gen I

STERNDRIVES - ALPHA ONE

NOTE: When using the Alpha One Sterndrive Assembly as a replacement on earlier (pre 1983) 4 & 6 cylinder inline models, it will be necessary to replace the standard yoke with a short U-joint yoke. This yoke is not included and must be removed from the old unit.

ALPHA ONE STERNDRIVE



5-**5010130CP**

Alpha One
1.30 ratio
Standard Rotation (RH)

5-**5010147CP**

Alpha One
1.47 ratio
Standard Rotation (RH)

5-**5010162CP**

Alpha One
1.62 ratio
Standard Rotation (RH)

5-**5010181CP**

Alpha One
1.81 ratio
Standard Rotation (RH)

5-**5010194CP**

Alpha One
1.94 ratio
Standard Rotation (RH)

STERNDRIVES - ALPHA ONE GEN II

ALPHA ONE GEN II STERNDRIVE



5-**5121200TP**

Alpha One Gen II
1.47 ratio
Standard Rotation (RH)

5-**5111200TP**

Alpha One Gen II
1.47 ratio
Counter Rotation (LH)

5-**5121300TP**

Alpha One Gen II
1.62 ratio
Standard Rotation (RH)

5-**5111300TP**

Alpha One Gen II
1.62 ratio
Counter Rotation (LH)

5-**5121400TP**

Alpha One Gen II
1.81 ratio
Standard Rotation (RH),

5-**5111400TP**

Alpha One Gen II
1.81 ratio
Counter Rotation (LH)

5-**5121600TP**

Alpha One Gen II
2.00 ratio
Standard Rotation (RH)

5-**5111600TP**

Alpha One Gen II
2.00:1 Ratio
Counter Rotation (LH)
(s/n 0W535509 and below)

5-**5121700TP**

Alpha One Gen II
2.40 ratio
Standard Rotation (RH)

STERNDRIVES - BRAVO ONE (CLASSIC)

Brand new and fresh from the factory, the classic Bravo sterndrive look is still available on selected p/n's. They feature all of the latest improvements to the cone clutch and machining improvements that make Bravo sterndrives best in class for shift smoothness and durable performance.
If the specific drive you are looking for is not listed, please refer to MerCruiser Service Bulletin 2005-11 for alternate options.

BRAVO ONE STERN DRIVE



5-**52100004P**

Bravo One
1.50:1 ratio with dual water pickups
s/n 0W249999 and below

STERNDRIVES - BRAVO ONE

BRAVO ONE STERNDRIVE



5-**5231100TP**

Bravo One
1.36 ratio with dual water pickup
(s/n 0W250000 & up)

5-**5231200TP**
Bravo One
1.50 ratio with dual water pickup
(s/n 0W250000 and up)

5-**5231300TP**
Bravo One
1.65 ratio with dual water pickup
(s/n 0W250000 and up)

5-**5237100TP**
Bravo One X
1.36 ratio with dual water pickup
(s/n 0W250000 and up)

5-**5237200TP**
Bravo One X
1.50 ratio with dual water pickup
(s/n 0W250000 and up)

5-**5237300TP**
Bravo One X
1.65 ratio with dual water pickup
(s/n 0W250000 and up)

5-**5E31800TP**
Bravo One XR
1.26 ratio with dual water pickup
(s/n 0W240000 and up)

5-**5E31900UP**
Bravo One XR
1.35 ratio with dual water pickup
(s/n 0W240000 and up)

5-**5E31200UP**
Bravo One XR
1.50 ratio with dual water pickup
(s/n 0W240000 and up)

STERNDRIVES - BRAVO ONE (SEACORE)

BRAVO ONE STERNDRIVE



5-**5J31200TP**
Bravo One - SeaCore
1.50 ratio with dual water pickup

5-**5J31300TP**
Bravo One - SeaCore
1.65 ratio with dual water pickup

5-**5J37200TP**
Bravo One X - SeaCore
1.50 ratio with dual water pickup

5-**5J37300TP**
Bravo One X - SeaCore
1.65 ratio with dual water pickup

STERNDRIVES - BRAVO TWO (CLASSIC)

Brand new and fresh from the factory, the classic Bravo sterndrive look is still available on selected p/n's. They feature all of the latest improvements to the cone clutch and machining improvements that make Bravo sterndrives best in class for shift smoothness and durable performance.
If the specific drive you are looking for is not listed, please refer to MerCruiser Service Bulletin 2005-11 for alternate options.

STERNDRIVES - BRAVO TWO

BRAVO TWO STERNDRIVE



5-**5331200TP**
Bravo Two
1.50 ratio
(s/n 0W250000 and up)

5-**5331400TP**
Bravo Two
1.81 ratio
(s/n 0W250000 and up)

5-**5331600TP**
Bravo Two
2.00 ratio
(s/n 0W250000 and up)

5-**5331500TP**
Bravo Two
2.20 ratio
(s/n 0W250000 and up)

5-**5337400TP**
Bravo Two X
1.81 ratio
(s/n 0W250000 and up)

5-**5337600TP**
Bravo Two X
2.00 ratio
(s/n 0W250000 and up)

5-**5337500TP**
Bravo Two X
2.20 ratio
(s/n 0W250000 and up)

STERNDRIVES - BRAVO TWO (SEACORE)

BRAVO TWO STERNDRIVE



5-**5K31600TP**
Bravo Two - SeaCore
2.00 ratio

5-**5K31500TP**

Bravo Two - SeaCore
2.20 ratio

5-**5K37400TP**

Bravo Two X - SeaCore
1.81 ratio

5-**5K37600TP**

Bravo Two X - SeaCore
2.00 ratio

STERNDRIVES - BRAVO THREE (CLASSIC)

Brand new and fresh from the factory, the classic Bravo sterndrive look is still available on selected p/n's. They feature all of the latest improvements to the cone clutch and machining improvements that make Bravo sterndrives best in class for shift smoothness and durable performance.
If the specific drive you are looking for is not listed, please refer to MerCruiser Service Bulletin 2005-11 for alternate options.

BRAVO THREE STERNDRIVE



5-**52300001P**

Bravo Three
2.00 ratio
s/n 0W249999 and below

5-**52300002P**

Bravo Three
2.20 ratio
s/n 0W249999 and below

STERNDRIVES - BRAVO THREE

BRAVO THREE STERNDRIVE



5-**5441200TP**

Bravo Three
1.50 ratio
(s/n 0W250000 and up)

5-**5441400TP**

Bravo Three
1.81 ratio
(s/n 0W250000 and up)

5-**5441600TP**

Bravo Three
2.00 ratio
(s/n 0W250000 and up)

5-**5441500TP**

Bravo Three
2.20 ratio
(s/n 0W250000 and up)

5-**5441700TP**

Bravo Three
2.43 ratio
(s/n 0W250000 and up)

5-**5447400TZ**

Bravo Three X, dual water pickup
1.81 ratio
(s/n 0W250000 and up)

5-**5447600TZ**

Bravo Three X, dual water pickup
2.00 ratio
(s/n 0W250000 and up)

5-**5447500TZ**

Bravo Three X, dual water pickup
2.20 ratio
(s/n 0W250000 and up)

5-**5H41300UP**

Bravo Three XR, dual water pickup
1.65 ratio
(s/n 0W240000 and up)

5-**5H41400UP**

Bravo Three XR, dual water pickup
1.81 ratio
(s/n 0W240000 and up)

5-**5H41600TZ**

Bravo Three XR, dual water pickup
2.00 ratio
(s/n 0W240000 and up)

STERNDRIVES - BRAVO THREE (SEACORE)

BRAVO THREE STERNDRIVE



5-**5L41300TP**

Bravo Three - SeaCore
1.65 ratio

5-**5L41400TP**

Bravo Three - SeaCore
1.81 ratio

5-**5L41600TP**

Bravo Three - SeaCore
2.00 ratio

5-**5L41500TP**

Bravo Three - SeaCore
2.20 ratio

5-**5L41700TP**

Bravo Three - SeaCore
2.43 ratio

5-**5L47400TP**

Bravo Three X - SeaCore
1.81 ratio

5-**5L47600TP**

Bravo Three X - SeaCore
2.00 ratio

5-**5L47500TP**

Bravo Three X - SeaCore
2.20 ratio

5-**5M41600TP**

Bravo Three XR - SeaCore
2.00 ratio

DRIVESHAFT HOUSINGS - COMPLETE

NOTE: When using the Alpha One Driveshaft Housing Assembly as a replacement on earlier (pre 1983) 4 & 6 cylinder inline models, it will be necessary to replace the standard yoke with a short U-joint yoke (p/n 39385A 1). This yoke is not included and must be removed from the old unit or ordered separately.

ALPHA ONE DRIVESHAFT HOUSING - COMPLETE



1547- 9412A19

1.32 ratio

Fits MerCruiser MC-I, R, MR and Alpha One sterndrives with 1.32 gear ratio

1547- 9412A20

1.50 ratio

Fits MerCruiser MC-I, R, MR and Alpha One sterndrives with 1.50 gear ratio

1547- 9412A21

1.65 ratio

Fits MerCruiser MC-I, R, MR and Alpha One sterndrives with 1.65 gear ratio

1547- 9412A22

1.84 ratio


Fits MerCruiser MC-I, R, MR and Alpha One sterndrives with 1.84 gear ratio

1547- 9412A23

1.98 ratio

Fits MerCruiser MC-I, R, MR and Alpha One sterndrives with 1.98 gear ratio

ALPHA ONE GEN II DRIVESHAFT HOUSING - COMPLETE



1547-861063A12

1.47 ratio

Fits MerCruiser and Quicksilver Alpha One Gen II sterndrives with 1.47 gear ratio

1547-861063A10

1.62 & 2.00 ratios

Fits MerCruiser and Quicksilver Alpha One Gen II sterndrives with 1.62 and 2.00 gear ratios

1547-861063A 8

1.81 ratio

Fits MerCruiser and Quicksilver Alpha One Gen II sterndrives with 1.81 gear ratio

1547-861063A 6

1.94 & 2.40 ratio

Fits MerCruiser and Quicksilver Alpha One Gen II sterndrives with 1.94 and 2.40 gear ratios

BRAVO DRIVESHAFT HOUSING - COMPLETE



1589-863836A50

Fits MerCruiser Bravo One and Performance (1.36 gear ratio), Bravo Two (1.50 and 1.81), and Bravo Three (1.36 and 1.81) sterndrives (serial No. 0D469909-0W249999)

1589-863836A51

Fits MerCruiser Bravo One and Performance (1.50 gear ratio), Bravo Two (1.65 and 2.00), and Bravo Three (1.50, 1.65 and 2.00) sterndrives (serial No. 0D469920-0W249999)

1589-863836A52

Fits MerCruiser Bravo One and Performance (1.65 gear ratio), Bravo Two (2.20) and Bravo Three (2.20 and 2.43 ratio) sterndrives (serial No. 0D469920-0W249999)

1589-863836A66

Fits MerCruiser Bravo One X and XZ (1.36 gear ratio), Bravo Two X (1.50 and 1.81), and Bravo Three X (1.36 and 1.81) sterndrives (serial No. 0M100001-0W249999)

1589-863836A67

Fits MerCruiser Bravo One X and XZ (1.50 gear ratio), Bravo Two X (1.65 and 2.00), and Bravo Three X (1.50, 1.65 and 2.00) sterndrives (serial No. 0M100001-0W249999)

1589-863836A56

Fits MerCruiser Bravo One XR (serial No. 0M100001-0W239999)

BRAVO DRIVESHAFT HOUSING - COMPLETE



1589-865440H50

Fits MerCruiser Bravo One (1.36 gear ratio), Bravo Two (1.50) and Bravo Three (1.36) sterndrives (serial No. 0W250000 and up)

1589-865440H51

Fits MerCruiser Bravo One (1.50 gear ratio), Bravo Two (1.65 and 2.00) and Bravo Three (1.65 and 2.00) sterndrives (serial No. 0W250000 and up)

1589-865440H52

Fits MerCruiser Bravo One (1.65 gear ratio), Bravo Two (2.20) and Bravo Three (2.20 and 2.43) sterndrives (serial No. 0W250000 and up)

1589-865440H01

Fits MerCruiser Bravo Two (1.81 gear ratio) and Bravo Three (1.81) sterndrives (serial No. 0W250000 and up)

1589-865440H02

Fits MerCruiser Bravo Three sterndrives with 1.50 gear ratio (serial No. 0W250000 and up)

BRAVO SEACORE DRIVESHAFT HOUSING - COMPLETE

1500-866458J01

SeaCore

Fits MerCruiser SeaCore Bravo One (1.36 gear ratio), Bravo Two (1.81) and Bravo Three (1.36) sterndrives

1500-866458J02

SeaCore

Fits MerCruiser SeaCore Bravo One (1.50 gear ratio), Bravo Two (2.00) and Bravo Three (1.65 and 2.00) sterndrives

1500-**866458J03**

SeaCore

Fits MerCruiser SeaCore Bravo One (1.65 gear ratio), Bravo Two (2.20) and Bravo Three (2.20 and 2.43) sterndrives

1500-**866458J04**

SeaCore

Fits MerCruiser SeaCore Bravo Two (1.81 gear ratio) and Bravo Three (1.81) sterndrives

BRAVO X DRIVESHAFT HOUSING - COMPLETE



1589-**865440H66**

Fits MerCruiser Bravo One X (1.36 gear ratio), Bravo Two X (1.50 and 1.81) and Bravo Three X (1.36 and 1.81) sterndrives (serial No. 0W250000 and up)

1589-**865440H67**

Fits MerCruiser Bravo One X (1.50 gear ratio), Bravo Two X (1.65 and 2.00) and Bravo Three X (1.50, 1.65 and 2.00) sterndrives (serial No. 0W250000 and up)

1589-**865440H68**

Fits MerCruiser Bravo One X (1.65 gear ratio), Bravo Two X (2.20) and Bravo Three X (2.20 and 2.43) sterndrives (serial No. 0W250000 and up)

1589-**865440H56**

Fits MerCruiser Bravo One XR (1.26, 1.35 and 1.50 gear ratio) and Bravo Three XR (1.65, 1.81 and 2.00) (serial No. 0W240000 and up)

1589-**865440H73**

Fits MerCruiser Bravo One XR sterndrives with integrated transom (s/n 0W240000 and above)

BRAVO X SEACORE DRIVESHAFT HOUSING - COMPLETE

1500-**866459J01**

SeaCore

Fits MerCruiser SeaCore Bravo One X (1.36 gear ratio), Bravo Two X (1.50 and 1.81) and Bravo Three X (1.36 and 1.81) sterndrives

1500-**866459J02**

SeaCore

Fits MerCruiser SeaCore Bravo One X (1.50 gear ratio), Bravo Two X (1.65 and 2.00) and Bravo Three X (1.50, 1.65 and 2.00) sterndrives

1500-**866459J03**

SeaCore

Fits MerCruiser SeaCore Bravo One X (1.65 gear ratio), Bravo Two X (2.20) and Bravo Three X (2.20) sterndrives

1500-**866459J04**

SeaCore

Fits MerCruiser SeaCore Bravo One XR (1.35 and 1.50 gear ratio) and SeaCore Bravo Three XR (1.65, 1.81 and 2.00) sterndrives

DRIVESHAFT HOUSINGS - BASIC


ALPHA ONE GEN II DRIVESHAFT HOUSING



1547-**861063A 4**

Fits Alpha One Gen II (s/n 0L100040 and up)

BRAVO DRIVESHAFT HOUSING



1589- **8868A15**

Fits Bravo I (s/n 0B664190-0D469908)

1589- **8868G21**

Fits Bravo I (s/n 0D469909 - 0L999999)
Fits Bravo II (s/n 0B664190 - 0L999999)
Fits Bravo III (s/n 0D784124 - 0L999999)

1589-**864571A72**

Fits Bravo I/II/III (s/n 0M100001-0W249999)

1589-**864571A70**

Fits Bravo I/II/III X & XR/XZ (s/n 0M100001-0W239999)

BRAVO DRIVESHAFT HOUSING



1589-**865440H72**

Fits Bravo I/II/III (s/n 0W250000 and up)

1500-**866458J00**

SeaCore

Fits Bravo I/II/III

BRAVO DRIVESHAFT HOUSING



1589-**865440H70**

Fits Bravo I/II/III X & XR (s/n 0W240000 and up)

1500-**866459J00**

SeaCore

Fits Bravo I/II/III X & XR

GEAR HOUSINGS - COMPLETE

ALPHA ONE GEAR HOUSING - COMPLETE



1623- **8951A43**

Standard Rotation (RH)

Fits MerCruiser R, MR and Alpha One sterndrives

1623- **8951A33**

Counter Rotation (LH)

Fits MerCruiser counter-rotation (LH) MR and Alpha One sterndrives

ALPHA ONE GEN II GEAR HOUSING - COMPLETE



1623-**815822A53**

1.47, 1.62, 1.81 & 1.94 ratio
Standard Rotation (RH)

Fits MerCruiser and Quicksilver Alpha One Gen II sterndrives with 1.47, 1.62, 1.81 and 1.94 gear ratios

1623-**815822A47**

1.47, 1.62, 1.81 & 1.94 ratio
Counter Rotation (LH)

Fits counter-rotation (LH) MerCruiser and Quicksilver Alpha One Gen II sterndrives with 1.47, 1.62, 1.81 and 1.94 gear ratios

1623-**815822A55**

2.00 & 2.40 ratio
Standard Rotation (RH)

Fits MerCruiser and Quicksilver Alpha One Gen II sterndrives with 2.00 gear ratio

1623-**815822A52**

2.00 ratio
Counter Rotation (LH)

Fits counter-rotation (LH) MerCruiser and Quicksilver Alpha One Gen II sterndrives with 2.00 gear ratio

BRAVO ONE GEAR HOUSING - COMPLETE



1656- **8866A63**

With dual water pickup
1.36, 1.50 & 1.65 ratio

Fits MerCruiser Bravo One (serial No. 0D649909 and up) and Bravo One X sterndrives with 1.36, 1.50 and 1.65 gear ratios

1656- **8866J01**

SeaCore
With dual water pickup
1.36, 1.50 & 1.65 ratio

Fits MerCruiser SeaCore Bravo One and One X sterndrives with 1.36, 1.50 and 1.65 gear ratios

1656- **8866A83**

With heavy duty propshaft and dual water pickup

Fits MerCruiser Bravo One XR sterndrives with 1.35 gear ratios

1656- **8866A62**

With heavy duty propshaft and dual water pickup

Fits MerCruiser Bravo One XR (1.50 gear ratio) and Bravo One XZ (1.36 and 1.50) sterndrives

BRAVO TWO GEAR HOUSING - COMPLETE



1641- **8294A19**

1.50 & 1.65 ratio

Fits MerCruiser Bravo Two (serial No. 0D469920 and up) and Two X sterndrives with 1.50 and 1.65 gear ratios

1641- **8294A16**

1.81, 2.00 & 2.20 ratio

Fits MerCruiser Bravo Two (serial No. 0D469920 and up) and Two X sterndrives with 1.81, 2.00 and 2.20 gear ratios

1641- **8294J02**

SeaCore
1.65 ratio

Fits MerCruiser SeaCore Bravo Two X sterndrives with 1.65 gear ratio

1641- **8294J01**

SeaCore
1.81, 2.00 & 2.20 ratio

Fits MerCruiser SeaCore Bravo Two and Two X sterndrives with 1.81, 2.00 and 2.20 gear ratios

BRAVO THREE GEAR HOUSING - COMPLETE



1656-**8M0046733**

1.36 & 1.50 ratio, dual water pickup

Fits MerCruiser Bravo Three (serial No. 0D784124 and up) and Bravo Three X sterndrives with 1.36 and 1.50 gear ratios

1656-**8M0046733**

1.36 & 1.50 ratio, dual water pickup

Fits MerCruiser Bravo Three (serial No. 0D784124 and up) and Bravo Three X sterndrives with 1.36 and 1.50 gear ratios

1656-**8M0046735**

1.65 ratio, dual water pickup

Fits MerCruiser Bravo Three (serial No. 0D784124 and up), Bravo Three X and Bravo Three XR (0W240000 and up) sterndrives with 1.65 gear ratio

1656-**8M0046735**

1.65 ratio, dual water pickup

Fits MerCruiser Bravo Three (serial No. 0D784124 and up), Bravo Three X and Bravo Three XR (0W240000 and up) sterndrives with 1.65 gear ratio

1656-**8M0046738**

1.81, 2.00 & 2.20 ratio, dual water pickup

Fits MerCruiser Bravo Three and Three X (1.81, 2.00 and 2.20 gear ratios) and Bravo Three XR (2.00) sterndrives

1656-**8M0046682**

2.43 ratio, dual water pickup

Fits MerCruiser Bravo Three (serial No. 0D784124 and up) and Bravo Three X sterndrives with 2.43 gear ratio

1656-**8M0046682**

2.43 ratio, dual water pickup

Fits MerCruiser Bravo Three (serial No. 0D784124 and up) and Bravo Three X sterndrives with 2.43 gear ratio

1656-**8M0046831**

1.81 ratio, dual water pickup

Fits MerCruiser Bravo Three XR sterndrives with 1.81 gear ratio (serial No. 0W240000 and up)

1656- **8866J08**

SeaCore
1.36 & 1.50 ratio

Fits MerCruiser SeaCore Bravo Three X sterndrives with 1.36 and 1.50 gear ratios

1656- **8866J24**

SeaCore
1.65 ratio

Fits MerCruiser SeaCore Bravo Three and Three X sterndrives with 1.65 gear ratio

1656- **8866J09**

SeaCore
1.81, 2.00 & 2.20 ratio

Fits MerCruiser SeaCore Bravo Three and Three X (1.81, 2.00 and 2.20 gear ratios) and SeaCore Bravo Three XR (2.00) sterndrives

1656- **8866J07**

SeaCore
1.81ratio

Fits MerCruiser SeaCore Bravo Three XR sterndrives with 1.81 gear ratio

1656- **8866J25**

SeaCore
2.43 ratio

Fits MerCruiser Bravo Three sterndrives with 2.43 gear ratio

GEAR HOUSINGS - BASIC

ALPHA ONE GEAR HOUSING



1623- **8951A37**

Standard Rotation (RH)

Fits MR & Alpha One

ALPHA ONE GEN II GEAR HOUSING



1623-**815822A30**

Standard Rotation (RH)

Fits Alpha One Gen II (s/n 0D469859-0F679999)

1623-**815822A28**

Counter Rotation (LH)


Fits Alpha One Gen II (s/n 0D469859-0F679999)

1623-**815822A36**

Standard or Counter Rotation

Fits Alpha One Gen II (s/n 0F680000 and up)


BRAVO ONE GEAR HOUSING



1656- **8866A11**

Fits Bravo I (s/n 0D469908 & below)

BRAVO ONE GEAR HOUSING



1656- **8866A64**

With dual water pickup

Fits Bravo I (s/n 0D469909 & up) & X/XR/XZ

1656- **8866J00**

SeaCore
With dual water pickup

Fits Bravo I & I X

BRAVO TWO GEAR HOUSING



1641- **8294A14**

Fits Bravo II (s/n 0D469920 & up)

1641- **8294J00**

SeaCore

Fits Bravo II & IIX

BRAVO THREE GEAR HOUSING



1656-**8M0046683**

Dual water pickup

Fits Bravo III (s/n 0D784124 and up)


1656- **8866J30**

SeaCore
With dual water pickup

Fits Bravo III

ZF/HURTH 45C DIRECT ACROSS

TRANSMISSION ASSEMBLY



8M0188305

Completely dressed. Brand new ZF 45C Coaxial inboard transmission. Includes oil cooler, hoses, and mounting hardware. 4" output flange. Recommended for light boat applications (<5000#) with engines up to 350 HP @ 5000 RPM.
This transmission can be used with STD Rotation or Counter Rotation engine. The pump can be "clocked" to run correct direction for STD and Counter Rotation engines.

Replaces ZF 45C & Borg Warner 71C Series Direct Drive Transmission with 1.00 Gear Ratio on light boats using 5.7L, 6.2L, & 383 small block engines.

ZF/HURTH 630A DOWN ANGLE TRANSMISSION

TRANSMISSION ASSEMBLY

8M0188308

Completely dressed, brand new Down-Angle Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
This is a Full Power Reverse Transmission for use with Standard (Right Hand) Rotation Engines

Replaces ZF / Hurth HSW630A 1 Transmission with 1.50:1 Gear Ratio.

8M0188309

Completely dressed, brand new Down-Angle Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
This is a Full Power Reverse Transmission for use with Standard (Right Hand) Rotation Engines

Replaces ZF / Hurth HSW630A 1 Transmission with 2.00:1 Gear Ratio.

TRANSMISSION ASSEMBLY



8M0163800

Completely dressed, brand new Down-Angle Inboard Transmission. Includes oil cooler, hoses and mounting harware.
Standard (right-hand) Rotation

Replaces ZF / Hurth HSW630A 1 Transmission with 2.50:1 Gear Ratio.

TRANSMISSION ASSEMBLY

8M0188311

Completely dressed, brand-new ZF 68A Down-Angle Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
This is a Full Power Reverse Transmission for use with Standard (Right Hand) Rotation Engines

Replaces ZF / Hurth 63A & 68A transmissions with 2.7:1 Gear Ratio.

ZF/HURTH 630 V-DRIVE TRANSMISSION

TRANSMISSION ASSEMBLY



8M0188312

Completely dressed, brand new V-Drive Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
This is a Full Power Reverse Transmission for use with Standard (Right Hand) Rotation Engines

Replaces ZF / Hurth HSW630V1 Transmission with 1.50:1 Gear Ratio.

8M0188313

Completely dressed, brand new V-Drive Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
This is a Full Power Reverse Transmission for use with Standard (Right Hand) Rotation Engines

Replaces ZF / Hurth HSW630V1 Transmission with 2.00:1 Gear Ratio.

8M0188314

Completely dressed, brand new V-Drive Inboard Transmission. Includes oil cooler, hoses and mounting harware.
This is a Full Power Reverse Transmission for use with Standard (Right Hand) Rotation Engines

Replaces ZF / Hurth HSW630V1 Transmission with 2.50:1 Gear Ratio.

RACING

OUTBOARD HD PROPSHAFT KITS

Used to convert a standard outboard prop shaft to a heavy-duty application. Requires seal installation tool 91-840388.

PROPSHAFT KIT



44-**840450A03**

Kits contains new propshaft, washers, lock nut and prop hub assembly.
Fits 2.5L, left hand rotation outboards.

CYLINDER HEADS FOR 2.5 EFI DRAG

DOES NOT include seal (858452--1) or o-ring (859772--1).

27.9CC O-RING CYLINDER HEAD



8M0050396

O-Ring sealed cylinder head replaces traditional head-gasket head. Provides greater head stability.
2.5 EFI Drag Cylinder Head. Equivalent to the 21CC gasketed drag race head.

CYLINDER HEAD WITH O-RINGS

849496T05

32.9CC O-ring sealed cylinder head replaces traditional head-gasket head. Provides greater head stability.
2.5 EFI Drag Cylinder Head. Stock Head.

43.9CC O-RING CYLINDER HEAD

8M0051522

O-ring sealed cylinder head replaces traditional head-gasket head. Provides greater head stability.
Standard 2.5 EFI Drag Cylinder Head. Equivalent to the 2.5 EFI Champ race head.
(Pump Gas)

CYLINDER HEADS FOR V-6 OUTBOARD

CYLINDER HEAD



18787T 2

26 cc
Fits Mercury/Mariner XR2/SST 120

CYLINDER HEAD



18787019

36.5 cc
Fits Mercury/Mariner Champ

STATOR

STATOR



398- **9610A27**

40 amp. Not for use with aluminum flywheels.
Fits Mercury Pro-Max and Mariner Super Magnum models only.

HEAVY DUTY BATTERY CABLES FOR V-6 OUTBOARDS

Designed to replace standard battery cables. Includes both positive and negative cable complete with ring terminals.

HEAVY DUTY BATTERY CABLES



84- **61378A 2**

6AWG, 72" inch, 1/4-5/16 engine, 5/16-3/8 battery

For use with Mercury/Mariner V-6 Outboards

PLASTIC REED VALVES

Designed specifically for high performance engines. Will withstand higher engine RPM without chipping.

PLASTIC REED VALVES



34- **14594A 2**

Dual stage - 5 petal reeds. Set contains 2 primary and 2 secondary reeds, 6 sets required per engine

PLASTIC REED VALVES



34-**849484A 1**

Single stage - 7 petal reeds. Set contains 2 reeds, 6 sets required per engine.

PLASTIC REED VALVES



34-**815242A 3**

Dual stage - 7 petal reeds. Set contains 2 primary and 2 secondary reeds, 6 sets required per engine

PLASTIC REED VALVES



34-**8M0192191**

Dual stage - 4 petal reeds. Rubber coated, set contains 2 primary and 2 secondary reeds. 6 sets required per engine

ELECTRIC FUEL PUMPS

FUEL PUMP ASSEMBLY COMPLETE QC4V



8M0058449

Fuel Pump Assembly

To be used on all QC4v engines

FUEL PUMP MOTOR



8M6002740

Motor for fuel pump assembly 8M0058449.

Fuel pump motor for QC4v fuel pump.

FUEL PUMP COUPLER



8M6002741
Couples fuel pump motor to fuel pump body.

FUEL FILTER ASSEMBLY

FUEL FILTER ASSEMBLY



35-**8M0050833**
Includes fuel filter, hose and adapter fitting.
Used on all Mercury Racing EFI engines.

SWITCHES AND ELECTRICAL COMPONENTS

LANYARD STOP SWITCH



87-**856654A 2**
3-1/2 in. (89 mm) wires, does not include cap. Normally closed switch.
Fits Mercury/Mariner outboards.

LANYARD STOP SWITCH



87-**856654A 1**
Normally open switch

LANYARD STOP SWITCH CAP



75095Q 2
Replacement cap for (65503A__ and 856654A__ series) Lanyard Stop Switches.
Fits Mercury/Mariner outboards and MCM/MIE engines.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

TOGGLE SWITCH - ON/OFF



87- **66581**

TOGGLE SWITCH - MOMENTARY



87- **66582**

TRIM PUMPS

For Hydraulic Up/Down Race Center Sec.

TRIM PUMP KIT



818377A 2
Complete 12 volt horizontal pump with electric's, mounting bracket and attaching hardware.

TRIM HOSES

Steel braided, 3/8-24 UNF, inverted flare/double flare both ends

TRIM HOSE



32- **67032A12**

12 in.(304 mm)

32- **67032A24**

24 in.(610 mm)

32- **67032A36**

36 in.(914 mm)

32- **67032A72**

72 in.(1828 mm)

32- **67032A96**

96 in.(2438 mm)

RIGGING ACCESSORIES

RIGGING TUBE KIT



32-**842756T01**

Mercury Racing version, the cowl fitting bolts firmly into place. Because the 2-1/2 inch tubing threads into the one piece couplers instead of over them, greater clearance is achieved for outboard rigging hardware including throttle cables, electronics cables, steering lines, and fuel lines. The durable hose and one piece couplers provide a complete seal at both the engine and boat ends. Hose length is 5 feet.

Fits all production 3.0 liter V-6 EFI and OptiMax cowls as well as Racing 3.0 liter OptiMax cowls.

FLUSHING KITS

FLUSHING KIT



849996T 1

Use for flushing gearcases with low water inlets/pick up.

Fits MCM Bravo I Performance & BlackHawk drives

FLUSHING KIT



843122T01

Designed specifically for the Mercury Racing Sport Master Gearcase. Mounts securely over the crescent-leading shape, providing water up through the low-water pick-ups.

Fits Mercury Racing Bravo I Sport Master. Also will work with the L6 Verado & V8 Sport Master.

FLUSHING ATTACHMENT



848703A 1

Fits Mercury Racing CLE gearcases. Engines may be run at idle speeds.

FLUSHING ATTACHMENT



848998A 1

Fits Mercury Racing Sport Master gearcases. Engines may be run at idle speeds.

FLUSHING ATTACHMENT



44357Q 2

Will allow for running at idle speeds. Attaches to the water intakes; provides a fresh water connection when flushing the cooling system or operating the engine.

Fits Mercury/Mariner 20 hp. and higher outboards, 9.9/15 hp. FourStroke (323cc) Bigfoot outboards, all Model Year 2005 and Newer 8/9.9 hp. Four Stroke outboards, 15 hp. FourStroke (351cc) outboards, all MerCruiser Sterndrives (except Bravo One Perf. & Blackhawk) and MHP Torque Master gearcases. Note: 2000 and newer V-6 outboards and MerCruiser Bravo drives with dual water pick-up also require Dual Water Pick-Up Flush Seal Kit p/n 881150Q 1.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DUAL WATER PICKUP FLUSH SEAL KIT



881150K 1

Provides a front water pick-up seal for gearcases with dual water pick-ups
Fits 2000 and newer Mercury/Mariner V-6 outboards with dual water pick-ups; and 2000 and newer MerCruiser Bravo drives with dual water pick-ups.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

GEARCASE CHARTS - OUTBOARD 2.5L MODEL

2.5L Torque Master Gearcase

Ratio	Rotation	Torque Tab	Shaft Length	Part Number	Service Housing
1.87:1	RH	Yes	L(20)		1686-827214T25
2.00:1	RH	Yes	L(20)		1686-827214T25

OUTBOARD GEARCASES - TORQUE MASTER FOR 2.5L MODELS

GEAR HOUSING



1686-827214T25

Gear housing only - satin finish.
Fits 2.5 L Outboards

ENGINE MOUNTS


ENGINE MOUNT



849143T

Front - Single


ENGINE MOUNT



849339T

Front Port - Side by Side

ENGINE MOUNT



849335T

Front Port - Staggered

SPACER KITS

M6 DRIVE SPACER KITS



846743A 1

.50 inch (12.7 mm) spacer

846562A 1

1 inch (25.4 mm) spacer

846563A 1

1.50 inch (38.1 mm) spacer

846744A 1

2 inch (50.8 mm) spacer


846745A 1

2.50 inch (63.5 mm) spacer

846564A 1

3 inch (76.2 mm) spacer

M8 DRIVE SPACER KIT



8M8025968
.50 inch (12.7 mm)
Lowers M8 drives .50 inch from stock height.

8M8025970
1.50 inch (38.1 mm)
Lowers M8 drives 1.50 inches from stock height.

8M8025969
1 inch (25.4 mm)
Lowers M8 drives 1 inch from stock height.

8M8025971
2 inch (50.8 mm)
Lowers M8 drives 2 inches from stock height.

8M8025972
2.50 inch (63.5 mm)
Lowers M8 drives 2.50 inches from stock height.

8M8025973
3 inch (76.2 mm)
Lowers M8 drives 3 inches from stock height.

NXT1 SPACER KIT



8M8023731
.50 inch (12.7 mm)
Lowers NXT1 .50 inch from stock height.

8M8023733
1 inch (25.4 mm)
Lowers NXT1 drives 1 inch from stock height.

SPACER KIT

8M8023735
1.50 inch (38.1 mm)
Lowers NXT1 drives 1.50 inches from stock height.

8M8023737
2 inch (50.8 mm)
Lowers NXT1 drives 2 inches from stock height.

8M8023739
2.50 inch (63.5 mm)
Lowers NXT1 or NXT1/6 SSM drives 2.50 inches from stock height.

8M8023741
3 inch (76.2mm)
Lowers NXT1 drives 3 inches from stock height.

STERNDRIVE ACCESSORIES

QUICK-CHANGE THRU TRANSOM EXHAUST TIPS



843426A 1
Polished stainless steel tips feature a in.quick change in. anti-backflow valve. 2 outlets per kit.
For 4 in. (102 mm) I.D. exhaust pipe. Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages.

TRANSOM EXHAUST TIPS REPAIR KIT



843426A 2
This kit is to repair the internal rubber flapper baffle for one 4 in. (102 mm) I.D. exhaust tip 843426A1. Contains components to repair one exhaust tip.
Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

QUICK-CHANGE THRU TRANSOM EXHAUST TIPS



843434A 1
Polished stainless steel tips feature a in.quick change in. anti-backflow valve. 2 outlets per kit.
For 3 in. (76 mm) I.D. exhaust pipe. Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages.

TRANSOM EXHAUST TIPS REPAIR KIT



843434A 2

This kit is to repair the internal rubber flapper baffle for one 3 in. (76 mm) I.D. exhaust tip 843434A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

TRANSOM EXHAUST TIPS FLAPPER ASSEMBLY



8M0109049

This kit is to repair the internal rubber flapper baffle for one 3 in. (76 mm) I.D. exhaust tip 843434A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

TRANSOM EXHAUST TIPS FLAPPER ASSEMBLY



8M0109050

This kit is to repair the internal rubber flapper baffle for one 4 in. (102 mm) I.D. exhaust tip 843426A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips.

BRAVO ONE SPORT MASTER SPLASH PLATE



843042T03

Designed for extending the upper area of the Bravo One XR drives outfitted with the Sport Master Gearcase. Includes everything needed to mount the plate to a drive.

TAILSTOCK ASSEMBLY



8M8026029

Includes the shift linkage and cable mount required for manual shift transmissions.

For use with the Velvet Drive 72C based transmissions (BAM and Huber). Allows the use of Race M-Series transom plate assemblies and Race NXT1SSM stern drives utilizing those transmissions. Can also be used with Race Six Drive transom plate assemblies and Race NXT1SSM stern drives which require the removal of a spacer plate.

ENGINE HARNESS RIGGING KITS-NON DTS

FUEL TANK HARNESS



84-**898289T75**

120 inch Harness needed to connect tank senders to the 350 Verado SCI and sterndrive models 565 through 1650. Used with all engines, including 450R and V12.

AGI ENGINE - 3PIN TACH LINK CONNECTION



892486K07

Includes AGI module assembly, harness and hardware. For installations using analog gauges instead of SmartCraft. Use with analog tachometer, coolant temp, oil pressure or level, trim and fuel level. Enhanced voltage suppression.

Race MerCruiser or outboard engines in single or multiple engine installations plus MerCruiser 496Mag/Mag HO engines.

AGI RACING ENGINE - 3PIN TACH LINK CONNECTION



892486K04

For installations using analog gauges instead of SmartCraft. Use with analog tachometer, coolant temp, oil temp, oil pressure or fuel pressure gauges. Enhanced voltage suppression.

Race MerCruiser engines with the 14 pin Deutsch connector engine wiring harness. One AGI kit per engine required.

AGI KIT - 3PIN RACING VESSEL DATA



892486K05

For installations using analog gauges instead of SmartCraft. Use with analog tab position (port & starboard), fuel level (two fuel tanks) and trim position gauges. Enhanced voltage suppression.

Race MerCruiser engines with the 14 pin Deutsch connector engine wiring harness. One AGI kit per boat required.

EXTENSION (WING) PLATES

OUTER EXTENSION (WING) PLATE



8M0237545

Bolt on outer wing plate for driveline or close couple engine installations. Mounting hardware is shipped with the engines.

Racing MerCruiser engines with universal engine mounts.

INNER EXTENSION (WING) PLATE



8M0012221

Bolt on inner wing plate for driveline or close couple engine installations. Mounting hardware is shipped with the engines.

Racing MerCruiser engines with universal engine mounts.

SINGLE EXTENSION (WING) PLATE



8M0051209

Bolt on inner wing plate for driveline or close couple engine installations. Mounting hardware is shipped with the engines.

Racing MerCruiser engines with universal engine mounts.

FUEL FILTER

FUEL FILTER ASSEMBLY



35-**8M0050833**

Includes fuel filter, hose and adapter fitting.

Used on all Mercury Racing EFI engines.

X-HAUST STAGE 1 TAILPIPE KITS

CLOSE COUPLE TAILPIPE KIT - STAGE 1



8M0094135

520 Port outlet. Kit includes all mounting hardware.

For 520 close couple engines only. Both single and twin engine applications. Can be used with standard steering and all Bravo XR drives. Or the Axius steering system when installed with Bravo 3XR stern drives only.

CLOSE COUPLE TAILPIPE KIT - STAGE 1



8M0094136

520 Starboard outlet. Kit includles all mounting hardware.

For 520 close couple engines only. Both single and twin engine applications. Can be used with standard steering and all Bravo XR drives. Or the Axius steering system when installed with Bravo 3XR stern drives only.

EXHAUST COUPLER ASSEMBLY




8M0123001

Exhaust coupler 10.5"

To be used when taller exhaust than standard is used on the 520

CLOSE COUPLE TAILPIPE KIT - STAGE 1




8M8023624

Port outlet. Requires 1 each 8M8023358 hardware kit for each tailpipe kit ordered.

For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

CLOSE COUPLE TAILPIPE KIT - STAGE 1




8M8023625

Starboard outlet. Requires 1 each 8M8023358 hardware kit for each tailpipe kit ordered.

For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

DRIVELINE TAILPIPE KIT - STAGE 1




8M8023626

Port outlet. Requires 1 each 8M8023359 hardware kit for each tailpipe kit ordered.

For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

DRIVELINE TAILPIPE KIT - STAGE 1



8M8023627

Starboard outlet. Requires 1 each 8M8023359 hardware kit for each tailpipe kit ordered.

For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

X-HAUST TAILPIPE HARDWARE KITS

X-HAUST HARDWARE KIT



8M8023358

1 required for each X-Haust close couple tailpipe kit (8M8023624 or 8M8023625) ordered.

For use with X-Haust Stage 1 close couple tailpipe kits.

X-HAUST HARDWARE KIT




8M8023359

1 required for each X-Haust driveline tailpipe kit (8M8023626 or 8M8023627) ordered.

For use with X-Haust Stage 1 driveline tailpipe kits.

STAGE 2 MUFFLER KIT

X-HAUST STAGE 2 MUFFLER KIT



8M8023320

Transom muffler, idle relief attenuator, brackets and hardware are included in kit. One muffler kit required for each installed Stage 1 tailpipe kit.

For use on 520, 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines with installed Stage 1 tailpipe kit(s).

X-HAUST ACCESSORIES

IDLE RELIEF OUTLET, TRANSOM DISCHARGE



8M0037021

One required for each engine with installed Stage 1 X-Haust system or Stage 1 and Stage 2 X-Haust systems. For back of boat discharge.

For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

IDLE RELIEF OUTLET, TRANSOM DISCHARGE



8M0092927

One required for each engine with installed Stage 1 X-Haust system or Stage 1 and Stage 2 X-Haust systems. For back of boat discharge.

For use on 520 sterndrive engines.

IDLE RELIEF OUTLET, SIDE DISCHARGE



8M0038928

One required for each engine with installed Stage 1 X-Haust system or Stage 1 and Stage 2 X-Haust systems. For port or starboard side of boat discharge.

For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

X-HAUST TRANSOM DRILL FIXTURE



91-**8M0097143**

X-Haust installation tool

For use on 520 engines

X-HAUST TRANSOM DRILL FIXTURE



91-**8M0036608**

X-Haust installation tool

For use on 600 SCi, EU662 SCi and 700 SCi engines.

X-HAUST TRANSOM DRILL FIXTURE



91-**8M0064794**

X-Haust installation tool

For use on 540 and 565 engines.

M SERIES TRANSOM

TRIM HOSE EXTENSION KIT



8M8027354

Set of two 96 inch hoses with 90 degree bend at one end.

For use with the common M series transom plates and M8 or NXT1 stern drives.

M8 PROP AERATOR KIT



8M8027372

Needed on certain boat hulls to ventilate the propellor(s) and reduce time to plane. Race M8 stern drives.

TRANSOM DRIVELINE KIT



842064A01

For all DTS QC4V driveline engines

M SERIES DRIVELINE KITS

NXT TRANSMISSION DRIVELINE KIT



842064A02

For conversion of a close couple 700SCi to a driveline engine .
Racing sterndrive packages with the NXT transmission only.

NXT1 PROP HUB KITS

HUB KIT



8M8022263

Double nut kit for use with Mercury Racing NXT1 sterndrives adapting Cleaver propellers.

NXT1 STEERING INDICATOR

STEERING POSITION INDICATOR KIT



8M8021162

Provides steering position indication.
For use with the Race NXT1 drive only. Compatible with SmartCraft SC1000 gauges, SC5000 Systemview and Systemview Race Edition.

NXT1 WATER PICKUP KITS

WATER PICK UP KIT



842049A01

(0.1 square inch)
Interchangeable water pick up. For boat speed of 150 to 200 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A02

(0.2 square inch)
Interchangeable water pick up. For boat speed of 110 to 160 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A03

(0.3 square inch)
Interchangeable water pick up. For boat speed of 90 to 130 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A04

(0.4 square inch)
Interchangeable water pick up. For boat speed of 80 to 100 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A06

(0.6 square inch)
Interchangeable water pick up. For boat speed of 60 to 80 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A08

(0.8 square inch)
Interchangeable water pick up. For boat speed of 50 to 70 mph.
Race NXT1 sterndrives. One kit per drive required.

NXT1 TORPEDO BORE COVER ASSEMBLY



8M8022198

To be installed in place of NXT1 water pick ups when hull mounted water pick ups are installed/used.

For use with NXT1 drives only. Not for use with NXT1 SSM drives.

QC4V ENGINES

NON-POWER STEERING ADAPTER KIT



8M8026006

Eliminates the power steering pump from the engine. With the adapter and pulley from the kit installed, the drive belt is re-used in its original routing.

Mercury Racing QC4v 1100 and 1350 hp engines.

POWER STEERING

POWER VALUE BLOCK ASSEMBLY



844399T01

Used to connect the power steering pump on the engine(s) with the steering helm and the steering cylinders located on the drive(s). Includes air purge bleeder-check valves and pressure relief valves.

NXT1, NXT1/SSM or Dry Sump Six sterndrives.

POWER STEERING RESERVOIR CAP



8M8020356

With threads to fit a -8 ORB fitting. Allows engines to be rigged with a series return line, or with the use of two power steering caps a common boat reservoir can be added between the two engine mounted reservoirs.

Gen. 1 525 EFI and 600 SCI engines. All 700 SCI engines.

POWER STEERING RESERVOIR KIT



8M8026004

External power steering reservoir. For use in applications where a common reservoir is wanted or needed. Comes with two inlet ports and two outlet ports plus an integral bracket that is suitable for mounting to a vertical surface.

For use with all Race 600, 700, 860, and all QC4v engines.

BRAVO GIMBAL RING CONVERSION KIT

GIMBAL RING KIT



8M0061384

Used to convert standard Bravo gimbal ring to heavy duty gimbal ring and bell housings. Trim limit switch cannot be used on HD gimbal ring.

Fits MCM Bravo drives

RACE DTS ACCESSORIES

LEVER 1 HARNESS ASSEMBLY



84-**8M0192268**

7 ft. wiring extension harness for shift function. Labeled lever 1. For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

ZERO EFFORT LEVER EXTENSION HARNESS - LEVER 2



84-**8M0192269**

7 ft. wiring extension harness for shift function. Labeled lever 2, can also be used for lever 3 and 4.

For use with Race DTS (digital throttle and shift) 14 pin data harnesses

BEARING UPGRADE KITS

GIMBAL BEARING KIT



30-**879194A00**

Perma-Lube Bearing Kit required to retrofit the new XR/XZ drives to older Bravo transom plate assemblies to provide enough clearance for the larger u-joint on the new XR/XZ drives.

Fits Bravo transom assemblies

DRIVESHAFT ASSEMBLY

DRIVESHAFT ASSEMBLY



45-**847633A 1**

9 in.(229 mm) 1480 series heavy duty driveline. Adapter may be required for transmission.

Fits Mercury Racing VI and VII stern drives.

BRAVO HD PROPSHAFT KIT

PROPSHAFT KIT



44-**840377A 1**

Used to convert standard Bravo propshaft to a heavy-duty propshaft. A special tool (91-840393A 1) is also required to install the heavy-duty propshaft.

Fits Bravo One drives

RETAINER WRENCH TOOL KIT



91-**840393A 1**

Aids in the installation of the bearing carrier retainer with a heavy-duty propeller shaft installed on the lower unit.

TRANSOM MOUNTED WATER PICKUP

SEAWATER PICKUP



88845A 1

Transom mount, for 1-1/4 in.(32 mm) hose.

Fits any sterndrive engine that has an engine mounted seawater pump.

JET DRIVE

JET DRIVE SHIFT CABLES

SHIFT CABLE



858342A10
3.0 m (10 ft.)

858342A12
3.7 m (12 ft.)

858342A14
4.3 m (14 ft.)

858342A16
4.9 m (16 ft.)

858342A18
5.5 m (18 ft.)

858342A20
6.1 m (20 ft.)

858342A22
6.7 m (22 ft.)

SHIFT CABLE BELLOWS



877581A 2
For 40 Series cable, installs on cable outside of transom.
Fits Sport-Jet 175 (1999 and older) and 90/95/120 with optional 802755 Remote Control with 40 Series shift cable.

SHIFT CABLE BELLOWS



877581A 5
For 40 series cable, installs on cable outside of transom.
Fits Sport-Jet 120XR2 and 175 (2000 and newer) with 40 series shift cables. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

BULKHEAD BELLOWS KIT



850697A 2
Fits Jet Drive models with 40 series cables


PLATINUM PLUS THROTTLE AND SHIFT CABLE SAE

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit. Layered technology featuring:

- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

NOTE: Qty. 1 cable per p/n

PLATINUM PLUS THROTTLE AND SHIFT CABLE



8M0082575
3 FT (.92m)
SAE Controls

8M0082576
4 FT (1.2m)
SAE Controls

8M0082577
5 FT (1.5m)
SAE Controls

8M0082578
6 FT (1.8m)
SAE Controls

8M0082579
7 FT (2.1m)
SAE Controls

8M0082580
8 FT (2.4m)
SAE Controls

8M0082581
9 FT (2.7m)
SAE Controls

8M0082582
10 FT (3.0m)
SAE Controls

8M0082583
11 FT (3.4m)
SAE Controls

8M0082584
12 FT (3.7m)
SAE Controls

8M0082585
13 FT (4.0m)
SAE Controls

8M0082586
14 FT (4.3m)
SAE Controls

8M0082587
15 FT (4.6m)
SAE Controls

8M0082588
16 FT (4.9m)
SAE Controls

8M0082589
17 FT (5.2m)
SAE Controls

8M0082590
18 FT (5.5m)
SAE Controls

8M0082591
19 FT (5.8m)
SAE Controls

8M0082592
20 FT (6.1m)
SAE Controls

8M0082593
21 FT (6.4m)
SAE Controls

8M0082594
22 FT (6.7m)
SAE Controls

8M0082595
23 FT (6.7m)
SAE Controls

8M0082596
24 FT (7.0m)
SAE Controls

8M0082597
25 FT (7.3m)
SAE Controls

8M0082598
26 FT (7.6m)
SAE Controls

8M0082599
27 FT (7.9m)
SAE Controls

8M0082600
28 FT (8.5m)
SAE Controls

8M0082601
29 FT (8.8m)
SAE Controls

8M0082602
30 FT (9.2m)
SAE Controls

8M0082603
31 FT (9.5m)
SAE Controls

8M0082604
34 FT (10.4m)
SAE Controls

8M0082605
36 FT (11.0m)
SAE Controls

8M0082606
38 FT (11.6m)
SAE Controls

8M0082607
40 FT (12.2m)
SAE Controls

JET DRIVE 135 & 270 DEG. STEERING SYSTEM

The 135 degree system allows 135 degrees rotation of the steering wheel (3/8 turn lock to lock). The 270 degree system allows 270 degrees rotation of the steering wheel (3/4 turn lock to lock). Order helm, bezel, and steering cable separately. If the size required is not listed, use the next larger size.

STEERING HELM



850699
270 Degree Steering Helm.
Fits all Jet Drive models

TILT STEERING HELM



64-**879686**
270 Degree Steering Helm.
Fits all Jet Drive models

BEZEL KIT



809485
Fits all Jet Drive models

STEERING CABLE



64-835457A11

11 ft.(3.4 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A13

13 ft.(4.0 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A15

15 ft.(4.6 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A17

17 ft.(5.2 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A19

19 ft.(5.8 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A21

21 ft.(6.4 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A23

23 ft.(7.0 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

STEERING CABLE BELLOWS



877581A 4

Installs on cable outside of transom

Fits Jet Drive models with 270 Degree system and 60 series cables

STEERING CABLE ROD END

STEERING ROD END



883053A 1

For 135 & 540 deg. steering systems. 5/16 in. (7.9 mm)

Fits Sport Jet models with 60 series cables

STEERING CABLE BULKHEAD FITTINGS AND BELLOWS KITS

Hardware used to complete Sport Jet installations. Use either bulkhead fittings or bellows kit. Not for use together.

BULKHEAD BELLOWS KIT



850005A 2

For 135 & 270 deg. steering systems and 60 series cables.

Fits Jet Drive models with 60 series cables

BULKHEAD BELLOWS KIT



850697A 2

Fits Jet Drive models with 40 series cables

IGNITION KEY SWITCH WITH HARNESSES

Mounts in a 2-1/8 in.(54 mm) hole. Includes warning horn and electrical connections for instrumentation and lanyard stop switch.

KEY SWITCH W/ HARNESS



84-**816626A 2**

2 ft. (610 mm) harness with audio warning horn.

84-**816626A15**

15 ft. (4.57 m) harness with audio warning horn.

84-**816626A20**

20 ft. (6.1 m) harness with audio warning horn.

84-**816626A24**

25 ft. (7.6 m) harness with audio warning horn.

FLUSHING KITS

FLUSHING ATTACHMENT



22-**820543A 1**

For consumer use. Only for use while engine is not running.

Fits 90/95/120 Sport-Jet.

FLUSHING ATTACHMENT



22-**820543A 6**

Allows the customer to flush the engines while engine is not running or idling under 1200 RPM.

Fits 200 OptiMax, 210 and 240 EFI Jet Drives.

FLUSHING KIT



22-**820573**

Dealer kit, flushes engine while the engine is running. This kit is not for permanent installation. It is intended as a dealer service tool aid.

Fits Sport-Jet 90/95/120 engines.

REPLACEMENT INLET GRATES

REPLACEMENT INLET GRATE



854810T 1

Stainless steel Rock Grate for shallow rocky conditions.

Fits all V-6 Jet Drives (1997 & newer) and Sport-Jet 120 Jet Drives (1999 and 2000).

REPLACEMENT INLET GRATE



852962T

Inlet Grate - aluminum fixed grate.

Fits all V-6 Jet Drives (1997 & newer) and Sport-Jet 120 Jet Drives (1999 and 2000). Standard grate on the Sport-Jet 175XR2.

REPLACEMENT INLET GRATE



856627T 3

Hydro Surge Grate - automatic weed clean out system

Fits all V-6 Jet Drives (1997 & newer) and Sport-Jet 120 Jet Drives (1999 and 2000).

ANODES - SPORT JET

ANODE ASSEMBLY



97-**856581C**

Aluminum

120XR2 Sport Jet - Serial Range 0E145580 - 0E379999;175XR2 Sport Jet - Serial Range 0F345000 - 0E433153;200 DFI - Serial Range 0E379931 - 0E428850;200 DFI M2 - Serial Range 0E379931 - 0E423075;210 Carb M2 - Serial Range 0E370718 - 0E426999;240 EFI - Serial Range 0E406400 and up;240 EFI M2 - Serial Range 0E370718 and up;250 DFI - Serial Range 0E407100 and up;250 DFI M2 - Serial Range 0E407100 and up

ANODE KIT



97-**833163A 1**

Aluminum

Jet Drive 175-240hp

ANODE



97-**820503 1**

Aluminum

ANODE CHART - SPORT JET

SportJet Pump Anodes

Model	Serial # Range	Nozzle Anode	Mat.	Rudder Anode	Mat.
90 Sport Jet	0E021000 and up	N.L.A.	Zinc	97-820503 1	Alum.
95XR Sport Jet	0E021000 and up	N.L.A.	Zinc	97-820503 1	Alum.
120 Sport Jet	0E080400 - 0E145579	N.L.A.	Zinc	97-820503 1	Alum.
120XR Sport Jet	0E145580 - 0E344999	N.L.A.	Zinc	97-820503 1	Alum.
120XR2 Sport Jet	0E145580 - 0E379999	97-856581C	Alum.	97-820503 1	Alum.
175XR2 Sport Jet	0E151580 - 0E344999	97-833163A 1	Alum.	97-820503 1	Alum.
175XR2 Sport Jet	0F345000 - 0E433153	97-856581C	Alum.	97-820503 1	Alum.
200 DFI	0E379931 - 0E428850	97-856581C	Alum.	97-820503 1	Alum.
200 DFI M2	0E379931 - 0E423075	97-856581C	Alum.	97-820503 1	Alum.
210 Carb	0E379931 - 0E433153	97-833163A 1	Alum.	97-820503 1	Alum.
210 Carb M2	0E370718 - 0E426999	97-856581C	Alum.	97-820503 1	Alum.
240 EFI	0E379931 - 0E406399	97-833163A 1	Alum.	97-820503 1	Alum.
240 EFI	0E406400 and up	97-856581C	Alum.	97-820503 1	Alum.
240 EFI M2	0E370718 and up	97-856581C	Alum.	97-820503 1	Alum.
250 DFI	0E407100 and up	97-856581C	Alum.	97-820503 1	Alum.
250 DFI M2	0E407100 and up	97-856581C	Alum.	97-820503 1	Alum.

MARINE BATTERIES AND ACCESSORIES

MARINE BATTERIES

In AGM batteries, the electrolyte (mixture of water and sulphuric acid) is largely absorbed in glass fibre. This type of battery is entirely maintenance-free and there is no gas formation with normal use. AGM batteries can be installed anywhere.

Their construction gives a very fast discharge at very high currents so AGM batteries are ideal for systems that require high currents (for instance when starting an engine). The battery poles of some models can be unscrewed and this type of battery can be combined with every standard battery terminal.

OPTIMA BLUE TOP DC 4.2



67-**886561**

High power, dual purpose engine start and deep cycle • For use in boats with large accessory loads • Sealed lead acid battery • 12 Volts nominal voltage • Color: light grey case with blue cover • Group size: BCI 34 • Metric dimensions: 254x175x200 mm (length/width/height) • Weight: 19,7 kg • Open circuit voltage (fully charged): 13.1 volts • Internal resistance (fully charged): 0.0028 ohms • Capacity: 55 Ah (C/20) • Reserve capacity: BCI: 120 minutes • Power: 765 amps CCA (EN -18°C), 870 amps MCA (BCI 0°C)

OPTIMA BLUE TOP BT SLI 4.2



67-**886560**

High power marine starting battery only • Sealed lead acid battery • 12 Volts nominal voltage • Color: dark grey case with blue cover • Group size: BCI 34 • Metric dimensions: 254x175x200 mm (length/width/height) • Weight: 17,4 kg • Open circuit voltage (fully charged): 12,8 volts • Internal resistance (fully charged): 0.0030 ohms • Capacity: 50 Ah (C/20) • Reserve capacity: BCI: 100 minutes • Power: 815 amps CCA (EN -18°C), 1000 amps MCA (BCI 0°C)

OPTIMA BLUE TOP DC 5.0



67-**8M9200903**

High power, dual purpose engine start and deep cycle
• For use in boats with large accessory loads
• Sealed lead acid battery
• 12 Volts nominal voltage
• Color: light grey case with blue cover
• Group size: BCI 27
• Metric dimensions: 309x172x221mm length/width/height)
• Weight: 22,7 kg
• Internal resistance (fully charged): 0.0025 ohms
• Capacity: 66 Ah (C/20)
• Reserve capacity: BCI: 140 minutes
• Power: 845 amps CCA (EN -18°C), 1000 amps MCA (BCI 0°C)

OPTIMA BLUE TOP DC 5.5



67-**886562**

High power, dual purpose engine start and deep cycle • For use in boats with large accessory loads • Sealed lead acid battery • 12 Volts nominal voltage • Color: light grey case with blue cover • Group size: BCI 31• Metric dimensions: 325x165x238 mm (length/width/height) • Weight: 26,5 kg • Open circuit voltage (fully charged): 13.1 volts • Internal resistance (fully charged): 0.0025 ohms • Capacity: 75 Ah (C/20) • Reserve capacity: BCI: 155 minutes • Power: 975 amps CCA (EN -18°C), 1125 amps MCA (BCI 0°C)

BATTERY ACCESSORIES

OPTIMATE 2 DUO



8M0231519

OptiMate 2 DUO automatically adapts to the connected battery type – Guarantees healthy lithium or lead-acid batteries!
For all 12V power sport battery types including lead-acid (Pb) > STD (with filler caps), AGM, GEL (sealed VRLA)) & EFB and Li-Ion made with LiFePO4 / LFP technology.
Charges and delivers long term maintenance automatically – OptiMate 2 DUO makes your battery stronger and last longer, no supervision required! Safe to leave connected. Full electronic protection. Maintains battery at full charge and good health. Low Volt Start of 4V. Warns when battery damage is detected. Energy saving technology.
Stand-by power less than 0.5W.
Efficient 24-7 battery maintenance.Weatherproof. Rated for use down to -40°C / -40°F.

OPTIMATE 5 BATTERY CHARGER



8M0072745

Complete 12V battery care for medium to large batteries
· Desulphates and saves neglected batteries
· Optimises battery power and life
· Safe long-term maintenance cycle
· Tests battery every hour
OptiMateTM5, the all-in-one tool for 12V battery care at home. Diagnoses, recovers, charges, tests and optimally maintains, automatically.

Forgot your battery throughout the winter? OptiMate 5 will recover it from deep discharge and optimally recharge it. Then it will check that the charge delivered is the best possible before then checking how well the battery can retain the charge. And tell you its status, at a glance. Of course, it will then maintain your battery at full charge safely for months at a time. And prolong its life by up to 400%. Reducing waste, for a better environment.

BATTERY TESTER AND ELECTRICAL SYSTEM ANALYSER T11



8M0147933

Fully graphical interface, LCD display, integrated printer, and touchpad with sensor technology. WET, AGM, AGM spiral, EFB, GEL, Ca. Complies to Specs: CCA, SAE, EN, IEC, DIN, CA/MCA, JIS, EN1, EN2. Tests the starter, alternator, and grounding, and can transfer the data to PC. Test results memory saving.
Battery tester and electrical system analyser for 12V/24V batteries.

BATTERY CONNECTOR CABLE



84-**8M0111860**

Connect your battery easily with your Optimate charger. Weatherproof permanent battery lead, M6, 5A max,
SAE connection.

VENTED OUTBOARD SPLASH COVERS

A Splash cover protects your Mercury outboard from stones, fishing lures, sinkers and general cowl wear and tear. It is designed to protect your engine outboard cowling during use and is made from UV stabilized, water resistant Polysoft Polyester with felt-like backing to avoid scratching the gel coat of the outboard.

Product features:
- Designed to protect outboard engine cowling during use
- Fully functional cover with breathable mesh venting
- Breathable, marine grade fabric and materials
- Increases resale value potential
- Prevents accidental damage
- Further reducing the already low noise values of Mercury engines
- Custom fit and having original signage
- Available in individual horse power rating for the most common categories

40HP VENTED COVER



8M0228502

Fits 40hp 4 cylinder FourStroke outboard (serial number 1C043417 & up)

50HP VENTED COVER

8M0228503

Fits 50hp FourStroke

60HP VENTED COVER

8M0228504

Fits 60hp FourStroke outboard (serial number 1C043417 & up)

80HP VENTED COVER

8M0228506

Fits 80hp 2.1L FourStroke outboard (serial number 2B095049 & up)

100HP VENTED COVER

8M0228508

Fits 100hp 2.1L FourStroke outboard (serial number 2B095049 & up)

115HP VENTED COVER

8M0228509

Fits 115hp 2.1L FourStroke outboard (serial number 2B095049 & up)

150HP VENTED COVER

8M0228510

Fits 150hp 3.0L FourStroke outboard (serial number 1B905505 & up)

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-**8M0110408**

F75 Sea Pro outboard splash cover with original Mercury and horsepower signage.

67-**8M0110410**

F115 Sea Pro outboard splash cover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-**8M0087245**

F100 outboard splash cover with original Mercury and horsepower signage.

67-**8M0087246**

F115 outboard splash cover with original Mercury and horsepower signage.

115HP PRO XS VENTED COVER



8M0228530

Fits 115hp 2.1L Pro XS Outboard (serial number 2B225488 & up)

150HP PRO XS VENTED COVER

8M0228531

Fits 150hp 3.0L Pro XS outboard

175HP PRO XS VENTED COVER

8M0228532

Fits 175hp 3.4L V6 Pro XS outboard

200HP PRO XS VENTED COVER

8M0228533

Fits 200hp 4.6L V8 Pro XS outboard

225HP PRO XS VENTED COVER

8M0228534

Fits 225hp 4.6L V8 Pro XS outboard

250HP PRO XS VENTED COVER

8M0228535

Fits 250hp 4.6L V8 Pro XS outboard

300HP PRO XS VENTED COVER

8M0228536

Fits 300hp 4.6L V8 Pro XS

200HP VENTED COVER



8M0228513

Fits 200hp L6 FourStroke outboard

225HP VENTED COVER

8M0228514

Fits 225hp L6 FourStroke outboard

250HP VENTED COVER

8M0228515

Fits 250hp L6 FourStroke outboard

275HP VENTED COVER

8M0228516

Fits 275hp L6 FourStroke outboard

300HP VENTED COVER

8M0228517

Fits 300hp L6 FourStroke outboard

350HP VENTED COVER

8M0228518

Fits 350hp L6 FourStroke outboard

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-**8M0108696**

400R generation outboard splash cover with original Mercury Racing and horsepower signage

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-**8M0087248**

F150 Verado outboard splash cover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-**8M0087255**

F350 Sci Verado outboard splash cover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-**8M0136137**

Verado L6 (225-300HP) white outboard splashcover with original Mercury signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-**8M0136144**

Verado 400R outboard splashcover with original Mercury Racing and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-**8M0170456**

Verado 450R outboard splashcover with original Mercury and horsepower signage.

VENTED OUTBOARD SPLASH COVER



8M0244993

Verado 500R outboard splash cover with original Mercury Racing and horsepower signage.

4-STROKE VENTED SPLASH COVERS WITH QUICK PANEL ACCESS

The vented splash covers below include a flap so the quick access panel can be used even with the cover on.



200HP VENTED COVER



8M0228511
Fits 200hp 3.4L V6 FourStroke outboard (serial number 2B529482 & up)

225HP VENTED COVER

8M0228512
Fits 225hp 3.4L V6 FourStroke outboard (serial number 2B529482 & up)

250HP VENTED COVER

8M0228520
Fits 250hp 4.6L V8 FourStroke outboard

300HP VENTED COVER

8M0228522
Fits 300hp 4.6L V8 FourStroke outboard

350HP VENTED COVER

8M0228524
Fits 350hp 5.7L V10 FourStroke outboard

400HP VENTED COVER

8M0228526
Fits 400hp 5.7L V10 FourStroke outboard

425 HP VENTED COVER

8M0236729
Fits 5.7L V10 425hp Verado models

600HP VENTED COVER

8M0228528
Fits 600hp 7.6L V12 FourStroke outboard

250HP VENTED COVER



8M0228521
Fits 250hp 4.6L V8 FourStroke outboard

300HP VENTED COVER

8M0228523
Fits 300hp 4.6L V8 FourStroke outboard

350HP VENTED COVER

8M0228525
Fits 350hp 5.7L V10 FourStroke outboard

400HP VENTED COVER

8M0228527
Fits 400hp 5.7L V10 FourStroke outboard

425 HP VENTED COVER

8M0236730
Fits 5.7L V10 425hp Verado models

600HP VENTED COVER

8M0228529
Fits 600hp 7.6L V12 FourStroke outboard

TOW AND STOW ENGINE COVERS

BREATHABLE • UV-STABILIZED • WATER-RESISTANT
Tow N Stow™ covers are great for protecting the finish on your Mercury outboard from exposure to the elements or other damage when your boat is on the move or in storage. Manufactured from marine-grade Polysoft II (P2)® material, these durable, model-specific covers provide excellent protection and a precise fit for most Mercury FourStroke, Verado® and Pro XS® outboard models.

40-60HP STORAGE COVER



8M0221490
Fits 40-60hp FourStroke outboards (serial number 1C043417 & up)

75-115HP STORAGE COVER

8M0221491
Fits 75-115hp FourStroke outboards (serial number 2B095049 & up)

150HP STORAGE COVER

8M0221492
Fits 150hp FourStroke outboards (serial number 1B905505 & up)

225-400HP L6 STORAGE COVER

8M0221494
Fits 225-400hp Verado outboards (serial number 1B517434 to 2B578935)

175-225HP V6 STORAGE COVER

8M0221495
Fits 350-400hp Verado outboards (serial number 3B266064 & up)

200-300HP V8 STORAGE COVER

8M0221496
Fits 200-300hp FourStroke outboards (serial number 2B529482 & up)

350-425HP V10 STORAGE COVER

8M0221497
350-425hp V10(5.7L) FourStroke outboards

500-600HP V12 STORAGE COVER

8M0221498
Fits 500-600hp Verado outboards (serial number 3B060047 & up)

200-300HP V8 STORAGE COVER



8M0228537
Fits 200-300hp FourStroke outboards (serial number 2B529482 & up)

350-425HP V10 STORAGE COVER



8M0228538
Fits 350-425hp FourStroke outboards (serial number 3B266064 & up)

500-600HP V12 STORAGE COVER



8M0228539
Fits 500-600hp FourStroke outboards (serial number 3B060047 & up)

200-300HP V8 PROXS STORAGE COVER



8M0221499
Fits 200-300hp Pro XS outboards (serial number 2B529482 & up)

POINT-OF-SALE PRODUCT DISPLAYS

LOGO DECALS

M-ICON



37-**8M0080152**

Mercury Marine registered trademark icon in a polished chrome, 29mm diameter circle with Black background.

Designed for use on a flat surface.

37-**8M0043701**

Mercury Marine registered trademark icon in a polished chrome, 39mm diameter circle with Black background.

Designed for use on a flat surface.

37-**8M0043702**

Mercury Marine registered trademark icon in a polished chrome, 53mm diameter circle with Black background.

Designed for use on a flat surface.

37-**8M0043705**

Mercury Marine registered trademark icon in a polished chrome, 60mm diameter circle with Black background.

This icon has a more flexible backing and may be installed on a slightly curved surface.

37-**8M0043703**

Mercury Marine registered trademark icon in a polished chrome, 66mm diameter circle with Black background.

Designed for use on a flat surface.

M-ICON



37-**8M0043700**

Mercury Marine registered trademark icon in a polished chrome, 39mm diameter circle with Red background.

Designed for use on a flat surface.

37-**8M0043707**

Mercury Marine registered trademark icon in a polished chrome, 53mm diameter circle with Red background.

Designed for use on a flat surface.

37-**8M0043699**

Mercury Marine registered trademark icon in a polished chrome, 66mm diameter circle with Red background.

Designed for use on a flat surface.

Notes:

TABLE OF CONTENTS

Outboard Maintenance 229

135-150-175-200 (4 Cylinder) Verado 1B311420 and above 235
150 EFI FourStroke 1B905505 and above . . 233
15 HP EFI FourStroke 0R833820 and above 230
15 Hp FourStroke 0R235949 and above . . . 230
175-300HP V6 (3.4L) & V8 (4.6L) 236
2.5-3.5hp FourStroke Carbureted 0R131842 and above 229
200-300 (6 Cyl) Verado 1B390143 and above (prior to Gen V) 235
200-300 (6 Cyl) Verado 2B144123 and 2B578935(Gen V) 235
20 HP EFI FourStroke 0R833820 and above 230
20 Hp FourStroke 0R235168 and above . . . 230
25-30 Hp EFI FourStroke 0R106999 - 1R162636 231
25-30 HP EFI FourStroke 1R154758 and above 231
350-400 (6 Cyl) Verado 236
40-50-60 Hp FourStroke 1C050252 and above 231
40 Hp (3 cyl) FourStroke 1C049739 and above 231
4-5-6hp FourStroke 0R411838 and above . . 229
5.7L V10 350/400/425 Verado 237
7.6L V12 600HP Verado & 500HP SeaPro . . 237
75-90-115/115 Pro XS Hp FourStroke 2B094996 and above 233
75-90-115 Hp FourStroke 1B366823-2B094995 232
75-90-115 Hp FourStroke 2B094996 and above 232
75-90-115 Optimax (1.5L) 1B227000 and above 233
8-9.9hp EFI FourStroke 1R281445 and above 229
8-9.9hp FourStroke Carbureted 0R042475 - 1R279944 229
V-6 Optimax (2.5L, non-Pro models) 1B227000 and above 234
V-6 Optimax (3.0L, non-Pro models) 1B227000 and above 234

Outboard Service Interval Kits 239

Outboard Service Interval Kits 239
Outboard Service Interval Kits - Without Anodes 244

MerCruiser Maintenance 245

3.0L MPI 245
3.0L TKS 245
4.3L MPI Alpha 246
4.3L MPI Bravo 246
4.3L TKS Alpha 245
4.3L TKS Bravo 245
4.5L MPI Alpha 246
4.5L MPI Bravo 246
5.0L/5.7L MPI Alpha 247
5.0L/5.7L MPI Bravo 247
5.0L/5.7L TKS Alpha 246
5.0L/5.7L TKS Bravo 247
5.7 & 6.2 MPI MIE 248
5.7L MPI Towsports 248
5.7L TKS MIE & Towsports 247
6.2L MPI Bravo 248
6.2L MPI Bravo (Mercury) 248
8.1L MCM & MIE 248
8.2L MCM & MIE 249
Alpha Gen II Sterndrive 249
Alpha Sterndrive 249
Bravo Sterndrive 249

Mercury Diesel Maintenance 251

3.0L V6 TDI Diesel (Tier 3) 251
3.0L V6 VM Diesel 251
4.2L V8 TDI Diesel (Tier 3) 252
6.7L (135/150 NA) Diesel 252
6.7L (180/230/260/280 TCA) Diesel 252
6.7L (220 TC) Diesel 252
6.7L (480/500/550 TCA) Diesel 252
QSD 2.0 Diesel 251
QSD 2.8 Diesel 251
QSD 4.2 Diesel 251

MerCruiser Service Interval Kits 254

MerCruiser Engine Maintenance Kits 254
MerCruiser Sterndrive Maintenance Kits . . . 256

OUTBOARD MAINTENANCE

2.5-3.5HP FOURSTROKE CARBURETED 0R131842 AND ABOVE

CARBURETOR REPAIR KIT
8M0090764

ANODE
97-**823913Q**

Aluminum

INLINE FUEL FILTER
35-**8M0157133**

An in-line fuel filter located under cowl on outboard engines.

WATER IMPELLER REPAIR KIT
889246A16

Includes impeller, key, face plate and face plate gaskets.

IMPELLER
47-**8M0204676**

IMPELLER

SPARK PLUG
33-**8M0234113**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
8M0228409

52 degrees Centigrade, 126 degrees Fahrenheit

4-5-6HP FOURSTROKE 0R411838 AND ABOVE

CARBURETOR REPAIR KIT
8M0044575

Includes new float, float pin, inlet needle, bowl gasket and flange gaskets.

ANODE
97-**823912**

Aluminum, Round style.

ANODE TRANSOM BRACKET
97-**875208**

Square style.

INLINE FUEL FILTER
35-**8M0157133**

An in-line fuel filter located under cowl on outboard engines.

WATER IMPELLER REPAIR KIT
8M0155395

IMPELLER
47-**8M0204676**

IMPELLER

SPARK PLUG
33-**8M0234113**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
8M0228409

52 degrees Centigrade, 126 degrees Fahrenheit

300 HOUR SERVICE KIT
8M0120836

Fuel filter, oil drain seal, 2 - gearcase drain seals, thermostat, thermostat gasket, spark plug, impeller kit, anode.

8-9.9HP FOURSTROKE CARBURETED 0R042475 - 1R279944

CARBURETOR REPAIR KIT
8M0044576

Includes new float, float pin, inlet needle, bowl gasket, air box o-ring and flange gaskets.

TRIM TAB ANODE
853762T01

Aluminum

ANODE TRANSOM BRACKET
97-**875208**

Square style.

ANODE
97-**823912**

Aluminum, Round style.

PLUG ANODE
97-**895151001**

INLINE FUEL FILTER
35-**8M0157133**

An in-line fuel filter located under cowl on outboard engines.

WATER IMPELLER REPAIR KIT
47-**803748K01**

Includes new impeller and face plate.

47-**803748K02**

Includes new impeller and face plate.

WATER PUMP IMPELLER
47-**8M0214944**

Big Foot/Command Thurst Gearcase Only

47-**8M0214945**

Standard gearcase impeller

SPARK PLUG
33-**8M0234113**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

300 HOUR SERVICE KIT
8M0120837

Fuel filter, oil drain seal, 2 - gear case drain seals, thermostat, thermostat gasket, 2 - spark plugs, impeller kit, anode

8M0120867

Fuel filter, oil drain seal, 2- gear case drain seals, thermostat, thermostat gasket, 2 - spark plugs, impeller kit, anode

8-9.9HP EFI FOURSTROKE 1R281445 AND ABOVE

TRIM TAB ANODE
853762T01

Aluminum

ANODE TRANSOM BRACKET
97-**875208**

Square style.

ANODE
97-**823912**

Aluminum, Round style.

PLUG ANODE
97-**895151001**

INLINE FUEL FILTER
35-**8M0157133**

An in-line fuel filter located under cowl on outboard engines.

WATER IMPELLER REPAIR KIT
47-**803748K01**

Includes new impeller and face plate.

47-**803748K02**

Includes new impeller and face plate.

WATER PUMP IMPELLER
47-**8M0214945**

Standard gearcase impeller

47-**8M0214944**

Big Foot/Command Thurst Gearcase Only

SPARK PLUG
33-**8M0176629**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
8M0119207

140 F degree thermostat

15 HP FOURSTROKE 0R235949 AND ABOVE

CARBURETOR REPAIR KIT
8M0044577

Includes new float, float pin, inlet needle, bowl gasket, air box o-ring and flange gaskets.

TRIM TAB ANODE
853762T01

Aluminum

ANODE TRANSOM BRACKET
97-**875208**

Square style.

INLINE FUEL FILTER
35-**8M0157133**

An in-line fuel filter located under cowl on outboard engines.

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0162831**

FourStroke Outboard replaceable screw-on type canister filters.

WATER IMPELLER REPAIR KIT
46-**8M0122064**

WATER PUMP IMPELLER
47-**8M0214944**

Big Foot/Command Thurst Gearcase Only

SPARK PLUG
33-**8M0176629**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

15 HP EFI FOURSTROKE 0R833820 AND ABOVE

FUEL FILTER
35-**8M0134466**

Under cowl filter.

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0162831**

FourStroke Outboard replaceable screw-on type canister filters.

COMPLETE WATER PUMP KIT
46-**8M0135821**

Includes both upper & lower housings, gaskets, plate and impeller.

HEAVY ABRASION RESISTANT WATER PUMP
8M0137849

Heavy duty face plate and housing designed to improve life in highly abrasive water conditions.

WATER PUMP IMPELLER
47-**8M0135803**

ANODE
97-**8M0137344**

Square anode used in the gearcase.

SPARK PLUG
33-**8M0176629**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
8M0139434

125 Degrees

20 HP FOURSTROKE 0R235168 AND ABOVE

TRIM TAB ANODE
853762T01

Aluminum

ANODE TRANSOM BRACKET
97-**875208**

Square style.

INLINE FUEL FILTER
35-**8M0157133**

An in-line fuel filter located under cowl on outboard engines.

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0162831**

FourStroke Outboard replaceable screw-on type canister filters.

WATER IMPELLER REPAIR KIT
46-**8M0122064**

WATER PUMP IMPELLER
47-**8M0214944**

Big Foot/Command Thurst Gearcase Only

SPARK PLUG
33-**8M0176629**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

20 HP EFI FOURSTROKE 0R833820 AND ABOVE

FUEL FILTER
35-**8M0134466**

Under cowl filter.

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0162831**

FourStroke Outboard replaceable screw-on type canister filters.

COMPLETE WATER PUMP KIT
46-**8M0135821**

Includes both upper & lower housings, gaskets, plate and impeller.

HEAVY ABRASION RESISTANT WATER PUMP
8M0137849

Heavy duty face plate and housing designed to improve life in highly abrasive water conditions.

WATER PUMP IMPELLER
47-**8M0135803**

ANODE
97-**8M0137344**

Square anode used in the gearcase.

SPARK PLUG
33-**8M0234113**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
8M0139434

125 Degrees

25-30 HP EFI FOURSTROKE 0R106999 - 1R162636

TRIM TAB ANODE
853762

Zinc

ANODE
97-**804043**

Clamp bracket, power tilt only.

97-**823912002**

Aluminum

FUEL FILTER KIT
35-**8M0088825**

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0162831**

FourStroke Outboard replaceable screw-on type canister filters.

WATER PUMP REPAIR KIT
8M0208905

Fits 25-30 hp FourStroke outboards with serial range 0R106999-1R162636.

WATER PUMP IMPELLER
47-**8M0214912**

See chart for specific engine applications.

SPARK PLUG
33-**8M0176629**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

25-30 HP EFI FOURSTROKE 1R154758 AND ABOVE

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0162831**

FourStroke Outboard replaceable screw-on type canister filters.

SPARK PLUG
33-**8M0176629**

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

FUEL FILTER
35-**8M0134466**

Under cowl filter.

35-**853733 1**

Replaceable mesh filter and component of fuel filter assembly 8M0134466.

WATER PUMP REPAIR KIT
8M0199643

Includes impeller, guide plate, shift rod, pin, gasket, key, and housing liner.

12-**895146**

Driveshaft Housing Washer

DRAIN PLUG SEAL
8M0188617

THERMOSTAT
8M0186873

140° Fahrenheit

ANODE
97-**804043**

Clamp bracket, power tilt only.

97-**823913Q**

Aluminum

ANODE TRANSOM BRACKET
97-**875208**

Square style.

ANODE
97-**8M0065073**

97-**8M0218220**

#1635

40 HP (3 CYL) FOURSTROKE 1C049739 AND ABOVE

CARBURETOR REPAIR KIT
854256 1

TRIM TAB
8M0203918

Aluminum trim tab for standard gearcase

17264T 2

POWER TRIM ANODE
97-**818298Q 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE
97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER
35-**879885K**

In-line, under cowl fuel filter.

INLINE FUEL FILTER
35-**879884T**

A cartridge type fuel filter located under the cowl on outboard engines.

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0162829**

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

COMPLETE WATER PUMP
46-**812966A12**

Includes both upper and lower housings, gaskets, key, O-ring, plate, and impeller

WATER PUMP IMPELLER
47- **19453T**

Fits various 30hp-60hp FourStroke outboards including 75hp Force outboard.

THERMOSTAT KIT
825212A 1

Includes 120 degree thermostat and gaskets.

TIMING BELT
57-**8M0151040**

Timing belt 8M0151040 is for use on Mercury 30 hp through 60 hp 4-stroke outboards (s/n 1C453840 and above). Reinforced for durability and long service life.

40-50-60 HP FOURSTROKE 1C050252 AND ABOVE

TRIM TAB
8M0236553

EDP - Black, this painted tab will not perform an anodic function.

POWER TRIM ANODE
97-**818298Q 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

ANODE KIT

97-**8M0107546**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

97-**8M0107547**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

SIDE POCKET ANODE

97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-**879885K**

In-line, under cowl fuel filter.

INLINE FUEL FILTER

35-**879884T**

A cartridge type fuel filter located under the cowl on outboard engines.

FOURSTROKE OUTBOARD OIL FILTER

35-**8M0162829**

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

COMPLETE WATER PUMP

46-**812966A12**

Includes both upper and lower housings, gaskets, key, O-ring, plate, and impeller

46-**8M0113801**

Includes both upper & lower housings, gaskets, plate and impeller.

WATER PUMP IMPELLER

47- **19453T**

Fits various 30hp-60hp FourStroke outboards including 75hp Force outboard.

47- **43026T 2**

THERMOSTAT ASSEMBLY KIT

8M0223832

120 degrees F

TIMING BELT

57-**8M0151040**

Timing belt 8M0151040 is for use on Mercury 30 hp through 60 hp 4-stroke outboards (s/n 1C453840 and above). Reinforced for durability and long service life.

75-90-115 HP FOURSTROKE 2B094996 AND ABOVE

TRIM TAB

8M0231857

EDP painted, this tab does not provide anodic protection.

ANODIC PLATE

97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.

POWER TRIM ANODE

97-**818298Q 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE

97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-**879885K**

In-line, under cowl fuel filter.

FOURSTROKE OUTBOARD OIL FILTER

35-**8M0162829**

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

COMPLETE WATER PUMP

8M0094529

Includes upper and lower housings, gaskets, plate, seals, key and impeller.

WATER PUMP IMPELLER

47- **43026T 2**

SPARK PLUG

33-**8M0176692**

NGK, ZFR5F, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4

THERMOSTAT ASSEMBLY

8M0090819

Includes thermostat and housing.

75-90-115 HP FOURSTROKE 1B366823-2B094995

TRIM TAB

8M0236553

EDP - Black, this painted tab will not perform an anodic function.

POWER TRIM ANODE

97-**818298Q 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

ANODE KIT

97-**8M0107547**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

97-**8M0107548**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

97-**8M0107549**

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

SIDE POCKET ANODE

97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-**879885Q**

In-line, under cowl fuel filter.

FOURSTROKE OUTBOARD OIL FILTER

35-**877761K01**

Replaceable screw-on type canister filter.

AIR FILTER
35-**8M0082911**

COMPLETE WATER PUMP
46-**8M0113799**
Includes both upper & lower housings, gaskets, plate and impeller.

WATER PUMP IMPELLER
47- **43026T 2**

SPARK PLUG
33-**8M0157328**
NGK, LFR4A-E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT ASSEMBLY
8M0090819
Includes thermostat and housing.

ALTERNATOR BELT
57-**897574Q01**
75-115 EFI 1.7L FourStroke outboard

75-90-115 OPTIMAX (1.5L) 1B227000 AND ABOVE

TRIM TAB
8M0236553
EDP - Black, this painted tab will not perform an anodic function.

97- **31640T 6**
Magnesium - For freshwater use only. Do not use in Saltwater applications.

POWER TRIM ANODE
97-**818298Q 1**
Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**
Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE
97-**826134Q**
Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**
Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

IN-LINE OIL FILTER
35-**875284T01**
In-line oil filter

FUEL FILTER ELEMENT
35-**8M0122424**
Under cowl replacement cartridge where applicable.

COMPLETE WATER PUMP
46-**8M0113799**
Includes both upper & lower housings, gaskets, plate and impeller.

WATER PUMP IMPELLER
47- **43026Q02**

SPARK PLUG
33-**8M0176678**
NGK IZFR5J, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
833072004
62 degrees Centigrade, 143 degrees Fahrenheit.

ALTENATOR BELT
57-**8M0026410**
75-125 Hp. 3 cylinder (1.5L) Optimax outboard

75-90-115/115 PRO XS HP FOURSTROKE 2B094996 AND ABOVE

TRIM TAB
8M0231857
EDP painted, this tab does not provide anodic protection.

ANODIC PLATE
97- **76214Q 5**
Aluminum
Provides additional clearance for high rake propellers.

POWER TRIM ANODE
97-**818298Q 1**
Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**
Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE
97-**826134Q**
Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**
Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER
35-**879885K**
In-line, under cowl fuel filter.

FUEL FILTER SCREEN
35-**8M0090809**
In-line, under cowl fuel filter Inline fuel filter. Prevents harmful debris that may be in the gasoline fuel tank from getting to the engine to rob it of power and efficiency.

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0162830**
FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

COMPLETE WATER PUMP
8M0094529
Includes upper and lower housings, gaskets, plate, seals, key and impeller.

WATER PUMP IMPELLER
47- **43026T 2**

SPARK PLUG
33-**8M0176692**
NGK, ZFR5F, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4

THERMOSTAT ASSEMBLY
8M0090819
Includes thermostat and housing.

150 EFI FOURSTROKE 1B905505 AND ABOVE

ANODIC PLATE
97- **76214Q 5**
Aluminum
Provides additional clearance for high rake propellers.

97- **76214A 6**
Magnesium - For freshwater use only. Do not use in saltwater applications.

ANODE KIT
97-**8M0107549**
Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

POWER TRIM ANODE
97-**8M0057772**
Aluminum. Located on the bottom of the external power trim assembly.

SIDE POCKET ANODE
97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER
35-**879885K**

In-line, under cowl fuel filter.

FUEL FILTER SCREEN
35-**8M0090809**

In-line, under cowl fuel filter Inline fuel filter. Prevents harmful debris that may be in the gasoline fuel tank from getting to the engine to rob it of power and efficiency.

FOURSTROKE OUTBOARD OIL FILTER
35-**877761K01**

Replaceable screw-on type canister filter.

COMPLETE WATER PUMP
8M0094529

Includes upper and lower housings, gaskets, plate, seals, key and impeller.

WATER PUMP IMPELLER
47- **43026T 2**

SPARK PLUG
33-**8M0176692**

NGK, ZFR5F, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4

THERMOSTAT ASSEMBLY
8M0090819

Includes thermostat and housing.

ALTERNATOR BELT
57-**8M0235013**

Serpentine

V-6 OPTIMAX (2.5L, NON-PRO MODELS) 1B227000 AND ABOVE

ANODIC PLATE
97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.

97- **76214A 6**

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE
97-**818298Q 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE
97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

IN-LINE OIL FILTER
35-**875284T01**

In-line oil filter

WATER SEPARATING FUEL FILTER
35- **18458T 4**

Water separating fuel filter with the blue screw-in sensor.

WATER PUMP UPPER REPAIR KIT
46- **96148T 8**

Includes plastic pump housing assembly, impeller, face plate, gaskets, drive key or pin, water tube guide sleeve, "O" rings and gearlube fill & vent screw seals. (Base not included)

WATER PUMP IMPELLER
47- **89984T 4**

SPARK PLUG
33-**8M0176678**

NGK IZFR5J, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
833072003

62 degrees Centigrade,143 degrees Fahrenheit

ALTERNATOR BELT
57-**828507Q 4**

135/150/175 Optimax, 2.5L DFI outboard

V-6 OPTIMAX (3.0L, NON-PRO MODELS) 1B227000 AND ABOVE

ANODIC PLATE
97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.

97- **76214A 6**

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE
97-**818298Q 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE
97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

IN-LINE OIL FILTER
35-**875284T01**

In-line oil filter

FUEL FILTER ELEMENT
35-**8M0122424**

Under cowl replacement cartridge where applicable.

WATER PUMP IMPELLER
47- **43026T 2**

SPARK PLUG
33-**8M0176657**

NGK, LZFR6J, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

THERMOSTAT
8M0057307

54 Degrees Centigrade, 130 Degrees Fahrenheit

BELT - ALTERNATOR
57-**828507Q 5**

135-150-175-200 (4 CYLINDER) VERADO 1B311420 AND ABOVE

ANODIC PLATE
97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.

97- **76214A 6**

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE
97-**818298Q 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**818298T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE
97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER
35-**879885K**

In-line, under cowl fuel filter.

FUEL FILTER ELEMENT
35-**8M0122424**

Under cowl replacement cartridge where applicable.

FOURSTROKE OUTBOARD OIL FILTER
35-**877767Q01**

Replaceable screw-on type canister filter. Replaces the production 896546_ series oil filter.

AIR FILTER
35-**896247**

COMPLETE WATER PUMP
817275A09

Includes both upper and lower housings, gaskets, seals, key, Oil-carrier, retaining ring, plate, and impeller.

WATER PUMP IMPELLER
47- **43026T 2**

SPARK PLUG
33-**8M0176653**

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

THERMOSTAT ASSEMBLY
8M0174561

Thermostat housing, 140°F. The additional seals, gaskets, clamps and attaching hardware sold separately. See your owner's manual or service manual for more information.

ALTERNATOR BELT
57-**8M0232583**

L4 and L6 cylinder Verado

200-300 (6 CYL) VERADO 1B390143 AND ABOVE (PRIOR TO GEN V)

ANODIC PLATE
97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.

97- **76214A 6**

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE
97-**880653**

Aluminum, Power Trim

97-**893404**

Multiple pieces may be required per engine application.

SIDE POCKET ANODE
97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER
35-**879885K**

In-line, under cowl fuel filter.

FUEL FILTER ELEMENT
35-**8M0122424**

Under cowl replacement cartridge where applicable.

FOURSTROKE OUTBOARD OIL FILTER
35-**877769Q01**

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

AIR FILTER
35-**893318T02**

COMPLETE WATER PUMP
817275A09

Includes both upper and lower housings, gaskets, seals, key, Oil-carrier, retaining ring, plate, and impeller.

8M0078858

Includes water impeller, upper and lower housings, face plate, gaskets, drive key, face seal and water tube coupling.

WATER PUMP IMPELLER
47- **43026T 2**

SPARK PLUG
33-**8M0176653**

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

THERMOSTAT ASSEMBLY
8M0174561

Thermostat housing, 140°F. The additional seals, gaskets, clamps and attaching hardware sold separately. See your owner's manual or service manual for more information.

ALTERNATOR BELT
57-**8M0232583**

L4 and L6 cylinder Verado

200-300 (6 CYL) VERADO 2B144123 AND 2B578935(GEN V)

ANODIC PLATE
97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.

97- **76214A 6**

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE
97-**880653**

Aluminum, Power Trim

97-**893404**

Multiple pieces may be required per engine application.

SIDE POCKET ANODE
97-**826134T**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER SCREEN
35-**8M0090809**

In-line, under cowl fuel filter Inline fuel filter. Prevents harmful debris that may be in the gasoline fuel tank from getting to the engine to rob it of power and efficiency.

FUEL FILTER
35-**879885K**

In-line, under cowl fuel filter.

FUEL FILTER SCREEN
35-**8M0090809**

In-line, under cowl fuel filter Inline fuel filter. Prevents harmful debris that may be in the gasoline fuel tank from getting to the engine to rob it of power and efficiency.

WATER SEPARATING FUEL FILTER
8M0157616

NEW design to be smaller to better fit the hand, the internal holding capacity of this filter is as great as our standard filter. A new o-ring for the water sensor is included with each filter. This new filter when used with the new water-in-fuel sensor 8M0157779, meets U.S. Coast Guard and ABYC H-24 fuel-system requirements. Designed to meet 33 CFR 183.590 or ISO 10088 fire test.

FOURSTROKE OUTBOARD OIL FILTER
35-**877769Q01**

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

AIR FILTER
35-**893318T02**

COMPLETE WATER PUMP
817275A09

Includes both upper and lower housings, gaskets, seals, key, Oil-carrier, retaining ring, plate, and impeller.

8M0078858

Includes water impeller, upper and lower housings, face plate, gaskets, drive key, face seal and water tube coupling.

WATER PUMP IMPELLER
47- **43026T 2**

SPARK PLUG
33-**8M0176653**

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

THERMOSTAT ASSEMBLY
8M0174561

Thermostat housing, 140°F. The additional seals, gaskets, clamps and attaching hardware sold separately. See your owner's manual or service manual for more information.

ALTERNATOR BELT
57-**8M0232583**

L4 and L6 cylinder Verado

100 HOUR SERVICE KIT
8M0120657

Oil filter, fuel filter, oil drain seal and 2-gearcase drain seals.

300 HOUR SERVICE KIT
8M0133617

Oil filter, spin-on fuel filter, high pressure fuel filter screen, oil drain seal, 2-gearcase drain seals, 6-spark plugs, thermostat kit, water impeller kit, belt and anode kit.

300 HOUR SERVICE KIT - NO ANODES
8M0149428

This kit was designed for the heavy hour customer that does not need to replace anodes every 300 hours. Kit includes: Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water impeller repair kit. NO ANODES INCLUDED

350-400 (6 CYL) VERADO

ANODIC PLATE
97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.

97- **76214A 6**

Magnesium - For freshwater use only. Do not use in saltwater applications.

ANODE
97-**8M0217561**

Helps protect your Verado from corrosion

POWER TRIM ANODE
97-**893404**

Multiple pieces may be required per engine application.

SIDE POCKET ANODE
97-**826134Q**

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-**826134T 3**

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER
35-**879885K**

In-line, under cowl fuel filter.

FUEL FILTER SCREEN
35-**8M0090809**

In-line, under cowl fuel filter Inline fuel filter. Prevents harmful debris that may be in the gasoline fuel tank from getting to the engine to rob it of power and efficiency.

35-**8M0090809**

In-line, under cowl fuel filter Inline fuel filter. Prevents harmful debris that may be in the gasoline fuel tank from getting to the engine to rob it of power and efficiency.

FUEL FILTER ELEMENT
35-**8M0122424**

Under cowl replacement cartridge where applicable.

FOURSTROKE OUTBOARD OIL FILTER
35-**877769Q01**

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

AIR FILTER
35-**893318T02**

COMPLETE WATER PUMP
8M0078858

Includes water impeller, upper and lower housings, face plate, gaskets, drive key, face seal and water tube coupling.

WATER PUMP IMPELLER
47- **43026T 2**

SPARK PLUG
33-**8M0176653**

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

THERMOSTAT ASSEMBLY
8M0174561

Thermostat housing, 140°F. The additional seals, gaskets, clamps and attaching hardware sold separately. See your owner's manual or service manual for more information.

ALTERNATOR BELT
57-**8M0232583**

L4 and L6 cylinder Verado

175-300HP V6 (3.4L) & V8 (4.6L)

ANTI VENT PLATE
97-**8M0137814**

Aluminum

POWER TRIM ANODE
97-**818298Q 1**

Aluminum
Located on the bottom of the external power trim pump assembly.

97-**893404**

Multiple pieces may be required per engine application.

97-**880653**

Aluminum, Power Trim

WATER SEPARATING FUEL FILTER - ON ENGINE
35-**8M0106635**

This filter separates water from fuel as it removes other impurities. Fuel contaminated water can result in poor engine performance, stalling and damage to the fuel system.10 Micron filtration.

WATER SEPARATING FUEL FILTER - BOAT MOUNTED
35-**8M0126144**

Removes 99% of water and other impurities from gasoline. 10 Micron filtration over 95% efficiency.

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0123025**

Replaces screw-on canister filters. Requires filter wrench #889277

WATER PUMP IMPELLER
47- **43026Q02**

WATER PUMP REPAIR KIT
47-**8M0205803**

Water pump repair kit 8M0205803 is for 175-300HP, 450R, and 4.6L V8 4-Stroke Outboards. The kit includes the faceplate, water pump impeller, impeller key, gaskets, seals, and O-rings. One of the most complete kits available to repair 4-stroke outboard water pumps. See your owner's manual or service manual for specific applications and replacement instructions.

SPARK PLUG
33-**8M0176616**

NGK non-Iridium IX - LKAR7C-9, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10.

THERMOSTAT ASSEMBLY
8M0162139

Replacement Thermostat Assembly

SERPENTINE BELT
57-**8M0218433**

Replacement belt

5.7L V10 350/400/425 VERADO

100 HOUR SERVICE KIT
8M0207807

Includes oil filter, fuel filter, and 2-drain plug seals.

OIL FILTER
35-**8M0205848**

Replaces screw-on canister oil filter for 5.7L V10 350HP and 400HP Verado and 350HP SeaPro serial No. 3B266064 and above.

WATER SEPARATING FUEL FILTER
8M0157616

NEW design to be smaller to better fit the hand, the internal holding capacity of this filter is as great as our standard filter. A new o-ring for the water sensor is included with each filter. This new filter when used with the new water-in-fuel sensor 8M0157779, meets U.S. Coast Guard and ABYC H-24 fuel-system requirements. Designed to meet 33 CFR 183.590 or ISO 10088 fire test.

DRAIN PLUG SEAL
26-**8M0204693**

Gear case gear lube drain screw washer 8M0204693 is rubber coated stainless steel that fits Mercury and Mariner outboards and all MerCruiser sterndrives with 3/8-16 gear case drain/fill screw holes.

ALUMINUM ANODE KIT
97-**8M0207809**

Includes: two power trim, transom, gearcase anode and hardware.

SPARK PLUG
33-**8M0176616**

NGK non-Iridium IX - LKAR7C-9, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10.

ALTERNATOR BELT
57-**8M0178243**

Replacement alternator belt

WATER IMPELLER REPAIR KIT
47-**8M0200136**

Complete water impeller repair kit

THERMOSTAT ASSEMBLY
8M0228544

Upper thermostat assembly

THERMOSTAT ASSEMBLY KIT
8M0223832

120 degrees F

OETIKER CLAMP
54-**8M0143696**

Qty. 2

ANTI VENT PLATE
97-**8M0137814**

Aluminum

ALUMINUM TRIM ANODE
97-**8M0204939**

For 5.7L V10 350hp and 400hp Verado Outboard

ANODE
97-**8M0217561**

Helps protect your Verado from corrosion

5" DRIVESHAFT EXTENSION KIT
8M0200168

Kit includes all necessary parts to perform the driveshaft extension

10" DRIVESHAFT EXTENSION KIT
8M0230290

Kit includes all necessary parts to perform the driveshaft extension

15" DRIVESHAFT EXTENSION KIT
8M0200174

Kit includes all necessary parts to perform the driveshaft extension

5.5" BOLT KIT (6-BOLT ONLY)
10-**8M0185652**

Qty. 6

6.5" BOLT KIT (6-BOLT ONLY)
10-**8M0185653**

Qty. 6

7.5" BOLT KIT (6-BOLT ONLY)
10-**8M0185654**

Qty. 6

8" BOLT KIT (6-BOLT ONLY)
10-**8M0185655**

Qty. 6

DOUBLE NUT KIT
8M0182202

Kit contains: 12 nuts & washers

7.6L V12 600HP VERADO & 500HP SEAPRO

FOURSTROKE OUTBOARD OIL FILTER
35-**8M0168366**

Replaceable screw-on type canister filter.

WATER SEPARATING FUEL FILTER - BOAT MOUNTED
8M0166596

Removes 99% of water and other impurities from gasoline for optimum fuel system performance. 10 Micron filtration over 90% efficiency

DRAIN PLUG SEAL
26-**8M0204693**

Gear case gear lube drain screw washer 8M0204693 is rubber coated stainless steel that fits Mercury and Mariner outboards and all MerCruiser sterndrives with 3/8-16 gear case drain/fill screw holes.

ANODE KIT - ALUMINUM
97-**8M0179981**

Aluminum anode kit - For use in saltwater and freshwater. This is a complete kit to replace all factory installed anodes found on the outboard.

EXHAUST SEAL
8M0177471

Silicone exhaust seal

O-RING
25-**8M0177478**

Replaceable O-ring.

EXHAUST MANIFOLD GASKET
27-**8M0177479**

Replaceable exhaust manifold gasket.

TRANSMISSION FILTER
35-**8M0177646**

Includes 2 NBR O-rings.50-micron stainless steel oil suction filter

SPARK PLUG
33-**8M0180173**

Resistor style spark plug. Qty. 4

SPARK PLUG WIRES
84-**8M0238747**

Includes 12 spark plug wires for complete service.

ALTERNATOR BELT
57-**8M0178243**

Replacement alternator belt

THERMOSTAT ASSEMBLY
8M0177662

Includes top and bottom housing, 160 degree thermostat, 140 degree thermostat, spring, retainer, gasket, O-ring, plate, and hardware.

FUEL FILTER SCREEN
35-**8M0090809**

In-line, under cowl fuel filter Inline fuel filter. Prevents harmful debris that may be in the gasoline fuel tank from getting to the engine to rob it of power and efficiency.

OUTBOARD SERVICE INTERVAL KITS

OUTBOARD SERVICE INTERVAL KITS

300 HOUR SERVICE KIT



8M0120836

Fuel filter, oil drain seal, 2 - gearcase drain seals, thermostat, thermostat gasket, spark plug, impeller kit, anode.

4/5/6 HP EFI 0R411838 and above

Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0120837

Fuel filter, oil drain seal, 2 - gear case drain seals, thermostat, thermostat gasket, 2 - spark plugs, impeller kit, anode

8/9.9 HP Standard gearcase only 0R042475 and above

Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0120867

Fuel filter, oil drain seal, 2- gear case drain seals, thermostat, thermostat gasket, 2 - spark plugs, impeller kit, anode

8/9.9 HP Command Thrust only 0R042475 and above

Mercury Precision Branded, Box Point of Sale Packaged.

300-HOUR MAINTENANCE KIT - STANDARD GEARCASE ONLY



8M0227353

Includes spark plugs, thermostat, fuel filter, impeller, all gaskets, and hardware.

Fits 8/9.9hp EFI FourStroke

Mercury Precision Branded, Box Point of Sale Packaged.

300-HOUR MAINTENANCE KIT - COMMAND THRUST ONLY



8M0227355

Includes spark plugs, thermostat, fuel filter, impeller, all gaskets, and hardware.

Fits 6/8/9.9hp EFI FourStroke

Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0120838

Oil Filter, fuel filter, oil drain seal, 3- gearcase drain seals, thermostat, thermostat gasket, 2- spark plugs, impeller kit, anode

15/20 HP 0R235949 - 0R833819

Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0151469

Oil filter, fuel filter, oil drain seal, 2 gearcase drain seals
15/20 EFI FourStroke S/N: 0R833820 & above
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0151470

Oil filter, fuel filter, oil drain seal, 2 gearcase drain seals, thermostat and gasket, impeller kit, 2 spark plugs, anodes
15/20 EFI FourStrokes S/N: 0R833820 & above
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0120839

Oil filter, fuel filter, oil drain seal, 2- gearcase drain seals, thermostat, thermostat gasket, 3- spark plugs, impeller kit, anode
25/30 HP 0R106999 and above
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0222285

Includes oil filter, fuel filter, oil drain seal, and gearcase drain seals.
Fits 25/30HP EFI 3 Cyl. FourStroke Outboards [1R154758 & Up]
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0220189

Includes oil filter, fuel filter, oil drain seal, gearcase drain seals, thermostat, spark plugs, impeller kit, and anode.
Fits 25/30HP EFI 3 Cyl. FourStroke Outboards [1R154758 & Up]
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0232733

Oil Filter, low & high pressure fuel filter, oil drain seal and 2-gearcase drain seals.
40-60hp EFI 4Cyl. 4 Stroke

300 HOUR SERVICE KIT



8M0090559

Oil filter, low & high pressure fuel filter, oil drain seal, 2-gearcase drain seals, thermostat, 2-thermostat gaskets, 4-spark plugs, water impeller kit, power trim adode and lower unit anode.
40-60 EFI 4Cyl. 4 Stroke (BigFoot and CT gearcases only)

300 HOUR SERVICE KIT



8M0113483

Oil filter, low & high pressure fuel filter, oil drain seal, 2-gearcase drain seals, thermostat, 2-thermostat gaskets, 4-spark plugs, water impeller kit, power trim anode and lower unit anode.
40-60HP 4Cyl.EFI Fourstroke (standard gearcase only)

100 HOUR SERVICE KIT



8M0097856

Oil filter, fuel filter, oil drain seal and 2-gearcase drain seals
75-115HP FourStroke (1.7L) S/N:1B366823 - 2B094995

300 HOUR SERVICE KIT



8M0097857

Oil filter, fuel filters, oil drain seal, 2-gearcase drain seals, 4-spark plugs, thermostat kit, water impeller kit, belt, power trim and lower unit anode.
75-115HP FourStroke (1.7L) S/N:1B366823 - 2B094995

100 HOUR SERVICE KIT



8M0097854

Oil filter, fuel filter and gearcase drain seal
75-115HP FourStroke (2.1L) S/N:2B094996 and Up

300 HOUR SERVICE KIT



8M0097855

Oil filter, fuel filters, gearcase drain seal, 4-spark plugs, thermostat kit, water impeller kit, power trim and lower unit anode.
75-115HP FourStroke (2.1L) S/N:2B094996 and Up

100 HOUR SERVICE KIT



8M0094232

Oil filter, low & fuel filter, gearcase drain seal.
150HP EFI 4 Stroke

300 HOUR SERVICE KIT



8M0094233

Oil filter, low & high pressure fuel filter, gearcase drain seal, 4-spark plugs, thermostat kit, water impeller kit, belt, 2-lower unit anodes and power trim anode
150HP EFI 4 Stroke

300 HOUR SERVICE KIT



8M0130835

Oil filter, 2-fuel filters, oil drain seal, 2-gearcase drain seals, thermostat, spark plugs, water impeller kit, drive belt, and anode kit.
L4 Verado FourStroke
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0097858

Oil filter, fuel filter, oil drain seal and 2-gearcase drain seals
200-300hp L6 Verado FourStroke (2B144122 and Below)

300 HOUR SERVICE KIT



8M0097859

Oil filter, low & high pressure fuel filter, oil drain seal, 2-gearcase drain seals, 6-spark plugs, thermostat kit, water impeller kit, belt and anode kit.

200-300hp L6 Verado FourStroke (2B144122 & Below)

100 HOUR SERVICE KIT



8M0120657

Oil filter, fuel filter, oil drain seal and 2-gearcase drain seals.

200-300 L6 Verado (2B144123 & 2B578935)

300 HOUR SERVICE KIT



8M0133617

Oil filter, spin-on fuel filter, high pressure fuel filter screen, oil drain seal, 2-gearcase drain seals, 6-spark plugs, thermostat kit, water impeller kit, belt and anode kit.

200-300 L6 Verado FourStroke (2B144123 and 2B578935)

Mercury Precision Branded, Box Point of Sale Packaged.

100 HR SERVICE KIT



8M0149929

Oil filter, fuel filter and 2-gearcase drain seals.

Fits: 'NEW" 175-300HP V6 (3.4L) & V8 (4.6L) FourStroke outboards.

300 HOUR SERVICE KIT



8M0149930

Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water pump repair kit and anodes.

V6 (3.4L) FourStroke outboards

Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0149931

Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water pump repair kit and anodes.

V8 (4.6L) CMS/ SeaPro & ProXS FourStroke outboards

Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0149932

Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water pump repair kit and anodes.

V8 (4.6L) Verado & Verado SeaPro

Mercury Precision Branded, Box Point of Sale Packaged.

450R 100HR MAINTENANCE KIT



8M0172447

Contains oil and fuel filters, belt, and seals

450R Outboard

450R 300HR MAINTENANCE KIT



8M0172448

Contains oil and fuel filters, belts, spark plugs, water pump kit, anodes, drain plug, and clamp

450R Outboard

100 HOUR SERVICE KIT



8M0207807

Includes oil filter, fuel filter, and 2-drain plug seals.

For use on 5.7L V10 350-425hp Verado and 350hp SeaPro serial No. 3B266064 and above.

Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0207808

For use on the 5.7L V10 350-425hp Verado with 6.44 gearcase. Includes oil filter, fuel filter assembly, thermostat assembly, thermostat, drain plug seal, spark plugs, impeller repair kit, drive belt, aluminum anode kit, and clamp.

For use on 5.7L V10 350-425hp Verado and 350hp SeaPro (serial No. 3B266064 and above) with 6.44" Gearcase.

Mercury Precision Branded, Box Point of Sale Packaged.

MERCURY 5.7L V10 350HP VERADO WITH 5.44 IN. GEARCASE 300 HOUR MAINTENANCE KIT



8M0238171

Mercury Precision Parts 300 Hour Maintenance Kit contains all the parts you need to complete a 300-hour service on Mercury 5.7L V10 350hp Verado with 5.44 in. gearcase outboards in one convenient package

For use on 5.7L V10 350hp with 5.44" Gearcase.

200 HOUR SERVICE KIT



8M0179987

Kit includes - Oil filter, water separating fuel filter, fuel filter screen, and 2-gearcase drain seals.

Fits: 7.6L V12 600hp Verado and 500hp SeaPro FourStroke Outboards

Mercury Precision Branded, Box Point of Sale Packaged.

1000 HOUR SERVICE KIT



8M0179988

The kit includes - Oil filter, fuel filter, fuel filter screen, 2-gearcase drain seals, aluminum anode kit (includes all anodes and hardware), transmission filter, 12-spark plugs, spark plug wire set, alternator belt, water pump repair kit, thermostat assembly, powersteering filter, exhaust manifold gasket, and miscellaneous hardware. The kit does not include oils or lubricants.

Mercury 7.6L V12 600hp Verado and 500hp SeaPro FourStroke outboards (S/N 3B060061-3B332191)

Mercury Precision Branded, Box Point of Sale Packaged.

1000 HOUR SERVICE KIT



98-**8M0228242**

The kit includes - Oil filter, fuel filter, fuel filter screen, 2-gearcase drain seals, aluminum anode kit (includes all anodes and hardware), transmission filter, 12-spark plugs, spark plug wire set, alternator belt, water pump repair kit, 2-thermostat assemblies, power steering filter, exhaust manifold gasket, and miscellaneous hardware. The kit does not include oils or lubricants.

Mercury 7.6L V12 600hp Verado and 500hp SeaPro FourStroke outboards (S/N 3B332192 and above)

Mercury Precision Branded, Box Point of Sale Packaged.

OUTBOARD SERVICE INTERVAL KITS - WITHOUT ANODES

300 HOUR SERVICE KIT - NO ANODES



8M0149427

This kit was designed for the heavy hour customer that does not need to replace anodes every 300 hours. Kit includes: Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water impeller repair kit. NO ANODES INCLUDED

L6 Verado FourStroke (2B144122 and below)

300 HOUR SERVICE KIT - NO ANODES



8M0149428

This kit was designed for the heavy hour customer that does not need to replace anodes every 300 hours. Kit includes: Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water impeller repair kit. NO ANODES INCLUDED

L6 Verado (2B144123 & above)

300 HOUR SERVICE KIT - NO ANODES



8M0163132

This kit was designed for the heavy hour customer that does not need to replace anodes every 300 hours. Kit includes: Oil filter, fuel filters, drain seals, spark plugs, thermostat, alternator belt, water impeller repair kits. NO ANODES INCLUDED

150HP EFI 4 Stoke

Mercury Precision Branded, Box Point of Sale Packaged.

MERCRUISER MAINTENANCE

3.0L TKS

CAP AND ROTOR KIT
811635K 2

SPARK PLUG
33-**8M0176613**
NGK, BPR6EFS

CARBURETOR FUEL FILTER
35- **53336T**

CARBURETOR REPAIR KIT
3302-**804844002**

FUEL PUMP FILTER
35-**8M0046751**

THERMOSTAT KIT
807252T 5
160 degree

V-BELT
57-**862054Q**
39-1/2 in. (1003 mm) length
57- **65607Q**
37 in. (940 mm) length

OIL FILTER
35-**866340K01**

3.0L MPI

CAP AND ROTOR KIT
811635K 2

SPARK PLUG
33-**8M0176613**
NGK, BPR6EFS

FUEL FILTER
35-**866594K01**
10 micron

THERMOSTAT KIT
807252T 5
160 degree

V-BELT
57-**862054Q**
39-1/2 in. (1003 mm) length
57- **65607Q**
37 in. (940 mm) length

OIL FILTER
35-**866340K01**

4.3L TKS ALPHA

CAP AND ROTOR KIT
815407T 5

SPARK PLUG
33-**862029**
AC, MR43LTS

CARBURETOR FUEL FILTER
35- **53336T**

CARBURETOR REPAIR KIT
3302-**804844002**

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
8M0065285

THERMOSTAT KIT
807252T 5
160 degree

THERMOSTAT
864493
170 degree, FWC

SERPENTINE BELT
57-**865615Q04**
1941 mm length
57-**865615Q09**
1780 mm length
57-**865615Q03**
2704 mm length

OIL FILTER
35-**883702K**
w/o remote oil
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

4.3L TKS BRAVO

CAP AND ROTOR KIT
815407T 5

SPARK PLUG
33-**862029**
AC, MR43LTS

CARBURETOR FUEL FILTER
35- **53336T**

CARBURETOR REPAIR KIT
3302-**804844002**

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
8M0065285

THERMOSTAT KIT
807252T 5
160 degree

THERMOSTAT
864493
170 degree, FWC

SERPENTINE BELT
57-**865615Q03**
2704 mm length
57-**865615Q08**
2535 mm length

OIL FILTER
35-**883702K**
w/o remote oil
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

4.3L MPI ALPHA

CAP AND ROTOR KIT
898253T28

SPARK PLUG
33-**8M0176673**
NGK, ITR4A15 (Iridium)

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
8M0065285

THERMOSTAT KIT
807252T 5
160 degree

THERMOSTAT
864493
170 degree, FWC

SERPENTINE BELT
57-**865615Q04**
1941 mm length
57-**865615Q09**
1780 mm length
57-**865615Q03**
2704 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

4.3L MPI BRAVO

CAP AND ROTOR KIT
898253T28

SPARK PLUG
33-**8M0176673**
NGK, ITR4A15 (Iridium)

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
8M0065285

THERMOSTAT KIT
807252T 5
160 degree

THERMOSTAT
864493
170 degree, FWC

SERPENTINE BELT
57-**865615Q03**
2704 mm length
57-**865615Q08**
2535 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

4.5L MPI ALPHA

SPARK PLUG
33-**8M0176622**
NGK, BPR5EFS-13

FUEL FILTER ELEMENT
35-**8M0122424**
Under cowl replacement cartridge where applicable.

PCV VALVE
21-**8M2017060**

THERMOSTAT
8M0089715
140 degree
864493
170 degree, FWC

SERPENTINE BELT
57-**8M0220621**
1409 mm length
57-**8M0220622**
1687 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

4.5L MPI BRAVO

SPARK PLUG
33-**8M0176622**
NGK, BPR5EFS-13

FUEL FILTER ELEMENT
35-**8M0122424**
Under cowl replacement cartridge where applicable.

PCV VALVE
21-**8M2017060**

THERMOSTAT
8M0089715
140 degree
864493
170 degree, FWC

SERPENTINE BELT
57-**8M0220620**
1713 mm length
57-**8M0220622**
1687 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

5.0L/5.7L TKS ALPHA

CAP AND ROTOR KIT
805759T 3

SPARK PLUG
33-**8M0176613**
NGK, BPR6EFS

CARBURETOR FUEL FILTER
35- **53336T**

CARBURETOR REPAIR KIT
3302-**804844002**

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
21-**8M2017060**

THERMOSTAT KIT
807252T 5
160 degree

SERPENTINE BELT
57-**865615Q04**
1941 mm length
57-**865615Q09**
1780 mm length

OIL FILTER
35-**866340K01**

5.0L/5.7L TKS BRAVO

CAP AND ROTOR KIT
805759T 3

SPARK PLUG
33-**8M0176613**
NGK, BPR6EFS

CARBURETOR FUEL FILTER
35- **53336T**

CARBURETOR REPAIR KIT
3302-**804844002**

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
21-**8M2017060**

THERMOSTAT KIT
807252T 5
160 degree

SERPENTINE BELT
57-**865615Q03**
2704 mm length
57-**865615Q08**
2535 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47- **59362T 6**

5.0L/5.7L MPI ALPHA

CAP AND ROTOR KIT
8M0061335

SPARK PLUG
33-**8M0176673**
NGK, ITR4A15 (Iridium)

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
21-**8M2017060**

THERMOSTAT KIT
807252T 5
160 degree

SERPENTINE BELT
57-**865615Q04**
1941 mm length
57-**865615Q09**
1780 mm length
57-**865615Q08**
2535 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

5.0L/5.7L MPI BRAVO

CAP AND ROTOR KIT
8M0061335

SPARK PLUG
33-**8M0176673**
NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER
35-**8M0093688**
Replacement filter

PCV VALVE
21-**8M2017060**

THERMOSTAT KIT
807252T 5
160 degree

THERMOSTAT
864493
170 degree, FWC

SERPENTINE BELT
57-**865615Q03**
2704 mm length
57-**865615Q06**
2667 mm length
57-**865615Q08**
2535 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

5.7L TKS MIE & TOWSPORTS

CAP AND ROTOR KIT
805759T 3

SPARK PLUG
33-**8M0176613**
NGK, BPR6EFS

CARBURETOR FUEL FILTER
35- **53336T**

CARBURETOR REPAIR KIT
3302-**804844002**

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
21-**8M2017060**

THERMOSTAT KIT
807252T 5
160 degree

SERPENTINE BELT
57-**865615Q05**
2233 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47- **59362T 6**

5.7L MPI TOWSPORTS

CAP AND ROTOR KIT
8M0061335

SPARK PLUG
33-**8M0176673**
NGK, ITR4A15 (Iridium)

FUEL FILTER
35-**802893T**
25 micron. Used in addition to engine filter for water separating in the boat

PCV VALVE
21-**8M2017060**

THERMOSTAT KIT
807252T 5
160 degree

SERPENTINE BELT
57-**865615Q05**
2233 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

5.7 & 6.2 MPI MIE

CAP AND ROTOR KIT
8M0061335

SPARK PLUG
33-**8M0176673**
NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER
35-**8M0093688**
Replacement filter

PCV VALVE
21-**8M2017060**

THERMOSTAT KIT
807252T 5
160 degree

THERMOSTAT
864493
170 degree, FWC

SERPENTINE BELT
57-**865615Q05**
2233 mm length
57-**865615Q10**
2195 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

6.2L MPI BRAVO

CAP AND ROTOR KIT
8M0061335

SPARK PLUG
33-**8M0176673**
NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER
35-**8M0093688**
Replacement filter

PCV VALVE
21-**8M2017060**

THERMOSTAT KIT
807252T 5
160 degree

THERMOSTAT
864493
170 degree, FWC

SERPENTINE BELT
57-**865615Q03**
2704 mm length
57-**865615Q06**
2667 mm length
57-**865615Q08**
2535 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

6.2L MPI BRAVO (MERCURY)

SPARK PLUG
33-**8M0176622**
NGK, BPR5EFS-13

FUEL FILTER ELEMENT
35-**8M0122424**
Under cowl replacement cartridge where applicable.

PCV VALVE
21-**8M2017060**

THERMOSTAT
8M0089715
140 degree
864493
170 degree, FWC

SERPENTINE BELT
57-**8M0220620**
1713 mm length
57-**8M0220622**
1687 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

8.1L MCM & MIE

SPARK PLUG
33-**8M0129146**
AC, 41-983 (Platinum)

WATER SEPARATING FUEL FILTER
35-**8M0093688**
Replacement filter

THERMOSTAT
8M0076464
160 Degree

SERPENTINE BELT
57-**865635Q01**
2519 mm length
57-**865635Q02**
2111 mm length

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

8.2L MCM & MIE

SPARK PLUG
33-**8M0176649**
NGK, BPR6ES

WATER SEPARATING FUEL FILTER
35-**8M0093688**
Replacement filter

PCV VALVE
8M0099429

THERMOSTAT
8M0045990
170 degree

SERPENTINE BELT
57-**8M0045227**
3157 mm
57-**8M0045986**
2287 mm

OIL FILTER
35-**866340K01**

SEA WATER PUMP IMPELLER KIT
47-**8M0104229**

ALPHA STERNDRIVE

TRANSOM SEAL REPAIR KIT
30-**803097T 1**
For transoms with exhaust bellows
30-**803098T 1**
For transoms with exhaust tube

WATER IMPELLER REPAIR KIT
47- **89984T 5**
Includes new impeller, face plate w/ face plate gaskets, drive key or pin, water tube guide sleeve, "O" rings and gearlube fill & vent screw seals.

SEAL KIT
26- **32511A 1**
26- **33144A 2**

ANODE KIT
97-**888756Q04**
Aluminum anodes - For use in saltwater or freshwater.
97-**888756K02**
Aluminum anodes - For use in saltwater or freshwater.
97-**888755Q03**
Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
97-**888755K02**
Magnesium anodes - For freshwater use only. Do not use in saltwater applications.

DRIVE INSTALLATION KIT
27- **94996T 2**

SHIFT CABLE BELLOWS
74639A 2
Includes clamps

U-JOINT BELLOWS
60932A 4

EXHAUST BELLOWS - BELL HOUSING
8M0124227

SHIFT CABLE KIT
8M0176525

ALPHA GEN II STERNDRIVE

TRANSOM SEAL REPAIR KIT
30-**803099T 1**

WATER IMPELLER REPAIR KIT
47-**8M0100527**

SEAL KIT
26- **88397A 1**
Driveshaft Hsg
26-**816575A 4**
Gear Housing

ANODE KIT
97-**888756Q03**
Aluminum anodes - For use in saltwater or freshwater.
97-**888756K01**
Aluminum anodes - For use in saltwater or freshwater.
97-**888755Q03**
Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
97-**888755K01**
Magnesium anodes - For freshwater use only. Do not use in saltwater applications.

DRIVE INSTALLATION KIT
27- **94996T 2**

SHIFT CABLE BELLOWS
74639A 2
Includes clamps

U-JOINT BELLOWS
816431A 1

EXHAUST BELLOWS - BELL HOUSING
8M0124227

SHIFT CABLE KIT
8M0176525

BRAVO STERNDRIVE

TRANSOM SEAL REPAIR KIT
8M0095485
2A514802 & below
8M0215914
s/n 2A514803 & up

SEAL KIT
26- **16709A 2**
Driveshaft Hsg
26- **76868A04**
Gearcase

ANODE KIT
97-**888758Q02**
Aluminum anodes - For use in saltwater or freshwater.
97-**888758K01**
Aluminum anodes - For use in saltwater or freshwater.

97-**888761Q03**

Aluminum anodes - For use in saltwater or freshwater.

97-**888761K01**

Aluminum anodes - For use in saltwater or freshwater

97-**888761Q04**

Aluminum anodes - For use in saltwater or freshwater.

97-**888761K02**

Aluminum anodes - For use in saltwater or freshwater.

DRIVE INSTALLATION KIT

16755T 1

SHIFT CABLE BELLOWS

74639A 2

Includes clamps

U-JOINT BELLOWS

8M0062406

EXHAUST BELLOWS - BELL HOUSING

8M0124227

SHIFT CABLE KIT

8M0176522

MERCURY DIESEL MAINTENANCE

QSD 2.0 DIESEL

AIR FILTER
35-**8M0047848**
Design II
35-**879172143**
Design I

WATER SEPARATING FUEL FILTER
35-**879172104**

THERMOSTAT
879150054

SERPENTINE BELT
57-**879172120**
Replacement belt

ENGINE ANODE ASSEMBLY
97-**8M0151541**
M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)

OIL FILTER ELEMENT
35-**895207**
3.25 in. (83 mm) diameter
35-**879312041**
2.625 in. (67 mm) diameter

SEAWATER PUMP IMPELLER KIT
47-**896332063**
Jabsco
47-**879312025**
Sherwood

QSD 2.8 DIESEL

AIR FILTER
35-**855514002**

WATER SEPARATING FUEL FILTER
35-**879172104**

THERMOSTAT
8M0093561

SERPENTINE BELT
57-**879194425**
Replacement Belt

ENGINE ANODE ASSEMBLY
97-**8M0151541**
M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)

OIL FILTER ELEMENT
35-**895207**
3.25 in. (83 mm) diameter

SEAWATER PUMP IMPELLER KIT
47-**896332063**
Jabsco
47-**879312025**
Sherwood

QSD 4.2 DIESEL

AIR FILTER
35-**898272048**
Foam

WATER SEPARATING FUEL FILTER
35-**879172104**

THERMOSTAT
879150054

SERPENTINE BELT
57-**8M0214514**
Replacement Belt

ENGINE ANODE ASSEMBLY
97-**8M0151541**
M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)

SEAWATER IMPELLER KIT
47-**879194186**
Jabsco

SEAWATER PUMP IMPELLER KIT
8M0056956
Sherwood

3.0L V6 TDI DIESEL (TIER 3)

WATER SEPARATING FUEL FILTER
35-**8M0231398**
Replacement element

FUEL FILTER
35-**8M0067597**
Element, Square

THERMOSTAT
8M0093480

SERPENTINE BELT
57-**8M0093495**
Alternator & Power steering

ANODE KIT
8M6002274
Block

OIL FILTER
35-**8M0066483**
Element

SEAWATER PUMP IMPELLER KIT
47-**816814T**

3.0L V6 VM DIESEL

AIR FILTER
35-**8M6004711**

WATER SEPARATING FUEL FILTER
35-**8M0135210**
Replacement element

THERMOSTAT
8M0232685

SERPENTINE BELT
57-**8M0129918**
Alternator, Seawater pump & Power steering - MCM
57-**8M0148883**
Alternator & Seawater pump - MIE

ENGINE ANODE ASSEMBLY
97-**8M0151541**
M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)

OIL FILTER
35-**8M0183282**
Element

SEAWATER PUMP IMPELLER KIT
8M0056956
Sherwood

4.2L V8 TDI DIESEL (TIER 3)

AIR FILTER
35-8M6002552

WATER SEPARATING FUEL FILTER
35-8M6002390

THERMOSTAT
8M0086400

SERPENTINE BELT
57-8M0093513
Alternator

ANODE KIT
8M6002274
Block

OIL FILTER
35-8M0066483
Element

SEAWATER PUMP IMPELLER KIT
47-816814T

6.7L (135/150 NA) DIESEL

AIR FILTER
35-8M0106323
Replacement cartridge

WATER SEPARATING FUEL FILTER
35-8M0105781
Replacement element

FUEL FILTER
35-8M0106015
Replacement cartridge

THERMOSTAT
8M0106193

SERPENTINE BELT
57-8M0153039
Alternator

V-BELT
57-8M0110926
Power Steering

ANODE
97-8M0112332

OIL FILTER
35-8M0106058
Replacement cartridge

SEAWATER PUMP IMPELLER
8M0106368

6.7L (220 TC) DIESEL

AIR FILTER
35-8M0106324
Replacement cartridge

WATER SEPARATING FUEL FILTER
35-8M0145281
Replacement Element

FUEL FILTER
35-8M0106015
Replacement cartridge

THERMOSTAT
8M0106193

SERPENTINE BELT
57-8M0153039
Alternator

V-BELT
57-8M0110926
Power Steering

ANODE
97-8M0112332

OIL FILTER
35-8M0106058
Replacement cartridge

SEAWATER PUMP IMPELLER KIT
47-816814T

6.7L (180/230/260/280 TCA) DIESEL

AIR FILTER
35-8M0106324
Replacement cartridge

WATER SEPARATING FUEL FILTER
35-8M0105781
Replacement element

FUEL FILTER
35-8M0106015
Replacement cartridge

THERMOSTAT
8M0106193

SERPENTINE BELT
57-8M0153039
Alternator

V-BELT
57-8M0110926
Power Steering

ANODE
97-8M0112332

OIL FILTER
35-8M0106058
Replacement cartridge

SEAWATER PUMP IMPELLER KIT
47-816814T

6.7L (480/500/550 TCA) DIESEL

AIR FILTER
8M0138979

WATER SEPARATING FUEL FILTER
35-8M0140873
Replacement element

FUEL FILTER
35-8M0170811
Replacement cartridge

THERMOSTAT
8M0131497

SERPENTINE BELT
57-8M0153039
Alternator

ANODE
97-8M0112332

OIL FILTER

35-**8M0131725**

Replacement cartridge

SEAWATER PUMP IMPELLER KIT

47-**8M0151113**

MERCRUISER SERVICE INTERVAL KITS

MERCRUISER ENGINE MAINTENANCE KITS

100 HOUR SERVICE KIT



8M0147048

100 Hour Service Kit
Contains Oil filter, fuel filters, gearcase drain seals.
For 2.5L & 3.0L Carb engines (1987 and newer)

300 HOUR SERVICE KIT



8M0147061

300 Hour Service Kit
Contains Oil filter, fuel filters, gearcase drain seals, spark plugs, thermostat & gasket & V-Belts
For 3.0L Carb engines with std cooling (2000 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0147049

100 Hour Service KIt
Contains Oil filter, fuel filter, gearcase drain seals.
For 3.0L MPI engines (2008 and newer)

300 HOUR SERVICE KIT



8M0147062

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, IAC filter & V-Belts
For 3.0L MPI engines with std cooling (2008 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0147050

100 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals.
For 4.3L Carb engines w/o remote oil (1993 and newer)

300 HOUR SERVICE KIT



8M0147063

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket & serpentine belt
For 4.3L carb Alpha engines with std cooling and w/o remote oil (1996 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR MAINTENANCE KIT



8M0147051

100 Hour Maintenance Kit
Contains Oil filter, fuel filter, gearcase drain seals.
For all GM V6 & V8 engines with spin on fuel filter, except V6 w/o remote oil (1977 and newer)

300 HOUR SERVICE KIT



8M0147064

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, IAC filter & serpentine belt
For 4.3L MPI Alpha non-EC engines with std cooling (2002 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0147065

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, IAC filter, serpentine belt & seawater pump impeller kit
For 4.3L MPI Bravo non-EC engines with std cooling (2002 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0147052

100 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals.
For 4.5L & 6.2L (Mercury) engines (2014 and newer)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0147066

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, PCV valve & serpentine belt
For 4.5L MPI Alpha engines with std cooling (2014 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0147067

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, PCV valve, serpentine belt & seawater pump impeller kit
For 4.5L MPI Bravo engines with std cooling (2014 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0147068

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket & serpentine belt
For 5.0L & 5.7L MPI Alpha engines with std cooling (2002 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0147053

100 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals.
For all GM V8 MPI engines w/Gen III cool fuel (2002 and newer)

300 HOUR MAINTENANCE KIT



8M0147069

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, serpentine belt & seawater pump impeller kit
For 5.0L, 5.7L & 6.2L (GM) MPI Bravo engines with std cooling (2002 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0147070

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, PCV valve, serpentine belt & seawater pump impeller kit
For 6.2L (Mercury) MPI Bravo engines with std cooling (2015 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0147071

300 Hour Service Kit
Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & seal, PCV valve, serpentine belt & seawater pump impeller kit
For 8.2L MPI Bravo engines (2010 & newer)
Mercury Precision Branded, Box Point of Sale Packaged.

MERCRUISER STERNDRIVE MAINTENANCE KITS

100 HOUR SERVICE KIT



8M0147054

100 Hour Service Kit
Contains Drive Install Gasket Kit, Aluminum Anode Kit & Gearcase Drains seals
For Alpha One drives (1984-1990)

300 HOUR SERVICE KIT



8M0147072

300 Hour Service Kit
Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, water pump impeller kit, fill & drain screws
For Alpha One drives (1984-1990)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR MAINTENANCE KIT



8M0147055

100 Hour Maintenance Kit
Contains drive install gasket kit, aluminum anode kit & gearcase drains seals
For Alpha One Gen II drives (1991 and newer)

300 HOUR MAINTENANCE KIT



8M0147073

300 Hour Maintenance Kit
Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, water pump impeller kit, fill & drain screws
For Alpha One Gen II drives (1991 and newer)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0147056

100 Hour Service Kit
Contains drive install o-ring kit, aluminum anode kit & gearcase drains seals
For Bravo One drives (1988 and newer)

300 HOUR SERVICE KIT



8M0147074

300 Hour Service Kit
Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For 1988-2016 Bravo One drives (s/n 2A514802 & below)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0215915

300 Hour Service Kit
Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For 2017 and newer Bravo One drives (s/n 2A514803 & up)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0147057

100 Hour Service Kit
Contains drive install o-ring kit, aluminum anode kit & gearcase drains seals
For Bravo Two drives (1988 and newer) & Bravo Three drives (1995-2002)

300 HOUR SERVICE KIT



8M0147075

300 Hour Service Kit
Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For Bravo Two drives (1988 - 2016) (s/n 2A514802 and below) & Bravo Three drives (1995-2002) (s/n 0F345868 - 0M179451)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0215916

300 Hour Service Kit
Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For 2017 and newer Bravo Two drives (s/n 2A514803 and up)
Mercury Precision Branded, Box Point of Sale Packaged.

100 HOUR SERVICE KIT



8M0147058

100 Hour Service Kit
Contains drive install o-ring kit, aluminum anode kit & gearcase drains seals
For Bravo Three drives (2003 and newer)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0147076

300 Hour Service Kit
Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For 2003-2016 Bravo Three (s/n 0M179452 - 2A514802)
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0215917

300 Hour Service Kit
Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For 2017 and newer Bravo Three (s/n 2A514803 & up)
Mercury Precision Branded, Box Point of Sale Packaged.

TABLE OF CONTENTS

Mercury 2-Stroke Oil 261

2-Stroke Multi-Fuel Outboards 262
DIRECT INJECTION (DI) ENGINE OIL 262
Performance Blend for 2-Cycle Race Outboards 262
PREMIUM PLUS TCW3 261
PREMIUM TCW3 OIL 261

Mercury 4-Stroke Marine Engine Oil and Oil Filters 263

Application and SKU Chart 265
FCW® 10W30 FULL SYNTHETIC MARINE OIL 266
FCW® 10W30 MARINE OIL 265
FCW® 10W30 SYNTHETIC BLEND MARINE OIL 265
FCW® 25W40 MINERAL MARINE OIL 266
FCW® 25W40 SYNTHETIC BLEND MARINE OIL 266
MerCruiser Oil Filters - Gasoline 267
Mercury 4-Stroke Oils 263
Mercury High Performance 4-Stroke Oil 267

Mercury Diesel Sterndrive/Inboard Oil . . 268

SAE 15W40 268

Mercury Engine Coolant 269

Mercury Gearcase Lubricants 270

HIGH PERFORMANCE GEAR LUBE - SAE 90 270
Mercury Extreme Performance Gear Lube . . 271
PREMIUM GEAR LUBE - SAE 80W90 270

Mercury Gearcase Lubricant Accessories 272

Mercury Greases 273

Marine Grease 273
Multi-purpose Grease 273

Mercury Paints and Finish 274

Mercury Colors 274
Surface Preparation and Finish 274

Mercury Steering Fluid 275

Quicksilver 2-Stroke Oil 276

Application and SKU Chart 276
Direct Injection (DI) Engine Oil 277
Premium Plus TCW3 277
Premium TCW3 Oil 276

Quicksilver 4-Stroke Marine Engine Oil and Oil Filters 279

Application and SKU Chart 281
FCW® 10W30 Full Synthetic Marine Oil . . . 283
FCW® 10W30 Mineral Marine Oil 282
FCW® 10W30 Synthetic Blend Marine Oil . . 282
FCW® 10W40 Marine Oil 283
FCW® 25W40 Mineral Marine Oil 284
FCW® 25W40 Synthetic Blend Marine Oil . . 284
FCW® 25W50 Synthetic Blend Marine Oil . . 285
FCW® 5W30 Marine Oil 281
MerCruiser Oil Filters - Gasoline 291
Oil Capacity Chart - 4-Stroke Outboards . . 286
Oil Capacity Chart - Gasoline Sterndrive/ Inboard Engines 288
Oil Capacity Chart - Hi-Perf Gasoline Engine 290
Quicksilver/Mercury 4-Stroke Outboard Oil Filters 287
Quicksilver 4-Stroke Oils 279

Quicksilver Diesel Sterndrive/Inboard Oil 292

Oil Capacity Chart - Diesel Engine 293
Oil Filters for MerCruiser Diesel Engines . . . 293
SAE 15W40 292
SAE 5W30 292
SKU Chart 292

Quicksilver Powersports Lubricants . . . 295

Personal Watercraft (PWC) 295

Quicksilver Corrosion Protection 296

Quicksilver Engine Coolant and Water System Antifreeze 297

Quicksilver Fuel System Care and Maintenance 298

Engine and Fuel System Cleaner 298
Fuel Stabilizer 298
Fuel Treatment 298

Quicksilver Gearcase Lubricant 300

High Performance Gear Lube Capacity Chart 302
High Performance Gear Lube - SAE 90 301
Premium Gear Lube Capacity Chart 301
Premium Gear Lube - SAE 80W90 300
SKU Chart 300

Quicksilver Gearcase Lubricant Accessories 304

Quicksilver Greases 305

Engine Assembly Grease 306
Grease Application Charts 306
Marine Grease 305
Multi-Purpose Grease 306

Quicksilver Paints and Finish 308

Propeller Paint 308
Surface Preparation and Finish 308

Quicksilver Steering Fluid 309

Quicksilver Transmission Fluid 310

Shop Products for Engine Assembly and Maintenance 311

Adhesives and Sealants 311

Shop Tools and Accessories 312

Barrel Pump 312
Crankcase Oil Pump and Adapter 312
Grease Guns 313
Oil Filter Wrenches 314

MERCURY 2-STROKE OIL

Mercury 2-Stroke Oil SKU Chart

Item Number	Qty per Case	Container Size	Pallet Qty	Btl Length (in)	Btl Depth (in)	Btl Height (in)	Btl Weight (lb)	Case Length (in)	Case Width (in)	Case Height (in)	Case Weight (lb)	Pallet Weight (lb)
PREMIUM TCW-3® FOR 2-CYCLE OUTBOARDS (EXCEPT OPTIMAX & DFI)												
92-8M0207813	6	LITER	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-8M0230935	3	4 LITER	180	7.5	5.1	11.8	8.167	15.875	8	12.875	24.5	1520
PREMIUM PLUS TCW-3® FOR 2-CYCLE OUTBOARDS												
92-8M0230937	6	LITER	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-8M0230939	3	4 LITER	180	7.5	5.1	11.8	8.167	15.875	8	12.875	24.5	1520
DIRECT INJECTED (DI) OUTBOARDS												
92-8M0230932	3	4 LITER	180	7.5	5.1	11.8	8.167	15.875	8	12.875	24.5	1520

PREMIUM TCW3 OIL

Mercury's exclusive formulation provides superior protection to help extend the life of small horsepower, outboard engines. Continued use of Mercury® Premium 2-Cycle oil also helps:
• Prevent corrosion of internal components
• Maintain peak engine performance and reliability

This all weather formula provides protection in temperatures down to -13° F (-25° C).

Recommended for use in pre-mix applications for low-horsepower, carbureted engines such as, outboards, personal watercraft, snowmobiles, motorcycles and chainsaws

Meets all outboard and personal watercraft manufacturers' warranty requirements and recommendations for use of a TCW3® oil

PREMIUM TCW3 OIL



92-**8M0207813**

This all-weather formula provides protection in temperatures down to -13° F (-25° C). 1 L plastic bottle

PREMIUM TCW3 OIL



92-**8M0230935**

4 L plastic bottle

PREMIUM PLUS TCW3

Mercury's exclusive formulation offers extreme protection for mid- to high-horsepower outboard engines. Continued use of this oil will:
• Provide outstanding wear and corrosion protection which help extend engine life
• Minimize performance-robbing carbon deposits
• Maintain peak engine performance and reliability

Recommended for use in oil-injected, carbureted or electronic fuel injected (EFI) mid- to high-horsepower engines such as Mercury®, Mariner® and Force® outboards and Mercury Sport Jet® engines

Meets or exceeds all outboard and personal watercraft manufacturers' warranty requirements and recommendations for use of a TC-W3® oil

PREMIUM PLUS TCW3 OIL



92-**8M0230937**

Extreme protection. Exceptional marine formulation for high horsepower and heavy-duty applications. 1 L plastic bottle

PREMIUM PLUS TCW3 OIL



92-**8M0230939**

4 L plastic bottle

DIRECT INJECTION (DI) ENGINE OIL

Mercury's exclusive formulation offers the maximum protection for DI (direct injection) outboard engines. Continued use of this oil will:
• Provide outstanding wear and corrosion protection which help extend engine life
• Minimize performance-robbing carbon deposits
• Maintain peak engine performance and reliability
• Reduce smoke

Recommended for use in direct injection two-cycle engines such as Mercury OptiMax®

Exceeds all outboard manufacturers' warranty requirements and recommendations for use in direct injection applications

DIRECT INJECTION ENGINE OIL



92-**8M0230932**
4 L plastic bottle

2-STROKE MULTI-FUEL OUTBOARDS

Specialty oil for multi-fuel engines such as JP OptiMax

JP OPTIMAX OIL



92-**8M0133953**
JP OptiMax Multi-Fuel
9.46 L (2.5 gallons) bottle

PERFORMANCE BLEND FOR 2-CYCLE RACE OUTBOARDS

Specifically formulated for hi-performance and racing engines. Gives added protection at high operating temperatures which occur when engines are run at high rpm's for extended periods of time.

HIGH PERFORMANCE TWO-STROKE OIL



92-**8M0133993**
3.78 liters (1 US Gal) bottle

MERCURY 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

MERCURY 4-STROKE OILS



Flagship protection for all fourstroke marine engines

All New FourStroke Oil Technology

Brand new FourStroke oil formulations provide the best protection and performance.

3 things to know:

FOR USE IN ALL FOURSTROKE MARINE ENGINES
New formula FourStroke oils for use in all brands of FourStroke outboard, sterndrive and inboard engines and exceeds all marine industry FourStroke oil requirements including FC-W® and FC-W® Catalyst Compatible.

FLAGSHIP ENGINE AND CORROSION PROTECTION
- Industry leading strength and viscosity retention
- Ultimate corrosion and wear protection

THE MOST RECOMMENDED MARINE OIL
Over 5 years of engineering and development by the largest marine engine manufacturer in the world.

	Low HP 2.5 HP to 9.9 HP	Low HP 15 HP to 60 HP	Mid HP 80 HP to 115 HP (1.7L)	Mid HP 80 HP to 115 HP (2.1L)	150 HP	V6/V8 175 HP to 300 HP	L6 200 HP to 400 HP	V10 350 HP to 400 HP	V12 600 HP	Part Number
FourStroke Outboards										
10W30 Mineral	Good*	Good*	Good*	Good	Good	Good	N/A	N/A	Good	1L: **8M0206950** 4L: **8M0206952** 60L: **8M0165791** 208L: **8M0086222**
10W30 Synthetic Blend	Better*	Better*	Better*	Better	Better	Better	N/A	N/A	Better	1L: **8M0206995** 4L: **8M0206996** 208L: **8M0152565**
10W30 Full Synthetic	BEST*	BEST*	BEST*	BEST	BEST	BEST	N/A	N/A	BEST	1L: **8M0206997** 4L: **8M0206998** 208L: **8M0180938**
25W40 Mineral	Optional *(when operating temperatures are only above 4,5 °C)*			Good	Good	N/A	Good	Good	N/A	1L: **8M0206953** 4L: **8M0206954** 60L: **8M0121914** 208L: **8M0086225**
25W40 Synthetic Blend	Optional *(when operating temperatures are only above 4,5 °C)*			Good	Good	N/A	Better	BEST	N/A	1L: **8M0206955** 4L: **8M0206956** 60L: **8M0165792** 208L: **8M0086228**
25W50 Synthetic Blend	N/A	N/A	N/A	N/A	N/A	N/A	BEST	N/A	N/A	4L: **8M0096727** 208L: **858119QE1**

	15 HP to 150 HP	200 HP to 300 HP	350 HP to 500 HP	Non-Catalyzed Engine	CatalyzedEngine	Part Number
SeaPro				**Gas Sterndrives/Inboards**		
10W30 Mineral	Optional *(when temperature < 0 °C)*			N/A	N/A	1L: **8M0206950** 4L: **8M0206952** 60L: **8M0165791** 208L: **8M0086222**
10W30 Synthetic Blend	Optional *(when temperature < 0°C)*			N/A	N/A	1L: **8M0206995** 4L: **8M0206996** 208L: **8M0152565**
10W30 Full Synthetic	Optional *(when temperature < 0 °C)*			N/A	N/A	1L: **8M0206997** 4L: **8M0206998** 208L: **8M0180938**
25W40 Mineral	Good	Good	Good	Good	Good	1L: **8M0206953** 4L: **8M0206954** 60L: **8M0121914** 208L: **8M0086225**
25W40 Synthetic Blend	BEST	BEST	BEST	BEST	BEST	1L: **8M0206955** 4L: **8M0206956** 60L: **8M0165792** 208L: **8M0086228**

*10W30 is recommended in all operating temperature conditions.

Learn more at MercuryMarine.com

©2023 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited.

PN 8M0218458

APPLICATION AND SKU CHART

Mercury 4-Stroke Oil SKU Chart

Item Number	Qty per Case	Container Size	Pallet Qty	Btl Length (in)	Btl Depth (in)	Btl Height (in)	Btl Weight (lb)	Case Length (in)	Case Width (in)	Case Height (in)	Case Weight (lb)	Pallet Weight (lb)
FC-W® SAE 10W30 FOR 4-STROKE MARINE ENGINES												
92-8M0206950	6	LITER	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-8M0206952	3	4 LITER	180	7.5	5.1	11.8	8.167	15.875	8	12.875	24.5	1520
FC-W® SAE 25W40 FOR 4-STROKE MARINE ENGINES												
92-8M0206953	6	LITER	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-8M0206954	3	4 LITER	180	7.5	5.4	11.8	8.167	15.875	8	12.875	24.5	1520
FC-W® SAE 25W40 SYNTHETIC BLEND FOR 4-STROKE MARINE ENGINES												
92-8M0206955	6	LITER	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-8M0206956	3	4 LITER	180	7.5	5.4	11.8	8.167	15.875	8	12.875	24.5	1520
FC-W® SAE 10W30 SYNTHETIC BLEND FOR 4-STROKE MARINE ENGINES												
92-8M0206995	6	LITER	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-8M0206996	3	4 LITER	180	7.5	5.4	11.8	8.167	15.875	8	12.875	24.5	1520

FCW® 10W30 MARINE OIL

Mercury's 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines. The mineral 4-Stroke oil is also now approved for use in all Outboard Engines; previously only our synthetic blend could make this claim.
3 things to know:
• For use in all 4-Stroke marine engines - New formula 4-Stroke oils are engineering approved for use in certain marine 4-Stroke Outboard applications and exceeds all Marine industry 4-Stroke oil requirements including FC-W and FC-W Catalyst Compatible. In addition, all 10W30 & 25W40 oils are now fully FC-W Catalyst Compatible.
• Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection
• The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacturer in the world.


10W30 is recommended for certain operating temperatures and manual start applications.

10W30 MARINE ENGINE OIL



92-8M0206950
1 L (32.0 fl oz) plastic bottle

10W30 MARINE ENGINE OIL



92-8M0206952
4 L (1.06 US gal) plastic bottle

FCW® 10W30 SYNTHETIC BLEND MARINE OIL

10W30 SYNTHETIC BLEND MARINE OIL



92-8M0206995
10W30 4-Stroke synthetic marine oil
1 L plastic bottle

10W30 SYNTHETIC BLEND MARINE OIL



92-**8M0206996**
10W30 Synthetic blend 4-stroke marine oil
4 L plastic bottle

FCW® 10W30 FULL SYNTHETIC MARINE OIL


Premium Mercury SAE 10W30 4-stroke Full Synthetic Marine Engine Oil was engineered to extend the life of Mercury four-stroke engines and keep them running at their peak. A revolutionary dual-grade "super-synthetic" formula resists thermal breakdown when operating at maximum output and high temperatures for extended periods of time, making this our toughest and strongest 10W30 four-stroke oil yet. With 49% more anti-wear additives, 45% more dispersants and 24% more detergents than our high performing Mercury 10W30 synthetic blend, it delivers our highest level of protection against corrosion and wear for engines that rerquire 10W30 oil.

10W30 FULL SYNTHETIC MARINE OIL



92-**8M0206997**
Priced individually, sold @ multiples of 6
1L plastic bottle

10W30 FULL SYNTHETIC 4-STROKE MARINE OIL



92-**8M0206998**
Priced individually, sold @ multiples of 3
4L plastic bottle

FCW® 25W40 MINERAL MARINE OIL

Mercury's 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines.

3 things to know:

• For use in all 4-Stroke marine engines - New formula 4-Stroke oils are engineering approved for all marine 4-Stroke applications, including: Outboard, MerCruiser, High Performance, stern drive/Inboard, and exceeds all Marine industry 4-Stroke oil requirements including FC-W and FC-W Catalyst Compatible.
• Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection.
• The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacturer in the world.

25W40 recommended in all marine engines.

25W40 MARINE ENGINE OIL



92-**8M0206953**
1L (32 fl oz) plastic bottle

25W40 MARINE ENGINE OIL



92-**8M0206954**
4 L (1.06 US gal) plastic bottle

FCW® 25W40 SYNTHETIC BLEND MARINE OIL

25W40 SYNTHETIC BLEND MARINE ENGINE OIL



92-**8M0206955**
1 L (32 oz) plastic bottle

25W40 SYNTHETIC BLEND MARINE ENGINE OIL



92-**8M0206956**
4 L (1.06 US gal)

MERCURY HIGH PERFORMANCE 4-STROKE OIL

Maximum protection is essential when pushing your engine to the limit. Racing, tow sports and fishing applications require your engine to operate under extreme conditions. Operating at high engine output and high temperatures or alternating between periods of high RPMs and throttling down to low RPMs or idle puts serious pressure on engine oil. Mercury Racing Four Stroke oil will not break down under these conditions. It maintains its viscosity, protects against varnish buildup and sludge formation and exceeds the rust protection requirements for NMMA® certification.

Recommended for use in all Mercury Racing four-stroke engines including: FormulaRace and Verado outboards and 525 EFI through 1650 sterndrives

Meets or exceeds manufacturers' warranty requirements for use of an FC-W® marine engine oil

25W50 SYNTHETIC BLEND HIGH PERFORMANCE OIL



92-**8M0096727**
4-Stroke 25W50 Synthetic blend engine oil.
4 L (1.06 US Gal) bottle

MERCRUISER OIL FILTERS - GASOLINE

This engineered marine filter provides outstanding durability through a more robust design, heavier gauge materials and a superior paint process inside and out. Designed for a marine environment, this filter provides benefits not found in a standard automotive filter.

OIL FILTER



35-**883702K**
w/o remote oil
Fits MCM V-6 models that have the oil filter mounted on the engine block. Not for use with V-6 engines that have a remote oil filter.
Mercury Precision Branded, Box Point of Sale Packaged.

OIL FILTER



35-**866340Q03**
Fits all MCM/MIE GM engines, except V-6 models that have the oil filter mounted on the engine block. Also fits the 4.5L and 6.2L Mercury engine.
Quicksilver Branded, Box Point of Sale Packaged.

MERCURY DIESEL STERNDRIVE/INBOARD OIL

MERCURY DIESEL STERNDRIVE/INBOARD OIL

SAE 15W40

Superior protection for marine diesel applications. Continued use of this Diesel Engine Oil will:
-improve engine cleanliness which leads to increased operating hours
-extend engine life due to better wear protection
-reduce deposits in piston and turbocharger
-provide stronger anti-oxidants for increased drain intervals
Meets API specification CK-4. Exeeds API service requirements for API specifications CJ-4/ CI-4+/ CI-4/ CH-4.
Meets or exceeds the specifications of other marine diesel engine manufacturers:
Caterpillar: ECF-3/ ECF-2/ ECF-1a/ TO-2
Cummins: CES 20086/ 81/ 78/ 77/ 76
Deutz: DQC-III-10-LA/ DQC-III-18 LA
MTU: Oil category 2.1
Volvo Penta: VDS-3/ VDS-4/ VDS-4.5

15W40 DIESEL ENGINE OIL



92-**8M0228449**

Superior performance in marine diesel applications.
Not recommended for use in Mercury TDI or 3.0L V6 VM diesel applications
4 L plastic bottle

MERCURY ENGINE COOLANT

EXTENDED LIFE COOLANT/ANTIFREEZE



92-**8M0207010**

Provides extended life protection for closed cooling systems. This 5-year, 1000-hour protection is ethylene glycol based and pre-diluted 50/50 with de-ionized water. It is silicate and phosphate free and will not cause gelling. Provides freeze protection down to -34 degrees F and boiling protection to 265 degrees F. It is also compatible with conventional anti-freeze, but dilution will reduce extended life benefits.
Meets ASTM D-3306, ATSM D-4340

For use in all MCM/MIE gasoline engines with closed cooling systems.
Also recommended for the following applications:
- ANFOR R 15-601
- BS 6580 (British standard)
- Chrysler® MS7170
- Chrysler® MS9769
- Ford® ESE-M97B44-A
- Ford® WSS-M97B44-D
- Ford® WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- GM® 1825M
- GM® 6277M (DEX-COOL® specification)
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz® DBL 7700

3.78 L plastic bottle

MERCURY GEARCASE LUBRICANTS

Mercury outperforms automotive gear oil in marine applications because of its specialized additive package designed for marine gear cases. Continued use of this gear case lubricant will:
• Provide maximum protection against excessive wear—even in the presence of water
• Prevent corrosion and pitting
• Help extend gear life

PREMIUM GEAR LUBE - SAE 80W90

SAE 80W90 GEAR LUBE



92-**8M0207034**
Availability: Q4 2023
237 ml (8 fl oz) tube

SAE 80W90 GEAR LUBE



92-**8M0207011**
For use in all outboard lower units and jet pumps below 75 hp.
1 L plastic bottle

HIGH PERFORMANCE GEAR LUBE - SAE 90

SAE 90 GEAR LUBE



92-**8M0207033**
237 ml (8 fl oz) tube

SAE 90 GEAR LUBE



92-**8M0207031**
1 L (33.8 fl oz) plastic bottle

SAE 90 GEAR LUBE QUART & GEAR LUBE PUMP



92-**8M0207032**
Gear lube pump and a one liter of Hi Performance gear lube conveniently packaged together. Use the pump to replace your gear case oil with ease. Fits all quart and liter bottles.
Gear lube pump: Fits all MerCruiser sterndrives and Mercury/Mariner outboards (except models of Japanese origin) with a .375 in-16 drain/fill screw. Adapter available.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SAE 90 GEAR LUBE



92-**8M0206992**
10 L (2.64 gal) plastic bottle

MERCURY EXTREME PERFORMANCE GEAR LUBE

Mercury Racing Gear Lube was designed for outboard and sterndrive racing applications. This gear lube provides maximum protection against:
• Water intrusion – advanced emulsifiers protect gears if water enters the gear housing
• Wear – tackifiers and pressure additives improve oil film adhesion and protect against excessive wear
• Horsepower loss - prevents horsepower loss and won't break down when gears reach high temperatures

Recommended for use in Mercury Racing outboard gear cases including: Sport Master, Torque Master, Fleet Master, VI SSM and IV SSM and Mercury Racing sterndrive applications including Dry Sump Six,NXT6, SSM, NXT, Bravo XR, Bravo XR Sport Master drives and NXT transmission assemblies.

SAE 85W90 EXTREME PERFORMANCE GEAR OIL



92-**8M0133995**

Used in high-performance gearcases
946 ml (32 oz) bottle

SAE 85W90 EXTREME PERFORMANCE GEAR OIL



92-**8M0133997**

Used in high-performance gearcases
18.9 liters (5 US Gal) plastic pail

MERCURY GEARCASE LUBRICANT ACCESSORIES

GEAR LUBE PUMP



91-**8M0072135**

Easily replace your lower unit oil with this pump. Fits all quart and liter bottles.

Fits any outboard or stern drive with a 3/8"-16 drain plug. Use adapter (included) for gear cases with an M8x1.25 drain plug.

Priced individually, sold @ multiples of 6

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

GEAR LUBE PUMP ADAPTER



91-**883704K03**

Adapts our 3/8-16 threaded quart, liter and 2-1/2 gallon gearlube pumps for filling the gearcase.

Fits Mercury/Mariner 4/5 HP (1987 and newer), 4/5/6 HP FourStroke, 225 EFI FourStroke, MY2005 & newer 8/9.9 HP FourStroke, MY2006 & newer 25/30 EFI FourStroke, the 15/20 HP FourStroke (351cc), all Mercury/Mariner outboards of Japanese origin and all Nissan/Yamaha/Tohatsu/Honda outboards with an 8x1.25 metric threaded gear lube fill hole.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

GEARCASE FILL SCREW



10-**880717A01**

Gearlube fill screw and sealing washer that is located in the bearing carrier.

Fits the standard gearcase on the 135-300 hp. Verado outboard and the 3.0L Optimax. Use only if screw location is in the bearing carrier.

DRAIN SCREW GASKET



26-**8M0183616**

Keep spares on hand to assure placement after changing gear lube in gearcase.

Used with the 3/8-16 drain/fill screw found on all MerCruiser and most Mercury/Mariner outboard gearcases except those of Japanese origin.

2 p,

MERCURY GREASES

Mercury Grease Product Line Simplified

Mercury greases have gone through a makeover. The product line has been simplified to eliminate confusion about which grease to use in what application. The line has been reduced from six types of grease to three. Below is a summary of the consolidation:

2-4-C Marine Grease – No change

Special 101 – Replaced by 2-4-C Marine Grease
Engine Coupler/Spline Grease - Replaced by Extreme Grease

MARINE GREASE

2-4-C MARINE LUBRICANT



92-**8M0207039**
2-4C grease with Teflon
227 g (8 oz) tube

2-4-C MARINE LUBRICANT



92-**8M0207040**
Fits standard 14 oz grease guns
397 g (14 oz) cartridge

MULTI-PURPOSE GREASE

EXTREME GREASE



92-**8M0207035**
Formulated for high-temperature and high-load applications.
397 g (14 oz) cartridge

MERCURY PAINTS AND FINISH

MERCURY COLORS

PHANTOM BLACK



92-**8M0133921**

Paint pen for touch-up in Phantom Black. For all Mercury outboards and MCM/MIE engines and drives.

9 mL paint pen

VERADO SILVER



92-**8M0132061**

Authentic silver paint for Mercury and Mariner outboards. Fast drying and high gloss.

340 g (12 oz) can

WARM FUSION PAINT



8M0133999

Authentic white paint for Mercury Outboards.

340 g (12 oz) spray can

COLD FUSION PAINT



92-**8M0134001**

Authentic white paint for Mercury Outboards.

340 g (12 oz) spray can

SURFACE PREPARATION AND FINISH

COWL FINISH COMPOUND



92-**8M0133957**

Removes minor scratches while providing a high gloss finish

For all Mercury and Mariner cowls

250 mL (8.4 oz) bottle

MERCURY STEERING FLUID

POWER TRIM AND STEERING FLUID



92-**8M0207038**

A universal hydraulic fluid designed to mix with all hydraulic fluids, protect seals and hoses, and prevent foaming, oxidation and corrosion.

Recommended for all outboard and sterndrive applications except electric power steering systems (use Synthetic Power Steering Fluid SAE 0W30) and non-power hydraulic steering systems (use Hydraulic Helm Steering Fluid)

Recommended for all applications that require a Type F Transmission Fluid

1L (33.8 fl oz) plastic bottle

POWER TRIM AND STEERING FLUID



92-**8M0206994**

A universal hydraulic fluid designed to mix with all hydraulic fluids, protect seals and hoses, and prevent foaming, oxidation and corrosion.

Recommended for all outboard and sterndrive applications except electric power steering systems (use Synthetic Power Steering Fluid SAE 0W30) and non-power hydraulic steering systems (use Hydraulic Helm Steering Fluid)

Recommended for all applications that require a Type F Transmission Fluid

237 ml (8 fl oz) plastic bottle

SYNTHETIC POWER STEERING FLUID SAE 0W-30



92-**8M0133951**

Recommended for electric power steering systems such as Verado, JPO and Axius Gen I only. Recommended for transmission and steering and actuator systems for Zeus drives

946 ml (32 fl oz) plastic bottle

PREMIUM FULL SYNTHETIC POWER STEERING FLUID



92-**8M0181584**

Specifically formulated and recommended for use in steering systems where a full synthetic fluid is required. Engineered to withstand the rigorous demands of the marine environment and delivers full performance from -40°F to over 266°F. Comparable/compatible with Pentosin CHF.

946 ml plastic bottle

QUICKSILVER 2-STROKE OIL

APPLICATION AND SKU CHART

2-Stroke Outboard Oil Application Chart

PRODUCT	Low HP: 2.5HP to 30HP	Mid HP: 40 HP to 115HP	High HP: Above 115HP	All HP
	Carubureted or EFI	Carbureted or EFI	Carbureted or EFI	Direct Injection
Premium	*Good	Good	Not recommended	Not recommended
Premium Plus	Better	*Better	*Better	Better
DI Engine Oil	Best	Best	Best	*Best

Premium TCW3

Part Number	Description	Price/Packaging
92-8M0230940	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0230959	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0230929	10L (2.64 gal.) plastic bottles	Priced individually, sold @ 2 bottles / case.
92-8M0230942	55 gallon (208 L) drum	

Premium Plus TCW3

Part Number	Description	Price/Packaging
92-8M0230937	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0230939	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0230933	10 L (2.64 gal.) plastic bottles	Priced individually, sold @ 2 bottles / case.
92-8M0230928	55 gallon (208 L) drum	

Direct Injection (DI) Engine Oil

Part Number	Description	Price/Packaging
92-8M0230932	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0230926	10 L (2.64 gal.) plastic bottles	Priced individually, sold @ 2 bottles / case.
92-8M0230943	55 gallon (208 L) drum	

Performance Blend for 2-Cycle Outboards

Part Number	Description	Price/Packaging
92-8M0133993	3.78 L (1 US gal) plastic bottles	Priced individually, sold @3 bottles / case

PREMIUM TCW3 OIL

Quicksilver's exclusive formulation provides superior protection to help extend the life of small horsepower, outboard engines. Continued use of Quicksilver® Premium 2-Cycle oil also helps:
• Prevent corrosion of internal components
• Maintain peak engine performance and reliability

This all weather formula provides protection in temperatures down to -13° F (-25° C).

Recommended for use in pre-mix applications for low-horsepower, carbureted engines such as, outboards, personal watercraft, snowmobiles, motorcycles and chainsaws

Meets all outboard and personal watercraft manufacturers' warranty requirements and recommendations for use of a TC-W3® oil

PREMIUM 2-CYCLE TC-W3 OUTBOARD OIL



92-8M0230940
1 L plastic bottle

PREMIUM TCW3 OIL



92-8M0230959
4 L plastic bottle

PREMIUM TCW3 OIL



92-8M0230929
10 L plastic bottle

PREMIUM TCW3 OIL



92-**8M0230942**

208 L drum

PREMIUM PLUS TCW3

Quicksilver's exclusive formulation offers extreme protection for mid- to high-horsepower outboard engines. Continued use this oil will:
• Provide outstanding wear and corrosion protection which help extend engine life
• Minimize performance-robbing carbon deposits
• Maintain peak engine performance and reliability

Recommended for use in oil-injected, carbureted or electronic fuel injected (EFI) mid- to high-horsepower engines such as Mercury®, Mariner® and Force® outboards, Mercury Jet Drives® and Mercury Sport Jet® engines

Meets or exceeds all outboard and personal watercraft manufacturers' warranty requirements and recommendations for use of a TC-W3® oil

PREMIUM PLUS OIL



92-**8M0230930**

Premium plus outboard oil, 1 L plastic bottle

PREMIUM PLUS TCW3 OIL



92-**8M0230927**

4 L plastic bottle

PREMIUM PLUS OIL



92-**8M0230933**

Premium plus outboard oil, 10 L plastic bottle

PREMIUM PLUS TCW3 OIL



92-**8M0230928**

208 L drum

DIRECT INJECTION (DI) ENGINE OIL

Quicksilver's exclusive formulation offers the maximum protection for DI (direct injection) outboard engines. Continued use this oil will:
• Provide outstanding wear and corrosion protection which help extend engine life
• Minimize performance-robbing carbon deposits
• Maintain peak engine performance and reliability
• Reduce smoke

Recommended for use in direct injection two-cycle engines such as Mercury OptiMax®

Exceeds all outboard manufacturer's warranty requirements and recommendations for use in direct injection applications

DIRECT INJECTION ENGINE OIL



92-**8M0230923**

2-cycle DFI engine oil, 4 Liters. Priced individually, sold at multiples of 3.

DIRECT INJECTION ENGINE OIL



92-**8M0230926**

2-cylce DFI engine oil, 10 Liters

DIRECT INJECTION ENGINE OIL



92-**8M0230943**

Oil, DFI, 2-Stroke, 208L

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

QUICKSILVER 4-STROKE OILS

QUICKSILVER
Marine Lubricants

The Quicksilver 4-Stroke Lineup Has You Covered

All New 4-Stroke Oil Technology

Brand-new 4-Stroke oil formulations provide the best protection and performance for all your marine engine needs and applications. Whether participating in high-performance racing, fishing with your Mercury engine, cruising with your Yamaha engine or riding the waves with your personal watercraft — with Quicksilver you can trust you're getting the best experience on the water.

3 Things to Know:

For Use in All 4-Stroke Marine Engines

Exceeds all marine industry 4-Stroke oil requirements, including FC-W® and FC-W® Catalyst Compatible. **See product photos for commonly recommended applications. Always refer to the owner's manual for specific model oil weight specifications.*

Superior Corrosion Protection

- **Industry-leading strength and viscosity retention**
- **Ultimate corrosion and wear protection**
- **4-Stroke oil formula additives offer superior corrosion performance in damp environments as compared to passenger-car motor oil.**



Automotive Oil | Aftermarket Marine Oil | Quicksilver Oil

Photo shows NMMA FC-W Corrosion Test performance on Mercury cylinder strips.

The Most Recommended Marine Oil

Quicksilver is a trusted marine brand, delivering superior engine performance since 1950. Quicksilver oils are expertly engineered and rigorously tested in harsh marine environments.



10W-30 Mineral
- *Mercury*
- *Yamaha*
- *Honda*
- *Suzuki*

10W-30 Synthetic Blend
- *Mercury*
- *Yamaha*
- *Honda*
- *Suzuki*
- *Volvo Penta*

10W-30 Full Synthetic
- *Mercury*



25W-40 Mineral
- *Mercury*

25W-40 Synthetic Blend
- *Mercury*

10W-40 Mineral
- *Suzuki*
- *Volvo*
- *Yamaha PWC*

5W-30 Full Synthetic
- *Yamaha*
- *Honda*
- *Suzuki*

High Performance 25W-50 Synthetic Blend
- *Mercury and race applications*

**5W-30 is not NMMA certified.*

© 2021 Brunswick Marine EMEA. All Rights Reserved. Reproduction in whole or in part without permission is prohibited.

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

QUICKSILVER
Marine Lubricants

Good, Better, Best Comparisons for Four-stroke Mercury Marine® Engines

	FourStroke Outboards							Gas Sterndrives/Inboards		
	Non-SeaPro Engines					SeaPro 15 - 150hp	Verado L6 200 - 400hp	Non-Catalyzed Engine	Catalyzed Engine	Part Number
	Low hp 2.5 - 9.9hp	Low hp 15 - 60hp	Mid hp 75 - 115hp (1.7L)	Mid hp 75 - 115hp (2.1L)	150hp					
10W30 Mineral	Good*	Good*	Good*	Good	Good	❶	N/A	N/A		1L: 8M0086220 4L: 8M0086221 60L: 8M0165791 208L: 8M0086222
10W30 Synthetic Blend	Better	Better*	Good*	Better	Better	❶	N/A	N/A		1L: 8M0152563 4L: 8M0152564 208L: 8M0152565
10W30 Full Synthetic	BEST	BEST*	Good*	BEST	BEST	❶	N/A	N/A		1L: 8M0180936 4L: 8M0180937 208L: 8M0180938
25W40 Mineral	❷	❷	❷	Good	Good	Good	Good	Good**	Good**	1L: 8M0086223 4L: 8M0086224 60L: 8M0121914 208L: 8M0086225
25W40 Synthetic Blend	❷	❷	❷	Good	Good	BEST	Better	BEST**	BEST**	1L: 8M0086226 4L: 8M0086227 60L: 8M0165792 208L: 8M0086228

	3.4 L V6 Outboards			4.6L V8 Outboards			7.6L V12 Outboards		
	FourStroke	ProXS	SeaPro	Verado	ProXS	SeaPro	Verado	SeaPro	Part Number
10W30 Mineral	Good	Good	Optional when temp. ≤ 0 C°	Good	Good	Optional when temp. ≤ 0 C°	Good	❶	1L: 8M0086220 4L: 8M0086221 60L: 8M0165791 208L: 8M0086222
10W30 Synthetic Blend	Better	Better	Optional when temp. ≤ 0 C°	Better	Better	Optional when temp. ≤ 0 C°	Better	❶	1L: 8M0152563 4L: 8M0152564 208L: 8M0152565
10W30 Full Synthetic	BEST	BEST	❶	BEST	BEST	❶	BEST	❶	1L: 8M0180936 4L: 8M0180937 208L: 8M0180938
25W40 Mineral	N/A	N/A	Good	N/A	N/A	Good	N/A	Good	1L: 8M0086223 4L: 8M0086224 60L: 8M0121914 208L: 8M0086225
25W40 Synthetic Blend	N/A	N/A	BEST	N/A	N/A	BEST	N/A	BEST	1L: 8M0086226 4L: 8M0086227 60L: 8M0165792 208L: 8M0086228

Additional 4-Stroke Oils

5W-30 Full Synthetic	8M0180930 (1L)	8M0180931 (4L)	8M0180932 (208L)
10W-40 Mineral	8M0180933 (1L)	8M0180934 (4L)	8M0180935 (208L)
25W-50 High Performance Synthetic Blend *BEST option for Verado L6 200-400HP and 450R outboards*	8M0096256 (1L)	858084QE1 (4L)	858119QE1 (208L)

**10W30 is recommended for certain operating temperatures and manual start applications; consult owners manual.*
***25W-50 is recommended in certain operating conditions and high-performance applications; consult owners manual. Contains the highest levels of ZDDP in the QS lineup and for high-performance applications.*

❶ *Optional when the temperature is less than or equal to 0 °C*
❷ *Optional when the operating temperatures are only above 5 °C*

Note: Oil recommendation chart is only a guide, consult owner's manual to be assured of exact oil recommendation.
Generally, synthetic blend oils are preferred over the mineral oil of equivalent viscosity due to increased corrosion protection properties.
For simplicity sake, 25W40 oils are generally approved for use in all engines types while 10W30 and 25W50 oils are not suitable for certain engines or operating conditions.

**5W-30 is not NMMA certified.*

© 2021 Brunswick Marine EMEA. All Rights Reserved. Reproduction in whole or in part without permission is prohibited.

APPLICATION AND SKU CHART

FCW® 10W30 Mineral Marine Oil

Part Number	Description	Price/Packaging
92-8M0086220	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0086221	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0086222	55 gallon (208 L) drum	

FCW® 10W30 Synthetic Blend Marine Oil

Part Number	Description	Price/Packaging
92-8M0206995	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0206996	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0152565	55 gallon (208 L) drum	

FCW® 25W40 Mineral Marine Oil

Part Number	Description	Price/Packaging
92-8M0206953	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0206954	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0086225	55 gallon (208 L) drum	

FCW® 25W40 Synthetic Blend Marine Oil

Part Number	Description	Price/Packaging
92-8M0206955	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0206956	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0086228	55 gallon (208 L) drum	

FCW® 25W50 Synthetic Blend Marine Oil

Part Number	Description	Price/Packaging
92-8M0096256	1 L (1.06 qt) plastic bottles	Priced individually, sold @6 bottles / case.
92-858084QE1	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-858119QE1	55 gallon (208 L) drum	

FCW® 5W30 MARINE OIL

Quicksilver's 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines.

3 things to know:

• For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering approved for all marine 4-Stroke applications, including: Outboard, MerCruiser, High Performance, Stern Drive/Inboard, and exceeds all Marine industry 4-Stroke oil requirements.
• Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection
• The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacturer in the world.

5W30 Full Synthetic meets the requirements of the API SN Engine Oil Service Category(BEST Choice).

5W30 FULL SYNTHETIC MARINE OIL



92-8M0180930

Priced individually, sold @ multiples of 6
1L plastic bottle

5W30 FULL SYNTHETIC MARINE OIL



92-8M0180931

Priced individually, sold @ multiples of 3
4L plastic bottle

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

FCW® 10W30 MINERAL MARINE OIL

Quicksilver's 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines. The mineral 4-Stroke oil is also now approved for use in all Outboard Engines; previously only our synthetic blend could make this claim. A new full synthetic option is available in 10W30 for 2021; designed for maximum engine protection and performance, complete with no viscosity modifiers. The full synthetic 10W30 has the highest quantity of anti-oxidant and detergent addititives available in the 10W30 oil line-up.

3 things to know:

• For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering approved for use in certain marine 4-Stroke Outboard applications and exceeds all Marine industry 4-Stroke oil requirements including FC-W or FC-W Catalyst Compatible.

• Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection

• The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacturer in the world. 10W30 is recommended for certain operating temperatures and manual start applications.

10W30 MARINE ENGINE OIL



92-**8M0086220**
1 L (32.0 fl oz) plastic bottle

10W30 MARINE ENGINE OIL



92-**8M0086221**
4 L (1.06 US gal) plastic bottle

10W30 MINERAL MARINE 4-STROKE ENGINE OIL



92-**8M0165791**
60 L (15.85 US Gal) drum

10W30 MARINE ENGINE OIL



92-**8M0086222**
208 L (55 US gal) drum

FCW® 10W30 SYNTHETIC BLEND MARINE OIL

10W30 SYNTHETIC BLEND MARINE OIL



92-**8M0152563**
10W30 4-Stroke synthetic marine oil
1 L plastic bottle

10W30 SYNTHETIC BLEND MARINE OIL



92-**8M0152564**
10W30 Synthetic blend 4-stroke marine oil
4 L plastic bottle

10W30 SYNTHETIC BLEND 4-STROKE OIL



92-**8M0152565**
10W30 synthetic blend marine oil for 4-Stroke engines.
208 L drum

FCW® 10W30 FULL SYNTHETIC MARINE OIL

Quicksilver SAE 10W30 4-Stroke Full Synthetic Marine Engine Oil was engineered to extend the life of Mercury four-stroke engines and keep them running at their peak. A revolutionary daul-grade "super-synthetic" formula resists thermal breakdown when operating at maximum output and high temperatures for extended periods of time, making this our toughest and strongest 10W30 four-stroke oil yet. With 49% more anti-wear additives, 45% more dispersants and 24% more detergents than our high-performing Quicksilver 10W30 synthetic blend, it delivers our highest level of protection against corrosion and wear for engines that require 10W30 oil.

10W30 FULL SYNTHETIC MARINE OIL



92-**8M0180936**

Priced individually, sold @ multiples of 6
1L plastic bottle

10W30 FULL SYNTHETIC 4-STROKE MARINE OIL



92-**8M0180937**

Priced individually, sold @ multiples of 3
4L plastic bottle

10W30 FULL SYNTHETIC 4-STROKE OIL



92-**8M0227057**

60 L drum

10W30 FULL SYNTHETIC 4-STROKE OIL



92-**8M0180938**

208 L drum

FCW® 10W40 MARINE OIL

Quicksilver's 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines. The mineral 4-Stroke oil is also now approved for use in all Outboard Engines; previously only our synthetic blend could make this claim.
3 things to know:
• For use in all 4-Stroke marine engines - New formula 4-Stroke oils are engineering approved for use in certain marine 4-Stroke Outboard applications and exceeds all Marine industry 4-Stroke oil requirements.
• Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection

• The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacturer in the world.

10W40 is recommended for certain operating temperatures and manual start applications.

10W40 4-STROKE MARINE OIL



92-**8M0180933**

Priced individually, sold @ multiples of 6
1L plastic bottle

10W40 4-STROKE MARINE OIL



92-**8M0180934**

Priced individually, sold @ multiples of 3
4L plastic bottle

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

10W40 MARINE OIL



92-**8M0180935**
208 L drum

FCW® 25W40 MINERAL MARINE OIL

Quicksilver's all new 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines.

3 things to know:

• For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering approved for all marine 4-Stroke applications, including: Outboard, MerCruiser, High Performance, Stern Drive/Inboard, and exceeds all Marine industry 4-Stroke oil requirements including FC-W and FC-W Catalyst Compatible.
• Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection.
• The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacture in the world.

25W40 recommended in all Marine Engines.

25W40 MARINE ENGINE OIL



92-**8M0086223**
1L (32 fl oz) plastic bottle

25W40 MARINE ENGINE OIL



92-**8M0086224**
4 L (1.06 US gal) plastic bottle

25W40 MARINE ENGINE OIL



92-**8M0121914**
25W40 Marine 4-Stroke Engine Oil
60L (15.85 US gal) drum

25W40 MARINE ENGINE OIL



92-**8M0086225**
208 L (55 US gal) drum

FCW® 25W40 SYNTHETIC BLEND MARINE OIL

Quicksilver's all new 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines.

3 things to know:

• For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering approved for all marine 4-Stroke applications, including: Outboard, MerCruiser, High Performance, Stern Drive/Inboard, and exceeds all Marine industry 4-Stroke oil requirements including FC-W and FC-W Catalyst Compatible.
• Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection
• The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacture in the world.

25W40 Synthetic Blend recommended in all Marine Engines (BEST Choice).

25W40 SYNTHETIC BLEND MARINE ENGINE OIL



92-**8M0086226**
1 L (32 oz) plastic bottle

25W40 SYNTHETIC BLEND MARINE ENGINE OIL



92-**8M0086227**
4 L (1.06 US gal)

25W40 SYNTHETIC MARINE 4-STROKE ENGINE OIL



92-**8M0165792**
60 L (15.85 US Gal) drum

25W40 SYNTHETIC BLEND MARINE ENGINE OIL



92-**8M0086228**
208 L (55 US gal) drum

FCW® 25W50 SYNTHETIC BLEND MARINE OIL

25W50 oil is often recommended for engines used in racing. This high performance oil provides maximum lubrication for your marine engine. This oil:
• Maintains viscosity under the most extreme operating conditions such as
• Racing: Operating engine at maximum output and high temperatures
• Tow sports and fishing: Alternating between periods of high RPM's and throttling down to low RPMs or idle
• Protects against varnish buildup and sludge formation
• Exceeds the rust protection requirements for NMMA certification

Recommended for use in Verado® outboards and other high-performance marine engines

Exceeds manufacturers' warranty requirements and recommendations for use of an FCW® 25W50 oil

25W50 SYNTHETIC BLEND OUTBOARD OIL



92-**8M0096256**
High Performance 4-Stroke Marine Engine oil.
1 Liter (1.06 Quarts) plastic bottle

25W50 SYNTHETIC BLEND OUTBOARD OIL



92-**858084QE1**
4 L plastic bottle

SYNTHETIC BLEND SAE 25W50 OIL



92-**858119QE1**
208 L drum

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

OIL CAPACITY CHART - 4-STROKE OUTBOARDS

Crankcase Oil Capacity Chart & Quicksilver Filters

Model	Model Note	Year Range	Metric Crankcase Capacity	US Crankcase Capacity	Canister Filter
2.5/3.5 FourStroke		2006 - 2026	0.30 liter (300ml)	0.31 QT. (10 oz.)	N/A
4/5/6 FourStroke		1999 - 2026	0.45 liter (450ml)	0.48 QT. (15.2 oz.)	N/A
8 FourStroke	232cc	1995 - 2000	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	N/A
8 FourStroke	323cc	2001 - 2004	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162831
8 FourStroke	209cc	2005 - 2026	0.80 liter (800ml)	0.85 QT. (27 oz.)	N/A
9.9 FourStroke	232cc	1995 - 1998	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	N/A
9.9 FourStroke	323cc	1999 - 2004	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162831
9.9 FourStroke	209cc	2005 - 2026	0.80 liter (800ml)	0.85 QT. (27 oz.)	N/A
15 FourStroke	323cc	1998 - 2008	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162831
15 Carb and EFI FourStroke		2008 - 2026	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162831
20 Carb and EFI FourStroke		2008 - 2026	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162831
25 FourStroke	498cc, Carb Models	1998 - 2006	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162829
25 FourStroke	492cc, EFI Models	2006 - 2026	1.8 liter (1,800ml)	1.90 QT. (63 oz.)	35-8M0162831
30 FourStroke	747cc	1999 - 2005	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162829
30 FourStroke	492cc	2006 - 2026	1.8 liter (1,800ml)	1.90 QT. (63 oz.)	35-8M0162831
40 FourStroke	747cc, 3 cylinder	1999 - 2026	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162829
40 FourStroke	996cc, 4 cylinder	2001 - 2026	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162829
50 FourStroke	935cc, 4 cylinder	1995 - 2000	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162829
50 FourStroke	996cc, 4 cylinder	2001 - 2026	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162829
60 FourStroke	996cc, 4 cylinder	2001 - 2026	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162829
75 FourStroke	Carbureted	2000 - 2005	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-8M0162829
75 FourStroke	EFI, s/n 1B366822 & below	2006	4.5 liter (4,500ml)	4.80 QT. (160 oz.)	35-8M0162829
75 FourStroke	EFI, 1B366823-2B094995, 1.7L	2006 - 2014	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-877761K01
75/80 FourStroke	EFI, 2B094996 & UP, 2.1L	2014 - 2026	5.2 Liter (5,200ml)	5.5 QT. (176 oz.)	35-8M0162829
90 FourStroke	Carbureted	2000 - 2005	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-8M0162829
90 FourStroke	EFI, s/n 1B366822 & below	2006	4.5 liter (4,500ml)	4.80 QT. (160 oz.)	35-8M0162829
90 FourStroke	EFI, 1B366823-2B094995, 1.7L	2006 - 2014	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-877761K01
90/100 FourStroke	EFI, 2B094996 & Up, 2.1L	2014 - 2026	5.2 liter (5,200ml)	5.5 QT. (176 oz.)	35-8M0162829
115 FourStroke	EFI, s/n 1B366822 & below	2001 - 2006	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-8M0162829
115 FourStroke	EFI, 1B366823-2B094995, 1.7L	2006 - 2014	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-877761K01
115 FourStroke	EFI, 2B094996 & Up, 2.1L	2014 - 2026	5.2 liter (5,200ml)	5.5 QT. (176 oz.)	35-8M0162829
150 FourStroke	EFI	2011 - 2026	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877761K01
135 Verado	4 cylinder	2006 - 2026	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877767Q01
150 Verado	4 cylinder	2006 - 2026	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877767Q01
175 Verado	4 cylinder	2006 - 2026	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877767Q01
200 Verado	4 cylinder	2007 - 2026	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877767Q01

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

Model	Model Note	Year Range	Metric Crankcase Capacity	US Crankcase Capacity	Canister Filter
225 FourStroke	EFI	2003 - 2006	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-822626Q15
200 Verado	6 cylinder	2005 - 2026	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
225 Verado	6 cylinder	2005 - 2026	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
250 Verado	6 cylinder	2005 - 2026	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
275 Verado	6 cylinder	2005 - 2026	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
300 Verado	6 cylinder	2007 - 2026	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
350/400R Verado	6 cylinder	2015 - 2026	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01

QUICKSILVER/MERCURY 4-STROKE OUTBOARD OIL FILTERS

FOURSTROKE OUTBOARD OIL FILTER



35-8M0162832

FourStroke Outboard replaceable screw-on type canister filter.

Fits Mercury/Mariner 8/9.9 hp. FourStroke outboards (323cc) , 15/20 hp. FourStroke carbureted outboards, 15/20 EFI FourStroke outboards, 0R833820 and above and the 25/30 hp. EFI FourStroke outboard (MY2006 & newer).

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-8M0162830

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

Fits Mercury/Mariner 25 hp. FourStroke (Carb, MY2006 & prior), 30 hp. FourStroke (3 cyl., MY2005 & prior), all 40-60 hp. FourStroke outboards (MY 1998 & newer), all 75-115 hp. FourStroke outboards (USA 1B366822 & prior), and all 75-115 hp. FourStroke outboards (USA 2B094996 and above).

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877761Q01

Replaceable screw-on type canister filter.

Fits the 75/90/115 hp. FourStroke outboard (USA 1B366823-2B094995, 1731 cc.) and the 150 hp. EFI FourStroke outboard.

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877767Q01

Replaceable screw-on type canister filter. Replaces the production 896546_ series oil filter.

Fits the 135/150/175/200 hp. Verado In-line 4 cylinder outboard.

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877769Q01

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

Fits the 200/225/250/275/300/350/400R hp. Verado In-line 6 cylinder outboard. s/n [1B517424 & above]

Quicksilver Branded, Box Point of Sale Packaged.

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

FOURSTROKE OUTBOARD OIL FILTER



35-**822626Q15**

Replaceable screw-on type canister filters.
Fits Mercury/Mariner V-225 hp. (V-6) FourStroke outboard and also replaces Yamaha 225 hp. four stroke outboard filter 69J-13440-00-00.

OIL DRAIN FUNNEL KIT



91-**892866A01**

Helps to direct draining crankcase oil past the cavitation plate.
Fits the XL version of the L6 Verado outboard.

OIL CAPACITY CHART - GASOLINE STERNDRIVE/INBOARD ENGINES

The engine oil capacity is only an approximate, ALWAYS use dipstick to determine exact quantity of oil required.

MerCruiser Gas Engine Oil Capacity

Model	Make	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil Pan Capacity w/ New Filter(1)
MCM 60	Renault	68/1.1L	I/L 4	1965 - 1968	1887079 - 2049044	2-3/4 US qt (2.6 L)
MCM 80	Renault	80/1.3L	I/L 4	1966 - 1969	2049045 - 2851423	5 US qt (4.7 L)
MCM 90	Renault	96/1.6L	I/L 4	1970 - 1972	2851424 - 3226957	5 US qt (4.7 L)
MCM 110/120/ 2.5L	GM	153/2.5L	I/L 4	1963 - 1989	1537370 - 0C853255	4 US qt (3.8 L)
MCM 140/ 3.0L/LX	GM	181/3.0L	I/L 4	1968 - 2026	2508261 and up	4 US qt (3.8 L)
MCM 470/165/170/ 3.7L	Mercury	224/3.7L	I/L 4	1976 - 1989	4208730 and up	5-1/2 US qt (5.2 L)
MCM 485	Mercury	224/3.7L	I/L 4	1980 - 1982	5685394 - 6218036	5-3/4 US qt (5.4 L)
MCM 488/180/190/ 3.7LX	Mercury	224/3.7L	I/L 4	1983 - 1989	6170297 and up	6-1/2 US qt (6.1 L)
MCM 140	GM	194/3.2L	I/L 6	1963	1538930 - 1725960	5 US qt (4.7 L)
MCM 160/165	GM	250/4.1L	I/L 6	1967 - 1981	2048022 - 5813433	5 US qt (4.7 L)
MCM 200	GM	292/4.8L	I/L 6	1969	2453769 - 2712072	6 US qt (5.7 L)
MCM 185 (4 bbl)	GM	229/3.8L	V-6	1983 - 1984	6330183 - 6919655	4-1/2 US qt (4.3 L)
MCM 175/185/205	GM	262/4.3L	V-6	1985 - 1987	0A331455 - 0B773242	4-1/2 US qt (4.3 L)
MCM 262 Mag EFI	GM	262/4.3L	V-6	1996 - 1997	0F803800 - 0K999999	4-1/2 US qt (4.3 L)
MCM 4.3L/LX/LH/LXH	GM	262/4.3L	V-6	1988 - 2001	0B773243 - 0M299999	4-1/2 US qt (4.3 L)
MCM 4.3L EFI	GM	262/4.3L	V-6	1998 - 2001	0L012009 - 0M299999	4-1/2 US qt (4.3 L)
MCM 4.3L & MPI	GM	262/4.3L	V-6	2002 - 2026	0M300000 and up	4 US qt (3.8 L)
MCM 888	Ford	302/4.9L	V-8	1971 - 1977	3108723 - 4887829	6 US qt (5.7 L)
MCM/MIE 225	Ford	302/4.9L	V-8	1973 - 1974	3385721 - 4176999	6 US qt (5.7 L)
MCM/MIE 215	Ford	302/4.9L	V-8	1970 - 1972	2781153 - 3563181	7 US qt (6.6 L)
MCM 190	GM	283/4.6L	V-8	1963 - 1964	1564539 - 1730903	5 US qt (4.7 L)
MCM 228	GM	305/5.0L	V-8	1977 - 1978	4765100 - 5170008	5 US qt (4.7 L)
MCM 200/ 5.0L/898	GM	305/5.0L	V-8	1977 - 1995	4762210 - 0F600999	5 US qt (4.7 L)
MCM 228/230/ 5.0LX	GM	305/5.0L	V-8	1979 - 1995	5170009 - 0F600999	5-1/2 US qt (5.2 L)
MCM 5.0L & EFI	GM	305/5.0L	V-8	1998 - 2002	0L012052 - 0M299999	5-1/2 US qt (5.2 L)
MCM 5.0L & MPI	GM	305/5.0L	V-8	2002 - 2026	0M300000 and up	4-1/2 US qt (4.25 L)
MIE 198/228/230/ 5.0L	GM	305/5.0L	V-8	1977 - 1988	4762210 - 0B788151	6 US qt (5.7 L)
MCM 225	GM	327/5.4L	V-8	1963 - 1966	1539620 - 2278646	5 US qt (4.7 L)

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

Model	Make	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil Pan Capacity w/ New Filter(1)
MCM 225/250	GM	327/5.4L	V-8	1967 - 1969	2278647 - 2694014	7 US qt (6.6 L)
MIE 225/250	GM	327/5.4L	V-8	1968	2278647 - 2694014	6 US qt (5.7 L)
MCM 250/ 255	GM	350/5.7L	V-8	1975 - 1977	4175500 - 4908849	5 US qt (4.7 L)
MCM 260/ 5.7L/LX & EFI	GM	350/5.7L	V-8	1978 - 2002	4908850 - 0M299999	5-1/2 US qt (5.2 L)
MCM 350 Mag, EFI & MPI	GM	350/5.7L	V-8	1986 - 2002	0A635178 - 0M299999	5-1/2 US qt (5.2 L)
MCM 350 Mag & MPI	GM	350/5.7L	V-8	2002 - 2026	0M300000 and up	4-1/2 US qt (4.25 L)
MCM 5.7L	GM	350/5.7L	V-8	2002 - 2026	0M300000 and up	4-1/2 US qt (4.25 L)
MIE 255/260/ 5.7L	GM	350/5.7L	V-8	1975 - 1993	4175500 - 0D839999	6 US qt (5.7 L)
MIE 5.7L & EFI	GM	350/5.7L	V-8	1993 - 1997	0D840000 - 0K999999	4 US qt (3.8 L)
MIE 5.7L/ 350 Mag MPI	GM	350/5.7L	V-8	1998 - 2002	0L002003 - 0M299999	5-1/2 US qt (5.2 L)
MIE 5.7L/ 350 Mag MPI	GM	350/5.7L	V-8	2002 - 2026	0M300000 and up	4-1/2 US qt (4.25 L)
Ski 5.7L	GM	350/5.7L	V-8	1985 - 1989	0A338553 - 0C756666	4 US qt (3.8 L)
Ski 5.7L/ 350 Mag & MPI	GM	350/5.7L	V-8	1990 - 1997	0C756667 - 0K999999	5 US qt (4.7 L)
Ski 5.7L/ 350 Mag MPI	GM	350/5.7L	V-8	1998 - 2002	0L002005 - 0M299999	5-1/2 US qt (5.2 L)
Ski 5.7L/ 350 Mag MPI	GM	350/5.7L	V-8	2002 - 2026	0M300000 and up	4-1/2 US qt (4.25 L)
Black Scorpion Ski (Gen+)	GM	350/5.7L	V-8	1996 - 1997	0F800000 - 0K999999	5 US qt (4.7 L)
Black Scorpion Ski (Gen+)	GM	350/5.7L	V-8	1998 - 2001	0L002500 - 0M391599	5-1/2 US qt (5.2 L)
Black Scorpion Ski (Gen+)	GM	350/5.7L	V-8	2003 - 2026	0M391600 and up	4-1/2 US qt (4.25 L)
MCM 233/255	Ford	351/5.8L	V-8	1973 - 1977	3258728 - 4902304	5 US qt (4.7 L)
MIE 233/255	Ford	351/5.8L	V-8	1973 - 1976	3258728 - 4775784	7 US qt (6.6 L)
MX 6.2L MPI	GM/Mercury	377/6.2L	V-8	2000 - 2002	0L680003 - 0M299999	5-1/2 US qt (5.2 L)
MX 6.2L MPI	GM/Mercury	377/6.2L	V-8	2002 - 2026	0M300000 and up	4-1/2 US qt (4.25 L)
MX 6.2L MPI MIE	GM/Mercury	377/6.2L	V-8	1999 - 2002	0L670000 - 0M299999	5-1/2 US qt (5.2 L)
MX 6.2L MPI MIE & Ski	GM/Mercury	377/6.2L	V-8	2002 - 2026	0M300000 and up	4-1/2 US qt (4.25 L)
MX 6.2L Blk Scorpion Ski	GM/Mercury	377/6.2L	V-8	2001 - 2003	0L670015 - 0M391599	5-1/2 US qt (5.2 L)
MX 6.2L Blk Scorpion Ski	GM/Mercury	377/6.2L	V-8	2003 - 2026	0M391750 and up	4-1/2 US qt (4.25 L)
MCM 325	GM	427/7.0L	V-8	1969 - 1972	2278747 - 3780449	8 US qt (7.6 L)
MIE 325	GM	427/7.0L	V-8	1968 - 1974	2278747 - 3780449	7 US qt (6.6 L)
MCM 330	GM	454/7.4L	V-8	1977 - 1981	4623115 - 6083144	6 US qt (5.7 L)
MCM 330 & 454 Mag Alpha	GM	454/7.4L	V-8	1982 - 1988	6083145 - 0B785148	7 US qt (6.6 L)
MCM 7.4L & 454 Mag	GM	454/7.4L	V-8	1988 - 1991	0B771113 - 0D603117	8 US qt (7.6 L)
MCM 7.4L/LX & 454 Mag, EFI & MPI	GM	454/7.4L	V-8	1992 - 2001	0D603118 - 0M024999	7 US qt (6.6 L)
MIE 330	GM	454/7.4L	V-8	1977 - 1980	4623115 - 5889913	7 US qt (6.6 L)
MIE 340/ 7.4L w/ Borg Warner trans.	GM	454/7.4L	V-8	1981 - 1992	5889914 - 0D715493	7 US qt (6.6 L)
MIE 7.4L w/Hurth trans.	GM	454/7.4L	V-8	1988 - 1992	0C391564 - 0D715493	8 US qt (7.6 L)
MIE 7.4L & 454 Mag MPI	GM	454/7.4L	V-8	1992 - 2001	0D715494 - 0L674613	7 US qt (6.6 L)
Ski 454 Mag EFI & MPI	GM	454/7.4L	V-8	1995 - 1997	0F215800 - 0K999999	7 US qt (6.6 L)
MCM 390	GM	482/7.9L	V-8	1969 - 1970	2781129 - 3042731	8 US qt (7.6 L)
MIE 390	GM	482/7.9L	V-8	1969 - 1970	2781129 - 2825059	7 US qt (6.6 L)
MCM 496 Mag & HO	GM	496/8.1L	V-8	2001 - 2026	0M025000 and up	9 US qt (8.5L)
MIE 8.1S Horizon & HO	GM	496/8.1L	V-8	2001 - 2026	0M026000 and up	9 US qt (8.5L)
MCM 502 Mag	GM	502/8.2L	V-8	1990 - 1992	0C878221 - 0D824588	8 US qt (7.6 L)
MCM 502 Mag, EFI & MPI	GM	502/8.2L	V-8	1992 - 2001	0D824589 - 0M024999	7 US qt (6.6 L)
MCM 8.2 Mag	GM	502/8.2L	V-8	2010 - 2026	1A350340 and up	7 US qt (6.6 L)
MIE 8.2L	GM	502/8.2L	V-8	1990 - 1996	0C878221 - 0F819619	8 US qt (7.6 L)
MIE 8.2L MPI	GM	502/8.2L	V-8	1996 - 2001	0F819620 - 0L674200	7 US qt (6.6 L)

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

Model	Make	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil Pan Capacity w/ New Filter(1)
MIE 8.2	GM	502/8.2L	V-8	2010 - 2026	1A350802 and up	7 US qt (6.6 L)

(1) Approximate, ALWAYS use dipstick to determine exact quantity of oil required

OIL CAPACITY CHART - HI-PERF GASOLINE ENGINE

The engine oil capacity is only an approximate, ALWAYS use dipstick to determine exact quantity of oil required.

MerCruiser Hp Gas Engine Oil Capacity

Model	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil System Capacity w/ New Filter (1)
270	350/5.7L	V-8	1969 - 1972	2851074 - 3385720	7 US qt (6.6 L)
270 MIE	350/5.7L	V-8	1969 - 1972	2851074 - 3077735	6 US qt (5.7 L)
280 TRS	350/5.7L	V-8	1975 - 1976	4176250 - 4770199	6-1/2 US qt (6 L)
300 Tempest	350/5.7L	V-8	1985 - 1986	6668677 - 0B430367	6-1/2 US qt (6 L)
320 (EFI)	350/5.7L	V-8	1987 - 1989	0A543604 - 0C622418	6-1/2 US qt (6 L)
377 Scorpion (Sterndrive)	377/6.2L	V-8	2000 - 2026	0L416146 and up	5 US qt (4.7 L)
377 Scorpion Ski	377/6.2L	V-8	1997 - 1998	0K000656 - 0L600314	5 US qt (4.7 L)
370 TRS	454/7.4L	V-8	1978 - 1987	4179554 - 0B714586	6 US qt (5.7 L)
400 TRS (Cyclone)	454/7.4L	V-8	1980 - 1986	4179554 - 0B457644	7 US qt (6.6 L)
420	454/7.4L	V-8	1987 - 1989	0A398941 - 0B622418	6 US qt (5.7 L)
425	454/7.4L	V-8	1990 - 1992	0B622419 - 0D725499	8 US qt (7.6 L)
425 (Gen. V)	454/7.4L	V-8	1992 - 1993	0D725500 - 0D937011	8 US qt (7.6 L)
440 TRS (Cyclone)	454/7.4L	V-8	1983 - 1986	4179554 - 0B485220	7 US qt (6.6 L)
450 (Gen. V)	454/7.4L	V-8	1995 - 1996	0F347100 - 0F347277	8 US qt (7.6 L)
525 SC	454/7.4L	V-8	1991 - 1992	0D456000 - 0D725808	8 US qt (7.6 L)
525 SC (Gen. V)	454/7.4L	V-8	1992 - 1999	0D763746 - 0L415623	8 US qt (7.6 L)
460 TRS (Cyclone)	482/7.9L	V-8	1983 - 1986	4179554 - 6181046	10 US qt (9.4L)
465	502/8.2L	V-8	1990 - 1992	0C849992 - 0D725646	8 US qt (7.6 L)
465 (Gen. V)	502/8.2L	V-8	1992 - 1994	0D725647 - 0F213244	8 US qt (7.6 L)
500 (Gen. V)	502/8.2L	V-8	1994 - 1996	0F213293 - 0F745159	8 US qt (7.6 L)
500 (Gen VI)	502/8.2L	V-8	1997 - 1998	0F745195 - 0L001772	8 US qt (7.6 L)
500 (Gen +)	502/8.2L	V-8	1999	0L414639 - 0L601036	8 US qt (7.6 L)
500 EFI	502/8.2L	V-8	1999 - 2005	0L001477 and up	7 US qt (6.6 L)
575 SCi	502/8.2L	V-8	2001	0L306696 - 0L307026	8 US qt (7.6 L)
575 SCi	502/8.2L	V-8	2000	0L601000 - 0L602090	8 US qt (7.6 L)
575 SCi	502/8.2L	V-8	2001 - 2005	0M050000 - 0M950526	8 US qt (7.6 L)
600 SC	502/8.2L	V-8	1991 - 1992	0D456489 - 0D456768	8 US qt (7.6 L)
600 SC (Gen. V)	502/8.2L	V-8	1992 - 2000	0D725676 and up	8 US qt (7.6 L)
500 Bulldog	540/8.9L	V-8	1990 - 2001	0C577254 - 0M050281	12 US qt (11.3 L)
575	540/8.9L	V-8	1986 - 1992	0A677429 - 0D763716	7 US qt (6.6 L)
800 SC (Gen. V)	572/9.4L	V-8	1993 - 1998	0D763836 and up	9 US qt (8.5L)
900 SC	542/8.9L	V-8	1998 - 2000	0K999856 - 0L602069	11 US qt (10.5 L)
900 SC (Dry Sump)	542/8.9L	V-8	2001 - 2026	0L306805 and up	16 US qt (15.2 L)

(1) Approximate, ALWAYS use dipstick to determine exact quantity of oil required

MERCRUISER OIL FILTERS - GASOLINE

This engineered marine filter provides outstanding durability through a more robust design, heavier gauge materials and a superior paint process inside and out. Designed for a marine environment, this filter provides benefits not found in a standard automotive filter.

OIL FILTER



35-**883702Q**

Fits MCM V-6 models that have the oil filter mounted on the engine block. Not for use with V-6 engines that have a remote oil filter.

Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-**866340Q03**

Fits all MCM/MIE GM engines, except V-6 models that have the oil filter mounted on the engine block. Also fits the 4.5L and 6.2L Mercury engine.

Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35- **16595Q**

Fits 2006 & older MCM Hi-Performance GM V-8 engines.

Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-**858004Q**

High efficiency, High performance synthetic media removes over 97% of oil contaminants versus 78% for conventional paper element filters.

Fits all MCM/MIE GM engines, except V-6 models that have the oil filter mounted on the engine block. Also fits the 4.5L and 6.2L Mercury engine.

Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-**8M0116378**

Fits all MCM/MIE Ford engines

Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER WRENCH



91-**889277Q01**

Metal wrench, requires a 3/8 in. drive ratchet.

Fits the (877761__) oil filter found on the 75-115 EFI FourStroke outboard (serial number 1B366823-2B094995) and the 150 hp. EFI FourStroke outboard. Also fits the MCM (866340__) oil filter and (802893__) fuel filter found on many MCM engines.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICKSILVER DIESEL STERNDRIVE/INBOARD OIL

SKU CHART

Quicksilver Diesel Engine Oil

Part Number	Description	Price/Packaging
92-8M0096794	4 L (1.06 gal) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0096795	208 L (55 gal.) drum	
92-8M0089690	1 L (33.8 oz. plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0089691	4 L (1.06 gal) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0089692	208 L (55 gal) drum	

SAE 5W30

Optimizes engine performance in marine applications because this stable, stay-in-grade formula resists thermal breakdown and oxidation under extreme conditions. Use of this oil will:
• Protect anti-pollution systems
• Increase the life of diesel particulate filters (DPF)
• Provide outstanding wear and corrosion protection which help extend engine life

Meets international ACEA C3 specifications
Meets OEM approvals for:
• Volkswagen® VW 501.00/507.00
• BMW® LL-04
• Mercedes-Benz® MB-Approval 229.51
• Porsche® C30

For use in Turbocharged Direct Injection (TDI) engines

5W30 FULL SYNTHETIC TDI ENGINE OIL



92-**8M0229824**

For use in Mercury 3.0L and 4.2L TDI diesel engines. Also used in Mercury 3.0L V6 VM diesel engines
1L (33.8 oz) plastic bottle

5W30 FULL SYNTHETIC TDI ENGINE OIL



92-**8M0229825**

For use in Mercury 3.0L and 4.2L TDI diesel engines. Also used in Mercury 3.0L V6 VM diesel engines
4 L (1.06 gal) plastic bottle

5W30 FULL SYNTHETIC TDI ENGINE OIL



92-**8M0229826**

For use in Mercury 3.0L and 4.2L TDI diesel engines. Also used in Mercury 3.0L V6 VM diesel engines
208 L (55 gal) drum

SAE 15W40

Superior protection for marine diesel applications. Continued use of this Diesel Engine Oil will:
• Improve engine cleanliness which leads to increased operating hours
• Extend engine life due to better wear protection
• Reduce deposits in piston and turbocharger
• provide stronger anti-oxidants for increased drain intervals
Meets API specification CK-4. Exceeds API service requirements for API specifications CJ-4/ CI-4+/ CI-4/ CH-4.
Meets or exceeds the specifications of other marine diesel engine manufacturers:
• Volvo® Penta®: VDS-3/ VDS-4/ VDS 4.5
• Caterpillar® : ECF-3/ ECF-2/ ECF-1a/ TO-2
• Deutz®: DQC-III-10 LA/ DQC-III-18 LA
• MTU®: Oil category 2.1

15W40 DIESEL ENGINE OIL



92-**8M0228448**

Superior performance in marine diesel applications.
Not recommended for use in Mercury TDI or 3.0L V6 VM diesel applications
4 L plastic bottle

15W40 DIESEL ENGINE OIL



92-**8M0228450**

Superior performance in marine diesel applications.
Not recommended for use in Mercury TDI or 3.0L V6 VM diesel applications
208 L drum

OIL CAPACITY CHART - DIESEL ENGINE

The engine oil capacity is only an approximate, ALWAYS use dipstick to determine exact quantity of oil required.

MerCruiser Diesel Engine Oil Capacity

Model	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil Pan Capacity w/ New Filter
D1.7L DTI (Alpha)	103/1.7L	I/L 4	2001 - 2026	0M055000 and up	4.75 US qt (4.5 L)
SDI 40/50/60	116/1.9L	I/L 4	2003 - 2012	All - All	4.75 US qt (4.5 L)
TDI 45/75	116/1.9L	I/L 4	2003 - 2012	All - All	4.75 US qt (4.5 L)
QSD 2.0L 115/130/150/170	2.0L	I/L4	All	All - All	5.5 US qt (5.2L)
SDI 55/75	153/2.5L	I/L 5	2002 - 2026	All - All	6.34 US qt (6 L)
TDI 100/120/140/150/165	153/2.5L	I/L 5	2002 - 2026	All - All	6.34 US qt (6 L)
D2.8L D-Tronic (Bravo & MIE)	169/2.8L	I/L 4	1997 - 2026	0K144109 and up	8.45 US qt (8 L)
TDI 100/225/230/260/265	181/3.0L	V-6	2006 - 2026	All - All	8.45 US qt (8 L)
D183 Turbo AC (Bravo & MIE)	183/3.0L	I/L 5	1990 - 1993	0B993002 - 0D725151	9.5 US qt (9 L)
530 D-TA (Bravo & MIE)	183/3.0L	I/L 5	1989 - 1993	0B993002 - 0D725151	9.5 US qt (9 L)
D3.0L (Bravo & MIE)	183/3.0L	I/L 5	1994 - 1997	0D725152 and up	9.5 US qt (9 L)
3.0L VM - 150/230/270	183/3.0L	V-6	2018 - 2026	70380001 and up	9 US qt (8.5 L)
D219 Turbo AC (Bravo & MIE)	219/3.6L	I/L 6	1990 - 1993	0B993002 - 0D850127	10.56 US qt (10 L)
636 D-TA (Bravo & MIE)	219/3.6L	I/L 6	1989 - 1993	0B993002 - 0D850127	10.56 US qt (10 L)
D3.6L (Bravo & MIE)	219/3.6L	I/L 6	1994 - 1997	0D850128 and up	10.56 US qt (10 L)
D3.6L W (Bravo)(MCM)(Intl.)	219/3.6L	I/L 6	1997	0K000001 and up	10.56 US qt (10 L)
TDI 335/350/370	254/4.2L	V-8	2009 - 2026	All - All	10 US qt (9.5 L)
D254 Turbo AC (Bravo & MIE)	254/4.2L	I/L 6	1990 - 1993	0C849461 - 0D554731	12.68 US qt (12 L)
D4.2L (Bravo & MIE)	254/4.2L	I/L 6	1994 - 1997	0D554732 and up	12.68 US qt (12 L)
D4.2L D-Tronic (Bravo & MIE)	254/4.2L	I/L 6	1997 - 2026	0K144114 and up	12.68 US qt (12 L)
D4.2L LD	254/4.2L	I/L6	1999 - 2026	0L344381 and up	12.68 US qt (12 L)
7.3L (Bravo & MIE)	444/7.3L	V-8	1994 - 1996	0F060000 and up	12 US qt (11.3 L)
D7.3L D-Tronic	444/7.3L	V-8	1996 - 2001	0K095775 and up	16-1/2 US qt (15.6 L)

(1) Approximate, ALWAYS use dipstick to determine exact quantity of oil required

OIL FILTERS FOR MERCRUISER DIESEL ENGINES

OIL FILTER ELEMENT



35-**8M0150917**

Fits 1.7L MS 120 diesel.

OIL FILTER ELEMENT



35-**895207**

3.25 in. (83 mm) diameter

Fits CMD diesel engines D2.8L (170 & 200) (s/n 88010001 and up). Also fits QSD 2.0 (early version), 2.8 & 4.2 engines

OIL FILTER ELEMENT



35-**879312041**

2.625 in. (67 mm) diameter

Fits 2008 & newer QSD 2.0 engines.
MCM ES 130 (s/n 88206399 and up)
MCM ES 150 (s/n 88221799 and up)
MCM ES 170 (s/n 88231000 and up)
MIE EI 115 (s/n 88200499 and up)
MIE EI 130 (s/n 88205099 and up)
MIE EI 150 (s/n 88220299 and up)
MIE EI 170 (s/n 88230000 and up)

OIL FILTER



35- **19485**

Fits diesel engines D2.8L E models (s/n 88010000 and below), D3.0L (s/n 0D725460 and up), D3.6L (s/n 0F306930 and up), D4.2L (s/n 0F450250 and up), D4.2L E models, D183, D219, 530D-TA & 636D-TA.

OIL FILTER



35-**816168**

Fits diesel engines D3.0L (s/n 0D725152-0D725459), D3.6L (s/n 0D850128-0F306929) & D4.2L (s/n 0D554732-0F450249).

OIL FILTER



35-**8M0183282**

Element

Fits 3.0L V6 VM Diesel engine

OIL FILTER



35-**8M0066483**

Element

Fits 3.0L V6 & 4.2L V8 TDI diesel engine

OIL FILTER



35-**805809T**

5.5 in. (139.7 mm) length

Fits D7.3L diesel engines

OIL FILTER



35-**862889**

7.5 in (190.5 mm) long

Fits MCM D7.3L D-tronic diesel engines (s/n 0L050050-0L391832)

QUICKSILVER POWERSPORTS LUBRICANTS

PERSONAL WATERCRAFT (PWC)

Quicksilver Full Synthetic 2-Stroke Personal Watercraft Oil meets the needs of all 2-Stroke PWC and sport boat engines. This low smoke/low odor formula keeps your engine cleaner. Continued use of this oil will:
• Provide outstanding wear and corrosion protection which helps extend engine life
• Minimize performance-robbing carbon deposits
• Maintain peak engine performance and reliability

Meets or exceeds manufacturers' warranty requirements. Using this product will not void manufacturer warranties.

Exceeds JASO FD and ISO EGD

Recommended for use in all 2-Stroke personal watercraft engines. Can be used in oil-injected or pre-mix applications.

2-STROKE FULL SYNTHETIC PWC OIL



92-**8M0133977**
946 mL (32 Fl Oz) plastic bottle

QUICKSILVER CORROSION PROTECTION

CORROSION GUARD



92-**8M0184794**

Corrosion Guard is a rust inhibitor that forms an insulating, waxy film for long-term corrosion protection on non-painted and painted surfaces. The water resistant barrier seals out air, salt and moisture for maximum protection.

Use to prevent rust from forming on out drives, lower units and power trim motors and components or other metal surfaces. Can also be used to prevent further paint damage in areas where undercutting and blistering have occurred. Do not spray on surfaces coated with antifouling or biocide paint. Do no spray on drive belts.

312 g spray can

STORAGE SEAL FOGGING OIL



92-**8M0215162**

Quicksilver Storage Seal forms a protective barrier that prevents rust on internal metal surfaces. It also keeps cylinders lubricated to prevent cylinder or piston damage when starting your engine after storage.

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers.
Safe for catalyzed engines.

400 mL spray can

QUICKSILVER ENGINE COOLANT AND WATER SYSTEM ANTIFREEZE

MARINE ENGINE COOLANT



92-**8M0117687**

Additives provide protection against corrosion and scale buildup. Premixed formula with low silicate content prevents silicate gelling. Protects down to -33 deg.F (-38 deg.C).

For MCM/MIE gas and diesel engines with closed cooling systems.

4 L (1.057 US gal) plastic bottle

EXTENDED LIFE COOLANT/ANTIFREEZE



92-**8M0133963**

Provides extended life protection for closed cooling systems. This 5 year, 1000 hour protection is ethylene glycol based and pre-diluted 50/50 with de-ionized water. It is silicate and phosphate free and will not cause gelling. Provides freeze protection down to -34 deg. F and boiling protection to 265 deg. F. It is also compatible with conventional anti-freeze, but dilution will reduce extended life benefits.

Meets ASTM D-3306, ATSM D-4340

For use in all MCM/MIE gasoline engines with closed cooling systems.
Also recommended for the following applications:
- ANFOR R 15-601
- BS 6580 (British standard)
- Chrysler® MS7170
- Chrysler® MS9769
- Ford® ESE-M97B44-A
- Ford® WSS-M97B44-D
- Ford® WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- GM® 1825M
- GM® 6277M (DEX-COOL® specification)
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz® DBL 7700

3.78 L (1 US gal) plastic bottle

LONG LIFE COOLANT/ANTIFREEZE



92-**8M0134003**

Long Life Coolant/Antifreeze Premixed 50/50.

Pre-diluted anti-freeze - Do not add water. Provides extended life protection for closed cooling systems. It is silicate and phosphate free and will not cause gelling. It is also compatible with conventional antifreeze.

Meets or Exceeds G12++ Performance Requirements
Meets ASTM D-3306, ATSM D-4340

Recommended for the following applications:
- ANFOR R 15-601
- BS 6580 (British standard)
- Chrysler® MS7170
- Chrysler® MS9769
- Ford® ESE-M97B44-A
- Ford® WSS-M97B44-D
- Ford® WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- GM® 1825M
- GM® 6277M (DEX-COOL® specification)
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz® DBL 7700
- VW® TL774-D
- VW® TL774-F
- VW® TL774-G

3.78L (1 Gallon) plastic bottle

QUICKSILVER FUEL SYSTEM CARE AND MAINTENANCE

FUEL TREATMENT

Quickare is a fuel treatment that can be used at every fill-up to:
• Maximize engine performance with all grades of gasoline
• Help control corrosion, gum and varnish build-up and phase separation associated with ethanol-blended fuel
• Help control moisture and corrosion problems associated with non-ethanol-blended fuel
• Clean up existing varnish and gum deposits from fuel lines, tanks, carburetors and injectors, intake valves and spark plugs
• Keep fuel fresh between fill-ups - up to 3 months

20 ml treats 25 liters of fuel
Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers.
Safe for catalyzed engines.

QUICKARE FUEL TREATMENT



92-**8M0079743**

20 ml treats 25 liters of fuel - 355 ml bottle treats 454 liters of fuel
355 mL (12 oz) plastic bottle

ENGINE AND FUEL SYSTEM CLEANER

Quickleen should be used throughout the boating season to:
• Quickly and thoroughly remove carbon deposits from carburetors and injectors, intake valves, spark plugs, piston crowns and cylinder heads
• Prevent engine knocking and piston seize-up
• Extend spark plug life
40 ml treats 25 liters of fuel

Note: This product does not contain fuel stabilizers. use Quickare to prevent fuel breakdown and oxidation.

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers.
Safe for catalyzed engines.

QUICKLEEN ENGINE & FUEL SYSTEM CLEANER



92-**8M0079744**

40 ml treats 25 liters of fuel - 355 ml treats 227 liters of fuel
355 mL (12 oz.) plastic bottle

POWER TUNE INTERNAL ENGINE CLEANER



92-**8M0121969**

Quicksilver Power Tune© is recommended to assist in restoring lost power due to carbon, gum and varnish deposits that accumulate in the combustion chambers of gasoline engines. These deposits are the result of normal engine use, low temperature operation and the use of some fuels. Removing these deposits helps improve fuel/air flow and overall engine performance.

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers.
Safe for catalyzed engines.

340 g (12 oz) spray can

FUEL STABILIZER

Add Quickstor Fuel System Treatment & Stabilizer to fuel before long-term boat storage to:
• Prevent regular and ethanol-blended fuel from breaking down and oxidizing
• Stabilize fuel for up to a year
• Prevent fuel system corrosion
• Prevent gum and varnish from forming in the fuel and settling in fuel lines and tanks, carburetors and injectors
• Keep injectors and carburetors lubricated

1 ounce treats 5 gallons - 12 ounce bottle treats 60 gallons

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers.
Safe for catalyzed engines.

QUICKSTOR FUEL STABILIZER



92-**8M0079745**

40 ml treats 25 liters of fuel - 355 ml bottle treats 227 liters of fuel
355 mL (12 oz.) plastic bottle

WATER ELIMINATOR



67-**808887Q**

Contains a drying agent commonly used to keep small, sealed containers dry. It absorbs water that has collected in the fuel tank.
How to use: Attach to the inside fuel cap with the lanyard (included). Adjust the lanyard so the Water Eliminator sits at the bottom of the fuel tank. Replace as needed.
For use in all octane grades of gasoline, including ethanol blended. Not recommended for diesel fuel.

For use in all 2-cycle and 4-cycle gasoline outboard, sterndrive, inboard and jet drive marine engines.

Priced individually, sold @ multiples of 6

Quicksilver Branded, Point of Sale Packaged.

ALCOHOL TESTER



91-**879172T28**

Test Tube used to find the ethanol/alcohol percentage in gasoline.

Directions:
Step 1: Add water to the water line.
Step 2: Add gasoline to the gasoline line.
Step 3: Replace cap and shake vigorously
Step 4: Stand vial vertically with cap upright for 10 minutes.
Step 5: Locate the gasoline/water separation line and read scale. The separation line will indicate the percentage of alcohol, if present.

Works on all Mercury, Marine outboards and MerCruiser

QUICKSILVER GEARCASE LUBRICANT

Quicksilver outperforms automotive gear oil in marine applications because of its specialized additive package designed for marine gear cases. Continued use of this gear case lubricant will:
• Provide maximum protection against excessive wear—even in the presence of water
• Prevent corrosion and pitting
• Help extend gear life

SKU CHART

Quicksilver Gearcase Lubricant SKU Chart

Item Number	Qty per Case	Container Size	Pallet Qty	Btl Length (in)	Btl Depth (in)	Btl Height (in)	Btl Weight (lb)	Case Length (in)	Case Width (in)	Case Height (in)	Case Weight (lb)	Pallet Weight (lb)
SAE 80W90 PREMIUM GEAR LUBE FOR OUTBOARDS & JET PUMPS BELOW 75HP												
92-8M0207011	6	QUART	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-858059QB1	2	2.5 GAL.	72	9.1	6.8	14.5	20	9.78	14.5	14.5	40	1490
92-858007Q01	1	5 GAL.	36	12	12	14.75	39	12	12	14.75	39	1454
92-858061QB1	1	16 GAL.	9	14.25	14.25	27	136	14.25	14.25	27	136	1274
92-858062QB1	1	55 GAL.	4	23	23	34	434	23	23	34	434	1786
SAE 90 HIGH PERFORMANCE GEAR LUBE FOR OUTBOARDS, JET PUMPS & SPORT JETS ABOVE 75HP AND ALL STERNDRIVES												
92-8M0219574	12	237 ML (8 FL OZ) TUBE										
92-8M0219575	6	QUART	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-8M0219577	2	2.5 GAL.	72	9.1	6.8	14.5	20	9.78	14.5	14.5	40	1490
92-8M0222056	1	5 GAL.	36	12	12	14.75	39	12	12	14.75	39	1454
92-8M0219012	1	16 GAL.	9	14.25	14.25	27	136	14.25	14.25	27	136	1274
92-8M0219013	1	55 GAL.	4	23	23	34	434	23	23	34	434	1786

PREMIUM GEAR LUBE - SAE 80W90

Quicksilver Premium Gear Lube is recommended in lower units for outboards below 75HP.

SAE 80W90 GEAR LUBE



92-8M0121963
237 ml (8 fl oz) tube

SAE 80W90 GEAR LUBE



92-858058QB1
For use in all outboard lower units and jet pumps below 75 hp.
1 L plastic bottle

80W90 GEAR LUBE



92-858059QB1
10 L plastic bottle

SAE 80W90 GEAR LUBE



92-858061QB1
60 L drum

SAE 80W90 GEAR LUBE



92-**858062QB1**
208 L drum

PREMIUM GEAR LUBE CAPACITY CHART

This gearlube capacity chart is limited to recent models and has been developed to aid in determining how much gearlube to have on hand when servicing a particular gearhousing. Changing and servicing of gearlube should always be performed in accordance with techniques and procedures as outlined in the appropriate service or owner manuals. The quantities shown here are to be regarded as reference only. Any variation from the quantities shown may indicate an incorrect model selection, the wrong service technique or a more serious problem. Contact your local dealer prior to running if this should occur.

For outboards less than 75 hp

Mercury or Quicksilver SAE 80W90 Premium Gear Lube is recommended

Brand	Model	Cycle	Model Description	Oz.	mL.
Mercury/Mariner	2.2, 2.5, 3.3	2 cycle		4.5	135
Mercury/Mariner	4, 5	2 cycle		6.8	200
Mercury/Mariner	6, 8, 9.9, 15	2 cycle		6.8	200
Mercury/Mariner	20, 25	2 cycle		8.8	260
Mercury/Mariner	30, 40	2 cycle	2 cylinder	14.9	440
Mercury/Mariner	40, 50	2 cycle	3 cylinder, std. Gearcase	14.9	440
Mercury/Mariner	60	2 cycle	Big Foot	22.5	665
Force	5	2 cycle		4.0	120
Force	9.9, 15	2 cycle		6.8	200
Force	25	2 cycle		8.8	260
Force	40, 50	2 cycle		14.9	440
Mercury/Mariner	2.5, 3.5	FourStroke		6.1	180
Mercury/Mariner	4, 5	FourStroke		6.8	200
Mercury/Mariner	8/9.9	FourStroke	MY 2004 & prior Standard gearcase	6.8	200
Mercury/Mariner	8/9.9	FourStroke	MY 2005 & newer Standard gearcase	10.8	320
Mercury/Mariner	9.9	FourStroke	MY 2004 & prior BigFoot	8.8	260
Mercury/Mariner	9.9	FourStroke	MY 2005 & newer BigFoot	12.5	370
Mercury/Mariner	15 (323cc)	FourStroke	Standard Gearcase	6.8	200
Mercury/Mariner	15 (323cc)	FourStroke	Big Foot	8.8	260
Mercury/Mariner	15 (351cc)	FourStroke		12.5	370
Mercury/Mariner	15 EFI	FourStroke	EFI	15.6	460
Mercury/Mariner	20 (351cc)	FourStroke		12.5	370
Mercury/Mariner	20 EFI	c)FourStroke	EFI	15.6	460
Mercury/Mariner	25	FourStroke	Big Foot, Carb	14.9	440
Mercury/Mariner	25	FourStroke	EFI	11.8	350
Mercury/Mariner	30	FourStroke	MY 2005 & prior Standard gearcase	14.9	440
Mercury/Mariner	30	FourStroke	MY 2006 & newer EFI	11.8	350
Mercury/Mariner	30	FourStroke	MY 2005 & prior Big Foot	22.5	665
Mercury/Mariner	40	FourStroke	3 cylinder, std. Gearcase	14.9	440
Mercury/Mariner	40	FourStroke	3 cylinder, Big Foot	22.5	665
Mercury/Mariner	40, 45, 50	FourStroke	4 cylinder, 935 cc, std. Gearcase	14.9	440
Mercury/Mariner	40, 45, 50	FourStroke	4 cylinder, 935 cc, Big Foot	22.5	655
Mercury/Mariner	40	FourStroke	4 cylinder, 996 cc, Big Foot	24.0	710
Mercury/Mariner	50, 60	FourStroke	4 cylinder, 996 cc, std. Gearcase	11.5	340
Mercury/Mariner	50, 60	FourStroke	4 cylinder, 996 cc, Big Foot	24.0	710

HIGH PERFORMANCE GEAR LUBE - SAE 90

Quicksilver High Performance Gear Lube is recommended for use in marine gear cases with marine engines above 75HP.

SAE 90 GEAR LUBE



92-**8M0219574**
237 ml (8 fl oz) tube

SAE 90 GEAR LUBE



92-**8M0219575**
1 L (33.8 fl oz) plastic bottle

SAE 90 GEAR LUBE QUART & GEAR LUBE PUMP



92-**8M0219576**

Gear lube pump and a one liter of Hi Performance gear lube conveniently packaged together. Use the pump to replace your gear case oil with ease. Fits all quart and liter bottles.

Gear lube pump: Fits all MerCruiser sterndrives and Mercury/Mariner outboards (except models of Japanese origin) with a .375 in-16 drain/fill screw. Adapter available

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SAE 90 GEAR LUBE



92-**8M0219577**

10 L (2.64 gal) plastic bottle

SAE 90 GEAR LUBE



92-**8M0219012**

60 L drum

SAE 90 GEAR LUBE



92-**8M0219013**

208 L drum

HIGH PERFORMANCE GEAR LUBE CAPACITY CHART

This gear lube capacity chart is limited to recent models and has been developed to aid in determining how much gearlube to have on hand when servicing a particular gearhousing. Changing and servicing of gearlube should always be performed in accordance with techniques and procedures as outlined in the appropriate service or owner manuals. The quantities shown here are to be regarded as reference only. Any variation from the quantities shown may indicate an incorrect model selection, the wrong service technique or a more serious problem. Contact your local dealer prior to running if this should occur.

For outboards 75 hp and up and all sterndrives

Mercury or Quicksilver SAE 90 High Performance Gear Lube is recommended

Brand	Model	Cycle	Model Description	Oz.	mL.
Mercury/Mariner	75, 90	2 cycle	3 cylinder	22.5	665
Mercury/Mariner	100, 115, 125	2 cycle	4 cylinder	22.5	665
Mercury/Mariner	115	2 cycle	3 cylinder Optimax	22.5	665
Mercury/Mariner	135, 150	2 cycle	2.0L	22.5	665
Mercury/Mariner	150, 175, 200	2 cycle	2.5L Carb/EFI/Optimax	22.5	665
Mercury/Mariner	200, 225, 250	2 cycle	3.0L Carb/EFI/Optimax	27.0	798
Force	75	2 cycle		12.0	355
Force	90, 120	2 cycle		22.5	655
Mercury/Mariner	75-90	FourStroke	S/N 1B366822 & below	22.5	665
Mercury/Mariner	75-90	FourStroke	S/N 1B366823 & above	24.0	710
Mercury/Mariner	115	FourStroke		24.0	710
Mercury/Mariner	135/150/175	FourStroke	Verado (RH rotation)	32.8	970
Mercury/Mariner	150 EFI	FourStroke	RH rotation	26.4	780
Mercury/Mariner	200	FourStroke	Verado (RH rotation)	32.8	970
Mercury/Mariner	225 EFI	FourStroke	Standard gearcase	39.0	1.15L
Mercury/Mariner	225/250/275/300	FourStroke	Verado (RH rotation)		
			4.8 Diameter	32.8	970
			5.44 Dia. Sportmaster	20.9	620
			5.44 Dia. HD	17.2	510
			5.44 non-HD	28.7	850
MerCruiser	Alpha One Gen II	4 cycle	without Gear lube Monitor	1.22 US Quarts	1.16L
MerCruiser	Alpha One Gen II	4 cycle	with Round Gear lube Monitor	2.0 US Quarts	1.9L
MerCruiser	Alpha One Gen II	4 cycle	with Rectangular Gear lube Monitor	1.75 US Quarts	1.66L
MerCruiser	Bravo One	4 cycle	without Gear lube Monitor	2.0 US Quarts	1.9L
MerCruiser	Bravo One	4 cycle	with Round Gear lube Monitor	3.25 US Quarts	3.07L
MerCruiser	Bravo One	4 cycle	with Rectangular Gear lube Monitor	2.75 US Quarts	2.6L
MerCruiser	Bravo Two	4 cycle	without Gear lube Monitor	2.5 US Quarts	2.4L
MerCruiser	Bravo Two	4 cycle	with Round Gear lube Monitor	3.75 US Quarts	3.55L
MerCruiser	Bravo Two	4 cycle	with Rectangular Gear lube Monitor	3.25 US Quarts	3.07L
MerCruiser	Bravo Three	4 cycle	without Gear lube Monitor	2.0 US Quarts	1.9L
MerCruiser	Bravo Three	4 cycle	with Rectangular Gear lube Monitor	3.0 US Quarts	2.84L

Brand	Model	Cycle	Model Description	Oz.	mL.
MerCruiser	Blackhawk	4 cycle	without Gear lube Monitor	1.75 US Quarts	1.66L
MerCruiser	Blackhawk	4 cycle	with Rectangular Gear lube Monitor	2.25 US Quarts	2.1L

QUICKSILVER GEARCASE LUBRICANT ACCESSORIES

GEAR LUBE PUMP



91-**8M0072133**

Easily replace your lower unit oil with this pump. Fits all quart and liter bottles.

Fits any outboard or stern drive with a 3/8"-16 drain plug. Use adapter (included) for gear cases with an M8x1.25 drain plug.

Priced individually, sold @ multiples of 6

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GEAR LUBE PUMP



91-**850730Q 1**

For all 2-1/2 US gal (10 L) plastic oil bottles. May be used with any outboard which uses a 3/8"-16 drain/fill screw.

Fits all MerCruiser sterndrives and Mercury/Mariner Outboards except those models of Japanese origin.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GEARCASE DRAIN SCREW



10- **79953Q04**

For use on MerCruiser I, R, MR, Alpha One, TR, TRS and all outboards with 3/8-16 non-magnetic gear lube fill or vent screws.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GEAR LUBE PUMP ADAPTER



91-**883704Q03**

Adapts our 3/8-16 threaded quart, liter and 2-1/2 gallon gearlube pumps for filling the gearcase.

Fits Mercury/Mariner 4/5 HP (1987 and newer), 4/5/6 HP FourStroke, 225 EFI FourStroke, MY2005 & newer 8/9.9 HP FourStroke, MY2006 & newer 25/30 EFI FourStroke, the 15/20 HP FourStroke (351cc), all Mercury/Mariner outboards of Japanese origin and all Nissan/Yamaha/Tohatsu/Honda outboards with an 8x1.25 metric threaded gear lube fill hole.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DRAIN SCREW GASKET



26-**8M0183616**

Keep spares on hand to assure placement after changing gear lube in gearcase.

Used with the 3/8-16 drain/fill screw found on all MerCruiser and most Mercury/Mariner outboard gearcases except those of Japanese origin.

2 p,

GEARCASE DRAIN SCREW



22-**8M0058389**

Magnetic screw with premium drain screw seal.

Fits Mercury MerCruiser I, R, MR, Alpha One, TR, TRS, and all outboards with Magnetic gear lube fill or vent 3/8-16 UNC threaded screws.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICKSILVER GREASES

Quicksilver Grease Product Line Simplified

Quicksilver greases have gone through a makeover. The product line has been simplified to eliminate confusion about which grease to use in what application. The line has been reduced from six types of grease to three. Below is a summary of the consolidation:

2-4-C Marine Grease – No change
Needle Bearing Assembly Grease – Now called Assembly Grease. The formula has not changed but the packaging has. Instead of 8 oz tubes, the product now comes in 1lb tubs.
Special 101 – Replaced by 2-4-C Marine Grease
U-Joint and Gimbal Bearing Lubricant – Replaced by Extreme Grease
Anti-Corrosion Grease - Replaced by Extreme Grease
Engine Coupler/Spline Grease - Replaced by Extreme Grease

MARINE GREASE

Quicksilver 2-4-C Marine Grease with PTFE is a high quality, extremely versatile lithium-based, NLGI 2 grease that won't break down when mixed with water. It also has:
• Excellent resistance to oxidation and degradation
• Extreme pressure additives to withstand friction in a wide variety of operations and temperatures
Replaces Quicksilver Special 101 Lubricant part number 92-802865Q02

For use in the following marine applications:
• Steering systems/cable linkages
• Throttle and shift cables and linkages
• Remote controls
• Prop shafts
• Swivel pins
• Tilt lock mechanisms/tilt tube
• Hinge pins
• Boat trailer wheel bearings

2-4-C MARINE LUBRICANT



92-**8M0208464**
3 - 85 g tubes (3 - 3 oz tubes) cartridge

2-4-C MARINE LUBRICANT & CARTRIDGE GUN



92-**8M0213123**
Cartridge gun and one 3 oz.(85 g) cartridge.

2-4-C MARINE LUBRICANT



92-**8M0208465**
2-4C grease with Teflon
227 g (8 oz) tube

2-4-C MARINE LUBRICANT



92-**8M0208463**
Fits standard 14 oz grease guns
397 g (14 oz) cartridge

QUICKSILVER GREASES

MULTI-PURPOSE GREASE

Quicksilver Extreme Grease is a formulated for high-temperature and high-load applications.
• Calcium sulfonate-based NLGI 2 grease
• Meets GC-LB requirements
• Excellent rust and corrosion protection
• Formulated for high-temperature and high load applications
• 100% compatible with lithium-based greases

Replaces:
• Quicksilver Engine Coupler Spline Grease part number 92-802869Q1
• Quicksilver U-Joint & Gimbal Bearing Lubricant part numbers 92-802870Q1 and 92-802871Q1
• Quicksilver Anti-Corrosion Grease part number 92-802867Q1

For use in the following applications for automobiles, light trucks, campers, marine engines, utility trailers, ATV/UTVs, motorcycles and snowmobiles:
• Steering systems/cable linkages
• Throttle and shift cables and linkages
• Drive shaft splines
• Gimbal bearings
• U-Joints
• Suspension systems
• Chassis
• Ball joints
• Disc brakes and ABS applications
• Trailer wheel bearings

See the Non-Marine Application Grease Chart for more information.

EXTREME GREASE



92-8M0208805
85 g (3 oz) 3-pack cartridges

EXTREME GREASE



92-8M0208806
For use in the following applications:
*Steering systems/cable linkages and linkages
*Drive shaft splines
*Gimbal bearings
*U-joints
*Suspension systems
*Chassis
*Ball joints
*disc brakes and ABS applications
*Trailer wheel bearings
227 g (8 oz) tube

EXTREME GREASE



92-8M0208462
Formulated for high-temperature and high-load applications
397 g (14 oz) cartridge

ENGINE ASSEMBLY GREASE

ASSEMBLY GREASE



92-8M0133985
Use to protect newly repaired or rebuilt engines. Will not contaminate engine lubricants and dissolves completely after initial engine startup.

Recommended for engine components that are susceptible to wear at startup such as:
* Bearings
* Camshaft lobes
* Lifters
* Rocker arms
* Wrist pins

For use in the assembly and repair of two and four stroke engines.
454 g (16 oz)

GREASE APPLICATION CHARTS

Marine Application Grease Chart

This chart is a general maintenance guide for applying either 2-4-C Marine Grease or Extreme Grease in marine applications. Maintenance schedules for specific models are included in each engine owner's manual and should be followed as such.

	Outboards	Sterndrives	Freshwater Lubrication Intervals	Saltwater Lubrication Intervals
Steering systems/ cable, linkages	2-4-C	2-4-C	100 hrs./ at least once a year	50 hrs./at least once a year
Throttle and shift cables and linkages	2-4-C	2-4-C	100 hrs.	50 hrs.
Remote controls	2-4-C	2-4-C	100 hrs./or once a year	50 hrs./or once a year
Prop shaft	2-4-C	2-4-C	100 hrs./120 days	50 hrs./60 days
Swivel pins	2-4-C	2-4-C	100 hrs./120 days	50 hrs./60 days
Tilt lock mechanism/tilt tube	2-4-C		100 days	50 days
Hinge pins		2-4-C	100 hrs./or once a year	50 hrs./or once a year

	Outboards	Sterndrives	Freshwater Lubrication Intervals	Saltwater Lubrication Intervals
Drive shaft splines (engine couplers)	Extreme	Extreme	100 hrs./or once a year	50 hrs./or once a year
Gimbal bearings		Extreme	100 hrs./or once a year	50 hrs./or once a year
U-Joint (1)		Extreme	100 hrs./or once a year	50 hrs./or once a year
(1) 1993 and newer Alpha One models have a Perma-lube U-joint which requires no lubrication.				

Non-Marine Application Grease Chart

This chart is a general maintenance guide for applying Extreme Grease in non-marine applications. Maintenance schedules for specific equipment and models are included in your owner's manual and should be followed as such.

Application	ATV/UTV/Motorcycle	Snowmobile	Auto
Steering systems/ cable, linkages	X	X	X
Throttle and shift cables and linkages	X	X	X
Drive shaft splines (engine couplers)			X
U Joint	X		X
Suspension systems	X	X	X
Chassis	X		X
Ball joints			X
Disc brakes and ABS apps	X	X	X

QUICKSILVER PAINTS AND FINISH

PROPELLER PAINT

EDP PROPELLER BLACK PAINT



92-**8M0133931**
340 g (12 oz) spray can

PHANTOM BLACK PAINT



92-**8M0185749**
For all Mercury outboards and MCM/MIE engines and drives.
340 g spray can

SURFACE PREPARATION AND FINISH

LIGHT GRAY PRIMER



92-**8M0185748**
340 g (12 oz) spray can

CLEAR COAT



92-**8M0133935**
For cowls on Mercury, Mariner and Force outboards.
340 g (12 oz) spray can

LEVELER



92-**8M0133937**
Used to smooth the finish of painted objects.
340 g (12 oz) spray can

COWL COVER

56-**8M0162160**
Soft protective cowl cover that can be used for storage or winterization.
For use with 40 horsepower and above outboard engines.
Priced individually, sold @ multiples of 10

QUICKSILVER STEERING FLUID

POWER TRIM AND STEERING FLUID



92-**858074QB1**

A universal hydraulic fluid designed to mix with all hydraulic fluids, protect seals and hoses, and prevent foaming, oxidation and corrosion.

Recommended for all outboard and sterndrive applications except electric power steering systems (use Synthetic Power Steering Fluid SAE 0W30) and non-power hydraulic steering systems (use Hydraulic Helm Steering Fluid)

Recommended for all applications that require a Type F Transmission Fluid

237 ml (8 fl oz) plastic bottle

POWER TRIM AND STEERING FLUID



92-**858075QB1**

A universal hydraulic fluid designed to mix with all hydraulic fluids, protect seals and hoses, and prevent foaming, oxidation and corrosion.

Recommended for all outboard and sterndrive applications except electric power steering systems (use Synthetic Power Steering Fluid SAE 0W30) and non-power hydraulic steering systems (use Hydraulic Helm Steering Fluid)

Recommended for all applications that require a Type F Transmission Fluid

1L (33.8 fl oz) plastic bottle

HYDRAULIC HELM STEERING FLUID



92-**858078QB1**

For use in MCM compact hydraulic helm steering systems.
Also used on Mercury Hydraulic Steering - Verado 135-175 and bolt-on steering system.

1 L (33.8 fl oz) plastic bottle

QUICKSILVER TRANSMISSION FLUID

QUICKSILVER AUTOMATIC TRANSMISSION FLUID



92-**8M0181583**

Meets DEXRON-III requirements. Resists breakdown from heat, and loss of proper lubricity. Engineered to withstand the rigorous demands of the marine environment.

Specifically formulated, tested and recommended for use in outboards, inboards, and tow sport transmissions requiring DEXRON-III fluid.

1L plastic bottle

QUICKSILVER AUTOMATIC TRANSMISSION FLUID



92-**8M0181585**

Meets DEXRON-III requirements. Resists breakdown from heat, and loss of proper lubricity. Engineered to withstand the rigorous demands of the marine environment.

Specifically formulated, tested and recommended for use in outboards, inboards, and tow sport transmissions requiring DEXRON-III fluid.

208L drum

SHOP PRODUCTS FOR ENGINE ASSEMBLY AND MAINTENANCE

SHOP PRODUCTS FOR ENGINE ASSEMBLY AND MAINTENANCE

ADHESIVES AND SEALANTS

BELLOWS ADHESIVE



92-**8M0133959**

Securely seals universal and exhaust bellows.
For all MCM sterndrives.
42.5 g (1.5 oz) tube
Quicksilver Branded, Box Point of Sale Packaged.

SHOP TOOLS AND ACCESSORIES

BARREL PUMP

BARREL PUMP



91-**850438 1**

Professional barrel pump with non-drip spout, 360 degree swivel handle and telescopic tube. Delivers approximately 10 oz. per stroke, equipped with standard 2" bung assembly.

Adjusts to fit 15 to 55 gallon drums.

BARREL PUMP



91-**878373**

Heavy duty barrel pump of rugged die cast and steel assembly, standard 2" bung assembly and discharge spout threads which can fit a garden hose fitting. Long lasting Buna-N seals for superior suction.

Telescoping pick-up tube accommodates varying barrel sizes.

BARREL PUMP



91-**878375**

Aluminum rotary hand pump includes bung adapter, 4 ft. polyethylene discharge hose and two piece steel suction pipe.

For use with gasoline, diesel and similar light petroleum products including 2 and 4 cycle oils.

OIL CHANGE PUMP



91-**8M0180953**

V12 reverse pump to change all of the lubricants: transmission fluid, gear case fluid and engine oil.

V12 7.6L 500-600HP outboards

CRANKCASE OIL PUMP AND ADAPTER

OIL DRAIN PUMP



802889Q 1

8/9.9 4-stroke outboards require additional adapter 828369

Fits all MCM/MIE engines with threaded fitting on dipstick tube, and Mercury/ Mariner 8/9.9 FourStroke outboards MY2004 and prior.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

CRANKCASE OIL PUMP



802889A 1

8/9.9 4-stroke outboards require additional adapter 828369

Fits all MCM/MIE engines with threaded fitting on dipstick tube, and Mercury/ Mariner 8/9.9 (4-stroke) outboards.

Mercury Precision Branded, Hanging Box Point of Sale Packaged.

OIL PUMP EXTRACTION TUBE



32-**859717A 2**

.375 in O.D. tube, 19.5 in. long

Connects to the crankcase oil pump for use on the Zeus drive and various Mercury/ Mariner FourStroke outboards.

ADAPTER



828369

Adapts the standard threaded style MerCruiser crankcase pump for use on the Mercury/Mariner 8/9.9 hp. FourStroke outboards (MY2004 & prior) and the 15hp. FourStroke outboard (323cc).

OIL PUMP ADAPTER HOSE



32-**863642**

Fits MCM/MIE D1.7L DTI diesel engines.

GREASE GUNS

GREASE GUN



91- **37299A 2**

Pistol grip gun

for use with 8 oz.(227 g) tubes

Priced individually, sold @ multiples of 4

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

GREASE GUN



91- **37299Q 2**

Pistol grip gun. Aids in the lubrication of key areas on the drive and transom. Allows easy access to grease fittings.

For use with 8 oz.(227 g) tubes.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GREASE GUN



91- **30500**

Plunger type gun

for use with 8 oz.(227 g) tubes

GREASE GUN



91- **74057A 6**

Cartridge gun.

for 3 oz.(85 g) cartridges

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

GREASE GUN



91- **74057Q 6**

for 3 oz.(85 g) cartridges

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCHES

OIL FILTER WRENCH



91-889277

Made of metal. Requires a 3/8" drive.

Fits the Quicksilver 35-822626Q15 screw-on type canister oil filter found on the V-225 hp. FourStroke outboard and the new 877767__ & 877769__ series filters for the 135-300 Verado.

OIL FILTER WRENCH



91-889277002

Made of metal. Requires a 3/8" drive.

Fits the Mercury 35-822626T 7 screw-on type canister oil filter found on the V-225 hp. FourStroke outboard.

OIL FILTER WRENCH



91-889277K01

Metal wrench, requires a 3/8 in. drive ratchet.

Fits the (877761__) oil filter found on the 75-115 EFI FourStroke outboard (serial number 1B366823-2B094955) and the 150 hp. EFI FourStroke outboard. Also fits the MCM (866340__) oil filter and (802893__) fuel filter found on many MCM engines.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCH



91-889277K03

Metal wrench, requires a 3/8 in. drive ratchet.

Fits the 896546_ series & 883701_ series oil filter found on the early Verado 135-275 hp. FourStroke outboards.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

OIL DRIP TRAY



8M0052100

After the oil resevoir has been properly drained, this tray when in place will help to prevent oil from dripping into the lower cowl when removing the side mounted engine filters listed in the application.

Fits the F25/30hp. EFI FourStroke Outboards and the F40-60hp. FourStroke outboards.

TABLE OF CONTENTS

Quick Reference Guide-Outboard 316

DTS Rigging 343

Quick Reference FourStroke Charts 320

Quick Reference TwoStroke Charts 316

Quick Reference Guide-MerCruiser 347

Quick Reference MerCruiser Charts- Gas Models 347

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE TWOSTROKE CHARTS

75–90–115 Optimax 1B227000 & above

Description		Part Number			Page
	Controls				
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2			405
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213			399
	Finger Release - Chrome Handle	8M0030550			399
	Lock Bar	883710A02			400
Console Mount (single eng. with trim) - Commander		88688A25			406
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22			406
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245			401
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	8M0082526	thru	8M0085125	413
	Instrumentation				
All Models Max WOT Range = 5,000-5,750 RPM's					
Tachometer Harness - Analog	5 ft. length x 14 pin	84-892990T01			477
	10 ft. length x 14 pin	84-892990T10			477
	15 ft. length x 14 pin	84-892990T15			477
Power Trim Sender Kit		8M0098264			
Water Pressure Gauge Hose Kit	(required for analog gauge use)	32-892156A01			
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399			
	Electrical				
Ignition/Choke Assembly - 11 ft. (3.35 m) harness		84-896537K11			489
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15			489
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20			489
Ignition/Choke Assembly - 25 ft. (7.62 m) harness		84-896537K24			489
Ignition/Choke Assembly - 30 ft. (9.14 m) harness		84-896537K29			489
Power Trim Switch Kit - 10 ft. (3.0 m)	Transom Mounted	87- 18286A18			26, 511
Power Trim Switch Kit - 25 ft. (7.6 m)	Transom Mounted	87- 18286A19			511
Lanyard Stop Switch, single outboard	Flush mounted	87- 19674A07			495
	Chrome bezel mounted	87- 19674A08			495
Lanyard Stop Switch, dual outboards	Flush mounted	87- 19674A12			496
	Fuel Line Assemblies, Tanks & Hardware (Low Permeation hoses shown below)				
Fuel Filter	Located on VST	35-8M0122424			248
Fuel Line 9 ft. (2.74m) - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061899			65
Fuel Line 12 ft. (3.7m) - Q/S - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061887			

Description		Part Number	Page
Fuel Line 12 ft. (3.7m) - MPP - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061896	
Fuel Line 9 ft. (2.74m) - (non-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M8026967	
Fuel Line 12 ft. (3.7m) - Q/S - (non-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0054326	
Bulk Fuel Line - (low permeation)	5/16 ID - no bulb or ends - 100 ft.	32-8M0038500	66
	3/8 ID - no bulb oe ends - 100 ft.	32-8M0038563	66
Fuel Line Connector	3/8 to 5/16	22-8M0001721	71
Primer Bulb - MPP (US-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0061876	67
Primer Bulb - QS (US-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0061875	
Primer Bulb - MPP (non-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0054314	66
Primer Bulb - QS (non-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0054313	
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. - Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) - Plastic Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	63
Fuel Tank (non-US) 6.6 gal. - Plastic Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	63
	Miscellaneous Accessories		
Remote Oil Tank Kit		1257- 8742A25	87, 370
Tilt Limit Switch Kit	Analog device	899625K02	509
	Digital device	899625K04	509
Coastal Flushing Kit	(allows engine flushing while in water)	858566A02	60
Big Tiller thottle/shift cable kit	Required for either version	8M0082352	39
Big Tiller Auxiliary Light	Optional	87-897978T02	39, 522
RPM Adjuster	Optional	87-8M0083437	39, 512
Flushing Attachment - allows running engine - Q/S	(not for use with Jet 65)	44357Q 2	203
Flushing Attachment - allows running engine - MPP	(not for use with Jet 65)	44357T 2	167
	Steering		
Ride Guide Attaching Kit - 75/90	Single Engine - Single Cable	92876A12	549
	Single Engine - Two Cable	92876A 8	552
	Dual Engine - Two Cable	92876A 9	552
	Hydraulic Steering - Optional		
Hydraulic Helms	Standard 1.4L Helm w/fluid & mtg. hdwe.	8M0050098	535
	Tilt Helm w/fluid & mtg. hdwe.	8M0050099	536
Remote Fill Kit	Use with Tilt Helm Kit	64-889934A05	538
Hydraulic Hoses	Cylinder to helm	32-8M0053474 thru 8M0053491	538
Hydraulic Cylinder - Standard Rotation	Single engines	8M0183698	535

V-6 Optimax (Non DTS) 1B227000 & above

Description		Part Number	Page
	Controls		
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2	405
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	399
	Finger Release - Chrome Handle	8M0030550	399
	Lock Bar	883710A02	400
Console Mount (single eng. with trim) - Commander		88688A25	406
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22	406
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245	401
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	8M0082526 thru 8M0085125	413
	Instrumentation - Analog Gauges		
135 HP. Max WOT Range = 5,000-5,600 RPM's 150/175 HP. Max WOT Range = 5,250-5,750 RPM's 200/225 HP. Max WOT Range = 5,000-5,750 RPM's 250 HP. Max WOT Range = 5,500-6,000 RPM's			
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399	
Tachometer Harness - Analog	5 ft. length x 14 pin	84-892990T01	477
	10 ft. length x 14 pin	84-892990T10	477
	15 ft. length x 14 pin	84-892990T15	477
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	381
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	378
	Round - White	79-892219K20	378
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	367
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	367
	Gateway Level 3 Data and SmartTow Pro	79-8M0135618	367
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135619	367
	MercMonitor - no NMEA2000	79-8M0119406	368
SC1000 Black - Glass Lens	Bezels must be ordered separately.		
	Glass Lens 7,000 Tach	79-8M0135641	374
SC1000 White - Glass Lens	Bezels must be ordered separately.		
	Glass Lens 7,000 Tach	79-8M0135634	374
SC1000 Gray - Glass Lens	Bezels must be ordered separately.		
	Glass Lens 7,000 Tach	79-8M0135645	375
VesselView403		8M0124498	364
VesselView502 Single Engine		8M0110643	363
VesselView502 Multi Engine		8M0110646	363
VesselView703 Single Engine		8M0124495	363
VesselView703 Multi Engine		8M0124496	363
VesselView903 Single Engine		8M0129543	363
VesselView903 Multi Engine		8M0129545	363

Description		Part Number	Page
	Electrical		
Ignition/Choke Assembly - 2 ft. (609 mm) harness		84-896537K02	488
Ignition/Choke Assembly - 8 ft. (2.44 m) harness		84-896537K08	489
Ignition/Choke Assembly - 11 ft. (3.35 m) harness		84-896537K11	489
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15	489
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20	489
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	Single harness	84-896537K24	489
Ignition/Choke Assembly - 25 ft. (7.62 m) harnesses	Two harnesses	84-896537K25	489
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	Single harness	84-896537K29	489
Ignition/Choke Assembly - 30 ft. (9.14 m) harnesses	Two harnesses	84-896537K30	489
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	495
	Chrome bezel mounted	87- 19674A08	495
Lanyard Stop Switch, dual engine	Flush mounted	87- 19674A12	496
Diode Assembly - dual engine	(required to use a single lanyard)	84-898289A72	496
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hoses shown below)		
Water Separating Fuel Filter - canister style	Located on 3.0L EFI and all 2.5L	35- 18458Q 4	77
Fuel Filter - Element Style	Located on 3.0L DFI and DTS	35-8M0122424	248
Fuel Line 9 ft. (2.74m) - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061899	65
Fuel Line 12 ft. (3.7m) - Q/S - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061887	
Fuel Line 12 ft. (3.7m) - MPP - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061896	
Fuel Line 9 ft. (2.74m) - (non-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M8026967	
Fuel Line 12 ft. (3.7m) - Q/S - (non-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0054326	
Bulk Fuel Line - (low permeation)	5/16 ID - no bulb or ends - 100 ft.	32-8M0038500	66
	3/8 ID - no bulb or ends - 100 ft.	32-8M0038563	66
Fuel Line Connector	3/8 to 5/16	22-8M0001721	71
Primer Bulb - MPP (US-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0061876	67
Primer Bulb - QS (US-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0061875	
Primer Bulb - MPP (non-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0054314	66
Primer Bulb - QS (non-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0054313	
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) - Plastic Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	63
Fuel Tank (non-US) 6.6 gal. - Plastic Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	63
	Miscellaneous Accessories		
Oil Tank Extension Kit	(includes 30 ft. of double oil hose)	41729A 3	88
Oil Tank Hold Down Kit	For optional 1.8 gallon tank	824954A 1	88
	For 3 gallon tank - floor or wall mount	12335A 1	88
	For 3 gallon tank - floor mount only	884481A 1	88
Optional Oil Tank System	1.8 gallon (6.8 L)	15943A 1	87
Deck Oil Fill	Straight filler neck	15969A09	88
	80 degree filler neck	15969A10	88

Description		Part Number			Page
Rigging Hose Kit		32-825191A03			45, 409
Trim Limit Switch Kit - mercury switch style	Model Year 2003 & newer 3.0L Optimax	87-887979A 2			29
Trim Limit Switch Kit - electronic switch style	Analog device	899625K02			509
Trim Limit Switch Kit - electronic switch style	Digital device	899625K04			509
Trim Reducer Kit		858915A 1			29
Trailering Clip		833006A 1			29
Big Tiller throttle/shift cable kit	Required	8M0082353			39
Big Tiller Auxiliary Light	Optional	87-897978T02			39, 522
RPM Adjuster	Optional	87-8M0083437			39, 512
Flushing Attachment - allows running engine - Q/S	(not for use with Jet)	44357Q 2			203
Flushing Attachment - allows running engine - MPP	(not for use with Jet)	44357T 2			167
Dual Water Pickup Flush Seal Kit - Q/S		881150Q 1			59
Dual Water Pickup Flush Seal Kit - MPP		881150K 1			204
	Steering				
Ride Guide Attaching Kit - Mechanical	Single Engine - Two Cable	92876A 8			552
	Dual Engine - Two Cable	92876A 9			552
Hydraulic Steering - bolt on	Standard 1.5 Helm without hoses	8M0056139			536
	Tilit Helm w/remote fill (no hoses)	8M0056140			536
	Port Cylinder	8M0184534			536
	Starboard Cylinder	8M0184533			536
Hydraulic Hoses	Cylinder to Helm	32-8M0053474	thru	8M0053491	538
Dual Engine Tie Bars	Dual engine with single cylinder	64-8M0063473	thru	8M0063477	532
	Dual engine with two cylinders	64-892789Q22	thru	892789Q27	533
Kicker Tie Bar	Port engine mount	898370A03			533
	Starboard engine mount	898966A02			534

QUICK REFERENCE FOURSTROKE CHARTS

4-5-6 Hp FourStroke 0R411838 & above

Description		Part Number			Page
	Controls				
Remote Control Conversion Kit	Converts Tiller model to RC model	8M0062241			408
Throttle/Shift Cables (two required)		8M0085937	thru	8M0085963	414
	Instrumentation				
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399			

Description		Part Number	Page
	Fuel Line Assemblies, Tanks & Hardware		
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598	
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876	67
	QS Branded	8M0061875	
	Miscellaneous Accessories		
Flushing Attachment - static flush	Serial number 0R411838 and above	8M0057047	58
Flushing Attachment - allows running engine - Q/S		12612Q 2	59

8-9.9 Hp FourStroke 0R192772 & above

Description		Part Number	Page
	Controls		
Panel Mount Controls - General Information	May only be used above s/n 0R052327		
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212	399
	Lock Bar	883710A01	400
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	399
	Finger Release - Chrome Handle	8M0030550	399
	Lock Bar	883710A02	400
Console Mount - General Information	May only be used above s/n 0R052327		
Throttle/Shift Cables (two required) - GEN II		8M0082526 thru 8M0082553	413
	Instrumentation		
8/9.9 Hp. Max WOT Range = 5,000-6,000 RPM's			
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399	
	Ignition/Charging Electrical		
14 pin x 2 ft. (.61 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T02	476
14 pin x 8 ft. (2.44 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T08	476
14 pin x 11 ft. (3.35 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T11	476
14 pin x 15 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T15	476
14 pin x 20 ft. (6.1 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T20	477
14 pin x 25 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T24	477
14 pin x 30 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T29	477
Keyswitch	Required for above harnesses	87- 88107A13	485
Ignition/Choke Assembly - Transom Mounted	14 pin, requires adapter harness & choke harness	15000A14	34, 490
Ignition/Choke Assembly - 2 ft. (.61 m) harness	8 pin, requires adapter harness	84-816626A 2	216, 488
Ignition/Choke Assembly - 8 ft. (2.44 m) harness	8 pin, requires adapter harness	84-816626A 8	488
Ignition/Choke Assembly - 11 ft. (3.35 m) harness	8 pin, requires adapter harness	84-816626A11	488
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A15	216, 488

Description		Part Number	Page
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	8 pin, requires adapter harness	84-816626A20	216, 488
Ignition/Choke Assembly - 25 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A24	216, 488
Ignition/Choke Assembly - 30 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A29	488
Ignition/Choke Assembly - Transom Mounted	8 pin, requires adapter harness	15000A 7	34, 490
Adapter Harness	Adapts 14 pin control harness to engine Amp connector	84-896541T01	482
Adapter Harness	Adapts 8 pin control harness to engine Amp connector	84-892473A01	403
Choke Harness with gauge connections	Use if gauges are to be hooked up	84-892990T01	477
Choke Harness without gauge connections	Use for choke only, no gauges	84-896537T99	477
	Fuel Line Assemblies, Tanks & Hardware		
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598	
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876	67
	QS Branded	8M0061875	
	Miscellaneous Accessories		
Pro-Kicker Strap Kit	Fits ELPT & EXLPT, Pro-Kicker models	896297A01	95
Flushing Attachment - static flush - Q/S		16841Q02	60
Flushing Attachment - allows running engine - Q/S	Used with BigFoot gearcase	12612Q 2	59
Flushing Attachment - allows running engine - Q/S	Used with Standard & BigFoot gearcase	44357Q 2	203
Mounting Hardware Kit	2 screws, washers & nuts	56- 92729A49	56

15 Hp (351cc) FourStroke 0R235949 & above

Description		Part Number	Page
	Controls		
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212	399
	Lock Bar	883710A01	400
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	399
	Finger Release - Chrome Handle	8M0030550	399
	Lock Bar	883710A02	400
Throttle/Shift Cables (two per engine) - (Gen II)	Premium Series	8M0082526 thru 8M0082553	413
	Instrumentation		
15 Hp. maximum WOT range = 5,000-6,000 RPM's			
Tachometer Harness	Use with 8 or 10 pin Side Mount controls or harness	84- 86396A 8	505
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount controls or harness	84-892990T01	477
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount controls or harness	84-892990T10	477

Description		Part Number	Page
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount controls or harness	84-892990T15	477
Low Oil Warning Light Kit	Dash Mounted - ERC Models only	8M0031424	
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399	
	Electrical		
14 pin x 2 ft. (.61 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T02	476
14 pin x 8 ft. (2.44 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T08	476
14 pin x 11 ft. (3.35 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T11	476
14 pin x 15 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T15	476
14 pin x 20 ft. (6.1 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T20	477
14 pin x 25 ft. (7.62 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T24	477
14 pin x 30 ft. (9.14 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T29	477
Keyswitch	Required for harnesses above	87- 88107A13	485
Ignition/Choke Assembly - Transom Mounted	14 pin, requires adapter harness & choke harness	15000A14	34, 490
Ignition/Choke Assembly - 2 ft. (.61 m) harness	8 pin, requires adapter harness	84-816626A 2	216, 488
Ignition/Choke Assembly - 8 ft. (2.44 m) harness	8 pin, requires adapter harness	84-816626A 8	488
Ignition/Choke Assembly - 11 ft. (3.35 m) harness	8 pin, requires adapter harness	84-816626A11	488
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A15	216, 488
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	8 pin, requires adapter harness	84-816626A20	216, 488
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	8 pin, requires adapter harness	84-816626A24	216, 488
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	8 pin, requires adapter harness	84-816626A29	488
Ignition/Choke Assembly - Transom Mounted	8 pin, requires adapter harness	15000A 7	34, 490
Adapter Harness	Adapts 8 pin control harness to engine Amp connector	84-892473A01	403
Adapter Harness	Adapts 14 pin control harness to engine Amp connector	84-896541T01	482
Choke Harness with gauge connections	Use if gauges are to be hooked up	84-892990T01	477
Choke Harness without gauge connections	Use for choke only, no gauges	84-896537T99	477
	Fuel Line Assemblies, Tanks & Hardware		
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598	
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876	67
	QS Branded	8M0061875	
	Miscellaneous Accessories		
Oil Filter - QS		35-8M0162831	231
Oil Filter Wrench - QS		91-802653Q02	93
Flushing Attachment - allows running engine - Q/S		44357Q 2	203

20 Hp (351cc) FourStroke 0R235168 & above

Description		Part Number	Page
	Controls		
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212	399
	Lock Bar	883710A01	400
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	399
	Finger Release - Chrome Handle	8M0030550	399
	Lock Bar	883710A02	400
Console Mount (single eng. w/o-trim) - MCC 4500	Gen II	N.L.A.	
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0176287	402
Throttle/Shift Cables (two per engine) - (Gen I)	Premium Series	8M0082479 thru 8M0082508	412
Throttle/Shift Cables (two per engine) - (Gen II)	Premium Series	8M0082526 thru 8M0082553	413
	Instrumentation		
20 Hp. maximum WOT range = 5,100-6,100 RPM's			
Tachometer Harness	Use with 8 or 10 pin Side Mount controls or harness	84- 86396A 8	505
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount controls or harness	84-892990T01	477
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount controls or harness	84-892990T10	477
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount controls or harness	84-892990T15	477
Low Oil Warning Light Kit	Dash Mounted - ERC Models only	8M0031424	
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399	
	Electrical		
14 pin x 2 ft. (.61 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T02	476
14 pin x 8 ft. (2.44 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T08	476
14 pin x 11 ft. (3.35 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T11	476
14 pin x 15 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T15	476
14 pin x 20 ft. (6.1 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T20	477
14 pin x 25 ft. (7.62 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T24	477
14 pin x 30 ft. (9.14 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T29	477
Keyswitch	Required for harnesses above	87- 88107A13	485
Ignition/Choke Assembly - Transom Mounted	14 pin, requires adapter harness & choke harness	15000A14	34, 490
Ignition/Choke Assembly - 2 ft. (.61 m) harness	8 pin, requires adapter harness	84-816626A 2	216, 488
Ignition/Choke Assembly - 8 ft. (2.44 m) harness	8 pin, requires adapter harness	84-816626A 8	488
Ignition/Choke Assembly - 11 ft. (3.35 m) harness	8 pin, requires adapter harness	84-816626A11	488
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A15	216, 488
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	8 pin, requires adapter harness	84-816626A20	216, 488
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	8 pin, requires adapter harness	84-816626A24	216, 488
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	8 pin, requires adapter harness	84-816626A29	488
Ignition/Choke Assembly - Transom Mounted	8 pin, requires adapter harness	15000A 7	34, 490
Adapter Harness	Adapts 8 pin control harness to engine Amp connector	84-892473A01	403
Adapter Harness	Adapts 14 pin control harness to engine Amp connector	84-896541T01	482
Choke Harness with gauge connections	Use if gauges are to be hooked up	84-892990T01	477
Choke Harness without gauge connections	Use for choke only, no gauges	84-896537T99	477

Description		Part Number	Page
	Fuel Line Assemblies, Tanks & Hardware		
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598	
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876	67
	QS Branded	8M0061875	
	Miscellaneous Accessories		
Oil Filter - QS		35-8M0162831	231
Oil Filter Wrench - QS		91-802653Q02	93
Flushing Attachment - allows running engine - Q/S		44357Q 2	203

25-30 Hp EFI FourStroke 0R106999 & above

Description		Part Number	Page
	Controls		
Side Mount - MSC 4000 Series - Electric w/trim	Extra 6 ft. Extension (10 pin)	84-8M0058668	403
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2	405
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212	399
	Lock Bar	883710A01	400
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	399
	Finger Release - Chrome Handle	8M0030550	399
	Lock Bar	883710A02	400
Console Mount (dual eng. w/o-trim) - MCC 4500	Gen II	8M0075244	401
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245	401
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	8M0082526 thru 8M0082553	413
	Instrumentation		
25 Hp. Max WOT range = 5,000-6,000 RPM's 30 Hp. Max WOT range = 5,250-6,250 RPM's			
Tachometer Harness - Analog - 5ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T01	477
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T10	477
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T15	477
Power Trim Sender Kit		822573A12	
Low Oil Warning Light Kit	Dash Mounted - ERC Models only	8M0031424	

Description		Part Number	Page
	Ignition/Charging		
	Electrical		
Ignition/Choke Assembly - 11 ft. (3.35 m) harness		84-896537K11	489
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15	489
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20	489
Ignition/Choke Assembly - 30 ft. (9.14 m) harness		84-896537K29	489
Ignition/Choke Assembly - Transom Mounted	14 pin connector	15000A14	34, 490
MerCathode		8M0180081	181
	Fuel Line Assemblies, Tanks & Hardware		
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598	
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876	67
	QS Branded	8M0061875	
	Miscellaneous Accessories		
Oil Filter - QS		35-8M0162831	231
Oil Filter Wrench - QS		91-802653Q02	93
Flushing Attachment - allows running engine - Q/S		44357Q 2	203
	Steering		
Steering Link Rod with engine bracket	Starboard Entry, thru-tilt tube mechanical	898101A45	550

40 Hp (3 cyl) FourStroke 1C049739 & above

Description	Application	Part Number	Thru P/N	Page
	Controls			
Side Mount - MSC 4000 Series - Electric (non-trim)	15 ft. (4.6 m) harness, Gen II	8M0176289		404
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness, Gen II	8M0176294		402
	20 ft. (6.1 m) harness, Gen II	8M0176295		402
	Extra 6 ft. Extension (10 pin)	84-8M0058668		403
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2		405
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212		399
	Lock Bar	883710A01		400
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213		399
	Finger Release - Chrome Handle	8M0030550		399
	Lock Bar	883710A02		400

Description	Application	Part Number	Thru	P/N	Page
Console Mount (single eng. w/o-trim) - Commander		88688A27			406
Console Mount (single eng. w/o-trim) - MCC 4500	Gen II	8M4507540			400
Console Mount (single eng. with trim) - Commander		88688A25			406
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M4507538			400
Console Mount (dual eng. w/o-trim) - Commander		88688A24			407
Console Mount (dual eng. w/o-trim) - MCC 4500	Gen II	8M0075244			401
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22			406
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245			401
Remote Control Attaching Kit	Converts EH (tiller) to ERC (remote)	880095A08			408
Throttle/Shift Cables (two per engine) - (Gen I)	(Premium Series)	8M0082479	thru	8M0082508	412
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	8M0082526	thru	8M0085125	413
	Instrumentation				
40 Hp. Max. WOT Range = 5,500-6,000 RPM's					
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T01			477
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T10			477
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T15			477
Power Trim Sender Kit		8M0098264			
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399			
	Electrical				
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15			489
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20			489
Ignition/Choke Assembly - Transom Mounted		15000A14			34, 490
Power Trim Switch Kit - 10 ft. (3.0 m)		87- 18286A18			26, 511
Power Trim Switch Kit - 25 ft. (7.6 m)		87- 18286A19			511
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07			495
	Chrome bezel mounted	87- 19674A08			495
Lanyard Stop Switch, dual engines	Flush mounted	87- 19674A12			496
	Chrome bezel mounted	N.L.A.			
MerCathode		8M0180081			181
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hoses shown below)				
Fuel Filter - EFI Models	In-Line	35-879885K			236
Fuel Line 100 ft. (30.5m) - (low permeation)	3/8 ID	32-8M0038563			66
	5/16 ID	32-8M0038500			66
Fuel Line Coupler	Barbed ends, couples 3/8 ID line to 5/16 ID Line	22-8M0001721			71
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600			
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Threaded fuel line connection	N.L.A.			

Description	Application	Part Number	Thru P/N	Page
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Threaded fuel line connection & integral gauge	1200-8M0047607		63
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451		63
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691		
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Threaded fuel line connection	1200-8M0057254		64
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Threaded fuel line connection & integral gauge	1200-8M0047603		63
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452		63
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876		67
	Quicksilver Branded	8M0061875		
Primer Bulb Assembly (non-EPA)	MPP Branded	8M0054314		66
	Quicksilver Branded	8M0054313		
	Miscellaneous Accessories			
Oil Filter - QS		35-8M0162830		287
Oil Filter - MPP		35-8M0162829		232
Oil Filter Wrench - QS		91-802653Q02		93
Oil Filter Wrench - MPP		N.L.A		
Crankcase Oil Pump		802889Q 1		312
Thermostat Kit		825212A 1		231
Tiller Handle Kit	Converts ERC (remote) to EH (tiller)	880093A03		38
Flushing Attachment - allows running engine - Q/S		44357Q 2		203
Flushing Attachment - allows running engine - MPP		44357T 2		167
	Steering			
Steering Bracket w/o carrying handle		816667A 2		45, 550
Ride Guide Attaching Kit	Starboard Cable Entry	19608A14		549
	Port Cable Entry	19609A 6		549

40-50-60 Hp FourStroke 1C050252 & above

Description	Application	Part Number	Thru P/N	Page
	Controls			
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness, Gen I	8M0176287		402
	20 ft. (6.1 m) harness, Gen I	8M0176288		402
	Extra 6 ft. extension (10 pin)	84-8M0058668		403
Dual Engine Remote Control Kit	Used with side mount controls	16909A 2		405
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213		399
	Finger Release - Chrome Handle	8M0030550		399
	Lock Bar	883710A02		400
Console Mount (single eng. with trim) - Commander		88688A25		406
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M4507538		400

Description	Application	Part Number	Thru	P/N	Page
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22			406
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245			401
Remote Control Conversion Kit	40 BigFoot, 50 & 60	880095A08			408
	Converts EH (tiller) to ERC (remote)				
Remote Control Extension Harness - 10 ft. (3.0 m)		84- 17829A10			478
Remote Control Extension Harness - 20 ft. (6.1 m)		84- 17829A20			479
Throttle/Shift Cables (two per engine) - (Gen I)	(Premium Series)	8M0082479	thru	8M0082508	412
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	8M0082526	thru	8M0085125	413
	Instrumentation - Analog Gauges				
40/50/60 Hp. Max WOT Range = 5,500-6,000 RPM's					
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T01			477
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount Controls or harnesses	84-892990T10			477
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount Controls or harnesses	84-892990T15			477
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399			
(Verify engine for suitability of product)	Instrumentation - SmartCraft Gauges				
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21			381
SC1000 System Monitor - Rear Mount	Rectangular	NLA			
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19			378
	Round - White	79-892219K20			378
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536			367
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617			367
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618			367
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619			367
	MercMonitor - No NMEA2000 Data	79-8M0119406			368
SC1000 Black - Glass Lens	Bezels must be ordered separately				
	Glass Lens 7,000 Tach	79-8M0135641			374
	Glass Lens, Single Engine Kit	79-8M0185894			374
	Glass Lens, Dual Engine Kit	79-8M0185893			374
SC1000 White - Glass Lens	Bezels must be ordered separately				
	Glass Lens 7,000 Tach	79-8M0135634			374
	Glass Lens, Single Engine Kit	79-8M0185891			374
	Glass Lens, Dual Engine Kit	79-8M0185892			374
SC1000 - Gray Lens	Bezels must be ordered separately				
	Glass Lens 7,000 Tach	79-8M0135645			375
	Glass Lens, Single Engine Kit	79-8M0185895			
	Glass Lens, Dual Engine Kit	79-8M0185906			
VesselView403		8M0124498			364
VesselView502 Single Engine		8M0110643			363
VesselView502 Multi Engine		8M0110646			363

Description	Application	Part Number Thru P/N	Page
VesselView703 Single Engine		8M0124495	363
VesselView703 Multi Engine		8M0124496	363
VesselView903 Single Engine		8M0129543	363
VesselView903 Multi Engine		8M0129545	363
	Electrical		
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15	489
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20	489
Ignition/Choke Assembly - Transom Mounted		15000A14	34, 490
Power Trim Switch Kit - 10 ft. (3.0 m)	With or without tiller handle	87- 18286A18	26, 511
Power Trim Switch Kit - 25 ft. (7.6 m)	With or without tiller handle	87- 18286A19	511
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	495
	Chrome bezel mounted	87- 19674A08	495
Lanyard Stop Switch, dual engines	Flush mounted	87- 19674A12	496
	Chrome bezel mounted	NLA	
MerCathode		8M0180081	181
	Fuel Line Assemblies, Tanks & Hardware (Low Permeation hoses shown below)		
Fuel Filter - EFI Models		35-879885K	236
Fuel Line 100 ft. (30.5m) - (low permeation)	3/8 ID	32-8M0038563	66
	5/16 ID	32-8M0038500	66
Fuel Line Coupler	Barbed ends, couples 3/8 ID line to 5/16 ID line	22-8M0001721	71
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Threaded fuel line connection	N.L.A.	
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Threaded fuel line connection & integral gauge	1200-8M0047607	63
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	63
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Threaded fuel line connection	1200-8M0057254	64
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Threaded fuel line connection & integral gauge	1200-8M0047603	63
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	63
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876	67
	QS Branded	8M0061875	
Primer Bulb Assembly (non-EPA)	MPP Branded	8M0054314	66
	QS Branded	8M0054313	
	Miscellaneous Accessories		
Oil Filter - QS		35-8M0162829	232
Oil Filter - MPP		35-8M0162829	232
Oil Filter Wrench - QS		91-802653Q02	93
Oil Filter Wrench - MPP		NLA	
Crankcase Oil Pump		802889Q 1	312

Description	Application	Part Number	Thru	P/N	Page
Tiller Handle Kit	40 BigFoot, 50 & 60	880093A03			38
	Converts ERC (remote) to EH (tiller)				
Big Tiller for ELPT Models	Manual mechanical, non-power steering	NLA			
Big Tiller for ELHPT Models	Manual mechanical, non-power steering	NLA			
Big Tiller throttle/shift cable kit	Required for either version	8M0082354			39
Big Tiller Auxiliary Light	Optional	87-897978T02			39, 522
Big Tiller RPM Adjuster	Optional	87-8M0083437			39, 512
Tilt Limit Switch Kit	Analog device	899625K08			509
Driveshaft Extension Kit - 5 in. - 40 BigFoot	Converts 20 in. (508 mm) to 25 in. (635 mm)	12092A20			47
Driveshaft Ext. Kit - 2-1/2 in. - 50/60 Standard	Converts 20 in. (508 mm) to 22-1/2 in. (572 mm)	879150A88			
Driveshaft Ext. Kit - 5 in. - 50/60 BigFoot	Converts 20 in. (508 mm) to 25 in. (635 mm)	12092A20			47
Flushing Attachment - allows running engine - QS		44357Q 2			203
Flushing Attachment - allows running engine - MPP		44357T 2			167
	Steering				
Steering Cable Attaching Kit - Mechanical	Starboard entry	19608A14			549
	Port entry	19609A 6			549
Steering Bracket without carrying handle	Necessary to convert tiller to remote steering	816667A 2			45, 550

75-90-115 Hp FourStroke 1B366823-2B094995

Description		Part Number			Page
	Controls				
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness	8M0176287			402
	20 ft. (6.1 m) harness	8M0176288			402
	Extra 6 ft. extension (10 pin)	84-8M0058668			403
Dual Engine Remote Control Kit	Used with side mount controls	16909A 2			405
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213			399
	Finger Release - Black Handle	8M0030550			399
	Lock Bar	883710A02			400
Console Mount (single eng. with trim) - Commander		88688A25			406
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M4507538			400
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22			406
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245			401
Throttle/Shift Cables (two per engine) - (Gen I)	Premium	8M0082479	thru	8M0082508	412
Throttle/Shift Cables (two per engine) - (Gen II)	Premium	8M0082526	thru	8M0085125	413
	Analog Instrumentation				
75/80/90/100 hp. WOT = 5000-6000 RPMs 115 hp. WOT = 5800-6400 RPM's					
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T01			477

Description		Part Number	Page
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T10	477
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T15	477
Power Trim Sender Kit	(equipped on engine from factory)	8M0098264	
Water Pressure Fitting	(included in 40 PSI water pressure kits)	22-896094A01	
(Verify engine for suitability of product)	SmartCraft Instrumentation		
SmartCraft Conversion Kit	Includes block water temp & pressure sensors	889250K01	369
	Includes trim position & pitot sensors		
	Gauges must be ordered separately		
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	381
SC1000 System Monitor - Rear Mount	Rectangular	NLA	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	378
	Round - White	79-892219K20	378
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	367
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	367
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	367
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	367
	MercMonitor - No NMEA2000 Data	79-8M0119406	
SC1000 Black - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135641	374
	Glass Lens, Single Engine Kit	79-8M0185894	374
	Glass Lens, Dual Engine Kit	79-8M0185893	374
SC1000 White - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135634	374
	Glass Lens, Single Engine Kit	79-8M0135658	374
	Glass Lens, Dual Engine Kit	79-8M0185891	374
SC1000 Gray - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135645	375
	Glass Lens, Single Engine Kit	79-8M0185895	
	Glass Lens, Dual Engine Kit	79-8M0185906	
VesselView403		8M0124498	364
VesselView502 Single Engine		8M0110643	363
VesselView502 Multi Engine		8M0110646	363
VesselView703 Single Engine		8M0124495	363
VesselView703 Multi Engine		8M0124496	363
VesselView903 Single Engine		8M0129543	363
VesselView903 Multi Engine		8M0129545	363
	Electrical		
Ignition/Choke Assembly - 2 ft. (.61 m) harness	with keyswitch	84-896537K02	488
Ignition/Choke Assembly - 8 ft. (2.4 m) harness	with keyswitch	84-896537K08	489
Ignition/Choke Assembly - 11 ft. (3.3 m) harness	with keyswitch	84-896537K11	489
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	with keyswitch	84-896537K15	489
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	with keyswitch	84-896537K20	489

Description		Part Number	Page
Ignition/Choke Assembly - 25 ft. (6.1 m) harness	with keyswitch	84-896537K24	489
Power Trim Switch Kit - 10 ft. (3.0 m)	Surface or flush mounting	87- 18286A47	511
Power Trim Switch Kit - 25 ft. (7.6 m)	Surface or flush mounting	87- 18286A46	510
"Y" Harness for trim switches above	Allows tee-in of bow PT switch with remote controls	84-889295T	511
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	495
	Chrome bezel mounted	87- 19674A08	495
Lanyard Stop Switch, dual engines	Flush mounted	87- 19674A12	496
	Chrome bezel mounted	NLA	
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hoses shown below)		
Fuel Filter	In-Line filter	35-879885K	236
Fuel Line 100 ft. (30.5m) - (low permeation)	5/16 ID	32-8M0038500	66
Fuel Line 100 ft. (30.5m) - (low permeation)	3/8 ID	32-8M0038563	66
Fuel Line Coupler	Barbed ends, couples 3/8 ID line to 5/16 ID line	22-8M0001721	71
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	63
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	63
Connector Kit - QS branded	Contains on-engine and mating fuel line connector	22-804787Q	71
Connector Kit - MPP branded	Contains on-engine and mating fuel line connector	22-804787T	71
	Miscellaneous Accessories		
Oil Filter - QS	Requires 91-889277Q01 or K01 filter wrench	35-877761K01	234
Oil Filter - MPP	Requires 91-889277Q01 or K01 filter wrench	35-877761K01	234
Oil Filter Wrench - QS	Fits the 35-877761 series filter	91-889277Q01	291
Oil Filter Wrench - MPP	Fits the 35-877761 series filter	91-889277K01	314
Crankcase Oil Pump		802889Q 1	312
Oil Pump Extraction Tube	Required with pump above	32-859717A 2	313
Tiller Handle Kit		NLA	
Big Tiller	Mechanical Non-Power Steering Version	NLA	
Big Tiller	Mechanical Power Steering Version	NLA	
Big Tiller throttle/shift cable kit	Required for either version	8M0082351	39
Replacement Skeg		15985A02	89, 802
Tilt Limit Switch Kit	Analog device	899625K02	509
	Digital device	899625K04	509
Flushing Attachment - allows running engine - QS		44357Q 2	203
Flushing Attachment - allows running engine - MPP		44357T 2	167
Coastal Flush Kit		858566A03	60

Description		Part Number			Page
Rigging Tube Kit	Includes 5 ft. of 2 inch tube, clamp & transom fit	32-825191A03			45, 409
	Steering - Mechanical				
Link Rod Attaching Kit	Used with starboard entry attaching cables	92876A12			549
Ride Guide Attaching Kit	Single Engine - Two Cable	92876A 8			552
	Dual Engine - Two Cable	92876A 9			552
	Steering - Hydraulic				
Hydraulic Helms	Standard 1.4L Helm w/fluid & mtg. hdwe.	8M0050098			535
	Tilt Helm w/fluid & mtg. hdwe.	8M0050099			536
Remote Fill Kit	Use with Tilt Helm Kit	64-889934A05			538
Hydraulic Hoses	Cylinder to Helm	32-8M0053474	thru	32-8M0053491	538
Hydraulic Cylinder - Standard Rotation		8M0183698			535

75-90-115 Hp FourStroke (Standard Models, non-SeaPro and non-ProXS) 2B094996 and Up

Description		Part Number			Page
	Controls				
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness	8M0176287			402
	20 ft. (6.1 m) harness	8M0176288			402
	Extra 6 ft. extension (10 pin)	84-8M0058668			403
Dual Engine Remote Control Kit	Used with side mount controls	16909A 2			405
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213			399
	Finger Release - Black Handle	8M0030550			399
	Lock Bar	883710A02			400
Console Mount (single eng. with trim) - Commander		88688A25			406
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M4507538			400
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22			406
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245			401
Throttle/Shift Cables (two per engine) - (Gen I)	Premium	8M0082479	thru	8M0082508	412
Throttle/Shift Cables (two per engine) - (Gen II)	Premium	8M0082526	thru	8M0085125	413
	Analog Instrumentation				
75/80 WOT = 4500-5500 RPMs 90/100/115 hp. WOT = 5000-6000 RPM's					
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T01			477
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T10			477
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T15			477
Power Trim Sender Kit	(equipped on engine from factory)	8M0098264			
Water Pressure Fitting	Kit to connect to analog gauge	32-8M0088855			

Description		Part Number	Page
(Verify engine for suitability of product)	SmartCraft Instrumentation		
SmartCraft Sensor Kits	Pitot Sensor Kit	8M0090447	461
	Water Pressure Digital Kit	71-8M0142696	
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	381
SC1000 System Monitor - Rear Mount	Rectangular	NLA	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	378
	Round - White	79-892219K20	378
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	367
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	367
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	367
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	367
	MercMonitor - No NMEA2000 Data	79-8M0119406	368
SC1000 Black - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135641	374
	Glass Lens, Single Engine Kit	79-8M0185894	374
	Glass Lens, Dual Engine Kit	79-8M0185893	374
SC1000 White - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135634	374
	Glass Lens, Single Engine Kit	79-8M0185891	374
	Glass Lens, Dual Engine Kit	79-8M0185892	374
SC1000 Gray - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135645	375
	Glass Lens, Single Engine Kit	79-8M0185895	
	Glass Lens, Dual Engine Kit	79-8M0185906	
VesselView403		8M0124498	364
VesselView502 Single Engine		8M0110643	363
VesselView502 Multi Engine		8M0110646	363
VesselView703 Single Engine		8M0124495	363
VesselView703 Multi Engine		8M0124496	363
VesselView903 Single Engine		8M0129543	363
VesselView903 Multi Engine		8M0129545	363
	Electrical		
Ignition/Choke Assembly - 2 ft. (.61 m) harness	with keyswitch	84-896537K02	488
Ignition/Choke Assembly - 8 ft. (2.4 m) harness	with keyswitch	84-896537K08	489
Ignition/Choke Assembly - 11 ft. (3.3 m) harness	with keyswitch	84-896537K11	489
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	with keyswitch	84-896537K15	489
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	with keyswitch	84-896537K20	489
Ignition/Choke Assembly - 25 ft. (6.1 m) harness	with keyswitch	84-896537K24	489
Power Trim Switch Kit - 10 ft. (3.0 m)	Surface or flush mounting	87- 18286A47	511
Power Trim Switch Kit - 25 ft. (7.6 m)	Surface or flush mounting	87- 18286A46	510
"Y" Harness for trim switches above	Allows tee-in of bow PT switch with remote controls	84-889295T	511
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	495

Description		Part Number	Page
	Chrome bezel mounted	87- 19674A08	495
Lanyard Stop Switch, dual engines	Flush mounted	87- 19674A12	496
	Chrome bezel mounted	NLA	
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hoses shown below)		
Low Pressure In-line Fuel Filter	Located under cowl	35-879885K	236
Water Separating Fuel Filter Kit	Located in boat, provides warning signal	8M0109543	75
Fuel Line 100 ft. (30.5m) - (low permeation)	5/16 ID	32-8M0038500	66
Fuel Line 100 ft. (30.5m) - (low permeation)	3/8 ID	32-8M0038563	66
Fuel Line Coupler	Barbed ends, couples 3/8 ID line to 5/16 ID line	22-8M0001721	71
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	63
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	63
Primer Bulb Assembly	Not used with this system		
Connector Kit - MPP branded	Contains on-engine and mating fuel line connector	22-804787T	71
	Miscellaneous Accessories		
Oil Filter - MPP		35-8M0162829	232
Oil Filter Wrench - MPP		NLA	
Crankcase Oil Pump		802889Q 1	312
Oil Pump Extraction Tube	Required with pump above	32-859717A 2	313
Big Tiller	Mechanical Non-Power Steering Version	NLA	
Big Tiller throttle/shift cable kit		8M0082351	39
Replacement Skeg	Standard gearcase	8M0090442	89
	Command Thrust gearcase	8M0060147	90, 803
Driveshaft Extension Kit - Standard gearcase	Converts 20 inch (508 mm) to 25 inch (635 mm)	8M0105089	47
Driveshaft Extension Kit - Command Thrust	Converts 20 inch (508 mm) to 25 inch (635 mm)	8M0105090	47
Steering Trim Tab - Standard Gearcase		8M0231857	233
Tilt Converter/Limit Switch Kit	Provides digital trim signal AND limits trim range	8M0118725	510
Flushing Attachment - allows running engine - QS		44357Q 2	203
Flushing Attachment - allows running engine - MPP		44357T 2	167
Rigging Tube Kit	Includes 5 ft. of 2 inch tube, clamp & transom fit	32-825191A03	45, 409
	Steering - Mechanical		
Link Rod Attaching Kit	Used with starboard entry attaching cables	92876A12	549
Ride Guide Attaching Kit	Single Engine - Two Cable	92876A 8	552
	Dual Engine - Two Cable	92876A 9	552

Description		Part Number			Page
	Steering - Hydraulic				
Hydraulic Helms	Standard 1.4L Helm w/fluid & mtg. hdwe.	8M0050098			535
	Tilt Helm w/fluid & mtg. hdwe.	8M0050099			536
Remote Fill Kit	Use with Tilt Helm Kit	64-889934A05			538
Hydraulic Hoses	Cylinder to Helm	32-8M0053474	thru	32-8M0053491	538
Hydraulic Cylinder - Standard Rotation		8M0183698			535

150 EFI FourStroke (Standard Models, non-SeaPro and non ProXS) 1B905505 & above

Description		Part Number			Page
	Controls				
	Extra 6 ft. extension (10 pin)	84-8M0058668			403
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2			405
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213			399
	Finger Release - Chrome Handle	8M0030550			399
	Lock Bar	883710A02			400
Console Mount (single eng. with trim) - Commander		88688A25			406
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22			406
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245			401
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	8M0082526	thru	8M0085125	413
	Instrumentation - Analog Gauges				
150 HP. Max WOT Range = 5,000-5,800 RPM's					
Analog Gauge Interface	Required for analog water temp or analog oil pressure Trim Sensor Converter not required if AGI is used	892486K08			
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399			
Tachometer Harness - Analog	5 ft. length x 14 pin	84-892990T01			477
	10 ft. length x 14 pin	84-892990T10			477
	15 ft. length x 14 pin	84-892990T15			477
Trim Sensor Converter	Converts digital trim signal to analog	8M0059529			
Water Pressure Fitting Kit	Fitting to connect to engine block	32-8M0063663			
	Instrumentation - SmartCraft Gauges				
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536			367
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617			367
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618			367
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619			367
	MercMonitor - No NMEA2000 Data	79-8M0119406			368

Description		Part Number	Page
VesselView403		8M0124498	364
VesselView502 Single Engine		8M0110643	363
VesselView502 Multi Engine		8M0110646	363
VesselView703 Single Engine		8M0124495	363
VesselView703 Multi Engine		8M0124496	363
VesselView903 Single Engine		8M0129543	363
VesselView903 Multi Engine		8M0129545	363
SC1000 - Black	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135641	374
SC1000 - White	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135634	374
SC1000 - Gray	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135645	375
SmartCraft Pitot Sensor Kit	Components to use Pitot for Speed	8M0090447	461
SmartCraft Water Pressure Fitting Kit	Components to display water pressure	8M0059531	458
	Electrical		
Ignition/Choke Assembly - 2 ft. (609 mm) harness		84-896537K02	488
Ignition/Choke Assembly - 8 ft. (2.44 m) harness		84-896537K08	489
Ignition/Choke Assembly - 11 ft. (3.35 m) harness		84-896537K11	489
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15	489
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20	489
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	Single harness	84-896537K24	489
Ignition/Choke Assembly - 25 ft. (7.62 m) harnesses	Two harnesses	84-896537K25	489
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	Single harness	84-896537K29	489
Ignition/Choke Assembly - 30 ft. (9.14 m) harnesses	Two harnesses	84-896537K30	489
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	495
	Chrome bezel mounted	87- 19674A08	495
Lanyard Stop Switch, dual engine	Flush mounted	87- 19674A12	496
Diode Assembly - dual engine	(required to use a single lanyard)	84-898289A72	496
	Fuel Line Assemblies, Tanks & Hardware (Low Permeation hoses shown below)		
Low Pressure Inline Fuel Filter	Located under cowl	35-879885K	236
Water Separating Fuel Filter Kit	Locate in boat, provides warning signal	8M0109543	75
Bulk Fuel Line - (low permeation)	5/16 ID - no bulb or ends - 100 ft.	32-8M0038500	66
	3/8 ID - no bulb or ends - 100 ft.	32-8M0038563	66
Fuel Line Connector	3/8 to 5/16	22-8M0001721	71
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) - Plastic Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	63
Fuel Tank (non-US) 6.6 gal. - Plastic Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	63

Description		Part Number			Page
	Miscellaneous Accessories				
Oil Filter		35-877761K01			234
Oil Filter Wrench		91-889277K01			314
Replacement Skeg		8M0060147			90, 803
Driveshaft Extension Kit	Converts an X model to an XL	8M0105087			47
Rigging Hose Kit	Includes new grommet 8M0062583	32-8M0062693			45, 409
Trim Limit Switch Kit - electronic switch style	Analog device	8M0059532			510
Big Tiller throttle/shift cable kit	Required	8M0082355			39, 521
Big Tiller Auxiliary Light	Optional	87-897978T02			39, 522
RPM Adjuster	Optional	87-8M0083437			39, 512
Jet Pump	Rated 110 HP	67-8M0064433			
Flushing Attachment - allows running engine - Q/S	(not for use with Jet)	44357Q 2			203
Flushing Attachment - allows running engine - MPP	(not for use with Jet)	44357T 2			167
	Hydraulic Steering				
Hydraulic Steering - Dual Engine	Standard Helm without hoses	8M0056139			536
	Tilit Helm without hoses	8M0056140			536
	Standard Cylinder	8M0184533			536
	Port Cylinder	8M0184534			536
Hydraulic Hoses	2 to 32 ft. lengths	32-8M0053474	thru	32-8M0053492	538
	Power Steering				
Power Steering - Multiple Engines	Standard Cylinder	8M0184531			524
	Counter Rotation Cylinder	8M0184532			524
Power Steering Hoses (Pump)	2 to 32 ft. lengths	32-8M0150604	thru	32-8M0150624	426
Dual Engine Tie Bars	Single Cylinder Tie Bars - 26, 28, 30, 32, 34 inch lengths	64-8M0063473	thru	64-8M0063477	532

200-225-250-275-300 (6 cyl) Verado 1B390143 & up

Description		Part Number	Page
	Controls		
Panel Mount - Chrome - Single Engine		892984A01	
Panel Mount - Black - Single Engine		892984A02	
	Instrumentation - Analog Gauges		
All Models Max WOT Range = 5,800-6,400 RPM's			
Analog Gauge Interface	Converts digital signal for use of analog gauges	892486K08	

Description		Part Number	Page
	Instrumentation - SmartCraft		
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	381
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	378
SC1000 System Monitor - Front Mount	Round - White	79-892219K20	378
SC1000 Black - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135641	374
SC1000 - White - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135634	374
SC1000 Gray - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135645	375
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	367
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	367
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	367
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	367
	MercMonitor - No NMEA2000 Data	79-8M0119406	368
VesselView403		8M0124498	364
VesselView502 Single Engine		8M0110643	363
VesselView502 Multi Engine		8M0110646	363
VesselView502 Display Only		8M0110644	
VesselView703 Single Engine		8M0124495	363
VesselView703 Multi Engine		8M0124496	363
VesselView703 Display Only		8M0124497	
VesselView704 Single Engine		NLA	
VesselView704 Display Only		8M0227886	
VesselView903 Single Engine		8M0129543	363
VesselView903 Multi Engine		8M0129545	363
VesselView903 Display Only		8M0129544	
VesselView Link Single Engine		8M0110639	
VesselView Link Multi Engine		8M0110641	
	Electrical		
Key Switch - DTS - 3 position	Single	87-897716K01	486
Key Switch - DTS - 3 position	Dual	87-897716K02	486
3 position switch housing		879305A01	486
Key Switch - DTS - 4 position	(no cover or bezel)	87-893353A02	485
	(includes key cover & bezel)	87-893353A03	485
	Matched Keys - Dual	87-893353A04	485
	Matched Keys - Triple	87-893353A05	486
	Matched Keys - Quad	87-893353A06	486
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	495
	Chrome bezel mounted	87- 19674A08	495
Lanyard Stop Switch, dual engines	Flush mounted	87- 19674A12	496
DTS Command Module Kit	Panel Mount - Single	84-893377K04	432

Description		Part Number			Page
	Quad - (requires both harnesses shown)	84-892955K05			432
14 Pin Data Cable	Standard lengths, 6-30 ft.	84-892451T06	thru	84-892451T30	472
	Long (low loss) lengths, 35-120 ft.	84-8M0146747	thru	84-8M0146759	480
Clean Power Harness - engine to battery	Not included wtih XL or XXL models	84-8M0113732			483
Clean Power Harness - battery to helm J box	Not included with any engine models	84-8M0127682			483
Accessory Power Harness Kit		84-899785K04			484
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hose shown below)				
Fuel Filter	Cartridge Element, Gen IV and prior	35-8M0122424			248
Fuel Filter		35-879885K			236
Water Separating Fuel Filter Kit	Vessel mounted Gen IV and prior	35-8M0114618			77
Water Separating Fuel Filter	Vessel mounted Canister, Gen V and newer	8M0095659			
Fuel Line - (low permeation)	3/8 inch Fuel Line Required	32-8M0038563			66
	Miscellaneous Accessories				
Oil Filter - QS		35-877769Q01			287
Oil Filter - MPP		35-877769K01			91
Gearcase Oil Drain Funnel	Fits XL model only	91-892866A01			288
Rigging Hose Kit		32-825191A03			45, 409
Gearcase Fill Screw, 4.80 Gearcase	(with sealing washer)	10-880717A01			272
Gearcase Fill Screw, 5.44 gearcase	(without sealing washer)	10-8M0071653			
Battery Cable Set	1 Pos -1 Neg - 12 ft.	84-8M0210761			30, 400
Gearcase Replacement Skeg	Fits the 4.80 Torpedo gearcase	898245A01			89, 803
Gearcase Replacement Skeg	Fits the 5.44 Torpedo gearcase	8M0052924			89, 803
Flushing Attachment - allows running engine - Q/S	(not for use with Jet)	44357Q 2			203
Flushing Attachment - allows running engine - MPP	(not for use with Jet)	44357T 2			167
Dual Water Pickup Flush Seal Kit - Q/S		881150Q 1			59
Dual Water Pickup Flush Seal Kit - MPP		881150K 1			204
	Steering				
Steering Helm - Standard	Single (included in kit above)	8M0240080			522
	Dual Station (included in kit above)	8M0240083			523
Steering Helm - Tilt	Single (included in kit above)	8M0137447			522
	Dual Station (included in kit above)	8M0240084			524
Multiple Battery Fuse Harness Assembly	50 amp power steering circuit	84-8M0144917	thru	84-8M0144924	526
Power Steering Signal Harness - 10 ft.	Multiple engines require 1 harness per engine	84-8M0138676			527
Power Steering Signal Harness - 20 ft.	Multiple engines require 1 harness per engine	84-8M0138677			527
Power Steering Signal Harness - 30 ft.	Multiple engines require 1 harness per engine	84-8M0138678			527
Power Steering Signal Y Harness	Dual Engine	84-892868T01			526

Description		Part Number			Page
	Triple Engine	84-892868T02			526
Power Steering Hose Kit	Cylinder to Helm	32-8M0167281	thru	32-8M0167298	527
	Pressure Hose - Dual Station	32-892825008	thru	32-892825026	528
Gen 5 Dual Tie Bar Kit	25 inch to 27 inch center distance	8M0213276			
	27 inch to 29 inch center distance	8M0213279			
	29 inch to 31 inch center distance	8M0213281			
	31 inch to 33 inch center distance	8M0213282			
	33 inch to 35 inch center distance	8M0213287			
	35 inch to 37 inch center distance	8M0213292			
Tie Bar, Add-an-Engine Kit	25 inch to 27 inch center distance	8M0213278			532
	27 inch to 29 inch center distance	8M0213284			532
	29 inch to 31 inch center distance	8M0213294			532
	31 inch to 33 inch center distance	8M0213293			532
	33 inch to 35 inch center distance	8M0213297			532
	35 inch to 37 inch center distance	8M0097268			532
Liquid Tie Bar Kit		893396A02			533
Kicker Bracket Engine Attachment		892822A02			534

DTS RIGGING



CONTROLS

ELECTRONIC REMOTE CONTROLS (ERC)		
Panel Mount DTS ERC	Panel mount electronic remote control with trim	**8M0133237**
Panel Mount DTS ERC - ES	Panel mount electronic remote control with trim and Quick Steer feature (compatible only with boats outfitted with an electric helm)	**8M0144227**
Single Engine Console DTS ERC	Single engine console mount electronic remote control with trim	**8M0163917**
Single Engine Console DTS ERC - ES	Single engine console mount electronic remote control with trim and Quick Steer feature (compatible only with boats outfitted with an electric helm)	**8M0166584**
Single Engine Console DTS ERC - No Trim	Single engine console mount electronic remote control without trim	**8M0166583**
Dual Engine DTS ERC	Dual engine electronic remote control with trim	**8M0133240**
Premier Dual Engine DTS ERC	Dual engine electronic remote control with trim and an integrated supplemental display	**8M0133243**
Dual Engine DTS ERC - No Trim	Dual engine electronic remote control without trim	**8M0133242**
Triple Engine DTS ERC	Triple engine electronic remote control with trim	**8M0133244**
Premier Triple Engine DTS ERC	Triple engine electronic remote control with trim and an integrated supplemental display	**8M0133245**
Quad Engine DTS ERC	Quad engine electronic remote control with trim	**8M0133246**
Premier Quad Engine DTS ERC	Quad engine electronic remote control with trim and an integrated supplemental display	**8M0133247**
5 & 6 Engine DTS ERC	5 & 6 engine electronic remote control with trim (does not include individual trim like the other models due to the number of engines)	**8M0153980**

Precision Rigging / 800-MERCURY

Mercury Next Generation Digital Throttle & Shift (DTS)

RIGGING

HELM HARNESSES		
Helm Harness - SESH	Helm harness for single engine, single helm	**8M0159746**
Helm Harness - DESH	Helm harness for dual engine, single helm	**8M0157213**
Helm Harness - TESH	Helm harness for triple engine, single helm	**8M0157216**
Helm Harness - QESH	Helm harness for quad engine, single helm	**8M0157219**
Helm Harness - SEDH - Lower	Helm harness for single engine, dual helm, lower helm	**8M0159747**
Helm Harness - SEDH - Upper	Helm harness for single engine, dual helm, upper helm	**8M0159749**
Helm Harness - DEDH - Lower	Helm harness for dual engine, dual helm, lower helm	**8M0157214**
Helm Harness - DEDH - Upper	Helm harness for dual engine, dual helm, upper helm	**8M0157215**
Helm Harness - TEDH - Lower	Helm harness for triple engine, dual helm, lower helm	**8M0157217**
Helm Harness - TEDH - Upper	Helm harness for triple engine, dual helm, upper helm	**8M0157218**
Helm Harness - QEDH - Lower	Helm harness for quad engine, dual helm, lower helm	**8M0157220**
Helm Harness - QEDH - Upper	Helm harness for quad engine, dual helm, upper helm	**8M0157222**
Helm Harness - SEMH - Middle	Helm harness for single engine, triple helm, middle helm	**8M0159748**
Helm Harness - DEMH - Middle	Helm harness for dual engine, triple helm, middle helm	**8M0165544**
Helm Harness - TEMH - Middle	Helm harness for triple engine, triple helm, middle helm	**8M0165540**
Helm Harness - QEMH - Middle	Helm harness for quad engine, triple helm, middle helm	**8M0165541**
ERC Ext. Harness Kit (Single) - 5ft	ERC extension harness kit (single engine), 5ft	**8M0173751**
ERC Ext. Harness Kit (Dual) - 5ft	ERC extension harness kit (dual engine), 5ft	**8M0173753**
ERC Ext. Harness Kit (Triple) - 5ft	ERC extension harness kit (triple engine), 5ft	**8M0173754**
ERC Ext. Harness Kit (Quad) - 5ft	ERC extension harness kit (quad engine), 5ft	**8M0173755**
ERC Ext. Harness Kit (Triple) - 10ft	ERC extension harness kit (triple engine), 10ft	**8M0173880**
ERC Ext. Harness Kit (Quad) - 10ft	ERC extension harness kit (quad engine), 10ft	**8M0173881**
LOW LOSS HARNESSES	Low loss harnesses reduce voltage drop and are required for: overall data cable runs of 35 feet or more from engine to helm, all multi-helm applications, all Joystick Piloting and electric steering helm applications, and all applications with three or more engines. Gray low loss harnesses are used on inner engines on triple- and quad-engine boats.	
Low Loss 14-Pin Data Harness - 5ft	Low loss 14-pin data harness, 5ft	**8M0146742**
Low Loss 14-Pin Data Harness - 10ft	Low loss 14-pin data harness, 10ft	**8M0146743**
Low Loss 14-Pin Data Harness - 15ft	Low loss 14-pin data harness, 15ft	**8M0146744**
Low Loss 14-Pin Data Harness - 20ft	Low loss 14-pin data harness, 20ft	**8M0146745**
Low Loss 14-Pin Data Harness - 25ft	Low loss 14-pin data harness, 25ft	**8M0146746**
Low Loss 14-Pin Data Harness - 30ft	Low loss 14-pin data harness, 30ft	**8M0146747**
Low Loss 14-Pin Data Harness - 35ft	Low loss 14-pin data harness, 35ft	**8M0146748**
Low Loss 14-Pin Data Harness - 40ft	Low loss 14-pin data harness, 40ft	**8M0146749**
Low Loss 14-Pin Data Harness - 45ft	Low loss 14-pin data harness, 45ft	**8M0146750**
Low Loss 14-Pin Data Harness - 50ft	Low loss 14-pin data harness, 50ft	**8M0146751**
Low Loss 14-Pin Data Harness - 55ft	Low loss 14-pin data harness, 55ft	**8M0146752**
Low Loss 14-Pin Data Harness - 60ft	Low loss 14-pin data harness, 60ft	**8M0146753**
Low Loss 14-Pin Data Harness - 70ft	Low loss 14-pin data harness, 70ft	**8M0146754**
Low Loss 14-Pin Data Harness - 80ft	Low loss 14-pin data harness, 80ft	**8M0146755**
Low Loss 14-Pin Data Harness - 90ft	Low loss 14-pin data harness, 90ft	**8M0146756**
Low Loss 14-Pin Data Harness - 100ft	Low loss 14-pin data harness, 100ft	**8M0146757**
Low Loss 14-Pin Data Harness - 110ft	Low loss 14-pin data harness, 110ft	**8M0146758**
Low Loss 14-Pin Data Harness - 120ft	Low loss 14-pin data harness, 120ft	**8M0146759**
Low Loss 14/8 Gray Harness - 5ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 5ft	**8M0154725**
Low Loss 14/8 Gray Harness - 10ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 10ft	**8M0154726**
Low Loss 14/8 Gray Harness - 15ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 15ft	**8M0154727**
Low Loss 14/8 Gray Harness - 20ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 20ft	**8M0154728**
Low Loss 14/8 Gray Harness - 25ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 25ft	**8M0154729**
Low Loss 14/8 Gray Harness - 30ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 30ft	**8M0154730**
Low Loss 14/8 Gray Harness - 35ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 40ft	**8M0154731**

continued on next page

Precision Rigging / 800-MERCURY

Mercury Next Generation Digital Throttle & Shift (DTS)

RIGGING

continued from previous page

LOW LOSS HARNESSES	Low loss harnesses reduce voltage drop and are required for: overall data cable runs of 35 feet or more from engine to helm, all multi-helm applications, all Joystick Piloting and electric steering helm applications, and all applications with three or more engines. Gray low loss harnesses are used on inner engines on triple- and quad-engine boats.	
Low Loss 14/8 Gray Harness - 40ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 40ft	**8M0154732**
Low Loss 14/8 Gray Harness - 45ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 45ft	**8M0154733**
Low Loss 14/8 Gray Harness - 50ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 50ft	**8M0154734**
Low Loss 14/8 Gray Harness - 55ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 55ft	**8M0154735**
Low Loss 14/8 Gray Harness - 60ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 60ft	**8M0154736**
Low Loss 14/8 Gray Harness - 70ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 70ft	**8M0154737**
Low Loss 14/8 Gray Harness - 80ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 80ft	**8M0154738**
Low Loss 14/8 Gray Harness - 90ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 90ft	**8M0154740**
Low Loss 14/8 Gray Harness - 100ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 100ft	**8M0154744**
Low Loss 14/8 Gray Harness - 110ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 110ft	**8M0154745**
Low Loss 14/8 Gray Harness - 120ft	Gray 14-pin extension harness that uses our 14-pin connector for data trunks (with 8 wires inside), 120ft	**8M0154746**
HELM EXTENSION HARNESSES	For boats with multiple helms, extension harnesses are required to connect the upper and lower helms. The harnesses required depend on the number of engines.	
Outer Helm Ext. Harness - 15ft	Helm extension harness used on all engine configurations, 15ft	**8M0159751**
Outer Helm Ext. Harness - 20ft	Helm extension harness used on all engine configurations, 20ft	**8M0159752**
Outer Helm Ext. Harness - 25ft	Helm extension harness used on all engine configurations, 25ft	**8M0159753**
Outer Helm Ext. Harness - 30ft	Helm extension harness used on all engine configurations, 30ft	**8M0159754**
Outer Helm Ext. Harness - 35ft	Helm extension harness used on all engine configurations, 35ft	**8M0159755**
Outer Helm Ext. Harness - 40ft	Helm extension harness used on all engine configurations, 40ft	**8M0159756**
Outer Helm Ext. Harness - 50ft	Helm extension harness used on all engine configurations, 50ft	**8M0173571**
Outer Helm Ext. Harness - 60ft	Helm extension harness used on all engine configurations, 60ft	**8M0173572**
Outer Helm Ext. Harness - 70ft	Helm extension harness used on all engine configurations, 70ft	**8M0173573**
Inner Helm Ext. Harness - 15ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 15ft	**8M0159758**
Inner Helm Ext. Harness - 20ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 20ft	**8M0159759**
Inner Helm Ext. Harness - 25ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 25ft	**8M0159760**
Inner Helm Ext. Harness - 30ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 30ft	**8M0159761**
Inner Helm Ext. Harness - 35ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 35ft	**8M0159762**
Inner Helm Ext. Harness - 40ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 40ft	**8M0159763**
Inner Helm Ext. Harness - 50ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 50ft	**8M0173574**
Inner Helm Ext. Harness - 60ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 60ft	**8M0173575**
Inner Helm Ext. Harness - 70ft	Helm extension harness used on inner engine(s) on triple and quad engine configurations, 70ft	**8M0173576**
Gauge Clean Power - 15ft	2-pin gauge clean power, 15ft	**8M0159764**
Gauge Clean Power - 20ft	2-pin gauge clean power, 20ft	**8M0159765**
Gauge Clean Power - 25ft	2-pin gauge clean power, 25ft	**8M0159766**
Gauge Clean Power - 30ft	2-pin gauge clean power, 30ft	**8M0159767**
Gauge Clean Power - 35ft	2-pin gauge clean power, 35ft	**8M0159768**
Gauge Clean Power - 40ft	2-pin gauge clean power, 40ft	**8M0159769**
Gauge Clean Power - 50ft	2-pin gauge clean power, 50ft	**8M0173577**
Gauge Clean Power - 60ft	2-pin gauge clean power, 60ft	**8M0173578**
Gauge Clean Power - 70ft	2-pin gauge clean power, 70ft	**8M0173579**
Global Wake Harness - 15ft	Global wake harness extension for single-engine, multi-helm only, 15ft	**8M0163381**
Global Wake Harness - 20ft	Global wake harness extension for single-engine, multi-helm only, 20ft	**8M0163382**
Global Wake Harness - 25ft	Global wake harness extension for single-engine, multi-helm only, 25ft	**8M0163383**
Global Wake Harness - 30ft	Global wake harness extension for single-engine, multi-helm only, 30ft	**8M0163384**
Global Wake Harness - 35ft	Global wake harness extension for single-engine, multi-helm only, 35ft	**8M0163385**
Global Wake Harness - 40ft	Global wake harness extension for single-engine, multi-helm only, 40ft	**8M0163386**
Global Wake Harness - 50ft	Global wake harness extension for single-engine, multi-helm only, 50ft	**8M0173580**
Global Wake Harness - 60ft	Global wake harness extension for single-engine, multi-helm only, 60ft	**8M0173581**
Global Wake Harness - 70ft	Global wake harness extension for single-engine, multi-helm only, 70ft	**8M0173582**

Mercury Next Generation Digital Throttle & Shift (DTS)

RIGGING

CLEAN POWER | Used on all DTS applications to power the helm. Each engine requires a clean power connection. The type of harness used might vary by application.		
Clean Power Tee - 14/4	14-pin T-harness used to connect the 4-pin clean power harness to Mercury 14-pin data trunk	**8M0158086**
Clean Power Harness (4-Pin) - 5ft	4-pin clean power harness, 5ft	**8M0158087**
Clean Power Harness (4-Pin) - 10ft	4-pin clean power harness, 10ft	**8M0158088**
Clean Power Harness (4-Pin) - 15ft	4-pin clean power harness, 15ft	**8M0158089**
Clean Power Harness (4-Pin) - 20ft	4-pin clean power harness, 20ft	**8M0158090**
Clean Power Harness (4-Pin) - 25ft	4-pin clean power harness, 25ft	**8M0169292**
Clean Power Harness (4-Pin) - 30ft	4-pin clean power harness, 30ft	**8M0169293**
Clean Power Harness (4-Pin) - 35ft	4-pin clean power harness, 35ft	**8M0169294**
Clean Power Adaptor - Diesel	Helps mitigate excessive voltage drop on diesel applications	**8M0165564**
JUNCTION BOXES		
J-Box Y Harness	Junction box Y harness used to link two junction boxes together	**8M0165555**
5-Way J-Box Kit with 3 Weather Caps	5-way junction box kit with 3 weather caps	**8M0165557**
5-Way J-Box Bulk Kit - 24 Qty.	5-way junction box bulk kit - includes 24 junction box kits	**8M0175293**
J-Box Stacking Plug Kit	Designed for easy vertical stacking of J-boxes and allows all plugs to be positioned on one side	**8M0174363**
LEGACY CONTROL MODULE KITS	Used to enable legacy controls to be rigged with Next Gen DTS harnessing. This includes Zero Effort, Yacht Controls, Hot Foot and others.	
Single Engine LCM Kit	Single engine legacy control module	**8M0171388**
Dual Engine LCM Kit	Dual engine legacy control module	**8M0165552**
Triple Engine LCM Kit	Triple engine legacy control module	**8M0169308**
Quad Engine LCM Kit	Quad engine legacy control module	**8M0169311**
LCM Extension Harness - 3ft	Extension harness for legacy control module, 3ft	**8M0169399**
OTHER RIGGING ITEMS		
DC / DC Convertor Ext. - Diesel	DC / DC converter extention - diesel	**8M0165565**
Auxiliary Joystick Kit	Remote Joystick kit that can be mounted outside of the primary helm	**8M0169342**
AutoPilot Core Kit	Required for all Joystick Piloting installations and single outboard electric steering	**8M0157195**
Keyswitch Start / Stop Breakout (Tee)	Keyswitch start / stop breakout (Tee)	**8M0159838**
Trim Adaptor (8-Pin to 3-Pin)	This harness is used to adapt the 8-pin trim connector on a Zero Effort ERC to the 3-pin connector off a triple or quad trim pad	**8M0163380**
Trim Adaptor - Paddle / Blinker Trim - ZE	This harness is used on a single-engine Zero Effort ERC to allow the use of an auxiliary trim switch	**8M0163378**
Trim Adaptor - Paddle / Blinker Trim - Std.	This harness is used on a Next Gen ERC to allow the use of an auxiliary trim switch	**8M0165559**
GPS Only Kit with Mounts	GPS only kit for use as a speed sensor on DTS and mechanical applications. Includes both top-mounting bracket and under-helm mounting bracket. Does not include seal (8M6009520). Includes the GPS antenna.	**8M6009517**
Under Helm GPS Mount Kit	Mounting bracket and seal for GPS only	**8M6009519**
DTS Tab Interface Module Kit	Reads tab position sensors - for use with mechanical, DTS or Joystick Piloting applications	**8M0169899**
2nd Station Delivery Harness Kit - Single	These kits are used on multi-station boats in situations where the upper station is not installed and the vessel needs to be transported. The new CAN architecture and purpose-built harnessing prevent simply disconnecting the upper station.	**8M0169904**
2nd Station Delivery Harness Kit - Dual	2nd station delivery harness kit for dual engine	**8M0169905**
2nd Station Delivery Harness Kit - Triple	2nd station delivery harness kit for triple engine	**8M0169906**
2nd Station Delivery Harness Kit - Quad	2nd station delivery harness kit for quad engine	**8M0169907**
Foot Throttle Helm Kit	Foot throttle helm kit	**8M0169383**
Blue CAN P Resistor	10-pin terminator for CAN P - used with rig center on V12 and V8 applications and at the helm in specific long-run CAN P applications	**8M0171627**

Precision Rigging / 800-MERCURY

90-8M01832881 6/21 © 2021 MERCURY MARINE. All rights reserved.

QUICK REFERENCE GUIDE-MERCRUISER

QUICK REFERENCE MERCRUISER CHARTS- GAS MODELS

MerCruiser Gas Models

Description		Part Number			Page
	Controls				
Panel Mount (w/o trim) - MPC 4000 Series (Gen II)	Pistol Grip	8M0011215			399
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Pistol Grip	8M0011214			399
	Lock Bar	883710A03			
Console Mount (single eng. with trim) - Commander		88688A26			406
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A23			406
Console Mount (dual eng. w/o trim) - MCC 4500		8M0041425			
Throttle/Shift Cables (two per engine) - (Gen II)	Platinum Plus, 3-40 ft.	8M0082526	thru	8M0082558	413
Throttle/Shift Cables (two per engine) - (Gen I/SAE)	Platinum Plus, 5-30 ft.	8M0085942	thru	8M0085953	414
Throttle/Shift Cables (two per engine) - (Gen II/SAE)	Platinum Plus, 5-30 ft.	8M0085966	thru	8M0085991	415
Throttle/Shift Cables (two per engine) - (SAE)	Platinum Plus, 3-40 ft.	8M0082575	thru	8M0082607	213, 416
	Instrumentation - Analog				
Tachometer - 6000 RPM - Mercury Sport	Black Face w/ Black Bezel	79-8M6020025			389
	Black Face w/ Brushed Bezel	79-8M6020037			389
	White Face w/ Black Bezel	79-8M6020049			390
	White Face w/ Brushed Bezel	79-8M6020061			391
Tachometer - 6000 RPM - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020013			391
	Black Face w/ Chrome Bezel	79-8M6020001			392
Tachometer - 7000 RPM - Mercury Sport	Black Face w/ Black Bezel	79-8M6020026			389
	Black Face w/ Brushed Bezel	79-8M6020038			389
	White Face w/ Black Bezel	79-8M6020050			390
	White Face w/ Brushed Bezel	79-8M6020062			391
Tachometer - 7000 RPM - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020014			391
	Black Face w/ Chrome Bezel	79-8M6020002			392
Speedometer - 45 MPH - Mercury Sport	Black Face w/ Black Bezel	79-8M6020027			389
	Black Face w/ Brushed Bezel	79-8M6020039			389
	White Face w/ Black Bezel	79-8M6020051			390
	White Face w/ Brushed Bezel	79-8M6020063			391
Speedometer - 45 MPH - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020015			391
	Black Face w/ Chrome Bezel	79-8M6020004			392
Speedometer - 65 MPH - Mercury Sport	Black Face w/ Black Bezel	79-8M6020028			389
	Black Face w/ Brushed Bezel	79-8M6020040			389
	White Face w/ Black Bezel	79-8M6020052			390
	White Face w/ Brushed Bezel	79-8M6020064			391
Speedometer - 65 MPH - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020016			391
	Black Face w/ Chrome Bezel	79-8M6020004			392
Fuel Level E-F - Mercury Sport	Black Face w/ Black Bezel	79-8M6020029			389
	Black Face w/ Brushed Bezel	79-8M6020041			389
	White Face w/ Black Bezel	79-8M6020053			390
	White Face w/ Brushed Bezel	79-8M6020065			391

Description		Part Number	Page
Fuel Level E-F - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020017	391
	Black Face w/ Chrome Bezel	79-8M6020005	392
Power Trim Gauge - Mercury Sport	Black Face w/ Black Bezel	79-8M6020030	389
	Black Face w/ Brushed Bezel	79-8M6020042	390
	White Face w/ Black Bezel	79-8M6020054	390
	White Face w/ Brushed Bezel	79-8M6020066	391
Power Trim Gauge - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020018	392
	Black Face w/ Chrome Bezel	79-8M6020006	392
Water Pressure Gauge 0-30 - Mercury Sport	Black Face w/ Black Bezel	79-8M6020031	389
	Black Face w/ Brushed Bezel	79-8M6020043	390
	White Face w/ Black Bezel	79-8M6020055	390
	White Face w/ Brushed Bezel	79-8M6020067	391
Water Pressure Gauge 0-30 - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020019	392
	Black Face w/ Chrome Bezel	79-8M6020007	392
Cruiselog Gauge - Mercury Sport	Black Face w/ Black Bezel	79-8M6020032	389
	Black Face w/ Brushed Bezel	79-8M6020044	390
	White Face w/ Black Bezel	79-8M6020056	390
	White Face w/ Brushed Bezel	79-8M6020068	391
Cruiselog Gauge - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020020	392
	Black Face w/ Chrome Bezel	79-8M6020008	392
Voltmeter 8-18V - Mercury Sport	Black Face w/ Black Bezel	79-8M6020033	389
	Black Face w/ Brushed Bezel	79-8M6020045	390
	White Face w/ Black Bezel	79-8M6020057	390
	White Face w/ Brushed Bezel	79-8M6020069	391
Voltmeter 8-18V - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020021	392
	Black Face w/Chrome Bezel	79-8M6020009	392
Water Temperature Gauge C-H (120-240) - Mercury Sport	Black Face w/ Black Bezel	79-8M6020034	389
	Black Face w/ Brushed Bezel	79-8M6020046	390
	White Face w/ Black Bezel	79-8M6020058	390
	White Face w/ Brushed Bezel	79-8M6020070	391
Water Temperature Gauge C-H (120-240) - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020022	392
	Black Face w/ Chrome Bezel	79-8M6020010	392
Water Temperature Gauge C-H (60-200) - Mercury Sport	Black Face w/ Black Bezel	79-8M6020035	389
	Black Face w/ Brushed Bezel	79-8M6020047	390
	White Face w/ Black Bezel	79-8M6020059	390
	White Face w/ Brushed Bezel	79-8M6020071	391
Water Temperature Gague C-H (60-200) - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020023	392
	Black Face w/ Chrome Bezel	79-8M6020011	
Oil Pressure L-H - Mercury Sport	Black Face w/ Black Bezel	79-8M6020036	389
	Black Face w/ Brushed Bezel	79-8M6020048	390
	White Face w/ Black Bezel	79-8M6020060	390
	White Face w/ Brushed Bezel	79-8M6020072	391
Oil Pressure L-H - Mercury Classic	White Face w/ Chrome Bezel	79-8M6020024	392
	Black Face w/ Chrome Bezel	79-8M6020012	392
Service Monitor		79-8M0050399	

Description		Part Number	Page
(Verify engine for suitability of product)	Instrumentation - SmartCraft Gauges		
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	381
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	378
	Round - White	79-892219K20	378
MercMonitor -NMEA 2000	Gateway Level 1 Data	79-8M0135536	367
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	367
	Gateway Level 3 Data and SmartTow Pro	79-8M0135618	367
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135619	367
	MercMonitor - No NMEA2000 Data	79-8M0119406	368
SC1000 Black - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135641	374
SC1000 White - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135634	374
SC1000 Gray - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135645	375
VesselView403		8M0124498	364
VesselView502 Single Engine		8M0110643	363
VesselView502 Multi Engine		8M0110646	363
VesselView703 Single Engine		8M0124495	363
VesselView703 Multi Engine		8M0124496	363
VesselView903 Single Engine		8M0129543	363
VesselView903 Multi Engine		8M0129545	363
	Electrical		
Instrument Harness - 10 pin	3 ft.	84-812475A 3	477
	20 ft.	84-812475A20	477
	25 ft.	84-812475A25	477
Instrument Harness - Non DTS 14 pin	2 ft.	84-896537T02	476
	8 ft.	84-896537T08	476
	11 ft.	84-896537T11	476
	15 ft.	84-896537T15	476
	20 ft.	84-896537T20	477
	25 ft.	84-896537T24	477
	30 ft.	84-896537T29	477
	40 ft.	84-896537T40	477
Anolog Guage Harness - Non DTS 14 pin	5 ft. (use with 84-896537T__)	84-892990T01	477
	10 ft. (use with 84-896537T__)	84-892990T10	477
	15 ft. (use with 84-896537T__)	84-892990T15	477
Extension Harness - 10 pin	10 ft.	84-812441A10	478
	15 ft.	84-812441A15	478
	20 ft.	84-812441A20	478
Extension Harness - 14 pin	6 ft.	84-892451T06	472
	10 ft.	84-892451T10	472
	15 ft.	84-892451T15	472
	20 ft.	84-892451T20	472
	25 ft.	84-892451T25	472

Description		Part Number	Page
	30 ft.	84-892451T30	472
Adapter Harness	Non DTS 10 pin engine to 14 pin helm	84-8M0153356	483
	Non DTS 14 pin engine to 10 pin helm	84-866337T01	483
Y Harness - Two Station 10 pin		84- 91942A 4	506
Ignition Switch w/harness - Non DTS 14 Pin	2 ft.	84-896537K02	488
	8 ft.	84-896537K08	489
	11 ft.	84-896537K11	489
	15 ft.	84-896537K15	489
	20 ft.	84-896537K20	489
	25 ft.	84-896537K24	489
	30 ft.	84-896537K29	489
	40 ft.	84-896537K40	489
Lanyard Stop Switch - Mechanical single engine - Bezel mount		87- 19674A06	495
Lanyard Stop Switch - Mechanical single engine - Flush mount		87- 19674A05	495
Lanyard Stop Switch - DTS single engine - Bezel mount		87- 19674A08	495
Lanyard Stop Switch - DTS single engine - Flush mount		87- 19674A07	495
Lanyard Stop Switch - Mechanical dual engine - Bezel or Flush mount		87-814324A 2	495
Lanyard Stop Switch - DTS dual engine - Flush mount		87- 19674A12	496
	Miscellaneous Accessories		
Serpentine Belt Kit - engine w/o p/s pump	See application chart - Engine Accessories section		
Hot Water Heater Fitting Kits	See application chart - Engine Accessories section		
Exhaust Riser Kits - 1.7 in, 3 in, 4.7 in & 6 in.	See application chart - Engine Accessories section		
Thru Transom Exhaust Outlets	- 3 in.	843434A 1	205
	- 4 in.	843426A 1	205
Thru Transom Exhaust Flappers	- 3 in.	34765A 2	
	- 4 in.	12644A 1	132
Exhaust Block-off Plate	- Required when using thru transom exhaust	861776A 2	133
Exhaust Y Pipe Kit	- All V-8 engines, except 496 Mag	98-8M0117124	133
	- 496 Mag & 8.2L (also requires intermediate elbow kit	98-8M0117125	152
Intermediate Elbow Kit (496 & 8.2L non-EC)	- 496 (0" to 2" riser)	44267A03	142
	- 496 (2" to 8" riser)	44267A02	142
Intermediate Elbow Kit (496 EC)	- use with 2" riser	44267A05	149
	- use with 4" riser	44267A06	150
	- use with 6" riser	44267A07	150
	- use with 8" riser	44267A08	150
Intermediate Elbow Kit (8.2 EC) w/ 3 catalyst exh manifolds	- use with 2" riser	879288A13	152
	- use with 4" riser	879288A14	152
	- use with 6" riser	879288A15	152
Intermediate Elbow Kit (8.2 EC) w/ single catalyst exh manifolds	- use with 2" riser	8M0095832	151

Description		Part Number	Page
	- use with 4" riser	8M0095833	151
	- use with 6" riser	8M0095834	151
Exhaust "S" Pipe	- MCM	18563A 1	135
	-Tow Sports	807611T	135
Exhaust Reducer Kit	- reduces from 4 in. exhaust to 3 in. exhaust	44349A 1	135
Closed Cooling Kits	See application chart - Engine Accessories section		
Jackshaft Extension Kits	MCM V-6 & V8 (except 4.5L & 6.2L Mercury)	98634A20	168
	MCM 4.5L & 6.2L (Mercury)	98-8M0124634	168
Remote Oil Filter Kits	MCM 5.0L & 5.7L Carb	864990A 1	171
Crankcase Oil Pump - Q/S		802889Q 1	312
Crankcase Oil Pump - MPP		802889A 1	312
In-line Fuel Filter Kit (boost pump)		35-864572A 1	174
Water Separating Fuel Filter Kit - Q/S		35-802893Q 4	81
Water Separating Fuel Filter Kit - MPP		35-802893A 4	175
Gear Lube Reservoir Kit	Quart bottle for added capacity	865585A02	127
Gear Lube Reservoir Relocation Kit		806054A 1	127
Tilt Up Limit Spacer Kit		15768A 3	127
Trailering Clips - Q/S		817019Q 2	127
Trailering Clips - MPP		817019T 2	127
Seawater Strainer (fitting sold separately below)		35-860603	180
Seawater Stainer Fitting	1-1/2 " O.D. barb	22-816339	180
Seawater Hose Drain Kit		861505A 1	165
Flushing Attachment - allows running engine - Q/S		44357Q 2	203
Flushing Attachment - aloows running engine - MPP		44357T 2	167
Dual Water Pickup Flush Seal Kit - Q/S		881150Q 1	59
Dual Water Pickup Flush Seal Kit - MPP		881150K 1	204
Engine Flush Kit	MCM V-6 & V-8 (305, 350, 377, 454, 502) non EC engines w/ Bravo drive	898235A01	166
	MCM 4.3L MPI EC engine w/ Bravo drive	98-8M0123083	166
	MCM 4.5L & 6.2L (Mercury) engines w/ Bravo drive	98-8M0123083	166
	MCM V-8 (305, 350, 377) EC engines w/ Bravo drive	879288A40	166
	MCM/MIE 8.1L & 8.2L non-EC engines	898235A02	166
	MCM/MIE 8.1L & 8.2L EC	8M0057577	166
	Steering		
Power Steering Pump and Cooler Kit	3.0L	861481A 2	553

Description		Part Number	Page
Power Steering Cylinder		8M0208402	553
Dual Engine Tie Bar - stbd cable entry	30 in. (76 cm) to 46 in. (117 cm)	92020A 2	554
	46 in. (117 cm) to 62 in. (157 cm)	92020A 3	554
Dual Engine Tie Bar - port cable entry	29 in. (74 cm) to 37-1/2 in. (95 cm)	96708A 4	554

TABLE OF CONTENTS

SmartCraft Instruments 357

Analog Gauge Interface Kits 368
Compatibility Options 362
MercMonitor with Active Trim Support and N2K Gateway 367
Mercury Gateway 368
SmartCraft Connect 364
SmartCraft Rigging and Conversion Kits . . . 369
SmartCraft System Gauge and Monitor Retaining Nuts 368
VesselView 363
VesselView403 360
VesselView403 364
VesselView502 359
VesselView502 363
VesselView703 358
VesselView703 363
VesselView704 363
VesselView903 357
VesselView903 363
VesselView Accessories 365
VesselView Family 362
VesselView Link 361
VesselView Link 364

SmartCraft Gauges 371

SC1000 - SC100 Family Glass Lens Black Face Gauges 372
SC1000 - SC100 Family Glass Lens Gray Face Gauges 373
SC1000 - SC100 Family Glass Lens White Face Gauges 371
SC1000 System Monitor (52mm) 381
SC1000 System Monitor (85mm) 378
SC1000 System Monitor Bezels 381
SC 1000 System Tach/Speed (85mm) Glass Lens Black Face Gauges 374
SC 1000 System Tach/Speed (85mm) Glass Lens Gray Face Gauges 375
SC 1000 System Tach/Speed (85mm) Glass Lens White Face Gauges 374
SC1000 System Tach/Speed 85 MM Bezels . 375
SC 100 Glass Lens Black 110 mm 380
SC 100 Glass Lens Black 52 mm 376
SC 100 Glass Lens Black 85 mm 379
SC 100 Glass Lens Gray 52 mm 377
SC 100 Glass Lens Gray 85 mm 379
SC 100 Glass Lens White 110 mm 380
SC 100 Glass Lens White 52mm 375
SC 100 Glass Lens White 85 mm 378
SC 100 System Link (52mm) Plastic Lens Black Face/Chrome Bezel Gauges 382
SC 100 System Link (85mm) Plastic Lens Black Face/Chrome Bezel Gauges 382
SC 100 System Link (85mm) Plastic Lens White Face/White Bezel Gauges 381
SC 100 System Link- 110MM -Bezel/Mounting Hardware 380
SC 100 System Link Gauge 52 MM Bezels . . 378
SC 100 System Link Gauge 85 MM Bezels . . 379

Analog Gauges 383

Analog Gauge Families 383
Mercury Classic - Black Face - Chrome Bezel 392
Mercury Classic - White Face - Chrome Bezel 391
Mercury Sport - Black Face - Black Bezel . . .389
Mercury Sport - Black Face - Brushed Bezel 389
Mercury Sport - White Face - Black Bezel . . 390
Mercury Sport - White Face - Brushed Bezel 391

Digital Throttle and Shift Remote Controls 393

Controls-Console Dual 394
Controls-Console-Single 393
Controls-Panel 393
DTS Track Pads 395
Foot Throttle Control 393
Triple/ Quad- Controls 395
Zero Effort Controls 396

Mechanical Remote Controls 399

Bulkhead Fittings and Bellows Kits 411
Commander Series Console Mount - Dual Engine 406

Commander Series Console Mount - Single Engine 406
MCC 4500 Console Mount - Dual Engine (Gen II) 401
MCC 4500 Console Mount - Single Engine (Gen II) 400
Morse 33C Series Cable Adapters 410
MPC 4000 Panel Mount Remote Controls (Gen II) 399
MSC 4000 Side Mount - Accessories 405
MSC 4000 Side Mount - Elect, Non-Power Trim 404
MSC 4000 Side Mount - Electric, Power Trim 402
MSC 4000 Side Mount - Manual Start, W/ Switch 405
MSC 4000 Side Mount - Manual Start W/ No Switch 405
Outboard Rigging Hose Kit 409
Remote Control Attaching Kits 408
Remote Control Conversion Kits 407
Rigging Hose Chart 410
Two Station Throttle & Shift Cables Attaching Kit 411

Throttle and Shift Cables 412

858342A_ Series Shift Cables 417
GEN I/SAE Platinum Plus Throttle and Shift Cables 414
GEN II/SAE Platinum Plus Throttle and Shift Cables 415
Morse 33C Series Cable Adapters 417
Platinum Plus Throttle and Shift Cable GEN I 412
Platinum Plus Throttle and Shift Cable GEN II 413
Platinum Plus Throttle and Shift Cable SAE . 416
Solid Core Throttle / Shift Cables 416
Two Station Throttle & Shift Attaching Kit . . . 417

Joystick Rigging 418

Fittings 427
Hose Assemblies 426
Joystick Features 423
Joystick Piloting for V6 Mercury Outboards (Optimus 360) 418
Joystick Piloting - Key Features 419
Joystick Piloting - Standard Features 420
Joystick Rigging 423
Power Steering Hose Kits-Joystick Piloting . . 426
Skyhook 421
Skyhook Advanced Features 422

DTS Rigging 429

DTS Command Module and Harness Kits . . . 432
DTS Components 437
DTS Helm Board Kits (Helm Boards Only) . . 437
DTS Performance Pedal 431
DTS Rigging Kits 429
SmartCraft and DTS Application Information 429

Diesel Rigging 439

2.0L Engine Rigging Kits 439
Adapters and Harnesses 446
CCM Service Modules 445
Diesel TDI Rigging 439
Helm Panel DTS - Main Station 445
Miscellaneous Accessories 448
Panels DTS 439
Panels Non DTS 439
Panels Non DTS 443
Vessel Panels DTS 442
VIP Modules - Interface Panels 444

SmartCraft Rigging 449

10 Pin (Blue) Data Harnesses 456
10 Pin (Yellow) Data Harnesses 456
Active Trim 449
Active Trim 450
Active Trim Kits 450
Adapter Harnesses - 10 Pin 457
Adapter Harnesses - 2 Pin 457
Add-On Sensor Harnesses 458
Add-On Sensor Harnesses - MCM 467
Add-On Sensor Rigging Kits - MCM 467
Block Water Pressure Sender 459
GPS Kits 461
Junction Boxes/Junction Box Accessories . . 453
Keyless 465

NMEA2000 463
NMEA2000 Components 464
Pitot Kits 460
SC 100 Link Harnesses 455
SmartCraft Gauge Harnesses 454
SmartCraft K-Planes - Harnesses 468
SmartCraft Rigging Kits 467
Steering Angle Sensors 468
Trim Sensors 460

Avator Rigging 470

14 Pin Data Harnesses 472
Accessories 474
Battery Cables 473
Chargers 470
Display 471
Drive to Power Center Harnesses 472
Helm Harnesses 471
Misc. Rigging 473
Power Center 472
Propulsion Batteries 470
Remote Controls 471

Electrical 475

10 Pin (Blue) Data Harnesses 480
10 Pin (Yellow) Data Harnesses 480
14 Pin Data Harnesses 479
Accessory Harnesses 483
Adapter Harnesses 482
Adapter Harnesses - 14 Pin 481
Adapter Harnesses - 2 Pin 481
Alpha/Numeric Key Chart 493
Battery Bar - Multiple Connector 513
Battery Isolators 514
Cable Ties 517
Dual Station Senders 506
Electrical Hardware 515
Force Unique Ignition Key Chart 495
Force Unique Ignition Keys 494
Ignition Key Cover 495
Ignition Keys - 3 Position - Base Number 897716 Key Switch 493
Ignition Keys - 4 Position - Base Number 893353 Key Switch 493
Ignition Keys - Numeric 492
Ignition Key Switches 485
Ignition Key Switch with Harnesses 488
Instrument Extension Harnesses (Diesel) . . . 478
Instrument Extension Harnesses (Gas Engines) 478
Instrument Harnesses 476
Junction Boxes/Junction Box Accessories . . 499
Key Switches 491
Lanyard Stop Switches 495
Lanyard Switches 498
Mariner Unique Ignition Key Chart 494
Mariner Unique Ignition Keys 494
Numeric Key Chart 494
Outboard Power Trim Switch Kits 510
Power Trim Adapter Harnesses 513
Power Trim Extension Harnesses 512
Power Trim Extension Hose/Harness Kit . . . 513
Power Trim Power Supply Cable 513
Quicksilver Funnel Entry Vinyl Terminals . . . 517
Remote Control/Ignition Choke Extension Harnesses 505
Remote Control Adapter Harnesses 505
Safety Systems 503
SC 100 Link Harnesses 476
Security Systems 500
Shadow Resistor Packs 498
SmartCraft Gauge Harnesses 475
Start / Stop Switches 490
Tachometer Harnesses 505
Tools 518
Transom Mounted Ignition Keyswitch 490
Transom Mounted Power Tilt Panel 510
Trim Limit kits 509
Trim Switches 506
Troll Control 512
Two Station Start/Stop Panels 506
Two Station Y-Harnesses 506

Steering 519

Cable Seal Kit 552

Dual Cable - Single Engine Attaching Kit . . . 552
Dual Engine Tie Bar Kits . . . 552
Front Pivot Mount Cylinder Chart . . . 547
Hydraulic Outboard Steering System . . . 539
Hydraulic Steering - Basic and Heavy Duty Systems . . . 535
Hydraulic Steering - Common to Power Steering . . . 540
Jet Drive 135 & 270 Deg. Steering System . . . 554
Jet Drive Steering Cable Rod End . . . 555
MerCruiser Dual Engine Tie Bar Kits . . . 554
MerCruiser Power Steering Kits . . . 553
Outboard Cable and Pulley Attaching Kits . . . 553
Power Steering Components . . . 522
Power Steering Hose Kits-Joystick Piloting . . . 531
Power Steering - Triple . . . 522
RideGuide Attaching Kits . . . 549
SeaStar Tie Bar Kit Chart . . . 549
Steering Brackets . . . 550
Steering Cable Bulkhead Fittings/Bellows Kits 555
Steering Link Rod Chart . . . 551
Steering Wheels . . . 519
Teleflex Big-T Bezel Kit/Misc . . . 546
Teleflex NFB Rotary Steering . . . 544
Teleflex NFB SeaStar Hydraulic Outboard Steering . . . 546
Teleflex NFB SeaStar Replacement Parts . . . 548
Teleflex NFB SeaStar Tie Bar Kits . . . 548
Teleflex Non-NFB Safe-T QC Rotary Steering Systems . . . 543
Teleflex Rotary Steering Cables . . . 546
Tie Bar Kits . . . 532
Tiller Handle Steering-40-300HP Tiller . . . 520
Uflex Mechanical Steering Cables . . . 542
Uflex Misc Components . . . 545
Uflex Rotary Steering Cables . . . 544
Uflex Standard Rotary Steering Systems . . . 543
Uflex Standard Rotary Steering Systems/ Dual Cable . . . 544
Uflex Steering Components-Helms, Bezels,Tilt Mech . . . 545
Uflex Steering Cylinders, Helms and Hoses-Misc . . . 547
Uflex ZeroTorque Feedback Rack Steering System . . . 542
Uflex ZeroTorque Feedback Rotary Systems / Tilt . . . 544

K Planes (Trim Tabs) . . . 556

Actuator Kits . . . 557
Competition K-Planes . . . 557
Hoses for K-Planes . . . 557
K-Planes Hose Kits . . . 557
K-Planes Sport Color Option . . . 556
Sport K-Planes . . . 556

Installation Specifications and Tools . . . 559

Boost . . . 559
Boost Upgrade Card . . . 559
Installation Aids . . . 559
Measuring Console Control Throttle/Shift Cables . . . 573
Measuring for Exhaust Risers . . . 573
Measuring MerCruiser Throttle/Shift Cables . . . 572
Measuring Outboard Throttle/Shift Cables . . . 572
MPC 4000/4000 GEN II-Panel Mount Cutout Template . . . 571
MPC 4000 GEN II Panel Mount-Lock Bar Design . . . 569
MPC 4000 GEN II Panel Mount-Lock Bar Finger Release Design . . . 570
MPC 4000 Panel Mount Controls (Trim/Non-Trim) . . . 568
MSC 4500 Side Mount Control Schematic . . . 567

SMARTCRAFT INSTRUMENTS

VESSELVIEW903

MERCURY
GO BOLDLY.™

VesselView903

From engine information to vessel systems, the Mercury VesselView903's 9" screen is your information portal for your boat. Mercury VesselView allows boaters to display engine information, genset, sounder info and much more...



- Features a bright 16x9 aspect ratio, high definition glass touchscreen with glarereducing coating and dimmable lighting
- Features a built in 10Hz GPS and chart plotter capability (regional electronic chart cards purchased separately)
- Unique touch only screen interface that delivers intuitive display interaction (optional remote control button interface is available)
- Auto Notification of software updates through the embedded WiFi
- Can be integrated with all the Simrad accessories for the Go9 product line: Radar, Sonar transducers, Fish Finder transducers, AIS, VHF, Sonic Hub/Fusion Link/ SiriusXM, C-Zone/Naviop digital switching and more
- Descriptive fault text display provides up-to-date information for 30+ engine parameters Including: Fuel Level & Range, Oil Temperature & Pressure, Battery Voltage, Water Depth, Genset and more
- Simultaneous displays information for up to 4 engines in an easy-to-read interface
- Gateway functionality to allow SmartCraft data to be displayed on NMEA 2000 devices
- Supports 16 languages and multiple unit conversions
- Requires Mercury's VesselView Link to fully integrate the propulsion system and make your multi-function display truly multi-functional (included in the kit)
- Can be low profile top mount, flush or bracket mount the display
- Full-featured chartplotter with widest available cartography (Insight, Navionics, CMAP)
- Radar display for Simrad Broadband 3G/4G and Halo Pulse Compression radar systems
- Built in Broadband Sounder, CHIRP Sonar, StructureScan HD imaging or ForwardScan sonar support (transducer required)

Description	Part Number
VV903 Multi Engine Kit	8M0129545
VV903 Single Engine Kit	8M0129543

©2017 MERCURY MARINE. All rights reserved. Published 09/17. Printed in U.S.A. Reproduction in whole or in part without permission is prohibited. P/N 90-8M0137950

VESSELVIEW703

VesselView703

Precise, reliable control with greater visibility

Discover exceptional clarity, wide viewing angles, and enhanced controls for easier display operation in all conditions. Cruise, fish, and experience an unprecedented level of built-in functionality on the all-new VesselView703.

- Features a bright 16x9 aspect ratio, high definition glass touchscreen with glare-reducing coating and dimmable lighting
- Features a built in 10Hz GPS and chart platter capability (regional electronic chart cards purchased separately)
- Hybrid touchscreen and button interface allows users preferences for display interaction
- Auto Notification of software updates through the included WiFi capability
- Can be integrated with all the Simrad accessories for the NSS Evo3 product line: Radar, Sonar transducers, Fish Finder transducers, AIS, VHF, Sonic Hub/Fusion Link, C-Zone and Naviop digital switching and more
- Simultaneously displays information for up to 4 engines in an easy-to-read interface
- Display provides up-to-date information for 30+ engine parameters Including: Fuel Level & Range, Oil Temperature & Pressure, Battery Voltage, Water Depth, Genset and more
- Gateway functionality to allow SmartCraft data to be displayed on NMEA 2000 devices
- Supports 16 languages and multiple unit conversions
- Requires Mercury's VesselView Link to fully integrate the propulsion system and make your multi-function display truly multi-functional (included in the kit)



Description	Part Number
VV703 Multi Engine Kit	8M0124496
VV703 Single Engine Kit	8M0124495

- All-weather touchscreen
- Integrated echosounder
- True dual-channel CHIRP
- Highly expandable system
- Built-in GoFree™ Wi-Fi

VesselView703 is the next generation in the Mercury® VesselView® Multifunction Display family featuring the new Simrad® SolarMAX® HD display.

SOLARMAX HD

MERCURY GO BOLDLY.™

Learn more at mercurymarine.com

©2018 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited. Simrad, SolarMax HD and GoFree are registered trademarks of Navico, Inc. P/N 90-8M0128535 rev2-0118

VESSELVIEW502

VesselView502

From engine information to vessel systems, the Mercury VesselView502's 5" screen is your information portal for your boat. Mercury VesselView allows boaters to display engine information, genset, sounder info and much more...

- Features a bright 16x9 aspect ratio, high definition glass touchscreen with glare-reducing coating and dimmable lighting
- Features a built in 10Hz GPS and chart plotter capability (regional electronic chart cards purchased separately)
- Unique touch only screen interface that delivers intuitive display interaction (optional remote control button interface is available)
- Auto Notification of software updates through the embedded WiFi and Bluetooth capability
- Can be integrated with all the Simrad accessories for the Go5 product line: Radar, Sonar transducers, Fish Finder transducers, AIS, VHF, Sonic Hub/Fusion Link, C-Zone digital switching and more



VesselView502

- Adaptive screen automatically presents information when it is most important
- Descriptive fault text display provides up-to-date information for 30+ engine parameters Including: Fuel Level & Range, Oil Temperature & Pressure, Battery Voltage, Water Depth, Genset and more
- Simultaneous displays information for up to 4 engines in an easy-to-read interface
- Gateway functionality to allow SmartCraft data to be displayed on NMEA 2000 devices
- Supports 16 languages and multiple unit conversions
- Requires Mercury's VesselView Link to fully integrate the propulsion system and make your multi-function display truly multi-functional (included in the kit)

Description	Part Number
VV502 Multi Engine Kit	8M0110646
VV502 Single Engine Kit	8M0110643

MERCURY GO BOLDLY.™

Learn more at mercurymarine.com

©2017 MERCURY MARINE. All rights reserved. Published 12/17 Printed in U.S.A. Reproduction in whole or in part without permission is prohibited.

P/N 8M0141383

VESSELVIEW403

MERCURY
GO BOLDLY.

VesselView403

From engine information to vessel systems, Mercury VesselView – the premiere engine information display in the recreational marine industry – is your information portal to your boat. Mercury® VesselView® allows boaters to display engine information, genset, sounder and more.



- Features a bright, 4" glass screen with glare-reducing coating and dimmable lighting
- Low Profile front mount with sleek optimized button-only user interface
- Active Trim interface so that the Active Trim dash pad is not required. Requires a GPS source.
- Includes WiFi support for easier software updates
- Descriptive fault text display provides up-to-date information for over 30 engine parameters
- Supports up to 4 engines and can simultaneously display information for up to 2 engines in an easy-to-read interface
- Whether you ski, wakeboard or surf, Smart Tow® makes boating easier and more fun by delivering consistent, dialed-in pulls for all tow sport activities.
- Gateway functionality to allow SmartCraft® data to be displayed on NMEA 2000 devices
- Supports 16 languages and multiple unit conversions
- Troll Control can set engine trolling speed in increments of 10 RPM for precise control

Description	Part Number
VesselView403 Kit	8M0124498

SMART TOW



TROLL CONTROL




ENGINE INFORMATION



©2017 MERCURY MARINE. All rights reserved. Published 09/17. Printed in U.S.A. Reproduction in whole or in part without permission is prohibited. P/N 90-8M0137948

VESSELVIEW LINK

Engine data linked to your vessel display. Welcome to VesselView Link by Mercury Marine®.



Looking for a display that fully integrates with your propulsion system? Mercury's VesselView Link is the answer. Offered in single engine or multi-engine (2-4 engines) versions, this is your link to all the features SmartCraft has to offer. Available on compatible Lowrance and Simrad displays, you now have all the VesselView information and control capability at your fingertips. With a user interface that's easy to navigate, you're able to integrate the following systems into one display.

- Chart plotter
- Sonar/fish finder
- Radar
- VHF
- AIS (Automatic Identification System)
- Sonic Hub/Fusion Link
- CZone/Naviop Digital Switching
- And many more

VesselView Link

- Offered as a single engine or multi engine (2-4 engine) interface, a "black box" VesselView that installs under the dash
- Can also Link a Simrad or Lowrance compatible display to the Mercury SmartCraft data and control system which provides the fully integrated and functional Mercury VesselView user interface on those displays
  - Simrad NSS evo2, NSS evo3, NSO evo2, NSO evo3 and GO series; Lowrance HDS Gen 2 Touch and HDS Gen 3
    - Excellent opportunity for those fisherman with Lowrance displays and Mercury power to get the full VesselView experience where they normally would only rely on analog gauges
- Info & Control features - ECO mode, Troll Control in 10 RPM increments, Active Trim interface to omit the dashpad, Cruise Control (RPM or Speed based), SmartTow (tow sport launch control system, RPM or Speed based), with customizable user launch profiles and new intuitive interface utilizing the Launch Target cursor
- User selectable 16 languages that cover the interface, Descriptive Fault Text, Universal Fault Codes (UFCs) and Maintenance Items (for those engines equipped with this feature)





Included in the VV502, VV703 and VV903 kits Can also be ordered as a component*	
VesselView Link Multi	8M0110641
VesselView Link Single	8M0110639
VesselView Link Multi w/Advanced Features Bundle	8M0144269

*only supports Simrad or Lowrance compatible displays

MERCURY GO BOLDLY.™

Learn more at mercurymarine.com

©2018 MERCURY MARINE. All rights reserved. Printed in U.S.A. Reproduction in whole or in part without permission is prohibited.

P/N 8M0144269 0218


SMARTCRAFT INSTRUMENTS

VESSELVIEW FAMILY

VesselView displays offer a full-color, enhanced sunlight viewable information center that relays data from the vessel, navigation and engines. Displays can be fully integrated Mercury Marine SmartCraft digital information and control features using a gateway device (see below). Works with all SmartCraft capable engines 40 HP and up. Requires a NMEA2000 backbone, starter kit available separately.



COMPATIBILITY OPTIONS



VESSELVIEW

VesselView903/704/703/502 is compatible with 1 to 4 engine applications. NMEA2000 backbone is required. NOTE: VesselView903/704/703 is applicable for 5-6 engine applications.

VesselView403 is compatible with 1 to 2 engines. NMEA backbone is optional.

VESSELVIEW903

VesselView903 is our 16:9 HD direct sunlight viewable color touchscreen-only multi-function display. Compatible with VesselView Link. Kits include VesselView Link, VV903 display and harnessing.

VESSELVIEW903



8M0129543
Single engine kit with VesselView Link Gateway

8M0129545
Multi engine kit with VesselView Link Gateway

8M0129544
VV903 display only, for use with an existing VesselView Link

VESSELVIEW704

VesselView704 is our 7" HD direct sunlight viewable color touchscreen-only engine information center (no charts or sonar). Compatible with SmartCraft Connect. Kits include SmartCraft Connect, VV704 display, sun cover, NMEA T, and harnessing.

VESSELVIEW704



8M0227886
Vesselview704 display only, for use with existing SmartCraft Connect

VESSELVIEW703

VesselView703 is our 16:9 HD direct sunlight viewable color touchscreen and button multi-function display. Compatible with VesselView Link. Kits include VesselvView Link, VV703 display and harnessing.

VESSELVIEW703



8M0124495
Single engine kit with VesselView Link Gateway

8M0124496
Multi engine kit with VesselView Link Gateway

VESSELVIEW703



8M0124497
VV703 display only, for use with an existing VesselView Link

VESSELVIEW502

VesselView502 is our 16:9 HD direct sunlight viewable color touchscreen-only multi-function display. Compatible with VesselView Link. Kits include VesselView Link, VV502 display and harnessing.

VESSELVIEW502



8M0110643
Single engine kit with VesselView Link Gateway

8M0110646
Multi engine kit with VesselView Link Gateway

SMARTCRAFT INSTRUMENTS

VESSELVIEW502



8M0110644

VV502 display only, for use with an existing VesselView Link

VESSELVIEW403

VESSELVIEW403



8M0124498

VesselView403 is a direct sunlight viewable color display for up to 2 engines. Kit includes display and harnessing.

Works with all SmartCraft capable engines 40 HP and above. Single through quad engine applications but display only supports data for up to 2 engines

VESSELVIEW LINK

Integrate your Lowrance or Simrad display with your Mercury propulsion system and the power of VesselView. Works with SmartCraft capable engines and compatible display (VesselView502, VesselView702, VesselView703, Simrad NSS evo2, NSS evo3, NSO evo2, GO series, Lowrance HDS Gen 2 Touch or HDS Gen 3). Kit includes the VesselView Link, harnessing, and NMEA T.

VESSELVIEW LINK



8M0110639

For single Engine installations

8M0110641

For two through four Engine installations

SMARTCRAFT CONNECT

SmartCraft Connect is a powerful family of hardware that delivers access to SmartCraft engine data and the VesselView experience on preferred displays as well as connectivity to mobile devices. Works with SmartCraft capable engines and compatible display (VesselView704, Navico NSX, NSS4, Garmin GPSMAP 8400/8600/9000/9200 Series; 7x3/9x3/12x3 Series USD2/Ultra, Raymarine lighthouse 4.1 and higher displays.

SMARTCRAFT CONNECT



98-**8M0173128**

For Single engine Mobile only under cowl mount only, green.


98-**8M0173129**

For One to Four engine Mobile only under helm mount only, green.

98-**8M0173704**

Single engine under cowl mount only

SMARTCRAFT CONNECT UNDER COWL - SINGLE



8M0235016

Under cowl, single engine, gray. Mobile and MFD - Navico

SMARTCRAFT CONNECT UNDER HELM - SINGLE ENGINE



8M0235017

Under helm, single engine, gray. Mobile and MFD - Navico

SMARTCRAFT CONNECT UNDER HELM - MULTI ENGINE

8M0235018

Under helm, multi engine, gray. Mobile and MFD - Navico

SMARTCRAFT CONNECT - SINGLE



98-**8M0173694**

Includes SmartCraft connect under helm - single engine (blue) and nmea T. Can be used with any MFD.

Mobile & MFD - Universal

SMARTCRAFT CONNECT - MULTI ENGINE

98-**8M0173703**

Includes SmartCraft Connect under helm, multi engine (blue) and Nmea T. Can be used with any MFD.

Mobile and MFD - Universal

VESSELVIEW ACCESSORIES

VV704 CORNER CAPS



8M0228166

VesselView 704 corner caps

DASH MOUNT SCREW/SEAL



10-**8M0228165**

VesselView704

SUNCOVER



8M0228164

VesselView704

SUNCOVER



8M0133439

VesselView903

BEZEL



8M0141864

VesselView903

SUNCOVER



8M6005011

VesselView703

BEZEL



8M6005025

VesselView703

SUNCOVER



8M6003707

VesselView502

BEZEL



8M6003706

VesselView502


SUNCOVER



8M6005019

VesselView403

BEZEL



8M6005014

VesselView403

VESSELVIEW70X POWER HARNESS



84-**8M0111668**

Harness provides power and SmartCraft information via a junction box connection.

Used to power multiple VV70x from Jbox power, comes in the full kit. N2K will provide data to the displays.

VESSELVIEW502 POWER HARNESS



84-**8M0111669**

Harness provides power and SmartCraft information via a junction box connection.

Used for all VesselView502 displays, comes in the full kit.

VESSELVIEW7 AND 70X VIDEO INPUT CABLE



8M6003460

Add up to two video sources as inputs to your VesselView7 or 702 display. Can be used for viewing in numerous useful locations: the swim platform area, inside the engine compartment/bilge area, from the ski tower looking aft or down in the galley/cabin below.

Works with VV7, VV702 or VV703 and NTSC/PAL analog video signals.

VESSELVIEW LINK HARNESS



84-**8M0111670**

Harness used to connect VesselView Link to the junction box, included in the VesselView Link kits.

Can be used with either the VesselView Link single or multi engine component

VESSELVIEW LINK MOUNTING BRACKET




8M0110649

Stainless steel mounting bracket which allows the VesselView Link (single or multi) to be installed vertically to the mounting surface.

Optional bracket to be used when there is not sufficient space to mount the VesselView Link flat to the intended mounting surface.

MERCMONITOR WITH ACTIVE TRIM SUPPORT AND N2K GATEWAY

MercMonitor fits in a standard SmartCraft SC1000 gauge 85mm hole and provides constant coverage of temperature, oil level, oil pressure, water pressure, fuel level, battery voltage and other major engine systems. Easily switches among the modes of RPM, fuel range in miles and kilometers, fuel flow in gallons and liters, water depth (with use of SmartCraft transducer), engine trim and engine hours. Latest MercMonitor products support Active Trim interface. NMEA Gateway functionality comes in three different levels depending on the amount of data you want to transmit to the NMEA2000 network. This product also comes in Smart Tow versions, for use with Gen I (2007) and newer DTS engines.



MERCMONITOR NMEA 2000 DATA LEVEL 1 KIT



79-**8M0135536**

MercMonitor base version has full SmartCraft functionality and will display all information that is available on selected SmartCraft engines. Includes active trim interface and NMEA2000 gateway Level 1. Other features include glass lenses and tri-color LED, which allows user to pick backlight and button color. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Three bezels included.

Software version 9.0 adds active trim, active exhaust, and oil level status support.

MERCMONITOR NMEA 2000 DATA LEVEL 2 SMARTTOW RPM KIT



79-**8M0135617**

MercMonitor RPM SmartTow has full SmartCraft and SmartTow RPM functionality. SmartTow allows you to launch your boat using RPM profiles only. Will display all information that is available on selected SmartCraft engines. Includes active trim interface and NMEA2000 gateway level 2. Other features include glass lenses and tri-color LED, which allows user to pick backlight and button color from menu. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Three bezels included.

Software version 9.0 adds active trim, active exhaust, and oil level status support.

MERCMONITOR NMEA 2000 DATA LEVEL 3 SMARTTOW PRO KIT



79-**8M0135618**

MercMonitor gateway level 3 has full SmartCraft and SmartTow pro functionality (GPS and antenna included). SmartTow pro software allows you to launch your boat using speed and RPM profiles. Will display all information that is available on selected SmartCraft engines. Includes active trim interface and NMEA2000 multi-engine gateway level 3. Other features include glass lenses and tri-color LED, which allows user to pick backlight and button color from menu. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Three bezels included.

Software version 9.0 adds active trim, active exhaust, and oil level status support.

MERCMONITOR NMEA 2000 DATA LEVEL 3 GATEWAY PREMIER KIT



79-**8M0135619**

MercMonitor gateway premier kit has full SmartCraft and SmartTow RPM functionality. SmartTow allows you to launch your boat using RPM profiles only. Will display all information that is available on selected SmartCraft engines. Includes active trim interface and NMEA2000 multi-engine gateway level 3. Other features include glass lenses and tri-color LED, which allows user to pick backlight and key button color from menu to match other gauges on vessel. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Three bezels included.

Software version 9.0 adds active trim, active exhaust, and oil level status support.

SMARTCRAFT INSTRUMENTS

MERCMONITOR - NO NMEA 2000



79-**8M0119406**

Software version 4.602 has full SmartCraft functionality (including eco screen) and will display all information that is available on selected SmartCraft engines. Includes tri-color LED, which allows user to pick backlight and button color from menu. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Does not include NMEA2000 gateway functionality and does not include SmartTow or Cruise. Three bezels included.

Fits 2002 and newer OptiMax Outboards, V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing products. Does not support NMEA2000, Universal Fault Codes or the latest Tab module.

MERCURY GATEWAY

MERCURY NMEA2000 SMARTCRAFT GATEWAY



98-**8M0165589**

The Mercury NMEA2000 SmartCraft Gateway converts Mercury engine and system data to NMEA2000 for use on non-Mercury gauges and displays for 1 to 4 engines. It also converts applicable NMEA2000 data to SmartCraft data for display by applicable SmartCraft gauges and displays. Includes a NMEA2000 "T" connector for quick installation.

Any instance where SmartCraft data is desired on the NMEA2000 bus. Applies to single through quad engine applications. Not required when a MercMonitor, VesselView Link or VesselView403, 502, 703 or 903 are being used.

QUINT ENGINE SMARTCRAFT TO N2K GAUGE KIT



98-**8M0165598**

CAN P module for quint engine applications. Dual CanP Gateway kit used for 5 engine applications and Garmin screens. Provides data to N2K screens.

SMARTCRAFT SYSTEM GAUGE AND MONITOR RETAINING NUTS

SMARTCRAFT GAUGE HOUSING



8M0099412

Housing for when you want to install a SmartCraft gauge in an application without a dash (primarily tiller applications), typically to the gunnel or transom.

Any 85mm SmartCraft gauge (System Tach, System Speed, MercMonitor, SC100 link gauges). This is the housing only. Gauge and harness required, sold separately.

NUT - 52MM @ 2



11-**8M0204699**

Nut, 52mm

NUT - OMEGA GAUGE



11-**8M0204697**

Omega gauge nut, 85mm.

ANALOG GAUGE INTERFACE KITS

DTS ENGINE - ANALOG GAUGE HARNESS



84-**8M0095716**

15 ft. analog gauge harness. Connects directly to engine harness 4pin for Trim, coolant temp, oil PSI and tachometer analog gauges.

Compatible with DTS, Outboard, V6/ V8 engines and DTS MCM 4.5/6.2L engines.

84-**8M0095826**

20 ft. analog gauge harness. Connects directly to engine harness 4pin for Trim, coolant temp, oil PSI and tachometer analog gauges.

Compatible with DTS, Outboard, V6/ V8 engines and DTS MCM 4.5/6.2L engines.

84-**8M0095827**

25 ft. analog gauge harness. Connects directly to engine harness 4pin for Trim, coolant temp, oil PSI and tachometer analog gauges.

Compatible with DTS, Outboard, V6/ V8 engines and DTS MCM 4.5/6.2L engines.

84-**8M0095828**

30 ft. analog gauge harness. Connects directly to engine harness 4pin Trim, coolant temp, oil PSI and tachometer analog gauges.

Compatible with DTS, Outboard, V6/ V8 engines and DTS MCM 4.5/6.2L engines.

SMARTCRAFT RIGGING AND CONVERSION KITS

CONVERSION KIT - SMARTCRAFT SENSORS



889250K01

New kit that allows you to use SmartCraft gauges on these engines.

Gen II (2007) 75 HP - 115 HP 4 stroke 1.7L engines.

ANALOG TO DIGITAL CONVERSION KIT



859648A 2

Converts an analog to a digital OptiMax. Contains the sensors, harnesses and instructions needed.

Fits 2000 and newer OptiMax 2.5L engines.

SMARTCRAFT RIGGING PREP KIT FOR OPTIMAX - SINGLE



8M0056275

Kit contains the following:
1257- 8742A21 Oil Tank with Oil Sender (1)
84-879982A30 30 ft 2RSL SmartCraft Harness (1)
84-859743A 1 Harness Assembly - Boat

Fits 2006 OptiMax Outboards, 2006 V-6 EFI Outboards and Pro Max Mercury Racing Outboards (when equipped with the 555 Electronic Control Module). The oil tank bracket may only be used as a floor mounted application.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- **8742A21**

Remote 3.0 US gal (11 L) Oil Tank with sender, complete with tank, lines, floor mounting bracket and all hardware.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- **8742A22**

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, floor mounting bracket and all hardware.

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly is only used in floor mounted applications.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- **8742A23**

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, mounting bracket and all hardware (old bracket design).

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly may be optionally floor or wall mounted.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- **8742A24**

Remote 3.0 US gal (11 L) Oil Tank with sender, complete with tank, lines, floor mounting bracket and all hardware (old bracket design).

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly may be optionally floor or wall mounted.

REMOTE OIL TANK KIT



1257- **8742A25**

Includes remote oil tank, lines, fittings and hardware to convert to a pressurized remote 2 cycle oil tank system.

Fits Mercury/Mariner 75, 90, 115 hp (1.5L) OptiMax outboards, model year 2004 and newer.

SMARTCRAFT GAUGES

SC1000 - SC100 FAMILY GLASS LENS WHITE FACE GAUGES



SC1000 - SC100 FAMILY GLASS LENS BLACK FACE GAUGES



SC1000 - SC100 FAMILY GLASS LENS GRAY FACE GAUGES



SC 1000 SYSTEM TACH/SPEED (85MM) GLASS LENS WHITE FACE GAUGES

Software version 9.0 for all SC1000 Tachometers and Speedometers adds Active Trim, Active Exhaust and Oil Level Status support (various features are engine specific).



SPEEDOMETER - 80 MPH
79-**8M0135627**

SC1000 80 MPH speed gauge, white face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

SPEEDOMETER - 50 MPH
79-**8M0135624**

SC1000 50 MPH speed gauge, white face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 7K
79-**8M0135634**

SC1000 7000 RPM tach gauge, white face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

BULK TACHOMETER - 7K
79-**8M0135638**

SC1000 7000 RPM tach gauge, white face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 4K
79-**8M0135625**

SC1000 4000 RPM tach gauge, white face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 5K (NO LOGO)
79-**8M0135658**

SC1000 5000 RPM tach gauge, no logo, white face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

SPEED KIT- SINGLE ENGINE
79-**8M0185891**

Speedo SC1000 80 mph and 7K RPM, white face. Single Engine kit. Must order 5-way Jbox separately.

SPEED KIT- DUAL ENGINE
79-**8M0185892**

Speedo SC1000 80 MPH and 7K RPM, White Face. Dual Engine kit. Must order 5-way Jbox separately.

SC 1000 SYSTEM TACH/SPEED (85MM) GLASS LENS BLACK FACE GAUGES

Software version 9.0 for all SC1000 Tachometers and Speedometers adds Active Trim, Active Exhaust and Oil Level Status support (various features are engine specific).



SPEEDOMETER - 80 MPH
79-**8M0135631**

SC1000 80 MPH speed gauge, black face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

SPEEDOMETER - 50 MPH
79-**8M0135629**

SC1000 50 MPH speed gauge, black face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 7K
79-**8M0135641**

SC1000 7000 RPM tach, black face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 4K
79-**8M0135630**

SC1000 4000 RPM tach gauge, black face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 4K (NO LOGO)
79-**8M0135656**

SC1000 4000 RPM tach gauge, no logo, black face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 5K (NO LOGO)
79-**8M0135657**

SC1000 5000 RPM tach, no logo, black face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

SPEED KIT - SINGLE ENGINE
79-**8M0185894**


Speedo SC1000 80 MPH and 7K RPM, Black face. Single Engine kit. Must purchase 5-way Jbox separately.


SPEED KIT- DUAL ENGINE
79-**8M0185893**

Speedo SC1000 80 MPH and 7K RPM, Black face. Must purchase 5-way Jbox separately.

SC 1000 SYSTEM TACH/SPEED (85MM) GLASS LENS GRAY FACE GAUGES

Software version 9.0 for all SC1000 Tachometers and Speedometers adds Active Trim, Active Exhaust and Oil Level Status support (various features are engine specific).





SPEEDOMETER - 80 MPH

79-**8M0135654**

SC1000 80 MPH speed gauge, gray face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 7K

79-**8M0135645**

SC1000 7000 RPM tach, gray face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

BULK TACHOMETER - 7K

79-**8M0135646**


SC1000 7000 RPM tach, gray face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

TACHOMETER - 4K

79-**8M0135644**

SC1000 4000 RPM tach, gray face, glass lens. Fits 85mm diameter hole. Gauge has RPM and speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.

SC1000 SYSTEM TACH/SPEED 85 MM BEZELS





BEZEL

8M0214969

Black bezel. Fits large 3-3/8 in. (85 mm) O.D. SC1000 system gauges and MercMonitors.

859074B 1

Black bezel. Fits large 3-3/8 in. (85 mm) O.D. SC1000 system gauges and MercMonitors.

8M0204910

White bezel. Fits large 3-3/8 in. (85 mm) O.D. SC1000 system gauges and MercMonitors.

859074B 2

White bezel. Fits large 3-3/8 in. (85 mm) O.D. SC1000 system gauges and MercMonitors. Priced individually sold @ qty of 24.

859074 3

Chrome bezel. Fits large 3-3/8 in. (85 mm) O.D. SC1000 system gauges and MercMonitors.


859074B 3


Chrome bezel. Fits large 3-3/8 in. (85 mm) O.D. SC1000 system gauges and MercMonitors. Priced individually, sold @ qty of 24.

SC 100 GLASS LENS WHITE 52MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.

NOTE: Bezel sold separately for all SC1000 and SC100 gauges unless otherwise noted.





COOLANT TEMPERATURE GAUGE
79-**8M0052863**

Dual scale (English and Metric) temperature gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

VOLTAGE GAUGE (12 V)
79-**8M0052864**

Voltage gauge (8-16V), white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

FUEL LEVEL GAUGE
79-**8M0052865**

Fuel Level Gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

FUEL FLOW GAUGE
79-**8M0069416**

Dual scale fuel flow gauge, white face. Fits a standard 2-1/8 in. (52 mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

WATER LEVEL GAUGE
79-**8M0052867**

Water Level Gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

WASTE LEVEL GAUGE
79-**8M0052868**

Waste Level Gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

OIL PRESSURE GAUGE - 0-100 PSI
79-**8M0052869**

Dual scale (English and Metric) 0-100 PSI oil pressure gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

GEAR OIL PRESSURE GAUGE - 600 PSI
79-**8M0069415**

Dual scale 10x PSI (English and Metric) 600 PSI oil pressure gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

TRIM GAUGE
79-**8M0052870**

Trim gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

WATER PRESSURE GAUGE
79-**8M0052871**

Dual scale (English and Metric) water pressure gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

OIL TEMPERATURE GAUGE
79-**8M0054374**

Dual scale (English and Metric) oil temperature gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.


OIL LEVEL GAUGE
79-**8M0052873**

Oil level gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 GLASS LENS BLACK 52 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.

NOTE: Bezels sold separately for all SC1000 and SC100 gauges unless otherwise noted.



COOLANT TEMPERATURE GAUGE
79-**8M0052842**

Dual scale (English and Metric) coolant temperature gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

VOLTAGE GAUGE (12 V)
79-**8M0052843**

Voltage gauge (8-16V), black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

VOLTAGE GAUGE (24 V)
79-**8M0069426**

Voltage gauge (16-32V), black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

FUEL LEVEL GAUGE
79-**8M0052844**

Fuel level gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole.
Application of this gauge will depend on the individual engine model and its available sensors.

FUEL LEVEL 2 GAUGE
79-**8M0052845**

Fuel level 2 gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

WATER LEVEL GAUGE
79-**8M0052846**

Water level gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole.
Application of this gauge will depend on the individual engine model and its available sensors.

WASTE LEVEL GAUGE
79-**8M0052847**

Waste level gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole.
Application of this gauge will depend on the individual engine model and its available sensors.

OIL PRESSURE GAUGE - 0-80 PSI
79-**8M0069427**

Dual scale (English and Metric) 0-80 PSI oil pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

OIL PRESSURE GAUGE - 0-100 PSI
79-**8M0052848**

Dual scale (English and Metric) 0-100 PSI oil pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

OIL PRESSURE GAUGE - 0-150 PSI
79-**8M0069428**

Dual scale (English and Metric) 0-150 psi oil pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole.

GEAR OIL PRESSURE GAUGE - 600 PSI
79-**8M0069429**

Dual scale (English and Metric) 600 PSI oil pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

TRANSMISSION OIL TEMPERATURE GAUGE
79-**8M6002607**

Transmission oil temperature 120-300 degree F. Black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

TRIM GAUGE
8M0206585

Trim gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model
and its available sensors.

WATER PRESSURE GAUGE
79-**8M0052850**

Dual scale (English and Metric) water pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

RUDDER ANGLE GAUGE
79-**8M0052851**

Rudder angle gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

OIL TEMPERATURE GAUGE
79-**8M0054360**

Dual scale (English and Metric) oil temperature gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.


OIL LEVEL GAUGE
79-**8M0052852**

Oil level gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 GLASS LENS GRAY 52 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.

NOTE: Bezels sold separately for all SC1000 and SC100 gauges unless otherwise noted.



COOLANT TEMPERATURE GAUGE
79-**8M0065962**

Dual scale (English and Metric) temperature gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

VOLTAGE GAUGE
79-**8M0065963**

Voltage gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

FUEL LEVEL GAUGE
79-**8M0065970**

Fuel level gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

FUEL LEVEL 2 GAUGE
79-**8M0065971**

Fuel level 2 gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

WATER LEVEL GAUGE
79-**8M0065972**

Water level gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

OIL PRESSURE GAUGE
79-**8M0065974**

Dual scale (English and Metric) oil pressure gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

TRIM GAUGE
79-**8M0065975**

Trim gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

WATER PRESSURE GAUGE

79-**8M0065976**

Dual scale (English and Metric) water pressure gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

RUDDER ANGLE GAUGE

79-**8M0065977**


Rudder angle gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

OIL TEMPERATURE GAUGE

79-**8M0065978**

Dual scale (English and Metric) oil temperature gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

SC1000 SYSTEM MONITOR (85MM)





SMARTCRAFT SC1000 SYSTEM MONITOR-ROUND/ BLACK

79-**892219K19**


Front mount, includes black bezel. Uses a 85 mm diameter hole. Delivers an alarm on battery, water pressure and oil pressure. May provide additional information on fuel consumption, fuel range, engine hours, coolant temperature and engine trim depending on engine type and its sensors.

SMARTCRAFT SC1000 SYSTEM MONITOR-ROUND/ WHITE

79-**892219K20**

Front mount, includes white bezel. Uses a 85mm diameter hole. Delivers an alarm on battery, water pressure and oil pressure. May provide additional information on fuel consumption, fuel range, engine hours, coolant temperature and engine trim depending on engine type and its sensors.

SC 100 SYSTEM LINK GAUGE 52 MM BEZELS





BEZEL

879871 1

Black - 52 mm

879871B 1

Black - fits small 2-1/8 in. (52 mm) O.D. SC100 System Link gauges. Priced individually, sold @ qty of 24.

879871 2

White - 52 mm

8M0204914

Chrome - fits small 2-1/8 in. (52 mm) O.D. SC100 System Link gauges. Priced individually, sold @ multiples of 2.


8M0032454


Chrome - fits small 2.125 in. (52 mm) O.D. SC100 System Link gauges. Priced individually, sold @ qty of 24.

SC 100 GLASS LENS WHITE 85 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.

NOTE: Bezels sold separately for all SC1000 and SC100 gauges unless otherwise noted.





SPEEDOMETER

79-**8M0052874**

80 MPH/KPH speed gauge, white face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

TACHOMETER

79-**8M0052875**

7000 RPM tach gauge, white face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.


79-**8M0069419**

8000 RPM tach gauge, white face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 GLASS LENS BLACK 85 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.

NOTE: Bezels sold separately for all SC1000 and SC100 gauges unless otherwise noted.





SPEEDOMETER

79-**8M0052853**

80 MPH/KPH speed gauge, black face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

TACHOMETER

79-**8M0052854**

7000 RPM tach gauge, black face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.


79-**8M0069433**

8000 RPM tach gauge, black face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 GLASS LENS GRAY 85 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.

NOTE: Bezels sold separately for all SC1000 and SC100 gauges unless otherwise noted.





SPEEDOMETER

79-**8M0065980**

80 MPH/KPH speed gauge, gray face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

TACHOMETER

79-**8M0069460**

6000 RPM tach gauge, gray face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.


79-**8M0065981**

7000 RPM tach gauge, gray face, glass lens. Fits 85 mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

79-**8M0069461**

8000 RPM tach gauge, gray face, glass lens. Fits 85mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK GAUGE 85 MM BEZELS





BEZEL

879872 1

Black - fits large 3-3/8 in. (85 mm) O.D. SC100 System Link gauges. Sold @ multiples of 2.

879872 2

White - fits large 3-3/8 in. (85 mm) O.D. SC100 System Link gauges.

8M0204911

Chrome- fits the 3-3/8 in. (85mm) System Link SC100 Series instrument. Sold @ multiples of 2.


879872B 3


Chrome - Fits large 3-3/8 in. (85 mm) O.D. SC100 System Link gauges. Priced individually, sold @ qty of 24.

SC 100 GLASS LENS WHITE 110 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.

NOTE: Bezels sold separately for all SC1000 and SC100 gauges unless otherwise noted.





SPEEDOMETER

79-**8M0052878**

80 MPH/KPH speed gauge, white face, glass lens. Fits 110mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

TACHOMETER

79-**8M0069431**

8000 RPM tach gauge, white face, glass lens. Fits 110mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.


79-**8M0052877**

7000 RPM tach gauge, white face, glass lens. Fits a 110mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 GLASS LENS BLACK 110 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.

NOTE: Bezels sold separately for all SC1000 and SC100 gauges unless otherwise noted.






SPEEDOMETER

79-**8M0052857**

80 MPH/KPH speed gauge, black face, glass lens. Fits 110mm diameter hole. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK- 110MM -BEZEL/MOUNTING HARDWARE






BEZEL

879949 3

Chrome - fits large 4-5/16" (110 mm) O.D. SC100 System Link gauges. Sold @ qty 2.

SC1000 SYSTEM MONITOR (52MM)





SMARTCRAFT SC1000 SYSTEM MONITOR

79-**879896K21**

Front mount, includes black bezel. Uses a 52mm diameter hole. Delivers an alarm on battery, water pressure and oil pressure. May provide additional information on fuel consumption, fuel range, engine hours, coolant temperature and engine trim depending on engine type and its sensors.

SC1000 SYSTEM MONITOR BEZELS



BEZEL MONITOR

8M6003662


Black - Fits SC1000 System Monitor (Square)

8M6003663

White - Fits SC1000 System Monitor (Square)

SC 100 SYSTEM LINK (85MM) PLASTIC LENS WHITE FACE/WHITE BEZEL GAUGES

Easy-to-read Analog System Link gauges allow you to track vital engine and boat functions with digital accuracy. Furnished with a fog proof lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a one wire plug-in connection.





SC 100 SYSTEM LINK SPEEDOMETER

79-**879905K11**


80 (mph or km/h) speedometer, white face. Fits a standard 3-3/8" (85 mm) diameter hole.

SC 100 SYSTEM LINK TACHOMETER

79-**879903K11**

8,000 RPM tachometer, white face. Fits a standard 3-3/8" (85 mm) diameter hole.

SC 100 SYSTEM LINK (52MM) PLASTIC LENS BLACK FACE/CHROME BEZEL GAUGES





SC 100 SYSTEM LINK TRIM GAUGE

79-**879914K21**


Trim gauge, black face. Fits a standard 2-1/8 in. (52 mm) diameter hole.

SC 100 SYSTEM LINK VOLTAGE GAUGE

79-**879921K21**

Voltage gauge 8-16 volts, black face. Fits a standard 2-1/8 in. (52 mm) diameter hole.

SC 100 SYSTEM LINK (85MM) PLASTIC LENS BLACK FACE/CHROME BEZEL GAUGES





SC 100 SYSTEM LINK SPEEDOMETER

79-**879905K21**

80 (mph or km/h) speedometer, black face. Fits in a standard 3-3/8" (85 mm) diameter hole.

ANALOG GAUGES

ANALOG GAUGE FAMILIES

Mercury Sport Black Face Black Bezel



Mercury Sport Black Face Brushed Chrome Bezel



Mercury Sport White Face Black Bezel



Mercury Sport White Face
Brushed Chrome Bezel



Mercury Classic White Face Chrome Bezel



Mercury Classic Black Face Chrome Bezel



MERCURY SPORT - BLACK FACE - BLACK BEZEL

All gauges have anti-fog lenses and orange backlighting.

Large gauges fit 3-3/8" (85 mm) hole in dash.

Small gauges fit 2-1/8" (52 mm) hole in dash.

Tachometers require tachometer harness or ignition/choke assembly for connection. Will require AGI converter for digital engines.

Speedometers include 25ft. (7.6 m) of tubing.

Fuel Level Gauges use 12V system and require 240 ohm sender.

Trim Gauges require sender, sold separately.

Water Pressure Gauges include 25ft. (7.6 m) of tubing and hardware.

Cruiselog Gauges include wiring.

Volt Meters require tachometer harness or ignition/choke assembly for connection.

Water Temperature Gauge does not include sender. Use 120-240F gauge for all MCM/MIE gasoline engines and Mercury/Mariner two-stroke V6 outboards. Use 60-200F gauge for FourStroke outboards and 40-125hp two-stroke outboards.

Oil Pressure Gauges require sender, available separately.



TACHOMETER GAUGE-6K
79-**8M6020025**

TACHOMETER GAUGE-7K
79-**8M6020026**

SPEEDOMETER-45MPH
79-**8M6020027**

SPEEDOMETER-65MPH
79-**8M6020028**

FUEL LEVEL E-F
79-**8M6020029**

POWER TRIM GAUGE
79-**8M6020030**

WATER PRESSURE GAUGE 0-30
79-**8M6020031**

CRUISELOG GAUGE
79-**8M6020032**

VOLTMETER 8-18V
79-**8M6020033**

WATER TEMP C-H (120-240)
79-**8M6020034**

WATER TEMP C-H (60-200)
79-**8M6020035**

OIL PRESSURE L-H
79-**8M6020036**

MERCURY SPORT - BLACK FACE - BRUSHED BEZEL

All gauges have anti-fog lenses and orange backlighting.

Large gauges fit 3-3/8" (85 mm) hole in dash.

Small gauges fit 2-1/8" (52 mm) hole in dash.

Tachometers require tachometer harness or ignition/choke assembly for connection. Will require AGI converter for digital engines.

Speedometers include 25ft. (7.6 m) of tubing.

Fuel Level Gauges use 12V system and require 240 ohm sender.

Trim Gauges require sender, sold separately.

Water Pressure Gauges include 25ft. (7.6 m) of tubing and hardware.

Cruiselog Gauges include wiring.

Volt Meters require tachometer harness or ignition/choke assembly for connection.

Water Temperature Gauge does not include sender. Use 120-240F gauge for all MCM/MIE gasoline engines and Mercury/Mariner two-stroke V6 outboards. Use 60-200F gauge for FourStroke outboards and 40-125hp two-stroke outboards.

Oil Pressure Gauges require sender, available separately.



TACHOMETER GAUGE-6K
79-**8M6020037**

TACHOMETER GAUGE-7K
79-**8M6020038**

SPEEDOMETER-45MPH
79-**8M6020039**

SPEEDOMETER-65MPH
79-**8M6020040**

FUEL LEVEL E-F
79-**8M6020041**

POWER TRIM GAUGE
79-**8M6020042**

WATER PRESSURE GAUGE 0-30
79-**8M6020043**

CRUISELOG GAUGE
79-**8M6020044**

VOLTMETER 8-18V
79-**8M6020045**

WATER TEMP C-H (120-240)
79-**8M6020046**

WATER TEMP C-H (60-200)
79-**8M6020047**

OIL PRESSURE L-H
79-**8M6020048**

MERCURY SPORT - WHITE FACE - BLACK BEZEL

All gauges have anti-fog lenses and orange backlighting.

Large gauges fit 3-3/8" (85 mm) hole in dash.

Small gauges fit 2-1/8" (52 mm) hole in dash.

Tachometers require tachometer harness or ignition/choke assembly for connection. Will require AGI converter for digital engines.

Speedometers include 25ft. (7.6 m) of tubing.

Fuel Level Gauges use 12V system and require 240 ohm sender.

Trim Gauges require sender, sold separately.

Water Pressure Gauges include 25ft. (7.6 m) of tubing and hardware.

Cruiselog Gauges include wiring.

Volt Meters require tachometer harness or ignition/choke assembly for connection.

Water Temperature Gauge does not include sender. Use 120-240F gauge for all MCM/MIE gasoline engines and Mercury/Mariner two-stroke V6 outboards. Use 60-200F gauge for FourStroke outboards and 40-125hp two-stroke outboards.

Oil Pressure Gauges require sender, available separately.



TACHOMETER GAUGE-6K
79-**8M6020049**

TACHOMETER GAUGE-7K
79-**8M6020050**

SPEEDOMETER-45MPH
79-**8M6020051**

SPEEDOMETER-65MPH
79-**8M6020052**

FUEL LEVEL E-F
79-**8M6020053**

POWER TRIM GAUGE
79-**8M6020054**

WATER PRESSURE GAUGE 0-30
79-**8M6020055**

CRUISELOG GAUGE
79-**8M6020056**

VOLTMETER 8-18V
79-**8M6020057**

WATER TEMP C-H (120-240)
79-**8M6020058**

WATER TEMP C-H (60-200)
79-**8M6020059**

OIL PRESSURE L-H
79-**8M6020060**

MERCURY SPORT - WHITE FACE - BRUSHED BEZEL

All gauges have anti-fog lenses and orange backlighting.

Large gauges fit 3-3/8" (85 mm) hole in dash.

Small gauges fit 2-1/8" (52 mm) hole in dash.

Tachometers require tachometer harness or ignition/choke assembly for connection. Will require AGI converter for digital engines.

Speedometers include 25ft. (7.6 m) of tubing.

Fuel Level Gauges use 12V system and require 240 ohm sender.

Trim Gauges require sender, sold separately.

Water Pressure Gauges include 25ft. (7.6 m) of tubing and hardware.

Cruiselog Gauges include wiring.

Volt Meters require tachometer harness or ignition/choke assembly for connection.

Water Temperature Gauge does not include sender. Use 120-240F gauge for all MCM/MIE gasoline engines and Mercury/Mariner two-stroke V6 outboards. Use 60-200F gauge for FourStroke outboards and 40-125hp two-stroke outboards.

Oil Pressure Gauges require sender, available separately.



TACHOMETER-6K
79-**8M6020061**

TACHOMETER-7K
79-**8M6020062**

SPEEDOMETER-45MPH
79-**8M6020063**

SPEEDOMETER-65MPH
79-**8M6020064**

FUEL LEVEL E-F
79-**8M6020065**

POWER TRIM GAUGE
79-**8M6020066**

WATER PRESSURE GAUGE 0-30
79-**8M6020067**

CRUISELOG GAUGE
79-**8M6020068**

VOLTMETER 8-18V
79-**8M6020069**

WATER TEMP C-H (120-240)
79-**8M6020070**

WATER TEMP C-H (60-200)
79-**8M6020071**

OIL PRESSURE L-H
79-**8M6020072**

MERCURY CLASSIC - WHITE FACE - CHROME BEZEL

All gauges have anti-fog lenses and orange backlighting.

Large gauges fit 3-3/8" (85 mm) hole in dash.

Small gauges fit 2-1/8" (52 mm) hole in dash.

Tachometers require tachometer harness or ignition/choke assembly for connection. Will require AGI converter for digital engines.

Speedometers include 25ft. (7.6 m) of tubing.

Fuel Level Gauges use 12V system and require 240 ohm sender.

Trim Gauges require sender, sold separately.

Water Pressure Gauges include 25ft. (7.6 m) of tubing and hardware.

Cruiselog Gauges include wiring.

Volt Meters require tachometer harness or ignition/choke assembly for connection.

Water Temperature Gauge does not include sender. Use 120-240F gauge for all MCM/MIE gasoline engines and Mercury/Mariner two-stroke V6 outboards. Use 60-200F gauge for FourStroke outboards and 40-125hp two-stroke outboards.

Oil Pressure Gauges require sender, available separately.



TACHOMETER-6K
79-**8M6020013**

TACHOMETER-7K
79-**8M6020014**

SPEEDOMETER-45MPH
79-**8M6020015**

SPEEDOMETER-65MPH
79-**8M6020016**

FUEL LEVEL E-F
79-**8M6020017**

POWER TRIM GAUGE
79-**8M6020018**

WATER PRESSURE GAUGE 0-30
79-**8M6020019**

CRUISELOG GAUGE
79-**8M6020020**

VOLTMETER 8-18V
79-**8M6020021**

WATER TEMP C-H (120-240)
79-**8M6020022**

WATER TEMP C-H (60-200)
79-**8M6020023**

OIL PRESSURE GAUGE L-H
79-**8M6020024**

MERCURY CLASSIC - BLACK FACE - CHROME BEZEL

All gauges have anti-fog lenses and orange backlighting.

Large gauges fit 3-3/8" (85 mm) hole in dash.

Small gauges fit 2-1/8" (52 mm) hole in dash.

Tachometers rerquire tachometer harness or ignition/choke assembly for connection. Will require AGI converter for digital engines.

Speedometers include 25ft. (7.6 m) of tubing.

Fuel Level Gauges use 12V system and require 240 ohm sender.

Trim Gauges require sender, sold separately.

Water Pressure Gauges include 25ft. (7.6 m) of tubing and hardware.

Cruiselog Gauges include wiring.

Volt Meters require tachometer harness or ignition/choke assembly for connection.

Water Temperature Gauge does not include sender. Use 120-240F gauge for all MCM/MIE gasoline engines and Mercury/Mariner two-stroke V6 outboards. Use 60-200F gauge for FourStroke outboards and 40-125hp two-stroke outboards.

Oil Pressure Gauges require sender, available separately.



TACHOMETER-6K
79-**8M6020001**

TACHOMETER-7K
79-**8M6020002**

SPEEDOMETER-45MPH
79-**8M6020003**

SPEEDOMETER-65MPH
79-**8M6020004**

FUEL LEVEL E-F
79-**8M6020005**

POWER TRIM GAUGE
79-**8M6020006**

WATER PRESSURE GAUGE 0-30
79-**8M6020007**

CRUISELOG GAUGE
79-**8M6020008**

VOLTMETER GAUGE 8-18V
79-**8M6020009**

WATER TEMP C-H (120-240)
79-**8M6020010**

WATER TEMP C-H (60-200)
79-**8M6020011**

OIL PRESSURE GAUGE L-H
79-**8M6020012**

DIGITAL THROTTLE AND SHIFT REMOTE CONTROLS

CONTROLS-PANEL

NOTE: All panel and binnacle DTS controls contain lanyard

PANEL MOUNT DTS ERC W/ TRIM



8M0133237

This DTS panel mount Electronic Remote Control (ERC) offers the following features: Throttle only, engine start/stop, Active trim button and system status light, profile select buttons, Profile indicator LEDs, and mounting hardware. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

PANEL MOUNT DTS ERC- ELECTRIC STEERING W/ TRIM



8M0144227

This DTS panel mount with trim Electronic Remote Control (ERC) offers the following features: Piloting includes dock wheel turns, Throttle only, engine start/stop, Active trim button and system status light, profile select buttons, Profile indicator LEDs, mounting hardware, and Quick Steer button for vessels with Single Outboard Electric Steering. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

BRAVO 4S ERC PANEL MOUNT KIT W/ TRIM



8M0189676

This electronic remote control features High Def Cruise and can be used with Bravo FourS surf applications.

DUAL LEGACY ERC TRIM W/ LCM RIGGING KIT



98-**8M0190127**

Seastar optimus 360 kit includes Gen 1.5 ERC and Gen2 LCM Modules

FOOT THROTTLE CONTROL

DTS HOT FOOT THROTTLE KIT



893359K01

Allows for precise throttle control with a foot pedal. Allows use of "Hot Foot" floor mounted foot throttle with DTS single engines. Switch button sold separately.

Next Gen DTS single and multi-engine. As console/panel and ZE DTS controls. Requires 8M0169383.

CONTROLS-CONSOLE-SINGLE

DTS-SLIM CONSOLE-SINGLE-TRIM



8M0079291

The single engine DTS Electronic Remote Control (ERC) features include: Start/stop button, dock mode button, helm transfer button, throttle only function button and a Mercury global dimming button.

This control is designed for 2007 DTS engines and newer.

SINGLE ENGINE CONSOLE DTS ERC W/TRIM



8M0163917

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, helm transfer, global dimming, active trim, profile select LED indicators, and mounting hardware. ERC included is programmed for single-helm configuration. GPS required for active trim feature.

SINGLE ENGINE CONSOLE DTS ERC - NO TRIM



8M0166583

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, helm transfer, global dimming, and mounting hardware. ERC included is programmed for single-helm configuration.

SINGLE ENGINE CONSOLE DTS ERC W/TRIM - ELECTRIC STEERING



8M0166584

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, helm transfer, global dimming, active trim, profile select LED indicators, mounting hardware, and quick steer button for vessels with single outboard electric steering. ERC included is programmed for single-helm configuration. GPS required for active trim feature.

CONTROLS-CONSOLE DUAL

DUAL ENGINE DTS ERC W/ TRIM



8M0133240

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 lever mode, helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's active trim integrated into the ERC itself.

DTS Controls

DUAL ENGINE DTS ERC NO TRIM



8M0133242

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, start/stop all engines, individual engine start/stop, and a neutral indicator light.

DTS Controls

PREMIER DUAL ENGINE DTS ERC W/ TRIM



8M0133243

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 lever mode, helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

TRIPLE/ QUAD- CONTROLS

TRIPLE ENGINE DTS ERC W/ TRIM



8M0133244

This DTS dual handle Electronic Remote Control (ERC) for triple engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

PREMIER TRIPLE ENGINE DTS ERC W/TRIM



8M0133245

This DTS dual handle Electronic Remote Control (ERC) for triple engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

QUAD ENGINE DTS ERC W/ TRIM



8M0133246

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

PREMIER QUAD ENGINE DTS ERC



8M0133247

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

DTS TRACK PADS

DASH MOUNTED CAN TRACK PAD



87-**889305T01**

Dash mounted CAN track pad that allows all the functions that are present with the controls but mounted on the dash. Ideal for use with Yacht controls. Track pad functions include Warm Up, Dock, 1 Lever Mode, Helm Transfer, Sync, Troll, Neutral Indicator and + and - for user control.

Gen I (2007) DTS engines and newer

REMOTE DASH PAD-SMARTTOW



87-**889305T02**

Remote Dash Pad provides a solution for hard-to-reach gauge installations by allowing the user to remotely navigate between VesselView, SC1000 Tach, SC1000 Speed, and new MercMonitor gauges. For tow sport applications, the pad also allows direct access to SmartTow® functionality by providing a dedicated On/Off button.

Navigate seamlessly between SC1000 Tach & Speed,VesselView and MercMonitor.

ZERO EFFORT CONTROLS

NOTE: Purchase lanyard separately

ZERO EFFORT DIGITAL CONTROL



8M0030501

Top mounted 2 lever digital throttle and shift (DTS) remote control. 1 shift lever (black knob) and 1 throttle lever (red knob).

For use with Race outboards and stern drive engines equipped with DTS.

8M0095632

Top mount 2 lever digital throttle and shift (DTS) remote control. Shift and throttle configuration. Shift lever has black knob and throttle lever has red knob. Port mount.

For use with Race outboards and stern drive engines equipped with DTS.

ZERO EFFORT DIGITAL CONTROL



8M0085611

Top mounted 2 lever digital throttle and shift (DTS) remote control. Lever knobs are clear anodized.

For use with Race outboards and stern drive engines equipped with DTS.

ZERO EFFORT DIGITAL CONTROL



8M0085619

Top mounted 4 lever digital throttle and shift (DTS) remote control. Shift/throttle/throttle/shift configuration. All lever knobs are clear anodized. Starboard mount.

For use with Race outboards and stern drive engines equipped with DTS.

ZERO EFFORT DIGITAL CONTROL



8M0085481

Top mounted 2 lever digital shift/shift remote control. Both levers have black knobs. Port mount.

For use with Race outboards and stern drive engines equipped with DTS (digital throttle and shift).

ZERO EFFORT DIGITAL CONTROL



8M0085615

Top mounted 2 lever digital shift/shift remote control. Lever knobs are clear anodized. Port mount.

For use with Race outboards and stern drive engines equipped with DTS (digital throttle and shift).

ZERO EFFORT DIGITAL CONTROL



8M0085613

Top mounted 2 lever digital throttle/throttle remote control. Lever knobs are clear anodized. Starboard mount.

For use with Race outboards and stern drive engines equipped with DTS (digital throttle and shift).

ZERO EFFORT DIGITAL CONTROL



8M0085477

Top mounted 2 lever digital throttle/throttle remote control. Both levers have red knobs. Starboard mount.

For use with Race outboards and stern drive engines equipped with DTS (digital throttle and shift).

ZERO EFFORT DIGITAL CONTROL



8M0092091

Top mounted 4 lever digital throttle and shift (DTS) remote control. Shift/throttle/throttle/shift configuration. All lever knobs are clear anodized. Port mount.

For use with Race outboards and stern drive engines equipped with DTS.

ZERO EFFORT DIGITAL CONTROL



8M0085617

Top mounted 4 lever digital throttle and shift (DTS) remote control. Shift/shift/throttle/throttle configuration. All lever knobs are clear anodized. Starboard mount.

For use with Race outboards and stern drive engines equipped with DTS.

ZERO EFFORT DIGITAL CONTROL



8M0085806

Top mounted 4 lever digital throttle and shift (DTS) remote control. Throttle/throttle/shift/shift configuration. All lever knobs are clear anodized. Starboard mount.

For use with Race outboards and stern drive engines equipped with DTS.

ZERO EFFORT DIGITAL CONTROL



8M0092088

Top mount 4 lever digital throttle and shift (DTS) remote control. Shift/throttle/throttle/shift configuration. Shift levers have black knobs and throttle levers have red knobs. Port mount.

For use with Race outboards and stern drive engines equipped with DTS.

ZERO EFFORT DIGITAL CONTROL



8M0085491

Top mounted 4 lever digital throttle and shift (DTS) remote control. Shift/throttle/throttle/shift configuration. Shift levers have black knobs and throttle levers have red knobs. Starboard mount.

ZERO EFFORT DIGITAL CONTROL



8M0085804

Top mounted 4 lever digital throttle and shift (DTS) remote control. Throttle/throttle/shift/shift configuration. Shift levers have black knobs and throttle levers have red knobs. Starboard mount.

For use with Race outboards and stern drive engines equipped with DTS.

DIODE KIT - DUAL DOWN



812497T03

Prevents feedback in the down trim circuits between multiple engines. Also need to order Diode Kit 812497A 4.

Required and only used on boats with "dual" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT - DUAL UP



812497A 4

Prevents feedback in the up trim circuits between multiple engines. Also need to order Diode Kit 812497A 3. Blue Trim UP, Dual Diode, 1 Bullet In - 4 Bullet Out

Required and only used on boats with "dual" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT - QUAD DOWN



812497A 5

Prevents feedback in the down trim circuits between multiple engines. Also need to order Diode Kit 812497A 6. Green Trim Down , Quad Diode, 1 Bullet In - 6 Bullet Out

Required and only used on boats with "triple" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT - QUAD UP



812497A 6

Prevents feedback in the up trim circuits between multiple engines. Also need to order Diode Kit 812497A 5. Blue Trim Up , Quad Diode, 1 Bullet In - 6 Bullet Out

Required and only used on boats with "triple" engines when updating zero effort control levers without trim switches to levers with trim switches.

MECHANICAL REMOTE CONTROLS

MPC 4000 PANEL MOUNT REMOTE CONTROLS (GEN II)

The Panel Mount Controls are applicable for outboard and MCM/MIE engines. The handle is designed to provide optimal ergonomic use while the best-in-class mechanics offer smooth operation, improved responsiveness and increased strength. All panel mount controls have an integral lanyard stop switch which is sealed for water resistance. The power trim models incorporate a single rocker type trim switch in handle for ease of operation.

MPC PANEL-GEN II- FINGER RELEASE-O/B



8M0011213

The Panel Mount control features a black handle and comes with a 4ft. (1.22 m) trim harness with the 3 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft.(1.98 m)and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends.

The control fits all current Mercury/Mariner outboards (with integral trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim).
The control uses GEN II T/S cables.

MPC PANEL-GEN II- FINGER RELEASE-MCM/MIE



8M0011214

The Panel Mount control features a black handle and comes with a 4ft. (1.22 m) trim and trailer switch harness with the 4 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends. Must use Gen II Throttle/Shift cables. (897978A__)
The power trim extension harness also needs to be ordered separately:
(84-881125A1 = 4 pin Molex to traditional Mercury 3 blade P/T connector)
(84-865772T01 & 84-865772T02 = 4 pin Molex to the Packard 3 pin P/T connector)

Fits all current MCM and Mercury/Mariner 3.4L outboards with external trim cylinders.

MPC PANEL-GEN II- FINGER RELEASE-O/B NO TRIM



8M0011212

The Panel Mount control features a black handle and is designed for outboard engines w/o power trim. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The power trim adapter harness is included to convert 3 pin molex connector to the traditional 3 blade Mercury connector. The neutral safety switch leads are 6.5 ft. (1.98 m) long and have bullet connectors on the ends. The lanyard switch leads also have bullet connectors on the ends.

Used on Outboard engines only - Non Trim versions. The control must use GEN II T/S cables.

MPC PANEL-GEN II- FINGER RELEASE-MCM/MIE NO TRIM

8M0011215

The Panel Mount control features a black handle and is designed for MCM/MIE engines w/o power trim. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The power trim adapter harness is included to convert 3 pin molex connector to the traditional 3 blade Mercury connector. The neutral safety switch leads are 6.5 ft. (1.98 m) long and have bullet connectors on the ends. The lanyard switch leads also have bullet connectors on the ends.

This control is designed for MIE and MCM engines.
The control must use GEN II T/S cables.

MPC PANEL-GEN II- FINGER RELEASE-O/B (CHROME)



8M0030550

The Panel Mount control features a chrome handle and comes with a 4ft. (1.22 m) trim harness with the 3 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends.

The control fits all current Mercury/Mariner outboards (with integral trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim).
The control uses GEN II T/S cables.

MPC PANEL-GEN II- FINGER RELEASE-MCM (CHROME)



8M0030551

The Panel Mount control features a chrome handle and comes with a 4ft. (1.22 m) trim and trailer switch harness with the 4 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends. Must use Gen II Throttle/Shift cables. (897978A__)
The power trim extension harness also needs to be ordered separately:
(84-881125A1 = 4 pin Molex to traditional Mercury 3 blade P/T connector)
(84-865772T01 & 84-865772T02 = 4 pin Molex to the Packard 3 pin P/T connector)

Fits all current MCM and Mercury/Mariner 3.4L outboards with external trim cylinders.

PANEL MOUNT REMOTE CONTROL-GEN II- LOCK BAR



883710A02

The Panel Mount control features a chrome handle and comes with a 4ft. (1.22 m) trim harness with the 3 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends.

The control fits all current Mercury/Mariner outboards (with integral trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim).
The control uses GEN II T/S cables.

BATTERY CABLE KIT



84-8M0210761

Pair of 12 foot (3.7m) cables, 1 red(+) Positive and 1 black(-) Negative, 4 gauge with ring terminals. 105c 4AWG SGT, 5/16 engine direct to battery, 3/8 and 5/16 boat. This is an optional accessory kit and may not reflect the original cables on your engine. For original manufactured service part replacement, the Electronic Parts Catalog should always be used for each specific engine. For alternate length cables, consult the appropriate service manual.

Fits Mercury/Mariner outboard engines

NON TRIM PANEL MOUNT REMOTE CONTROL-GEN II- LOCK BAR



883710A01

The Panel Mount control features a chrome handle and is designed for outboard engines w/o power trim. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The power trim adapter harness is included to convert 3 pin molex connector to the traditional 3 blade Mercury connector. The neutral safety switch leads are 6.5 ft. (1.98 m) long and have bullet connectors on the ends. The lanyard switch leads also have bullet connectors on the ends.

Used on Outboard engines only - Non Trim versions.
The control uses GEN II T/S cables.

MCC 4500 CONSOLE MOUNT - SINGLE ENGINE (GEN II)

The single station console controls are applicable for outboard and MCM/MIE engines. The handle is designed to provide optimal ergonomic use while the best-in-class mechanics offer smooth operation, improved responsiveness and increased strength. The throttle only button is located at the base of handle.

CONSOLE MOUNT SINGLE OB - NO TRIM



8M4507540

Single Console Mount for Outboard. Chrome, no trim. New Mechanical Remote Control with neutral lock. Can be used for Mercury Inboard Engine applications as well.

New lever supports ABYC P14.5.7 requirements which went into effect July 1st, 2022.

CONSOLE MOUNT SINGLE OB TRIM



8M4507538

Single Console Mount for Outboard with Trim, Chrome. New Mechanical Remote Control with neutral lock.

New lever supports ABYC P14.5.7 requirements which went into effect on July 1st, 2022.

CONSOLE MOUNT SINGLE OB TRIM - BLACK



8M4507541

Single Console Mount for Outboard with trim, Black. New Mechanical Remote Control with neutral lock.

New lever supports ABYC P14.5.7 requirements which went into effect July 1st, 2022.

CONSOLE MOUNT SINGLE MCM TRIM



8M4507539

Single Console Mount for MerCruiser Marine with trim. New Mechanical Remote Control with neutral lock.

New lever supports ABYC P14.5.7 requirements which went into effect July 1st, 2022.

SPACER KIT FOR 4500 SINGLE CONTROLS



98-**8M0075237**

Allows the control to be raised approximately 2 inches for applications that require clearance with handle movement.

Used only with newer single handle consoles.

RETRO KIT FOR SINGLE CONSOLE CONTROLS



8M0061334

This kit allows you to convert the housing and bracket on the older single handle control.

Single Handle Console Conversion Kit for older version models.

MCC 4500 CONSOLE MOUNT - DUAL ENGINE (GEN II)

The single station dual handled console controls are applicable for outboard and MCM/MIE engines. The handles are designed to provide optimal ergonomic use while the best-in-class mechanics offer smooth operation, improved responsiveness and increased strength. The throttle only button is located at the base of the handle.

NON TRIM CONSOLE MOUNT REMOTE CONTROL-GEN II



8M0075244

This control is designed for dual MIE inboards & outboards w/o power trim. All installations require an Ignition/Choke assembly and T/S cables to complete the installation. Must purchase lanyard separately.

This control fits MIE inboards and all current Mercury/Mariner outboards(without power trim), and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (without power trim).
Must use Gen II T/S cables for the installation.

CONSOLE REMOTE CONTROL W/ TRIM-GEN II-DUAL



8M0075245

This control features a single trim switch in the port handle for simultaneous dual engine trim and trailering. There are individual engine trim buttons in the cover. All installations require a Ignition/Choke assembly and T/S cables to complete the installation. Must purchase lanyard separately.

This control fits all current Mercury/Mariner outboards (with integral trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim).
Must use GEN II T/S cables.

MCC 4500 GENII - MCM DUAL



8M0075246

This control features a single trim switch in the port handle for simultaneous dual engine trim and trailering. There are individual trim buttons in the cover. All installations require T/S cables to complete the installation. Must purchase lanyard separately.

The control will need Power trim harness, 4 pin Molex connector to the Packard 3 pin connector 84-865772T01 or T02
This control will use GEN II T/S cables.
Fits all MCM applications.

SPACER KIT FOR 4500 DUAL CONTROLS



8M0085790

The spacer will raise the control approximately 2 in. for the applications that require clearance with handle movement.

Used only with 8M0075244, 8M0075245, 8M0075246 dual handle console controls.

RETRO KIT FOR DUAL CONSOLE CONTROLS



8M0085733

This kit will allow you to convert the housing and bracket of older style dual consoles to resemble current dual console mount controls.

Dual Handle Conversion Kits for older version to look like 8M0075244, 8M0075245, 8M0075246 models.

MSC 4000 SIDE MOUNT - ELECTRIC, POWER TRIM

These controls provide a smooth shift/load feel and an improved aesthetics. The control utilizes a 14 pin connector wiring harness and lanyard stop switch. The power trim models incorporate a single rocker type trim/trailer switch in the handle.This control is not for use with engines that have counter rotating lower units. Older engines may require a harness adapter.

SIDE MOUNT REMOTE CONTROL-14 PIN



8M0176287

This control features a handle mounted power trim switch and a 15 ft. (4.58 m) harness with 14 pin Deutsch connector. The control will connect to the engine models below without the use of an adapter harness.

For 2006 and newer non DTS 25-300 HP Outboard engines. GEN II cables must be used. CANP 2pin connection for SmartCraft added. Must purchase additional 2pin resistor 893388A01.

8M0176288

This control features a handle mounted power trim switch and a 20 ft. (6.1 m) harness with 14 pin Deutsch connector. The control will connect to the engine models below without the use of an adapter harness.

For 2006 and newer non DTS 25-300 HP Outboard engines. GEN II cables must be used. CANP 2pin connection for SmartCraft added. Must purchase additional 2pin resistor 893388A01.

SIDE MOUNT REMOTE CONTROL- 8 PIN TRADITIONAL

8M0176294

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness, built-in warning horn and power trim leads for front mount switch.

Fits all current Mercury/Mariner outboards (with integral power trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim). When used with MY2005 and newer 8/9.9/15/20 FourStroke outboards an adapter harness is required. For MY2005 and newer 8/9.9 FourStroke outboards SAE T/S cables must be used. GEN II cables must be used.

8M0176295

This control features a handle mounted power trim switch, 20 ft. (6.1 m) harness, built-in warning horn and includes power trim leads for front mount switch.

Fits all current Mercury/Mariner outboards (with integral power trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim). When used with MY2005 and newer 8/9.9, 15/20 FourStroke outboards an adapter harness is required. For MY2005 and newer 8/9.9 FourStroke outboards SAE T/S cables must be used. GEN II cables must be used.

SIDE MOUNT REMOTE CONTROL- 8 PIN AMP

8M0176290

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness with Amp 8-pin connector. The control will connect to the engine models below without the use of an adapter.

Used on MY2005 and newer, 8/9.9, 15/20 FourStroke engines with electric start and power trim. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN II cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL

8M0176297

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness with push to choke 14-pin connector. Push to choke key may require additional engine adapter.

Fits all current Mercury/Mariner outboards 6 HP and above and 1993 and newer Force outboards 40 HP and above (with power trim). GEN II cables must be used.

8M0176291

This control features a handle mounted power trim switch, 20 ft. (6.1 m) harness with Amp 10-pin connector. The control will connect to the engine models below without the use of an adapter harness.

Used on MY2005 and newer, 8/9.9, 15/20 FourStroke engines with electric start and power trim. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN II cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL-14 PIN (PORT SIDE MOUNT)



8M0178539

Stackable 4000 SMC Remote Control with power trim. This side mount control is for mounting on the port side and controlling with the left hand. This control features a handle mounted power trim switch and 15ft. (4.58m) harness with 14 pin Deutsche connector.

For 2006 and newer non DTS 25-300 HP Outboard engines. GEN I cables must be used. No adapter harness required.

SIDE MOUNT REMOTE CONTROL-14 PIN



8M0178536

Has a handle mounted power trim switch and a 15 ft. (4.58 m) harness with 14 pin Deutsche connector and will direct connect to the engine models below without the use of an adapter harness. Ref. Throttle/shift cable Gen I - 897977A__. Throttle/ Shift cables (896143A) for MY2005 and newer 8/9.9 FourStroke outboards. 8-9.9 4 Stroke engines generation change above S/N OR192772 and new 15/20 4 Stroke engines will use Gen I series T/S Cables

2006 - 25- 300 HP 4 Stroke any engine that has the 14 pin connector from the primary harness. Gen I cables are required with this control.

8M0178537

Has a handle mounted power trim switch and a 20 ft. (6.1 m) harness with 14 pin Deutsche connector and will direct connect to the engine models below without the use of an adapter harness. Ref. Throttle/shift cable Gen I - 897977A__. Throttle/ Shift cables (896143A) for MY2005 and newer 8/9.9 FourStroke outboards. 8-9.9 4-Stroke engines generation change above S/N OR192772 and new 15/20 4 Stroke engines will use Gen I series T/S Cables.

2006 - 25- 300 HP 4 Stroke any engine that has the 14 pin connector from the primary harness. Gen I cables are required with this control.

SIDE MOUNT REMOTE CONTROL- 8 PIN TRADITIONAL



8M0178521

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness, built-in warning horn and power trim leads for front mount switch.

Fits all current Mercury/Mariner outboards (with integral power trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim). When used with MY2005 and newer 8/9.9/15/20 FourStroke outboards an adapter harness is required. For MY2005 and newer 8/9.9 FourStroke outboards SAE T/S cables must be used. GEN I cables must be used.

8M0178524

This control features a handle mounted power trim switch, 20 ft. (6.1 m) harness, built-in warning horn and includes power trim leads for front mount switch.

Fits all current Mercury/Mariner outboards (with integral power trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim). When used with MY2005 and newer 8/9.9, 15/20 FourStroke outboards an adapter harness is required. For MY2005 and newer 8/9.9 FourStroke outboards SAE T/S cables must be used. GEN I cables must be used.

SIDE MOUNT REMOTE CONTROL- 10 PIN AMP



8M0178533

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness with amp 10-pin connector. The control will connect to the engine models below without the use of an adapter.

Used on MY2005 and newer, 8/9.9, 15/20 FourStroke engines with electric start and power trim. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN I cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL

8M0178534

This control features a handle mounted power trim switch, 20 ft. (6.1 m) harness with Amp 10-pin connector. The control will connect to the engine models below without the use of an adapter harness.

Used on MY2005 and newer, 8/9.9, 15/20 FourStroke engines with electric start and power trim. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN I cables must be used on other engines.

ADAPTER RC - TMC ENGINE TO 8PIN MERCURY CONTROL



84-**892473A01**

Converts the traditional Mercury connector to an amp 8-pin connector. Converts side mount controls 881170A 3, 15, 16 and the 816626A_ series ignition keyswitch harness to connect to the MY2005 and newer 8/9.9 hp. FourStroke outboard.

MY2005 and newer 8/9.9 hp. FourStroke outboard and the 15/20 hp. FourStroke (351cc) outboard when an 8-pin side mount control or key switch harness is used.

EXTENSION MALE TO FEMALE - 10PIN SMARTCRAFT 10FT



84-**8M0058668**

This harness extension will allow you to increase the length by 6 ft. of the 10-pin drop for instruments. The extension will work with Side Mount controls as well as any 896537 series main engine/boat harness.

MSC 4000 SIDE MOUNT - ELECT, NON-POWER TRIM

The remainder of controls 8M0178526, 8M0178528, 8M0178535 can be mounted starboard or port side and are stackable. They offer "push to choke" ignition switch, 8 pin connector wiring harness, lanyard stop switch, separate neutral warm-up lever and requires Gen I throttle and shift cables. All controls have a 5 pin accessory plug for tachometer and an adjustable throttle friction. These controls are not for use with engines that have counter rotating lower units. Older engines may require an adapter harness.

SIDE MOUNT REMOTE CONTROL- 14 PIN



8M0176289

This control features non - power trim and a 15ft. (4.58m) harness with 14 pin Deutsch connector.

Fits all current Mercury/Mariner Outboards 6 HP and above (without power trim), and 1993 and newer Force Outboards 40 HP and higher utilizing Mercury cables (without power trim). When used with a MY2005 and newer 8/9.9, 15/20 FourStroke Outboard an adapter harness is required. 2 pin connector is now included to allow for use of SmartCraft accessories with analog gauges. Gen II cable must be used.

SIDE MOUNT REMOTE CONTROL

8M0103451

This control features a non - trim handle and a 15 ft. (4.58 M) harness with amp connector and will direct connect to the engine models below without the use of an adapter harness.

For MY2005 and newer, 8/9.9, 15/20 HP FourStroke Outboards with electric start and non-trim. For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN II cables must be used on other engines.

8M0103454

This control features a non-power trim handle, 15 ft.(4.58 m) harness and built-in warning horn.

Fits all current Mercury/Mariner Outboards 6 HP and above (without power trim) and 1993 and newer Force Outboards 40 HP and higher utilizing Mercury style cables (with power trim). For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. When used with a MY2005 and newer 8/9.9, 15/20 FourStroke Outboard an Adapter harness is required. GEN II cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL - NO TRIM



8M0178526

This control features a non-power trim handle, 15 ft. (4.58 m) harness and built-in warning horn.

Fits all current Mercury/Mariner Outboards 6 HP and above (without power trim) and 1993 and newer Force Outboards 40 HP and higher utilizing Mercury style cables (with power trim). For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. When used with a MY2005 and newer 8/9.9, 15/20 FourStroke Outboard an Adapter harness is required. GEN I cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL

8M0178528

This control features a non - powered trim handle with a 15 ft. (4.58 m) harness. This control does not have a warning horn and features push throttle cable operation.

Fits Mercury/Mariner Outboards 20/25 HP (U.S. S/N 0G044026 and below; Belgium S/N 9807908 and below). GEN I cables must be used.

SIDE MOUNT REMOTE CONTROL



8M0178532

Stackable 4000 electric start side mount control and 15 ft. lanyard.

SIDE MOUNT REMOTE CONTROL



8M0178535

This control features a non - trim handle and a 15 ft. (4.58 M) harness with amp connector and will direct connect to the engine models below without the use of an adapter harness.

For MY2005 and newer, 8/9.9, 15/20 HP FourStroke Outboards with electric start and non-trim. For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN I cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL- 14 PIN



8M0178538

For non-power trim models, 15 ft.(4.58 m) harness and built-in warning horn. New design with soft grip. Ref. Throttle/shift cable Gen I - 897977A__. Throttle/Shift cables (896143A) for MY2005 and newer 8/9.9 FourStroke outboards. 8-9.9 4 Stroke engines generation change above S/N OR192772 and new 15/20 4 Stroke engines will use Gen I series T/S cables.

Fits all current Mercury/Mariner outboards 6 hp. and above (without power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (with power trim). When used with a MY2005 and newer 8/9.9/15/20 FourStroke outboard an adapter harness 892473A01 is required. Gen I cable must be used with this control.

MSC 4000 SIDE MOUNT - MANUAL START, W/ SWITCH

These controls are for Outboard engines and can be mounted on the Port or Starboard side. These controls feature an ignition stop switch and lanyard stop switch only.

SIDE MOUNT REMOTE CONTROL



8M0178529

This control is for manual start models and has a 20 ft.(6.1 m) harness. This control features a push throttle cable operation and a Toggle switch for remote shut off of the engine.

Fits older push style throttle Mercury/Mariner 20/25 HP (U.S. S/N 0G044026 and below; Belgium S/N 9807908 and below) and Force 9.9/15 HP (1997 and older).

SIDE MOUNT REMOTE CONTROL



8M0178527

This control is for manual start models and has a 20 ft. (6.1 m) harness. The control features a Toggle switch for remote shut off of the engine.

Fits current pull style throttle, manual start Mercury/Mariner 6/25 HP, 30/40 HP (2 cylinder- U.S. origin), 40 (3 & 4 cylinder) to 45 HP, 8/9.9, 15/20 HP FourStroke models (1996 and newer), and Force 25 HP (3 cylinder). For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN I cables must be used on other engines.

MSC 4000 SIDE MOUNT - MANUAL START W/ NO SWITCH

These controls are for Outboard engines and can be mounted on the Port or Starboard side. The controls do not include switches or harness.

SIDE MOUNT REMOTE CONTROL



8M0178530

This control is for manual start models.

Fits Mercury/Mariner 4/5 HP and Mariner 8/55 HP (2 cylinder). GEN I cables must be used.

MSC 4000 SIDE MOUNT - ACCESSORIES

DUAL ENGINE MOUNT KIT



16909A 2

This kit contains all necessary hardware for mounting or stacking two controls together for dual engine installations.

REMOTE CONTROL SPACER PLATE



17063T

Included with Commander 2000/MSC 4000 side mount control. Generally, one spacer is adequate for most installations: however, two or more can be stacked to provide additional side clearance. Measures 1/2 in.(13 mm) thick.

REMOTE CONTROL SPACER PLATE



8M0114782

Spacer is included with the side mount control and is adequate for most installations. However, additional spacers may be stacked to provide additional side clearance.

This spacer kit is used with the updated silver control box side mount controls only.

COMMANDER SERIES CONSOLE MOUNT - SINGLE ENGINE

The control has an adjustable throttle friction and neutral detent. Power trim models incorporate a single toggle type trim switch in handle and trim harness.

CONSOLE MOUNT REMOTE CONTROL



88688A25

Comes with 4 ft.(1.22 m) trim harness. All installations require a separate Ignition/Choke assembly and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__ (adapter for 3 pin P/T - 84-898286T01).

Fits all current Mercury / Mariner outboards (with integral power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (with power trim).

CONSOLE MOUNT REMOTE CONTROL



88688A26

Comes with 20 ft.(6.1 m) trim harness and trailer switch. All installations require a separate Ignition Switch and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all MCM/MIE and Mercury/Mariner 3.4L outboards with external trim cylinders.

CONSOLE MOUNT REMOTE CONTROL



88688A27

For non-power trim models. All installations require a separate Ignition/Choke assembly and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all current Mercury / Mariner outboards (without power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (without power trim).

COMMANDER SERIES CONSOLE MOUNT - DUAL ENGINE

The control has an adjustable throttle friction and neutral detent.

CONSOLE MOUNT REMOTE CONTROL



88688A22

Comes with 4 ft.(1.22 m) trim harness. All installations require a separate Ignition/Choke assembly and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all current Mercury / Mariner outboards (with integral power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (with power trim).

CONSOLE MOUNT REMOTE CONTROL



88688A23

Comes with 20 ft.(6.1 m) trim harness and trailer switch. All installations require a separate Ignition Switch and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all MCM/MIE and Mercury/Mariner 3.4L outboards with external trim cylinders.

CONSOLE MOUNT REMOTE CONTROL



88688A24

For non-power trim models. All installations require a separate Ignition/Choke assembly and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all current Mercury / Mariner outboards (without power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (without power trim).

REMOTE CONTROL CONVERSION KITS

REMOTE CONTROL CONVERSION KIT




895284A01

Converts an electric start tiller handle outboard to an electric start remote throttle and shift operation. Suitable controls, throttle/shift cables and keyswitch harnessing are additionally required. The appropriate carburetor and the steering link rod attaching hardware are included in the kit.

Fits 9.9 hp. FourStroke, Model Year 2005-2006, both standard and BigFoot models requiring SAE ended throttle/shift cables. Serial Numbers JPN-0R042475-0R192771 & BEL-0P325500-0P513329.

REMOTE CONTROL CONVERSION KIT



895284A02

Converts a manual start tiller handle outboard to a manual start remote throttle and shift operation. Suitable controls, throttle/shift cables and stopswitch harnessing are additionally required. The steering link rod attaching hardware is included in the kit.

Fits 8/9.9 hp. FourStroke, Model Year 2005-2006, standard models requiring SAE ended throttle/shift cables. Serial Numbers JPN-0R042475-0R192771 & BEL-0P325500-0P513329.

REMOTE CONTROL CONVERSION KIT



889246A80

Converts an 8/9.9 hp. FourStroke MH (manual start tiller model) to a MRC (manual start remote control model).

Fits the 8/9.9 hp. FourStroke MH outboard, 209 cc., all calibrations requiring Mercury style ended throttle/shift cables.

REMOTE CONTROL CONVERSION KIT



889246A81

Converts a 9.9 hp. FourStroke EH (electric start tiller model) to a ERC (electric start remote control model). Remote controls and throttle/shift cables are required separate.

Fits the 9.9 hp. FourStroke EH outboard, 209 cc., EPA calibrations requiring Mercury style ended throttle/shift cables, JPN-0R192772 & newer.

REMOTE CONTROL CONVERSION KIT



889246A33

Remote control and throttle/shift cables are required separate. This kit converts an EH (electric start tiller) to an ERC (electric start remote control).

Fits the 25-30 Hp EFI FourStroke Outboard, serial number 0R106999 & above.

REMOTE CONTROL CONVERSION KIT



889246A34

Remote control and throttle/shift cables are required separate. This kit converts an MH (manual start tiller) to an MRC (manual start remote control).

Fits the 25-30 Hp EFI FourStroke Outboard, serial number 0R106999 & above.

MECHANICAL REMOTE CONTROLS

REMOTE CONTROL CONVERSION KIT



880095A08

Converts an electric start tiller model to an electric start remote model. Suitable remote controls are required separate.

Fits Mercury 40 hp (3 cylinder) FourStroke EFI outboards (CHN-1C049739 & above) and 40/50/60 hp (4 cylinder) FourStroke EFI outboards (CHN-1C050252 & above).

REMOTE CONTROL CONVERSION KIT



880095A11

Converts a 15 Hp. FourStroke outboard from an EH (electric tiller) model to an ERC (electric remote control) model. Remote controls, cables, etc. are not included in this kit. Power trim models require additional trim harness kit 84-856554A02.

Fits the 15 Hp. FourStroke EH outboard, 351cc., 0R235949 and above.

REMOTE CONTROL CONVERSION KIT



880095A12

Converts a 20 Hp. FourStroke outboard from an EH (electric tiller) model to an ERC (electric remote control) model. Remote controls, cables, etc. are not included in this kit. Power trim models require additional trim harness kit 84-856554A02.

Fits the 20 Hp. FourStroke EH outboard, 351cc., 0R235168 and above.

POWER TRIM HARNESS KIT



84-**856554A02**

Required to complete the conversion of the 15/20 Hp. FourStroke (351cc) outboard from a tiller handle power trim model to a remote controlled power trim model.

Fits the 15/20 Hp. FourStroke, 351cc., EHPT model outboard beginning with serial number 0R235168 and above.

REMOTE CONTROL CONVERSION KIT



8M0062241

Fits Mercury/Mariner 4/5/6 hp. FourStroke outboards, serial number 0R411838 and above.

REMOTE CONTROL ATTACHING KITS

REMOTE CONTROL ATTACHING KIT



826557A 1

Fits Mercury/Mariner 30/40 (2-Stroke - 2 cyl. - U.S. origin)(1994 and newer)

REMOTE CONTROL ATTACHING KIT



880093A 1

Fits 2001 and newer Mercury 40 hp 4-Stroke Bigfoot and 50/60 hp 4-Stroke Carb outboards (s/n 0T178500 and up).

REMOTE CONTROL ATTACHING KIT



880093A 2

Fits 2002-2006 Mercury 40 hp 4-Stroke Bigfoot and 50/60 hp 4-Stroke EFI outboards (USA-0T409000-1B344306, BEL-0P401000-0P515896, CHN-1C000001-1C050251).

OUTBOARD RIGGING HOSE KIT

Used to enclose remote harness, hoses, cables, etc. between engine cowl and boat transom.

RIGGING TUBE KIT



8M0149598

Rigging Tube kit includes 5 ft. length (2 inch diameter x 2.3 threads per inch) tube that screws into the fitting coming out of the 3.4L V6 and 4.6L V8. Included in the kit is the plastic transom fitting that screws to the other end of the tube and can be fastened to the boat. Also included are the 3 different grommets that may be needed for different installations with the 3.4L or 4.6L engine platforms (CMS mech, CMS DTS, and AMS Verado).

3.4L and 4.6L outboard engines

32-**825191A03**

Rigging Tube kit includes 5 ft. length (2 inch diameter x 2.3 threads per inch) tube that screws into the fitting coming out of the Verado. If OptiMax engine, requires the use of the clamp to attach to fitting coming out of engine. Included in the kit is plastic transom fitting that screws to the tube and can be fastened to the boat.

2005 and newer Verado engines as well as all Opti Max engines

32-**8M0088822**

Rigging Tube kit includes 5 ft. length (2 inch diameter x 2.3 threads per inch) tube that screws into the fitting coming out of the engine. Includes new grommet 8M0075942 that is used when installing rigging tubes. Remove existing grommet from cowl and replace with this grommet.

New 75-115 4 stroke

32-**8M0062693**

Rigging Tube kit includes 5 ft. length (2 inch diameter x 2.3 threads per inch) tube that screws into the fitting coming out of the engine. Includes new grommet 8M0061160 that is used when installing rigging tubes. Remove existing grommet from cowl and replace with this grommet.

Used on 150 EFI 4-Stroke engine only

GROMMET - INGRESS



8M0062583

Special Grommet used with Rigging Kits

150 HP 4 Stroke only

HOSE-60 INCHES



32-**8M0204713**

Rigging hose, 60 inches.

RIGGING HOSE

32-**859055 50**

Replacement Hose, furnished in a 50 ft. bulk length that can be cut to required length.

Fits various Mercury / Mariner V-6 outboards. See application chart for specific engine models.

Priced individually, sold @ multiples of 2

COWL FITTING



875266A 2

Used on engine end of rigging hose.

Fits various Mercury / Mariner V-6 outboards. Furnished standard with the engines beginning with model year 2,000. See application chart for specific engine models.

COWL FITTING



8M8027677

Used on engine end of rigging hose.

Fits various Mercury / Mariner V-6 outboards. Furnished standard with the engines beginning with model year 2,000.

RIGGING HOSE CHART

Mercury/Mariner Rigging Hoses

Model	Brand	Year Range	Country	Serial # Range	Rigging Hose Kit Part Number	Cowl Fitting Required
2.0L V-6	Mercury/Mariner	1996 - 1999	USA	0G303046 - 0G949999	32-825191A03	875266A 2
2.0L V-6	Mercury/Mariner	2000 - 2026	USA	0T065504 and up	32-825191A03	Incl. With Engine
2.5L V-6	Mercury/Mariner	1996 - 1999	USA	0G303046 - 0G949999	32-825191A03	875266A 2
2.5L V-6	Mercury/Mariner	2000 - 2026	USA	0T065504 and up	32-825191A03	Incl. With Engine
2.5L OPTIMAX	Mercury/Mariner	1998 - 1999	USA	0G590000 - 0G949999	32-825191A03	875266A 2
2.5L OPTIMAX	Mercury/Mariner	2000 - 2026	USA	0T065504 and up	32-825191A03	Incl. With Engine
3.0L V-6	Mercury/Mariner	1994 - 1999	USA	0D280813 - 0G949999	32-825191A03	875266A 2
3.0L V-6	Mercury/Mariner	2000 - 2026	USA	0T014000 and up	32-825191A03	Incl. With Engine
3.0L DFI	Mercury/Mariner	1997	USA	0G386496 - 0G589999	32-825191A03	875266A 2
3.0L OPTIMAX	Mercury/Mariner	1998 - 1999	USA	0G590000 - 0G949999	32-825191A03	8M8027677
3.0L OPTIMAX	Mercury/Mariner	2000 - 2026	USA	0T014000 and up	32-825191A03	Incl. With Engine
225 EFI FourStroke	Mercury/Mariner	2003 - 2026	USA	0T635945 and up	32-825191A03	Incl. With Engine
Verado	Mercury/Mariner	2005 - 2026	USA	0T980000 and up	32-825191A03	Incl. With Engine
150 EFI FourStroke	Mercury/Mariner	2011 - 2026	USA	1B905505 and up	32-8M0062693	Incl. With Engine

MORSE 33C SERIES CABLE ADAPTERS

CABLE ADAPTER



82779

To convert control end of Morse 33C style cable to 64-809894- cable application.

ADAPTER KIT -MERCURY (T/S)



64-892790A01

Adapts 33C style cables for use with Mercury engines- Includes 2 sets of parts for two cables

ADAPTER KIT -JOHNSON/EVINRUDE (T/S)



64-892790A02

Adapts 33C style cables for use with Johnson/Evinrude engines. Includes 2 sets of parts for two cables

CABLE ADAPTER KIT



898289A21

Converts an older SAE cable engine to accept Mercury style throttle/shift cables. Fits the 8/9.9 hp. FourStroke (209cc) outboard, serial number 0R192771 and prior.

TWO STATION THROTTLE & SHIFT CABLES ATTACHING KIT

For use with Dual station Two Lever Controls.

TWO STATION THROTTLE/SHIFT KIT



8M0046250

For use in dual MerCruiser control stations. Includes hardware for attaching throttle and shift cables from both stations to the engine. Twin engines require two kits.

Fits MCM/MIE 8.2L models

BULKHEAD FITTINGS AND BELLOWS KITS

SHIFT CABLE BELLOWS



877581A 5

For 40 series cable, installs on cable outside of transom.

Fits Sport-Jet 120XR2 and 175 (2000 and newer) with 40 series shift cables. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

BULKHEAD BELLOWS KIT



850697A 2

Fits Jet Drive models with 40 series cables

THROTTLE AND SHIFT CABLES

PLATINUM PLUS THROTTLE AND SHIFT CABLE GEN I

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit.
Layered Technology Featuring -
- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

PLATINUM PLUS THROTTLE AND SHIFT CABLE



8M0082479
6 FT (1.8m) qty. 1
Gen I Controls

8M0082480
7 FT (2.1m), qty. 1
Gen I Controls

8M0082481
8 FT (2.4m), qty, 1
Gen I Controls

8M0082482
9 FT (2.7m), qty. 1
Gen I Controls

8M0082483
10 FT (3.0m), qty. 1
Gen I Controls

8M0082484
11 FT (3.4m), qty. 1
Gen I Controls

8M0082485
12 FT (3.7m), qty. 1
Gen I Controls

8M0082486
13 FT (4.0m), qty. 1
Gen I Controls

8M0082487
14 FT (4.3m), qty. 1
Gen I Controls

8M0082488
15 FT (4.6m), qty. 1
Gen I Controls

8M0082489
16 FT (4.9m), qty. 1
Gen I Controls

8M0082490
17 FT (5.2m), qty. 1
Gen I Controls

8M0082491
18 FT (5.5m), qty. 1
Gen I Controls

8M0082492
19 FT (5.8m), qty. 1
Gen I Controls

8M0082493
20 FT (6.1m), qty. 1
Gen I Controls

8M0082494
21 FT (6.4m), qty. 1
Gen I Controls

8M0082495
22 FT (6.7m), qty. 1
Gen I Controls

8M0082496
23 FT (7.0m), qty. 1
Gen I Controls

8M0082497
24 FT (7.3m), qty. 1
Gen I Controls

8M0082498
25 FT (7.6m), qty. 1
Gen I Controls

8M0082499
26 FT (7.9m), qty. 1
Gen I Controls

8M0082500
27 FT (8.2m), qty. 1
Gen I Controls

8M0082501
28 FT (8.5m), qty. 1
Gen I Controls

8M0082502
29 FT (8.8m), qty. 1
Gen I Controls

8M0082503
30 FT (9.1m), qty. 1
Gen I Controls

8M0082504
32 FT (9.4m), qty. 1
Gen I Controls

8M0082505
34 FT (10.4m), qty. 1
Gen I Controls

8M0082506
36 FT (11.0m), qty. 1
Gen I Controls

8M0082507
38 FT (11.6m), qty. 1
Gen I Controls

8M0082508
40 FT (12.2m), qty. 1
Gen I Controls

PLATINUM PLUS THROTTLE AND SHIFT CABLE GEN II

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit.
Layered Technology Featuring -
- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

NOTE: Qty. 1 cable per p/n

PLATINUM PLUS THROTTLE AND SHIFT CABLE



8M0082526
3 FT (.92m)
Gen II Controls

8M0082527
4 FT (1.2m)
Gen II Controls

8M0082528
5 FT (1.5m)
Gen II Controls

8M0082529
6 FT (1.8m)
Gen II Controls

8M0082530
7 FT (2.1m)
Gen II Controls

8M0082531
8 FT (2.4m)
Gen II Controls

8M0082532
9 FT (2.7m)
Gen II Controls

8M0082533
10 FT (3.0m)
Gen II Controls

8M0082534
11 FT (3.4m)
Gen II Controls

8M0082535
12 FT (3.7m)
Gen II Controls

8M0082536
13 FT (4.0m)
Gen II Controls

8M0082537
14 FT (4.3m)
Gen II Controls

8M0082538
15 FT (4.6m)
Gen II Controls

8M0082539
16 FT (4.9m)
Gen II Controls

8M0082540
17 FT (5.2m)
Gen II Controls

8M0082541
18 FT (5.5m)
Gen II Controls

8M0082542
19 FT (5.8m)
Gen II Controls

8M0082543
20 FT (6.1m)
Gen II Controls

8M0082544
21 FT (6.4m)
Gen II Controls

8M0082545
22 FT (6.7m)
Gen II Controls

8M0082546
23 FT (7.0m)
Gen II Controls

8M0082547
24 FT (7.3m)
Gen II Controls

8M0082548
25 FT (7.6m)
Gen II Controls

8M0082549
26 FT (7.9m)
Gen II Controls

8M0082550
27 FT (8.2m)
Gen II Controls

8M0082551
28 FT (8.5m)
Gen II Controls

8M0082552
29 FT (8.8m)
Gen II Controls

8M0082553
30 FT (9.2m)
Gen II Controls

8M0082554
32 FT (9.8m)
Gen II Controls

8M0082555
34 FT (10.4m)
Gen II Controls

8M0082556
36 FT (11.0m)
Gen II Controls

8M0082557
38 FT (11.6m)
Gen II Controls

8M0082558
40 FT (12.2m)
Gen II Controls

8M0085107
10 FT (3.0m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085108
11 FT (3.4m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085109
12 FT (3.7m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085110
13 FT (4.0m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085111
14 FT (4.3m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085112
15 FT (4.6m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085113
16 FT (4.9m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085114
17 FT (5.2m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085115
18 FT (5.5m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085116
19 FT (5.8m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085117
20 FT (6.1m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085121
22 FT (6.7m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085122
23 FT (7.0m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085123
24 FT (7.3m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085124
25 FT (7.6m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085125
26 FT (7.9m)
Gen II Controls
Priced individually, sold @ multiples of 24

GEN I/SAE PLATINUM PLUS THROTTLE AND SHIFT CABLES

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit. Layered technology featuring:

- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to harsh marine environments while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

NOTE: Qty. 1 per p/n

PLATINUM PLUS THROTTLE AND SHIFT CABLE GEN I SAE



8M0085942
5 FT (1.5m)
GEN I Controls

8M0085940
6 FT (1.8m)
GEN I Controls

8M0085964
7 FT (2.1m)
GEN I Controls

8M0085941
8 FT (2.4m)
GEN I Controls

8M0085946
9 FT (2.7m)
GEN I Controls

8M0085937
10 FT (3.0m)
GEN I Controls

8M0085951
11 FT (3.4m)
GEN I Controls

8M0085949
12 FT (3.7m)
GEN I Controls

8M0085952
13 FT (4.0m)
GEN I Controls

8M0085945
14 FT (4.3m)
GEN I Controls

8M0085960
15 FT (4.6m)
GEN I Controls

8M0085963
16 FT (4.9m)
GEN I Controls

8M0085956
17 FT (5.2m)
GEN I Controls

8M0085947
18 FT (5.5m)
GEN I Controls

8M0085954
19 FT (5.8m)
GEN I Controls

8M0085957
20 FT (6.1m)
GEN I Controls

8M0085962
21 FT (6.4m)
GEN I Controls

8M0085959
22 FT (6.7m)
GEN I Controls

8M0085958
23 FT (7.0m)
GEN I Controls

8M0085943
24 FT (7.3m)
GEN I Controls

8M0085939
25 FT (7.6m)
GEN I Controls

8M0085944
27 FT (8.2m)
GEN I Controls

8M0085953
30 FT (9.1m)
GEN I Controls


GEN II/SAE PLATINUM PLUS THROTTLE AND SHIFT CABLES

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit. Layered technology featuring:

- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

NOTE: Qty. 1 cable per p/n

PLATINUM PLUS THROTTLE AND SHIFT CABLES GEN II SAE



8M0085966
5 FT (1.5m)
GEN II Controls

8M0085967
6 FT (1.8m)
GEN II Controls

8M0085968
7 FT (2.1m)
GEN II Controls

8M0085969
8 FT (2.4m)
GEN II Controls

8M0085970
9 FT (2.7m)
GEN II Controls

8M0085971
10 FT (3.0m)
GEN II Controls

8M0085972
11 FT (3.4m)
GEN II Controls

8M0085973
12 FT (3.7m)
GEN II Controls

8M0085974
13 FT (4.0m)
GEN II Controls

8M0085975
14 FT (4.3m)
GEN II Controls

8M0085976
15 FT (4.6m)
GEN II Controls

8M0085977
16 FT (4.9m)
GEN II Controls

8M0085978
17 FT (5.2m)
GEN II Controls

8M0085979
18 FT (5.5m)
GEN II Controls

8M0085980
19 FT (5.8m)
GEN II Controls

8M0085981
20 FT (6.1m)
GEN II Controls

8M0085982
21 FT (6.4m)
GEN II Controls

8M0085983
22 FT (6.7m)
GEN II Controls

8M0085984
23 FT (7.0m)
GEN II Controls

8M0085985
24 FT (7.3m)
GEN II Controls

8M0085986
25 FT (7.6m)
GEN II Controls

8M0085987
26 FT (7.9m)
GEN II Controls

8M0085988
27 FT (8.2m)
GEN II Controls

8M0085989
28 FT (8.5m)
GEN II Controls

8M0085990
29 FT (8.8m)
GEN II Controls

8M0085991
30 FT (9.1m)
GEN II Controls

SOLID CORE THROTTLE / SHIFT CABLES

Single core cables, 100% compatible with Gen I remote controls:
• Compatible with 881170-series side mount remote controls (MSC 4000)
• Compatible with 88688-series single and dual commander console mounts
• Services consoles prior to 1998
High quality cable features:
• Tight tolerance motion reaction
• 100% wire wrapped outer conduit for added cable strength
• Solid stainless steel inner core
• Sealed lubrication system
• Cable and packaging Mercury branded

SOLID CORE THROTTLE AND SHIFT CABLE



8M0080432
6 ft.

8M0080433
7 ft.

8M0080434
8 ft.

8M0080435
9 ft.

8M0080436
10 ft.

8M0080437
11 ft.

8M0080438
12 ft.

8M0080439
13 ft.

8M0080440
14 ft.

8M0080441
15 ft.

8M0080442
16 ft.

8M0080443
17 ft.

8M0080444
18 ft.

8M0080445
19 ft.

8M0080446
20 ft.

8M0080447
21 ft.

8M0080448
22 ft.


PLATINUM PLUS THROTTLE AND SHIFT CABLE SAE

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit. Layered technology featuring:

- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

NOTE: Qty. 1 cable per p/n

PLATINUM PLUS THROTTLE AND SHIFT CABLE



8M0082575
3 FT (.92m)
SAE Controls

8M0082576
4 FT (1.2m)
SAE Controls

8M0082577
5 FT (1.5m)
SAE Controls

8M0082578
6 FT (1.8m)
SAE Controls

8M0082579
7 FT (2.1m)
SAE Controls

8M0082580
8 FT (2.4m)
SAE Controls

8M0082581
9 FT (2.7m)
SAE Controls

8M0082582
10 FT (3.0m)
SAE Controls

8M0082583
11 FT (3.4m)
SAE Controls

8M0082584
12 FT (3.7m)
SAE Controls

8M0082585
13 FT (4.0m)
SAE Controls

8M0082586
14 FT (4.3m)
SAE Controls

8M0082587
15 FT (4.6m)
SAE Controls

8M0082588
16 FT (4.9m)
SAE Controls

8M0082589
17 FT (5.2m)
SAE Controls

8M0082590
18 FT (5.5m)
SAE Controls

8M0082591
19 FT (5.8m)
SAE Controls

8M0082592
20 FT (6.1m)
SAE Controls

8M0082593
21 FT (6.4m)
SAE Controls

8M0082594
22 FT (6.7m)
SAE Controls

8M0082595
23 FT (6.7m)
SAE Controls

8M0082596
24 FT (7.0m)
SAE Controls

8M0082597
25 FT (7.3m)
SAE Controls

8M0082598
26 FT (7.6m)
SAE Controls

8M0082599
27 FT (7.9m)
SAE Controls

8M0082600
28 FT (8.5m)
SAE Controls

8M0082601
29 FT (8.8m)
SAE Controls

8M0082602
30 FT (9.2m)
SAE Controls

8M0082603
31 FT (9.5m)
SAE Controls

8M0082604
34 FT (10.4m)
SAE Controls

8M0082605
36 FT (11.0m)
SAE Controls

8M0082606
38 FT (11.6m)
SAE Controls

8M0082607
40 FT (12.2m)
SAE Controls

MORSE 33C SERIES CABLE ADAPTERS

CABLE ADAPTER



82779
To convert control end of Morse 33C style cable to 64-809894- cable application.

TWO STATION THROTTLE & SHIFT ATTACHING KIT

For use with Dual station Two Lever Controls.

TWO STATION THROTTLE/SHIFT KIT



8M0046250
For use in dual MerCruiser control stations. Includes hardware for attaching throttle and shift cables from both stations to the engine. Twin engines require two kits.
Fits MCM/MIE 8.2L models

858342A_ SERIES SHIFT CABLES

40 series cable with cable end connector. Includes shift cable bellows kit. Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 and 240 EFI Jet Drives.

SHIFT CABLE



858342A10
3.0 m (10 ft.)

858342A12
3.7 m (12 ft.)

858342A14
4.3 m (14 ft.)

858342A16
4.9 m (16 ft.)

858342A18
5.5 m (18 ft.)

858342A20
6.1 m (20 ft.)

858342A22
6.7 m (22 ft.)

JOYSTICK RIGGING

JOYSTICK PILOTING FOR V6 MERCURY OUTBOARDS (OPTIMUS 360)

Mercury and Dometic have collaborated to provide a fully validated joystick package for installation on all Mercury's 175, 200 and 225hp FourStroke outboard engines. With the launch of this offering, Mercury will bring joystick piloting to a broader audience.

Boaters who are interested in boat packages outfitted with dual 175hp, 200hp or 225hp outboards will have access to joystick controls. In addition to joystick docking and maneuvering, the system allows the driver to hold a boat in position, hold its heading, or hold its position and heading simultaneously.

In 2013, Mercury introduced Joystick Piloting for Outboards, the first of its kind in the marine marketplace. It remains the most precise system on the market and the only system from helm to stern designed to work with a Mercury engine.

For EMEA, the product will be exclusively available through the Mercury Marine channel from February 2021 onwards.

Please contact your local sales office to compose your built of material via our configuration tool.



JOYSTICK PILOTING - KEY FEATURES

MERCURY

Joystick Piloting

Total control at your fingertips



Relax. Everything's under control.

Forget complex. Forget stressful positioning or maneuvering in tight spaces during less-than-ideal situations. Focus instead on a new feeling. One of total confidence. Confidence that comes from being effortlessly, intuitively, completely in control of your boat, thanks to the Mercury's Joystick Piloting system. The power to make your boat do exactly what you want, with just a touch of your fingertips. You don't have to be a control freak to appreciate that.

- Easy joystick docking and maneuvering
- Quieter and more capable than competitive systems
- Proportional joystick allows control of both throttle and steering with one hand
- SmartCraft® Digital Throttle & Shift (DTS) and electro-hydraulic power steering
- System can be maintained while boat is in the water
- Mercury's engine-matched warranty provides confident boating for years to come
- All components manufactured and fully integrated by Mercury

JOYSTICK PILOTING - STANDARD FEATURES



Joystick functionality

- Easy positioning of the boat sideways, at an angle, or rotating in place
- Intuitive, proportional control of thrust and speed
- Hold prolonged low speeds through no-wake harbors
- Auto trim sets engine trim at optimal level when joystick is engaged

Safety, reliability and durability

- Engine Guardian for protection and peace of mind
- Based on the proven Mercury technology of Joystick Piloting for Outboards, Sterndrives and Zeus® pod technology

Engine options

GAS STERNDRIVE
4.5L, 6.2L and 8.2L

DIESEL STERNDRIVE
4.2L QSD, 3.0L TDI, 4.2L TDI

OUTBOARDS
250HP Verado®, 300HP Verado, 350HP Verado, 400R Verado

ADDITIONAL FEATURES
DTS, SmartCraft®, Dual helm


MERCURY GO BOLDLY.

SKYHOOK®

Uses GPS technology to maintain your boat's position and heading - and helps you maintain control of your boat.

ROUTE

With your approved chart plotter, Route will follow the predetermined vessel's course. The vessel will turn automatically to the next point.



HEADING

Uses a built-in digital compass to maintain vessel course. Heading can be adjusted by 1° if you bump the joystick left or right or 10° if you twist the joystick.

VESSELVIEW®*

Access and monitor all of your vessel's systems from a central location, or set the Cruise Control feature.





*available with VesselView4, VesselView502 or VesselView702

SKYHOOK

MERCURY

Skyhook® digital anchor

by Mercury Marine®





Keep your boat in place with the push of a button

Mercury Skyhook digital anchor allows you to lock your boat's position using a GPS satellite antenna. Then, working with your engines and drives, Skyhook maintains your position and heading regardless of wind or current.



Key features

- Ideal for holding your boat over a fishing spot, waiting for bridges to open or holding position while next in line at a fuel docking station
- GPS technology and electronic compass automatically control shifting, throttling and steering to maintain heading and approximate position
- Simple to operate – just place the levers in neutral and push the Skyhook button to lock both position and heading
- Standard on all Joystick Piloting for Outboards (JPO), Joystick Piloting for Sterndrives (JPS) and Zeus applications

MercuryMarine.com

© 2016 MERCURY MARINE. All rights reserved. Published 6/16 Printed in U.S.A.
Reproduction in whole or in part without permission is prohibited. P/N 90-8M0079989

MERCURY

SKYHOOK ADVANCED FEATURES



Skyhook® Advanced Features

The ultimate vessel control experience

Mercury's latest innovative offering, Skyhook Advanced Features, provides even more control over your Joystick equipped vessel for very specific situations. Available as downloadable content (DLC) through the GoFree Shop, you can purchase the exact features you want or bundle them all together for the ultimate vessel control experience.

These features require Mercury's latest joystick system and the VesselView703 (available June 2017). VesselView502, VesselView702 and compatible Lowrance and Simrad displays will have these features available for purchase after a software update in late 2017. The electronic control modules on your Joystick system may need to be have firmware updated by your Mercury certified dealer in order to utilize these advanced features.

Heading Adjust *a SKYHOOK feature*

Capability to adjust the heading lock in 1 and 10 degree increments while SkyHook is active. Boating made easy just got easier.

BowHook *a SKYHOOK feature*

Unlock heading and just maintain position, allowing the boat to point in whatever direction the winds and currents dictate. Useful when a locked in heading is not necessary.

DriftHook *a SKYHOOK feature*

Maintain heading and unlock the position of the vessel allowing winds and currents to move the vessel along. Adjustments of 1 and 10 degree increments can be made while drifting when bundled with Heading Adjust..



MERCURY GO BOLDLY.

©2017 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited.
Simrad, SolarMax HD and GoFree are registered trademarks of Navico, Inc. Published 2/17 Printed in U.S.A. P/N 90-8M0128535

MercuryMarine.com

JOYSTICK FEATURES



JOYSTICK RIGGING

SIDE MOUNT REMOTE CONTROL - PORT



8M0239069

20 ft. port side remote control mount with trim.

8M0239070

15 ft. port remote control side mount with trim.

8M0239071

15 ft. port side mount remote control. Non-trim.

JOYSTICK ASSEMBLY



879365A21

The Joystick assembly is part of multiple Joystick Piloting kits to make boating easy.

The Joystick steering is offered across multiple engine systems. Joystick Piloting for Outboards (JPO), Joystick Piloting for Sterndrive (JPS) and ZEUS for Diesel.

JOYSTICK ASSEMBLY



8M0178012

Joystick Assembly used in multi-engine Joystick Piloting applications, included in the rigging kits.

Service component for Joystick Piloting applications circa mid-2016 and later.

PRECISION REMOTE JOYSTICK - AUXILIARY



8M6014825

This joystick provides a single lever interface to maneuver the vessel. Operating the vessel with the joystick is well suited for close quarter operations and when docking. The joystick causes the control system to independently control steering angles and thrust to move or rotate the boat in a desired direction. Includes Auxiliary Joystick, warning decal and joystick cut-out template.

Compatible with all V8, V10 and V12 Verado Engines with Joystick Piloting for Outboard, 4.5L V6 and 6.2 V8 MercCruiser Engines with Joystick Piloting for Sterndrives (2A441953 and above), 8.2L V8 MerCruiser Engines with Joystick Piloting for Sterndrives (2A041665 and above), 3.0L Mercury Diesel Engines with Joystick Piloting for Sterndrives (70380001 and above), all 520 Racing Engines with Joystick Piloting for Sterndrives, all 400R V10, 450R and 500R Engines with Joystick Piloting for Outboard

PRECISION JOYSTICK - MAIN




8M6014824

The light ring on this joystick will illuminate, flash, pulse, or rotate to indicate a variety of states. Includes Premier Joystick, two warning decals and joystick cut-out template.

All V8, V10 and V12 Verado Engines with Joystick Piloting for Outboard, 4.5L V6 and 6.2L V8 MerCruiser Engines with Joystick Piloting for Sterndrives (2A441953 and above), 8.2L V8 MerCruiser Engines with Joystick Piloting for Sterndrives (2A041665 and above), 3.0L Mercury Diesel Engines with Joystick Piloting for Sterndrives (70380001 and above), all 520 Racing Engines with Joystick Piloting for Sterndrives, all 400R V10, 450R and 500R Engines with Joystick Piloting for Outboard

AUXILIARY REMOTE JOYSTICK KIT



8M0237776

Kit includes remote joystick harness, remote joystick E-stop harness, remote joystick LCM harness, shadow resistor pack #93, remote joystick LCM, remote joystick and E-stop rocker switch

NOTE: For second station, replace shadow resistor with #94 (898091T02). For third station, replace with #97 (898091T03). For fourth station, replace shadow resistor with #98 (898091T04).

JOYSTICK ASSEMBLY



8M0118806

Joystick assembly used in Joystick Piloting for Inboards - single engine applications, included in the rigging kit.

Service component for Joystick Piloting for Inboards - single engine applications.

JOYSTICK ASSEMBLY



8M0118808

Joystick assembly used in Joystick Piloting for Inboards - dual engine applications, included in the rigging kits.

Service component for Joystick Piloting for Inboards - dual engine applications.

JOYSTICK ASSEMBLY-SINGLE



8M0224262

Includes joystick, joystick template, gasket, bezel set, and necessary hardware.

ELECTRONIC STEERING HELM ACTUATOR



8M8025733

Electronic Steering Helm Actuator used in Joystick Piloting applications, included in the rigging kits

Service component for Joystick Piloting applications prior to mid-2016 and earlier

INERTIAL MEASUREMENT UNIT



8M6002180

The Inertial Measurement Unit (IMU) contains software version 3.1.

The IMU is used with all Joystick Piloting applications - Outboard, Sterdrive and Zeus.

SMARTCRAFT GPS ANTENNA 400



8M0091565

SmartCraft GPS Antenna (4.0.12SC) Used with SmartTow Pro SC1000 gauges, MercMonitors, and VesselViews 4 and 7.

Sends CAN H and CAN P GPS data for use with GPS SmartTow and Joystick Piloting boats with Auto Pilot. Software 4.0.12SC

COMBO GPS/IMU



8M0168463

Combo GPS/IMU used in Joystick Piloting applications.

Service component for Joystick Piloting applications circa mid-2016 and later.

CAN H GATEWAY



8M0095543

Utilized in Joystick applications (typically included in the full rigging kit), provides an interface between CAN H GPS & IMU and the NMEA2000 device (approved chart plotter). Allows for adavanced features such at Waypoint Sequencing, AutoHeading and SkyHook

Can be used on any Joystick application as an interface between CAN H and NMEA0183 OR NMEA2000. Not required for systems with the VesselView 4 or 7 display RTM5 software release that are using a NMEA2000 approved chartplotter

JOYSTICK: MAIN POWER RELAY HARNESS - 20 FT.



84-**897345T08**

Powers CCMs and TVMs for Joystick installations. Used in addition to 5 amp clean power harness. (20 ft. long)

10 PIN TO 5 PIN CAN H ADAPTER



84-**8M0115495**

Adapter harness that goes from 10 pin SmartCraft connector to 5 pin CAN H connector

Used for certain Joystick applications

JOYSTICK LINK CABLE



8M0077126

This item includes a 27-inch cable, which is to be used with engines mounted at a 26-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 26 inch centers.

8M0077129

This item includes a 28-inch cable, which is to be used with engines mounted at a 27-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 27 inch centers.

8M0077130

This item includes a 29-inch cable, which is to be used with engines mounted at a 28-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 28 inch centers.

8M0077133

This item includes a 30-inch cable, which is to be used with engines mounted at a 29-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 29 inch centers.

8M0077134

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 31-inch cable, which is to be used with engines mounted at a 30-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 30 inch centers.

8M0077135

This item includes a 32-inch cable, which is to be used with engines mounted at a 31-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 31 inch centers.

8M0077136

This item includes a 33-inch cable, which is to be used with engines mounted at a 32-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 32 inch centers.

8M0077137

This item includes a 34-inch cable, which is to be used with engines mounted at a 33-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 33 inch centers.

8M0077138

This item includes a 35-inch cable, which is to be used with engines mounted at a 34-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 34 inch centers.

8M0077139

This item includes a 36-inch cable, which is to be used with engines mounted at a 35-inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 35 inch centers.

JOYSTICK LINK CABLE - 25 INCH CENTERS, QUAD ONLY



8M0109000

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 23 inch adjustable cable, which is to be used with engines mounted at a 25 inch center distance. (quads only)

Mercury Joystick Piloting for Outboards, with quad engines mounted on 25 inch centers.

JOYSTICK LINK CABLE - 26 INCH CENTERS, QUAD ONLY

8M0108999

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 24 inch adjustable cable, which is to be used with engines mounted at a 26 inch center distance. (quads only)

Mercury Joystick Piloting for Outboards, with quad engines mounted on 26 inch centers.

JOYSTICK LINK CABLE - 28 INCH CENTERS, QUAD ONLY



8M0079945

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 26 inch adjustable cable, which is to be used with engines mounted at a 28 inch center distance. (quads only)

Mercury Joystick Piloting for Outboards, with quad engines mounted on 28 inch centers.

HOSE ASSEMBLIES

POWER STEERING HOSE - BULKHEAD TO CYLINDER TANK



32-**8M0077079**

.5-inch ORFS, 2 ft. length bulkhead to cylinder tank for joystick applications.

32-**8M0077080**

.5-inch ORFS, 3 ft. length hose bulkhead to cylinder tank for joystick applications.

32-**8M0077081**

.5-inch ORFS, 4 ft. length hose bulkhead to cylinder tank for joystick applications.

POWER STEERING HOSE - BULKHEAD TO CYLINDER PRESSURE

32-**8M0077082**

2 ft, .375 inch hose, bulkhead to cylinder pressure for joystick piloting outboard applications and for normal power steering. ORFS -6 Female to ORFS -6 Female. Must order 2 per cylinder.

32-**8M0077083**

3 ft, .375 inch hose, bulkhead to cylinder pressure for joystick piloting outboard applications and for normal power steering. ORFS -6 Female to ORFS -6 Female. Must order 2 per cylinder.

32-**8M0077084**

4 ft, .375 inch hose, bulkhead to cylinder pressure for joystick piloting outboard applications and for normal power steering. ORFS -6 Female to ORFS -6 Female. Must order 2 per cylinder.

POWER STEERING HOSE KITS-JOYSTICK PILOTING

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-**8M0150604**

Kit includes two hoses of same length (2 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150605**

Kit includes two hoses of same length (3 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150606**

Kit includes two hoses of same length (4 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150607**

Kit includes two hoses of same length (5 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150608**

Kit includes two hoses of same length (6 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150610**

Kit includes two hoses of same length (7 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150612**

Kit includes two hoses of same length (8 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150613**

Kit includes two hoses of same length (10 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150614**

Kit includes two hoses of same length (12 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150615**

Kit includes two hoses of same length (14 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150616**

Kit includes two hoses of same length (18 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150617**

Kit includes two hoses of same length (18 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150618**

Kit includes two hoses of same length (20 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150619**

Kit includes two hoses of same length (22 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150620**

Kit includes two hoses of same length (24 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150621**

Kit includes two hoses of same length (26 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150622**

Kit includes two hoses of same length (28 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150623**

Kit includes two hoses of same length (30 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150624**

Kit includes two hoses of same length (32 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

JPO BULKHEAD PLATE



8M0146247

Improved bulkhead plate with threaded passage for multiple hose installations. Joystick, multiple Hose Installations.

FITTINGS

BULKHEAD FITTING - RETURN LINE - SHORT



22-**8M6001488**

.75 thickness, return line. Required for all JPO systems.

BULKHEAD FITTING - RETURN LINE - LONG



22-**8M6002264**

3 inch thickness, return line. Required for all JPO systems.

BULKHEAD FITTING - PRESSURE LINE - SHORT



22-**8M6001495**

.75 inch thickness, pressure line. Required for all JPO systems.

BULKHEAD FITTING - PRESSURE LINE - LONG



22-**8M6001497**

3 inch thickness, pressure line. Required for all JPO systems.

BULKHEAD FITTING - 90 DEGREE RETURN LINE



22-**8M0031467**

.5 inch female to .5 inch male. Used on top of bulkhead fittings.

BULKHEAD FITTING - 90 DEGREE PRESSURE LINE



22-**8M0031539**

ORFS -6 .375-inch female to .375-inch male. Used on top of bulkhead fittings.

STEERING CYLINDER FITTING - STRAIGHT RETURN LINE



22-**8M2007090**

.375 inch male to .5 inch male. This straight fitting can be used to replace the standard 90 degree cylinder fitting for some installs where needed.

ADAPTER FITTING



22-**8M0161199**

Adapter fitting

STEERING CYLINDER FITTING - .8125 INCH



22-**8M0131184**

.8125 inch (13/16). This fitting can be used for some JPO installs where needed to further stabilize engines.

DTS RIGGING

SMARTCRAFT AND DTS APPLICATION INFORMATION

Mercury Marine strongly recommends that boat builders and dealers use only Mercury Marine brand SmartCraft and DTS accessories. The throttle and shift functions on a boat are safety critical components. Mercury Marine validated the design and manufacture of the various SmartCraft and DTS accessories sold by Mercury Marine through an extensive product qualification testing protocol. Each of the Mercury Marine accessories for these systems has passed through that qualification process. It is not possible for Mercury Marine to test its systems with all of the accessories manufactured and sold by other entities. As a result, if a boat builder or dealer chooses to disregard the recommendation that only Mercury Marine accessories be used, the boat builder or dealer should adhere to specifications provided by Mercury Marine for all non-Mercury Marine components which interface with the Mercury Marine SmartCraft and/or DTS System. Documentation exhibiting compliance with these specifications should be submitted and approved by Mercury Marine prior to the finished product being released for sale. The Mercury Marine Limited Warranty does not provide coverage for damage caused by the use of accessories or parts not manufactured or sold by Mercury Marine.

DTS RIGGING KITS

The DTS complete master rigging kits listed in this section are for the 2007 DTS engines and newer. The DTS kits for older engines can be found in the "DTS Command Module Kits" section of this book. Please note, when buying the "DTS Command Module Kits" the control will need to be purchased separately. The controls can be found in the "Digital Throttle and Shift Controls" section of this book.

PANEL MOUNT DTS ERC W/ TRIM



8M0133237

This DTS panel mount Electronic Remote Control (ERC) offers the following features: Throttle only, engine start/stop, Active trim button and system status light, profile select buttons, Profile indicator LEDs, and mounting hardware. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

PANEL MOUNT DTS ERC- ELECTRIC STEERING W/ TRIM



8M0144227

This DTS panel mount with trim Electronic Remote Control (ERC) offers the following features: Piloting includes dock wheel turns, Throttle only, engine start/stop, Active trim button and system status light, profile select buttons, Profile indicator LEDs, mounting hardware, and Quick Steer button for vessels with Single Outboard Electric Steering. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

BRAVO 4S ERC PANEL MOUNT KIT W/ TRIM



8M0189676

This electronic remote control features High Def Cruise and can be used with Bravo FourS surf applications.

SINGLE ENGINE CONSOLE DTS ERC W/TRIM



8M0163917

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, helm transfer, global dimming, active trim, profile select LED indicators, and mounting hardware. ERC included is programmed for single-helm configuration. GPS required for active trim feature.

SINGLE ENGINE CONSOLE DTS ERC - NO TRIM



8M0166583

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, helm transfer, global dimming, and mounting hardware. ERC included is programmed for single-helm configuration.

SINGLE ENGINE CONSOLE DTS ERC W/TRIM - ELECTRIC STEERING



8M0166584

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, helm transfer, global dimming, active trim, profile select LED indicators, mounting hardware, and quick steer button for vessels with single outboard electric steering. ERC included is programmed for single-helm configuration. GPS required for active trim feature.

DUAL ENGINE DTS ERC W/ TRIM



8M0133240

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 lever mode, helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's active trim integrated into the ERC itself.

DTS Controls

DUAL ENGINE DTS ERC NO TRIM



8M0133242

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, start/stop all engines, individual engine start/stop, and a neutral indicator light.

DTS Controls

PREMIER DUAL ENGINE DTS ERC W/ TRIM



8M0133243

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 lever mode, helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

TRIPLE ENGINE DTS ERC W/ TRIM



8M0133244

This DTS dual handle Electronic Remote Control (ERC) for triple engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

PREMIER TRIPLE ENGINE DTS ERC W/TRIM



8M0133245

This DTS dual handle Electronic Remote Control (ERC) for triple engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

QUAD ENGINE DTS ERC W/ TRIM



8M0133246

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

PREMIER QUAD ENGINE DTS ERC



8M0133247

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

5 & 6 ENGINE DTS ERC W/ TRIM



8M0153980

This DTS dual handle Electronic Remote Control (ERC) for 5 & 6 engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, start/stop all engines, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

SUN COVER

Image not Available.

8M0180141

Premium electronic remote control sun cover.

ELECTRIC STEERING HELM CORE KIT




98-**8M0157716**

Electric steering helm used in Joystick Piloting applications and Single Outboard Electric Steering.

DTS Controls

AMS MECHANICAL KICKER KIT



98-**8M0164826**

This tie bar kicker kit is used to attach the kicker engine to the primary engine on vessels with a 250-450hp Verado as the primary engine

DTS PERFORMANCE PEDAL

DTS PERFORMANCE PEDAL



8M0245913

DTS performance pedal allows for greater control and safety in high-speed, single-engine applications.

DTS PERFORMANCE PEDAL KIT



8M0245912

Kit includes DTS performance pedal, LCM hotfoot harness, LCM programmed foot throttle and hand throttle dash mount kit.

DTS COMMAND MODULE AND HARNESS KITS

The "DTS Command Module Kits" include: Command module(s), command module harness(es), and Key switch(es). These kits are listed in this section from most current model year and back to 2004 (where still supported). **Controls are sold separately** Controls can be found in the "Digital Throttle and Shift Controls" section of this book.

COMMAND MODULE



77-**8M0121241**

Racing Command Module with shared guardian.

Compatible with Verado 80

PANEL MOUNT / SLIM BINNACLE - DTS COMMAND MODULE KIT



84-**893377K04**

SmartCraft DTS Command Module required for Gen I (2007) and newer DTS systems. Includes DTS Command Module (8M0109482), panel mount harness (893377T03), key switch and mounting hardware. Used with 892984A01 and 892984A02 Panel Mount Controls, and 8M0079291 Slim Binnacle Controls.

Gen I (2007) DTS Engines and newer. MCM requires serial number break to define use.

COMMAND MODULE KIT- QUAD ENGINE



84-**892955K05**

Smartcraft Command Module used on 2007 (Gen I) DTS engines- Includes command module, harness, and mounting hardware. Key switches are not included in this kit (matched keys kit is 893353A06)

Gen I (2007) DTS Engines

LCM MODULE PROGRAMMED - SURF CODE



77-**8M0173267**

Legacy Command Module programmed smarttow surf. LCMs transmit and receive data on primary shift/throttle, gauge and redundant shift/throttle and helm communication. The LCM processes inputs created by legacy electronic remote controls and sends these commands to the appropriate system components. The ERC provides engine throttle and shift input to the control system. A junction box allows SmartCraft components to connect to the SmartCraft network. Contains a mounted lanyard stop switch. Requires an LCM adapter harness to connect to the helm harness.

DTS COM MODULE HARNESS- CONSOLE SINGLE/ZE



84-**892955A02**

Harness needed to connect Single Console and single zero Effort controls

2006 DTS engines and newer

DTS COM MODULE HARNESS- QUAD



84-**892955T03**

Quad engine command module adapter harness

2007 (Gen II) DTS engines. Will backfit to 2006 engine

DTS-COM MODULE HARNESS-CONSOLE DUAL/ZE



84-**893378A02**

Harness that connects DTS components- Dual Console and Zero Effort Controls

2006 and newer DTS engines

SINGLE ENGINE HELM KIT



8M0208458

This single engine kit includes a GPS and helm harness.

DTS customers wanting only GPS should purchase 8M6012227. Customers wanting only helm harness should order 8M0159746.

HELM HARNESS- SINGLE ENGINE



84-**8M0159746**

Next Gen DTS Helm Harness – Single Engine Single Helm - Single Station Harness

All DTS customers ordering GPS (8M6012227) and helm harness (8M0159746) should order kit 8M0208458, which includes both GPS and helm harness.

LOWER HELM HARNESS- SINGLE ENGINE



84-**8M0159747**

Next Gen DTS Helm Harness – Single Engine Dual Helm - Lower Harness (must also order a Upper harness and the applicable helm-to-helm extension harnesses)

Helm Harness for rigging- Single Engine, Single Helm


TRIPLE MID HELM HARNESS- SINGLE ENGINE



84-**8M0159748**

Next Gen DTS Helm Harness – Single Engine Triple Helm – Middle Harness (must also order an upper and lower helm harness and the applicable helm-to-helm extension harnesses)

UPPER DUAL HELM HARNESS- SINGLE ENGINE



84-**8M0159749**

Next Gen DTS Helm Harness – Single Engine Dual Helm - Upper Harness (must also order a lower harness and the applicable helm-to-helm extension harnesses)

HELM HARNESS- DUAL ENGINE



84-**8M0157213**

Next Gen DTS Helm Harness – Dual Engine Single Helm – Single Station Harness

LOWER HELM HARNESS- DUAL



84-**8M0157214**

Next Gen DTS Helm Harness – Dual Engine Dual Helm - Lower Harness (must also order a Upper harness and the applicable helm-to-helm extension harnesses)

MID TRIPLE HELM HARNESS- DUAL ENGINE



98-**8M0165544**

Next Gen DTS Helm Harness – Dual Engine Triple Helm – Middle Harness (must also order an upper and lower helm harness and the applicable helm-to-helm extension harnesses)

UPPER HELM HARNESS- DUAL



84-**8M0157215**

Next Gen DTS Helm Harness – Dual Engine Dual Helm - Upper Harness (must also order a lower harness and the applicable helm-to-helm extension harnesses)

HELM HARNESS- TRIPLE ENGINE



84-**8M0157216**

Next Gen DTS Helm Harness – Triple Engine Single Helm - Single Station Harness

HELM HARNESS TRIPLE ENGINE- LOWER



84-**8M0157217**

Next Gen DTS Helm Harness – Triple Engine Dual Helm - Lower Harness (must also order a Upper harness and the applicable helm-to-helm extension harnesses)

TRIPLE MID HELM HARNESS- TRIPLE ENGINE



98-**8M0165540**

Next Gen DTS Helm Harness – Triple Engine Triple Helm – Middle Harness (must also order an upper and lower helm harness and the applicable helm-to-helm extension harnesses)

UPPER DUAL HELM HARNESS- TRIPLE ENGINE



84-**8M0157218**

Next Gen DTS Helm Harness – Triple Engine Dual Helm - Upper Harness (must also order a lower harness and the applicable helm-to-helm extension harnesses)

HELM HARNESS- QUAD ENGINE



84-**8M0157219**

Next Gen DTS Helm Harness – Quad Engine Single Helm - Single Station Harness

LOWER DUAL HELM HARNESS- QUAD ENGINE



84-**8M0157220**

Next Gen DTS Helm Harness – Quad Engine Dual Helm - Lower Harness (must also order a Upper harness and the applicable helm-to-helm extension harnesses)

MID TRIPLE HELM HARNESS- QUAD ENGINE



98-**8M0165541**

Next Gen DTS Helm Harness – Quad Engine Triple Helm – Middle Harness (must also order an upper and lower helm harness and the applicable helm-to-helm extension harnesses)

UPPER DUAL HELM HARNESS- QUAD ENGINE



84-**8M0157222**

Next Gen DTS Helm Harness – Quad Engine Dual Helm - Upper Harness (must also order a lower harness and the applicable helm-to-helm extension harnesses)


DTS COMMAND MODULE HARNESS-SHADOW MODE (TRIPLE)



84-**896377T02**

Harness for command module connections. Direct replacement for 84-896377A01 2007 (Gen I) and newer DTS engines

DTS TAB INTERFACE MODULE KIT




98-**8M0169899**

DTS tab interface module kit for next gen DTS only. LCM next gen has active trim built in.

Compatible with all OB and 4.5L/6.2L/8.2L MCM. Not used with 8.6L Racing.


2ND STATION DELIVERY HARNESS KIT - SINGLE



98-**8M0169904**

Single kit includes 2-pin CAN weather caps (qty. 3), 2-pin CAN terminator (blue, qty. 3), global wake weather cap helm, global wake weather cap extension, gauge power weather cap helm, gauge power weather cap extension, 6-pin delivery harness helm, 4-pin delivery harness helm, 6-pin delivery harness extension and 4-pin delivery harness extension.


2ND STATION DELIVERY HARNESS KIT - DUAL



98-**8M0169905**

Dual kit includes DTS link assembly, 2-pin CAN weather caps (qty. 7), 2-pin CAN terminator (blue, qty. 3), gauge power weather cap helm, gauge power weather cap extension, 6-pin delivery harness helm (qty. 2), 4-pin delivery harness helm (qty. 2), 6-pin delivery harness extension (qty. 2) and 4-pin delivery harness extension (qty. 2).


2ND STATION DELIVERY HARNESS KIT - TRIPLE



98-**8M0169906**

Triple kit includes DTS link assembly, 2-pin CAN weather cap (qty. 8), 2-pin CAN terminator (blue, qty. 4), gauge power weather cap helm, gauge power weather cap extension, 6-pin delivery harness helm (qty. 3), 4-pin delivery harness helm (qty. 2), 6-pin delivery harness extension (qty. 3) and 4-pin delivery harness extension (qty.2).

2ND STATION DELIVERY HARNESS KIT - QUAD



98-**8M0169907**

Quad kit includes DTS link assembly, 2-pin CAN weather cap (qty. 9), 2-pin CAN terminator (blue, qty. 5), gauge power weather cap helm, gauge power weather cap extension, 6-pin delivery helm harness (qty. 4), 4-pin delivery helm harness (qty. 2), 6-pin delivery harness extension (qty. 4) and 4-pin delivery harness extension (qty. 2)

NEXT-GEN ERC EXT. HARNESS KIT (SINGLE)



98-**8M0173751**

5 ft. next gen ERC extension harness kit, single.

98-**8M0173878**

10 ft. next gen ERC extension harness kit, single.

NEXT-GEN ERC EXT. HARNESS KIT (DUAL)



98-**8M0173753**

5 ft. next gen ERC extension harness kit, dual.

98-**8M0173879**

10 ft. next gen ERC extension harness kit, dual.

NEXT-GEN ERC EXT. HARNESS KIT (TRIPLE)



98-**8M0173754**

5 ft. next gen ERC extension harness kit, triple.

98-**8M0173880**

10 ft. next gen ERC extension harness kit, triple.

NEXT-GEN ERC EXT. HARNESS KIT (QUAD)



98-**8M0173755**

5 ft. next gen ERC extension harness kit, quad.

98-**8M0173881**

10 ft. next gen ERC extension harness kit, quad.

OUTER HELM EXTENSION HARNESS



84-**8M0159751**

15 ft. outer helm extension harness. Can be used on outer engines with triple and quad engine configurations.

84-**8M0159752**

20 ft. outer helm extension harness. Can be used on outer engines with triple and quad engine configurations.

84-**8M0159753**

25 ft. outer helm extension harness. Can be used on outer engines with triple and quad engine configurations.

84-**8M0159754**

30 ft. outer helm extension harness. Can be used on outer engines with triple and quad engine configurations.

84-**8M0159755**

35 ft. outer helm extension harness. Can be used on outer engines with triple and quad engine configurations.

84-**8M0159756**

40 ft. outer helm extension harness. Can be used on outer engines with triple and quad engine configurations.

84-**8M0173571**

50 ft. outer helm extension harness. Can be used on outer engines with triple or quad engine configurations.

84-**8M0173572**

60 ft. outer helm extension harness. Can be used on outer engines with triple and quad engine configurations.

84-**8M0173573**

70 ft. outer helm extension harness. Can be used on outer engines with triple and quad engine configurations.

INNER HELM EXTENSION HARNESS



84-**8M0159758**

15 ft. inner helm extension harness. Can be used on inner engines with triple and quad engine configurations.

84-**8M0159759**

20 ft. inner helm extension harness. Can be used on inner engines with triple or quad engine configurations.

84-**8M0159760**

25 ft. inner helm extension harness. Can be used on inner engines with triple and quad engine configurations.

84-**8M0159761**

30 ft. inner helm extension harness. Can be used on inner engines with triple and quad engine configurations.

84-**8M0159763**

40 ft. inner helm extension harness. Can be used on inner engines with triple and quad engine configurations.

84-**8M0173574**

50 ft. inner helm extension harness. Can be used on inner engines with triple and quad engine configurations.

84-**8M0173575**

60 ft. inner helm extension harness. Can be used on inner engines with triple and quad engine configurations.

84-**8M0173576**

70 ft. inner helm extension harness. Can be used on inner engines with triple and quad engine configurations.

2-PIN GAUGE CLEAN POWER HARNESS



84-**8M0159764**

15 ft.

84-**8M0159765**

20 ft.

84-**8M0159766**
25 ft.
84-**8M0159767**
30 ft.
84-**8M0159768**
35 ft.
84-**8M0159769**
40 ft.

CLEAN POWER HARNESS



84-**8M0187441**
Clean power T harness with 14-pin male connector and 14-pin female connector.

4-PIN CLEAN POWER HARNESS



84-**8M0158087**
5 ft.
84-**8M0158088**
10 ft.
84-**8M0158089**
15 ft.
84-**8M0158090**
20 ft.
84-**8M0169292**
25 ft.
84-**8M0169293**
30 ft.
84-**8M0169294**
35 ft.

GLOBAL WAKE HARNESS



84-**8M0163381**
15 ft. global wake harness.
84-**8M0163382**
20 ft. global wake harness.
84-**8M0163383**
25 ft. global wake harness.
84-**8M0163384**
30 ft. global wake harness.
84-**8M0163385**
35 ft. global wake harness.
84-**8M0163386**
40 ft. global wake harness.
84-**8M0173580**
50 ft. global wake harness.
84-**8M0173581**
60 ft. global wake harness.
84-**8M0173582**
70 ft. global wake harness.

DTS HELM BOARD KITS (HELM BOARDS ONLY)

HELM BOARD DTS KIT - PANEL / SLIM BINNACLE



899859K03
Kit includes J-Box, Command Module Harness, Command Module, Accessory Power Relay and Terminal Strip all components come pre-mounted on plastic board includes mounting hardware for vessel install
For Single Panel Mount and GEN 2 Slim Binnacle ERC. DTS GEN I and newer.

DTS COMPONENTS

COMMAND MODULE KIT



77-**8M0109482**
Command Module Kit software version 80. The module can be reprogramed using the CDS - G3 service tool
Match the software version needed with engine feature requirements

HARDWARE BAG ASSEMBLY



56-**820386A85**
Legacy Command Module Mounting Kit – Rubber Isolation System

LOW LOSS 14/8 GRAY HARNESS



84-**8M0154726**
10 ft.

84-**8M0154727**
15 ft.

84-**8M0154728**
20 ft.

84-**8M0154729**
25 ft.

84-**8M0154730**
30 ft.

84-**8M0154731**
35 ft.

84-**8M0154732**
40 ft.

84-**8M0154733**
45 ft.

84-**8M0154734**
50 ft.

DIESEL RIGGING

2.0L ENGINE RIGGING KITS

2.0L RIGGING KIT - MECHANICAL ALPHA

8M0161907

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, sterndrive harness, power steering signal harness, transom hardware and 10 foot engine VIP extension harness harness.

2.0L Diesel Mechanical Sterndrive (Alpha)

2.0L RIGGING KIT - MECHANICAL BRAVO

8M0161908

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, sterndrive harness, power steering signal harness, 10 foot engine VIP extension harness, shift bracket and transom hardware.

2.0L Diesel Mechanical Sterndrive (Bravo)

2.0L RIGGING KIT - DTS BRAVO

8M0161902

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel sensor extension harness, fuel level harness, sterndrive harness, power steering signal harness, 10 foot engine VIP extension harness, shift actuator harness, transom hardware and shift plate

2.0L Diesel DTS Sterndrive (Bravo)

2.0L RIGGING KIT - DTS INBOARD



8M0161904

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, fuel level harness, e-stop harness, diagnostic port and harness, inboard harness, fuel filter, sea water filter, thru hull fitting and hose

2.0L Diesel DTS Inboard

2.0L RIGGING KIT - MECHANICAL INBOARD

8M0161909

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, neutral harness, 10 foot extension harness and inboard vessel harness.

2.0L Diesel Mechanical Inboard

PANELS DTS

TDI 4.2L 370 HP ENGINE ASSEMBLY KIT - DTS STERNDRIVE

98-**8M0078873**

Engine Assembly Kit includes Drive Lube Monitor,MerCathode,Shift Actuator, Fuel Module, Exhaust Bullhorn, Literature Kit, Vessel Adapter Assembly and Vessel Sensor Harness.
Must be used with the correct engine during installation

Mercury Diesel TDI 4.2L 370 HP DTS Sterndrive

TDI 4.2L 370 HP ENGINE ASSEMBLY KIT - DTS INBOARD

98-**8M0078883**

Engine Assembly Kit includes Fuel Module, Literature Kit, Vessel Adapter Assembly, Vessel Sensor Harness, Drive Application Harness and Gear Actuation Harness. Must be used with the correct engine during installation

Mercury Diesel TDI 4.2L 370 HP DTS Inboard

PANELS NON DTS

TDI 4.2L 335 HP ENGINE ASSEMBLY KIT - MECH STERNDRIVE

98-**8M0078876**

Engine Assembly Kit includes - Drive Lube Monitor, MerCathode, Shift Actuator, Exhaust Bullhorn, Literature Kit, Vessel Adapter Assembly and Vessel Sensor Harness.
Must be used with the correct engine during installation

Mercury Diesel TDI 4.2L 335 HP Mechanical Sterndrive

MERCURY DIESEL MECHANICAL HELM HARNESS



84-**8M0084296**

Non DTS Helm Harness

Mercury Diesel: Mechanical versions of TDI 3.0L and 4.2L, Tier 2 and Tier 3 (use one per engine at the helm), does not support SmartCraft depth or steering sensors

DIESEL TDI RIGGING

MERCURY DIESEL TDI STERNDRIVE HARNESS KIT

8M0099152

Kit to simplify ordering engine rigging components specific to a TDI Sterndrive application - contains a 3 meter engine to VAA harness, 20 foot engine unswitched power harness, 10 foot vessel sensor extension harness, fuel level harness, 10 foot trim pump/sender extension harness, a diagnostic port and a 3 foot diagnostic yellow CAN cable. Does not include helm rigging (control, harnessing, gauges, etc).

Can be used on all Mercury Diesel TDI sterndrive packages.

SIMS MODULE



77-**8M0086455**

Sim module(Service) with unique software for the engine
260 DTS Sterndrive TDI - V6

77-**8M0086462**

Sim module(Service) with unique software for the engine
100 Mech Sterndrive TDI - V6

77-**8M0086456**

Sim module(Service) with unique software for the engine
230 DTS Sterndrive TDI - V6

77-**8M0086459**

Sim module(Service) with unique software for the engine
230 Mech Sterndrive TDI - V6

77-**8M0086454**
Sim module(Service) with unique software for the engine
260 DTS Sterndrive TDI - V6

77-**8M0086465**
Sim module(Service) with unique software for the engine
230 DTS Inboard TDI - V6 (4000 RPM)

77-**8M0086467**
Sim module(Service) with unique software for the engine
230 Mech Inboard TDI - V6 (4000 RPM)

77-**8M0086469**
Sim module(Service) with unique software for the engine
230 Mech Inboard TDI - V6 (3500 RPM)

77-**8M0086463**
Sim module(Service) with unique software for the engine
260 DTS Inboard TDI - V6

77-**8M0086464**
Sim module(Service) with unique software for the engine
260 Mech Inboard TDI - V6

77-**8M0041733**
Sim module(Service) with unique software for the engine
335 DTS Sterndrive TDI - V8

77-**8M0041757**
Sim module(Service) with unique software for the engine
335 Mech Sterndrive TDI - V8

77-**8M0041718**
Sim module(Service) with unique software for the engine
370 DTS Sterndrive TDI - V8

77-**8M0041734**
Sim module(Service) with unique software for the engine
370 Mech Sterndrive TDI - V8

77-**8M0041674**
Sim module(Service) with unique software for the engine
335 DTS Inboard TDI - V8

77-**8M0041671**
Sim module(Service) with unique software for the engine
370 DTS Inboard TDI - V8

MERCURY DIESEL TDI ENGINE HARNESS - ENGINE TO VAA



8M0066847
3 meter engine to VAA harness
Mercury Diesel TDI 3.0L and 4.2L Engines

8M0066848
4 meter engine to VAA harness
Mercury Diesel TDI 3.0L and 4.2L Engines

MERCURY DIESEL TDI MECHANICAL JOHNNY THROTTLE EXTENSION HARNESS



84-**8M0079850**
Extension harness - Throttle Mechanical - 10 ft
Mercury Diesel TDI 3.0L and 4.2L Diesels, inlcuded in the mechanical engine assembly kit

MERCURY DIESEL TDI LIFT PUMP HARNESS EXTENSION



84-**8M0079847**
Extension Harness, 20 ft.
Used in conjunction with off engine Racor lift pump, included in mechanical engine assembly kits

MERCURY DIESEL TDI VESSEL SENSOR HARNESS



84-**8M0118364**
Harness - Vessel Sensor
Mercury Diesel TDI 3.0L and 4.2L Diesels, included in the engine assembly kit, does not support SmartCraft depth or steering sensors

MERCURY DIESEL MECHANICAL HELM HARNESS



84-**8M0084296**
Non DTS Helm Harness
Mercury Diesel: Mechanical versions of TDI 3.0L and 4.2L, Tier 2 and Tier 3 (use one per engine at the helm), does not support SmartCraft depth or steering sensors

MERCURY DIESEL TDI DRIVE APPLICATION EXTENSION HARNESS



84-**8M0080191**
5 foot TDI Drive Application Extension Harness. Inboard only
Mercury Diesel TDI 3.0L and 4.2L Engines

84-**8M0080192**
10 foot TDI Drive Application Extension Harness, Inboard only
Mercury Diesel TDI 3.0L and 4.2L Engines

MERCURY DIESEL TDI DRIVE APPLICATION EXTENSION HARNESS



84-**8M0080193**
15 foot TDI Drive Application Extension Harness, Inboard only
Mercury Diesel TDI 3.0L and 4.2L Engines

POWER HARNESS



84-**899887T13**
10 ft.

84-**899887T14**
20 ft.

VESSEL SENSOR EXTENSION HARNESS



84-**899888T21**
5 ft. Vessel sensor extension harness (optional).
All Diesel products Non DTS and DTS including Axius

84-**899888T22**
10 ft. Vessel sensor extension harness (optional).
All Diesel products Non DTS and DTS including Axius

84-**899888T23**
15 ft. Vessel sensor extension harness (optional).
All Diesel products Non DTS and DTS including Axius

84-**899887T17**
20 ft. Vessel sensor extension harness (optional).
All Diesel products Non DTS and DTS including Axius

MERCURY DIESEL TDI AXIUS HARNESS ADAPTER



84-**8M0079849**
Harness adapter Axius
Mercury Diesel TDI 3.0L and 4.2L Sterndrive

MERCURY DIESEL TDI DRIVE LUBE MONITOR EXTENSION HARNESS



84-**8M0080787**
Harness Extension - Drive Lube Monitor
Mercury Diesel TDI 3.0L and 4.2L Sterndrive

SHIFT ACTUATOR HARNESS



84-**879312T12**
Shift actuation harness.
Sterndrive harness extension

EXTENSION HARNESS- NEUTRAL SAFETY



84-**899887T01**

Harness extension used with neutral safety switch. (DTS Shift Actuator)
Sterndrives (DTS)

SWITCH EMERGENCY STOP



84-**8M6000699**

E-Stop switch for emergency stop
All diesel engines (SC 2.5)

KEY SWITCH EXTENSION - NO CRANK



84-**879312T77**

20 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions.
Used on all DTS engines.

84-**879312T78**

30 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions.
Used on all DTS engines.

84-**879312T79**

40 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions.
Used on all DTS engines.

VESSEL PANELS DTS

VESSEL INTERFACE PANEL



84-**8M0070056**

Vessel interface Panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Inboard (SC 2.2)

8M0233835

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Inboard (SC 2.5)

84-**8M0070058**

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Inboard + Troll (SC 2.2)

8M0086567

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Inboard + Troll (SC 2.5)

VESSEL INTERFACE PANEL - QSB/QSC/QSL/QSM

84-**8M0070060**

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data.
NON-DTS Inboard (SC 2.2), QSB/QSC/QSL/QSM

8M0086565

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
NON-DTS Inboard (SC 2.5)

VESSEL PANEL KIT



8M0070435

VIP Kit with Harness, VIP and Operations Manual Flashed with software. (Includes 8M0070064)
Zeus Twin (SC 2.2)

VESSEL PANEL KIT



8M0072599

VIP Kit with Harness, VIP and Operations Manual Flashed with software. (Includes 8M00787774)

Zeus Twin (SC 2.5)

VESSEL PANEL -VIP - QSB/QSC/QSL/QSM



84-**8M0070064**

Vessel integration panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data

Zeus (SC 2.2)

8M0088792

Vessel integration panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data

Zeus (SC 2.5)

VESSEL INTERFACE PANEL

84-**8M0070055**

Vessel integration panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data .

DTS Hydra Triple Zeus (SC 3.0)

VESSEL PANEL -VIP - QSB/QSC/QSL/QSM

84-**8M0070053**

Vessel integration panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data

DTS Hydra Quad Zeus (SC 3.0)

VESSEL INTERFACE PANEL - NO SIM

84-**8M6001456**

Service Vessel interface panel without Sim. Used to service all VIP boxes for single and twin models. (White Box)

QSB/QSC/QSL/QSM Single and Twin engines (Inboard, Sterndrive and Zeus)

84-**8M6000701**

service Vessel Interface Panel without Sim. Used to service all VIP boxes DTS models. (White Box)

DTS QSD engines (Inboard, Sterndrive and Axius)

84-**8M6001455**

Service Vessel interface panel without Sim. Used to service all VIP boxes for triple models. (White Box)

QSB/QSC/QSL/QSM Triple engines (Zeus)

84-**8M6001454**

Service Vessel interface panel without Sim. Used to service all VIP boxes for Quad models. (White Box)

QSB/QSC/QSL/QSM Quad engines (Zeus)

MERCURY DIESEL VESSEL INTERFACE PANEL - DTS STERNDRIVE

8M0233836

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data

Mercury Diesel - DTS Sterndrive (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

MERCURY DIESEL VESSEL INTERFACE PANEL - AXIUS GEN II

8M0233837

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data

Mercury Diesel - Axius Gen II (SC 2.5), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

PANELS NON DTS

VESSEL INTERFACE PANEL - QSB/QSC/QSL/QSM



84-**8M0070060**

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data.

NON-DTS Inboard (SC 2.2), QSB/QSC/QSL/QSM

8M0086565

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data

NON-DTS Inboard (SC 2.5)

VESSEL INTERFACE PANEL - NO SIM

84-**8M6001456**

Service Vessel interface panel without Sim. Used to service all VIP boxes for single and twin models. (White Box)

QSB/QSC/QSL/QSM Single and Twin engines (Inboard, Sterndrive and Zeus)

84-**8M6000703**

Service Vessel Interface Panel without Sim. Used to service all VIP boxes for Non DTS models. (White Box)

Non DTS QSD engines (Inboard and Sterndrives)

MERCURY DIESEL VESSEL INTERFACE PANEL - MECH INBOARD

84-**8M0070071**

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data

Mercury Diesel - Mechanical Inboard (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

MERCURY DIESEL VESSEL INTERFACE PANEL - MECH STERNDRIVE

84-**8M0070072**

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data

Mercury Diesel - Mechanical Sterndrive (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

DIESEL RIGGING

SIMS MODULE- SERVICE



8M2004362
Sims Only with software (service software)
QSD Non DTS - Inboard (SC 2.0)

8M2004360
Sims Only with software (service software)
QSD Non DTS - Sterndrive (SC 2.0)

VIP MODULES - INTERFACE PANELS

VIP MODULE WITH SOFTWARE



77-**8M0075826**
VIP Module loaded with specific software
QSD Inboard SC 2.2 DTS and QSB, QSC and QSM Inboard SC 2.2 DTS

77-**8M0089513**
VIP Module loaded with specific software
QSB, QSC, QSM Inboard SC 2.5 DTS

77-**8M0075829**
VIP Module loaded with specific software
QSD Inboard Plus Troll SC 2.2 DTS and QSB,QSC,QSM Inboard Plus Troll SC 2.2 DTS

77-**8M0089514**
VIP Module loaded with specific software
QSB,QSC,QSM Inboard Plus Troll SC 2.5 DTS

77-**8M0075831**
VIP Module loaded with specific software
QSB,QSC, QSM Inboard SC 2.2 Non DTS

77-**8M0089515**
VIP Module loaded with specific software
QSB,QSC,QSM Inboard SC 2.5 Non DTS

77-**8M0075833**
VIP Module loaded with specific software
QSD Sterndrive SC 2.2 DTS and QASB,QSC,QSM Sterndrive SC 2.2 DTS

VIP MODULE

77-**8M0078044**
VIP Modules with Software
QSB/QSC/QSL/QSM Sterndrive DTS SC 2.5

VIP MODULE STERNDRIVE NON DTS SC 2.5

77-**8M0078045**
VIP Modules with Software
QSB/QSC/QSL/QSM Sterndrive Non DTS SC 2.5

VIP MODULE WITH SOFTWARE

77-**8M0075836**
VIP Module loaded with specific software
QSB,QSC,QSM Zeus SC 2.2 DTS

77-**8M0089516**
VIP Module loaded with specific software
QSB,QSC,QSM Zeus SC 2.5 DTS

77-**8M0075824**
VIP Module loaded with specific software
Zeus Hydra Triple and Quad SC 3.0 DTS

77-**8M0075842**
VIP Module loaded with specific software
QSD Axius Gen II SC 2.5 DTS

77-**8M0075843**
VIP Module loaded with specific software
QSD Inboard SC 2.2 Non DTS

77-**8M0075835**
VIP Module loaded with specific software
QSD Sterndrive SC 2.2 Non DTS

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - DTS INBOARD



8M0233839
V2 2.0L diesel inboard vessel interface panel: loaded with software specific to this application.
Mercury Diesel 2.0L - DTS Inboard, Tier 3

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - DTS STERNDRIVE

8M0233840
Vessel Interface Panel: loaded with software specific to this application.
Mercury Diesel 2.0L - DTS Sterndrive, Tier 3

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - MECH INBOARD

8M0217240
V2 mechanical inboard vessel interface panel: loaded with software specific to this application.
Mercury Diesel 2.0L - Mechanical Inboard, Tier 3

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - MECH STERNDRIVE (ALPHA)

8M0217241
Vessel Interface Panel: loaded with software specific to this application.
Mercury Diesel 2.0L - Mechanical Sterndrive (Alpha), Tier 3

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - MECH STERNDRIVE (BRAVO)

8M0217242
Vessel Interface Panel: loaded with software specific to this application.
Mercury Diesel 2.0L - Mechanical Sterndrive (Bravo), Tier 3

HELM PANEL DTS - MAIN STATION

HELM PANEL BOARD




8M0071493

This helm board includes CCM, harness, and hardware used to install DTS Single engine applications.

Cummins Single DTS.

HELM PANEL BOARD




8M0071494

This helm board includes CCM, harness, and hardware used to install DTS Twin engine applications

Cummins Dual DTS

MERCURY DIESEL HELM PANEL BOARD - AXIUS GEN II



98-**8M3800000**

This helm board will include CCM's, Harness and Hardware needed to Gen II Axius on diesle DTS engines (specific application)

Mercury Diesel Axius Gen II (SC 2.5) on Tier 2 4.2L engine

ZEUS HELM BOARD



84-**8M0139671**

Zeus helm board for 2.5+ applications

Zeus dual engine only

CCM SERVICE MODULES

CCM MODULE SC 2.5



77-**8M0075773**

CCM Module with Software (CCM10)

QSB,QSC,QSL,QSM Inboard, Inboard plus Troll and Sterndrive CCM Module SC 2.5

CCM MODULE - ZEUS HYDRA

77-**8M0075767**

CCM Module with Software (CCM10)

Multiple Engine Zeus Hydra - Triple and Quad

CCM MODULE AXIUS GEN II

77-**8M0075769**

CCM Module with Software (CCM10)

QSD Axius Gen II SC 2.5 (CCM 10) Twin Engines

CCM MODULE SC 2.2 STBD



77-**8M0075786**

CCM Module with Software (CCM 48)

QSB,QSC,QSM Zeus CCM Module SC 2.2

CCM MODULE SC 2.2 PORT

77-**8M0075787**

CCM Module with Software (CCM 48)

QSB,QSC,QSM Zeus CCM Module SC 2.2

CCM MODULE SC 2.2 PORT

77-**8M0075794**

CCM Module with Software (CCM 48)

QSD Axius Gen I - CCM Module SC 2.2

CCM MODULE SC 2.2

77-**8M0075795**

CCM Module with Software (CCM 48)

QSB, QSC, QSM, QSD Inboards and Sterndrives - CCM Module SC 2.2

77-**8M0075809**

CCM Module with Software (CCM 48)

QSD,QSB,QSC,QSM AutoPilot Module

77-**8M0075795**

CCM Module with Software (CCM 48)

QSB, QSC, QSM, QSD Inboards and Sterndrives - CCM Module SC 2.2

ADAPTERS AND HARNESSES

SHIFT ACTUATOR HARNESS



84-**879312T12**
Shift actuation harness.
Sterndrive harness extension

VESSEL SENSOR HARNESS




84-**879312T13**
Vessel sensor harness with neutral safety.

EXTENSION HARNESS- NEUTRAL SAFETY



84-**899887T01**
Harness extension used with neutral safety switch. (DTS Shift Actuator)
Sterndrives (DTS)

GEAR ACTUATOR HARNESS



84-**879312T10**
Gear actuator harness.
On/Off
Forward/Reverse.
Inboard with DIN connector.

HARNESS MERCATHODE 12 V



84-**879148T41**
Harness for 12 volt MerCathode installation
Zeus QSB/QSC EA 9164 QSM SV 2709

HARNESS MERCATHODE 24 V



84-**897345T63**
Harness used with MerCathode 24 volt
Zeus QSB/QSC EA 9165 QSM SV2709

MUS ID JUMPER



84-**8M2004357**
MUS ID Jumper - assigns the City ID to be used for a diesel engine
Used to identify the Port Outer diesel engine in a dual, triple or quad application

84-**8M0109294**
MUS ID Jumper - assigns the City ID to be used for a diesel engine
Used to identify the Starboard Inner diesel engine in a triple or quad application

84-**8M0109337**
MUS ID Jumper - assigns the City ID to be used for a diesel engine
Used to identify the Starboard Outer diesel engine in a single, dual, triple or quad application

INBOARD DRIVE APPLICATION HARNESS



84-**899887T02**
Mercury Diesel Inboards (both DTS and Mechanical)

DRIVE APPLICATION HARNESS EXTENSION



84-**879172T90**

5 ft. drive application extension harness

Zeus applications

84-**879172T91**

10 ft. drive application extension harness

Zeus applications

84-**879172T93**

20 ft. drive application extension harness

Zeus applications

HARNESS EXTENSION - ENGINE TO VIP



84-**879345T61**

5 ft. Harness extension used to extend length from engine to VIP

Mercury Diesel - Sterndrives and Inboards (DTS and Mechanical) - does not apply to TDI

84-**879345T62**

10 ft. Harness extension used to extend length from engine to VIP

Mercury Diesel - Sterndrives and Inboards (DTS and Mechanical) - does not apply to TDI

84-**879345T63**

15 ft. Harness extension used to extend length from engine to VIP

Mercury Diesel - Sterndrives and Inboards (DTS and Mechanical) - does not apply to TDI

84-**879345T64**

20 ft. Harness extension used to extend length from engine to VIP

Mercury Diesel - Sterndrives and Inboards (DTS and Mechanical) - does not apply to TDI

POWER HARNESS



84-**899887T13**

10 ft.

84-**899887T14**

20 ft.

VESSEL SENSOR HARNESS STERNDRIVE



84-**8M0118368**

Harness used to connect vessel sensors - Optional

All Sterndrive Diesels Non DTS and DTS Including Axius (not for TDI) and does not work with SmartCraft depth or steering sensors

VESSEL SENSOR HARNESS - INBOARDS



84-**899887T08**

Harness used to connect vessel sensors - Optional

All Inboards Diesels Non DTS and DTS (not for TDI) and does not work with SmartCraft depth or steering sensors

VESSEL SENSOR EXTENSION HARNESS



84-**899888T21**

5 ft. Vessel sensor extension harness (optional).

All Diesel products Non DTS and DTS including Axius

84-**899888T22**

10 ft. Vessel sensor extension harness (optional).

All Diesel products Non DTS and DTS including Axius

84-**899888T23**

15 ft. Vessel sensor extension harness (optional).

All Diesel products Non DTS and DTS including Axius

84-**899887T17**

20 ft. Vessel sensor extension harness (optional).

All Diesel products Non DTS and DTS including Axius

HARNESS ADAPTER HALON



84-**879312T20**

This adapter harness (halon) is used on non DTS diesel installations. Order 1 for singles and 2 for twin engine installs.

Mercury Diesel Mechanical engines

HARNESS ADAPTER LANYARD



84-**879312T21**

This lanyard adapter harness is used in the helm station for Non DTS Diesel engines. Order 1 for singles and 2 for twin engine installs.

Non DTS QSB,QSC,QSL,QSM and QSD helm stations

84-**879312T22**

This lanyard adapter harness is used in the helm station for Non DTS Diesel engines. Order 1 for singles and 2 for twin engine installs.

Non DTS QSB,QSC,QSL,QSM and QSD helm stations

JOYSTICK: MAIN POWER RELAY HARNESS - 20 FT.



84-**897345T08**

Powers CCMs and TVMs for Joystick installations. Used in addition to 5 amp clean power harness. (20 ft. long)

FUEL LEVEL HARNESS



84-**8M0089989**

4 pin fuel level harness used in conjunction with the applicable diesel vessel sensor harness to get up to two tank inputs per diesel engine.

Applies to all diesel applications from calendar year 2014 and later. Number of available tank inputs are specific to each diesel engine application (typically 1 to 2 per engine).

MISCELLANEOUS ACCESSORIES

These electrical accessories are for Diesel Installations

SHIFT ACTUATOR ASY



8M0111459

DTS Shift Actuator

Diesel Sterndrives (DTS)

VIBRATION ISOLATOR KIT



8M2011935

Vibration isolator kit

For mounting a Mercury ECU (which does need vibration isolation)

MATCHED KEY SWITCH KIT



87-**8M3001384**

Matched pair of 4 position key switches and keys along with the switch housings.

Can be used with any dual engine application that utilizes the 6 pin key switch connectors at the helm

SMARTCRAFT RIGGING

ACTIVE TRIM

Active Trim

Active Trim is an integrated GPS, speed-based automatic engine trim system from Mercury Marine. This intuitive, hands-free system continually adjusts engine trim based on changes in boat speed to improve performance, fuel economy, and ease of operation. It responds to boat maneuvers with precision and delivers a better overall driving experience. No knowledge of trimming an engine is needed to take advantage of Active Trim.

- As the boat accelerates, the engine will trim out
- As the boat decelerates, e.g. making a turn, the engine will trim in
- Active Trim can be overridden at any time by using the manual trim buttons
- Active Trim allows the boat operator to compensate for changes in boat load, driver preferences, and weather conditions while maintaining full automatic control

Active Trim is compatible with:

- Mercury FourStroke outboards from 40 to 400 HP
- Mercury SmartCraft-capable two-stroke outboards
- Mercury SmartCraft-capable gas and diesel sterndrive engines with digital trim senders



Engine Applications	Number of Engines	Part Number w Dash Pad	Part Number no Dash Pad
Digital Throttle & Shift (DTS) (Outboard and MerCruiser)	1 - 4	8M0111544	8M0129437
Race DTS (Outboard and MerCruiser)	1 - 4	8M0113442	8M0129438
150HP FourStroke / 150-250HP OptiMax (tiller excluded)	1	8M0111545	8M0129439
150HP FourStroke / 150-250HP OptiMax	2	8M0111552	8M0129440
75 – 115HP FourStroke (tiller excluded)	1	8M0111546	8M0129442
75 – 115HP FourStroke	2	8M0111553	8M0129456
40 – 60HP FourStroke (tiller excluded)	1	8M0111547	N/A
4.5L & 6.2L 300/350HP mechanical MerCruiser with digital trim sender	1	8M0111550	8M0129457
4.5L & 6.2L 300/350HP mechanical MerCruiser with digital trim sender	2	8M0111554	8M0129458

Note: The Active Trim Kit may include the Active Trim pad, ECU, harness and if necessary, digital trim sender. Active Trim part numbers are specific to engine families. Additional parts may be required dependent on boat rigging.

MERCURY
GO BOLDLY.™

Learn more at mercurymarine.com

ACTIVE TRIM

Active Trim is Mercury Marine's patented GPS-based automatic engine trim system. This intuitive, hands-free system continually adjusts engine trim for changes in operating conditions to improve performance, fuel economy, and ease of operation. It responds to boat maneuvers with precision and delivers a better overall driving experience.



ACTIVE TRIM KITS

The Active Trim Kit includes Active Trim pad, ECU, and harness. Ensure correct kit is ordered as Active Trim part numbers are specific to engine families. Additional parts may be required dependent on boat rigging.

ACTIVE TRIM - DTS



8M0111544

This kit is for one through four engine installations of Digital Throttle & Shift or Joystick Piloting System Outboards and MerCruiser sterndrives.

Single - Quad Engine Verado 200-400HP and Single & Dual Engine DTS/JPS MerCruiser Sterndrive

ACTIVE TRIM - MECHANICAL MERCRUISER - SINGLE ENGINE



8M0111550

This kit is for the single engine installation of current 4.5L and 6.2L MerCruiser Sterndrives only.

ACTIVE TRIM - MECHANICAL MERCRUISER - DUAL ENGINE



8M0111554

This kit is compatible with Dual Engine Mechanical Sterndrives 4.5L and 6.2L 300 & 350HP only

ACTIVE TRIM - 3.4L V6 AND 4.6L V8, 150HP FOURSTROKE, OPTIMAX 150-250HP - SINGLE ENGINE



8M0111545

This kit is for single engine installations of 150hp Mercury 4-stroke or 150 through 250hp Mercury OptiMax outboards. Single Engine 3.4L V6 175-225hp, 4.6L V8 200-300hp, 150HP FourStroke, Optimax 150-250hp

ACTIVE TRIM - 3.4L V6, 4.6L V8, 150HP FOURSTROKE, OPTIMAX 150-250HP - DUAL ENGINE



8M0111552

This kit is for Dual Engine applications 3.4L V6, 4.6L V8, 150HP FourStroke and Optimax 150-250hp

ACTIVE TRIM - 75-115HP FOURSTROKE - SINGLE ENGINE



8M0111546

This kit is for the single engine installation of 75-115hp Mercury 4-stroke outboards (SN 2B095049 and up)

ACTIVE TRIM - 75-115HP FOURSTROKE - DUAL ENGINE



8M0111553

This kit is compatible with Dual Engine 75-115HP FourStroke applications (SN 2B095049 and up)

ACTIVE TRIM - 40-60HP FOURSTROKE - SINGLE ENGINE



8M0111547

This kit is for the single engine installation of 40 through 60hp Mercury 4-stroke outboards.

Single Engine Gen 5 40-60HP FourStroke (SN 1C453940 and up)

PERFORMANCE ACTIVE TRIM



8M0113442

This kit is for greater than 70 mph Single-Quad engine Verado 200-400HP and Single-Dual engine 500+HP DTS high performance sterndrives

Greater than 70 mph Single - Quad Engine Verado 200-400HP and Single - Dual Engine 500+HP DTS High Performance Sterndrives

ACTIVE TRIM - DTS (WITHOUT TRIM PAD)



8M0129437

The function of the Active Trim is controlled on the screen of your Mercury VesselView 403, 502,703 or 903. It is compatible with a Lowrance or Simrad displays using the VesselView Link. This kit is for one through four engine installations of Digital Throttle & Shift or Joystick Piloting System Outboards and MerCruiser sterndrives using the Mercury VesselView System.

Single - Quad Engine Verado 200-400HP and Single & Dual Engine DTS/JPS MerCruiser Sterndrive and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

PERFORMANCE ACTIVE TRIM (WITHOUT TRIM PAD)



8M0129438

This kit is for greater than 70 mph Single - Quad Engine Verado 200-400HP and Single - Dual Engine 500+HP DTS High Performance Sterndrives and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - 3.4L V6, 4.6L V8, 150HP FOURSTROKE, OPTIMAX 150-250HP - SINGLE ENGINE (WITHOUT TRIM PAD)



8M0129439

The function of the Active Trim is controlled on the screen of your Mercury VesselView 403, 502,703 or 903. It is compatible with a Lowrance or Simrad displays using the VesselView Link. This kit is only for use with single engine installations of Mercury 150hp 4-stroke outboard or 150-250hp OptiMax outboard with the Mercury VesselView System.

Single Engine 3.4L V6, 4.6L V8, 150HP FourStroke and Optimax 150-250hp and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - 3.4L V6, 4.6L V8, 150HP FOURSTROKE, OPTIMAX 150-250HP - DUAL ENGINE (WITHOUT TRIM PAD)



8M0129440

This kit is compatible with Dual Engine 3.4L V6, 4.6L V8, 150HP FourStroke and Optimax 150-250hp and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - 75-115HP FOURSTROKE - SINGLE ENGINE (WITHOUT TRIM PAD)



8M0129442

The function of the Active Trim is controlled on the screen of your Mercury VesselView 403, 502,703 or 903. It is compatible with a Lowrance or Simrad display using the VesselView Link. This Active Trim kit is only for use with single engine non-tiller installations of Mercury 75-115hp outboards with the Mercury VesselView System.

Single Engine 75-115HP FourStroke and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display (s/n 2B095049 and up).

ACTIVE TRIM - MECHANICAL MERCRUISER - SINGLE ENGINE (WITHOUT TRIM PAD)



8M0129457

This kit is only for use with single engine installations of MerCruiser 4.5L or 6.2L with the Mercury VesselView System.

Single Engine Mechanical Sterndrive 4.5L and 6.2L 300-350HP only and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - 75-115HP FOURSTROKE - DUAL ENGINE (WITHOUT TRIM PAD)



8M0129456

This kit is used with Dual Engine 75-115HP FourStroke applications and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display (s/n 2B095049 and up).

ACTIVE TRIM - MECHANICAL MERCRUISER - DUAL ENGINE (WITHOUT TRIM PAD)



8M0129458

This kit is for Dual Engine Mechanical Sterndrive 4.5L and 6.2L 300 & 350HP only and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.


ACTIVE TRIM - PAD ONLY



8M0112041

Active trim pad for second helm and/or service replacement

ACTIVE TRIM SIDE MOUNT ADAPTER KIT



84-**8M0114502**

Kit contains bullet to Molex connector to make Active Trim compatible with mechanical side mount control.

Only required on boats utilizing mechanical side mount control

JUNCTION BOXES/JUNCTION BOX ACCESSORIES

WEATHER CAP



8M0210754

Weather cap for SmartCraft junction box. Provides weather protection at unused junction box connection points.

SMARTCRAFT WEATHER CAP

8M0210752

Weather Cap for SmartCraft Junction Box

Provides weather protection at unused junction box connection points
Priced individually, sold @ multiples of 24

10 PIN WEATHER CAP



888507T

10 pin weather cap with mounting tab.

Used for harnessing that could plug into a Junction Box.

SMARTCRAFT J-BOX TERMINATOR/RESISTOR



8M0210753

TERMINATOR YELLOW - 10PIN CANP/X

Provides CAN bus termination for CAN P and CAN X network

TERMINATOR RED - 10PIN CANP/H



8M0055652

SmartCraft Red Terminator CANP & CANH

TERMINATOR BLUE - 2PIN




893388A01

Blue 2-pin terminator/resistor

Provides CAN bus termination for CAN Networks.

TERMINATOR BLUE - 10PIN CANP



82-**8M0171627**

New DTS v10/v12 CAN P resistor

PLUG ASY DIAGNOSTIC PORT



8M0046339

10 pin diagnostic port for use on any SmartCraft application.

Used as a 10 pin diagnostic port for connecting Mercury Computer Diagnostic System (CDS) junction box connection. Typically gets mounted at the helm, out of line of sight so that a technician does not have to disassemble helm to plug into a 10 pin connection. Requires a harness from back of diagnostic port to a 10 pin SmartCraft connection in the rigging.

J-BOX Y HARNESS



84-**8M0165555**

Splits helm harness 10pin SmartCraft connection into two jbox connections.

5-WAY J-BOX KIT W/3 WEATHER CAPS



98-**8M0165557**

5-way J-box kit with 3 weather caps.

5-WAY J-BOX KIT @ 24 KIT

8M0175293

5-way Jbox kit.

Priced individually, sold @ multiples of 24

J-BOX STACKING PLUG KIT



23-**8M0174363**

J-box Stacking Plug designed for easy vertical stacking of J-Boxes, allowing all plugs to be positioned on one side.

SMARTCRAFT GAUGE HARNESSES

SC1000 SYSTEM TACHOMETER HARNESS



84-**879979T11**

3 ft. (.9 meters) Tachometer Harness.

Provides connection to SC1000 System Tachometer, horn and SC100 Series Gauges. Requires the use of SmartCraft Junction Boxes listed in SC1000 Section.

EXTENSION MALE TO FEMALE - 10PIN SMARTCRAFT 3FT



84-**8M0138593**

All 10 pins are populated in this SmartCraft 3ft. extension harness.

Used to extend SmartCraft connections up to 3 ft.

EXTENSION MALE TO FEMALE - 10PIN SMARTCRAFT 10FT



84-**8M0058668**

This harness extension will allow you to increase the length by 6 ft. of the 10-pin drop for instruments. The extension will work with Side Mount controls as well as any 896537 series main engine/boat harness.

DUAL ENGINE INSTRUMENT ADAPTER



84-**892323T01**

Allows gauges to be powered from any key switch on dual applications.

Works with all SmartCraft compatible engines.

TRIPLE ENGINE INSTRUMENT ADAPTER

84-**892323T08**

Allows gauges to be powered from any key switch on triple applications.
Works with all SmartCraft compatible engines.

HARNESS ASSEMBLY- DUAL



84-**892323A10**

Racing Dual engine Mechanical jbox adapter with CANP link and diodes. Use with racing mech 14 pin helm harness.

QUAD ENGINE INSTRUMENT ADAPTER



84-**898284T01**

Allows gauges to be powered from any key switch on triple applications.
Works with all SmartCraft compatible engines.

TROLL CONTROL Y HARNESS



84-**8M0042976**

Y harness allows you to connect directly to main engine harness and the Troll Control kit without using a "J" box. Mechanical 14pin CANP breakout harness only. Not compatible with Next Gen DTS or any other CANH system.
Used with Troll Control Kit 879365K08 (879365A08).

SC 100 LINK HARNESSES

SYSTEM LINK ADAPTER KIT



84-**8M0052774**

Kit that drives SC100 Link Gauges from 10 Pin connection at the helm. Contains 10 pin to 3 pin adapter and 3 pin to 3 pin low voltage reset module.
Engine must be capable of providing Tach Link output and gray analog tach wire must be populated in 10 pin connection at helm in order to utilize this kit.

SYSTEM LINK RESET HARNESS



898289T42

Resets SC 100 gauges in the event of voltage drops due to starting engine with a low/weak battery. Use in conjunction with System Link Harness (84-892821K01).
SmartCraft SC 100 gauges

SC 100 DATA HARNESS



84-**880756T05**

6 in. SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

SC 100 DATA HARNESS



84-**880756T 1**

1 ft. (.3 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

84-**8M0210759**

3 ft. (.9 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

84-**880756T10**

10 ft. (3.0 meters) SmartCraft Extension Harness

Provides data link extension between SC100 Series products.

84-**880756T30**

30 ft. (9.1 meters) SmartCraft Extension Harness

Provides data link extension between SC100 Series products.

10 PIN (YELLOW) DATA HARNESSES

CAN DATA HARNESS - 10 PIN - NO RESISTORS DTS (YELLOW)



84-**879312T44**

1 ft. (0.3 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).

84-**879312T45**

2 ft. (0.6 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).

84-**879312T46**

3 ft. (0.9 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).

84-**879312T47**

4 ft. (1.2 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).

84-**8M0210757**

6 ft. (1.8 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).

CAN DATA HARNESS - 10 PIN - NO RESISTORS (YELLOW)

84-**879969T10**

10 ft. (3.0 meter) SmartCraft data harness without resistors

Provides data link between SmartCraft CAN P, X and H components.

84-**879969T15**

15 ft. (4.6 meter) SmartCraft data harness without resistors

Provides data link between SmartCraft CAN P, X and H components.

84-**879969T20**

20 ft. (6.1 meter) SmartCraft data harness without resistors

Provides data link between SmartCraft CAN P, X and H components.

84-**879969T30**

30 ft. (9.1 meter) SmartCraft data harness without resistors

Provides data link between SmartCraft CAN P, X and H components.

84-**8M0166624**

40 ft. (12.1 meter) SmartCraft data harness without resistors.

Provides data link between SmartCraft CAN P, X and H components

CAN DATA HARNESS - 10 PIN WITH ONE RESISTOR (YELLOW)



84-**879980T10**

10 ft. (3.0 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft CAN P, X and H components.

84-**879980T15**

15 ft. (4.6 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft CAN P, X and H components.

84-**879980T30**

30 ft. (9.1 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft CAN P, X and H components.

10 PIN (BLUE) DATA HARNESSES

CAN DATA HARNESS - 10 PIN NON DTS WITH RESISTORS (BLUE)



84-**8M0210758**

Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

20 ft. (6.1 meter) SmartCraft data harness with (2) termination resistors

84-**879982B20**

20 ft. (6.1 meter) SmartCraft data harness with (2) termination resistors

Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

Priced individually, sold @ multiples of 12

84-**879982T25**

25 ft. (7.6 meter) SmartCraft data harness with (2) termination resistors

Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-**879982T30**

30 ft. (9.1 meter) SmartCraft data harness with (2) termination resistors

Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

CAN DATA HARNESS - 10 PIN - NO RESISTORS NON DTS (BLUE)



84-**879968T 6**
6 ft. (1.8 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft CAN P Components.

84-**879968T10**
10 ft. (3.0 meter) SmartCraft data harness without resistors and no additional connections
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-**879968T15**
15 ft. (4.6 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-**879968T20**
20 ft. (6.1 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-**879968T30**
30 ft. (9.1 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-**879968T50**
50 ft (15.2 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

CAN DATA HARNESS - 10 PIN - ONE RESISTOR NON DTS (BLUE)



84-**879981T10**
10 ft. (3.0 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-**879981T15**
15 ft. (4.6 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-**879981T20**
20 ft. (6.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-**879981B20**
20 ft. (6.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components
Priced individually, sold @ multiples of 12

84-**879981T25**
25 ft. (7.6 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-**879981T30**
30 ft. (9.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-**879981T50**
50 ft. (15.2 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

ADAPTER HARNESSES - 10 PIN

ADAPTER-10 PIN



84-**892452T01**
Male to male 10 pin adapter cable. Allows connection between CAN 1 communication cable and Command Module harness in applications where a junction box is used.

ADAPTER 10-PIN



84-**8M0207791**
Cable assembly, female to female 10-pin adapter.

ADAPTER HARNESSES - 2 PIN

2 PIN LINK HARNESS- CAN



84-**893452A01**
Used to link CAN Networks together.

2 PIN "Y" ADAPTER HARNESS - LINK ADAPTER



84-**896370T01**
Used on DTS engines that require extended length CAN networks.

ADD-ON SENSOR HARNESSES

ADVANCED SOUND CONTROL KIT



8M0143359

Provides an interface for a dash-mounted dedicated button or switch to manipulate the Advanced Sound Control capability on Verdao AMS applications (4.6L V8 only).

Optional kit for Verado AMS applications (4.6L V8) that is not required when a version 9 SmartCraft gauge or a VesselView403/502/702/903 or compatible Simrad or Lowrance display is used (control capability is within the user interface).

OIL LEVEL STATUS KIT



8M0142265

Optional kit for to report oil level status to be used in conjunction with SmartCraft gauges or displays.

Feature comes standard on 4.6L V8 Verado AMS. Can be added to 3.4L V6 and 4.8L V8 engines that do not have this feature. Oil level status can be viewed on VesselViews and SmartCraft gauges.

DIGITAL BLOCK WATER PRESSURE KIT - V6/V8 FOURSTROKE



71-**8M0142696**

Optional sensor installs into engine manifold and connects to engine harness to provide digital block water pressure to SmartCraft gauges.

Applicable to the Mechanical 3.4L V6 and 4.6L V8 OB engines (DTS engines are shipped with sensor installed)

DIGITAL BLOCK WATER PRESSURE KIT - 150HP FOURSTROKE



8M0059531

Optional sensor installs into engine manifold and connects to engine harness to provide digital block water pressure to SmartCraft gauges.

150 OB FourStroke Engines

CONVERSION KIT - SMARTCRAFT SENSORS



889250K01

New kit that allows you to use SmartCraft gauges on these engines.

Gen II (2007) 75 HP - 115 HP 4 stroke 1.7L engines.

BOAT HARNESS - FUEL/PADDLE



84-**8M0146321**

6-Pin male harness connects tanks and paddle wheel to SmartCraft system. Fixes fuel reading fluctuations. Includes fuel/paddle harness, 6 pin adapter, male bullet insulator and terminals.

For all Verado and 2006 and newer SmartCraft compatible outboard engines 75 HP and above. Also fits MCM/MIE engines (s/n 0W650000 and above).

BOAT HARNESS - FUEL/PADDLE



84-**8M0075945**

6-Pin male harness connects tanks and paddle wheel to SmartCraft system

For all Verado and 2006 and newer SmartCraft compatible outboard engines 75 HP and above. Also fits MCM/MIE engines (s/n 0W650000 and above).

BOAT HARNESS ADAPTER



84-**898285T01**

Needed in order to adapt newer engines that are equipped with a female 6-pin connector to a 6-pin female boat harness.

BULLET CONNECTOR HARNESS ADAPTER



84-**8M0060421**

Bullet connector to 2 pin WIF sensor.

Used with fuel/paddle harness 150 and smaller engines that only support one fuel level.

BOAT HARNESS ADAPTER- 6 PIN F- 6 PIN F 6'



84-**883459T01**

Needed in order to adapt newer engines that are equipped with a female 6-pin connector to connect to a 6-pin female boat harness.

PADDLE WHEEL HARNESS



84-**8M0122787**

5 ft. extension

84-**864988**

10 ft. extension

FUEL TANK HARNESS



84-**898289T75**

120 inch Harness needed to connect tank senders to the 350 Verado SCI and sterndrive models 565 through 1650. Used with all engines, including 450R and V12.

84-**898289T76**

240 inch Harness needed to connect fuel tank senders to the 350 Verado SCI and sterndrive models 565 through 1650.

6 PIN TO 2 PIN WIF




84-**8M0060420**

6pin engine to 2pin WIF sensor, used if not reading tank level.

No SmartCraft fuel or paddle included.

ADAPTER HARNESS



84-**8M0137199**

Racing 350SCI to 400R Fuel/Paddle/Vessel harness adapter.

BLOCK WATER PRESSURE SENDER

DIGITAL BLOCK WATER PRESSURE KIT - V6/V8 FOURSTROKE



71-**8M0142696**

Optional sensor installs into engine manifold and connects to engine harness to provide digital block water pressure to SmartCraft gauges.

Applicable to the Mechanical 3.4L V6 and 4.6L V8 OB engines (DTS engines are shipped with sensor installed)

TRIM SENSORS

DIGITAL TRIM SENDER - 75/90/115HP OPTIMAX



891777A01

Starboard Mounted. Required for digital gauge applications.

Fits SmartCraft compatible engines.

DIGITAL TRIM SENDER KIT - MERCRUISER



8M0095310

Digital sender and blank limit puck block off for Bravo and Alpha drives.

Fits all MerCruiser DTS engines, 496 Mag and 8.2L MPI models that do not require an analog sender to run analog gauges, all PCM 112 Mercury 4.5L and 6.2L engines, all MCM Racing engines 2003 and later and all MCM Diesel SmartCraft engines with 2.2 and 2.5 software.

DIGITAL TRIM SENDER - RACING/DIESEL ITS TRANSOM



863187A 2

Sensor kit w/ trim.

Fits all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Also used on CMD engines.

PITOT KITS

PITOT/SPEED SENSOR KIT



881879A 2

100 PSI for speeds less than 80 mph. Mounts to either the MerCruiser sterndrive transom bracket or to the boat near the engine. All parts required for mounting and connecting the sensor are included in the kit.

Fits all SmartCraft compatible MerCruiser and Mercury Racing product.

PITOT/SPEED SENSOR KIT



881879A 3

200 PSI for speeds greater than 80 mph. Mounts to either the MerCruiser sterndrive transom bracket or to the boat near the engine. All parts required for mounting and connecting the sensor are included in the kit.

Fits all SmartCraft compatible MerCruiser and Mercury Racing product.

PITOT/SPEED SENSOR KIT



881879A13

100 PSI for speeds less than 80 mph. Mounts to either the MerCruiser sterndrive transom bracket or to the boat near the engine. All parts required for mounting and connecting the sensor are included in the kit. Includes 84-863931 harness (flat 4 pin to transom 10 pin) and 84-863737 harness (round 3 pin to flat 4 pin). Used on current 10 pin harness applications only.

Fits all SmartCraft compatible MerCruiser and Mercury Racing product.

PITOT/SPEED SENSOR KIT



881879A15

100 PSI for speeds less than 80 mph. Mounts to either the MerCruiser sterndrive transom bracket or to the boat near the engine. All parts required for mounting and connecting the sensor are included in the kit. Only includes the 84-863737 harness (round 3 pin to flat 4 pin).

Fits all SmartCraft compatible MerCruiser and Mercury Racing product.

DIGITAL PITOT SPEED PRESSURE SENSOR - OUTBOARD 75-150HP



8M0090447

Upgrades engine to digital pitot water speed for SmartCraft gauges. Easily connects to existing engine harness connection.

2.1L F75-115 Four Stroke and 150 Four Stroke

SMARTCRAFT PITOT SENSOR (SPEED)



8M0103315

100 psi SmartCraft Pitot sensor for speed input

Verado Gen 5 350 HP engine only, all other Gen 5 Verado engines come with Pitot speed sensor

PRESSURE TRANSDUCER KIT



859210A 1

Speed pressure transducer is either mounted to the transom bracket or a location near the engine. 100 PSI sensor is plumbed to a speed pickup tube and then wired to the engine sensor plug included with SmartCraft Gauges.

Fits 2002 and newer OptiMax outboard engines at speeds less than 80 mph.

GPS KITS

N2K GPS KIT W/ MOUNTS



8M6012227

Smartcraft/NMEA 2000 GPS kit with mounts. Cable not included, need to purchase N2K or 10pin-5pin cable.

SMARTCRAFT OR NMEA2000 GPS ANTENNA



8M0130792

SmartCraft or NMEA2000 capable GPS Antenna. Used with any system needing a SmartCraft GPS source OR NMEA2000 GPS source. GPS autodetects which system it is connected to and communicates correctly.

GPS can be used for all of the following applications: SC1000 gauge speed source, SmartTow speed source, Active Trim without dash pad speed source or NMEA2000 speed and position source.

TOP MOUNT KIT - GPS

98-**8M6009518**

Compact SmartCraft / N2K GPS top mount kit. Note, the 8M6012227 kit has this mount included.

UNDER HELM GPS MOUNT KIT



98-**8M6009519**

Compact SmartCraft / N2K GPS under-helm mount kit. Note, the 8M6012227 kit has this mount included.

GPS EXTENSION CABLE



84-**879171T21**
3.2 foot extension cable to be used with GPS Kit (8M0024918)
CAN P GPS signal for non Auto Pilot equipped boats

84-**879171T22**
6.6 foot extension cable to be used with GPS Kit (8M0024918)
CAN P GPS signal for non Auto Pilot equipped boats

84-**879171T23**
9.8 foot extension cable to be used with GPS Kit (8M0024918)
CAN P GPS signal for non Auto Pilot equipped boats

NMEA2000

Mercury NMEA 2000®

Truly smart boating

Mercury Marine improves the process of connecting marine electronic devices by offering only top-performing products. All Mercury components have undergone rigorous testing and validation. The likelihood of failed connections can be reduced by limiting the number of connectors under the helm, thus improving communication between electronics.


With an almost endless number of options, you can make your on-board network as advanced as you like.

Mercury NMEA 2000 Components

Description	Part Number
NMEA 2000 6-way Junction Box	8M0138268
NMEA 2000 SmartCraft Gateway	8M0105243
NMEA 2000 Starter Kit	8M0110642
NMEA 2000 Power Harness	8M0114012
0.5 meter NMEA Extension Harness	879171T01
1 meter NMEA Extension Harness	879171T02
2 meter NMEA Extension Harness	879171T03
3 meter NMEA Extension Harness	879171T04
4 meter NMEA Extension Harness	879171T05
5 meter NMEA Extension Harness	879171T06
6 meter NMEA Extension Harness	879171T07
7 meter NMEA Extension Harness	879171T08
8 meter NMEA Extension Harness	879171T09
9 meter NMEA Extension Harness	879171T10
10 meter NMEA Extension Harness	879171T11
NMEA 2000 "T" Connector	8M6004829
NMEA 2000 Resistor – Female	8M6004831
NMEA 2000 Resistor – Male	8M6004830
NMEA 2000 Weather Cap	8M6000708



VesselView 903



6-way Junction Box



Starter Kit

All Mercury Controls & Rigging have a two year warranty. However, Controls & Rigging purchased with a propulsion package have the same warranty time frame as the propulsion package, including any additional extended warranty from Mercury (MPP), which could go up to seven years.

MERCURY GO BOLDLY.™

Learn more at mercurymarine.com

©2018 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited. Simrad, SolarMax HD and GoFree are registered trademarks of Navico, Inc.

P/N 90-8M0143459

NMEA2000 COMPONENTS

NMEA2000 6-WAY JUNCTION BOX



84-**8M0138268**

Rather than using individual T's, use a rock-solid distribution block to build your NMEA2000 network. Has 6 individual connectors.

Works with any NMEA2000 standard 5 pin connector and can support both male and female termination resistors.

NMEA 2000 MULTI STARTER KIT



98-**8M0155341**

Starter Kit includes NMEA 2000 power harness, 1 male termination resistor, 1 female termination resistor and a 6 connector NMEA 2000 distribution block (4way T).

Whenever a NMEA 2000 backbone is required, these are the basic components required to start that architecture

NMEA 2000 STARTER KIT



8M0110642

Kit includes NMEA 2000 power harness, 1 male termination resistor, 1 female termination resistor and a "T" connector

Whenever a NMEA2000 backbone is required, these are the basic components required to start that architecture

NMEA 2000 POWER HARNESS



84-**8M0114012**

NMEA 2000 power harness. Overmolded NMEA 2000 connector with fused harness.

Used to provide power to the NMEA 2000 bus.

ADAPTER HARNESS



84-**8M0137667**

10 pin Jbox male pins to 5 pin N2K male pins Kvaser Diagnostic cable for use with G3 cable and Czone programming.

NMEA 2K TEE



8M0204742

NMEA 2000 Tee device

NMEA2000 RESISTOR - FEMALE



8M6004831

NMEA2000 Resistor - Female pins

NMEA2000 networks require two termination resistors: one male and one female

NMEA2000 RESISTOR - MALE



8M6004830

NMEA2000 Resistor - Male pins
NMEA2000 networks require two termination resistors: one male and one female

NMEA 2000 WEATHER CAP



86-**8M6000708**

NMEA 2000 weather cap (male thread in).
Used to cap an open connection on NMEA 2000 network.

NMEA2000 WEATHER CAP - FEMALE



8M0176362

Replacement weather cap for NMEA2K connector on back of VesselView.
Used on VV403, VV502, VV703 and VV903

KEYLESS

Meet the Mercury Keyless System - smarter, simpler boating starts here. Use your mobile device to unlock, power up, and secure your vessel automatically - no keys, no fobs, no hassle. Designed for boats with up to four engines, it pairs seamless PIN access with the Mercury Marine App to give you total control, enhanced security, and real-time engine data. As you approach, your boat powers on; when you leave, everything shuts down and locks automatically. With Mercury Keyless, unlocking your next adventure is as easy as walking up to the dock.

KEYLESS IGNITION HARNESS - SINGLE



84-**8M0236618**

Keyless single engine harness


KEYLESS IGNITION HARNESS - MULTI



84-**8M0236619**

Multi engine ignition harness

KEYLESS IGNITION EXTENSION HARNESS



84-**8M0236621**

5 ft.

84-**8M0236622**

10 ft.

84-**8M0236623**

15 ft.

84-**8M0236624**

20 ft.

KEYLESS IGNITION ASSEMBLY



8M0236627

Includes gasket, keypad, bezel assembly and keyless ignition assembly literature.

KEYLESS IGNITION KIT - SINGLE



8M0236628

Kit includes bezel, gasket, keypad assembly, single keyless ignition harness and literature.

KEYLESS IGNITION KIT - MULTI



8M0236629

Kit includes bezel, gasket and keypad assembly, multi keyless ignition harness and literature.

START BUTTON ON HELM



8M0236630

Includes bezel, gasket, on helm push button assembly, on helm inline module software and button assembly literature.

POWER BUTTON W/ BATTERY - OFF HELM

8M0236632

Includes bezel, gasket, power button with battery assembly, remote inline module software and button assembly literature.


BOOT KEY ADAPTER HARNESS



84-**8M0239094**

Boot key adapter harness


CLEAN POWER ADAPTER HARNESS



84-**8M0239095**

Clean power harness

MECHANICAL POWER HARNESS ASSEMBLY



84-**8M0239096**

Mechanical power 25

SMARTCRAFT CONNECT KEYLESS KIT W/ SINGLE ENGINE L1



8M0239418

Kit includes bezel, gasket, keypad assembly, single harness keyless ignition, SmartCraft connect mobile - under helm and keyless ignition literature assembly.

SMARTCRAFT RIGGING KITS

MECHANICAL SMARTTOW HELM KIT



8M0101650

SmartTow and Cruise are now available on MerCruiser gas engine platforms that utilize mechanical throttle and shift controls. What was previously only available on DTS applications can now be used on the latest gas engine platforms from MerCruiser

NOTE: This helm kit requires an engine to helm harness and can be utilized on the applicable marine-specific MerCruiser gas engine platforms developed by Mercury. Also requires a gauge that is Cruise/SmartTow capable. Can be used with Zero Off capable gauges when Zero Off Security token is added. Single engine applications only

SMARTTOW: ENGINE TO HELM HARNESS



84-**8M0101642**

20 ft. harness. Connects the marine-specific MerCruiser gas engine to the helm kit for Cruise/SmartTow functionality on mechanical engines.

Single engine only marine-specific MerCruiser gas engine applications

84-**8M0101643**

25 ft. harness. Connects the marine-specific MerCruiser gas engine to the helm kit for Cruise/SmartTow functionality on mechanical engines.

Single engine only marine-specific MerCruiser gas engine applications

SMARTCRAFT AUTHENTICATION DEVICE



8M0105518

Now you can operate applicable MerCruiser engines (mechanical and DTS) with applicable gauges (Medallion, FW Murphy, etc) by using this authentication interface device to enable advanced SmartCraft features.

Mechanical marine-specific MerCruiser gas engines and all DTS engines in conjunction with an applicable third-party SmartCraft gauge that is specifically compatible with this authentication interface device.

ADD-ON SENSOR RIGGING KITS - MCM

SPEEDO-PITOT HARNESS



84-**863737T**

Required for newer engines that do not have the speedo-pitot harness included with engine harness.

Fits non-DTS smallblock and V-6 MerCruiser engines prior to serial 0W600000.

STEERING/SPEEDO-PITOT HARNESS



84-**863736T**

Required for engines that do not have the steering/speedo-pitot harness included with engine harness.

Fits all SmartCraft compatible MerCruiser and Mercury Racing products.

ADD-ON SENSOR HARNESSES - MCM

TRANSOM HARNESS



84-**863931A 1**

Used to connect Steering/Speedo Sensor Kit 863188A 3 to MCM 4.3L, 5.0L, 5.7L (350Mag) and 6.2L MPI sterndrive engines.

Fits non-DTS smallblock and V-6 MerCruiser engines prior to serial 0W600000.

3-PIN TANK HARNESS



84-**864218**

Fits older MCM/MIE mechanical engines that are equipped with a 3-pin tank harness connector.

STEERING ANGLE SENSORS

STEERING/SPEEDO SENSOR KIT



863188A 3

Provides steering angle and degrees, and speed to SmartCraft instruments so gauge can display steering position and speed - useful when docking. Includes steering/speedo-pitot harness P/N 84-863736, required for newer engines that do not have the steering/speedo-pitot harness included with engine harness.

Fits all SmartCraft compatible MerCruiser and Mercury Racing products.

STEERING SENSOR KIT



863188T 4

Provides steering angle and degrees to SmartCraft instruments so gauge can display steering position - useful when docking.

Fits all SmartCraft compatible MerCruiser and Mercury Racing products.

STEERING SENSOR KIT



863188A 5

Provides steering angle and degrees to SmartCraft instruments so gauge can display steering position - useful when docking. Includes steering harness 84-864219 & 84-863931

Fits all SmartCraft compatible MerCruiser and Mercury Racing product . Also used on CMD engines

SMARTCRAFT K-PLANES - HARNESSES

Tab extension harness assemblies are used to extend the harness included with digital trim tabs to plug directly into the harness included with SystemView Race Edition EXCEPT Mercury Racing Sterndrives with new style 14-pin engine harness connector.

TAB EXTENSION HARNESS ASSEMBLY



84-**898059T15**

15 ft.

84-**898059T20**

20 ft.


84-**898059T25**

25 ft.

84-**898059T30**

30 ft.

DTS TAB INTERFACE MODULE KIT



98-**8M0169899**

DTS tab interface module kit for next gen DTS only. LCM next gen has active trim built in.

Compatible with all OB and 4.5L/6.2L/8.2L MCM. Not used with 8.6L Racing.

TRIM TAB INTERFACE KIT



8M0100069

Shows digital K-Plane trim on SmartCraft Instrumentation.

For use with digital K-Planes and SmartCraft Instrumentation.

K-PLANE Y HARNESS



84-**895820T02**

K-Plane Tab Y harness for dual tabs.
Harness from bullet tab sensor to 4 pin tab interface.

AVATOR RIGGING

PROPULSION BATTERIES

BATTERY 1KWH



58-**8M6010612**

1.0 kWhr Avator propulsion battery

2.3KWH BATTERY



58-**8M6011242**

2.3 kWhr battery (2300)

CHARGERS

110W CHARGER-EU



8M6012009

110W EU charger. 57.7V and 1000WH battery.

1KWH FAST CHARGER-EU



8M6012010

230W for 1kWh EU Fast Charger

230W CHARGER-EU

8M6012011

230W charger for 2300 Whr battery with EU standard AC connector.

520W CHARGER-US/EU/UK/AU



8M6012726

LI-ION 520W (57.4V) Charger - 1000Wh Battery, includes all regional adaptors.

8M6012727

LI-ION 520W (57.4V) Charger - 2300Wh Battery, includes all regional adaptors.

8M6012728

LI-ION 520W (57.4V) Charger - 5400Wh Battery, includes all regional adaptors.

110W CHARGER-UK



8M6012097

110W UK charger. 57.7V and 1000WH battery.

1KWH FAST CHARGER-UK



8M6012098

230W for 1kWh UK Fast Charger

230W CHARGER-UK

8M6012099

230W charger for 2300 Whr battery with UK standard AC connector.

REMOTE CONTROLS

REMOTE CONTROL CONSOLE MOUNT-NO TRIM



8M0189638

Electronic remote control console mount, no trim

REMOTE CONTROL PANEL MOUNT-NO TRIM



8M0190880

Electronic Remote Control panel mount, no trim. Traditional stbd side facing port


REMOTE CONTROL PANEL MOUNT-NO TRIM



8M0190879

Remote control center console panel mount, no trim

DUAL CONSOLE AVATOR ERC




8M0230630

Kit includes Dual Console standard ERC, baseplate assembly, port & starboard accent covers, access cover, flush mount lanyard stop kit, and necessary hardware. Includes key. Trim only on 10-15hp.

HELM HARNESSES

HELM HARNESS-SINGLE HEM SINGLE OUTBOARD



84-**8M0208440**

Single outboard, single helm. Geneva specific with display connecter and VesselView Connect connector. Compatible with smaller helm harnesses on smaller boats.

7e-20e-35-75e-100e

DISPLAY

AVATOR DISPLAY CORE KIT



8M0215687

Includes display gasket, sun cover, remote display assembly, bezel, and necessary hardware.

AVATOR REMOTE DISPLAY PEDESTAL MOUNT



8M0215691

Pedestal mount only - does not include display. Must order display core kit.

REMOTE DISPLAY-EXTENSION HARNESS



84-**8M0215698**

Remote engine display extension harness

14 PIN DATA HARNESSES

EXTENSION HARNESS - 14 PIN



84-**892451T06**
6 ft. (1.8 meter)

84-**892451T10**
10 ft. (3.0 meter)

84-**892451T15**
15 ft. (4.6 meter)

84-**892451T20**
20 ft. (6.1 meter)

84-**892451T25**
25 ft. (7.6 meter)

84-**892451T30**
30 ft. (9.1 meter)


POWER CENTER

POWER CENTER



8M0204291
2300 power center, 20-30E

BONDING HARNESS



84-**8M0218479**
Bonding harness, 2M

84-**8M0218480**
Bonding harness, 4M

DRIVE TO POWER CENTER HARNESSES

TILLER POWER HARNESS



84-**8M0210362**
Tiller cowl to power center harness 1.0M, 20-35E

84-**8M0210363**
Tiller cowl to power center harness 1.5M, 20-35E


84-**8M0210364**
Tiller cowl to power center harness 2.0M, 20-35E

84-**8M0210365**
Tiller cowl to power center harness 2.5M, 20-35E

84-**8M0210366**
Tiller cowl to power center harness 3.0M, 20-35E

84-**8M0210367**
Tiller cowl to power center harness 4.0M, 20-35E

POWER CENTER HARNESS



84-**8M0210393**
Remote control post to power center harness 1.0M, 20-35E

84-**8M0210394**
Remote control post to power center harness 1.5M, 20-35E

84-**8M0210395**
Remote control post to power center harness 2.0M, 20-35E

84-**8M0210396**
Remote control post to power center harness 2.5M, 20-35E

84-**8M0210397**
Remote control post to power center harness 3.0M, 20-35E

84-**8M0210398**
Remote control post to power center harness 4.0M, 20-35E

TILLER COWL HARNESS-1.0M



84-**8M0225088**
Tiller cowl harness with built-in terminator resistor. Battery 2300, 1.0m, 20-35E.

TILLER COWL HARNESS-1.5M
84-**8M0225089**
Tiller cowl harness with built-in terminator resistor. Battery 2300, 1.5m, 20-35E.

TILLER COWL HARNESS-2.0M
84-**8M0225090**
Tiller cowl harness with built-in terminator resistor. Battery 2300, 2.0m, 20-35E.

TILLER COWL HARNESS-2.5M
84-**8M0225091**
Tiller cowl harness with built-in terminator resistor. Battery 2300, 2.5m, 20-35E.

TILLER COWL HARNESS-3.0M
84-**8M0225092**
Tiller cowl harness with built-in terminator resistor. Battery 2300, 3.0m, 20-35E.

TILLER COWL HARNESS
84-**8M0225093**
Tiller cowl harness with built-in terminator resistor. Battery 2300, 4.0m, 20-35E.

BATTERY CABLES

PORTABLE BATTERY TO ALL SWITCH BOX



84-**8M0210355**
0.5m. Connector to Ring with 6pin Signal. Only used battery to 2300 power center.

84-**8M0210356**
1.0m. Connector to Ring with 6pin Signal. Only used battery to 2300 power center.

84-**8M0210357**
1.5m. Connector to Ring with 6pin Signal. Only used battery to 2300 power center.

84-**8M0210358**
2.0m. Connector to Ring with 6pin Signal. Only used battery to 2300 power center.

84-**8M0210359**
2.5m. Connector to Ring with 6pin Signal. Only used battery to 2300 power center.

84-**8M0210360**
3.0m. Connector to Ring with 6pin Signal. Only used battery to 2300 power center.


MISC. RIGGING

JUNCTION BOX-6 WAY




8M0210401
Junction box (6-way)

JUNCTION TEE XLOK



8M0210361
(1-way)

TERMINATOR RESISTOR



8M0210400
Terminator resistor 6 pos XLOK cap

WEATHER CAP-FEMALE



8M0210412
6pin Xlok, tee bottom

WEATHER CAP - MALE



8M0210413
6pin Xlok, tee side.

SWITCH BOX PLUG KIT



8M0210415

Contains nut locking, gasket harness and plug switch box.


HARNESS ADAPTOR



84-**8M0210403**

Harness adaptor (6pin AT to X-Lok)

HARNESS BREAKOUT




84-**8M0210402**

Harness mate detect breakout (6pin AT to X-Lok)

ACCESSORIES

TRANSOM SAVER



8M0219903

Brace transom saver

ELECTRICAL

SMARTCRAFT GAUGE HARNESSES

SC1000 SYSTEM TACHOMETER HARNESS



84-**879979T11**

3 ft. (.9 meters) Tachometer Harness.

Provides connection to SC1000 System Tachometer, horn and SC100 Series Gauges. Requires the use of SmartCraft Junction Boxes listed in SC1000 Section.

EXTENSION MALE TO FEMALE - 10PIN SMARTCRAFT 3FT



84-**8M0138593**

All 10 pins are populated in this SmartCraft 3ft. extension harness.

Used to extend SmartCraft connections up to 3 ft.

EXTENSION MALE TO FEMALE - 10PIN SMARTCRAFT 10FT



84-**8M0058668**

This harness extension will allow you to increase the length by 6 ft. of the 10-pin drop for instruments. The extension will work with Side Mount controls as well as any 896537 series main engine/boat harness.

DUAL ENGINE INSTRUMENT ADAPTER



84-**892323T01**

Allows gauges to be powered from any key switch on dual applications.

Works with all SmartCraft compatible engines.

TRIPLE ENGINE INSTRUMENT ADAPTER

84-**892323T08**

Allows gauges to be powered from any key switch on triple applications.

Works with all SmartCraft compatible engines.

HARNESS ASSEMBLY- DUAL



84-**892323A10**

Racing Dual engine Mechanical jbox adapter with CANP link and diodes. Use with racing mech 14 pin helm harness.

QUAD ENGINE INSTRUMENT ADAPTER



84-**898284T01**

Allows gauges to be powered from any key switch on triple applications.

Works with all SmartCraft compatible engines.

TROLL CONTROL Y HARNESS



84-**8M0042976**

Y harness allows you to connect directly to main engine harness and the Troll Control kit without using a "J" box. Mechanical 14pin CANP breakout harness only. Not compatible with Next Gen DTS or any other CANH system.

Used with Troll Control Kit 879365K08 (879365A08).

SC 100 LINK HARNESSES

SYSTEM LINK ADAPTER KIT



84-**8M0052774**

Kit that drives SC100 Link Gauges from 10 Pin connection at the helm. Contains 10 pin to 3 pin adapter and 3 pin to 3 pin low voltage reset module.

Engine must be capable of providing Tach Link output and gray analog tach wire must be populated in 10 pin connection at helm in order to utilize this kit.

SYSTEM LINK RESET HARNESS



898289T42

Resets SC 100 gauges in the event of voltage drops due to starting engine with a low/weak battery. Use in conjunction with System Link Harness (84-892821K01).

SmartCraft SC 100 gauges

SC 100 DATA HARNESS



84-**880756T05**

6 in. SmartCraft Extension Harness

Provides data link extension between SC100 Series products.

SC 100 DATA HARNESS



84-**880756T 1**

1 ft. (.3 meters) SmartCraft Extension Harness

Provides data link extension between SC100 Series products.

84-**8M0210759**

3 ft. (.9 meters) SmartCraft Extension Harness

Provides data link extension between SC100 Series products.

84-**880756T10**

10 ft. (3.0 meters) SmartCraft Extension Harness

Provides data link extension between SC100 Series products.

84-**880756T30**


30 ft. (9.1 meters) SmartCraft Extension Harness

Provides data link extension between SC100 Series products.

INSTRUMENT HARNESSES

Harnesses have ring terminal leads bundled for each gauge.

IGNITION HARNESS - NON DTS 14 PIN



84-**896537T02**

2 ft. harness (896537A02) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T08**

8 ft. harness (896537A08) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T11**

11 ft. harness (896537A11) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T15**

15 ft. harness (896537A15) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T20**

20 ft. harness (896537A20) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T24**

25 ft. harness (896537A24) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T29**

30 ft. harness (896537A29) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.


2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T40**

40 ft. harness (896537A40) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

ANALOG GAUGE HARNESS 10PIN JBOX CONNECTION



84-**892990T01**

5 ft. This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash and allows the choke function to work on the 8/9.9/15/20 FourStroke carbureted outboards with serial numbers beginning with "0R." Used with 84-896537__ harness.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**892990T10**

10 ft. This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash. Used with 84-896537__ harness.

2006 and newer Non DTS Outboards from 25 HP to 250 HP - 14 pin connectors. All MCM/MIE engines equipped with 14 pin connectors.

84-**892990T15**

15 ft. This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash. Used with 84-896537__ harness.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.


EXTENSION MALE TO FEMALE - 10PIN SMARTCRAFT 10FT



84-**8M0058668**

This harness extension will allow you to increase the length by 6 ft. of the 10-pin drop for instruments. The extension will work with Side Mount controls as well as any 896537 series main engine/boat harness.

CHOKE HARNESS



84-**896537T99**

Allows a 14 pin harness to provide choke function for a carbureted engine when a remote control is used. Use this harness only if there are no gauges to be hooked up.

INSTRUMENT HARNESS



84-**812475A 3**

3 ft.(915 mm) 10 pin harness

Fits 1986 and newer MCM/MIE gasoline engines.

84-**812475A20**

20 ft.(6.1 m) 10 pin harness

Fits 1986 and newer MCM/MIE gasoline engines.

84-**812475A25**

25 ft.(7.62 m) 10 pin harness

Fits 1986 and newer MCM/MIE gasoline engines.

INSTRUMENT HARNESS



84-**860618**

1 m (3.3 ft.) harness, 21 pin Deutsch connector.

Fits all diesel models.

LIGHT - DASH MOUNTED - CATALYST MALFUNCTION



8M0046481

Light will go on indicating that a malfunction has occurred with your catalyst on your engine. This means you will need to get your engine serviced soon. Works similar to your check Engine light in your truck or car (harness to be sold separately). Harness numbers for single helms: (8M0048049, 8M0048054, 8M0048055, 8M0048056, 8M0048057, 8M0048058, 8M0048059).

MerCruiser products that are equipped with a catalyst.

HARNESS - MALFUNCTION LIGHT



84-**8M0048049**

10 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048054**

15 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048055**

20 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048056**

25 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048057**

30 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048058**

40 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

DUAL HELM HARNESS - MALFUNCTION LIGHT



84-**8M0048040**

10 ft. harness to connect the OBDM malfunction light for dual helm applications. All Mercruiser engines that have a catalyst

INSTRUMENT EXTENSION HARNESSES (GAS ENGINES)

Fits 1986 and newer MCM/MIE gasoline engines.

3.4L/4.6L REPOWER HARNESS KIT



84-**8M0145987**

Make easy work of repowering that Optimax or Verado to the newer 3.4L V6 or 4.6L V8 Fourstroke engines. Kit contains a wide variety of harnesses: 4 pin depth extension harness, 2 pin clean power extension harness, 2 pin WIF extension harness, 6 pin fuel/paddle extension harness, 14 pin data cable extension harness, 10 pin blue data cable extension harness, 3 pin power steering extension harness and 10 pin male to male gender bender harness.

Repower harness kit has a wide variety of harnesses that makes repowering an existing Optimax or Verado application with the 3.4L V6 or 4.6L V8 Fourstroke engine easy.

INSTRUMENT EXTENSION HARNESS



84-**812441A10**

10 ft.(3.05 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

84-**812441A15**

15 ft.(4.57 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

84-**812441A20**

20 ft.(6.1 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

INSTRUMENT EXTENSION HARNESSES (DIESEL)

All 1994-2000 MCM/MIE diesel models (except D-Tronic models) require both an 8 lead and a 9 lead extension harness to connect instumentation to the engine.

EXTENSION HARNESS



84- **17829A10**

10 ft. (3.05 m) harness, 8 lead harness.

84- **17829A20**

20 ft. (6.1 m) harness, 8 lead harness.

Used as harness extension or to complete two station installations.

INSTRUMENT EXTENSION HARNESS



84-**812441A10**

10 ft.(3.05 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

84-**812441A15**

15 ft.(4.57 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

84-**812441A20**

20 ft.(6.1 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

INSTRUMENT EXTENSION HARNESS



84-**860615002**

4 m (13.2 ft.) harness, 21 pin Deutsch connector

Fits D1.7L , 2001 and newer D4.2L, D2.8L and 4.2L ES and EI; 1997 and newer D7.3L ES diesel models.

HARNESS ADAPTER



84-**860622**

21 pin female Deutsch connector to 8 pin & 9 pin female connector.

Adapts newer diesel engines with 21 pin Deutsch connector engine harnesses to older diesel engines instrument harness with the 8 pin & 9 pin connectors.

HARNESS ADAPTER



84-**860625**

Adapts engine harness 84-855509 or 84-803626 (used on 1997 & up D2.8L and D4.2L ES and EI diesel models) to extension harnesses 84-860615 or 84-860616. 21 pin to 17 pin connector.

14 PIN DATA HARNESSES

Provides data link between DTS engines and Next Gen DTS remote control harnesses. Compatible with all engines equipped with 14-pin connectors.

EXTENSION HARNESS - 14 PIN



84-**892451T06**

6 ft. (1.8 meter)

84-**892451T10**

10 ft. (3.0 meter)

84-**892451T15**

15 ft. (4.6 meter)

84-**892451T20**

20 ft. (6.1 meter)

84-**892451B20**

20 ft. (6.1 meter)

Priced individually, sold @ multiples of 6

84-**892451T25**

25 ft. (7.6 meter)

84-**892451T30**

30 ft. (9.1 meter)

84-**8M0149640**

35 ft. (10.7 meter)

14 PIN DATA HARNESS



84-**8M0146742**

5 ft.

84-**8M0146743**

10 ft.

84-**8M0146744**
15 ft.
84-**8M0146745**
20 ft.
84-**8M0146746**
25 ft.
84-**8M0146747**
30 ft.
84-**8M0146748**
35 ft.
84-**8M0146749**
40 ft.
84-**8M0146750**
45 ft.
84-**8M0146751**
50 ft.
84-**8M0146752**
55 ft.
84-**8M0146753**
60 ft.
84-**8M0146754**
70 ft.
84-**8M0146755**
80 ft.
84-**8M0146756**
90 ft.
84-**8M0146757**
100 ft.
84-**8M0146758**
110 ft.
84-**8M0146759**
120 ft.

10 PIN (YELLOW) DATA HARNESSES

CAN DATA HARNESS - 10 PIN - NO RESISTORS DTS (YELLOW)



84-**879312T44**
1 ft. (0.3 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).
84-**879312T45**
2 ft. (0.6 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).
84-**879312T46**
3 ft. (0.9 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).
84-**879312T47**
4 ft. (1.2 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).
84-**8M0210757**
6 ft. (1.8 meter) SmartCraft data harness without resistors. Contains CAN 1, 2, and 3.
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift).

CAN DATA HARNESS - 10 PIN - NO RESISTORS (YELLOW)

84-**879969T10**
10 ft. (3.0 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.
84-**879969T15**
15 ft. (4.6 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.
84-**879969T20**
20 ft. (6.1 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.
84-**879969T30**
30 ft. (9.1 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.
84-**8M0166624**
40 ft. (12.1 meter) SmartCraft data harness without resistors.
Provides data link between SmartCraft CAN P, X and H components

CAN DATA HARNESS - 10 PIN WITH ONE RESISTOR (YELLOW)



84-**879980T10**
10 ft. (3.0 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.
84-**879980T15**
15 ft. (4.6 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.
84-**879980T30**
30 ft. (9.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.

10 PIN (BLUE) DATA HARNESSES

CAN DATA HARNESS - 10 PIN NON DTS WITH RESISTORS (BLUE)



84-**8M0210758**
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.
20 ft. (6.1 meter) SmartCraft data harness with (2) termination resistors
84-**879982B20**
20 ft. (6.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.
Priced individually, sold @ multiples of 12

84-**879982T25**

25 ft. (7.6 meter) SmartCraft data harness with (2) termination resistors

Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-**879982T30**

30 ft. (9.1 meter) SmartCraft data harness with (2) termination resistors

Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

CAN DATA HARNESS - 10 PIN - NO RESISTORS NON DTS (BLUE)



84-**879968T 6**

6 ft. (1.8 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft CAN P Components.

84-**879968T10**

10 ft. (3.0 meter) SmartCraft data harness without resistors and no additional connections

Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-**879968T15**

15 ft. (4.6 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

84-**879968T20**

20 ft. (6.1 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

84-**879968T30**

30 ft. (9.1 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

84-**879968T50**

50 ft (15.2 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

CAN DATA HARNESS - 10 PIN - ONE RESISTOR NON DTS (BLUE)



84-**879981T10**

10 ft. (3.0 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-**879981T15**

15 ft. (4.6 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-**879981T20**

20 ft. (6.1 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-**879981B20**

20 ft. (6.1 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

Priced individually, sold @ multiples of 12

84-**879981T25**

25 ft. (7.6 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-**879981T30**

30 ft. (9.1 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-**879981T50**

50 ft. (15.2 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

ADAPTER HARNESSES - 14 PIN

ADAPTER HARNESS



84-**8M0137667**

10 pin Jbox male pins to 5 pin N2K male pins Kvaser Diagnostic cable for use with G3 cable and Czone programming.

ADAPTER HARNESSES - 2 PIN

2 PIN LINK HARNESS- CAN



84-**893452A01**

Used to link CAN Networks together.

2 PIN "Y" ADAPTER HARNESS - LINK ADAPTER




84-**896370T01**

Used on DTS engines that require extended length CAN networks.

ADAPTER HARNESSES

ADAPTER - NON DTS 14 PIN TO 8 PIN



84-**896539T01**

1 ft. adapter that allows you to connect a 14 pin (Female) boat harness to an 8 pin (Male) engine connection. Includes bracket and screws.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors

84-**896539T05**

5 ft. adapter that allows you to connect a 14 pin (Female) boat harness to a 8 pin (Male) engine connection. Includes bracket and screws.


2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

84-**896539T08**

8 ft. adapter that allows you to connect a 14 pin (Female) boat harness to a 8 pin (Male) engine connection. Includes bracket and screws.

2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

ADAPTER - NON DTS 8 PIN TO 14 PIN



84-**896542T01**

1 ft. 15hp-20hp adapter that allows you to connect 8 pin (Female) boat harness to the 14 pin (Male) engine connection. Includes bracket and screws.

2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

84-**896542T05**

5 ft. adapter that allows you to connect 8 pin (Female) boat harness to the 14 pin (Male) engine connection. Includes bracket and screws.

2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

ADAPTER - NON DTS 8 PIN TO 14 PIN

84-**896542T08**

8 ft. adapter that allows you to connect 8 pin (Female) boat harness to the 14 pin (Male) engine connection. Includes bracket and screws.

2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

ADAPTER - NON DTS 10 PIN TO 14 PIN




84-**858740T06**

6 ft. adapter that allows you to connect 10 pin (Female) boat harness to the 14 pin (Female) engine connection.

2006 Non DTS 75, 90, 115 HP 4 stroke EFI

ADAPTER - NON DTS 8 PIN TO 14 PIN




84-**896540T01**

3 ft. adapter that allows you to connect 8 pin (Male) boat harness to the 14 pin (Male) engine connection.

2005, 2006 - 8/9.9 HP 4 stroke and newer

ADAPTER - NON DTS 14 PIN TO 8 PIN - 3 FT



84-**896541T01**

3 ft. adapter that allows you to connect 14 pin (Female) boat harness to the 8 pin (Female) engine connection.

2005, 2006 - 8/9.9 HP 4 stroke and newer

ADAPTER - NON DTS 14 PIN TO 8 PIN - 5 FT

84-**896541T05**

5 ft. adapter that allows you to connect 14 pin (Female) boat harness to the 8 pin (Female) engine connection.

2005, 2006 - 8/9.9 HP 4 stroke and newer


ADAPTER - NON DTS 14 PIN TO 8 PIN - 8 FT

84-**8M0127018**

8 ft. adapter that allows you to connect 14 pin (Female) boat harness to the 8 pin (Female) engine connection.

2005, 2006 - 8/9.9 HP 4 stroke and newer

ADAPTER - NON DTS 14 PIN TO 8 PIN



84-**892092T01**

1 ft. adapter that allows you to connect 14 pin (Female) boat harness to the 8 pin (Male) engine connection.

Older Outboards that are SmartCraft compatible engines


ADAPTER-NON DTS 10 PIN TO 14 PIN W/SMARTCRAFT CAN DATA



84-**8M0153356**

Adapter allows connection of 10-pin engine harness to a 14-pin boat harness when using SmartCraft gauges. This adapter includes a 10-pin CAN output to drive SmartCraft gauges using the 14-pin boat harness without having to install a blue CAN data harness. A termination resistor 859318T1 is required, and may be ordered separately. This is required for Quicksilver and Mercury Remanufacturing Plus Series 10-pin engines when installed in boats using SmartCraft gauges that use a 14-pin boat harness.

ADAPTER - NON DTS 14 PIN TO 10 PIN



84-**866337T01**

Adapter that allows you to connect engines that have the newer 14 pin engine harness to the older 10 pin helm harness.

MCM/MIE engines that have the 14 pin engine harness. Also used on Race product (outboards only) that have a 14 pin engine harness being connected to a 10 pin helm harness.

ADAPTER HARNESS- ANALOG GAUGE - MCM



84-**866377T01**

Mounts between the 14 pin Command Module harness and the data harness.

DTS- MCM only

ADAPTER HARNESS



84-**8M0137667**

10 pin Jbox male pins to 5 pin N2K male pins Kvaser Diagnostic cable for use with G3 cable and Czone programming.

ACCESSORY HARNESSES

DTS CLEAN POWER HELM HARNESS



84-**8M0127681**

10 ft.

84-**8M0127682**

15 ft.

84-**896333T25**

25 ft.

ENGINE POWER HARNESS



84-**8M0113732**

15 ft. DTS clean power harness. Used when the battery is located near the engine. Connects to 2 pin clean power connector on the engine.

All L4 SC Verados, 200/225 Opti DTS, 20 in. L6 Verados and MCM DTS and EC engines have this harness as part of the engine package. Must order loose for 25 in. and 30 in. L6 Verados.

DTS POWER HARNESS ASSEMBLY




84-**8M0207790**

25 ft. clean power harness with heavy gauge (10 ga) wire for lower voltage drop. Use from crank battery to 2 pin connector on engine.

DTS and MCM EC engines.

ACCESSORY POWER HARNESS / RELAY HARNESS KIT



84-**899785K15**

Used to provide accessory power to auxiliary loads when the keyswitch is in the "Run" or "Accessory" positions. Includes 40 amp relay, harness and 15 ft. power cable with 40 amp fuse and three pole terminal block.

Used on 14-pin boat harnesses that have a 3-pin accessory power relay connector.

ACCESSORY POWER HARNESS / RELAY HARNESS KIT



84-**899785K30**

Used to provide accessory power to auxiliary loads when the keyswitch is in the "Run" or "Accessory" positions. Includes 40 amp relay, harness and 30 ft. power cable with 40 amp fuse and three pole terminal block.

Used on 14-pin boat harnesses that have a 3-pin accessory power relay connector.

ACCESSORY POWER HARNESS KIT



84-**899785K04**

Accessory power cable is designed to connect battery to terminal block to provide connection point and power auxiliary loads. Includes 30 ft. power cable with 40 amp fuse and 3 pole terminal block.

Used on 14-pin boat harnesses that have a 3-pin accessory power relay connector.

ACCESSORY POWER HARNESS KIT



84-**899785K02**

Accessory power cable is designed to connect battery to terminal block to provide connection point and power auxiliary loads. Includes 15 ft. power cable with 40 amp fuse and 3 pole terminal block.

Used on 14-pin boat harnesses that have a 3-pin accessory power relay connector.

ACCESSORY RELAY KIT



84-**888429K11**

Used in conjunction with accessory power harness to provide power to auxiliary loads.

Used on 14-pin boat harnesses that have a 3-pin accessory power relay connector.

TERMINAL BLOCK



86-**8M0204701**

3 pole terminal block

Useful for up to 40 Amp circuit connections, used in Accessory Power kits

ACCESSORY RELAY HARNESS KIT



84-**888429K12**

Used to provide accessory power to auxiliary loads. Cable is connected to the junction box and provides power to loads when the key switch in in the "Run" position. Includes 40 amp relay and harness.

TVS NOISE SUPPRESSION HARNESS



84-**8M0072192**

Reduce noisy voltage spikes from Mercury solenoid coils (trim & tab).

Kit contains 2 harnesses that are used across solenoid coils to help reduce electrical noise.

HELM RACE HARNESS ASSEMBLY



84-**8M0074825**

Helm race harness assembly, 14pin (similar to non-DTS OB/MCM).

IGNITION KEY SWITCHES

KEY SWITCH ASSEMBLY



F5H268

For dash mount installations in panels up to 1/2 in. (12.7 mm). "Push to choke" feature.

Fits all electric start Force outboards.

KEY SWITCH ASSEMBLY



F5H078

For dash mount installations in panels up to 1-7/16 in. (36 mm). "Push to choke" feature.

Fits all electric start Force outboards.

KEY SWITCH ASSEMBLY WITH CHOKE



87- **88107A13**

3 ft. (915 mm) harness without audio warning horn. Has 6 pin connector that adapts to harness 84-896537K_ 14 pin harness. 3/4 inch cut out with housing.

Used with 2 cycle engines that require push to choke feature.

KEY SWITCH - 4 POSITION



87-**893353A02**

Four position keyswitch (Off, Accessory, Run and Start). Loose switch only. 7/8 inch cut out.

Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION W/MOUNTING HARDWARE



87-**893353A03**

Four position keyswitch (Off, Accessory, Run and Start). Includes keyswitch, key cover, bezel, 2 1/8 inch diameter mounting housing and mounting hardware. 7/8 inch cut out.

Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-DUALS



87-**893353A04**

Four position keyswitch- dual engines (Off, Accessory, Run and Start). Includes matched keyswitch, key cover, bezel, 2 1/8 inch diameter mounting housing and mounting hardware. 7/8 inch cut out.

Dual engine - matched key set. Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-DUALS



87-**893353T04**

Four position keyswitch- dual engines (Off, Accessory, Run and Start). Includes matched keyswitch and mounting hardware. 7/8 in. cut out. Does not include housing.

Dual engine - matched key set. Can be used on DTS as well as non DTS installations.

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-TRIPLES



87-**893353A05**

Four position keyswitch- triple engines (Off, Accessory, Run and Start). Includes matched keyswitch, key cover, bezel, 2 1/8 inch diameter, mounting housing and mounting hardware. 7/8 inch cut out.

Triple engine - matched key set

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-QUADS



87-**893353A06**

Four position keyswitch-Quad engines (Off, Accessory, Run and Start). Includes matched keyswitch, key cover, bezel, 2 1/8 in. diameter, mounting housing and mounting hardware. 7/8 in. cut out.

Quad engine - matched key set

KEY SWITCH - 3 POSITION WITH DECAL/WASHER



87-**897716K01**

Three position keyswitch with shorter key and mounting length (Off, Run and Start). Loose switch only. 3/4 inch cut out. Includes switch with decal and washer.

Can be used on DTS as well as Non DTS installations.

KEY SWITCH - 3 POSITION WITH DECAL/WASHER



87-**897716K02**

Three position keyswitch with shorter key and mounting length (Off, Run and Start). Loose switch only. 3/4 in. cut out. Includes switch with decal and washer. Matched set for dual engine installs.

Can be used on DTS as well as Non DTS installations. Matched keyswitches for dual installations

KEY SWITCH - 3 POSITION WITH DECAL/WASHER



87-**897716K03**

Three position keyswitch with shorter key and mounting length (Off, Run and Start). Loose switch only. 3/4 in. cut out. Includes switch with decal and washer. Matched Key set for Triple engine installs.

Can be used on DTS as well as Non DTS installations. Matched keyswitches for Triple installations.

KEY SWITCH - 3 POSITION WITH DECAL/WASHER



87-**897716K04**

Three position keyswitch with shorter key and mounting length (Off, Run and Start). Loose switch only. 3/4 in. cut out. Includes switch with decal and washer. Matched Key set for Quad engine installs.

Can be used on DTS as well as Non DTS installations. Matched keyswitches for Quad installations

KEY SWITCH - 3 POSITION HOUSING



879305A01

New keyswitch housing kit for 897716 series 3 position keyswitch. Kit includes 2 inch (52 MM) housing with mounting disc and bezel. Spin nut included in kit for easy mounting (Key Switch is not included in this kit).

Can be used on DTS as well as Non DTS installations.

KEY SWITCH EXTENSION - NO CRANK



84-**896691T05**

5 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible), only has off/on functions.

Used on all DTS engines.

84-**896691T10**

10 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions.

Used on all DTS engines.

896691T15

15 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible), only has off/on functions.

Used on all DTS engines.

84-**879312T77**

20 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions.

Used on all DTS engines.

84-**879312T78**

30 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions.

Used on all DTS engines.

84-**879312T79**

40 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions.

Used on all DTS engines.

DECAL/WASHER KIT- 3 POSITION KEY SWITCH



37-**899203A01**

Ignition start decal/washer kit. Used with 897716K01 when not supplied in harness kit.

KEY SWITCH ASSEMBLY



87- **88107A 3**

3 ft. (915 mm) harness without audio warning horn. Has bullet connectors that adapt to harness 84-84711M.

Fits (Japanese origin) Mariner 30, 40 (2 cylinder - w/o integral oil injection) and 55 (2 cylinder) outboards used with optional remote controls.

KEY SWITCH KIT



87- **88107A 5**

Kit includes switch, two keys, crimp connectors to attach to wiring harness. Features push to choke with key.

Fits into select Quicksilver side mount control boxes and other applications.

KEY SWITCH KIT



87- **88107A10**

Three position keyswitch (Off, Run and Start). Includes keyswitch and mounting hardware.

2004 OptiMax 225 DTS outboards and 496 Mag MerCruiser DTS sterndrive and inboard engines.

KEY SWITCH ASSEMBLY WITH CHOKE



87- **88107A13**

3 ft. (915 mm) harness without audio warning horn. Has 6 pin connector that adapts to harness 84-896537K_ 14 pin harness. 3/4 inch cut out with housing.

Used with 2 cycle engines that require push to choke feature.

KEY SWITCH KIT



87- **88107T12**

Three position keyswitch (Off, Run and Start). Push to Choke Keyswitch.

Used with 2 cycle engines that require push to choke feature.

KEY SWITCH KIT



87-**893449T01**

3 position Key Switch Kit

IGNITION KEY SWITCH WITH HARNESSES

Mounts in a 2-1/8 in. (54 mm) hole. Includes warning horn and electrical connections for power trim, instrumentation and lanyard stop switch.

KEY SWITCH W/ HARNESS



84-**816626A 2**

2 ft. (610 mm) harness with audio warning horn.

84-**816626A 8**

8 ft. (2.44 m) harness with audio warning horn.

84-**816626A11**

11 ft. (3.35 m) harness with audio warning horn.

84-**816626A15**

15 ft. (4.57 m) harness with audio warning horn.

84-**816626A20**

20 ft. (6.1 m) harness with audio warning horn.

84-**816626A24**

25 ft. (7.6 m) harness with audio warning horn.

84-**816626A25**

25 ft. (7.6 m) harnesses with audio warning horn. Packaged with 2 harnesses with matched keys for dual engine applications.

84-**816626A29**

30 ft. (9.1 m) harnesses with audio warning horn.

84-**816626A30**

30 ft. (9.1 m) harnesses with audio warning horn. Packaged with 2 harnesses with matched keys for dual engine applications.

8 PIN KEY SWITCH AND IGNITION HARNESS



84-**8M0125748**

2 ft. harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar) -Single Engine Application.

84-**8M0125749**

8 ft. harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar) -Single Engine Application.

84-**8M0125750**

11 ft. harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar) -Single Engine Application.

84-**8M0125751**

15 ft. harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar) -Single Engine Application.

84-**8M0125752**

20 ft. harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar) -Single Engine Application.

84-**8M0125753**

25 ft. harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar) -Single Engine.

84-**8M0125755**

30 ft. harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar) single engine.

8 PIN KEY SWITCH AND IGNITION HARNESS - DUAL



84-**8M0125754**

25 ft. harness with horns, push to choke key switches, instrumentation connectors, trim connectors and lanyard connectors.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar) Dual Engine Application.

84-**8M0125756**

30 ft. harness with horns, push to choke key switches, instrumentation connectors, trim connectors and lanyard connectors.

Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar). Dual Engine Application.

KEY SWITCH W/ HARNESS - NON DTS 14 PIN



84-**896537K02**

2 ft. harness (896537A02) with new 14-pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is the new 3 position water-proof high quality key switch (897716).

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K08**

8 ft. harness (896537A08) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (897716).

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K11**

11 ft. harness (896537A11) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (897716).

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K15**

15 ft. harness (896537A15) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (897716).

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K20**

20 ft. harness (896537A20) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (897716).

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K24**

25 ft. harness (896537A24) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (897716).

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K25**

Two 25 ft. harnesses (896537A24) with new 14 pin connector for the dual engine applications and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (matched keyswitch for dual engine applications) (897716K02).

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K29**

30 ft. harness (896537A29) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (897716).

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K30**

Two 30 ft. harnesses (896537A29) with new 14 pin connector for the dual engine applications and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (matched keyswitch for dual engine applications)(897716K02).


2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537K40**

40 ft. harness (896537A40) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (897716).

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

IGNITION HARNESS - NON DTS 14 PIN



84-**896537T02**

2 ft. harness (896537A02) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T08**

8 ft. harness (896537A08) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T11**

11 ft. harness (896537A11) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T15**

15 ft. harness (896537A15) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T20**

20 ft. harness (896537A20) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T24**

25 ft. harness (896537A24) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP- 14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T29**

30 ft. harness (896537A29) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**896537T40**

40 ft. harness (896537A40) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness. Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

ANALOG GAUGE HARNESS 10PIN JBOX CONNECTION



84-**892990T01**

5 ft. This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash and allows the choke function to work on the 8/9.9/15/20 FourStroke carbureted outboards with serial numbers beginning with "0R." Used with 84-896537__ harness.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

84-**892990T10**

10 ft. This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash. Used with 84-896537__ harness.

2006 and newer Non DTS Outboards from 25 HP to 250 HP - 14 pin connectors. All MCM/MIE engines equipped with 14 pin connectors.

84-**892990T15**

15 ft. This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash. Used with 84-896537__ harness.

2006 and newer Non DTS Outboards from 25 HP to 250 HP-14 Pin Connectors. All MCM / MIE engines equipped with 14 pin connectors.

TRANSOM MOUNTED IGNITION KEYSWITCH

A transom mounted keyswitch allowing for activation of the starter solenoid, a choke or enrichner valve.

TRANSOM MOUNTED IGNITION KEYSWITCH



15000A 7

Includes a push-to-choke function and a warning horn. Has a 6 ft. (182 cm) cable length. Has an 8 pin engine connector.

Fits many varying outboards and applications through Model Year 2005 where a keyswitch with warning horn and choke (enrichner) function is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards.

TRANSOM MOUNTED IGNITION KEYSWITCH



15000A14

Includes a push-to-choke function and a warning horn. Has a 6 ft. (182 cm) cable length. Has the 14 pin engine connector.

Fits many varying outboards and applications beginning in Model Year 2006 where a keyswitch with warning horn and choke (enrichner) function is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards.

TRANSOM MOUNTED IGNITION KEYSWITCH



87-**8M0090402**

Includes a key function and a warning horn. Has a 6 ft. (182 cm) cable length. Has a 14 pin engine connector.

Fits EFI outboards and applications after Model Year 2006 where a keyswitch with warning horn is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards. For EFI models only (14 pin connector engine) DOES NOT HAVE PUSH TO CHOKE

START / STOP SWITCHES

SINGLE ENGINE START/STOP PAD



87-**8M0117136**

Low profile mount single engine start/stop pad which allows start and stop of engine with keyswitch in the RUN position.

Can be used on all single engine DTS applications

DUAL ENGINE START/STOP PAD



87-**8M0117137**

Low profile mount dual engine start/stop pad which allows start and stop of engines with keyswitches in the RUN position.

Can be used on all dual engine DTS applications

TRIPLE ENGINE START/STOP PAD



87-**8M0117138**

Low profile mount triple engine start/stop pad which allows start and stop of engines with keyswitches in the RUN position.

Can be used on all triple engine DTS applications

QUAD ENGINE START/STOP PAD - STARBOARD



87-**8M0117139**

Low profile mount quad engine start/stop pad (STBD) which allows start and stop of engines with keyswitches in the RUN position.

Can be used on all quad engine DTS applications (STBD)

QUAD ENGINE START/STOP PAD - PORT



87-**8M0117140**

Low profile mount quad engine start/stop pad (PORT) which allows start and stop of engines with keyswitches in the RUN position.

Can be used on all quad engine DTS applications (PORT)

BEZEL



879315T01

Black

Start/Stop switch kit, flush mount. For single, dual, triple and quad application.

START/STOP EXTENSION HARNESS



84-**896380T05**

5 ft. Allows you to extend the harness an extra 5 ft. from the start/stop button. Compatible with 3pin extension if 10ft, 15ft, or 20ft start/stop extension needed.

Used on all DTS engines.

KEY SWITCHES

KEY SWITCH - 3 POSITION WITH DECAL/WASHER



87-**897716K01**

Three position keyswitch with shorter key and mounting length (Off, Run and Start). Loose switch only. 3/4 inch cut out. Includes switch with decal and washer.

Can be used on DTS as well as Non DTS installations.

KEY SWITCH - 3 POSITION WITH DECAL/WASHER



87-**897716K02**

Three position keyswitch with shorter key and mounting length (Off, Run and Start). Loose switch only. 3/4 in. cut out. Includes switch with decal and washer. Matched set for dual engine installs.

Can be used on DTS as well as Non DTS installations. Matched keyswitches for dual installations

KEY SWITCH - 4 POSITION



87-**893353A02**

Four position keyswitch (Off, Accessory, Run and Start). Loose switch only. 7/8 inch cut out.

Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION W/MOUNTING HARDWARE



87-**893353A03**

Four position keyswitch (Off, Accessory, Run and Start). Includes keyswitch, key cover, bezel, 2 1/8 inch diameter mounting housing and mounting hardware. 7/8 inch cut out.

Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-DUALS



87-**893353A04**

Four position keyswitch- dual engines (Off, Accessory, Run and Start). Includes matched keyswitch, key cover, bezel, 2 1/8 inch diameter mounting housing and mounting hardware. 7/8 inch cut out.

Dual engine - matched key set. Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-TRIPLES



87-**893353A05**

Four position keyswitch- triple engines (Off, Accessory, Run and Start). Includes matched keyswitch, key cover, bezel, 2 1/8 inch diameter, mounting housing and mounting hardware. 7/8 inch cut out.

Triple engine - matched key set

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-QUADS



87-**893353A06**

Four position keyswitch-Quad engines (Off, Accessory, Run and Start). Includes matched keyswitch, key cover, bezel, 2 1/8 in. diameter, mounting housing and mounting hardware. 7/8 in. cut out.

Quad engine - matched key set

KEY SWITCH KIT - 4 POSITION MATCHED KEYS - QUINTS




87-**8M0077850**

Four position keyswitch-Quint engines (Off, Accessory, Run and Start). Includes matched keyswitch, key cover, bezel, 2 1/8 inch diameter mounting housing and mounting hardware. 7/8 inch cut out.

Quint engine - matched key set

KEY SWITCH KIT - 4 POSITION MATCHED KEYS - SIX ENGINE



87-**8M0157375**

Four position six matched keys

KEY SWITCH EXTENSION - NO CRANK



84-**896691T05**

5 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible), only has off/on functions.

Used on all DTS engines.

84-**896691T10**

10 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions.

Used on all DTS engines.

896691T15

15 ft. length. This extension is used when the remote mounting a keyswitch (no crank possible), only has off/on functions.

Used on all DTS engines.

IGNITION KEYS - NUMERIC

To order correct key, convert the number stamped on your key to a part number.

REPLACEMENT IGNITION KEY



30431123

Key stamped with "123"

Priced individually, sold @ multiples of 2

30431124

Key stamped with "124"

Priced individually, sold @ multiples of 2

30431125

Key stamped with "125"

Priced individually, sold @ multiples of 2

30431126

Key stamped with "126"

Priced individually, sold @ multiples of 2

30431127

Key stamped with "127"

Priced individually, sold @ multiples of 2

30431128

Key stamped with "128"

Priced individually, sold @ multiples of 2

30431129

Key stamped with "129"

Priced individually, sold @ multiples of 2

30431130

Key stamped with "130"

Priced individually, sold @ multiples of 2

30431131
Key stamped with "131"
Priced individually, sold @ multiples of 2

30431132
Key stamped with "132"
Priced individually, sold @ multiples of 2

30431133
Key stamped with "133"
Priced individually, sold @ multiples of 2

30431134
Key stamped with "134"
Priced individually, sold @ multiples of 2

ALPHA/NUMERIC KEY CHART

Key Chart A - Alpha/Numeric Keys

Key Number	Part Number	Status
1A	89491 1	Active
1B	89491 2	Active
1C	89491 3	Active
1D	89491 4	Active
1E	89491 5	Active
1F	89491 6	Active
2A	89491 7	Active
2B	89491 8	Active
2C	89491 9	Active
2D	89491 10	Active
2E	89491 11	Active
2F	89491 12	Active

IGNITION KEYS - 4 POSITION - BASE NUMBER 893353 KEY SWITCH

To order correct key, convert the number stamped on your separate plate for part number.

REPLACEMENT IGNITION KEY



896919951
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #951.

896919952
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #952.

896919953
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #953.

896919954
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #954.

896919955
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #955.

896919956
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #956.

896919957
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #957.

896919958
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #958.

896919959
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #959.

896919960
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #960.

896919961
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #961.

896919962
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #962.

896919963
Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #963

896919964
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #964.

896919965
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #965.

896919966
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #966.

896919967
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #967.

896919968
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #968.

896919969
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #969.

896919970
Replacement for new 4 position Key switch (893353A__ series). Number is on metal plate that comes with keys- #970.

IGNITION KEYS - 3 POSITION - BASE NUMBER 897716 KEY SWITCH

To order correct key, convert the number stamped on your key to a part number.

REPLACEMENT IGNITION KEYS



87-**897716451**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys.

87-**897716457**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #457.

87-**897716460**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #460.

87-**897716461**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #461.

87-**897716462**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #462.

87-**897716463**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #463.

87-**897716821**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #821.

87-**897716827**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #827.

87-**897716830**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #830.

87-**897716831**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #831.

87-**897716832**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #832.

87-**897716833**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #833.

87-**897716841**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #841.

87-**897716847**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #847.

87-**897716850**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #850.

87-**897716851**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #851.

87-**897716852**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #852.

87-**897716853**
Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #853.

NUMERIC KEY CHART

Key Chart B - Numeric Keys

Key Number	Part Number	Status
123	30431123	Active
124	30431124	Active
125	30431125	Active
126	30431126	Active
127	30431127	Active
128	30431128	Active
129	30431129	Active
130	30431130	Active
131	30431131	Active
132	30431132	Active
133	30431133	Active
134	30431134	Active

MARINER UNIQUE IGNITION KEYS

To order correct key, convert the number stamped on your key to a Quicksilver part number. Fits Mariner (Japanese Origin) dash mounted key panels.

MARINER UNIQUE IGNITION KEY CHART

Key Chart C

Key Number	Part Number	Status
121	93095M	Active
123	93097M	Active
451	13294451	Active
453	13294453	Active
455	13294455	Active
456	13294456	Active
457	13294457	Active
458	13294458	Active
459	13294459	Active
461	13294461	Active
462	13294462	Active
463	13294463	Active
464	13294464	Active
465	13294465	Active
466	13294466	Active
468	13294468	Active
470	13294470	Active

FORCE UNIQUE IGNITION KEYS

To order correct key, convert the number stamped on your key to a Quicksilver part number. Fits Force Ignition switches 1992 and prior.

REPLACEMENT IGNITION KEY



817782 1
Key stamped with "A" or not stamped with anything.

817883 1
Key stamped with "B"

817891 1
Key stamped with "C"

817928 1
Key stamped with "D"

817929 1
Key stamped with "E"

819012
Key stamped with "51"

819013
Key stamped with "55"

819014
Key stamped with "65"

819015
Key stamped with "66"

819016
Key stamped with "67"

FORCE UNIQUE IGNITION KEY CHART

Key Chart D

Key Number	Part Number	Status
Not Stamped	817782 1	Active
A	817782 1	Active
B	817883 1	Active
C	817891 1	Active
D	817928 1	Active
E	817929 1	Active
51	819012	Active
55	819013	Active
65	819014	Active
66	819015	Active
67	819016	Active

IGNITION KEY COVER

BLACK PLASTIC KEY COVER



90468A 1
Fits most ignition switch keys.

LANYARD STOP SWITCHES

Lanyard cord attaches to the toggle switch or cap and boat driver. When switch toggles or cap pulls off switch, the ignition is interrupted and the engine shuts down.

LANYARD STOP SWITCH



87- **19674A05**
5 ft. (1.53 m) harness. Surface mount or flush mount. Used when mounting controls with no lanyard switch included.
MCM/MIE engines. Do not use on DTS engines.

LANYARD STOP SWITCH



87- **19674A06**
5 ft. (1.53 m) harness. 2 inch cut out with Black bezel. Used when mounting controls with no lanyard switch included. Chrome bezel optional - order separate.
MCM/MIE engines. Do not use on DTS engines.

LANYARD STOP SWITCH FLUSH-SINGLE



87- **19674A07**
5 ft. (1.53 m) harness. Surface or Flush mount. Used when mounting controls with no lanyard switch included.
Used on all SmartCraft Mechanical and DTS engines, OB and MCM.

LANYARD STOP SWITCH BEZEL-SINGLE



87- **19674A08**
5 ft. (1.53 m) harness. 2 inch cut out with Black bezel. Used when mounting controls with no lanyard switch included. Chrome bezel optional - order separate.
Used on all SmartCraft Mechanical and DTS engines, OB and MCM.

LANYARD STOP SWITCH - DUAL FLUSH MOUNT



87-**814324A 2**
5 ft. (1.53 m) harness. Dual engine kit, surface mount or flush mount. Used when mounting controls with no lanyard switch included.
Used on Non DTS MCM/MIE Engine - See 87-19674A12 and A13 for OB/DTS Installations

LANYARD STOP SWITCH -DUAL FLUSH MOUNT



87- **19674A12**

5 ft. (1.53 m) harness. Surface or Flush mount. Used for Dual Engine installations.
Used on Outboards and DTS engines

LANYARD STOP SWITCH - TRIPLE FLUSH MOUNT



8M0139419

Flush mount lanyard stop switch kit. Must order additional bezel retro fit kit 8M0182075.
Triple engine applications

LANYARD STOP SWITCH - QUAD FLUSH MOUNT



8M0139420

Flush Mount lanyard stop switch kit. Must order additional bezel retro fit kit 8M0182075.
Quad engine applications

LANYARD STOP SWITCH



87-**823037A04**

Fits Mercury/Mariner 2.5, 3.3, 4, 5 hp (U.S. S/N 0A809601 and above; Belgium S/N 9589154 and above) and 4/5/6 FourStroke.

LANYARD STOP SWITCH



87-**856654A 2**

3-1/2 in. (89 mm) wires, does not include cap. Normally closed switch.
Fits Mercury/Mariner outboards.

LANYARD STOP SWITCH



87-**856654A 4**

20 ft. (6.2 m) harness. Includes 2 caps.
Fits Mercury/Mariner outboards and MCM/MIE engines.

LANYARD DIODE KIT



84-**898289A72**

This kit is dual engine adapter that is required when connecting one lanyard stop switch to two engines. Without this kit the engines would not be able to start or stop independently.
Fits Mercury / Mariner outboards.

LANYARD STOP SWITCH CAP



75095T 2

Replacement cap for (65503A__ and 856654A__ series) Lanyard Stop Switches.
Fits Mercury/Mariner outboards and MCM/MIE engines.
Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

75095Q 2

Replacement cap for (65503A__ and 856654A__ series) Lanyard Stop Switches.
Fits Mercury/Mariner outboards and MCM/MIE engines.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

LANYARD ASSEMBLY



8M0164890

Lanyard cord assembly kit, 54 inches. Sold in quantities of 2 pieces.

LANYARD CORD AND WRIST STRAP



8M0234460

Outboard emergency stop-switch lanyard cord replacement with wrist strap, 54 inches (137 cm).

Fits Mercury outboard models with tiller handle including 8-9.9hp EFI FourStroke (serial number 1R281445 and higher), 15-20hp EFI FourStroke (1R833820 and higher), 25-30hp EFI FourStroke (1R154758 and higher), 40-60hp EFI FourStroke (1C453840 and higher), 75-115hp EFI SeaPro (2B095049 and higher), Avator tiller model electric outboards (1Q000130 and higher) and all mid-mount tiller handle conversion kits

LANYARD ASSEMBLY- 70 INCH



8M0165957

Lanyard cord assembly, 70 in.

LANYARD CORD AND WRIST STRAP XL



8M0234462

Outboard emergency stop-switch lanyard cord replacement with wrist strap, 70 inches (178 cm).

Fits Mercury outboard models with tiller handle including 8-9.9hp EFI FourStroke (serial number 1R281445 and higher), 15-20hp EFI FourStroke (1R833820 and higher), 25-30hp EFI FourStroke (1R154758 and higher), 40-60hp EFI FourStroke (1C453840 and higher), 75-115hp EFI SeaPro (2B095049 and higher), Avator tiller model electric outboards (1Q000130 and higher) and all mid-mount tiller handle conversion kits

LANYARD CORD AND WRIST STRAP



8M0234463

Outboard emergency stop-switch lanyard cord replacement with wrist strap. Fits Mercury Marine/ Mariner.

Fits Mercury outboard models with tiller handle including 2.5-3.5hp FourStroke, 4-6hp FourStroke, 2.5-3.3hp 2-stroke, 4-5hp 2-stroke, 6-15hp 2-stroke (serial number 0N055110 and higher), 9.9-15hp 2-stroke (0N055285 and higher), 25-30hp 2-stroke (0N055505 and higher) and 40-50hp 2-stroke (0N000001 and higher)

WRIST STRAP ONLY



8M0234140

Universal wrist strap for lanyard cord that can be used with most marine and non-marine emergency stop switch lanyard cords for comfort and ease of use.

Fits most marine and non-marine emergency cutoff switch lanyards

WRIST STRAP



8M0234141

Universal wrist strap that can be used with most marine and non-marine emergency stop-switch lanyard cords for comfort and ease of use. Quicksilver branded.

Fits most marine and non-marine emergency cutoff switch lanyards

LANYARD SWITCHES

LANYARD STOP SWITCH BEZEL-SINGLE



87- **19674A08**

5 ft. (1.53 m) harness. 2 inch cut out with Black bezel. Used when mounting controls with no lanyard switch included. Chrome bezel optional - order separate.

Used on all SmartCraft Mechanical and DTS engines, OB and MCM.

LANYARD STOP SWITCH -DUAL FLUSH MOUNT



87- **19674A12**

5 ft. (1.53 m) harness. Surface or Flush mount. Used for Dual Engine installations.

Used on Outboards and DTS engines

SHADOW RESISTOR PACKS

RESISTOR PACK- DTS SHADOW MODE



898091T01

Resistor pack used with DTS Shadow Mode applications. #93 included with the harness for this versions Helm 1 and Starboard 2.

Triple engine / single helm applications 2006 models and newer

RESISTOR PACK #94 - QUAD DTS SHADOW MODE



898091T02

Resistor pack #94 used on Quad DTS Shadow control single helm applications. Helm 1 and Port 2.

Quad engine / single helm applications 2006 models and newer

RESISTOR PACK- DTS SHADOW MODE



898091T03

Resistor pack used with DTS Shadow Mode applications. #97 Helm 2 and Starboard 2. Included in lower or primary helm for dual helm installs (895816A, 895817A, 895818A, and 895819A series helms).

Triple engine / dual helm applications 2006 models and newer.

RESISTOR PACK #98 ASSEMBLY - QUAD SHADOW MODE



898091T04

Resistor pack #98 used with Quad DTS Shadow control dual helm applications. (#98) Helm 2, Port 2

Quad engine / dual helm applications 2006 models and newer.

JUNCTION BOXES/JUNCTION BOX ACCESSORIES

WEATHER CAP



8M0210754

Weather cap for SmartCraft junction box. Provides weather protection at unused junction box connection points.

SMARTCRAFT WEATHER CAP

8M0210752

Weather Cap for SmartCraft Junction Box

Provides weather protection at unused junction box connection points
Priced individually, sold @ multiples of 24

10 PIN WEATHER CAP



888507T

10 pin weather cap with mounting tab.

Used for harnessing that could plug into a Junction Box.

SMARTCRAFT J-BOX TERMINATOR/RESISTOR



8M0210753

TERMINATOR YELLOW - 10PIN CANP/X

Provides CAN bus termination for CAN P and CAN X network

TERMINATOR RED - 10PIN CANP/H



8M0055652

SmartCraft Red Terminator CANP & CANH

TERMINATOR BLUE - 2PIN




893388A01

Blue 2-pin terminator/resistor

Provides CAN bus termination for CAN Networks.

TERMINATOR BLUE - 10PIN CANP



82-**8M0171627**

New DTS v10/v12 CAN P resistor

PLUG ASY DIAGNOSTIC PORT



8M0046339

10 pin diagnostic port for use on any SmartCraft application.

Used as a 10 pin diagnostic port for connecting Mercury Computer Diagnostic System (CDS) junction box connection. Typically gets mounted at the helm, out of line of sight so that a technician does not have to disassemble helm to plug into a 10 pin connection. Requires a harness from back of diagnostic port to a 10 pin SmartCraft connection in the rigging.

J-BOX Y HARNESS



84-**8M0165555**

Splits helm harness 10pin SmartCraft connection into two jbox connections.

5-WAY J-BOX KIT W/3 WEATHER CAPS



98-**8M0165557**

5-way J-box kit with 3 weather caps.

5-WAY J-BOX KIT @ 24 KIT

8M0175293

5-way Jbox kit.

Priced individually, sold @ multiples of 24

J-BOX STACKING PLUG KIT



23-**8M0174363**

J-box Stacking Plug designed for easy vertical stacking of J-Boxes, allowing all plugs to be positioned on one side.

SECURITY SYSTEMS

This section includes security devices that will help protect your engine against theft.

1ST MATE SAFETY & SECURITY SYSTEM - MERCURY SMARTCRAFT SINGLE ENGINE KIT



98-**8M6007933**

The new standard in marine safety and security, 1st Mate adds another layer of boating safety by notifying a boat's captain or its passengers if someone has fallen overboard. 1st Mate also serves as an effective deterrent to boat-and-engine theft. This Single Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the red wristband and carabiner clip wearables).

Single engine use on Mercury SmartCraft engine applications. Visit www.1stMate.net to get all the latest details.

1ST MATE SAFETY & SECURITY SYSTEM - MERCURY SMARTCRAFT DUAL ENGINE KIT



98-**8M6007934**

This Dual Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the red wristband and carabiner clip wearables).

Dual engine use on Mercury SmartCraft engine applications. Visit www.1stMate.net to get all the latest details.

1ST MATE SAFETY & SECURITY SYSTEM - MERCURY SMARTCRAFT TRIPLE ENGINE KIT



98-**8M6007937**

Triple Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the red wristband and carabiner clip wearables).

Triple engine use on Mercury SmartCraft engine applications. Visit www.1stMate.net to get all the latest details.

1ST MATE SAFETY & SECURITY SYSTEM - MERCURY SMARTCRAFT 4/5/6 ENGINE KIT



98-**8M6007938**

This kit works with Mercury SmartCraft Engines (4 to 6 engines only) and includes the vessel hub, harness & captain fob, an adjustable wristband and carabiner clip. The passenger fobs and wearables are sold separately.

4/5/6 engines on Mercury SmartCraft engine applications. Visit www.1stMate.net to get all the latest details.

1ST MATE CAPTAIN'S WEARABLE FOB KIT



98-**8M6007943**

1st Mate Safety & Security System - Captain's wearable fob kit contains the Captain's fob along with the red wristband and carabiner clip wearables for retaining the fob.

For use with any 1st Mate Safety & Security System. Only 1 Captain's fob and up to 7 additional passenger fobs can be in use simultaneously. However, up to 3 Captain's fobs can be paired to a vessel.

1ST MATE PASSENGER'S WEARABLE FOB KIT



98-**8M6007944**

1st Mate Safety & Security System - Passenger's wearable fob kit contains the Passenger's fob along with the black wristband and carabiner clip wearables for retaining the fob.

For use with any 1st Mate Safety & Security System. Up to 7 additional passenger fobs can be in use simultaneously on one vessel.

CONTROL MODULE THEFT - MERCURY TDS



8M0056987

Control Module that communicates information as part of the Mercury TDS (Theft Deterrent System) Service replacement part

Used in kit 8M0057383 See Kit for applications

FOB -MERCURY TDS (THETFT DETERRENT SYSTEM)



8M0056988

Fob replacement kit to activateTheft Deterrent System as part of the Mercury TDS (Theft Deterrent System) Service replacement part

Used in kit 8M0057383 See Kit for applications

DOCKING STATION - THEFT - MERCURY TDS



8M0056994

Docking station that communicates information as part of the Mercury TDS (Theft Deterrent System) Service replacement part

Used in kit 8M0057383 See Kit for applications

WIRING HARNESS - THEFT - MERCURY TDS



84-**8M0056993**

Service replacement part.
Main harness that connects docking station and module as part of the Mercury TDS (Theft Deterrent System)

Used in kit 8M0057383 See Kit for applications

BEZEL



8M0204914

Chrome - fits small 2-1/8 in. (52 mm) O.D. SC100 System Link gauges. Priced individually, sold @ multiples of 2.

IRIDIUM SATELLITE ANTENNA



8M0059430

Iridium Satellite antenna used in the Mercury TDS - Premium security system.

Mercury TDS - Premium Kits

POWER HARNESS



84-**8M0059434**

Power cord used in the Mercury TDS - Premium security system.

Mercury TDS - Premium Kits

OUTBOARD NUT LOCK TRANSOM - SCM CERTIFIED



11-**8M0162394**

SCM certified High Strength Outboard Motor Lock for added security that fits most turnbuckle design bolts. This kit features anti drill protection from the hardened case, polished Marine Grade steel, noise dampening to reduce rattle and 2 security keys that can not be duplicated.

For outboards that use the turnbuckle (thumb screw) mounting bolts.

OUTBOARD TURNBUCKLE LOCK - SCM CERTIFIED



8M0162395

SCM+VbV certified High Strength Outboard Motor Lock for added security and protection for your
Outboard. Features 2 security keys that can not be duplicated, Anti-Drill hardened Marine Grade Steel to make it harder to saw or drill through, and will fit up to 1/2 inch (12 MM) engine bolts.

For outboards that use transom mounted bolts

OUTBOARD MOTOR LOCK - BASIC



67-**8M0054123**

Outboard Motor Lock for added security and protection for your Outboard. Features heavy carbon steel design, recessed solid brass lock and noise dampening to reduce rattle. Good security protection at a good value.

Outboards that use turnbuckle (thumb screw) mounting bolts

OUTBOARD MOTOR LOCK - HIGH SECURITY



67-**8M0054122**

High Strength Outboard Motor Lock for added security that fits most turnbuckle design bolts. This kit features anti-drill protection from the hardened case, polished 316 stainless steel, noise dampening to reduce rattle and 2 security keys that can not be duplicated.

Outboards that use the turnbuckle (thumb screw) mounting bolts.

OUTBOARD MOTOR LOCK - TRANSOM



67-**8M0054121**

High Strength Outboard Motor Lock for added security and protection for your Outboard. Features 2 security keys that can not be duplicated, anti-drill hardened material to make it harder to saw or drill thru and will fit up to 1/2 inch (12 MM) engine bolts.

Outboards that use transom mounted bolts

OUTBOARD MOTOR LOCK



67-**8M0126685**

SSF certified High Strength Outboard Motor Lock for added security that fits most turnbuckle design bolts. This kit features anti drill protection from the hardened case, polished
Marine Grade steel, noise dampening to reduce rattle and 2 security keys that can not be duplicated.

For outboards that use the turnbuckle (thumb screw) mounting bolts.

OUTBOARD MOTOR LOCK



67-**8M0126686**

SSF certified High Strength Outboard Motor Lock for added security and protection for your
Outboard. Features 2 security keys that can not be duplicated, Anti-Drill hardened Marine Grade Steel to make it harder to saw or drill thru and will fit up to 1/2 inch (12 MM)
engine bolts.

For outboards that use transom mounted bolts

OUTBOARD MOTOR LOCK



67-**8M0217518**

Outboard Transom spindle lock: SCM+CCV certified High Strength Outboard Motor Lock for added security and protection for your Outboard. Features 2 security keys that can not be duplicated, Anti-Drill hardened Marine Grade Steel to make it harder to drill through, anti-saw function.

Fits: Mercury® Avator™ 7.5e to 35e electric outboards, Mercury and Mariner® 2.5-6hp FourStroke outboards, Yamaha®, Suzuki®, Honda® and Tohatsu® 2.3-6hp 4-stroke outboards.

SAFETY SYSTEMS

WARNING HORN KIT



816492A 9

Kit includes the new style piezo horn used with 1986 and newer remote controls and wiring harnesses.

Fits 2000 and newer Mercury/Mariner V-6 outboards. Also fits MY2002 and newer 525-1200 Hp. Race Sterndrives.

LIGHT - DASH MOUNTED - CATALYST MALFUNCTION



8M0046481

Light will go on indicating that a malfunction has occurred with your catalyst on your engine. This means you will need to get your engine serviced soon. Works similar to your check Engine light in your truck or car (harness to be sold separately). Harness numbers for single helms: (8M0048049, 8M0048054, 8M0048055, 8M0048056, 8M0048057, 8M0048058, 8M0048059).

MerCruiser products that are equipped with a catalyst.

HARNESS - MALFUNCTION LIGHT



84-**8M0048049**

10 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048054**

15 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048055**

20 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048056**

25 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048057**

30 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

84-**8M0048058**

40 ft. harness to connect the OBDM malfunction light for single helm applications. All Mercruiser engines that have a catalyst

DUAL HELM HARNESS - MALFUNCTION LIGHT



84-**8M0048040**

10 ft. harness to connect the OBDM malfunction light for dual helm applications. All Mercruiser engines that have a catalyst

NON SMARTCRAFT MOVING PROP ALERT LIGHT SYSTEM - OVAL



8M0109508

Moving Prop (MP Alert) Alert Light system is a highly visible light system that provides additional notice to swimmers when the engine is running and the propeller is in motion. This kit is a two light kit that includes 2 smart lights with 6 LED lights, a control module (connected to the engine computer) and a 20 ft wiring harness (other lengths available). Also included is hardware needed to mount the lights. Additonal lights can be purchased to add to the system. (Oval Shape)

Analog Engine / Non Smartcraft (Single Engines Only)

MOVING PROP ALERT LIGHT SYSTEM - OVAL



8M0109507

Moving Prop (MP Alert) Alert Light system is a highly visible light system that provides additional notice to swimmers when the engine is running and the propeller is in motion. This kit is a two light kit that includes the smart lights with 6 LED lights each, a control module (connected to the engine computer) and a 20 ft. wiring harness (other lengths available). Also included is hardware needed to mount the light. Additional lights can be purchased to add to the system (Oval Shape).

Works with all SmartCraft compatible engines.

MP ALERT - ADD A LIGHT



8M0109505

This kit will allow you to add additional lights to the MP Alert kits. Each kit includes one light and a Y harness to allow you to easily add a third or forth light on the boat (Oval Shape).

Works with all SmartCraft compatible engines.

MP ALERT COWL KIT



8M0131810

Moving Prop (MP) Alert cowl kit includes MP alert component assembly (cowl mounted), 3-pin Deutsch connector, secondary lock, and necessary screws and nuts.

MP ALERT LIGHT



8M0109506

Service replacement light for the MP alert kit (Oval Shape).

MP ALERT - OVAL STAINLESS BEZEL



8M0072341

Stainless bezel to be used for any oval MP Alert light

Can be used on any of the new cowl-mounted oval MP Alert options for the 3.4L V6/4.6L V8 Fourstrokes

MP ALERT - OVAL WARM FUSION BEZEL



8M0138978

Warm Fusion bezel to be used for any oval MP Alert light

Should be used on warm fusion cowl-mounted oval MP Alert options for the 3.4L V6/4.6L V8 Fourstrokes

MP ALERT MODULE



8M0117114

Module used to control the lights on MP Alert.

Controller is used with MP Alert light system on SmartCraft applications. Also can turn on/off with SkyHook feature on Joystick applications.

MP ALERT - Y HARNESS



8M0053250

Y Harness for MP Alert to allow easy installation of third or forth light on the boat.

Works with any SmartCraft compatible engine.

HARNESS EXTENSION MP ALERT



84-**8M0054183**
Harness for connecting MP Alert light to front of boat - 10 ft

84-**8M0054185**
Harness for connecting MP Alert light to front of boat - 20 ft

84-**8M0054186**
Harness for connecting MP Alert light to front of boat - 30 ft

84-**8M0054187**
Harness for connecting MP Alert light to front of boat - 50 ft

TACHOMETER HARNESSES

TACHOMETER HARNESS



84- **69108A 5**
Four pin style. Used with 84-87364A__ series harnesses, 65640A__ series controls and 76334A__ series controls.

TACHOMETER HARNESS



84- **86396A 8**
Five pin style. 4 ft. (1.2 m). Used with Commander, Commander 2000 series & MSC 4000 (8 pin) series side mount controls and Ignition/Choke assemblies.

84- **86396A24**
Five pin style. 13 ft.(4 m). Used with Commander, Commander 2000 series & MSC 4000 series side mount controls and Ignition/Choke assemblies.

REMOTE CONTROL ADAPTER HARNESSES

ADAPTER RC - TMC ENGINE TO 8PIN MERCURY CONTROL



84-**892473A01**
Converts the traditional Mercury connector to an amp 8-pin connector. Converts side mount controls 881170A 3, 15, 16 and the 816626A_ series ignition keyswitch harness to connect to the MY2005 and newer 8/9.9 hp. FourStroke outboard.
MY2005 and newer 8/9.9 hp. FourStroke outboard and the 15/20 hp. FourStroke (351cc) outboard when an 8-pin side mount control or key switch harness is used.

REMOTE CONTROL/IGNITION CHOKE EXTENSION HARNESSES

Fits Mercury / Mariner 6 HP and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 HP with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards and Force 40 HP and Higher (1993 and Newer). Various applications include 7, 8, and 10 pin harnesses and 12 wire (8 pin plus 4 bullet connectors) used on side mount controls and ignition/choke assemblies.

EXTENSION HARNESS



84- **17829A 2**
2 ft. (0.6 m) harness, 8 lead harness.
Used as harness extension or to complete two station installations.

84- **17829A10**
10 ft. (3.05 m) harness, 8 lead harness.

84- **17829A20**
20 ft. (6.1 m) harness, 8 lead harness.
Used as harness extension or to complete two station installations.

TWO STATION Y-HARNESSES

For boats with two station applications.

TWO STATION "Y" HARNESS



84- **91942A 4**

Used with Instrument Harness (84-812475A3 or 84-812476A 3) and Instrument Extension Harness (84-812441A__ series or 84-812835A__ series). Includes two station sending units.

Fits 1986 and newer MCM/MIE gasoline engines and 1994 and newer MCM/MIE diesel engines (except D-Tronic D2.8L,D4.2L and D7.3L diesels).

DUAL STATION SENDERS

Replaces factory installed sender on engine. For use with dual station instrumentation.

ENGINE OIL PRESSURE SENDER



37293T

Fits MCM/MIE gasoline engines

TWO STATION START/STOP PANELS

Mounts in a 3-3/8 inch (86 mm) hole.

TWO STATION START/STOP PANEL




8M0078892

3 ft. (910 mm) harness connects in place of ignition switch.

Used on Outboard installations that have Mechanical Non DTS requirements for Remote Start/Stop. Uses 6 Pin connection and services second station installations.

TRIM SWITCHES

FLUSH MOUNT TRIM PAD SINGLE



87-**879303A01**

Kit contains all necessary components for mounting flush single trim pad. Includes single trim button/keypad assembly, gasket, flush mount start white, black, and chrome bezels.

TRIM PAD - DTS DUAL ENGINES



87-**879303A02**

Low profile mount trim pad for dual engine applications

Gen1 (2007 and newer) DTS Dual engines

TRIM PAD - DTS TRIPLE ENGINES



87-**879303A03**

Low profile mount trim pad for triple engine applications.

Gen I (2007 and newer) DTS triple engines

TRIM PAD - DTS QUAD ENGINES



87-**879303A04**

Low profile mount trim pad for quad engine applications

Gen I (2007 and newer) DTS Quad engines

BEZEL



879315T07

Black

Trim switch, triple/quad.

AUXILIARY TRIM HARNESS




84-**895388T02**

Allows connection of trim wires for use of a helm trim lever or secondary trim device.

2004 and newer DTS engines with panel mount remote control

FUSED BOW TRIM HARNESS



84-**8M0169503**

Fuse adapter only.

V6/V8 DTS engine must have L6SC fuse. V6/V8 Mech is optional.

BOW TRIM HARNESS



84-**8M0169506**

Allows connection of trim wires for use of a bow mounted trim button. Harness runs from bow trim switch to engine cowl trim switch.

2004 and newer DTS engines

HARNESS-AUXILIARY DASH SWITCH- DUALS



84-**866704T01**

This harness allows the connection to a auxiliary trim switch. Mounts between the 8 pin trim connector and the command module harness. No diode trim all.

DTS engines

TRIM ALL ADAPTER HARNESS



84-**8M0094269**

Harness allows for use of "trim all" switch on dual console ERCs when retrofitting with previous generation helm harnessing. Can also be used for SF2 dual ZE LCM between pad and handle.

Should only be used in a repower situation where "trim all" handle switch in dual ERC does not match up with existing DTS helm harnessing

TRIM ALL - HARNESS ADAPTER



84-**8M0163379**

Trim all harness adapter

4 POSITION TRIM SWITCH ADAPTER



84-**896394T01**

Used with all dash mounted triple and quad trim switches to adapt to Zero Effort Controls. Triple/Quad engines.

2006 / 2007 (Gen II) DTS engines

TRIM ADAPTER - PADDLE / BLINKER TRIM - ZE



84-**8M0163378**

Paddle trim harness adapter

TRIM ADAPTER - PADDLE / BLINKER TRIM - STD



84-**8M0165559**

Console/panel paddle trim breakout. For single engines, includes key. Trim only on 10-15hp.

TRIM ADAPTER (8-PIN TO 3-PIN)



84-**8M0163380**

Trim adapter harness, 8-pin to 3-pin

TRIPLE ENGINE TRIM HARNESS KIT-DTS



84-**895744A02**

Allows connection of multiple DTS engines to trim switches (triple engine with Zero Effort Controls-included in kit).

QUAD ENGINE TRIM HARNESS KIT-DTS



84-**895744A04**

Allows connection of multiple DTS engines to trim switches (Quad engines with Zero Effort Controls-included in kit).

ZERO EFFORT TRIM ADAPTER HARNESS



84-**8M0109408**

Included in Race Rigging Kits.

Required for any newer style Zero Effort control with 8 pin Trim All connector. Harness is 8 pin Zero Effort to bullet connectors

DUAL ENGINE ZERO EFFORT 8 PIN TRIM ALL HARNESS



84-**8M0047784**

Harness that provides individual bullet drops for rocker switches from the 8 pin Trim All connector on the newer Zero Effort remote controls. Individual dash trim rockers with dash trim all

Connects a dual engine Zero Effort control with the newer 8 pin Trim All connector to individual rocker switches via bullets

DIODE KIT - DUAL DOWN



812497T03

Prevents feedback in the down trim circuits between multiple engines. Also need to order Diode Kit 812497A 4.

Required and only used on boats with "dual" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT - DUAL UP



812497A 4

Prevents feedback in the up trim circuits between multiple engines. Also need to order Diode Kit 812497A 3. Blue Trim UP, Dual Diode, 1 Bullet In - 4 Bullet Out

Required and only used on boats with "dual" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT - QUAD DOWN



812497A 5

Prevents feedback in the down trim circuits between multiple engines. Also need to order Diode Kit 812497A 6. Green Trim Down , Quad Diode, 1 Bullet In - 6 Bullet Out

Required and only used on boats with "triple" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT - QUAD UP



812497A 6

Prevents feedback in the up trim circuits between multiple engines. Also need to order Diode Kit 812497A 5. Blue Trim Up , Quad Diode, 1 Bullet In - 6 Bullet Out

Required and only used on boats with "triple" engines when updating zero effort control levers without trim switches to levers with trim switches.

HARNESS EXTENSION- TRIPLE/QUAD/5/6 ENGINE



84-**8M0158127**

48" extension with dash, ERC pad, and Y harness.

Used with ZE and 5/6 engine dash trim pads

TRIM LIMIT KITS

Trim limit kits available to adjust trim up limits.

TRIM LIMIT SWITCH KIT



899625K02

Limits the up travel of the power trim to minimize potential interferences when fully tilted. This is an analog device.

Fits the Mercury/Mariner Opti Max 1.5L (75-115), 2.5L (135,150,175 and 3.0L (200-300) Can also be used in 75-115hp 1.7L 4-stroke engines (Serial number 1B366823-2B094955.)

TRIM LIMIT DIGITAL 75-115HP FOURSTROKE



899625K04

Trim Limit Digital 75-115hp 4-stroke. Limit only when using Digital Sender. Limits the up travel of the power trim to minimize potential interferences when fully tilted. This is a digital device.

Fits the Mercury/Mariner Opti Max 1.5L (75-115), 2.5L (135,150,1750 and 3.0L (200-250) Can also be used in 75-115 4 stroke engines (Serial number 1B366823 and above. (ref 14 Pin Harness)

TRIM LIMIT SWITCH KIT



899625K08

Limits the up travel of the power trim to minimize potential interferences when fully tilted.

Fits the Mercury/Mariner 40-60 4 Stroke outboard

ANALOG TO DIGITAL TRIM CONVERTER W/ LIMIT - 75-115HP FOURSTROKE



8M0118725

This kit allows the conversion of the trim signal from the analog sender to a digital output for SmartCraft gauge applications. The kit also has an additional feature that allows the max tilt up position to be set to avoid interference when tilting the engine completely up.

2.1L F75-115 Four Stroke

TRIM LIMIT SWITCH KIT



8M0059532

Limits the up travel of the power trim to minimize potential interferences when fully tilted. This is a digital device.

Fits the 150 HP 4 Stroke only

POWER TRIM SWITCH KIT



87- **18286A46**

Rocker switch style with 25 ft. (7.62 m) harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location.

Fits Mercury/Mariner 75-115 hp. FourStroke outboards beginning with serial number 1B366823-2B094955.

TRANSOM MOUNTED POWER TILT PANEL

TRANSOM MOUNTED POWER TILT PANEL



87-**815200A 1**

Rocker switch style with 6 ft. (1.8 m) harness and bullet connectors. Provides tilt control from the outside of the boat when trailering and launching. "T" harness (included in kit) connects directly to trim pump with traditional 3 blade connector.

Fits MCM models with power trim having the traditional 3 blade connector.

TRANSOM MOUNTED POWER TILT PANEL



87-**815200A02**

Rocker switch style with 6 ft. (1.8 m) harness and bullet connectors. Provides tilt control from the outside of the boat when trailering and launching. "T" harness (included in kit) connects directly to trim pump with 3 pin Packard connector.

Fits MCM models with newer power trim having the 3 pin Packard connector.

OUTBOARD POWER TRIM SWITCH KITS

POWER TRIM SWITCH KIT



87- **14645A 4**

Toggle switch style. Tiller handle mounted.

Fits Mercury/Mariner 40 JET and 50/60 HP outboards and operates the power trim kit added to a base ELHO model engine. See Tiller application chart for specific engine models.

POWER TRIM SWITCH KIT



87- **18286A17**

Rocker switch style with 10 ft. (3.05 m) harness and 3 blade connector. Installation requires power trim "Y" harness (58366A 2). Provides tilt control from the bow or transom location.

Fits Mercury/Mariner models equipped with remote mounted trim pump.

POWER TRIM SWITCH KIT



87- **18286A18**

Rocker style switch with 10 ft. harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location.

Fits Mercury/Mariner models equipped with integral trim pump.

POWER TRIM SWITCH KIT



87- **18286A46**

Rocker style switch with 25 ft. (7.62 m) harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location.

Fits Mercury/Mariner 75-115 hp. FourStroke outboards beginning with serial number 1B366823-2B094955.

POWER TRIM SWITCH KIT



87- **18286A19**

Rocker switch style with 25 ft.(7.62 m) harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location.

Fits Mercury/Mariner models equipped with integral trim pump.

POWER TRIM SWITCH KIT



87- **18286A47**

Rocker switch style with 10 ft. (3.0 m) harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location.

Fits Mercury/Mariner 75-115 hp. FourStroke outboards beginning with serial number 1B366823-2B094955.

TRIM LIMIT SWITCH KIT



87-**814407A 3**

Kit includes a mercury switch to limit power trim travel and a new, shorter tilt bracket.

Fits all Mercury/Mariner V-6 outboard applications which use engine mounted power trim solenoids.

TRIM SWITCH Y-HARNESS



84-**889295T**

Allows for tee-in of bow power trim switch with remote controls.

Fits the F75-90-115 hp. FourStroke outboard, 1B366823 and above.

TROLL CONTROL

TROLL CONTROL- DASH MOUNTED- J BOX SMARTCRAFT INSTALLATIONS



87-**8M0083438**

Troll Control will allow you to have the same functions that you get from the SmartCraft Digital gauges and adjust the speed of the boat. By pushing the button up or down, you can feather your speed every 10 RPM. Go from idle to 1000 RPM or anywhere in between (some engines can actually go lower than idle (75-115 4 stroke(Walleye), 135-200 HP Verado 4 cylinder and 3.0L Optimax). RPM will reset to idle when more than 2-3% movement occurs at the throttle (TPS).

Includes Troll Control button pad. For Mechanical use only. Not compatible with DTS applications.

TROLL CONTROL WITH Y HARNESS- DASH MOUNTED- ANALOG

87-**8M0083439**

Troll Control will allow you to have the same functions that you get from the SmartCraft digital gauges and adjust the speed of the boat. By pushing the button up or down, you can feather your speed every 10 RPM. Go from idle to 1000 RPM or anywhere in between (some engines can actually go lower than idle (75-115 4 stroke (Walleye), 135-200 HP Verado 4 cylinder and 3.0L Optimax). This kit will be used in analog gauge installations. RPM will reset to idle when more than 2-3% movement occurs at the throttle (TPS).

"Y" harness included in kit to connect to main engine harness. For Mechanical use only. Not compatible with DTS applications.

TROLL CONTROL Y HARNESS



84-**8M0042976**

Y harness allows you to connect directly to main engine harness and the Troll Control kit without using a "J" box. Mechanical 14pin CANP breakout harness only. Not compatible with Next Gen DTS or any other CANH system.

Used with Troll Control Kit 879365K08 (879365A08).

TROLL CONTROL TILLER PAD ACCESSORY



87-**8M0083437**

Included with all Big Tillers for 150-300hp. RPM adjustment at your fingertips. This kit can be added to the Big Tiller Mechanical without P/S as an option.

Y Harness not included. Mechanical use only. Not compatible with DTS applications.

POWER TRIM EXTENSION HARNESSES

Plugs into remote control or trim panel with 3 blade connectors.

POWER TRIM EXTENSION HARNESS



46838A 4

10 ft.(3.05 m) harness and 3 blade connectors.

Fits Mercury/Mariner and MCM models with power trim.

46838A 6

20 ft.(6.1 m) harness and 3 blade connectors. Note: Use with dual solenoid trim pump only.

Fits Mercury/Mariner and MCM models with power trim.

POWER TRIM EXTENSION HARNESS



84-**881125A 1**

24 ft. (4.88 m) harness. This harness connects the remote control 4 pin Molex connector to the traditional 3 blade Mercury pump trim pump connector.

MCM/MIE

POWER TRIM EXTENSION HARNESS



84-**865772T01**

16 ft.(4.88 m) harness.
This harness connects the remote control 4 pin Molex connector to the newer design 3 pin Packard pump trim pump connector.

MCM/MIE

HARNESS CONTROL PUMP ASSEMBLY



84-**865772T02**

24 ft. (4.88 m) harness control pump assembly. This harness connects the remote control 4 pin Molex connector to the newer design 3 pin Packard pump trim pump connector.

MCM/MIE

POWER TRIM EXTENSION HOSE/HARNESS KIT

POWER TRIM EXTENSION HOSE/HARNESS KIT



32-**865384A01**

Includes a 6 ft (1.8m) harness and 4 ft (1.2m) hoses

Fits 1983 and newer MCM models

POWER TRIM ADAPTER HARNESSES

POWER TRIM ADAPTER HARNESS



84-**865770A02**

12 in.(305 mm) harness.

To convert older P/T pump with 3 blade connector to newer remote control harness with 3 pin Packard connector.

POWER TRIM ADAPTER HARNESS



84-**865771A02**

12 in.(305 mm) harness.

To convert newer P/T pump with 3 pin Packard connector to older remote control harness with 3 blade connector.

POWER TRIM POWER SUPPLY CABLE

Recommend by the ABYC for use with MerCruiser power trim pumps installed in boats with batteries (or battery banks) rated more than 800 CCA or with a battery switch.

POWER TRIM CABLE ASSEMBLY



84-**889282A02**

183 cm (72 inches), fused and sheathed.

BATTERY BAR - MULTIPLE CONNECTOR

BATTERY MULTIPLE CONDUCTOR KIT (WITH COVERS)



898289Q45

New Battery Bus Bar Kit allows multiple connection points that result in clean and direct connections for various electrical power needs. This will eliminate stacking of ring terminals and reduce corrosion and loose connections resulting in poor or faulty electrical connections. Kit includes a 3/8 inch and a 5/16 inch mounting plate made of brass with all the fasteners needed for multiple connections. This kit also includes a positive (red) and negative (black) cover that snaps to the plate and provides protection to the battery connections (ABYC compliant).

Any 12 volt battery that has a 3/8 inch and 5/16 inch mounting stud.

BATTERY MULTIPLE CONDUCTOR KIT (NO COVERS)



898289T47

New Battery Bus Bar Kit allows multiple connection points that result in clean and direct connections for various electrical power needs. This will eliminate stacking of ring terminals and reduce corrosion and loose connections resulting in poor or faulty electrical connections. Kit includes a 3/8 inch and a 5/16 inch mounting plate made of brass with all the fasteners needed for multiple connections. This kit does not include plastic snap on covers (ABYC compliant).

Any 12 Volt battery with 3/8 inch and 5/16 inch studs.

BATTERY COVER - RED/POSITIVE



898289045

Positive (Red) snap on cover used with battery bus bar kits.

Any 12 volt battery that uses the new Bus Bar Kit

BATTERY COVER - BLACK/NEGATIVE



898289046

Negative (Black) snap on cover used with battery bus bar kits.

Any 12 volt battery that uses the new Bus Bar Kit

BATTERY PLATE - 3/8 INCH (WITH FASTENERS)



898289A71

Multiple conductor battery plate 3/8 inch (with fasteners). Clean up your battery solutions with direct isolated connections.

BATTERY PLATE - 5/16 INCH (WITH FASTENERS)

898289A48

Multiple conductor battery plate with fasteners (no covers). Clean up your battery solutions with direct isolated connections.

BATTERY ISOLATORS

Multi-battery drain occurs when there are two or more batteries in a charging system. Without a battery isolator, accessories attached to one battery will draw power from all other batteries in the circuit, leaving them seriously rundown, or even dead. The Quicksilver Battery Isolator is an electric current controlling device which isolates each battery in the circuit. Each battery then discharges and charges accordingly. Never does the load on one battery drain power from other batteries in the system.

BATTERY ISOLATOR - 80 AMP




87-**8M6005583**

80 amp battery isolator. Ensure battery cables meet ABYC/CFR regulations.

All MerCruiser and Outboard engines.

DUAL BATTERY ISOLATOR



87-**8M0240486**

70-amp, dual battery

BATTERY ISOLATOR HARNESS KIT



84-**8M0094239**

Allows the connection of any battery isolator to Mercury/Mariner outboard. Kit includes a 10 gauge red cable (8 ft.[2.44 m] length) that connects from the regulator output terminal to the battery isolator input terminal.

Fits Mercury/Mariner 50-125 hp. (2000 & prior) with high output (16 amp.) alternator and V-6 models (1999 & prior) equipped with 40 amp. alternator or dual 20-amp alternator systems and fits the F75-115 hp. (2.1L) FourStroke and the F150 EFI FourStroke outboard. Connections from battery isolator to the batteries are not included.

BATTERY ISOLATOR STARTER CABLE



84-**8M0045743**

Required in addition to the standard Battery Isolator Harness Kit.
Only required with the F75-115 FourStroke outboard 1B366823-2B094995.

ELECTRICAL ISOLATOR KIT- DUAL OPTI AND 150 FOURSTROKE



8M0134605

Used to add Power steering option to Dual OptiMax or 150 FourStroke engines (only when using EHPS power hydraulic steering dual engine).
Dual OptiMax or 150 FourStroke Engines

ELECTRICAL HARDWARE

ELECTRICAL HARDWARE KIT



86-**813937A 2**

Contains a broad selection of the electrical connectors used on Mercury/Mariner/ Force and MerCruiser products.

BULLET TERMINAL RECEPTACLE



86-**813936T**

.18 in. (5 mm) diameter.
Priced & packaged in qty. of 20

BULLET TERMINAL RECEPTACLE



86- **87223T**

.156 in. (4 mm) diameter, two wire.
Priced & packaged in qty. of 20

BULLET TERMINAL RECEPTACLE



86-**814433T**

.156 in. (4 mm) diameter.
Priced & packaged in qty. of 20

BULLET TERMINAL



86-**814434T**

.156 in. (4 mm) diameter.
Priced & packaged in qty. of 20

BULLET TERMINAL



86-**813937T**

.18 in. (5 mm) diameter.
Priced & packaged in qty. of 20

RING TERMINAL



86- **60878T**
#10
Priced & packaged in qty. of 20

RING TERMINAL



86- **98199T**
#10 Self Locking
Priced & packaged in qty. of 20

RING TERMINAL



86- **60602T**
.25 in. (6 mm) diameter.
Priced & packaged in qty. of 20

BULLET TERMINAL RECEPTACLE INSULATOR



85-**8M0214913**
.156 in. (4 mm) diameter.
Priced individually, sold @ multiples of 20

INSULATOR FEMALE BULLET



85-**8M0214914**
.156 in. (4 mm) diameter, one wire.
Priced individually, sold @ multiples of 20

CABLE BOOT



85-**8M0204731**
Insulator cable boot, red.

BULLET TERMINAL RECEPTACLE INSULATOR



85- **17200**
.156 in. (4 mm) diameter, two wire.
Priced individually, sold @ multiples of 20

HEAT SHRINK TUBING



57908 11
.25 in. (6 mm) diameter x 10 inches long. Heat Shrink Tubing.

SPLICE CLIP KIT



86- **60831T**

Splice clip

Priced & packaged in qty. of 20

QUICKSILVER FUNNEL ENTRY VINYL TERMINALS

FEMALE TAB DISCONNECT



67-**851766**

16-14 gauge, .250 in.

Priced & packaged in qty. of 25

MALE NYLON COUPLER



67-**851773**

.250 inch, 16-14 gauge.

Priced & packaged in qty. of 50

CABLE TIES

CABLE TIES



56762

Standard small zip tie, 4"x0.09" (narrow)

Priced individually, sold @ multiples of 5

TIE STRAP



8M0214940

5-1/2 inches (140 mm) long, 0.14 inches wide, black color, 1/16 inch to 1-1/4 inch (1.6-32 mm) bundle diameter.

Priced individually, sold @ multiples of 100

TIE STRAP



69356

Tie strap, 8"x 0.14"

CABLE TIE



54-**816311T**

8 inches (203 mm) long, 0.18 inches wide, black color, 3/8 inch to 1-3/4 inch (9.5-44 mm) bundle diameter, 60 lbs. (27 kg) minimum loop tensile strength.

Priced individually, sold @ multiples of 100

CABLE TIE CLIP



54-**899145**

8"x 0.2" tie with push-in 0.25"-0.27" hole.

STANDARD CABLE TIE



54-**8M0064023**

Standard 11 inch (280 mm) long, 0.177 inches wide, black color, 1/16 inch -3 inches (1.6-76 mm) bundle diameter, 50 lbs. (23 kg) minimum loop tensile strength, 1000 pieces/bag.

Priced individually, sold @ multiples of 100

CABLE TIE




54-**8M0064024**

Nylon. White, 5.62" x 0.10" (T18I9C2) or Black, 6.1" x 0.10" (62-N011).

Sold in quantities of 100

CABLE TIE ANCHOR



822434

Anchor - Cable Tie @each (Dennison #10028) 0.75" long hole 0.200 (up to #10 screw). Cable ties up to 0.190" wide x 0.08" thick.

TOOLS

14 PIN DEPINNING TOOL



91-896352A01

Used to remove pins on 14 pin DTS and non-DTS harnesses.

DATA CABLE PULLER



888462A 1

Attaches to end of data harness to aid in pulling harness through boat. Prevents damage to data harness.

14 PIN MALE WEATHER CAP



8M0126959

Heavy Duty 14 pin Male Weather Cap.

Reusable weather cap used to protect the integrity of the 14 pin data cable when connections are not able to be immediately made.

14 PIN FEMALE WEATHER CAP



8M0126960

Heavy Duty 14 pin Female Weather Cap.

Reusable weather cap used to protect the integrity of the 14 pin data cable when connections are not able to be immediately made.

STEERING

STEERING WHEELS

STEERING WHEEL



67-**829140A01**

Legend Steering Wheel with soft grip and wheel center. This product is a four-spoke wheel design.

Wheel Diameter: 13-1/2 inch
Dish: 3-7/8 inch

STEERING WHEEL-V60 BLACK



67-**892762A05**

This wheel is a great value with soft grip and great looks. This Steering Wheel is a three-spoke design with a black grip and black spokes. Thermoplastic anti-shock material. Meets with EN 28848 and ABYC P22 standards (includes hub).

13.8 inch (350 mm) wheel diameter • Standard .75 inch (19 mm) taper

STEERING WHEEL-CORSE B/S



67-**892762A01**

This wheel is a great value with soft grip and great looks. This Steering Wheel is a three-spoke design with a soft black grip and silver spokes. Meets with EN 28848 and ABYC P22 standards (includes hub).

13.8 inch (350 mm) wheel diameter • Standard .75 inch (19 mm) taper

STEERING WHEEL- NISIDA B/B



67-**892762A02**

This wheel is a great value with polyurethane grip and great looks. This Steering Wheel is a three-spoke design with a black leather look soft grip and black spokes. Meets with EN 28848 and ABYC P22 standards (includes hub).

Wheel Diameter: 13.8 inch (350 mm). Standard 3/4 inch taper.

STEERING WHEEL - GRIMANI SS/CP



8M0121295

This wheel is a great value with comfortable grip and updated, sporty styling. Silver spokes, black grip, and silver inserts.

Standard taper.

STEERING WHEEL - GRIMANI BRS/CP



8M0121296

This wheel is a great value with comfortable grip and updated, sporty styling. Silver spokes, black grip, and burl wood inserts.

Standard taper.

STEERING WHEEL - GRIMANI CT/CP



8M0121297

This wheel is a great value with comfortable grip and updated, sporty styling. Silver spokes, black grip, and brown-bronze inserts.

Standard taper.

STEERING WHEEL - LOREDAN SS/CP



8M0121300

This wheel is a great value with comfortable grip and updated, sporty styling. Silver spokes, black grip, and chrome inserts.

Standard taper.

TILLER HANDLE STEERING-40-300HP TILLER

Mercury offers an industry-leading portfolio of tillers for outboards. For 40-115HP, a new optimally-sized, feature-rich, and fully adjustable tiller was recently introduced. It also provides Troll Control as a standard feature and a new industry-first heated grip is available as well. The Big Tiller is an ideal pairing from 150HP, now all the way up to 300HP FourStrokes.

TILLER CONVERSION KIT - STD TO MID 40-60HP FOURSTROKE



98-**8M0159447**

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates.

This is a conversion kit that allows installation of this tiller on a current tiller handle model ELHPT "standard tiller" 40 - 60 HP FourStroke with generation change S/N 1C050252 and above. T/S cables are included.

TILLER CONVERSION KIT - RC/BIG TO MID 40-60HP FOURSTROKE

98-**8M0159449**

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates. T/S cables are included.

40-60 HP FourStroke used with ELPT generation change S/N 1C050252 and above, currently outfitted with no tiller or Big Tiller.

TILLER CONVERSION KIT - RC/BIG TO MID 35-40HP FOURSTROKE JET

98-**8M0159451**

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates. T/S cables are included.

35-40HP Jet FourStroke models that are currently outfitted with no tiller or Big Tiller.

TILLER CONVERSION KIT - RC/BIG TO MID 75-115HP 4-STROKE (2.1L)

98-**8M0159456**

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates. T/S cables are included.

75-115HP FourStroke, currently outfitted with no tiller or Big Tiller.

TILLER CONVERSION KIT - RC/BIG TO MID 60-80 HP FOURSTROKE (2.1L) JET

98-**8M0159458**

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates. T/S cables are included.

65-80HP Jet FourStroke, currently outfitted with no tiller or Big Tiller.

TILLER CONVERSION KIT - RC/BIG TO MID 40-60HP FOURSTOKE SEAPRO



98-**8M0159453**

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates. T/S cables are included.

40-60 HP Sea Pro FourStroke currently outfitted with no tiller or Big Tiller.

TILLER CONVERSION KIT - RC/BIG TO MID 75-115HP 4-STROKE (2.1L) SEAPRO

98-**8M0159460**

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates. T/S cables are included.

75-115HP Sea Pro FourStroke, currently outfitted with no tiller or Big Tiller.

MID TILLER HEATED GRIP KIT



8M0158400

Optional heated grip offers three levels of heat for cold-weather operation. Anglers can warm their hands after handling their catch, and electronic features prevent excessive battery drain. Includes grip and module. Compatible with all 35-115HP Tiller models.

BIG TILLER KIT - 175-300HP 4-STROKE MECH V6/V8 (W/ TROLL & LED)



98-**8M0151561**

The Big Tiller is designed for optimal performance and ergonomic comfort. With 175-300 HP, improved friction adjustments, a hydraulic locking feature to eliminate torque, easy access to the throttle shift handle and a trim button at the end of the handle, the Big Tiller provides safe and effortless operation. The RPM Adjustment switch (Troll Control) is included as standard equipment on this model. This model uses the latest steering pump technology, the Gen C. The LED light switch is available as an option on this model. Contains OB stabilizer clips, 10ft. 3 pin signal and LSO, troll control, and light. Must purchase GenC pump power harness and T/S separately.

Power steering is required on all tiller-operated outboards at 150hp and above.

BIG TILLER KIT - 175-300HP 4-STROKE DTS V6/V8 (W/ TROLL & LED)



98-**8M0151560**

The Big Tiller is designed for optimal performance and ergonomic comfort. With improved friction adjustments, a hydraulic locking feature to eliminate torque, easy access to the throttle and shift handle and a trim button at the end of the handle, the Big Tiller provides safe and effortless operation. This model features the latest steering pump technology, the Gen C. The RPM Adjustment (Troll Control) and LED light switch are standard on this model.

Power steering is required on all tiller-operated outboards at 150hp and above.

BIG TILLER KIT - 150HP 4-STROKE 3.0L (W/ TROLL)



98-**8M0151564**

The Big Tiller is designed for optimal performance and ergonomic comfort. With 150 HP, improved friction adjustments, a hydraulic locking feature eliminating torque, easy access to the throttle and shift handle and a trim button at the end of the handle the Big Tiller provides safe and effortless operation. The RPM adjustment switch (Troll Control) is included as standard equipment on this model. The LED light switch is available as an option on this model. Contains OB stabilizer clips, 10 ft. 3pin signal and LSO. Must purchase GenC pump power harness and S/T separately.

Power steering is required on all tiller-operated outboards at 150hp and above.

CABLE KIT T/S MID TILLER - 75-115HP 4-STROKE (2.1L)



8M0143358

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.


The kit is designed to work with the 35 and 40HP Jet FourStroke engines with Big Tiller.

8M0083500

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 2.1L 75-115 HP FourStroke engines. (Upgrade with no spacer Ref Tiller Arm 8M0093581).

THROTTLE AND SHIFT KIT- BIG TILLER 150HP 4-STROKE 3.0L



8M0082355

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 3.0L 150 HP FourStroke engines.

THROTTLE AND SHIFT KIT - BIG TILLER 175-300 HP 4-STROKE V6/V8



8M0141907

The kit includes 2 - T/S cables. These cables are designed to provide the best in class installation for this engine family.

This kit is intended to be paired with the mechanical Big Tiller on the 3.4L (V6) and 4.6L (V8) FourStrokes up to 300hp.

TROLL CONTROL TILLER PAD ACCESSORY



87-**8M0083437**

Included with all Big Tillers for 150-300hp. RPM adjustment at your fingertips. This kit can be added to the Big Tiller Mechanical without P/S as an option.

Y Harness not included. Mechanical use only. Not compatible with DTS applications.

LED LIGHT TILLER ACCESSORY



87-**897978T02**

Included with Big Tiller 175-300hp. Optional for 150 4-Stroke. Allows for easy installation on the new Big Tiller. Light up your boat with a soft Amber light to make night fishing or early morning fishing more flexible.

OUTBOARD STABILIZER CLIPS- TRAILERING



64-**891762A04**

Helps keep engine centered during trailering. Safety orange durable plastic material.

Fits most cylinder rods on engines manufactured in 1997 and newer. Snaps over outboard's hydraulic steering cylinder rods.

POWER STEERING - TRIPLE

HELM HEAVY DUTY - 40CC P/S TILT DUAL STATION



8M0137456

Power Steering dual helm with a tilt position mount. Includes cover, bracket and mounting hardware (40 CM3). Needs 32-892825___ hose to attach pressure lines (available in 8 ft. to 25 ft. lengths). Use as primary station when using dual helms or stations. Use standard helm as the secondary station. Requires tilt mechanism to be ordered separately.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

POWER STEERING COMPONENTS

HELM HEAVY DUTY - 40CC P/S



8M0240080

Power Steering helm with a fixed position mount. Includes cover, bracket and mounting hardware (40 CM3). 4.1 turns lock to lock with one cylinder.

Multiple Engine 150 4-strokes and single/multi engines 175hp to 500R. Dual engine 150hp.

HELM HEAVY DUTY - 40CC P/S TILT



8M0137447

Power Steering Helm 40 CM3 Tilt. Includes all brackets and hardware needed to install helm. Provides 4.1 turns lock to lock with one cylinder.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI.

HELM HEAVY DUTY - 50CC P/S



8M0240081

Power Steering helm with a fixed position mount. Includes cover, bracket and mounting hardware (50 CM3). Use with dual cylinder applications such as triple/quad engine installations (6.5 turns lock to lock with two cylinders).

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6-cylinder, 350 SCI.

HELM HEAVY DUTY - 50CC P/S TILT




8M0137451

Power Steering Helm 50 CM3 Tilt. Includes all brackets and hardware needed to install helm. Provides 6.5 turns lock-to-lock with two cylinders. Recommended for triple and quad engine installations.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI.

HELM HEAVY DUTY - 80CC P/S




8M0162224

Power Steering helm with a fixed position mount. Includes cover, bracket and mounting hardware (80 CM3).

Multiple Engine or high steering load applications, 300-450HP. Intended for use only when paired with the Gen C HD pump.

HELM HEAVY DUTY - 80CC P/S TILT



8M0162225

Power Steering Helm 80 CM3 Tilt. Includes all brackets and hardware needed to install helm. Recommended for triple and quad engine installations.

Multiple Engine or high steering load applications, 300-450HP. Intended for use only when paired with the Gen C HD pump.

HELM HEAVY DUTY - 32CC P/S



8M0240079

Power Steering helm with a fixed position mount. Includes cover, bracket and mounting hardware (32 CM3). Provides 5.1 turns lock-to-lock vs 4.1 turns lock-to-lock as option with one cylinder.

Multiple Engine 150 4 strokes and Optimax (No Single engines),Verado 135-200 4 cylinder, 200-300 Verado 6-cylinder, 350 SCI

HELM HEAVY DUTY - 32CC P/S TILT



8M0137442

Power Steering Helm 32 CM3 Tilt. Includes all brackets and hardware needed to install helm. Provides 5.1 turns lock-to-lock vs 4.1 turns lock-to-lock as an option with one cylinder.

Verado 200- 300 HP- Optional on 135 to 200 HP
Multiple OptiMax Engines

HELM HEAVY DUTY - 40CC P/S DUAL STATION



8M0240083

Power Steering dual helm with a fixed position mount. Includes cover, bracket and mounting hardware (40 CM3). Needs 32-892825___ hose to attach pressure lines (available in 8 ft. to 25 ft. lengths). Use as primary station when using dual helms or stations. Use standard helm as the secondary station.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM HEAVY DUTY - 40CC P/S TILT DUAL STATION



8M0137456

Power Steering dual helm with a tilt position mount. Includes cover, bracket and mounting hardware (40 CM3). Needs 32-892825___ hose to attach pressure lines (available in 8 ft. to 25 ft. lengths). Use as primary station when using dual helms or stations. Use standard helm as the secondary station. Requires tilt mechanism to be ordered separately.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM HEAVY DUTY - 50CC P/S DUAL STATION



8M0240084

Power Steering dual helm with a fixed position mount. Includes cover, bracket and mounting hardware (50 CM3). Needs 32-892825___ hose to attach pressure lines (available in 8 ft. to 25 ft. lengths). Use as primary station when using dual helms or stations. Use standard helm as the secondary station.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4-cylinder, 200-300 Verado 6-cylinder, 350 SCI

HELM HEAVY DUTY - 50CC P/S TILT DUAL STATION



8M0137461

Power Steering dual helm with a tilt position mount. Includes cover, bracket and mounting hardware (50CM3). Needs 32-892825___ hose to attach pressure lines (available in 8 ft. to 25 ft. lengths). Use as primary station when using dual helms or stations. Use standard helm as the secondary station. Requires tilt mechanism to be ordered separately.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

POWER STEERING TILT MECHANISM X88



8M6014870

Replacement part for Power Steering Tilt System

All Power Steering Verado Systems

STEERING CYLINDER HEAVY DUTY - UC128 P/S



8M0184531

Cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design on the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine. Included in tiller kit.

Compatible with all CMS 4 stroke engines up to 300hp

STEERING CYLINDER HEAVY DUTY - UC128 P/S PORT



8M0184532

Used when going from AMS to CMS power or no power ORFS. Port or counter rotation cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design on the market. Includes all mounting hardware and bolts for engine attachment.

Verado 135-200 both Power Steering or Hydraulic. Multiple engines V6/1.5 Opti Max Hydraulic - 1.5L Opti needs to order arm to provide clearance 75-115 FourStroke engines Multiple Opti Max engines - P/S 150 FourStroke engines.

CYLINDER - BIG TILLER



8M0184536

Cylinder included in Tiller Kit. Cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design on the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine.

Big Tiller Cylinder - 75-115 4 Stroke, 75-115 1.5L Opti, 135-250 2.5L/3.0L Opti and 135-200 4 Cylinder Verado

BIG TILLER STEERING CYLINDER KIT



8M0184535

Big tiller steering cylinder kit.

150-300hp

STEERING CYLINDER HEAVY DUTY KIT - AMS PONTOON DUAL CYLINDER ADD ON



8M0129513

This cylinder is designed to meet all power steering strength and performance requirements. It is the most robust design on the market and includes all hardware to mount the cylinder including the strongest bolts to attach to the engine. The UC128 cylinder link is attached to the steering head. 1 engine (parallel cylinders), 40cm helm. 2 engine (liquid tiebar, 4 cylinder) 50cm helm.

Verado 225+ horsepower and 200 Pro FourStroke. Intended for use on pontoons, which have exceptionally high steering loads. This system increases steering torque capacity by more than 80%.

STEERING CYLINDER HEAVY DUTY - AMS P/S



8M0118141

Used to add a cylinder to a counter rotation engine for multiple engine installations. Also used with liquid tie bar 893396A01 to add a cylinder to operate engines mounted more than 34 in. apart

2005 and newer Verado 200-300 L6 and 350 SCI

STEERING CYLINDER HEAVY DUTY - AMS P/S SHORT STROKE



8M0129527

This cylinder has a shorter stroke than the normal production cylinders. It is used for installations where engines are mounted inside the normal 26 inch distance. This cylinder reduces the chances of the engines hitting with these tight mounting options.

Verado 6 Cylinder Power Steering applications for mounting engines closer that the normal tie bar 26 inch distance.

FUSE ASSEMBLY



88- **79023A93**

90 amp with 13/32 in. (10 mm) diameter mounting hole

Used on Verado power steering as well as various MerCruiser starter applications.

FUSE 50 AMP



88- **79023A94**

Maxi 50 Amp fuse used with Power Steering System. APS to Battery. Compatible with GenB Kline steering pump.

Power Steering System

FUSE COVER ASY



879346T24

Used with Fuse/Harness assembly for Power Steering Systems.

Power Steering Systems

FUSE HARNESS



84-**8M0144917**

3 ft. fuse harness used with the new 50-amp power steering circuit connects from the APS module to the battery.

Used on all Power Steering installations

84-**8M0144923**

5 ft. fuse harness used with the new 50-amp power steering circuit connects from the APS module to the battery.

Used on all Power Steering installations

84-**8M0144924**

10 ft. fuse harness used with the new 50-amp power steering circuit connects from the APS module to the battery.

Used on all Power Steering installations

POWER STEERING HOSE- DAMPENER



32-**897643A01**

Hose used to reduce noise of the power steering system.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

SYNTHETIC POWER STEERING FLUID SAE 0W-30



92-**8M0133951**

Recommended for electric power steering systems such as Verado, JPO and Axius Gen I only. Recommended for transmission and steering and actuator systems for Zeus drives

946 ml (32 fl oz) plastic bottle

DUAL ENGINE ADAPTER-P/S "Y" HARNESS



84-**892868T01**

"Y" harness used to connect two engines and two signal harnesses together to run both engines from one power module.

Verado Engines 200-300 HP and 350 SCI - Optional on 135-200 HP

TRIPLE ENGINE ADAPTER- P/S "Y" HARNESS



84-**892868T02**

Used to connect three engines and three signal harnesses together to run three engines from one power module. Each engine requires a signal harness hooked up to the Power Module.

2005 Verado Engines 200-300 HP and 350 SCI - Optional on 135-200 4 cylinder Verado

QUAD ENGINE ADAPTER- P/S "Y" HARNESS



84-**892868T03**

Used to connect four engines and four signal harnesses together to run Quad engines from one power module. Each engine requires a signal harness hooked up to the Power Module.

2006 Verado Engines 200-300 HP and 350 SCI - Optional on 135-200 4 cylinder verado

HARNESS- POWER STEERING - SIGNAL



84-**8M0138676**

10 ft. Connects the power steering module to the engine which provides communication from engine to the power steering. Multiple engine installations require one harness per engine.

Verado Engines 200-400 HP - Optional on 135-200 HP

84-**8M0138677**

20 ft. Connects the power steering module to the engine which provides communication from engine to the power steering. Multiple engine installations require one harness per engine.

Verado Engines 200-400 HP - Optional on 135-200 HP

84-**8M0138678**

30 ft. Connects the power steering module to the engine which provides communication from engine to the power steering. Multiple engine installations require one harness per engine.

Verado Engines 200-400 HP - Optional on 135-200 HP

80 AMP AUTOMATIC POWER SWITCH



87-**8M0149746**

Up to three batteries can be used on the 80 Amp automatic power switch. Includes 4 insulator boots (not shown). Better stand offs.

Used with multiple engine/battery installations when a Verado power steering pump is used. Allows the Power steering pump to run off of either the port or starboard crank battery.

ELECTRICAL ISOLATOR KIT- DUAL OPTI AND 150 FOURSTROKE



8M0134605

Used to add Power steering option to Dual OptiMax or 150 FourStroke engines (only when using EHPS power hydraulic steering dual engine).

Dual OptiMax or 150 FourStroke Engines

POWER STEERING PRIMER MODULE




91-**895040K01**

Used to prep the Power Steering system. Module allows pump to be run without starting engine. Allows bleeding and testing of power Steering system out of the water.

Verado Engines 200-300 HP- Optional on 135-200 HP

HOSE KIT- P/S AND MERCURY HYDRAULIC -CYL/HELM



32-**8M0167281**

Kit includes two hoses of same length (2 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167282**

Kit includes two hoses of same length (3 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167284**

Kit includes two hoses of same length (5 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167285**

Kit includes two hoses of same length (6 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167287**

Kit includes two hoses of same length (8 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167288**

Kit includes two hoses of same length (10 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167289**

Kit includes two hoses of same length (12 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167290**

Kit includes two hoses of same length (14 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167291**

Kit includes two hoses of same length (16 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167292**

Kit includes two hoses of same length (18 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167293**

Kit includes two hoses of same length (20 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167294**

Kit includes two hoses of same length (22 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167295**

Kit includes two hoses of same length (24 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167296**

Kit includes two hoses of same length (26 ft.) to connect the Helm to the Cylinder on the engine (Power Steering).

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167297**

Kit includes two hoses of same length (28 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167298**

Kit includes two hoses of same length (30 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-**8M0167299**

Kit includes two hoses of same length (32 ft.) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-**8M0150604**

Kit includes two hoses of same length (2 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150606**

Kit includes two hoses of same length (4 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150607**

Kit includes two hoses of same length (5 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150608**

Kit includes two hoses of same length (6 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150610**

Kit includes two hoses of same length (7 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150613**

Kit includes two hoses of same length (10 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150615**

Kit includes two hoses of same length (14 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150616**

Kit includes two hoses of same length (18 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150617**

Kit includes two hoses of same length (18 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150618**

Kit includes two hoses of same length (20 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150619**

Kit includes two hoses of same length (22 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150620**

Kit includes two hoses of same length (24 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

POWER STEERING HOSE - BULKHEAD TO CYLINDER PRESSURE



32-**8M0077082**

2 ft, .375 inch hose, bulkhead to cylinder pressure for joystick piloting outboard applications and for normal power steering. ORFS -6 Female to ORFS -6 Female. Must order 2 per cylinder.

32-**8M0077084**

4 ft, .375 inch hose, bulkhead to cylinder pressure for joystick piloting outboard applications and for normal power steering. ORFS -6 Female to ORFS -6 Female. Must order 2 per cylinder.

HOSE- PRESSURE- DUAL STATION

32-**8M0148099**

(6 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 350 HP Power Steering Can also be used for MCM PS System

32-**892825008**

(8 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825010**

(10 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825012**

(12 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825014**

(14 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825016**

(16 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825018**

(18 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825020**

(20 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825022**

(22 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825024**

(24 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-**892825026**

(26 ft.) Used to connect dual station/ Helm together. Power Steering.

Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

POWER STEERING HOSE- DAMPENER



32-**897643A01**

Hose used to reduce noise of the power steering system.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

FITTING - BULKHEAD 3/4 IN. MALE TO MALE



22-**892517**

-4 ORFS (9/16)

Used to install a bulkhead installation 0 inch to 3/4 inch Maximum wall thickness grip length- Power Steering.

FITTING- BULKHEAD 3 IN. MALE TO MALE



22-**892518**

-4 ORFS (9/16)

Power Steering Fittings. Used to install bulkhead installations 3/4 in. to 3 in. maximum wall thickness grip length.

STRAIGHT FITTING 9/16 IN.



22-**892519**

Fitting- Straight 9/16 inch to Cylinder ORFS/ORB -4. Power Steering fittings.

Allows straight cylinder hose connections at Outboard Steering cylinder vs 90 degree (replaces 889552)

TEE FITTING MALE 9/16 INCH



22-**8M0194236**

Tee Fitting Male -4 ORFS 9/16 inch. Power Steering Fitting- Allows Tee connection of the
cylinder hose ends.

Verado Engines - 135 to 300 HP Power Steering

22-**8M0194236**

Tee Fitting Male -4 ORFS 9/16 inch. Power Steering Fitting- Allows Tee connection of the
cylinder hose ends.

Verado Engines - 135 to 300 HP Power Steering

TEE FITTING FEMALE 9/16 IN.



22-**892521**

Tee Fitting Female 9/16 in., -4 ORFS. Power Steering Fitting- Allows "T" connection of 2 cylinder hoses, ends with cylinder of helm fittings.

Verado Engines - 135 to 300 HP Power Steering

CAP MALE 9/16 IN.



22-**892522**

Cap - Zinc plated brass 9/16 inches, male. Power Steering Fitting- allows you to cap cylinder hoses for service. Plug -4 ORFS.

CAP MALE 11/16 IN.



22-**892523**

Cap - Zinc plated brass 11/16 inches, male, -6 ORFS. Power Steering Fitting- allows you to cap pressure hoses for service.

CAP FEMALE 9/16 IN.



22-**892524**

Cap -4 ORFS Zinc plated brass 9/16 inches, female. Power Steering Fittings- allows you to cap cylinder: helm (right and left) fittings for service.

Verado Engines - 135 to 300 HP Power Steering

CAP BRASS FEMALE 11/16 IN.



22-**892525**

Cap -6 ORFS Zinc plated brass Female 11/16 inches. Power Steering Fittings- allows you to cap helm for service.

UNION FITTING MALE TO MALE 9/16 IN.



22-**892526**

Union Fitting Male to Male 9/16 inches, -4 ORFS. Power Steering Fittings-For connecting 2-cylinder hoses end to end.

UNION FITTING MALE TO MALE 11/16 IN.



22-**892527**

Union Fitting Male to Male 11/16 inches, -6 ORFS. Power Steering Fittings- to connect 2 pressure hoses end to end.

ELBOW FITTING FEMALE 9/16 IN.



22-**8M0204702**

Elbow Fitting Female to Male -4 ORFS 9/16 inches. Power Steering Fittings to allow 90-degree connection at helm (R&L port).

Verado Engines - 135 to 300 HP Power Steering

FITTING KIT BULKHEAD



64-**8M0088973**

Improved bulkhead fitting kit with chrome housing for multiple hose installations.

Multiple Hose Installations for Compression style hoses.

STANDARD BULKHEAD PLATE - FITTINGS NOT INCLUDED



8M0147011

Improved standard bulkhead plate with threaded passage for multiple hose installations. JPO and DTS.

Multiple Hose Installations.

DTS PASS THROUGH KIT



8M0187127

Complete bulkhead and cylinder 4ft hose kit. Hoses -4 ORFS (9/16") with male boat side and female cylinder side connection that connect directly to L/R helm hoses.

ELBOW- FEMALE TO MALE



22-**897726**

Female to Male .6875 Inch (11/16) -6ORFS

Power Steering Fittings- To allow 90-degree connection at helm (R&L port)

POWER STEERING DIAGNOSTICS ADAPTER - GEN C



84-**8M0156168**

This adapter is used to plug in to the Gen C or Gen C HD power steering pumps to access diagnostic information.

Compatible with the Gen C and Gen C HD power steering pumps.

POWER STEERING HOSE KITS-JOYSTICK PILOTING

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-**8M0150604**

Kit includes two hoses of same length (2 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150605**

Kit includes two hoses of same length (3 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150606**

Kit includes two hoses of same length (4 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150607**

Kit includes two hoses of same length (5 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150608**

Kit includes two hoses of same length (6 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150610**

Kit includes two hoses of same length (7 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150612**

Kit includes two hoses of same length (8 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150613**

Kit includes two hoses of same length (10 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150614**

Kit includes two hoses of same length (12 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150615**

Kit includes two hoses of same length (14 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150616**

Kit includes two hoses of same length (18 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150617**

Kit includes two hoses of same length (18 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150618**

Kit includes two hoses of same length (20 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150619**

Kit includes two hoses of same length (22 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150620**

Kit includes two hoses of same length (24 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150621**

Kit includes two hoses of same length (26 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150622**

Kit includes two hoses of same length (28 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150623**

Kit includes two hoses of same length (30 ft.) to connect the Gen C Power Module to the Helm (Power Steering).

All Mercury Power Steering

32-**8M0150624**

Kit includes two hoses of same length (32 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

JPO BULKHEAD PLATE



8M0146247

Improved bulkhead plate with threaded passage for multiple hose installations.

Joystick, multiple Hose Installations.

TIE BAR KITS

HEAVY DUTY TIE BAR ADD AN ENGINE KIT



8M0213278

Add An Engine 26-inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches. Tie Bar has been engineered for higher horsepower applications with improved heavy-duty design. 26 +/- 1.25 inches.

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0213284

Add An Engine 28-inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches. Tie Bar has been engineered for higher horsepower applications with improved heavy-duty design. 28 +/- 1.25 inches.

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0213294

Add An Engine 29-inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches. Tie Bar has been engineered for higher horsepower applications with improved heavy-duty design. 29 +/- 1.25 inches.

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0213293

Add an engine 32-inch tie bar allows triple and quad engines to be attached together +/- 1.25 inches. Tie Bar has been engineered for higher horsepower applications with improved heavy-duty design. 32 +/- 1.25 inches.

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0213297

Add an engine 34-inch tie bar allows triple and quad engines to be attached together +/- 1.25 inches. Tie Bar has been engineered for higher horsepower applications with improved heavy-duty design. 34 +/- 1.25 inches.

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0097268

Add an engine 36 inch tie bar allows triple and quad engines to be attached together +/- 1.25 inches. Tie Bar has been engineered for higher horse power applications with improved heavy duty design. 36 +/- 1.25 inches.

2.6L L6 Gen 5 and 4.6L Verado Engines.

TIE BAR- SINGLE CYLINDER DUAL ENGINE



64-**8M0063473**

26 inch length with 1 inch of total adjustability. This tie bar can be used on a dual installation with just one cylinder.

75-115 HP EFI 4 Stroke OB (s/n 1B366823 & above), 150 4 Stroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

64-**8M0063474**

28 inch length with 1 inch of total adjustability. This tie bar can be used on a dual installation with just one cylinder.

75-115 HP EFI 4 Stroke OB (s/n 1B366823 & above), 150 4 Stroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

64-**8M0063475**

30 inch length with 1 inch of total adjustability. This tie bar can be used on a dual installation with just one cylinder.

75-115 HP EFI FourStroke OB (s/n 1B366823 & above), 150 FourStroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

64-**8M0063476**

32 inch length with 1 inch of total adjustability. This tie bar can be used on a dual installation with just one cylinder.

75-115 HP EFI FourStroke OB (s/n 1B366823 & above), 150 FourStroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

64-**8M0063477**

34 inch length with 1 inch of total adjustability. This tie bar can be used on a dual installation with just one cylinder.

75-115 HP EFI FourStroke OB (s/n 1B366823 & above), 150 FourStroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

TIE BARS - DUAL ENGINES



64-**892789Q22**

26 inches long with 1 inch of total adjustability. Outboard centerline spacing of 66.0 cm (26 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q23**

28 inches long with 1 inch of total adjustability. Outboard centerline spacing of 71.1 cm (28 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q25**

30 inches long with 1 inch of total adjustability. Outboard centerline spacing of 76.2 cm (30 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q26**

32 inches long with 1 inch of total adjustability. Outboard centerline spacing of 81.3 cm (32 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q27**

34 inches long with 1 inch of total adjustability. Outboard centerline spacing of 86.4 cm (34 inches).


For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q24**

36 inches long with 1 inch of total adjustability. Outboard centerline spacing of 91.5 cm (36 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

TIE BARS - TRIPLE ENGINES



8M0184537

26 inches long with 1 inch of total adjustability. Outboard centerline spacing of 66.0 cm (26 in)

For use with the 175-200 L4 Verado. V6 OptiMax, and 3.4 & 4.6L FourStrokes. Also used on multiple 150 4-strokes. Uflex PN: TB22BJ

TIE BARS - TRIPLE ENGINE

8M0225358

28 Inches long with 1 inch of total adjustability. Outboard centerline spacing of 71.1 cm (28 in.)

For use with the 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes. Also used on multiple 150 4 strokes.

LIQUID TIE BAR KIT



893396A02

Sequence valve for use with dual engines mounted more than 34 inches apart, or 2 sets of 2, for a total of 4 engines. With additional steering cylinder with wide dual engines , steering cylinders are connected in series. Valve allows for alignment / re-alignment. Add additional cylinder on counter rotation engines. Dual engines require 1 valve, 2 cylinders, and up to 300hp per engine. Quad engines still 1 valve, 4 cylinders, and up to 1800hp per engine.

2005 and newer Verado Engines and can also be used with the 75-115 EFI FourStroke outboard (s/n 1B366823 & above).

TIE BAR KIT - PORT MOUNTED KICKER



898370A03

Tie bar for Manual Hydraulic Steering System to attach primary engine to kicker engine. Engine will be mounted on the Port side of the primary engine.

Verado 175-200 HP as well as Mercury's bolt-on steering system for OptiMax, 75-115 FourStrokes, and the 3.4 and 4.6L FourStrokes.

TIE BAR KIT - STARBOARD MOUNTED KICKER



898966A02

Tie bar for Manual Hydraulic Steering System to attach primary engine to kicker engine. Engine will be mounted on the Starboard side of the primary engine.

Verado 175-200 HP as well as Mercury's bolt-on steering system for OptiMax, 75-115 FourStrokes, and 3.4 & 4.6L FourStrokes.

DRIVE BRACKET ONLY



67-**892763A15**

Heavy duty stainless steel bracket. Bracket used on Panther Model 55-2700, Panther Model 55-2750.

BRACKET-KICKER ENGINE ATTACHMENT



892822A02

Unique bracket used to hook up a kicker engine with Verado. Special bracket is attached to Verado engine to allow attachments.

2005 Verado Engines 200-300 HP

KICKER ENGINE BRACKET

8M0097850

Bracket is used to mount a kicker engine with a Verado engine.

Bracket is used on Gen 5 Verado engines

TROLLING MOTOR TIE BAR KIT WITHOUT DRIVE UNIT



67-**892763A24**

Heavy duty auxiliary steering kit connects an auxiliary trolling motor to your main motor. It is 1/2 inch thick. Ideal for large Walleye/ Great Lake boats with rough water running conditions. Panther Model 55-2700.

TROLLING MOTOR TIE BAR KIT



67-**892763A14**

Heavy duty auxiliary steering kit connects an auxiliary trolling motor to your main motor. It is 1/2 inch thick. Drive bracket is 100% stainless steel. Ideal for large Walleye/Great Lakes boats with rough water running conditions. Panther Model 55-2700.

COUPLER ASSEMBLY KIT- 26 INCH



8M0099084

Requires 2 per install

COUPLER ASSEMBLY KIT- 28 INCH

8M0099085

Requires 2 per install


ASSEMBLY EXTENSION ARM KIT- TIE BAR



8M0099090

Includes necessary M10 hex screws and shoulder screws, extension arm, hardened washers, tab washers, and an M10 jam nut.


EXTENSION ARM HARDWARE KIT



8M0213285

Includes hex screws, a shoulder screw, washers, M10 jam nut, and tab washers.


TIE ROD KIT W/ HARDWARE



8M0099092

Includes all necessary hardware: right-handed tie rod assembly, M10 jam nut, M20 jam nut, and M10 shoulder screw.


CLEVIS ASSEMBLY KIT- DUAL



8M0099093

Contains dual clevis assembly, M10 jam nuts, and necessary shoulder screws.


CLEVIS ASSEMBLY KIT- TRIPLE



8M0099094

Contains both inner and outer triple clevis assembly, necessary shoulder screws and jam nut.

COUPLER/TIE ROD HARDWARE KIT



8M0099104

Contains necessary shoulder screws and jam nuts.

TIE ROD ASSEMBLY- BUSHING KIT



23-**8M0099105**

Includes (4) 12mm long flanged bushings, (2) 15mm long straight bushings, (2) 7mm long flanged bushings, and (1) 10mm long straight bushing.

HYDRAULIC STEERING - BASIC AND HEAVY DUTY SYSTEMS

Both the Basic and the Heavy Duty Hydraulic Systems in this section will use the hoses listed. (8M0053474 to 8M0053492) Note that the Basic is for single engines only - 150 HP and below. The Heavy Duty systems are for single engines above 150 HP as well as multiple engines. Fittings are listed in this section that can be installed to the compression style connections.

STEERING CYLINDER BASIC DUTY - UC95 4STROKE



8M0183698

Compression style fittings, 1000 PSI, UC95 volume

STEERING CYLINDER BASIC DUTY - UC95 OPTIMAX



8M0183700

Optimax 1.5L

HELM BASIC DUTY - 20CC



8M0050098

This hydraulic helm is a standard 20 CC / 1.2 cu inch helm with compression style fittings. It is used with the 8M0054993 basic cylinder. The shaft is anodized steel with a composite tank. The pressure relief is 1000 PSI for high torque applications for improved performance (5.2 lock-to-lock wheel turns).

Single engine 75-150 HP (includes new 150 HP 4 Stroke)

HELM BASIC DUTY - 20CC TILT



8M0050099

This hydraulic helm is a Tilt 20 CC / 1.2 Cu Inch helm with compression style fittings. It is used with the 8M0054993 Basic cylinder. The shaft is anodized steel with a composite tank. The pressure relief is 1000 PSI for high torque applications for improved performance. (5.2 Lock to lock wheel turns).

Single engine 75-150 HP OB (Includes new 150 HP 4 stroke)

STEERING KIT BASIC DUTY - 20CC



8M0183699

Standard hydraulic steering assembly with non-tilt helm. Hoses not included.

STEERING KIT BASIC DUTY - 20CC TILT



8M0183754

Standard hydraulic steering assembly with tilt helm. Hoses not included.

HYDRAULIC STEERING ACTUATOR KIT



8M0184533

Universal hydraulic steering cylinder assembly. Compatible with single or starboard engine.

POWER STEERING HYDRAULIC KIT



8M0184534

Power steering hydraulic kit for port engine. Tie Bar Kits sold separately (892789Q22, Q23, Q25).

HELM BASIC DUTY - 25CC



8M0056139

Front Mount standard helm - 1.5 cubic inch (25 CC) displacement. Approximately 5 turns lock-to-lock on singles and 8 on dual cylinders. Compact design, built-in valve for positive rudder lock and integral relief valve for over pressure protection-1500 PSI (use compression style fittings and hoses).

Use with cylinder 8M0184533 and hoses 8M0053474 thru 8M0053492. Use on single or multiple OptiMax powered boats. Use on Verado 4 cylinder Hydraulic steering installation.

HELM BASIC DUTY - 25CC TILT



8M0056140

Front Mount Tilt helm - 1.5 cu inches (25 CC) displacement. Approximately 5 turns lock-to-lock on singles and 8 on dual cylinders. Compact design, built-in valve for positive rudder lock and integral relief valve for over pressure protection - 1500 PSI (use compression style fittings and hoses).

Use with cylinder 8M0184533 and hoses 8M0053474 thru 8M0053492. Use on single or multiple OptiMax powered boats. Use on Verado 4 cylinder Hydraulic steering installation.

HELM BASIC DUTY - 33CC



8M0056141

Front Mount Standard helm - 2.0 cu inches (33CC) displacement. Approximately 4.7 turns lock to lock on singles and 7.3 on dual cylinders. Compact design, built-in valve for positive rudder lock and integral relief valve for over pressure protection - 1500 PSI (use compression style fittings and hoses).

Use with cylinder 8M0184533 and hoses 8M0053474 thru 8M0053492. Use on single or multiple OptiMax powered boats. Use on Verado 4 cylinder Hydraulic steering installation.

HELM BASIC DUTY - 3CC TILT



8M0056142

Front Mount Tilt helm - 2.0 cu inches (33 CC) displacement. Approximately 4.7 turns lock-to-lock on singles and 7.3 on dual cylinders. Compact design, built-in valve for positive rudder lock and integral relief valve for over pressure protection - 1500 PSI (use compression style fittings and hoses).

Use with cylinder 8M0184533 and hoses 8M0053474 thru 8M0053492. Use on single or multiple OptiMax powered boats. Use on Verado 4 cylinder Hydraulic steering installation.

HYDRAULIC HELM PUMP - STD 39CC



8M0056143

Front Mount 2.4 cu inches (39 CC) displacement. Approximately 3 turns lock-to-lock on singles and 6.5 on dual cylinders. Compact design, built-in valve for positive rudder lock and integral relief valve for over pressure protection (use compression style fittings and hoses).

Hydraulic Steering for Verado 135 to 175-4 stroke engines
Also can be used on OptiMax with Mercury hydraulic cylinder and hoses. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses Also can be used on 75-115 4 stroke and 1.5L opti 75-115 HP
Use cylinder 8M0184533 for Std and 8M0184534 for counter for multiple engine installs. Hose series is 8M0053474 thru 8M0053492

HYDRAULIC HELM PUMP - 39CC TILT



8M0056144

Front Mount 2.4 cu inches (39 CC) displacement. Approximately 3 turns lock to lock on singles and 6.5 on dual cylinders. Compact design, tilt range of 48 degrees and 5 locking positions. Built-in valve for positive rudder lock and integral relief valve for over pressure protection (use compression style fittings and hoses).

Hydraulic Steering for Verado 135 to 175 FourStroke engines. Can be used on OptiMax with Mercury hydraulic cylinder and hoses. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses and 75-115 FourStroke and 1.5L OptiMax 75-115 HP. Use cylinder 8M0184533 for standard and 8M0184534 for counter for multiple engine installs. Hose series is 8M0053474 thru 8M0053492.

QS HYDRAULIC STEERING KIT



8M0073922

Quicksilver 1.5 cu inch displacement standard helm kit with cylinder and hoses (14 ft.). Approximately 5 turns lock-to-lock on a single engine.

Hydraulic Steering - 75 HP engines and above

8M0073923

Quicksilver 1.5 cu inch displacement standard helm kit with cylinder and hoses (16 ft.). Approximately 5 turns lock-to-lock on a single engine.

Hydraulic Steering - 75 HP engines and above

8M0073924

Quicksilver 1.5 cu inch displacement standard helm kit with cylinder and hoses (18 ft.). Approximately 5 turns lock-to-lock on a single engine.

Hydraulic Steering - 75 HP engines and above

8M0073925

Quicksilver 1.5 cu inch displacement standard helm kit with cylinder and hoses (20 ft.). Approximately 5 turns lock-to-lock on a single engine.

Hydraulic Steering - 75 HP engines and above

8M0073927

Quicksilver 1.5 cu inch displacement standard helm kit with cylinder and hoses (22 ft.). Approximately 5 turns lock-to-lock on a single engine.

Hydraulic Steering - 75 HP engines and above

8M0073928

Quicksilver 1.5 cu inch displacement standard helm kit with cylinder and hoses (24 ft.). Approximately 5 turns lock-to-lock on a single engine.

Hydraulic Steering - 75 HP engines and above

HYDRAULIC HOSE - COMPRESSION STYLE FITTINGS



32-**8M0053474**
(2 ft.)
32-**8M0053475**
(3 ft.)
32-**8M0053476**
(4 ft.)
32-**8M0053477**
(5 ft.)
32-**8M0053478**
(6 ft.)
32-**8M0053479**
(7 ft.)
32-**8M0053480**
(8 ft.)
32-**8M0053481**
(10 ft.)
32-**8M0053482**
(12 ft.)
32-**8M0053483**
(14 ft.)
32-**8M0053484**
(16 ft.)
32-**8M0053485**
(18 ft.)
32-**8M0053486**
(20 ft.)
32-**8M0053487**
(22 ft.)
32-**8M0053488**
(24 ft.)
32-**8M0053489**
(26 ft.)
32-**8M0053490**
(28 ft.)
32-**8M0053491**
(30 ft.)
32-**8M0053492**
(32 ft.)

VENTED HELM CAP-VCAP



64-**891667Q01**
Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01.

NON VENTED CAP



19-**898432**
Required for dual station installations of steering system.

REMOTE FILL KIT FOR HYDRAULIC STEERING



64-**889934A05**
Remote fill adapter for rear mount and tilt mount Hydraulic pumps.
Hydraulic Steering for Verado 135 to 200-4 stroke engines. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses.

VENTED HELM CAP-VCAP



64-**891667Q01**
Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01.

FITTING - 90 DEGREE



22-**8M6000760**
90 degree fitting used with compression style hydraulic sytems (1/4 - 18 NPT to 3/8 compression)
Hydraulic Compression Steering systems

BULKHEAD FITTING - COMPRESSION STYLE



22-**8M6001381**

Bulkhead fitting for Compression style Hydraulic Steering Systems
.375 x 2.50 inch

Compression Style Hydraulic Systems

FITTING-TEE BLEEDER



22-**8M0041173**

3/8 Comp x 6 ORFS
Tee fitting used on the compression style cylinders (1500 PSI)

8M0184533 and 8M0054993 cylinders

UNION FITTING - 3 INCH



22-**8M0055326**

Union fitting used with compression style steering hoses (.375 inch compression X 3 inch LG)

Hydraulic Compression Steering Systems

FITTING KIT BULKHEAD



64-**8M0088973**

Improved bulkhead fitting kit with chrome housing for multiple hose installations.

Multiple Hose Installations for Compression style hoses.

FITTING - TEE



22-**8M6001390**

Used with Compression style hydraulic systems. Tee - 3/8 in. Compression X 3/8 in. male. Can be used directly to cylinder with existing parts.

Hydraulic Compression style systems - Basic and Heavy Duty

FITTING - 90 DEGREE



22-**8M6001392**

Used with Compression style hydraulic systems.
90 degree- 3/8 in. Compression X 3/8 in.male

Hydraulic Compression style systems - Basic and Heavy Duty

HYDRAULIC OUTBOARD STEERING SYSTEM

HYDRAULIC OUTBOARD STEERING KIT UP TO 115HP



8M0153154

Kit includes: Intermediate mount helm pump, front mount outboard cylinder, hose kit(1/4 in. - 6m length) and fitting pre-assembled at one end. For outboards from 40HP-115HP. Includes synthetic power steering fluid SAE 0W30 (2L) (PN 8M0133951).

HYDRAULIC STEERING - COMMON TO POWER STEERING

These parts are used to install Hydraulic Steering with the Power Steering components. Use hoses 8M0046914 thru 8M0046932 are the hoses that go with these cylinders and helms. All fittings are Power steering fittings found in the Power Steering section.

STEERING CYLINDER HEAVY DUTY - UC128 P/S



8M0184531

Cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design on the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine. Included in tiller kit.

Compatible with all CMS 4 stroke engines up to 300hp

STEERING CYLINDER HEAVY DUTY - UC128 P/S PORT



8M0184532

Used when going from AMS to CMS power or no power ORFS. Port or counter rotation cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design on the market. Includes all mounting hardware and bolts for engine attachment.

Verado 135-200 both Power Steering or Hydraulic. Multiple engines V6/1.5 Opti Max Hydraulic - 1.5L Opti needs to order arm to provide clearance 75-115 FourStroke engines Multiple Opti Max engines - P/S 150 FourStroke engines.

CYLINDER - BIG TILLER



8M0184536

Cylinder included in Tiller Kit. Cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design on the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine.

Big Tiller Cylinder - 75-115 4 Stroke, 75-115 1.5L Opti, 135-250 2.5L/3.0L Opti and 135-200 4 Cylinder Verado

HELM HEAVY DUTY - 25CC



64-**891665Q01**

Front Mount (1.5 cu inch) displacement. Approximately 5 turns lock-to-lock on singles and 10 on dual cylinders. Compact design, built-in valve for positive rudder lock and integral relief valve for over pressure protection.

HELM HEAVY DUTY - 33CC



64-**891665Q04**

Front Mount (2.0 cu inch) displacement. Approximately 4 turns lock-to-lock on singles and 8 on dual cylinders. Compact design, built-in valve for positive rudder lock and integral relief valve for over pressure protection.

Quicksilver branded. Hydraulic Steering for Verado 135 to 200-4 stroke engines. Can also be used on OptiMax with Mercury hydraulic cylinder and hoses.

HELM HEAVY DUTY - 25CC TILT



64-**891666Q05**

Front Mount (1.5 cu inch) displacement. Approximately 5 turns lock-to-lock for singles and 10 on dual cylinders. Compact design, tilt range of 48 degrees and 5 locking positions. Built-in valve for positive rudder lock and integral relief valve for over pressure protection.

Hydraulic Steering for Verado 135 to 175-4 stroke engines. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses. Can be used on OptiMax with Mercury hydraulic cylinder and hoses Also can be used on 75-115 4 stroke and 1.5L OptiMax 75-115 HP.

HELM HEAVY DUTY - 39CC TILT



64-**891666Q04**

Front Mount 2.4 (cu inch) displacement. Approximately 3 turns lock-to-lock singles and 6.5 on dual cylinders. Compact design and tilt range of 48 degrees and 5 locking positions. Built-in valve for positive rudder lock and integral relief valve for over pressure protection.

Hydraulic Steering for Verado 135 to 200-4 stroke engines. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses.

STEERING KIT HEAVY DUTY - 25CC SPECIAL



898349A02

Used when going from AMS to CMS power or no power ORFS. This kit includes a standard helm (1.5cu inch) with all the needed components to install the helm along with a bolt-on cylinder with hardware. This bolt-on kit is the most robust hydraulic system in the market. The cylinder was tested to all Verado standards for load and strength. The kit also includes high strength machined stainless steel screws that are used at each attachment point. Order Verado hoses 897982K__ series separately.

Used on all Verado 135-200 L4 engines, 75-115 4 Cylinder 4 strokes, OptiMax 1/5L and V6 engines. Use with Power Steering Hoses 8M0167281 thru 8M00469932.

STEERING KIT HEAVY DUTY - 25CC TILT SPECIAL



898349A03

This kit includes a Tilt helm (1.5 cu inch) with all the needed components to install the helm along with a bolt-on cylinder with hardware and remote fill kit. This bolt-on kit is the most robust hydraulic system in the market. The cylinder was tested to all Verado standards for load and strength. The kit also includes high strength machined stainless steel screws that are used at each attachment point. Order Verado hoses (897982K__) separately.

Used on all Verado 135-200 L4 engines, 75-115 4 Cylinder 4 strokes, OptiMax 1/5L and V6 engines. Use with Power Steering Hoses 8M0167281 thru 8M00469932.

VENTED HELM CAP-VCAP



64-**891667Q01**

Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01.

NON VENTED CAP



19-**898432**

Required for dual station installations of steering system.

REMOTE FILL KIT FOR HYDRAULIC STEERING



64-**889934A05**

Remote fill adapter for rear mount and tilt mount Hydraulic pumps.

Hydraulic Steering for Verado 135 to 200-4 stroke engines. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses.

HYDRAULIC HELM STEERING FLUID



92-**858078QB1**

For use in MCM compact hydraulic helm steering systems.
Also used on Mercury Hydraulic Steering - Verado 135-175 and bolt-on steering system.

1 L (33.8 fl oz) plastic bottle

VENTED HELM CAP-VCAP



64-**891667Q01**

Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01.

175HP+ KICKER ELECTRICAL KIT



8M0204579

This system allows you to run your kicker engine and use the power steering system without your primary engine running. This system allows you to connect to a deep cell battery (not your starter battery) and the system will provide normal power steering from the wheel. The system will alert you when your auxiliary battery is below 9.5 volts. This signal means that you must start your primary engine to change the battery system. This kit will save the starting battery for primary starting use only. Must select the appropriate isolator cables to be paired with this system, dependent on engine configuration.

Supports HSO and LSO

UFLEX ZEROTORQUE FEEDBACK RACK STEERING SYSTEM

Accutech Zero Torque Feedback steering system. Kits include a helm, X34 bezel and M86 steering cable. Cables have stainless steel output fitting ends, 3/4 inch tapered shaft and can be mounted in multipe positions. Ref Service Bulletin 2007-13 for Ride Guide replacement Information.

ZERO TORQUE FEEDBACK RACK STEERING SYSTEM



64-**889937Q14**

14 ft. Replaces Ride Guide System per Service Bulletin 2007-13.
Accutech 14 kit. Kit includes helm, X34 bezel and 14 ft. steering cable (M86).

ZERO TORQUE FEEDBACK RACK STEERING SYSTEM



64-**889937Q27**

27 ft. Replaces Ride Guide System per Service Bulletin 2007-13.
Accutech 27 kit. Kit includes helm, X34 bezel and 27 ft. steering cable (M86).

ZERO TORQUE FEEDBACK ROTARY STEERING SYSTEM



64-**8M0227112**

14 ft. Replacement for ride guide system, Ref to service bulletin 2007-13

64-**8M0227115**

17 ft. Replacement for ride guide system, Ref to service bulletin 2007-13

64-**8M0227116**

18 ft. Replacement for ride guide system, Ref to service bulletin 2007-13

64-**8M0227118**

20 ft. Replacement for ride guide system, Ref to service bulletin 2007-13

UFLEX MECHANICAL STEERING CABLES

Replacement rack steering cable for Accutech and Racktech steering systems. Also replaces Morse Command 200 and teleflex "The Rack" cables.

RACK REPLACEMENT STEERING CABLE



64-**889940A11**

11 ft
M86x11

64-**889940A12**

12 ft
M86x12

64-**889940A13**

13 ft
M86x13

64-**889940A14**

14 ft
M86x14

64-**889940A15**
15 ft
M86x15
64-**889940A16**
16 ft
M86x16
64-**889940A17**
17 ft
M86x17
64-**889940A18**
18 ft
M86x18
64-**889940A19**
19 ft
M86x19
64-**889940A20**
20 ft
M86x20
64-**889940A21**
21 ft
M86x21
64-**889940A22**
22 ft
M86x22
64-**889940A27**
27 ft
M86x27
64-**889940A28**
28 ft
M86x28
64-**889940A32**
32 ft
M86x32
64-**889940A40**
40 ft
M86x40
64-**889940A50**
50 ft
M86x50

TELEFLEX NON-NFB SAFE-T QC ROTARY STEERING SYSTEMS

Designed with standard 3/4 in. (19 mm) round taper steering shaft and stainless steel cable output ends for maximum corrosion resistance. Features cable with quick connect to steering helm. Three turns lock-to-lock for standard travel. 90 degree helm mount.

SAFE-T QUICK CONNECT STEERING SYSTEM



64-**826472A 9**
9 ft. (2.7m)
64-**826472A13**
13 ft. (4.0m)

UFLEX STANDARD ROTARY STEERING SYSTEMS

Rotech steering system features planetary gear design for increased longevity, greater efficiency and smooth operation. Kits include T71 FC helm, X34 bezel and M66 steering cables. SS output fittings, 3/4 inch tapered shaft and flexible mounting positions.

STANDARD ROTARY STEERING SYSTEM



64-**8M0227093**
8 ft.
64-**8M0227094**
9 ft
64-**8M0227095**
10 ft.
64-**8M0227096**
11 ft.
64-**8M0227097**
12 ft.
64-**8M0227098**
13 ft.
64-**8M0227099**
14 ft.
64-**8M0227100**
15 ft.
64-**8M0227101**
16 ft.
64-**8M0227102**
17 ft.
64-**8M0227103**
18 ft
64-**8M0227104**
19 ft.
64-**8M0227105**
20 ft.

UFLEX STANDARD ROTARY STEERING SYSTEMS/ DUAL CABLE

Dual cable Rotech steering system. Features planetary gear design for longevity, greater efficiency and smoother operation. Includes T72 FC helm, X34 bezel and two M66 steering cables. SS ends, 3/4 inch tapered shaft and flexible mounting positions.

STANDARD DUAL CABLE ROTARY STEERING SYSTEM



64-**889932A12**

12 ft

Rotech II 12 kit. Kit includes T72 FC helm, X34 bezel and 12 ft steering cable (M66).

64-**889932A17**

17 ft

Rotech II 17 kit. Kit includes T72 FC helm, X34 bezel and 17 ft steering cable (M66).

TELEFLEX NFB ROTARY STEERING

No Feedback Steering Control. Used on Bass boats, runabouts, center consoles--virtually all of today's outboard boats with wheels up to 16 inch diameter. Replaces Teleflex Safe-T steering systems without dash modifications.

NFB 4.2 ROTARY SYSTEM SINGLE CABLE



64-**851622A10**

10 ft. (3.0m)

64-**851622A11**

11 ft. (3.4m)

64-**851622A12**

12 ft. (3.7m)

64-**851622A13**

13 ft. (4.0m)

64-**851622A14**

14 ft. (4.3m)

64-**851622A15**

15 ft. (4.6m)

64-**851622A16**

16 ft. (4.9m)


64-**851622A17**

17 ft. (5.2m)

64-**851622A18**

18 ft. (5.5m)

NFB 4.2 SINGLE HELM REPLACEMENT PARTS



64-**851622A 1**

NFB 4.2 Single Helm

UFLEX ZEROTORQUE FEEDBACK ROTARY SYSTEMS / TILT

Accura Zero Torque Feedback steering system features a clutch that eliminates rudder torque and a planetary gear design for increased longevity, greater efficiency and smooth operation. Kit includes the T73 FC helm, X52 tilt mechanism and the M66 cables.

ZERO TORQUE FEEDBACK ROTARY STEERING SYSTEM TILT



64-**889934A08**

8 ft

Accura Tilt 08 Kit includes T73 FC helm, X52 tilt mechanism and 8 ft Steering cable (M66).

64-**889934A14**

14 ft

Accura Tilt 14kit Includes T73 FC helm, X52 tilt mechanism and 14ft steering cable (M66).

UFLEX ROTARY STEERING CABLES

Replacement rotary steering cables for Rotech and Accura steering systems. Also replaces Morse Command 290 and Teleflex QC cables.

ROTARY STEERING CABLE (M66)



64-**889939A19**

19 ft

ROTARY STEERING CABLE (M90)

64-**8M0227078**

9 ft

64-**8M0227079**

10 ft

64-**8M0227080**
11 ft
64-**8M0227081**
12 ft
64-**8M0227082**
13 ft
64-**8M0227083**
14 ft
64-**8M0227084**
15 ft
64-**8M0227085**
16 ft
64-**8M0227086**
17 ft
64-**8M0227087**
18 ft
64-**8M0227088**
19 ft
64-**8M0227089**
20 ft
64-**8M0227090**
22 ft.
64-**8M0227091**
24 ft
64-**8M0227092**
26 ft

UFLEX STEERING COMPONENTS-HELMS, BEZELS,TILT MECH.

X35- 20 DEGREE MOUNTING BEZEL



64-**889930A03**
Use to adjust helm angles
X35- Used with T71 FC, T72 FC, T73 FC, G22, G22 NR helms or Mercury Power Steering (2005 Verado)

ZEROTORQUE FEEDBACK STEERING HELM



64-**8M0227076**
T93

ZERO TORQUE FEEDBACK RACK STEERING HELM-G88 NR



64-**889937A01**
G88 NR- Zero Torque Rack Helm

90 DEGREE MOUNTING BEZEL



64-**8M0227077**
X34 - use with helms to adjust helm angles

STANDARD ROTARY STEERING HELM



64-**8M0227075**
T91

UFLEX MISC COMPONENTS

TIE BARS - DUAL ENGINES



64-**892789Q22**
26 inches long with 1 inch of total adjustability. Outboard centerline spacing of 66.0 cm (26 inches).
For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q23**
28 inches long with 1 inch of total adjustability. Outboard centerline spacing of 71.1 cm (28 inches).
For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q25**

30 inches long with 1 inch of total adjustability. Outboard centerline spacing of 76.2 cm (30 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q26**

32 inches long with 1 inch of total adjustability. Outboard centerline spacing of 81.3 cm (32 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q27**

34 inches long with 1 inch of total adjustability. Outboard centerline spacing of 86.4 cm (34 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 FourStrokes.

64-**892789Q24**

36 inches long with 1 inch of total adjustability. Outboard centerline spacing of 91.5 cm (36 inches).

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

TELEFLEX ROTARY STEERING CABLES

Will work with Non-NFB and NFB Rotary helms with quick connects.

REPLACEMENT CABLES



64-**851621A12**

12 ft. (3.7m)

64-**851621A14**

14 ft. (4.3m)

64-**851621A16**

16 ft. (4.9m)

64-**851621A18**

18 ft. (5.5m)

TELEFLEX BIG-T BEZEL KIT/MISC

BEZEL 90 DEGREE



64-**826465**

Bezel, 90 degree, Safe-T QC.

BEZEL 20 DEGREE



64-**826464**

Bezel, 20 degrees, 4.2 rotary.

TELEFLEX NFB SEASTAR HYDRAULIC OUTBOARD STEERING

The most popular outboard hydraulic steering system offering smooth, super-efficient, no feedback steering designed for today's high performance hulls with single or multiple outboards up to 600 HP combined. SeaStar Steering systems are totally self-contained, non-power-assisted units that make steering a boat a truly enjoyable experience. Their super-efficient hydraulic operations produce an effect most people equate with "power steering". Although some dash modifications are required when you upgrade from a mechanical system, there are no pressure vessels or powers units to mount. 4.5 turns lock-to-lock. Packaged complete with helm, cylinder, hoses, fittings, oil, bleeder kit and detailed instruction sheet.

SEASTAR HELM STEERING PACKAGE



64-**826501A 1**

Front mount steering package, SeaStar helm

FRONT PIVOT MOUNT OUTBOARD CYLINDER



64-**804378A 1**

Front pivot mount Outboard cylinder kit

SEASTAR HOSE KIT



64-**826513A14**
2 hoses - 14 ft. (4.3m)
Also fits MCM sterndrives w/ CHS

64-**826513A16**
2 hoses - 16 ft. (4.9m)
Also fits MCM sterndrives w/ CHS

64-**826513A24**
2 hoses - 24 ft. (7.3m)
Also fits MCM sterndrives w/ CHS

FRONT PIVOT MOUNT CYLINDER CHART

Front Pivot Mount Outboard Cylinder

See Teleflex application guide for additional Information

Brand	Year Range	Model	Front Pivot Mount O/B Cylinder
Honda	1996 - 2026	75-90 HP	64-804378A 1
Honda	1998 - 2026	30-50 HP	64-804378A 1
Johnson/Evinrude	1997 - 2026	65-175 HP	64-804378A 1
Johnson/Evinrude	1991 - 2026	200-225 HP	64-804378A 1
Johnson/Evinrude	1991 - 2026	250-300 HP	64-804378A 1
Johnson/Evinrude	1996 - 2026	90-225 HP Ficht	64-804378A 1
Johnson/Evinrude	1998 - 2026	65-70 HP 4-Stroke	64-804378A 1
Mercury/Mariner	1984 - 1994	2.4/2,5 EFI	64-804378A 1
Mercury/Mariner	1989 - 2026	75-300 HP	64-804378A 1
Mercury/Mariner	1998 - 2026	30-60 HP	64-804378A 1
Mercury	2002 - 2026	225 EFI FourStroke	
Nissan/Tohatsu	1990 - 2026	90-140 HP	64-804378A 1
Suzuki	1986 - 2026	100 HP	64-804378A 1
Suzuki	1986 - 2026	115-140 HP	64-804378A 1
Suzuki	1986 - 2026	150-225 HP	64-804378A 1
Suzuki	1998 - 2026	65-70 HP 4-Stroke	64-804378A 1
U S Marine/Force	1996 - 2026	90-120 HP	64-804378A 1
Yamaha	1997 - 2026	100-225 HP	64-804378A 1
Yamaha	1987 - 2026	225HP	64-804378A 1
Yamaha	1990 - 2026	250 HP	64-804378A 1
Yamaha	1998 - 2026	40-50-60 HP	64-804378A 1
Yamaha	1998 - 2026	70and 90 HP	64-804378A 1
Yamaha	1994 - 2026	80,100 HP 4-Stroke	64-804378A 1

UFLEX STEERING CYLINDERS, HELMS AND HOSES- MISC

HYDRAULIC HOSE - COMPRESSION STYLE FITTINGS



32-**8M0053474**
(2 ft.)

32-**8M0053475**
(3 ft.)

32-**8M0053476**
(4 ft.)

32-**8M0053477**
(5 ft.)

32-**8M0053478**
(6 ft.)

32-**8M0053479**
(7 ft.)

32-**8M0053480**
(8 ft.)

32-**8M0053481**
(10 ft.)

32-**8M0053482**
(12 ft.)

32-**8M0053483**
(14 ft.)

32-**8M0053484**
(16 ft.)

32-**8M0053485**
(18 ft.)

32-**8M0053486**
(20 ft.)

32-**8M0053487**
(22 ft.)

32-**8M0053488**
(24 ft.)

32-**8M0053489**
(26 ft.)

32-**8M0053490**
(28 ft.)

32-**8M0053491**
(30 ft.)

32-**8M0053492**
(32 ft.)

STEERING

HELM HEAVY DUTY - 39CC TILT



64-**891666Q04**

Front Mount 2.4 (cu inch) displacement. Approximately 3 turns lock-to-lock singles and 6.5 on dual cylinders. Compact design and tilt range of 48 degrees and 5 locking positions. Built-in valve for positive rudder lock and integral relief valve for over pressure protection.

Hydraulic Steering for Verado 135 to 200-4 stroke engines. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses.

VENTED HELM CAP-VCAP



64-**891667Q01**

Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01.

NON VENTED CAP



19-**898432**

Required for dual station installations of steering system.

TELEFLEX NFB SEASTAR REPLACEMENT PARTS

STERNDRIVE ADD-A-STATION/AUTOPILOT KIT



64-**826496A 1**

Contains fittings for adding either a steering station or an autopilot system to an existing SeaStar stern drive steering system. Allows use of SeaStar nylon tubing (with SeaStar 1.7 helms only). Includes non-vented fill plug for helm at lower most station.

CYLINDER SEAL KIT



64-**826532A 1**

Replacement front seal for kit for SeaStar front mount cylinders (HC5340/HC5342/HC5365). Includes 2 seal glands, pin wrench and guide tool.

BOTTLE FILLER KIT



64-**826525A 1**

For filling and bleeding of the hydraulic system.

TELEFLEX NFB SEASTAR TIE BAR KITS

TIE BAR KIT



64-**826507A 2**

Includes the adapter plates, tie bar and hardware required to connect twin engines utilizing single or twin front mount outboard cylinder(s)

Fits Mercury/Mariner V-6 135-200 HP (1989), 75-250 HP (1990), 75-275 HP (1991 and newer) and Hi-Perf 2.4/2.5L EFI (1995 and newer).

TIE BAR KIT



64-**826512A 2**

Includes the adapter plates, tie bar and hardware required to connect twin engines utilizing single or twin front mount outboard cylinder(s)

Fits Mercury/Mariner 90-115 HP (1984), 115-220 (1985-1988), 100-115 (1989). Also fits Johnson/Evinrude 80-225 HP (1991 and newer)

TWIN ENGINE ADAPTER PLATE



64-826511A 2

Replacement adapter plate only. Used to connect twin engines utilizing single or twin front mount outboard cylinder(s)

Fits Mercury/Mariner V-6 135-200 HP (1989), 75-250 HP (1990), 75-275 HP (1991 and newer) and Hi-Perf 2.4/2.5L EFI (1995 and newer).

SEASTAR TIE BAR KIT CHART

Tie Bar Kits

For use with old style front mount outboard cylinder 64-826491A 1

Brand	Year Range	Model	Tie Bar Kit - Plate Only
Johnson/Evinrude	2026	90-225 HP	64-826512A 2
Johnson/Evinrude	2026	150-175 HP	64-826512A 2
Johnson/Evinrude	2026	80-105 HP	64-826512A 2
Mercury/Mariner	2026	90-115 HP	64-826512A 2
Mercury/Mariner	2026	115-220 HP	64-826512A 2
Mercury/Marine	2026	135-250 HP	64-826507A 2
Mercury/Mariner	2026	100-115 HP	64-826512A 2
Mercury/Marine	2026	75-250 HP	64-826507A 2
Mercury/Marine	2026	75-250 HP	64-826507A 2
Mercury/Marine	2026	2.4/2.5 EFI(Perf)	64-826507A 2

RIDEGUIDE ATTACHING KITS

Through tilt tube type. When converting tiller handle steering to remote steering, the existing co-pilot friction control should be disabled or removed.

STEERING LINK ROD KIT



11606A 1

Starboard cable entry.

Fits Mercury/Mariner 6/8/9.9/15 hp. (2 cyl.) 2 cycle outboards (USA 0A197112 and Newer, BEL 9461526 and Newer), 8 hp. 4-Stroke outboards (232 cc) and 9.9 hp. 4-Stroke outboards (0H000058-0H016909).

STEERING ATTACHING KIT



19608A14

Starboard cable entry.

Fits various Mercury/Mariner 25 thru 60 hp. and Force 40/50 hp. outboards. See application chart for specific engine models.

STEERING ATTACHING KIT



19609A 6

Port cable entry.

Fits various Mercury/Mariner 25 thru 60 hp. and Force 40/50 hp. outboards. See application chart for specific engine models.

STEERING ATTACHING KIT



41323A03

For port or starboard entry.

Fits various Mercury/Mariner 8/9.9/15 hp. 4-Stroke (323 cc) and also fits the 20/25 2-cycle (1984 & newer) outboards.

Will also work as the port entry attaching kit for the Mercury/Mariner 8/9.9 hp. FourStroke (MY 2005 & newer) when used with the Ezy Glide stick steering system. Do not use this link rod with this engine when using the traditional rotary or rack steering systems.

STEERING LINK ROD KIT



92876A12

Link rod, screw, washers & nuts for use with a starboard entry attaching cable.

Fits Mercury/Mariner V-6 outboards USA 5464486 and above, Force 75-150 outboards 0E093700 and above, 75-115 FourStroke 1B366823 and above, and the 150 EFI FourStroke 1B905505 and above..

STEERING LINK ROD



889454A02

Furnished standard with the engine, this kit uses the same link rod as the standard 2-cycle V-6 outboard, however, the attaching hardware is different and makes them not interchangeable.

Fits the 225 EFI FourStroke outboard engine.

STEERING LINK ROD KIT



853824A04

Fits the Mercury/Mariner 15hp. FourStroke outboard, s/n 0R235949 & above and the 20hp. FourStroke outboard, s/n 0R235168 & above.

STEERING LINK ROD KIT



898101A45

This link rod fits a starboard entry, thru-tilt tube mechanical system.

Fits the 25-30 Hp EFI FourStroke outboard (JPN- 0R106999 & above, BEL-0P401000 & above).

STEERING LINK ROD



898101045

Fits the 25-30 Hp EFI FourStroke outboard, serial number 0R106999 & above.

STEERING BRACKETS

Used with RideGuide attaching kits to convert tiller handle models to remote steering. When converting tiller handle steering to remote steering, the existing co-pilot friction control should be disabled or removed.

STEERING BRACKET WITHOUT CARRYING HANDLE



816667A 2

Fits Mercury/Mariner 30/40 hp. (2 cylinder) 2 cycle outboards (USA 0G055314 and newer, BEL 9854537 and newer) and 25/30/40/45/50 hp. 4-Stroke outboards.

STEERING BRACKET



76535T

Converts manual tiller to remote steering.

Fits Mercury / Mariner 35/45 hp. manual outboards. See application chart for specific engine models.

STEERING LOCK FOR TRAILERING



8M0086774

For use when transporting a Joystick Piloting Outboard (JPO) boat to avoid the possibility of the engines making contact. The steering lock is placed over the tie bar arm and link rod for each of the outer engines.

STEERING LINK ROD CHART

Steering Link Rod Attaching Kits

Model	Year Range	Model Notes	Country	Serial # Range	Stbd. Cable Entry Steering Link Rod Attaching Kit	Port Cable Entry Steering Link Rod Attaching Kit	Required Steering Bracket
8 FourStroke	2005 - 2026		JPN	0R042475 and up	17024A03	N/A(3)	N/A
8 FourStroke	2005 - 2026		BEL	0P325500 and up	17024A03	N/A(3)	N/A
9.9	1986 - 2026		USA	0A197112 and up	11606A 1	N/A	N/A
9.9	1986 - 2026		BEL	9461526 and up	11606A 1	N/A	N/A
9.9 FourStroke	2005 - 2026		JPN	0R042475 and up	17024A03	N/A(3)	N/A
9.9 FourStroke	2005 - 2026		BEL	0P325500 and up	17024A03	N/A(3)	N/A
15	1988 - 2026		USA	0B292414 and up	11606A 1	N/A	N/A
15	1988 - 2026		BEL	9542620 and up	11606A 1	N/A	N/A
15 FourStroke (Carb)	1998 - 2008	323 cc	USA	0G590000 and up	41323A03	41323A03	N/A
15 FourStroke	2008 - 2026		JPN	0R235949 and up	853824A04		898103138(2)
20 FourStroke	2008 - 2026		JPN	0R235168 and up	853824A04		898103138(2)
25 FourStroke (EFI)	2006 - 2026	Only manual start models require steering bracket	JPN	0R106999 and up	898101A45	N/A(4)	98-8M0127351(5)
25 FourStroke (EFI)	2006 - 2026	Only manual start models require steering bracket	BEL	0P401000 and up	898101A45	N/A(4)	98-8M0127351(5)
30 FourStroke (EFI)	2006 - 2026	Only manual start models require steering bracket	JPN	0R106999 and up	898101A45	N/A(4)	98-8M0127351(5)
30 FourStroke (EFI)	2006 - 2026	Only manual start models require steering bracket	BEL	0P401000 and up	898101A45	N/A(4)	98-8M0127351(5)
40 FourStroke (3 cylinder)	1999 - 2007	Only manual start models require steering bracket	USA	0T409000 - 1B344398	19608A14		8M0184092(2)
40 FourStroke (3 cylinder)	2007 - 2026	Only manual start models require steering bracket	CHN	1C000001 and up	19608A14		8M0184092(2)
40 FourStroke (4 cylinder)	2001 - 2007	BigFoot gearcase 996 cc.	USA	0T178500 - 1B344306	19608A14	19609A 6	816667A 2(2)
40 FourStroke (4 cylinder)	2001 - 2007	BigFoot gearcase 996 cc.	BEL	0P094500 and up	19608A14	19609A 6	816667A 2(2)
40 FourStroke (4 cylinder)	2007 - 2026		CHN	1C000001 and up	19608A14	19609A 6	816667A 2(2)
50 FourStroke (4 cylinder)	2001 - 2007	996 cc.	USA	0T178500 - 1B344306	19608A14	19609A 6	816667A 2(2)
50 FourStroke (4 cylinder)	2001 - 2026	996 cc.	BEL	0P094500 and up	19608A14	19609A 6	816667A 2(2)
50 FourStroke (4 cylinder)	2007 - 2026		CHN	1C000001 and up	19608A14	19609A 6	816667A 2(2)
60 FourStroke	2001 - 2007	996 cc.	USA	0T178500 - 1B344306	19608A14	19609A 6	816667A 2(2)
60 FourStroke	2001 - 2026	996 cc.	BEL	0P094500 and up	19608A14	19609A 6	816667A 2(2)
60 FourStroke	2007 - 2026		CHN	1C000001 and up	19608A14	19609A 6	816667A 2(2)
75-115 FourStroke	2007 - 2026		USA	1B366823 and up	92876A12	N/A	N/A
75-115 FourStroke	2007 - 2026		BEL	0P401000 and up	92876A12	N/A	N/A
135 thru 275 (V-6)	1980 - 2026		USA	5464486 and up	92876A12	N/A	N/A
150 EFI FourStroke	2011 - 2026		USA	1B905505 and up	92876A12	N/A	N/A
135-200 Verado (4 cylinder)	2006 - 2026		USA	1B227001 and up	(6)		
200-300 Verado (6 cylinder)	2005 - 2026		USA	0T980000 and up	(7)		

(1) Bracket part number listed is without carrying handle.

(2) Bracket already furnished on remote models.

(3) When using port entry Ezy Glide stick steering, order attaching kit 41323A 2.

(4) When using port entry Ezy Glide stick steering, order attaching kit 899659A01.

(5) Steering bracket is part of the steering link rod attaching kit.

(6) Hydraulic Steering is standard.

(7) Power Steering is standard.

DUAL CABLE - SINGLE ENGINE ATTACHING KIT

Tension-compression only with both cables installed on the starboard side.

DUAL CABLE ATTACHING KIT



92876A 8

Fits Mercury / Mariner 70-300 HP outboards (1985 and Newer) and Force 90/120 HP outboards (1996 and Newer).

DUAL ENGINE TIE BAR KITS

Dual cables are required for installations of 80 HP (combined total of 160 HP) or higher.

TIE BAR EXTENSION



8M0026098

Standard Tie Bar Extension Coupler, 15 in. (381 mm). For clearance problems see optional extension couplers.

Fits Mercury/Mariner with standard cowling clearance. Outboard center line distance between 23-1/2 in. thru 27-1/2 in. (597 mm thru 699 mm).

TIE BAR EXTENSION



814951 4

Standard Tie Bar Extension Coupler, 18 in. (458 mm). For clearance problems see optional extension couplers.

Fits Mercury/Mariner with standard cowling clearance. Outboard center line distance between 26-1/2 in. thru 30-1/2 in. (673 mm thru 755 mm).

DUAL ENGINE TIE BAR



92876A 9

Includes 15 in. (381 mm) extension coupler. Adjusts from 22 in. (560 mm) to 26-1/2 in. (675 mm). See extension couplers for additional length.

Fits various Mercury/Mariner 70 thru 3.0 Litre outboards with two piece steering arms.

STEERING ARM EXTENSION KIT



17729A 1

Used with dual engine tie bar kits. Not designed for use with hydraulic or power steering systems or as a primary steering attachment point.

Fits Mercury/Mariner 70/75/80 hp. when installing a single cable-dual engine tie bar kit and included standard in a dual cable-dual engine tie bar kit.

CABLE SEAL KIT

SEAL KIT




19624A 1

Used in outboard applications.

Seals output end of tilt tube, helping to prevent corrosion of the RideGuide cable in a thru tube steering arrangement.

SEAL KIT - AMS CYLINDER



8M0045604

Verado Cylinder seal kit
200/225/250/275 4-Stroke Verado (Serial 0T980000-1B517433)
200/225/250/275/300 4-Stroke Verado (6 Cylinder) (Serial 1B517434-2B144122)
200/250/300 Pro 4-Stroke Verado (6 Cylinder) (Serial 1B830170-2B577715)
250/300 4.6L V8 4 Stroke VERADO/300 4.6L V8 4 Stroke SEAPRO VERADO (Serial 2B529482-)
300R 4.6L V8 4 Stroke AMS (Serial 1E81459-)
350-400/350 PRO/400R Verado (4-Stroke)(6 Cylinder) (Serial 2B141124-3B342962)
350 Verado (Serial 1B716557-2B143542)
350/400/425 5.7L V10 Verado (Serial 3B266064-Up)

OUTBOARD CABLE AND PULLEY ATTACHING KITS

STEERING CABLE ATTACHMENT



17024

Included with remote control attaching kit.
Fits Mercury/Mariner 4/5 hp. outboards (USA 0A855097 and Newer, BEL 9586000 and Newer).

STEERING ARM BRACKET



96186A 2

Used along with cable & pulley attaching kit.
Fits Mercury / Mariner 20/25(2 cyl.) outboards.

STEERING BRACKET



76535T

Converts manual tiller to remote steering.
Fits Mercury / Mariner 35/45 hp. manual outboards. See application chart for specific engine models.

MERCRUISER POWER STEERING KITS

CYLINDER ASSEMBLY



8M0208403

Power steering cylinder assembly
Fits 1983 to 1993 R/MR/Alpha One/Gen II & Bravo models

CYLINDER ASSEMBLY



8M0208402

Power steering cylinder assembly
Fits 1994 and newer Alpha One Gen II & Bravo models

P/S PUMP AND COOLER KIT



861481A 2

Power Steering Pump and Cooler Kit. For complete installation, order DHB power steering cylinder 8M0063382 separately.
Fits 1995 and newer 3.0L/LX (S/N 0F353100 and up)

MERCRUISER DUAL ENGINE TIE BAR KITS

DUAL ENGINE TIE BAR KIT



92020A 2

Used with power steering cylinder mounted on the starboard transom plate. Adjusts from 30 in.(762 mm) to 46 in.(1168 mm)

Fits 1983 and newer R/MR/Alpha One/Gen II and Bravo models, except D7.3L diesel.

92020A 3

Used with power steering cylinder mounted on the starboard transom plate. Adjusts from 46 in. (1168 mm) to 62 in. (1575 mm).

Fits 1983 and newer R/MR/Alpha One/Gen II and Bravo models, except D7.3L diesel.

DUAL ENGINE TIE BAR KIT



96708A 4

Used with power steering cylinder mounted on the port transom plate. Adjusts from 29 in. (737 mm) to 37-1/2 in. (952 mm).

Fits 1983 and newer R/MR/Alpha One/Gen II and Bravo models, except D7.3L diesel.

JET DRIVE 135 & 270 DEG. STEERING SYSTEM

The 135 degree system allows 135 degrees rotation of the steering wheel (3/8 turn lock to lock). The 270 degree system allows 270 degrees rotation of the steering wheel (3/4 turn lock to lock). Order helm, bezel, and steering cable separately. If the size required is not listed, use the next largest size.

STEERING HELM



850699

270 Degree Steering Helm.

Fits all Jet Drive models

TILT STEERING HELM



64-**879686**

270 Degree Steering Helm.

Fits all Jet Drive models

BEZEL KIT



809485

Fits all Jet Drive models

STEERING CABLE



64-**835457A11**

11 ft.(3.4 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-**835457A13**

13 ft.(4.0 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-**835457A15**

15 ft.(4.6 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-**835457A17**

17 ft.(5.2 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-**835457A19**

19 ft.(5.8 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-**835457A21**

21 ft.(6.4 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

STEERING CABLE BELLOWS



877581A 4

Installs on cable outside of transom
Fits Jet Drive models with 270 Degree system and 60 series cables

BULKHEAD BELLOWS KIT



850697A 2

Fits Jet Drive models with 40 series cables

JET DRIVE STEERING CABLE ROD END

STEERING ROD END



883053A 1

For 135 & 540 deg. steering systems. 5/16 in. (7.9 mm)
Fits Sport Jet models with 60 series cables

STEERING CABLE BULKHEAD FITTINGS/ BELLOWS KITS

Hardware used to complete Sport Jet installations. Use either bulkhead fittings or bellows kit. Not for use together.

BULKHEAD BELLOWS KIT



850005A 2


For 135 & 270 deg. steering systems and 60 series cables.
Fits Jet Drive models with 60 series cables

K PLANES (TRIM TABS)

SPORT K-PLANES

Each kit contains two K-Planes, two electric/hydraulic pumps, hydraulic cylinders, two harnesses, mounting hardware, installation instructions, drilling and mounting templates. Hoses need to be ordered separately.

SPORT K-PLANES



841944A02

Model 150S, assembly with digital trim position sender. To be used with VesselView-Race Edition or Mercury Racing sterndrive engines with 892486K05 (Vessel Analog Gauge Interface) to convert system link data to drive standard analog gauges. For all other applications use optional analog gauge driver P/N 884359A03 to drive two standard analog gauges.

For 21 ft. (6.4 m) to 30 ft. (9.1 m) boats.

SPORT K-PLANES



842768A05

Model 280S, assembly with digital trim position sender. To be used with VesselView-Race Edition or Mercury Racing sterndrive engines with 892486K05 (Vessel Analog Gauge Interface) to convert system link data to drive standard analog gauges. For all other applications use optional analog gauge driver P/N 884359A03 to drive two standard analog gauges.

For 31 ft. (9.4 m) to 40 ft. (12.2 m) boats.

SPORT K-PLANES



841945A02

Model 380S, assembly with digital trim position sender. To be used with VesselView-Race Edition or Mercury Racing sterndrive engines with 892486K05 (Vessel Analog Gauge Interface) to convert system link data to drive standard analog gauges. For all other applications use optional gauge driver P/N 884359A03 to drive two standard analog gauges.

For 31 ft. (9.4 m) to 40 ft. (12.2 m) boats.

HYDRAULIC PUMP



8M0083288

Standard pump for use with Sport K-Planes.

K-PLANES SPORT COLOR OPTION

280S K-PLANE COLOR



8M0114911

Custom color K-Planes offered in 12 optional colors to match your custom colored Mercury Racing sterndrive engine package. Not available on 150S models. Please call Mercury Racing Sales at 866-637-2234 to place your custom order.

380S K-PLANE COLOR



8M0114912

Custom color K-Planes offered in 12 optional colors to match your custom colored Mercury Racing sterndrive engine package. Not available on 150S models. Please call Mercury Racing Sales at 866-637-2234 to place your custom order.

COMPETITION K-PLANES

Each kit contains two K-Planes, two electric/hydraulic pumps, competition stainless steel hydraulic cylinders, two harnesses, mounting hardware, installation instructions, drilling and mounting templates. Hoses need to be ordered separately.

HYDRAULIC PUMP



846860T 1
Heavy-duty pump for use with Competition K-Planes.

ACTUATOR KITS

ACTUATOR KIT



8M0192217
Stainless steel cable grip
Fits old style K-logo, K-Planes

845630A 1
Plastic cable grip
Fits old style K-Logo, K-Planes.

ACTUATOR KIT



845630A02
Plastic Grip
Fits new style M-Logo, K-Planes.

ACTUATOR KIT



845532A02
Stainless Steel grip
Fits new style M-Logo, K-Planes.

K-PLANES HOSE KITS

K-PLANES HOSE KIT



32-**843556A 1**
30 inch K-Planes hose kit. Set of 4 hoses with unions in each kit.

32-**843675A 1**
60 inch K-Planes hose kit. Set of 4 hoses with unions in each kit.

HOSES FOR K-PLANES

Each K-Plane requires four hoses. Priced and sold separately.

K-PLANE HOSE - 30 INCH



32-**845976**
30 in. (76 cm) long

K-PLANE HOSE - 60 INCH



32-**845977**
60 in. (152 cm) long

K-PLANE HOSE - 96 INCH



32-**846051**

96 in. (244 cm) long

K-PLANE HOSE - 115 INCH




32-**848789**

115 in. (292 cm) long

INSTALLATION SPECIFICATIONS AND TOOLS

BOOST



BOOST UPGRADE CARD

BOOST ACTIVATION CARD

Image not Available.

8M0242393

The boost upgrade increases mid-range performance from your Mercury Outboard without requiring any hardware changes. This update can improve acceleration from zero to top speed by 5-21 percent depending on boat type.

INSTALLATION AIDS

14 PIN BRACKET



8M0076435

Rigging aid for 14 pin data cable. Rounded edges and anti-rotation.

DUAL STATION RIG HARNESS



91-**8M0119480**

Kit contains one harness and two weather caps.

Used to temporarily rig a second station so the vessel can be operated while the second station is not installed (shipping, rigging installation, short term rework, etc.). Not compatible with sf2 next gen DTS.

TOOL KIT-DIAG G3



91-**8M0168921**

Full kit with license, harnesses, and kvaser cable.

ADAPTER HARNESS



84-**8M0137667**

10 pin Jbox male pins to 5 pin N2K male pins Kvaser Diagnostic cable for use with G3 cable and Czone programming.

POWER STEERING DIAGNOSTICS ADAPTER - GEN C




84-**8M0156168**

This adapter is used to plug in to the Gen C or Gen C HD power steering pumps to access diagnostic information.

Compatible with the Gen C and Gen C HD power steering pumps.

CONTROL DRILLING FIXTURE



91-**828363A 1**

Used to help drill the holes for side mount control and panel mount control mounting bolts.

For use with the Commander 2000 side mount and the Commander 3000 panel mount controls.

TRANSOM DRILL FIXTURE KIT



91-**866590A02**

Used to help drill the holes for the MerCruiser transom plate mounting bolts.

For MCM 1.6L Vazer models.

DRILL FIXTURE KIT




91- **43693A 2**

Used to help drill the holes for the MerCruiser transom plate mounting bolts.

For MCM 3.0L to 350 Magnum (Alpha One), Bravo One, Two, Three and Blackhawk models.

ENGINE MOUNTING FIXTURE



91-**806794A02**

Gasoline engine mount installation tool fixture.

MerCruiser gasoline engines, except Vazer engines.

ENGINE MOUNTING FIXTURE



91-**8M0114831**

Primary mount assembly. To be used in conjunction with Mount Fixture 22.5 in. (571 mm) p/n 8M0114832 and/or Mount Fixture 25.2 in. (640 mm) p/n 8M0114833.

For use with all Mercury high speed diesel engines.

ENGINE MOUNTING FIXTURE



91-**8M0114832**

Fixture mount assembly. To be used in conjunction with Primary Mount Assembly p/n 8M0114831.

For use with all Mercury high speed diesel engines, except the V8 TDI

ENGINE MOUNTING FIXTURE



91-**8M0114833**

Fixture mount assembly. To be used in conjunction with Primary Mount Assembly p/n 8M0114831.

For use with Mercury high speed V8 TDI diesel engines

ALIGNMENT SHAFT TOOL



91-**805475A 1**

Used to align the engine to the standard Bravo transom assembly for sterndrive installation.

For MerCruiser drives, except Vazer drives.

ALIGNMENT SHAFT



91-**8M0125730**

For MerCruiser drives used with the 4.2L TDI engines

ALIGNMENT SHAFT



91-**8M0114829**

For MerCruiser 4.2L TDI engines with ITS transoms

91-**8M2001017**

Aids in aligning the engine to the transom assembly for sterndrive installation.

Works with Vazer, Alpha and Bravo sterndrives.

TRANSOM DRILLING FIXTURE




91- **98234A 2**

Used to help drill the holes for the outboard engine transom bracket mounting bolts.

Mercury/Mariner 30/40 HP & above (2 cycle), 25 HP Bigfoot & above (4-Stroke), and Force 40-150 HP (1993 and newer).

TRANSOM DRILLING FIXTURE - STANDARD



91-**8M0149520**

Only includes the drill fixture, standard 20 hole, 1" block.

Fits: L4 and L6 Verado, 175-300 HP V6 (3.4L) & V8 (4.6L), 150 HP FourStroke & 75-115 HP (2.1L) EFI FourStroke engines.

DRILL GUIDE BLOCK - 1 INCH




91-**8M0149525**

1 inch drill guide block with 5 holes.

Standard option

TRANSOM DRILLING FIXTURE KIT - PROFESSIONAL OPTION




91-**8M0138402**

Kit includes: Suction cup for a good hold and accurate drilling, suction cup manual & cover, 2" drill guide blocks that ensure straight drill path for thick transoms and 2 holes per guide block that reduces the likelihood of drilling into the wrong hole.

Fits: L4 and L6 Verado, 175-300 HP V6 (3.4L) & V8 (4.6L), 150 HP FourStroke & 75-115 HP (2.1L) EFI FourStroke engines.

DRILL GUIDE BLOCK - 2 INCH



91-**8M0149526**

2 inch drill guide block with 5 holes.

Professional option (use on thick transoms to ensure straight drill path).

DRILL GUIDE BLOCK - OEM 2 INCH




91-**8M0149527**

2 inch drill guide block with 2 holes.

Professional option for OEM boat builders (utilize on new / undrilled transoms to ensure thick transoms are drilled straight).

TRANSOM DRILL FIXTURE ASSEMBLY



91-**8M0180599**

Used to help drill holes for V12 outboard transom plate mounting bolts.

V12 Outboards

STORY POLE KIT




91-**8M0180742**

Story pole option bolts to drill fixture to reference engine height to hull bottom.

V12 outboards

JOINING PLATE TOOL




91-**8M0180741**

Joining plate with 27 inch center to center spacing between transom drill fixtures. Used for multiple outboard applications.

V12 outboards

DRILL BUSHING




91-**8M0180731**

Replacement 5/8" drill bushing for drill fixture.

V12 Outboards

DRILL FIXTURE



8M0210331

Basic 6-hole standard drill fixture hole pattern. Includes baseplate, centerline pointers, mount feet and necessary hardware.
40HP-500R outboards

HEAVY DUTY SUCTION CUP VALVE KIT



8M0210333

8 inch metal suction cup power grip used with standard 6 hole drill fixture.
40HP-500R outboards

SUCTION CUP



8M0210332

4.5 inch suction cup used with standard 6 hole drill fixture.
40HP-500R outboards


KICKER BUSHINGS KIT



8M0210334

Bushings kit for kicker engines to be used with standard 6 hole drill fixture.
9.9HP-20 outboards


DRILL BUSHING .5 INCH



23-**8M0210336**

Replaceable .5 inch ID drill guide bushings for standard 6 hole drill fixture.
40HP-500R outboards


DRILL GUIDE BUSHING .375 INCH



23-**8M0210338**

Replaceable .375 inch ID drill guide bushings for standard 6 hole drill fixture.
40HP-500R outboards

DRILL PLATE



8M0210335

Drill plate only for standard 6 hole drill fixture.
40HP-500R outboards

PRELIMINARY SHIFT ADJUSTMENT TOOL



91- **12427T**

Attaches over the shift cable and aids in proper shift cable adjustment at the shift plate.
For MCM Bravo One and Bravo Two models.

LIFTING EYE - ZEUS POD



10-**8M0080049**

Attaches to transmission.

For installation or removal of the Zeus Transmissions.

OUTBOARD ENGINE LIFTING EYE



91- **90455 1**

Threads into the flywheel to remove the power head assembly from the driveshaft housing, or to lift entire engine for removal/installation.

Fits most 2 cycle Mercury/Mariner Outboards from the 30/40 (2 cylinder) on up.

LIFTING EYE/FLYWHEEL PULLER




91-**895343T02**

A combination tool utilized for both lifting the engine and for pulling the flywheel.

Fits the 75-115 hp. FourStroke outboards (s/n 1B366823 and above), 135-400 hp. Verado outboards, and the F150 EFI FourStroke outboard. Verado 400R outboard.

ALIGNMENT TOOL



91-**8M0180314**

OB V12 multi engine prop shaft alignment tool. Threads onto propeller shaft to provide a perpendicular surface for aligning multi engine applications. Machined aluminum. Designed by Mercury engineering. Includes 1 degree resolution toe indicators up to 5 degrees. Two pieces required for alignment.

DRIVE ALIGNMENT TOOL



91-**8M0029055**

OB V10, MCM Bravo 3 & Zeus Pod multi engine prop shaft alignment tool. Threads onto propeller shaft to provide a perpendicular surface for aligning multi engine applications. Machined aluminum. Designed by Mercury engineering. Two pieces required for alignment.

TOOL- DRIVE ALIGNMENT



91-**8M0182653**

OB V6/V8/L6SC 1" and 1-1/4" multi engine prop shaft alignment tool. Threads onto propeller shaft to provide a perpendicular surface for aligning multi engine applications. Machined aluminum. Includes 1 degree resolution toe indicators up to 5 degrees. Designed by Mercury engineering. Two pieces required for alignment.

TOOL- SERVICE HARNESS



91-**892333**

Service Harness

BOAT HARNESS ADAPTER



84-**898285T01**

Needed in order to adapt newer engines that are equipped with a female 6-pin connector to a 6-pin female boat harness.

G3 LICENSE KEY



8M0242036

CDS G3 2026

GEARCASE HEIGHT TOOL KIT



91-**8M0130705**

Engine and gearcase height measurement tool.
Measures engine (gearcase) height in reference to the boat bottom.
All engine gearcase types.

LIFTING STRAP



91-**883705T01**

An engine lifting strap for handling of the various FourStroke outboards.
Fits 225 EFI, V6 (3.4L), V8 (4.6L) and V10 (5.7L) FourStroke outboards.


GEARCASE FILLER PLUGS



22-**8M0163134**

Used to fix gearcase water pressure issues with the dual water inlet gearcase not supplying adequate water pressure and flow to the engine at the high installation "X" dimension heights that were used with the low water inlet gearcase.
Fits O/B & MCM Bravo gearcases with dual water pickups. 300 series stainless steel passivated. Size 1/16-27 PFT - SAE Short. Used with NPT tap.


2ND STATION DELIVERY HARNESS KIT - SINGLE



98-**8M0169904**

Single kit includes 2-pin CAN weather caps (qty. 3), 2-pin CAN terminator (blue, qty. 3), global wake weather cap helm, global wake weather cap extension, gauge power weather cap helm, gauge power weather cap extension, 6-pin delivery harness helm, 4-pin delivery harness helm, 6-pin delivery harness extension and 4-pin delivery harness extension.


2ND STATION DELIVERY HARNESS KIT - DUAL



98-**8M0169905**

Dual kit includes DTS link assembly, 2-pin CAN weather caps (qty. 7), 2-pin CAN terminator (blue, qty. 3), gauge power weather cap helm, gauge power weather cap extension, 6-pin delivery harness helm (qty. 2), 4-pin delivery harness helm (qty. 2), 6-pin delivery harness extension (qty. 2) and 4-pin delivery harness extension (qty. 2).


2ND STATION DELIVERY HARNESS KIT - TRIPLE



98-**8M0169906**

Triple kit includes DTS link assembly, 2-pin CAN weather cap (qty. 8), 2-pin CAN terminator (blue, qty. 4), gauge power weather cap helm, gauge power weather cap extension, 6-pin delivery harness helm (qty. 3), 4-pin delivery harness helm (qty. 2), 6-pin delivery harness extension (qty. 3) and 4-pin delivery harness extension (qty.2).

2ND STATION DELIVERY HARNESS KIT - QUAD



98-**8M0169907**

Quad kit includes DTS link assembly, 2-pin CAN weather cap (qty. 9), 2-pin CAN terminator (blue, qty. 5), gauge power weather cap helm, gauge power weather cap extension, 6-pin delivery helm harness (qty. 4), 4-pin delivery helm harness (qty. 2), 6-pin delivery harness extension (qty. 4) and 4-pin delivery harness extension (qty. 2)

POWER STEERING PRIMER MODULE



91-895040K01

Used to prep the Power Steering system. Module allows pump to be run without starting engine. Allows bleeding and testing of power Steering system out of the water.

Verado Engines 200-300 HP- Optional on 135-200 HP

14 PIN FEMALE WEATHER CAP



8M0126960

Heavy Duty 14 pin Female Weather Cap.

Reusable weather cap used to protect the integrity of the 14 pin data cable when connections are not able to be immediately made.

14 PIN MALE WEATHER CAP



8M0126959


Heavy Duty 14 pin Male Weather Cap.

Reusable weather cap used to protect the integrity of the 14 pin data cable when connections are not able to be immediately made.

MSC 4500 SIDE MOUNT CONTROL SCHEMATIC


Required mounting clearances:
The remote control must be mounted on a hard, flat vertical surface no less than 6.3 mm (1/4 in.) thick.

a) 90 degree forward rotation from center of handle
b) 70 degree reverse rotation from center of handle
c) Hand clearance



MPC 4000 PANEL MOUNT CONTROLS (TRIM/NON-TRIM)

Required mounting clearances for 858690A 1, 2, 3.




MPC 4000 GEN II PANEL MOUNT-LOCK BAR DESIGN


(Trim/Non-Trim)
_Required mounting clearances for 883710A__ series controls

Mechanical Panel Control (Trim/Non-Trim)

IMPORTANT: Ensure that the remote control has adequate clearance and does not contact other components. The cable path should be free of obstructions. See shaded area.


IMPORTANT: The minimum bend radius of the remote control cable is 305 mm (12 in.). For optimum performance, plan a cable route that does not require bends smaller than the minimum. A bend radius less than the minimum creates cable friction and may reduce cable life.





MPC 4000 GEN II PANEL MOUNT-LOCK BAR FINGER RELEASE DESIGN


(Trim/Non-Trim)
_Required mounting clearances for series controls - Common to 883710A__ series Lock Bar



MPC 4000/4000 GEN II-PANEL MOUNT CUTOUT TEMPLATE

Template is combined 4000 control and 4000 Gen II control.


A = HOLES REQUIRED FOR MOUNTING 4000 SERIES MPC. MDL #'S: 858690–A01 THRU A11 & 883709–A01 THRU A03
B = HOLES REQUIRED FOR MOUNTING 4000 GEN II MPC. MDL #'S: 883710–A01 THRU A03
C = HOLE REQUIRED FOR THROTTLE FRICTION ACCESS, 4000 SERIES MPC. MDL #'S: 858690–A01 THRU A11



Size not to scale- refer instruction sheet included in control for correct template

MEASURING OUTBOARD THROTTLE/SHIFT CABLES


Boats with side mount controls.



1. Add boat measurements A-B in inches (mm) and add 18 in. (457 mm) to the total. Dimension B represents the distance from the remote control location measured along the gunwale to the transom.
2. In dual engine installations, dimension A is measured from the gunwale to each engine center-line.
3. Divide by 12 in. (304 mm).
4. This is the length of the throttle and shift cables in feet (meters).
5. For left hand (Port) remote control installation, use the same measuring procedure following routing along the opposite side of the boat.

MEASURING MERCRUISER THROTTLE/SHIFT CABLES


Boats with side mount controls.



1. Add A-B-C in inches (mm). Dimension B represents the distance from the remote control location measured along the gunwale to the transom. The C dimension represents distance from the transom, forward to the throttle/shift attaching point.
2. In dual engine installations, dimension A is measured from gunwale to each engine center-line.
3. Divide by 12 in. (304 mm).
4. This is the length of the throttle and shift cables in feet (meters).
5. For left hand (Port) remote control installation, use the same measuring procedure following routing along the opposite side of the boat.

MEASURING CONSOLE CONTROL THROTTLE/SHIFT CABLES


Boats with either Outboard or MerCruiser applications.




1. When measuring cable length for a console mount remote control, measure along the actual selected cable routing path and add 18 inches (457 mm) to the total.
2. Divide by 12 inches (304 mm).
3. This is the length of the throttle or shift cables in feet (meters).

MEASURING FOR EXHAUST RISERS

The exhaust elbows must be located a sufficient distance above the waterline (at rest with maximum load) to prevent water from entering cylinders through the exhaust system. Available in both 3 in. (76 mm) or 6 in. (152 mm) sizes, risers may be selected using the required minimum distance chart found in the appropriate engine installation manual.





Notes:

TABLE OF CONTENTS

Step 1 - Select Hardware Quicksilver . . . 579

Step 2 - Select Propeller Quicksilver . . . 580

Step 1 - Select Hardware Mercury 581

Step 2 - Select Propeller Mercury 582

Propeller Material and Blade Facts 583

Mercury Propeller Application Charts . . 584

- **Mercury MerCruiser Application Charts** . . 590
- **Mercury Outboard Application Charts** . . . 584
- **Mercury Zeus Application Charts** 592
- **Non-Mercury Engine Application Charts** . . 593

Propeller Selecting Tools 597

Mercury Propeller Rigging Chart 598

- **Bass: 115 - 250 HP** 613
- **Freshwater Fish / Runabout / Fish and Ski / Mod V / V Bottom: 60 - 400 HP** 598
- **Offshore / Bay / Flats Center Console: 40 - 350 HP** 616
- **Tri / Pontoon: 40 - 350 HP** 604

Mercury Propeller Type - Aluminum 626

- Black Max 629
- Black Max 2.5 - 3.5 HP 629
- Black Max 25 - 30 HP (2022 and newer with 2.17:1 gear ratio) 631
- Black Max 25 - 30 HP FourStroke 630
- Black Max 25 CT - 60 HP 631
- Black Max 40 CT - 125 HP 631
- Black Max 4 - 6 HP 629
- Black Max 6 - 15 HP 629
- Black Max 8 - 9.9 HP FourStroke 630
- Black Max 9.9 BF - 25 HP 630
- Black Max 9.9 CT - 20 HP FourStroke 630
- Black Max 90 CT - 300 HP, Alpha/Bravo I Sterndrive 632
- Bravo Two - Aluminum 632
- Composite 627
- **Mercury Outboard Propeller Selector Chart** 626
- Mercury Propeller Selector 626
- **Mercury SternDrive Propeller Selector Chart** 627
- SpitFire 627
- SpitFire 25 - 30 HP 628
- SpitFire 25 CT - 60 HP 628
- SpitFire 40 CT - 125 HP 628
- SpitFire 90 CT - 300 HP, Alpha/Bravo I Sterndrive 629

Mercury Propeller Type - Stainless Steel 634

- Bravo Four S 644
- Bravo I 90 CT - 400 HP 639
- Bravo Three 644
- Bravo Three Diesel 645
- Bravo Two - Stainless Steel 643
- Enertia 90 CT - 400 HP 636
- Enertia ECO 90 CT - 400 HP 637
- Flo -Torq X Hub Kit 638
- Fury 4 90 CT - 400 HP 639
- Fury 90 CT - 400 HP 638
- HighFive 90 CT - 400 HP 641
- **Mercury Stainless Steel Propeller Cross Reference Chart** 635
- Mirage Plus 90 CT - 400 HP 641
- M - Series Propeller 646
- Revolution 4 90 CT - 400 HP 637
- Revolution X - Mercury V10 Outboard 638
- Spitfire X7 40 CT - 125 HP 639
- SSR Hub Kit Selector 634
- Tempest Plus 90 CT - 400 HP 640
- Trophy Plus 40 CT - 225 HP 640
- Trophy Sport 30 - 60 HP 640
- Vengeance 641
- Vengeance 25 - 30 HP FS 642
- Vengeance 25 BF - 60 HP 642
- Vengeance 40 CT - 125 HP 642
- Vengeance 90 CT - 300 HP 642

Verado12 500 - 600 HP 643
Z - Series Propeller 645

Mercury Racing Propeller Type 647

Altitude CNC Cleaver 300HP 660
Altitude CNC Cleaver 400HP 661
Altitude CNC Cleaver 500HP 662
Bravo I FS Pro Finished 650
Bravo I Lab Finished 653
Bravo I LT Pro Finished 648
Bravo I OC Lab Finished 653
Bravo I XC Pro Finished 649
Bravo I XS Pro Finished 649
Bravo Three XR Pro Finished 659
CNC Cleaver 5 Blade 12 Degree Rake Lab Finished 669
CNC Cleaver 5 Blade 15 Degree Rake Lab Finished 669
CNC Cleaver 5 Blade 18 Degree Rake Lab Finished 669
CNC Cleaver 5 Blade 21 Degree Rake Lab Finished 669
CNC Cleaver 6 Blade 15 Degree Rake Lab Finished 669
CNC Cleaver 6 Blade 18 Degree Rake Lab Finished 669
CNC Cleaver 6 Blade 21 Degree Rake Lab Finished 670
CNC Outboard Cleaver 400 HP 15 Degree Rake 664
CNC Outboard Cleaver 500 HP 15 Degree Rake 666
CNC Outboard Cleaver 500 HP 18 Degree Rake 667
Enertia ECO XP 651
Lightning E.T. 647
MAX 5 Lab Finished 654
MAX 5 ST Lab Finished 656
Maximus Long Tube Lab Finished 657
Maximus Pro Finish 657
Maximus Short Tube Lab Finished 658
Pro Max Propeller 647
Revolution 4 XP 650
Spitfire XP 647
Ventera 651
Ventera Lab Finish 652
Ventera Lab Satin Finish 652

Mercury Racing Propeller Charts 671

Bravo I FS Pro Finished 672
Bravo I Lab Finished 674
Bravo I LT Pro Finished 672
Bravo I OC Lab Finished 674
Bravo I XC Pro Finished 672
Bravo I XS Pro Finished 672
Bravo Three XR Pro Finished 676
CNC Cleaver 5 Blade 15 Degree Rake Polished Lab Finished Sterndrive Propeller . . .681
CNC Cleaver 5 Blade 18 Degree Rake Polished Lab Finished Sterndrive Propeller . . .688
CNC Cleaver 5 Blade 21 Degree Rake Polished Lab Finished Sterndrive Propeller . . .692
CNC Cleaver 6 Blade 15 Degree Rake Polished Lab Finished Sterndrive Propeller . . .696
CNC Cleaver 6 Blade 18 Degree Rake Polished Lab Finished Sterndrive Propeller . . .702
CNC Outboard Cleaver 300 HP 15 Degree . 676
CNC Outboard Cleaver 300 HP 18 Degree . 677
CNC Outboard Cleaver 400 HP 15 Degree Rake 678
CNC Outboard Cleaver 400 HP 18 Degree Rake 678
CNC Outboard Cleaver 500 B 15 Degree Rake 679
CNC Outboard Cleaver 500 B 18 Degree Rake 680
CNC Outboard Cleaver 500 HP 15 Degree Rake 679
CNC Outboard Cleaver 500 HP 18 Degree Rake 679
Enertia ECO XP Propeller 673
Lightning E.T. 671
MAX 5 Lab Finished Propeller 674
MAX 5 ST Lab Finished Propeller 675
Maximus Long Tube 5 Blade SS Lab Finished 675
Maximus Short Tube 5 Blade SS Lab Finished 676

Pro Max ® - 4 Blade Stainless Steel 671
Revolution 4 XP 673
Spitfire XP 671
Ventera Lab Finish 673
Ventera Lab Satin Finish 674
Ventera Propeller 673

Quicksilver Propeller Application Charts 705

Evinrude/Johnson Outboard Application Charts 705
Force Outboard Application Charts 708
Honda Outboard Application Charts 709
MerCruiser Sterndrive Application Charts 725
Mercury/Mariner Outboard Application Charts 712
OMC Sterndrive Application Charts 729
Suzuki Outboard Application Charts 717
Tohatsu/Nissan Outboard Application Charts 720
Volvo Penta Sterndrive Application Charts 732
Yamaha Outboard Application Charts . . . 722
Yamaha Sterndrive Application Chart 733

Quicksilver Propeller Type 735

Black Diamond 735
Black Diamond 25/30hp (2022 and newer with 2.17:1 gear ratio) 735
Black Diamond 40 - 60 HP Standard 735
Black Diamond 40 CT - 125 HP 735
Black Diamond 90 CT - 300 HP 736
Black Diamond Bravo Two 740
Black Diamond for 85 - 140 HP Evinrude/Johnson V-4 736
Nemesis 736
Nemesis 25 - 30 HP 736
Nemesis 40 - 60 HP 736
Nemesis 40 CT - 125 HP 737
Nemesis 90 CT - 300 HP 737
Q3 90 CT - 400 HP 737
Q4 40 CT - 125 HP 738
Q4 90 CT - 400 HP 738
Quicksilver Bravo Three 740
Silverado 739
Silverado 40 - 60 HP 739
Silverado 40 CT - 125 HP 739
Silverado 90 CT - 300 HP 739
Thunderbolt 90 CT - 400 HP 739

Avator Propellers 741

OEM - Quicksilver Propeller Cross Reference 742

Evinrude/Johnson/OMC Prop Cross Reference 742
Force Propeller Cross Reference 743
Honda Propeller Cross Reference 743
Mercury/Mariner/MerCruiser Prop Cross Reference 744
Suzuki Propeller Cross Reference 746
Tohatsu/Nissan Propeller Cross Reference 746
Volvo Propeller Cross Reference 746
Yamaha Propeller Cross Reference 747

Historical Propeller Charts 748

Chrysler Outboards 768
Force Outboards 765
Mariner Electric Motor 758
Mariner Outboard 759
MerCrusier Sterndrives 768
Mercury Electric Motors 748
Mercury Outboard 748

Propeller Hardware and Accessories . . . 779

Anodes 788
Cotter Pins 794
Diffuser Rings 789
Flo-Torq Application Charts 779
Flo-Torq II & SSR Hub Kits 781
Flo-Torq Reflex Hub Kits 780
Hub Cross-Reference Chart 779
Marine Grease 807
Mercury Racing Propeller Accessories 807

Padded Racing Covers 808
Paints 808
Performance Vent Plugs 803
Prop Nut Kits 790
Prop Nuts 792
Rubber Hubs 801
Shear Pins 794
Skegs 802
Spacers 795
Stainless Steel Impellers 804
Tab Washers 797
Thrust Washers 797
Tools 805
Trim Tabs 800
Washers 795

STEP 1 - SELECT HARDWARE QUICKSILVER

QUICKSILVER Propellers

EASY 2 STEP
Propeller Selection!

Step 1: Identify the Flo Torq hub system and propeller application for your engine model

Step 2: Locate the preferred propeller part number

PROPELLER APPLICATION

		Runabout	Saltwater Fish	Freshwater Fish	Pontoon	Cruiser	Bass	Performance
Stainless Steel								
Silverado	Increased performance & durability over standard aluminum. One piece cast steel for exceptional strength & durability	■	■	■	■	■		
Thunderbolt	Best overall performing high-horsepower propeller. Large diameter design works well across a wide range of applications. Fits 135hp and above outboards and V8 sterndrives.	■	■	■	■	■		
Q3	The highest performing propeller in the Quicksilver line-up. The Q3 improves both holeshot and top speed on runabouts, center consoles, pontoons and tritoons.	■	■	■	■			■
Q4	The premier fishing propeller. Will improve holeshot and handling on center consoles, multi-species fishing boats, bay/flats and bass boats.	■	■	■		■	■	■
Aluminum								
Black Diamond	Worlds best selling Aluminum propeller. Perfect combination of performance, durability and value. Fits outboards 2.5hp - 250hp and Alpha One sterndrives.	■		■	■	■		
Nemesis	State-of-the-art propeller provides 3-blade speed with 4-blade holding and acceleration. Aggressive design with high rake angles and added cup for tenacious holding. Fits 20hp - 250hp outboards and Alpha One sterndrives.	■		■	■	■		

STEP 1: SELECT HARDWARE

Locate the model, year and horsepower of your outboard or stern drive. Match the Hub Kit color to a like-colored propeller choice to the right.

Mercury®, Mariner®, and Force® Outboards, and MerCruiser® Sterndrives	Hub Kit/Hardware
Mercury 40 CT - 225 HP (1" prop shaft) FourStroke Outboards and Bravo One Sterndrives	8M0150152
Mercury 40 CT - 300 HP (1" prop shaft) FourStroke Outboards and Bravo One Sterndrives for High Performance and Surface-Piercing Applications	8M0101604
Mercury V8 FourStroke Outboards, 350 - 400 HP Verado (1.25" prop shaft)	8M0101603
Mercury 40 CT - 300 HP TwoStroke Outboards and Alpha One Sterndrives	835257Q 1
Mercury / Mariner 75 HP 1984 & Newer, 90 & 115 HP 1978 & Newer, 125 HP 1994 & Newer	835257Q 1
Mercury / Mariner 25 HP CommandThrust - 60 HP FourStroke Outboards	Included with Prop
Mercury 225 HP EFI FourStroke Outboards	835274Q 1
MerCruiser 400 HP+ Bravo Sterndrives	835258Q 2
Mercury Racing Choppers & Cleavers for V6 Outboards	835258Q 1
MerCruiser XZ & XR Racing Sport & Torque Master, 250 RroXS with Torque Master II, Verado 350, 350 SCI and 400R (1-1/4 Shaft)	840389Q06
Force 75 HP 1999, 90 - 115 HP 1995 and Newer Outboards	835274Q1
Yamaha® Outboards and Sterndrives	**Hub Kit/Hardware**
Yamaha T25 -60 HP Outboards	Included with Prop
Yamaha 50 - 100 HP Outboards with Splined Forward Washer	835272Q 1
Yamaha 115 & 130 HP 1984 and Newer	835271Q 2
Yamaha 150 - 300 HP HPDI and VMAX and 130 - 300 HP Sterndrives	835271Q 2
Yamaha 150-300 HP 4-Stroke outboards (excluding V8) and 115 - 250 SHO 2015 and Newer	835274Q 1
Yamaha 200 - 250 HP SHO 2014 and Older	8M0075402
Evinrude® and Johnson® Outboards, and Volvo and OMC Sterndrives	**Hub Kit/Hardware**
Evinrude ETEC G2 150 - 300 HP	8M0107220
Johnson 90 - 115 HP 4-Stroke Outboards	835283Q 1
Johnson 140 HP 4-Stroke Outboards	835283Q 2
Evinrude / Johnson V4 Outboards	835266Q 1
Evinrude / Johnson Outboards and OMC Sterndrives with V8 and V8 Gearcases, Cobra Sterndrives 1991 and Newer	8M0119081
Evinrude / Johnson Outboards and OMC Sterndrives with V8 and V8 Gearcases, Cobra Sterndrives 1990 and Older**	8M0119082
Volvo SX 1996 and Newer and OMC Cobra SX Sterndrives 1994 and Newer, 7.4L 1984 and Newer (19 tooth spline)**	8M0119083
Suzuki® Outboards	**Hub Kit/Hardware**
Suzuki 35 - 65 HP Outboards	8M0088039
Suzuki 60 HP 4-Stroke 1998 and Newer 70 HP 4-Stroke 1998-2008 75 - 140 HP 2-Stroke Outboards	835282Q 1
Suzuki 70 - 90 HP 2009 and Newer Outboards	835283Q03
Suzuki 90 - 115 HP 4-Stroke 2001-2008 Outboards	835283Q 1
Suzuki 100 - 115 HP 4-Stroke 2009 and Newer 140 HP 4-Stroke Outboards	835283Q 2
Suzuki 150 - 300 HP 4-Stroke 150 - 225 HP 2-Stroke Outboards	835281Q 1
Honda® Outboards	**Hub Kit/Hardware**
Honda 35-50, 60 HP Small Gearcase Outboards	8M0046466
Honda 75 - 90 HP Outboards 1998 and Older	835277Q 1
Honda 75 - 90 HP Outboards 1998 and Newer and 115 - 130 HP	835279Q 2
Honda 135 - 225 HP 4-Stroke Outboards	835278Q 1
Tohatsu® and Nissan® Outboards	**Hub Kit/Hardware**
Tohatsu 35 - 50 HP Outboards	8M0053074
80 - 140 HP Outboards	835284Q 1

STEP 2 - SELECT PROPELLER QUICKSILVER

STEP 2 - SELECT PROPELLER QUICKSILVER

STEP 2: SELECT PROPELLER

Size	Blades	Model	RH Part #	LH Part #
12 1/2 X 8 RH	3	Black Diamond	QA2060X	—
12 1/4 X 9 RH	3	Black Diamond	QA2062X	—
11 1/4 X 10 RH	3	Black Diamond	QA2064X	—
10 7/8 X 11 RH	3	Black Diamond	QA2070X	—
10 3/4 X 12 RH	3	Black Diamond	QA2072X	—
10 5/8 X 12 RH	3	Black Diamond	QA2074X	—
10 1/2 X 13 RH	3	Black Diamond	QA2076X	—
10 3/8 X 13 RH	3	Black Diamond	QA2078X	—
10 3/8 X 14 RH	3	Black Diamond	QA2080X	—
10 1/4 X 14 RH	3	Black Diamond	QA2082X	—
10 1/8 X 15 RH	3	Black Diamond	QA2084X	—
10.6X 12 RH	4	Nemesis	8M8027511	—
10.3 X 13 RH	4	Nemesis	8M8027512	—
10.1 X 14 RH	4	Nemesis	8M8027513	—
10.1 X 15 RH	4	Nemesis	8M8027514	—
10 1/2 X 13 RH	3	Silverado	QS5166X	—
10 3/8 X 14 RH	3	Silverado	QS5168X	—
10 1/4 X 15 RH	3	Silverado	QS5170X	—
16 x 11	3	Black Diamond	QA2000X	—
16 x 13	3	Black Diamond	QA2004X	—
16 x 14	3	Black Diamond	QA2006X	—
15 1/2 x 15	3	Black Diamond	QA2008X	—
16 x 16	3	Black Diamond	QA2010X	—
15 x 17	3	Black Diamond	QA1912X	—
15 1/2 x 18	3	Black Diamond	QA2014X	—
14 1/2 x 19	3	Black Diamond	QA1916X	—
14 1/4 x 21	3	Black Diamond	QA1918X	—
14 x 23	3	Black Diamond	QA1920X	—
14 x 12	4	Nemesis Pontoon	8M0055531	—
14 x 14	4	Nemesis Pontoon	8M0055533	—
14 x 17	4	Nemesis	8M0055534	—
14 x 19	4	Nemesis	8M0055535	—
14 x 21	4	Nemesis	8M0055536	—
14 x 23	4	Nemesis	8M0055537	—
14 1/2 x 15	3	Silverado	QS5050X	—
14 1/2 x 17	3	Silverado	QS5052X	—
14 x 19	3	Silverado	QS5054X	—
13 3/4 x 21	3	Silverado	QS5056X	—
16 x 11	3	Q3	8M0103516	—
15 3/4 x 13	3	Q3	8M0103517	—
15 1/4 x 14	3	Q3	8M0103518	—
15 x 15	3	Q3	8M0103519	—
14 3/4 x 16	3	Q3	8M0103520	—
14 1/2 x 17	3	Q3	8M0103521	—
14 1/4 x 18	3	Q3	8M0103522	—
14 x 19	3	Q3	8M0103523	—
13 3/4 x 21	3	Q3	8M0103525	—
14 3/4 x 17	4	Q4	8M0103526	8M0103527
14 3/4 x 19	4	Q4	8M0103528	8M0103529
14 3/4 x 21	4	Q4	8M0103530	8M0103531
14 3/4 x 23	4	Q4	8M0103532	8M0103533
15 3/4 x 15	3	Thunderbolt	QS5002X	QS5003X
15 1/2 x 17	3	Thunderbolt	QS5004X	QS5005X
15 1/4 x 19	3	Thunderbolt	QS5006X	QS5007X
14 3/4 x 21	3	Thunderbolt	QS5008X	QS5009X

Size	Blades	Model	RH Part #	LH Part #
14 x 9	3	Black Diamond	QA2026X	—
14 x 10	3	Black Diamond	QA2028X	—
14 x 10 Extra Cup	3	Black Diamond	QA2828X	—
14 x 11	3	Black Diamond	QA2030X	—
14 x 11 Extra Cup	3	Black Diamond	QA2830X	—
14 x 13	3	Black Diamond	QA2032X	—
14 x 13 Extra Cup	3	Black Diamond	QA2832X	—
13 3/4 x 15	3	Black Diamond	QA2034X	—
13 1/4 x 17	3	Black Diamond	QA2036X	—
13 x 19	3	Black Diamond	QA2038X	—
12 3/4 x 21	3	Black Diamond	QA2040X	—
12 1/2 x 23	3	Black Diamond	QA2042X	—
13 3/4 x 10	4	Nemesis Pontoon	8M8027497	—
13 3/4 x 11	4	Nemesis Pontoon	8M8027498	—
13 3/4 x 13	4	Nemesis Pontoon	8M8027500	—
13 1/2 x 15	4	Nemesis	8M8027502	—
13 x 17	4	Nemesis	8M8027504	—
12 1/2 x 19	4	Nemesis	8M8027506	—
14 x 13	4	Q4	8M0055559	—
13 1/2 x 15	4	Q4	8M0055560	—
13 x 17	4	Q4	8M0055561	—
12 3/4 x 19	4	Q4	8M0055562	—
12 3/4 x 21	4	Q4	8M0055563	—
13 3/4 x 14	3	Silverado	QS5114X	—
13 1/4 x 16	3	Silverado	QS5116X	—
13 x 18	3	Silverado	QS5118X	—
14 x 13 Extra Cup	3	Black Diamond	QA3832X	—
13 3/4 x 15	3	Black Diamond	QA2208X	—
13 1/4 x 17	3	Black Diamond	QA2206X	—


Bravo III

Size	Blades	Model	Rear (RH) #	Front (LH) #
16 x 19	4	Bravo Three	—	8M0123400
14.4 x 19	3	Bravo Three	8M0123399	—
16 x 20	4	Bravo Three	—	8M0123402
14.4 x 20	3	Bravo Three	8M0123401	
15.9 x 21	4	Bravo Three	—	8M0123404
14.3 x 21	3	Bravo Three	8M0123403	—
15.8 x 22.5	4	Bravo Three	—	8M0123406
14.3 x 22.5	3	Bravo Three	8M0123405	—
15.5 x 24	4	Bravo Three	—	8M0123408
14 x 24	3	Bravo Three	8M0123407	—
15.3 x 26	4	Bravo Three	—	8M0123410
13.8 x 26	3	Bravo Three	8M0123409	—
15 x 28	4	Bravo Three	—	8M0123412
13.5 x 28	3	Bravo Three	8M0123411	—



8M0129047 re 02-0519

STEP 1 - SELECT HARDWARE MERCURY



MERCURY Propellers

Step 1: Select Hardware

Locate the model, year and horsepower of your outboard or sterndrive to find your hub kit.
Match the 'options' color to a like-colored propeller choice in step 2.

Mercury®, Mariner®, and Force® Outboards, and Mercruiser® Sterndrives	Options	Hub Kit
Mercury 250-300 HP FourStroke, Mercury 200-300 HP Pro XS, Mercury 300-350 HP Verado, Mercury Racing 400R (any engine with a 1.25" prop shaft)	✓	8M0101601
Mercury 150-225 HP FourStroke in surpace-piercing applications	✓	8M0101602
Mercury/Mariner 40 CT -- 300 HP (1" prop shaft), MerCruiser Alpha & Bravo I Sterndrives	✓ ✓	8M0150151
Mercury/Mariner 135 - 300 HP (1" prop shaft), MerCruiser 120 - 375 Alpha and Bravo I Sterndrives in non-surface piercing applications	✓	835257K1
Mercury/ Mariner 75 HP 1984 and newer, 90 & 115 HP 1978 and newer, 125 HP 1994 and newer	✓	835257K1
Mercruiser 400 HP + Bravo One sterndrives	✓	835258K2
Mercury V6 used with surfacing propellers; Revolution4, Trophy Plus, Fury and Tempest	✓	835257K6
Mercury Racing Choppers and Cleavers for V6 outboards	✓	835258K1
Mercruiser XZ & XR Racing Sport and Torque Master, Verado SCI 350 HP (1.25 shaft)	✓	840389K06
Force 75 HP 1999, 90-150 Hp 1995 and newer outboards	✓	835257K1

Yamaha® Outboards and Sterndrives	Options	Hub Kit
Yamaha 50-100 HP outboards with splined forward washer	✓	835272Q 1
Yamaha 115 & 130 HP 1984 and newer	✓	835271Q 2
Yamaha 150-300 HP HPDI and VMAX and 130-300 HP sterndrives	✓	835271Q 2
Yamaha 150-300 HP 4-Stroke outboards (excluding V8 models) 115-250 HP SHO 2015 and Newer	✓	835274Q 1
Yamaha 200-250 HP SHO 4-Stroke outboards 2014 and older	✓	8M0075402

Evinrude® and Johnson® Outboards, Volvo® and OMC® Sterndrives	Options	Hub Kit
Johnson 90-115 HP 4-Stroke outboards	✓	835283Q 1
Johnson 140 HP 4-Stroke outboards	✓	835283Q 2
Evinrude/Johnson V4 outboards	✓	835266Q 1*
Evinrude ETEC G2 200-300 HP	✓	8M0107220
Evinrude/Johnson outboards and OMC sterndrives with V6 and V8 gearcases, Cobra and King Cobra sterndrives 1991 and newer	✓	8M0119081
Evinrude/Johnson outboards and OMC sterndrives with V6 and V8 gearcases, Cobra and King Cobra sterndrives 1990 and older**	✓	8M0119082
Volvo SX 1996 and newer, OMC Cobra SX sterndrives 1994 and newer, 7.4L 1994 and newer (19 tooth spline)**	✓	8M0119083

Suzuki® Outboards	Options	Hub Kit
Suzuki 60 HP 4-Stroke 1998 and newer, 70 HP 4-Stroke 1998-2008, and 75-140 HP 2-Stroke outboards	✓	835282Q 1*
Suzuki 70-90 HP 2009 and newer outboards	✓	835283Q03
Suzuki 90-115 HP 4-Stroke 2001-2008 outboards	✓	835283Q 1
Suzuki 100-115 Hp 4-Stroke 2009 and newer, 140 HP 4-Stroke outboards	✓	835283Q 2
Suzuki 150-300 HP 4-Stroke, 150-225 2-Stroke outboards	✓	835281Q 1

Honda® Outboards	Options	Hub Kit
Honda 75-90 HP outboards 1998 and older	✓	835277Q 1
Honda 75-90 HP outboards 1999 and newer, and 115-130 HP	✓	835279Q 2
Honda 135-225 HP 4-Stroke outboards	✓	835278Q 1

Tohatsu® and Nissan® Outboards	Options	Hub Kit
60-140 HP outboards	✓	835284Q 1

*Small labyrinth seal propeller required. See Mercury Accessories Guide for full selection of application specific propellers.

**WARNING: Interference exists between the ribs on Quicksilver Stainless Steel Propellers and the add-on OMC/Volvo Anode P/N 3852970. Anode and attaching hardware must be removed for proper clearance.

Honda is a registered trademark of Honda Motor Co. Nissan is a registered trademark of Nissan Motor Co., Inc. Suzuki is a registered trademark of Suzuki Motor Co., Ltd. Tohatsu is a registered trademark of Tohatsu Corp. Volvo is a registered trademark of Volvo Ltd. Yamaha is a registered trademark of Yamaha Corp. Evinrude, Johnson and OMC are registered trademarks of Bombardier. All other trademarks belong to the Brunswick Corporation.

©2019 Mercury Marine. A division of Brunswick Corporation. All rights reserved.

PN 8M0157154 - 0119

STEP 2 - SELECT PROPELLER MERCURY



Step 2: Select Propeller

Select a propeller by choosing a diameter and pitch that best compliments your boat and general usage.

Dia X Ptch	Matl	Blades	Model	LH	RH
12.5 X 23	Alum	3	Black Max	--	77350A45
12.75 X 21	Alum	3	Black Max	--	77348A45
13 X 19	Alum	3	Black Max	--	77346A45
13.25 X 17	Alum	3	Black Max	--	77344A45
13.25 X 16	Alum	3	Black Max	--	854360A45
13.75 X 15	Alum	3	Black Max	--	77342A45
14 X 13	Alum	3	Black Max	--	77340A45
14 X 13	Alum	3	Black Max Pontoon	--	8M0151358
14 X 11	Alum	3	Black Max	--	77338A45
14 X 11	Alum	3	Black Max Pontoon	--	8M0151356
14 X 10	Alum	3	Black Max	--	854342A45
14 X 10	Alum	3	Black Max Pontoon	--	8M0151354
14 X 9	Alum	3	Black Max	--	854340A45
12.75 X 19	Alum	4	SpitFire	--	8M8026600
12.75 X 17	Alum	4	SpitFire	--	8M8026590
12.75 X 15	Alum	4	SpitFire	--	8M8026580
13.75 X 13	Alum	4	SpitFire Pontoon	--	8M8026570
13.75 X 11	Alum	4	SpitFire Pontoon	--	8M8026560
13.75 X 10	Alum	4	SpitFire Pontoon	--	8M8026555
12.75 X 21	SS	4	SpitFire X7	--	8M0151364
12.75 X 19	SS	4	SpitFire X7	--	8M0151363
13 X 17	SS	4	SpitFire X7	--	8M0151362
13.5 X 15	SS	4	SpitFire X7	--	8M0151361
14 X 13	SS	4	SpitFire X7	--	8M0151360
13 X 18	SS	3	Vengeance	--	8M0151402
13.1 X 16	SS	3	Vengeance	--	8M0151401
13.4 X 14	SS	3	Vengeance	--	8M0151399
14 X 12	SS	3	Vengeance	--	8M0151398
14 X 10	SS	3	Vengeance	--	8M0151397
13.75 X 26	SS	4	Trophy Plus	--	8M0151395
13.75 X 25	SS	4	Trophy Plus	--	8M0151394
13.75 X 24	SS	4	Trophy Plus	--	8M0151393
13.75 X 23	SS	4	Trophy Plus	--	8M0151392
13.75 X 21	SS	4	Trophy Plus	--	8M0151391
13.75 X 19	SS	4	Trophy Plus	--	8M0151390
13.75 X 17	SS	4	Trophy Plus	--	8M0151389
14 X 23	Alum	3	Black Max	--	832834A45
14.25 X 21	Alum	3	Black Max	--	832832A45
14.5 X 19	Alum	3	Black Max	--	832830A45
15.5 X 18	Alum	3	Black Max	--	11324A45
15 X 17	Alum	3	Black Max	--	832828A45
16 X 16	Alum	3	Black Max	--	16440A45
15.25 X 15	Alum	3	Black Max	--	78116A45
15.5 X 15	Alum	3	Black Max Pontoon	--	78116CP1
16 X 14	Alum	3	Black Max	--	16438A45
16 X 14	Alum	3	Black Max Pontoon	--	16438CP1
16 X 13	Alum	3	Black Max	--	78114A45
16 X 13	Alum	3	Black Max Pontoon	--	78114CP1
16 X 12	Alum	3	Black Max	--	16436A45
16 X 12	Alum	3	Black Max Pontoon	--	16346CP1
16 X 11	Alum	3	Black Max	--	78112A45
14 X 23	Alum	4	SpitFire	--	8M0084497
14 X 21	Alum	4	SpitFire	--	8M0084496
14 X 19	Alum	4	SpitFire	--	8M0084495
14 X 17	Alum	4	SpitFire	--	8M0084494
14 X 14	Alum	4	SpitFire	--	8M0084493
14 X 12	Alum	4	SpitFire	--	8M0084491
14 x 12	Alum	4	SpitFire	-	8M0084491
13.75 X 21	SS	3	Vengeance	--	8M0151408
14 X 19	SS	3	Vengeance	8M0151406	8M0151407
14.5 X 17	SS	3	Vengeance	8M0151404	8M0151405
14.5 X 15	SS	3	Vengeance	--	8M0151403


Dia X Ptch	Matl	Blades	Model	LH	RH
14.5 X 25	SS	3	Mirage Plus	--	8M0151313
14.6 X 23	SS	3	Mirage Plus	8M0151311	8M0151312
14.75 X 21	SS	3	Mirage Plus	8M0151309	8M0151310
15.25 X 19	SS	3	Mirage Plus	8M0151307	8M0151308
15.5 X 17	SS	3	Mirage Plus	8M0151303	8M0151304
15.75 X 15	SS	3	Mirage Plus	8M0151301	8M0151302
16 X 13	SS	3	Mirage Plus	--	8M0151300
14.6 X 27	SS	3	Tempest Plus	--	8M0151388
14.6 X 26	SS	3	Tempest Plus	--	8M0151387
14.6 X 25	SS	3	Tempest Plus	--	8M0151386
14.6 X 24	SS	3	Tempest Plus	--	8M0151385
14.6 X 23	SS	3	Tempest Plus	--	8M0151384
14.6 X 22	SS	3	Tempest Plus	--	8M0151383
14.6 X 21	SS	3	Tempest Plus	--	8M0151382
14.6 X 19	SS	3	Tempest Plus	--	8M0151381
14.6 X 17	SS	3	Tempest Plus	--	8M0151380
13.75 X 26	SS	4	Trophy Plus	--	8M0151395
13.75 X 25	SS	4	Trophy Plus	--	8M0151394
13.75 X 24	SS	4	Trophy Plus	--	8M0151393
13.75 X 23	SS	4	Trophy Plus	--	8M0151392
13.75 X 21	SS	4	Trophy Plus	--	8M0151391
13.75 X 19	SS	4	Trophy Plus	--	8M0151390
13.75 X 17	SS	4	Trophy Plus	--	8M0151389
13.25 X 21	SS	5	High Five	--	8M0151292
13.25 X 19	SS	5	High Five	--	8M0151291
13.5 X 17	SS	5	High Five	--	8M0151290
14.6 X 25	SS	4	Revolution 4	8M0151328	8M0151329
14.6 X 23	SS	4	Revolution 4	8M0153126	8M0151327
14.6 X 21	SS	4	Revolution 4	8M0151324	8M0151325
14.6 X 20	SS	4	Revolution 4	8M0151322	8M0151323
14.6 X 19	SS	4	Revolution 4	8M0151320	8M0151321
14.6 X 18	SS	4	Revolution 4	8M0151318	8M0151319
14.6 X 17	SS	4	Revolution 4	8M0151316	8M0151317
14.6 X 15	SS	4	Revolution 4	8M0151314	8M0151315
15.25 X 32	SS	4	Bravo I	8M0151220	8M0151221
15.25 X 30	SS	4	Bravo I	8M0151218	8M0151219
15.25 X 28	SS	4	Bravo I	8M0151216	8M0151217
15.25 X 26	SS	4	Bravo I	8M0151214	8M0151215
15.25 X 24	SS	4	Bravo I	8M0151212	8M0151213
15.25 X 22	SS	4	Bravo I	8M0151210	8M0151211
13.5 X 22	SS	3	Enertia	--	8M0151245
13.6 X 21	SS	3	Enertia	8M0151242	8M0151243
13.75 X 20	SS	3	Enertia	--	8M0151241
14 X 19	SS	3	Enertia	8M0151238	8M0151239
14.25 X 18	SS	3	Enertia	--	8M0151237
14.5 X 17	SS	3	Enertia	8M0151234	8M0151235
14.75 X 16	SS	3	Enertia	--	8M0151233
15 X 15	SS	3	Enertia	8M0151230	8M0151231
15.25 X 14	SS	3	Enertia	8M0151228	8M0151229
15.6 X 13	SS	3	Enertia	8M0151226	8M0151227
16 X 11	SS	3	Enertia	8M0151224	8M0151225
14 X 27	SS	3	Fury	--	8M0151275
14 X 26	SS	3	Fury	--	8M0151274
14 X 25	SS	3	Fury	--	8M0151273
14 X 24	SS	3	Fury	--	8M0151272
14 X 23	SS	3	Fury	--	8M0151271
14.5 X 26	SS	4	Fury 4	--	8M0151281
14.5 X 25	SS	4	Fury 4	--	8M0151280
14.5 X 24	SS	4	Fury 4	--	8M0151279
14 X 21	SS	4	Fury V	--	8M0151287
14 X 20	SS	4	Fury V	--	8M0151286
14.5 X 19	SS	4	Fury V	--	8M0151285
16 X 23	SS	3	Enertia ECO	8M0151262	8M0151263
16 X 22	SS	3	Enertia ECO	8M0151260	8M0151261
16 X 21	SS	3	Enertia ECO	8M0151258	8M0151259
16 X 20	SS	3	Enertia ECO	8M0151256	8M0151257
16 X 19	SS	3	Enertia ECO	8M0151254	8M0151255
16 X 18	SS	3	Enertia ECO	8M0151252	8M0151253
16 X 17	SS	3	Enertia ECO	8M0151250	8M0151251

PROPELLER MATERIAL AND BLADE FACTS

METAL OPTIONS

- Mercury makes propellers out of aluminum and stainless steel.
- Aluminum propellers are inexpensive and suitable for general purpose boating. Mercury uses Mercalloy aluminum that provides superior strength and thinner blades for top performance.
- Stainless steel is favored by boaters who are more conscious about performance and durability. Stainless propellers offer substantially better hole shot and top speed in comparison to an aluminum propeller. In terms of durability, stainless steel props will withstand impacts that would destroy an aluminum propeller. Over the long run, one stainless propeller will last as long as multiple aluminum propellers
- Mercury's legendary X7 stainless steel alloy provides incredible strength that allows propeller designs that would be impossible with other alloys. X7 is featured on Mercury's Enertia and Fury line of propellers.
- Many boaters have questions about whether or not a stainless steel propeller can cause lower unit damage in the event of hitting an underwater obstruction. With Mercury's Flo-Torq II hub system, the hub is designed to sacrifice its drive sleeve well below the failure threshold of modern drive units. This assures protection for your drive no matter what kind of propeller material you run.

PROPELLER SHAFT TORQUE AT UNDERWATER IMPACT



BLADE CONFIGURATIONS



- For most boats, a three blade propeller provides a good blend of smoothness, acceleration, handling and top speed.



- Four-plus blade propellers typically provide the following advantages vs. three blade propellers:
  - o Plane the boat faster
  - o Keep the boat on plane at lower speed
  - o Less likely to ventilate in sharp turns
  - o Better holding power in rough conditions
- In high-performance applications at high drive heights, a four blade propeller may be a better all around choice than a three blade, simply because you are getting more blade area in the water for better control, handling and bow lift.



- Five blade propellers (like Mercury's HighFive propeller) provide superior rough water holding and strong acceleration for tow sports. However the HighFive does not reach the same top speeds as other three and four blade props in our line- up.

SPARE PROPELLERS

- It's always a good idea to keep a spare prop aboard for safety. One way to get the most use out of your spare is to buy a spare that is 2 inches lower in pitch than your regular prop, and use this prop as a water sports propeller. The improved tow sports performance will have a significant impact on your acceleration while pulling a tube, skier or wakeboarder. Remember to change back to your regular prop when it is time for normal usage.

If you still have questions about what propeller is right for you, consult your local Mercury dealer.

Or visit our industry-leading prop selector at: MercuryMarine.com

MERCURY PROPELLER APPLICATION CHARTS

MERCURY OUTBOARD APPLICATION CHARTS

Mercury/Mariner Thruster Electric Fishing Motors

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model	Application
11	4	Plastic	2		N/A	Black Machete	MotorGuide
11	5	Plastic	2		N/A	Clear Machete	R33, RX33, T33, R45, RL45, RX45, T45
9.3	3	Plastic	2		N/A	Clear Machete	Direct Drive
10	3.5	Plastic	2	48-MAF12406T	N/A	Clear Machete	MotorGuide

Mercury/Mariner 2.5 - 3.5 HP Outboard

2.5 and 3.3 HP Two Stroke
2.5 and 3.5 HP FourStroke 2007 and Newer
Pin Drive
Shear Pin for Plastic 17-815111Q02
Shear Pin for Aluminum 17-815111Q02
Cotter Pin 18-95295

Diameter	Pitch	Material	Blades	RH Rotation	Model
7.4	6	Plastic	3	48-815083A01(1)	Black Max
7.4	7	Plastic	3	48-815083A02	Black Max

(1) Standard with 2.5 HP (Two and FourStroke), 3.5 HP FourStroke and 3.3 HP Two Stroke (Non-Shift)

Mercury/Mariner 4 - 6 HP Outboard

4-6 HP FourStroke (1999 and newer)
4 & 5 HP Two Stroke (1987 and newer)
12 Tooth Spline
Thrust Washer 16145Q01
Aft Prop Washer 12-16146
Prop Nut 11-16147
Cotter Pin 18-815026

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
7.8	8	Alum	3	N/A	48-812950A02(2)	Black Max
7.8	7	Alum	3	N/A	48-812949A02	Black Max
8.4	6	Alum	3	N/A	48-812951A02(1)	Black Max High Thrust Sail

(1) Standard with 4 HP FourStroke

(2) Standard with 5 HP FourStroke and 6 HP FourStroke

Mercury/Mariner 8 - 9.9 HP FourStroke Outboard

8 - 9.9 FourStroke (2005 and newer)
12 Tooth Spline
Standard Gearcase Only
Forward Thrust Washer (Std. gearcase) 8M0131240
Aft Washer (Std. gearcase) 12-16146
Prop Nut 11-16147
Flo-Torq Rubber Hub 897453T
Cotter Pin 18-815026

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
8.7	5	Alum	4	N/A	48-812954A10	Std. Gearcase Black Max
8.9	7.5	Alum	3	N/A	48-897614A10(1)	Std. Gearcase Black Max
8.9	8.5	Alum	3	N/A	48-897618A10(2)	Std. Gearcase Black Max

(1) Standard with 8 HP.

(2) Standard with 9.9 HP.

Mercury/Mariner 6 - 15 HP Outboard

6, 8, 9.9 and 15 HP Two Stroke
9.9 HP FourStroke (1995-2004)
15 HP FourStroke (2007 and earlier)
SeaPro/Marathon 10-15 HP
8 Tooth Spline
Flo-Torq Rubber Hub 827598T
Prop Nut Kit 11-13914Q02

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
9	10.5	Alum	3	N/A	48-828158A12	Black Max
9	9	Alum	3	N/A	48-828156A12(1)	Black Max
9	8	Alum	3	N/A	48-828154A12	Black Max
9.3	7	Alum	3	N/A	48-828152A12	Black Max
9.8	6.5	Alum	3	N/A	48-828150A12	Black Max

(1) Standard with 6, 8, 9.9, and 15 HP Two Strokes and SeaPro/Marathon 10 - 15HP

Mercury/Mariner 9.9 - 25 HP Outboard

9.9 and 15 HP FourStroke Bigfoot (1999-2004)
20 & 25 HP Two Stroke Classic (1980-2006)
SeaPro/Marathon 25 HP
10 Tooth Spline
Prop Nut 11-88228
Forward Thrust Washer 858498
Prop Nut 11-88228
Flo-Torq Rubber Hub 19669T
Forward Thrust Washer 858498

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10.4	13	Alum	3	N/A	48- 19640A40(1)	Black Max
10.4	12	Alum	3	N/A	48- 19639A40	Black Max
10.4	11	Alum	3	N/A	48- 19638A40(3)	Black Max
10.4	9.5	Alum	3	N/A	48- 19636A10(2)	Black Max

(1) Standard with 20-25 HP

(2) Standard with 9.9 & 15 HP Bigfoot FourStroke (1999-2004)

(3) Standard with SeaPro/Marathon 25 HP

Mercury/Mariner 9.9 - 20 HP FourStroke Outboard

9.9 HP Bigfoot/Command Thrust (CT) (2005 and newer)
9.9 HP Pro Kicker
15 - 20 HP (2008 and newer)
14 Tooth Spline
Forward Thrust Washer 8M0143215
Aft Washer 12-16140 2
Prop Nut 11-16147 1
Flo-Torq Rubber Hub 8M0054769
Cotter Pin 18-815026 4

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10	7	Alum	4	N/A	48-812950A10	Black Max(1)
10	7	Alum	4	N/A	48-812948A10	Black Max(2)
9.5	8	Alum	3	N/A	48-897748A11	Black Max
9.3	9	Alum	3	N/A	48-897750A11	Black Max(3)
9.3	10	Alum	3	N/A	48-897752A11	Black Max(4)
9.3	11.5	Alum	3	N/A	48-897754A11	Black Max

(1) Standard with 9.9 Bigfoot / Command Thrust (CT)

(2) Standard with 9.9 Pro Kicker, Painted Silver

(3) Standard with 15 HP FourStroke

(4) Standard with 20 HP FourStroke

Mercury/Mariner 25 - 30 HP FourStroke Outboard

25-30 HP FourStroke (2006 and newer)
10 Tooth Spline
Standard Gearcase Only
Forward Thrust Washer 161452
Cotter Pin 18-815026
Aft Washer 12-16140-2
Flo-Torq Rubber Hub 897001T
Prop Nut 11-161471

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10	8	Alum	3	N/A	48-896890A10	Black Max
9.8	9.5	Alum	3	N/A	48-896892A40	Black Max
9.5	11	Alum	3	N/A	48-896896A40	Black Max
9.3	12.5	Alum	3	N/A	48-896900A40	Black Max
9.3	9.5	Alum	4	N/A	48-8M8026650	Spitfire
9.3	11	Alum	4	N/A	48-8M8026655	Spitfire
9.8	9.5	SS	3	N/A	48-899818A05	Vengeance
9.5	11	SS	3	N/A	48-899820A05	Vengeance

Mercury/Mariner 25 HP Bigfoot/Command Thrust - 60 HP Outboard

25 HP Bigfoot/Command Thrust (CT) FourStroke
30 HP Two Stroke
30 HP BigFoot/Command Thrust (CT) (2010 and newer)
30-40 HP SeaPro/Marathon
30 FourStroke (1994-2005)
40-60 HP Two and FourStroke, sandard gearcase (1977 and Newer)
Sea Pro/Marathon 55 HP
13 Tooth Spline
Flo-Torq Reflex Hub Kit 835257K12 Included with propeller
Reflex Sleeve Part Number: 8M0047148
For older rubber hub propellers - use Mercury hardware kit 11-31990Q02. Purchase separately.
Propeller hardware is not compatible between rubber hub propellers and Flo-Torq Reflex propellers.

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10	17	Alum	3	N/A	48- 73144A45	Black Max
10	16	Alum	3	N/A	48- 73142A45	Black Max
10.1	15	Alum	3	N/A	48- 73140A45	Black Max
10.3	14	Alum	3	N/A	48- 73138A45	Black Max
10.4	14	Alum	3	N/A	48-816706A45(1)	Black Max
10.5	13	Alum	3	N/A	48-816704A45(1)	Black Max
10.4	13	Alum	3	N/A	48- 73136A45	Black Max
10.6	12	Alum	3	N/A	48- 73134A45	Black Max
10.8	12	Alum	3	N/A	48-816702A45(1)	Black Max
10.9	11	Alum	3	N/A	48- 85632A45	Black Max
12	10.5	Alum	3	N/A	48- 42740A45(1)	Black Max
11.6	10.5	Alum	3	N/A	48-827312A45	Black Max
11.3	10	Alum	3	N/A	48- 73132A45	Black Max
12.3	9	Alum	3	N/A	48- 87818A45	Black Max
12.5	8	Alum	3	N/A	48- 42738A45(1)	Black Max
12.5	8	Alum	3	N/A	48- 42738CP1(1)(2)	Black Max XC
10.1	15	Alum	4	N/A	48-8M8026640	Spitfire
10.1	14	Alum	4	N/A	48-8M8026635	Spitfire
10.3	13	Alum	4	N/A	48-8M8026630	Spitfire
10.6	12	Alum	4	N/A	48-8M8026625	Spitfire
10.6	11	Alum	4	N/A	48-8M8026620	Spitfire
10.3	15	SS	3	N/A	48-855862A46	Vengeance
10.4	14	SS	3	N/A	48-855860A46	Vengeance
10.5	13	SS	3	N/A	48-855858A46	Vengeance
11	12	SS	3	N/A	48-855856A46	Vengeance
11.6	11	SS	3	N/A	48-823478A46	Vengeance
10.6	14	SS	4	N/A	48-878616A46	Trophy Sport

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10.6	13	SS	4	N/A	48-878614A46	Trophy Sport
10.6	12	SS	4	N/A	48-878612A46	Trophy Sport

(1) Large Blade Area

(2) Extra Cup for superior performance and holding on pontoon boats

Mercury/Mariner 40 HP Bigfoot/Command Thrust - 125 HP Outboard

40 - 60 HP Bigfoot/Command Thrust (CT) (All Years)
75-125 HP (1978 and newer)
15 Tooth Spline
Aluminum propellers include hub kit
Stainless steel propellers, hub kit sold separately

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
12.5	23	Alum	3	N/A	48- 77350A45	Black Max
12.8	21	Alum	3	N/A	48- 77348A45	Black Max
13	19	Alum	3	N/A	48- 77346A45	Black Max
13.3	17	Alum	3	N/A	48- 77344A45	Black Max
13.3	16	Alum	3	N/A	48-854360A45	Black Max
13.8	15	Alum	3	N/A	48- 77342A45	Black Max
13.9	14	Alum	3	N/A	48-854352A45	Black Max
14	13	Alum	3	N/A	48- 77340A45	Black Max
14	13	Alum	3	N/A	48-8M0151358	Black Max - Extra Cup(2)
14	11	Alum	3	N/A	48- 77338A45	Black Max
14	11	Alum	3	N/A	48-8M0151356	Black Max - Extra Cup(2)
14	10	Alum	3	N/A	48-854342A45	Black Max
14	10	Alum	3	N/A	48-8M0151354	Black Max - Extra Cup(2)
14	9	Alum	3	N/A	48-854340A45	Black Max
13.8	15	Alum	3	N/A	48-8M0151359	Black Max(3)
14	13	Alum	3	N/A	48-8M0151357	Black Max(3)
14	11	Alum	3	N/A	48-8M0151355	Black Max(3)
14	10	Alum	3	N/A	48-8M0151353	Black Max(3)
14	9	Alum	3	N/A	48-8M0151352	Black Max(3)
12.8	19	Alum	4	N/A	48-8M8026600	Spitfire
12.8	17	Alum	4	N/A	48-8M8026590	Spitfire
12.8	15	Alum	4	N/A	48-8M8026580	Spitfire
13.8	13	Alum	4	N/A	48-8M8026570	Spitfire Pontoon(2)
13.8	11	Alum	4	N/A	48-8M8026560	Spitfire Pontoon(2)
13.8	10	Alum	4	N/A	48-8M8026555	Spitfire Pontoon(2)
12.7	21	SS	4	N/A	48-8M0151364	Spitfire X7(1)
12.7	19	SS	4	N/A	48-8M0151363	Spitfire X7(1)
13.0	17	SS	4	N/A	48-8M0151362	Spitfire X7(1)
13.5	15	SS	4	N/A	48-8M0151361	Spitfire X7(1)
14.0	13	SS	4	N/A	48-8M0151360	Spitfire X7(1)
13	18	SS	3	N/A	48-8M0151402	Vengeance
13.1	16	SS	3	N/A	48-8M0151401	Vengeance
13.3	15	SS	3	N/A	48-8M0151400	Vengeance
13.4	14	SS	3	N/A	48-8M0151399	Vengeance
14	12	SS	3	N/A	48-8M0151398	Vengeance
14	10	SS	3	N/A	48-8M0151397	Vengeance
13.8	26	SS	4	N/A	48-8M0151395	Trophy Plus(1)
13.8	25	SS	4	N/A	48-8M0151394	Trophy Plus(1)
13.8	24	SS	4	N/A	48-8M0151393	Trophy Plus(1)
13.8	23	SS	4	N/A	48-8M0151392	Trophy Plus(1)
13.8	21	SS	4	N/A	48-8M0151391	Trophy Plus(1)

MERCURY PROPELLER APPLICATION CHARTS

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
13.8	19	SS	4	N/A	48-8M0151390	Trophy Plus(1)
13.8	17	SS	4	N/A	48-8M0151389	Trophy Plus(1)

(1) Performance Vent System

(2) For superior performance and holding on pontoon applications

(3) For vibration reduction, includes SSR hub system. Replaces legacy A33 propellers with rubber hub

Mercury/Mariner 90 – 115 HP Command Thrust, 135 – 400 HP Outboard

135 - 400 HP (1978 and newer)
90 - 115 CT (2014 and newer)

For 300+ HP engines use only stainless steel (SS) propellers
Stainless steel propellers, hub kit sold separately
V6 FourStroke (2018 and newer) and 40 CT - 150 HP FourStroke use Flo-Torq SSR hub kit 8M0150151
V8 FourStroke (2018 and newer) and 350 - 400 HP Verado requires Flo-Torq SSR HD hub kit 8M0101601

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
14	23	Alum	4	N/A	48-8M0084497	SpitFire
14	21	Alum	4	N/A	48-8M0084496	SpitFire
14	19	Alum	4	N/A	48-8M0084495	SpitFire
14	17	Alum	4	N/A	48-8M0084494	SpitFire
14	14	Alum	4	N/A	48-8M0084493	SpitFire CT(1)(3)
14	12	Alum	4	N/A	48-8M0084491	SpitFire CT(1)(3)
14	23	Alum	3	N/A	48-832834A45	Black Max
14.3	21	Alum	3	N/A	48-832832A45	Black Max
14.5	19	Alum	3	N/A	48-832830A45	Black Max
15.5	18	Alum	3	N/A	48- 11324A45	Black Max
15	17	Alum	3	N/A	48-832828A45	Black Max
16	16	Alum	3	N/A	48- 16440A45	Black Max
15.3	15	Alum	3	N/A	48- 78116A45	Black Max
15.3	15	Alum	3	N/A	48- 78116CP1	Black Max - Extra Cup(3)
16	14	Alum	3	N/A	48- 16438A45	Black Max
16	14	Alum	3	N/A	48- 16438CP1	Black Max - Extra Cup(3)
16	13	Alum	3	N/A	48- 78114A45	Black Max
16	13	Alum	3	N/A	48- 78114CP1	Black Max - Extra Cup(3)
16	12	Alum	3	N/A	48- 16436A45	Black Max
16	12	Alum	3	N/A	48- 16436CP1	Black Max - Extra Cup(3)
16	11	Alum	3	N/A	48- 78112A45	Black Max
16	11	Alum	3	N/A	48- 78112CP1	Black Max - Extra Cup(3)
13.8	21	SS	3	N/A	48-8M0151408	Vengeance
14	19	SS	3	48-8M0151406	48-8M0151407	Vengeance
14.5	17	SS	3	48-8M0151404	48-8M0151405	Vengeance
14.5	15	SS	3	N/A	48-8M0151403	Vengeance
13.5	22	SS	3	N/A	48-8M0151245	Enertia(2)
13.6	21	SS	3	48-8M0151242	48-8M0151243	Enertia(2)
13.8	20	SS	3	N/A	48-8M0151241	Enertia(2)
14	19	SS	3	48-8M0151238	48-8M0151239	Enertia(2)
14.2	18	SS	3	N/A	48-8M0151237	Enertia(2)
14.5	17	SS	3	48-8M0151234	48-8M0151235	Enertia(2)
14.7	16	SS	3	N/A	48-8M0151233	Enertia(2)
15	15	SS	3	48-8M0151230	48-8M0151231	Enertia(2)
15.3	14	SS	3	48-8M0151228	48-8M0151229	Enertia(2)
15.6	13	SS	3	48-8M0151226	48-8M0151227	Enertia(2)
16	11	SS	3	48-8M0151224	48-8M0151225	Enertia(2)
16	23	SS	3	48-8M0151262	48-8M0151263	Enertia ECO(2)
16	22	SS	3	48-8M0151260	48-8M0151261	Enertia ECO(2)
16	21	SS	3	48-8M0151258	48-8M0151259	Enertia ECO(2)
16	20	SS	3	48-8M0151256	48-8M0151257	Enertia ECO(2)

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
16	19	SS	3	48-8M0151254	48-8M0151255	Enertia ECO(2)
16	18	SS	3	48-8M0151252	48-8M0151253	Enertia ECO(2)
16	17	SS	3	48-8M0151250	48-8M0151251	Enertia ECO(2)
14.5	25	SS	3	N/A	48-8M0151313	Mirage Plus(2)
14.6	23	SS	3	48-8M0151311	48-8M0151312	Mirage Plus(2)
14.8	21	SS	3	48-8M0151309	48-8M0151310	Mirage Plus(2)
15.3	19	SS	3	48-8M0151307	48-8M0151308	Mirage Plus(2)
15.5	17	SS	3	48-8M0151303	48-8M0151304	Mirage Plus(2)
15.8	15	SS	3	48-8M0151301	48-8M0151302	Mirage Plus(2)
14	27	SS	3	N/A	48-8M0151275	Fury(2)
14	26	SS	3	N/A	48-8M0151274	Fury(2)
14	25	SS	3	N/A	48-8M0151273	Fury(2)
14	24	SS	3	N/A	48-8M0151272	Fury(2)
14	23	SS	3	N/A	48-8M0151271	Fury(2)
14	22	SS	3	N/A	48-8M0151270	Fury (2)
14.5	26	SS	4	N/A	48-8M0238907	Fury 4(2)
14.5	25	SS	4	N/A	48-8M0238906	Fury 4(2)
14.5	24	SS	4	N/A	48-8M0238905	Fury 4(2)
14.5	23	SS	4	N/A	48-8M0238904	Fury 4(2)
14.6	27	SS	3	N/A	48-8M0151388	Tempest Plus(2)
14.6	26	SS	3	N/A	48-8M0151387	Tempest Plus(2)
14.6	25	SS	3	N/A	48-8M0151386	Tempest Plus(2)
14.6	24	SS	3	N/A	48-8M0151385	Tempest Plus(2)
14.6	23	SS	3	N/A	48-8M0151384	Tempest Plus(2)
14.6	22	SS	3	N/A	48-8M0151383	Tempest Plus(2)
14.6	21	SS	3	N/A	48-8M0151382	Tempest Plus(2)
14.6	19	SS	3	N/A	48-8M0151381	Tempest Plus(2)
14.6	17	SS	3	N/A	48-8M0151380	Tempest Plus(2)
13.8	26	SS	4	N/A	48-8M0151395	Trophy Plus (SM)(2)
13.8	25	SS	4	N/A	48-8M0151394	Trophy Plus (SM)(2)
13.8	24	SS	4	N/A	48-8M0151393	Trophy Plus (SM)(2)
13.8	23	SS	4	N/A	48-8M0151392	Trophy Plus (SM)(2)
13.8	21	SS	4	N/A	48-8M0151391	Trophy Plus (SM)(2)
13.8	19	SS	4	N/A	48-8M0151390	Trophy Plus (SM)(2)
13.8	17	SS	4	N/A	48-8M0151389	Trophy Plus (SM)(2)
13.3	21	SS	5	N/A	48-8M0151292	HighFive(2)
13.3	19	SS	5	N/A	48-8M0151291	HighFive(2)
13.5	17	SS	5	N/A	48-8M0151290	HighFive(2)
14.6	25	SS	4	48-8M0151328	48-8M0151329	Revolution 4(2)
14.6	23	SS	4	48-8M0151326	48-8M0151327	Revolution 4(2)
14.6	21	SS	4	48-8M0151324	48-8M0151325	Revolution 4(2)
14.6	20	SS	4	48-8M0151322	48-8M0151323	Revolution 4(2)
14.6	19	SS	4	48-8M0151320	48-8M0151321	Revolution 4(2)
14.6	18	SS	4	48-8M0151318	48-8M0151319	Revolution 4(2)
14.6	17	SS	4	48-8M0151316	48-8M0151317	Revolution 4(2)
14.6	15	SS	4	48-8M0151314	48-8M0151315	Revolution 4(2)
15.8	32	SS	4	48-8M0151220	48-8M0151211	Bravo I
15.8	30	SS	4	48-8M0151218	48-8M0151219	Bravo I
15.8	28	SS	4	48-8M0151216	48-8M0151217	Bravo I
15.8	26	SS	4	48-8M0151214	48-8M0151215	Bravo I
15.8	24	SS	4	48-8M0151212	48-8M0151213	Bravo I
15.8	22	SS	4	48-8M0151210	48-8M0151211	Bravo I

(1) Recommended for 90 - 115 HP Command Thrust outboards for Tri/Pontoons

(2) Performance Vent System

(4) Provides superior holding and performance for pontoon applications

MERCURY PROPELLER APPLICATION CHARTS

MERCURY MERCRUISER APPLICATION CHARTS

Mercury MerCruiser Alpha & Bravo One

For all engines with an Alpha or Bravo One drive
15 Tooth Spline
For 300+ HP engines use only stainless steel (SS) propellers
For 400HP + use Flo-Torq solid hub assembly. Replace A46 with A55 or order hub kit part number 835258K2
For Bravo One XR and XZ drives, Use Flo-Torq 1.25" hub kit. Replace A46 with A65 or order hub kit part number 8M0183487

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
14	12	Alum	4	N/A	48-8M0084491	SpitFire CT
14	14	Alum	4	N/A	48-8M0084493	SpitFire CT
14	17	Alum	4	N/A	48-8M0084494	SpitFire
14	19	Alum	4	N/A	48-8M0084495	SpitFire
14	21	Alum	4	N/A	48-8M0084496	SpitFire
14	23	Alum	4	N/A	48-8M0084497	SpitFire
14	23	Alum	3	N/A	48-832834A45	Black Max
14.3	21	Alum	3	N/A	48-832832A45	Black Max
14.5	19	Alum	3	N/A	48-832830A45	Black Max
15.5	18	Alum	3	N/A	48- 11324A45	Black Max
15	17	Alum	3	N/A	48-832828A45	Black Max
16	16	Alum	3	N/A	48- 16440A45	Black Max
15.3	15	Alum	3	N/A	48- 78116A45	Black Max
15.3	15	Alum	3	N/A	48- 78116CP1	Black Max - EC(3)
16	14	Alum	3	N/A	48- 16438A45	Black Max
16	14	Alum	3	N/A	48- 16438CP1	Black Max - EC(3)
16	13	Alum	3	N/A	48- 78114A45	Black Max
16	13	Alum	3	N/A	48- 78114CP1	Black Max - EC(3)
16	12	Alum	3	N/A	48- 16436A45	Black Max
16	12	Alum	3	N/A	48- 16436CP1	Black Max - EC(3)
16	11	Alum	3	N/A	48- 78112A45	Black Max
16	11	Alum	3	N/A	48- 78112CP1	Black Max - EC(3)
13.5	22	SS	3	N/A	48-8M0151245	Enertia(1)
13.6	21	SS	3	48-8M0151242	48-8M0151243	Enertia(1)
13.8	20	SS	3	N/A	48-8M0151241	Enertia(1)
14	19	SS	3	48-8M0151238	48-8M0151239	Enertia(1)
14.2	18	SS	3	N/A	48-8M0151237	Enertia(1)
14.5	17	SS	3	48-8M0151234	48-8M0151235	Enertia(1)
14.7	16	SS	3	N/A	48-8M0151233	Enertia(1)
15	15	SS	3	48-8M0151230	48-8M0151231	Enertia(1)
15.3	14	SS	3	48-8M0151228	48-8M0151229	Enertia(1)
15.6	13	SS	3	48-8M0151226	48-8M0151227	Enertia(1)
16	11	SS	3	48-8M0151224	48-8M0151225	Enertia(1)
13.8	21	SS	3	N/A	48-8M0151408	Vengeance
14	19	SS	3	48-8M0151406	48-8M0151407	Vengeance
14.5	17	SS	3	48-8M0151404	48-8M0151405	Vengeance
14.5	15	SS	3	N/A	48-8M0151403	Vengeance
13.3	21	SS	5	N/A	48-8M0151292	HighFive(1)
13.3	19	SS	5	N/A	48-8M0151291	HighFive(1)
13.5	17	SS	5	N/A	48-8M0151290	HighFive(1)
15.3	32	SS	4	48-8M0151220	48-8M0151221	Bravo I(2)
15.3	30	SS	4	48-8M0151218	48-8M0151219	Bravo I(2)
15.3	28	SS	4	48-8M0151216	48-8M0151217	Bravo I(2)
15.3	26	SS	4	48-8M0151214	48-8M0151215	Bravo I(2)
15.3	24	SS	4	48-8M0151212	48-8M0151213	Bravo I(2)
15.3	22	SS	4	48-8M0151210	48-8M0151211	Bravo I(2)
16	23	SS	3	48-8M0151262	48-8M0151251	Enertia ECO(1)

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
16	22	SS	3	48-8M0151260	48-8M0151263	Enertia ECO(1)
16	21	SS	3	48-8M0151258	48-8M0151258	Enertia ECO(1)
16	20	SS	3	48-8M0151256	48-8M0151257	Enertia ECO(1)
16	19	SS	3	48-8M0151254	48-8M0151255	Enertia ECO(1)
16	18	SS	3	48-8M0151252	48-8M0151253	Enertia ECO(1)
16	17	SS	3	48-8M0151250	48-8M0151251	Enertia ECO(1)
14.4	27	SS	3	N/A	N/A	Mirage Plus(1)
14.5	25	SS	3	N/A	48-8M0151313	Mirage Plus(1)
14.6	23	SS	3	48-8M0151311	48-8M0151312	Mirage Plus(1)
14.8	21	SS	3	48-8M0151309	48-8M0151310	Mirage Plus(1)
15.3	19	SS	3	48-8M0151307	48-8M0151308	Mirage Plus(1)
15.5	17	SS	3	48-8M0151303	48-8M0151304	Mirage Plus(1)
15.8	15	SS	3	48-8M0151301	48-8M0151302	Mirage Plus(1)
14.6	25	SS	4	48-8M0151328	48-8M0151329	Revolution 4(1)(2)
14.6	23	SS	4	48-8M0151326	48-8M0151327	Revolution 4(1)(2)
14.6	20	SS	4	48-8M0151324	48-8M0151325	Revolution 4(1)(2)
14.6	21	SS	4	48-8M0151322	48-8M0151323	Revolution 4(1)(2)
14.6	19	SS	4	48-8M0151320	48-8M0151321	Revolution 4(1)(2)
14.6	18	SS	4	48-8M0151318	48-8M0151319	Revolution 4(1)(2)
14.6	17	SS	4	48-8M0151316	48-8M0151317	Revolution 4(1)(2)
14.6	15	SS	4	48-8M0151314	48-8M0151315	Revolution 4(1)(2)

(1) Performance Vent System

(2) Recommended for Bravo One Drives only

(3) Extra cup provides superior holding and performance for pontoon applications

Mercury MerCruiser Bravo Two

For all engines with a Bravo Two drive

Bravo Two propeller attachment hardware is not included with the propeller
Use with:
55074T Forward Thrust Washer
55073A 2 Aft Washer
34817 Tab Washer
826711 27 Propeller Nut

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
17.5	23	Alum	3	48- 18619A40	48- 18618A40	Bravo Two
17.8	21	Alum	3	48- 18617A40	48- 18616A40	Bravo Two
18.3	19	Alum	3	48- 18615A40	48- 18614A40	Bravo Two
18.8	17	Alum	3	48-8M0155029	48-8M0155030	Bravo Two
19.3	15	Alum	3	48-8M0155027	48-8M0155028	Bravo Two
19.5	13	Alum	3	48-8M0155025	48-8M0155026	Bravo Two
20	11	Alum	3	48-8M0155023	48-8M0155024	Bravo Two
17.5	23	SS	3	48- 18619A 6	48- 18618A 6	Bravo Two
17.8	21	SS	3	48- 18617A 6	48- 18616A 6	Bravo Two
18.3	19	SS	3	48- 18615A 6	48- 18614A 6	Bravo Two
18.8	17	SS	3	48- 18613A 6	48- 18612A 6	Bravo Two
19.3	15	SS	3	48- 18611A 6	48- 18610A 6	Bravo Two
19.5	13	SS	3	48- 18609A 6	48- 18608A 6	Bravo Two
20	11	SS	3	48- 18607A 6	48- 18606A 6	Bravo Two

(1) Recommended for single diesel applications

MERCURY PROPELLER APPLICATION CHARTS

Mercury MerCruiser Bravo Three

For all engines with a Bravo Three drive
4 blade front and 3 blade rear propeller

If boat is propped correctly with original Bravo Three propellers drop down one inch of pitch to maintain engine RPM with Bravo Three Diesel propellers.

Bravo Three propeller attachement hardware is not included with the propeller
Use with:
805100 Aft Thrust Washer
805101T Forward Thrust Washer
862907 Aft Prop Nut
8M0105210 Foward Prop Nut
805457T 1 Bravo Three Inner Prop Nut Wrench

Pitch	Material	Finish	Blades (Front & Rear)	LH Rotation Front Prop	RH Rotation Rear Prop	Model
28	SS	Matte	4 & 3	48-8M8022460	48-8M8022470	Bravo Three
26	SS	Matte	4 & 3	48-8M8022440	48-8M8022450	Bravo Three
24	SS	Matte	4 & 3	48-8M8022420	48-8M8022430	Bravo Three
22.5	SS	Matte	4 & 3	48-8M8022400	48-8M8022410	Bravo Three
21	SS	Matte	4 & 3	48-8M8022380	48-8M8022390	Bravo Three
20	SS	Matte	4 & 3	48-8M8022360	48-8M8022370	Bravo Three
19	SS	Matte	4 & 3	48-8M8022340	48-8M8022350	Bravo Three
27	SS	Matte	4 & 3	48-8M0074871	48-8M0074872	Bravo Three Diesel
25	SS	Matte	4 & 3	48-8M0074869	48-8M0074870	Bravo Three Diesel
23	SS	Matte	4 & 3	48-8M0074867	48-8M0074868	Bravo Three Diesel
21	SS	Matte	4 & 3	48-8M0074865	48-8M0074866	Bravo Three Diesel

Mercury MerCruiser Bravo Four S

Use in matched pitch sets only. The Bravo Four S propeller is made specifically for the Bravo Four S
Forward Facing Drive.

4 blade front and 3 blade rear propeller

Use with:
8M0174601 Nose Cone
8M0181966 Nose Cone Bolt
805100 Aft Thrust Washer
805101T Forward Thrust Washer
862907 Aft Prop Nut
8M0105210 Forward Prop Nut

Diameter	Material	Blades (Front & Rear)	LH Rotation	RH Rotation	Model
19.5	SS	4 & 3	48-8M0167001	48-8M0167002	Bravo Four S
21	SS	4 & 3	48-8M0167003	48-8M0167004	Bravo Four S
22.5	SS	4 & 3	48-8M0167005	48-8M0167006	Bravo Four S
24	SS	4 & 3	48-8M0167007	48-8M0167008	Bravo Four S
25.5	SS	4 & 3	48-8M0167009	48-8M0167010	Bravo Four S

MERCURY ZEUS APPLICATION CHARTS



Zeus 3500 M-Series and Z-Series Propeller Chart

			Drive Speed (Knots)	21.7	22.6	23.5	24.3	25.2	26.1	26.9	27.8	28.7	29.5	30.4	31.3	32.2	33.0	33.9	34.8	35.6	36.5	37.4	38.2	39.1	40.0
Zeus 3500	RPM Range	Overall Ratio	Drive Speed (MPH)	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
355 hp	2800-2850	2.059:1	Z Series				9	10	11	12	13	14	15	16	17	18	19								
355 hp	2800-2850	2.244:1	M Series	5/6	6/7	7	8	9	10	11	12	12/13	13/14	14											
380 hp	3000- 3050	2.059:1	Z Series					8	9	10	11	12	13	14	15	16	17	18	19						
380 hp	3000- 3050	2.244:1	M Series	4	4/5	5/6	6/7	7	8	9	10	11	12	12/13	13/14	14									
425 hp	3000- 3050	2.059:1	Z Series								11	12	13	14	15	16	17	18	19						
425 hp	3000-3050	2.059:1	M Series			4	4/5	5	6	7	7/8	8	9	10	11	11/12	12	13	14						
425 hp	3000- 3050	2.244:1	M Series	4	4/5	5/6	6/7	7	8	9	10	11	12	12/13	13/14	14									
480 hp	3400- 3450	2.059:1	Z Series									6	7	8	9	10	11	12	13	14	15	16	17	18	19
480 hp	3400- 3450	2.059:1	M Series								4	4/5	5	6	7	7/8	8	9	9/10	10/11	11	12	12/13	13	14
480 hp	3400- 3450	2.244:1	M Series				4	5	6	7	8	8/9	9	10	11	12	12/13	13	14						

Zeus 3800 M-Series Propeller Chart

			Drive Speed (Knots)	24.3	25.2	26.1	26.9	27.8	28.7	29.5	30.4	31.3	32.2	33.0	33.9	34.8	35.6	36.5	37.4	38.2	39.1	40.0	40.8	41.7	42.6
Zeus 3800	RPM	Overall Ratio	Drive Speed (MPH)	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
550	3000-3050	1.795:1	M Series					4	4/5	5	6	7	7/8	8	9	9/10	10/11	11	12	12/13	13	14			
550	3000-3050	1.957:1	M Series	4	5	6	7	8	8/9	9	10	11	12	12/13	13	14									
600	3000-3050	1.795:1	M Series					4	4/5	5	6	7	7/8	8	9	9/10	10/11	11	12	12/13	13	14			
600	3000-3050	1.957:1	M Series			6	7	8	8/9	9	10	11	12	12/13	13	14									
715	2500-2550	1.337:1	M Series										4	5	5/6	6	6/7	7	8	8/9	9	10	10/11	11	12

NON-MERCURY ENGINE APPLICATION CHARTS

Non-Mercury Outboard (4.25" Gearcase)

Non-Mercury Outboard (4.25" Gearcase)
Suzuki/Johnson 90-115 HP 4-stroke (2001-2008) - use hub kit 835283Q1
Suzuki/Johnson 100-115 HP 4-stroke (2009 and newer), 140 HP 4-stroke - use hub kit 835283Q2
Suzuki 70-90 HP 4-stroke (2009 and newer) - use hub kit 835283Q03
Honda 75-90 HP (1998 and older) - use hub kit 835277Q1
Honda 75-90 HP (1999 and newer), 115-130 HP - use hub kit 835279Q2
Yamaha 50-100 HP - use hub kit 835272Q 1
Yamaha 115-130 HP - use hub kit 835271Q 2

Aluminum propellers include hub kit
Stainelss steel propelles, hub kit sold separately

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
12.5	23	Alum	3	N/A	48- 77350A45	Black Max
12.8	21	Alum	3	N/A	48- 77348A45	Black Max
13	19	Alum	3	N/A	48- 77346A45	Black Max
13.3	17	Alum	3	N/A	48- 77344A45	Black Max
13.3	16	Alum	3	N/A	48-854360A45	Black Max
13.8	15	Alum	3	N/A	48- 77342A45	Black Max
13.9	14	Alum	3	N/A	48-854352A45	Black Max
14	13	Alum	3	N/A	48- 77340A45	Black Max
14	11	Alum	3	N/A	48- 77338A45	Black Max
14	10	Alum	3	N/A	48-854342A45	Black Max
14	9	Alum	3	N/A	48-854340A45	Black Max

MERCURY PROPELLER APPLICATION CHARTS

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
12.8	19	Alum	4	N/A	48-8M8026600	Spitfire
12.8	17	Alum	4	N/A	48-8M8026590	Spitfire
12.8	15	Alum	4	N/A	48-8M8026580	Spitfire
13.8	13	Alum	4	N/A	48-8M8026570	Spitfire Pontoon(2)
13.8	11	Alum	4	N/A	48-8M8026560	Spitfire Pontoon(2)
13.8	10	Alum	4	N/A	48-8M8026555	Spitfire Pontoon(2)
12.7	21	SS	4	N/A	48-8M0151364	Spitfire X7(1)
12.7	19	SS	4	N/A	48-8M0151363	Spitfire X7(1)
13	17	SS	4	N/A	48-8M0151362	Spitfire X7(1)
13.5	15	SS	4	N/A	48-8M0151361	Spitfire X7(1)
14	13	SS	4	N/A	48-8M0151360	Spitfire X7(1)
13	18	SS	3	N/A	48-8M0151402	Vengeance
13.1	16	SS	3	N/A	48-8M0151401	Vengeance
13.3	15	SS	3	N/A	48-8M0151400	Vengeance
13.4	14	SS	3	N/A	48-8M0151399	Vengeance
14	12	SS	3	N/A	48-8M0151398	Vengeance
14	10	SS	3	N/A	48-8M0151397	Vengeance
13.8	26	SS	4	N/A	48-8M0151395	Trophy Plus(1)
13.8	25	SS	4	N/A	48-8M0151394	Trophy Plus(1)
13.8	24	SS	4	N/A	48-8M0151393	Trophy Plus(1)
13.8	23	SS	4	N/A	48-8M0151392	Trophy Plus(1)
13.8	21	SS	4	N/A	48-8M0151391	Trophy Plus(1)
13.8	19	SS	4	N/A	48-8M0151390	Trophy Plus(1)
13.8	17	SS	4	N/A	48-8M0151389	Trophy Plus(1)

(1) Performance Vent System

(2) For superior performance and holding on pontoon applications

Non-Mercury Outboard/Sterndrive (4.75" Gearcase)

Non-Mercury Outboards & Sterndrives (4.75" Gearcase)
Evinrude/Johnson/OMC (1991 and newer) - use hub kit 8M0119081
Evinrude/Johnson/OMC (1990 and older) - use hub kit 8M0119082
Evinrude ETEC G2 (2015 and newer) - use hub kit 8M0107220
Honda 135-225 HP - use hub kit 835278Q1
Suzuki 150-300 HP - use hub kit 835281Q1
Yamaha 150-300 HP including SHO (2015 and newer) - use hub kit 835274Q1
Yamaha 200-250 HP SHO (2014 and older) - use hub kit 8M0075402

Aluminum propellers include hub kit
Stainelss steel propelles, hub kit sold separately

EC propellers contain extra cup for pontoon applications

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
14	12	Alum	4	N/A	48-8M0084491	SpitFire
14	14	Alum	4	N/A	48-8M0084493	SpitFire
14	17	Alum	4	N/A	48-8M0084494	SpitFire
14	19	Alum	4	N/A	48-8M0084495	SpitFire
14	21	Alum	4	N/A	48-8M0084496	SpitFire
14	23	Alum	4	N/A	48-8M0084497	SpitFire
14	23	Alum	3	N/A	48-832834A45	Black Max
14.3	21	Alum	3	N/A	48-832832A45	Black Max
14.5	19	Alum	3	N/A	48-832830A45	Black Max
15.5	18	Alum	3	N/A	48- 11324A45	Black Max
15	17	Alum	3	N/A	48-832828A45	Black Max
16	16	Alum	3	N/A	48- 16440A45	Black Max
15.3	15	Alum	3	N/A	48- 78116A45	Black Max
15.3	15	Alum	3	N/A	48- 78116CP1	Black Max - EC
16	14	Alum	3	N/A	48- 16438A45	Black Max

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
16	14	Alum	3	N/A	48- 16438CP1	Black Max - EC
16	13	Alum	3	N/A	48- 78114A45	Black Max
16	13	Alum	3	N/A	48- 78114CP1	Black Max - EC
16	12	Alum	3	N/A	48- 16436A45	Black Max
16	12	Alum	3	N/A	48- 16436CP1	Black Max - EC
16	11	Alum	3	N/A	48- 78112A45	Black Max
13.8	21	SS	3	N/A	48-8M0151408	Vengeance
14	19	SS	3	48-8M0151406	48-8M0151407	Vengeance
14.5	17	SS	3	48-8M0151404	48-8M0151405	Vengeance
14.5	15	SS	3	N/A	48-8M0151403	Vengeance
13.5	22	SS	3	N/A	48-8M0151245	Enertia
13.6	21	SS	3	48-8M0151242	48-8M0151243	Enertia
13.8	20	SS	3	N/A	48-8M0151241	Enertia
14	19	SS	3	48-8M0151238	48-8M0151239	Enertia
14.2	18	SS	3	N/A	48-8M0151237	Enertia
14.5	17	SS	3	48-8M0151234	48-8M0151235	Enertia
14.7	16	SS	3	N/A	48-8M0151233	Enertia
15	15	SS	3	48-8M0151230	48-8M0151231	Enertia
15.3	14	SS	3	48-8M0151228	48-8M0151229	Enertia
15.6	13	SS	3	48-8M0151226	48-8M0151227	Enertia
16	11	SS	3	48-8M0151224	48-8M0151225	Enertia
16	17	SS	3	48-8M0151250	48-8M0151251	Enertia ECO
16	18	SS	3	48-8M0151252	48-8M0151253	Enertia ECO
16	19	SS	3	48-8M0151254	48-8M0151255	Enertia ECO
16	20	SS	3	48-8M0151256	48-8M0151257	Enertia ECO
16	21	SS	3	48-8M0151258	48-8M0151259	Enertia ECO
16	22	SS	3	48-8M0151260	48-8M0151261	Enertia ECO
16	23	SS	3	48-8M0151262	48-8M0151263	Enertia ECO
14.5	25	SS	3	N/A	48-8M0151313	Mirage Plus
14.6	23	SS	3	48-8M0151311	48-8M0151312	Mirage Plus
14.8	21	SS	3	48-8M0151309	48-8M0151310	Mirage Plus
15.3	19	SS	3	48-8M0151307	48-8M0151308	Mirage Plus
15.5	17	SS	3	48-8M0151303	48-8M0151304	Mirage Plus
15.8	15	SS	3	48-8M0151301	48-8M0151302	Mirage Plus
14	22	SS	3	N/A	48-8M0151270	Fury
14	23	SS	3	N/A	48-8M0151271	Fury
14	24	SS	3	N/A	48-8M0151272	Fury
14	25	SS	3	N/A	48-8M0151273	Fury
14	26	SS	3	N/A	48-8M0151274	Fury
14	27	SS	3	N/A	48-8M0151275	Fury
14.5	23	SS	4	N/A	48-8M0238904	Fury 4
14.5	24	SS	4	N/A	48-8M0238905	Fury 4
14.5	25	SS	4	N/A	48-8M0238906	Fury 4
14.5	26	SS	4	N/A	48-8M0238907	Fury 4
14.6	27	SS	3	N/A	48-8M0151388	Tempest Plus
14.6	26	SS	3	N/A	48-8M0151387	Tempest Plus
14.6	25	SS	3	N/A	48-8M0151386	Tempest Plus
14.6	24	SS	3	N/A	48-8M0151385	Tempest Plus
14.6	23	SS	3	N/A	48-8M0151384	Tempest Plus
14.6	22	SS	3	N/A	48-8M0151383	Tempest Plus
14.6	21	SS	3	N/A	48-8M0151382	Tempest Plus
14.6	19	SS	3	N/A	48-8M0151381	Tempest Plus
14.6	17	SS	3	N/A	48-8M0151380	Tempest Plus
13.8	26	SS	4	N/A	48-8M0151395	Trophy Plus (SM)
13.8	25	SS	4	N/A	48-8M0151394	Trophy Plus (SM)
13.8	24	SS	4	N/A	48-8M0151393	Trophy Plus (SM)

MERCURY PROPELLER APPLICATION CHARTS


Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
13.8	23	SS	4	N/A	48-8M0151392	Trophy Plus (SM)
13.8	21	SS	4	N/A	48-8M0151391	Trophy Plus (SM)
13.8	19	SS	4	N/A	48-8M0151390	Trophy Plus (SM)
13.8	17	SS	4	N/A	48-8M0151389	Trophy Plus (SM)
13.3	21	SS	5	N/A	48-8M0151292	HighFive
13.3	19	SS	5	N/A	48-8M0151291	HighFive
13.5	17	SS	5	N/A	48-8M0151290	HighFive
14.6	25	SS	4	48-8M0151328	48-8M0151329	Revolution 4
14.6	23	SS	4	48-8M0151326	48-8M0151327	Revolution 4
14.6	21	SS	4	48-8M0151324	48-8M0151325	Revolution 4
14.6	20	SS	4	48-8M0151322	48-8M0151323	Revolution 4
14.6	19	SS	4	48-8M0151320	48-8M0151321	Revolution 4
14.6	18	SS	4	48-8M0151318	48-8M0151319	Revolution 4
14.6	17	SS	4	48-8M0151316	48-8M0151317	Revolution 4
14.6	15	SS	4	48-8M0151314	48-8M0151315	Revolution 4
15.3	32	SS	4	48-8M0151220	48-8M0151221	Bravo I
15.3	30	SS	4	48-8M0151218	48-8M0151219	Bravo I
15.3	28	SS	4	48-8M0151216	48-8M0151217	Bravo I
15.3	26	SS	4	48-8M0151214	48-8M0151215	Bravo I
15.3	24	SS	4	48-8M0151212	48-8M0151213	Bravo I
15.3	22	SS	4	48-8M0151210	48-8M0151211	Bravo I

PROPELLER SELECTING TOOLS

Mercury Propeller Selecting Tools Available:

1. Mercury Propeller Selector on mercurymarine.com

a. Follow the required steps. Choose the boat type, engine and detailed boat information (Length, Weight or Current Performance) to identify an estimated pitch and propeller offering



2. Mercury Outboard Propeller Rigging Charts

a. Choose an engine and boat type combination from the following charts.
b. Identify the line with the customer's boat weight (with engine, fuel, people and gear) and approximate speed. This will result in a propeller and pitch recommendation for the application
c. Not all propellers are shown helping identify the best performing propellers for the specific application
d. Only current Mercury outboards are shown, refer to the application charts for additional engine offerings

Example Rigging Chart:

Verado 250 HP and 250 HP Pro FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14.62"	25	4	2500-2800	69-78	48-857032A46	Revolution 4	Comp Series
14.62"	23	4	2700-3100	63-71	48-857030A46	Revolution 4	Comp Series
14.62"	21	4	3100-3500	57-64	48-857028A46	Revolution 4	Comp Series
14.62"	20	4	3250-3750	54-61	48-8M0070052	Revolution 4	Comp Series
14.62"	19	4	3400-4000	51-58	48-857026A46	Revolution 4	Comp Series
14.62"	17	4	3900-5000	39-49	48-857024A46	Revolution 4	Comp Series
14.62"	15	4	4600-6000	35-45	48-857022A46	Revolution 4	Comp Series
13.45"	22	3	2900-3300	60-68	48-899202A46	Enertia	Comp Series
13.63"	21	3	3100-3500	57-64	48-899002A46	Enertia	Comp Series
13.80"	20	3	3250-3750	54-61	48-899000A46	Enertia	Comp Series
14.00"	19	3	3400-4000	51-58	48-898998A46	Enertia	Comp Series
14.22"	18	3	3650-4500	45-54	48-898996A46	Enertia	Comp Series
14.45"	17	3	3900-5000	39-49	48-898994A46	Enertia	Comp Series
14.72"	16	3	4300-5500	37-47	48-898992A46	Enertia	Comp Series
15.00"	15	3	4600-6000	35-45	48-898990A46	Enertia	Comp Series
14.62"	23	3	2700-3100	63-71	48-825864A47	Tempest Plus	Elite Series
14.62"	23	3	2700-3100	63-71	48-8M8026820	Tempest Plus	Elite Series
14.62"	21	3	3100-3500	57-64	48-825862A47	Tempest Plus	Elite Series
14.62"	19	3	3400-4000	51-58	48-825860A47	Tempest Plus	Elite Series
14.62"	17	3	3900-5000	39-49	48-8M8026790	Tempest Plus	Elite Series

MERCURY PROPELLER RIGGING CHART

FRESHWATER FISH / RUNABOUT / FISH AND SKI / MOD V / V BOTTOM: 60 - 400 HP

Verado 350 HP and 400 HP – Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 350 HP 5800-6400, 400 HP 6200-6800 Gearcase Ratio: 1.75:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description
16	23	3	3700-4200	65-74	48-8M0151263	Enertia ECO
16	22	3	3900-4500	63-70	48-8M0151261	Enertia ECO
16	21	3	4200-4700	59-66	48-8M0151259	Enertia ECO
16	20	3	4400-5000	56-63	48-8M0151257	Enertia ECO
16	19	3	4600-5300	53-60	48-8M0151255	Enertia ECO
16	18	3	4900-5800	49-55	48-8M0151253	Enertia ECO
16	17	3	5300-6300	46-53	48-8M0151251	Enertia ECO
14.6	25	4	3300-3800	71-81	48-8M0151329	Revolution 4
14.6	23	4	3700-4200	65-74	48-8M0151327	Revolution 4
14.6	21	4	4200-4700	59-66	48-8M0151325	Revolution 4
14.6	20	4	4400-5000	56-63	48-8M0151323	Revolution 4
14.6	19	4	4600-5300	53-60	48-8M0151321	Revolution 4
14.6	18	4	5000-5600	49-56	48-8M0151319	Revolution 4
14.6	17	4	5300-6300	46-53	48-8M0151317	Revolution 4
14.6	15	4	6300-7500	39-46	48-8M0151315	Revolution 4
14.6	23	3	3700-4200	65-74	48-8M0151384	Tempest Plus
14.6	22	3	3900-4500	62-70	48-8M0151383	Tempest Plus
14.6	21	3	4200-4700	59-66	48-8M0151382	Tempest Plus
14.6	19	3	4600-5300	53-60	48-8M0151381	Tempest Plus

Verado 300 HP and 300 HP Pro FourStroke – Freshwater Fish / Runabout / Fish and Ski

For 300 L6 Verado and 300 HP Pro L6 FourStroke (2018 and older), Engine RPM Range: 5800-6400, Gearcase Ratio: 1.75:1 or 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
14.6	25	4	2800-3300	71-81	48-8M0151329	Revolution 4
14.6	23	4	3100-3600	65-74	48-8M0151327	Revolution 4
14.6	21	4	3600-4100	59-66	48-8M0151325	Revolution 4
14.6	20	4	3800-4300	56-63	48-8M0151323	Revolution 4
14.6	19	4	4000-4600	53-60	48-8M0151321	Revolution 4
14.6	18	4	4300-4800	49-56	48-8M0151319	Revolution 4
14.6	17	4	4600-5400	46-53	48-8M0151317	Revolution 4
14.6	15	4	5400-6500	39-46	48-8M0151315	Revolution 4
13.4	22	3	3300-3800	62-70	48-8M0151245	Enertia
13.6	21	3	3600-4100	59-66	48-8M0151243	Enertia
13.8	20	3	3800-4300	56-63	48-8M0151241	Enertia
14	19	3	4000-4600	53-60	48-8M0151239	Enertia
14	18	3	4300-4900	50-56	48-8M0151237	Enertia
14.4	17	3	4600-5400	46-53	48-8M0151235	Enertia
14.7	16	3	4900-5800	43-50	48-8M0151233	Enertia
15	15	3	5400-6500	39-46	48-8M0151231	Enertia
14.6	23	3	3100-3600	65-74	48-8M0151384	Tempest Plus
14.6	22	3	3300-3800	62-70	48-8M0151383	Tempest Plus
14.6	21	3	3600-4100	59-66	48-8M0151382	Tempest Plus
14.6	19	3	4000-4600	53-60	48-8M0151381	Tempest Plus
14.6	17	3	4600-5400	46-53	48-8M0151380	Tempest Plus

Verado 250 HP and 250 HP Pro FourStroke – Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
14.6	25	4	2500-2800	69-78	48-8M0151329	Revolution 4
14.6	23	4	2700-3100	63-71	48-8M0151327	Revolution 4
14.6	21	4	3100-3500	57-64	48-8M0151325	Revolution 4
14.6	20	4	3250-3750	54-61	48-8M0151323	Revolution 4
14.6	19	4	3400-4000	51-58	48-8M0151321	Revolution 4
14.6	18	4	3750-4400	47-54	48-8M0151319	Revolution 4
14.6	17	4	3900-5000	39-49	48-8M0151317	Revolution 4
14.6	15	4	4600-6000	35-45	48-8M0151315	Revolution 4
13.4	22	3	2900-3300	60-68	48-8M0151245	Enertia
13.6	21	3	3100-3500	57-64	48-8M0151243	Enertia
13.8	20	3	3250-3750	54-61	48-8M0151241	Enertia
14	19	3	3400-4000	51-58	48-8M0151239	Enertia
14.2	18	3	3650-4500	45-54	48-8M0151237	Enertia
14.4	17	3	3900-5000	39-49	48-8M0151235	Enertia
14.7	16	3	4300-5500	37-47	48-8M0151233	Enertia
15	15	3	4600-6000	35-45	48-8M0151231	Enertia
14.6	23	3	2700-3100	63-71	48-8M0151384	Tempest Plus
14.6	22	3	2700-3100	63-71	48-8M0151383	Tempest Plus
14.6	21	3	3100-3500	57-64	48-8M0151382	Tempest Plus
14.6	19	3	3400-4000	51-58	48-8M0151381	Tempest Plus
14.6	17	3	3900-5000	39-49	48-8M0151380	Tempest Plus

Verado 225 HP and 225 HP Pro FourStroke – Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
14.6	25	4	2200-2500	69-78	48-8M0151329	Revolution 4
14.6	23	4	2500-2800	63-71	48-8M0151327	Revolution 4
14.6	21	4	2800-3200	57-64	48-8M0151325	Revolution 4
14.6	20	4	2950-3400	54-61	48-8M0151323	Revolution 4
14.6	19	4	3100-3600	51-58	48-8M0151321	Revolution 4
14.6	18	4	3300-3700	48-54	48-8M0151319	Revolution 4
14.6	17	4	3500-4100	45-52	48-8M0151317	Revolution 4
14.6	15	4	4100-5500	35-45	48-8M0151315	Revolution 4
13.4	22	3	2700-3100	60-68	48-8M0151245	Enertia
13.6	21	3	2800-3200	57-64	48-8M0151243	Enertia
13.8	20	3	2950-3400	54-61	48-8M0151241	Enertia
14	19	3	3100-3600	51-58	48-8M0151239	Enertia
14.2	18	3	3300-3850	48-55	48-8M0151237	Enertia
14.4	17	3	3500-4100	45-52	48-8M0151235	Enertia
14.7	16	3	3800-4800	40-49	48-8M0151233	Enertia
15	15	3	4100-5500	35-45	48-8M0151231	Enertia
14.6	23	3	2500-2800	63-71	48-8M0151384	Tempest Plus
14.6	22	3	2700-3100	60-68	48-8M0151383	Tempest Plus
14.6	21	3	2800-3200	57-64	48-8M0151382	Tempest Plus
14.6	19	3	3100-3600	51-58	48-8M0151381	Tempest Plus
14.6	17	3	3500-4100	45-52	48-8M0151380	Tempest Plus

MERCURY PROPELLER RIGGING CHART

Pro FourStroke 200 HP - V6 - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800 - 6400 Gearcase Ratio 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
13.5	22	3	2300-2600	59-68	48-8M0151245	Enertia
13.6	21	3	2500-2800	57-64	48-8M0151243	Enertia
13.8	20	3	2750-2950	54-63	48-8M0151241	Enertia
14	19	3	2800-3200	51-58	48-8M0151239	Enertia
14.3	18	3	2950-3450	47-55	48-8M0151237	Enertia
14.5	17	3	3100-3700	45-52	48-8M0151235	Enertia
14.7	16	3	3350-4250	41-50	48-8M0151233	Enertia
15	15	3	3600-4400	38-47	48-8M0151231	Enertia
14.6	23	3	2200-2500	63-71	48-8M0151383	Tempest Plus
14.6	21	3	2500-2800	57-64	48-8M0151382	Tempest Plus
14.6	19	3	2800-3200	51-58	48-8M0151381	Tempest Plus
14.6	17	3	3000-3500	45-52	48-8M0151380	Tempest Plus
14	23	3	2200-2500	63-71	48-8M0084497	SpitFire
14	21	3	2500-2800	57-64	48-8M0084496	SpitFire
14	19	3	2800-3200	51-58	48-8M0084495	SpitFire
14	17	3	2200-2500	63-71	48-8M0084494	SpitFire
14.3	21	3	2500-2800	57-64	48-832832A45	Black Max
14.5	19	3	2800-3200	51-58	48-832830A45	Black Max
15	17	3	2500-2800	45-52	48-832828A45	Black Max

Verado 200 HP – 4Cyl - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800-6400 Gearcase Ratio: 2.08:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
13.4	22	3	2800-3200	51-58	48-8M0151245	Enertia
13.6	21	3	2900-3300	49-55	48-8M0151243	Enertia
13.8	20	3	3000-3600	46-53	48-8M0151241	Enertia
14	19	3	3300-3900	43-50	48-8M0151239	Enertia
14.2	18	3	3500-4300	39-47	48-8M0151237	Enertia
14.4	17	3	3800-4700	36-44	48-8M0151235	Enertia
14.7	16	3	4100-5200	33-41	48-8M0151233	Enertia
15	15	3	4400-6000	29-38	48-8M0151231	Enertia
14.6	21	3	2900-3300	49-55	48-8M0151382	Tempest Plus
14.6	19	3	3300-3900	43-50	48-8M0151381	Tempest Plus
14.6	17	3	3800-4700	36-44	48-8M0151380	Tempest Plus
14	21	3	2900-3300	49-55	48-8M0084496	SpitFire
14	19	3	3300-3900	43-50	48-8M0084495	SpitFire
14	17	3	3800-4700	36-44	48-8M0084494	SpitFire
14.3	21	3	2900-3300	49-55	48-832832A45	Black Max
14.5	19	3	3300-3900	43-50	48-832830A45	Black Max
15	17	3	3800-4700	36-44	48-832828A45	Black Max
15.3	15	3	4400-6000	29-38	48- 78116A45	Black Max

150 HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-5800 Gearcase Ratio: 1.92:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
13.5	22	3	2100-2600	47-57	48-8M0151245	Enertia
13.6	21	3	2200-2800	44-54	48-8M0151243	Enertia
13.8	20	3	2300-3000	42-52	48-8M0151241	Enertia
14	19	3	2500-3200	39-49	48-8M0151239	Enertia
14.3	18	3	2700-3200	35-46	48-8M0151237	Enertia
14.5	17	3	2900-4000	32-43	48-8M0151235	Enertia
14.8	16	3	3100-4500	29-40	48-8M0151233	Enertia

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
15	15	3	3400-5100	26-37	48-8M0151231	Enertia
15.1	14	3	3800-6200	22-34	48-8M0151229	Enertia
14.6	25	3	1800-2200	55-65	48-8M0151386	Tempest Plus
14.6	24	3	1900-2300	53-62	48-8M0151385	Tempest Plus
14.6	23	3	2000-2400	50-60	48-8M0151384	Tempest Plus
14.6	22	3	2100-2600	47-57	48-8M0151383	Tempest Plus
14.6	21	3	2200-2800	44-54	48-8M0151382	Tempest Plus
14.6	19	3	2500-3200	39-49	48-8M0151381	Tempest Plus
14.6	17	3	2900-4000	32-43	48-8M0151380	Tempest Plus

115 CT Pro XS FourStroke - Freshwater Fish

Engine RPM Range: 5300-6300 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
14.6	22	3	2000-2700	38-50	48-8M0151383	Tempest Plus
14.6	21	3	2100-2900	35-47	48-8M0151382	Tempest Plus
14.6	19	3	2400-3500	30-42	48-8M0151381	Tempest Plus
14.6	17	3	2700-4500	24-37	48-8M0151380	Tempest Plus
14	21	4	2100-2900	35-47	48-8M0084496	SpitFire
14	19	4	2400-3500	30-42	48-8M0084495	SpitFire
14	17	4	2700-4500	24-37	48-8M0084494	SpitFire
15	21	3	2100-2900	35-47	48-832832A45	Black Max
14.5	19	3	2400-3500	30-42	48-832830A45	Black Max
15	17	3	2700-4500	24-37	48-832828A45	Black Max

115 STD Pro XS FourStroke - Freshwater Fish

Engine RPM Range: 5300-6300 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
12.7	21	4	1800-2300	43-55	48-8M0151364	SpitFire X7
12.7	19	4	2000-2700	38-49	48-8M0151363	SpitFire X7
13	17	4	2300-3300	31-44	48-8M0151362	SpitFire X7
13.5	15	4	2700-4300	25-37	48-8M0151361	SpitFire X7
13	18	3	2100-2900	35-46	48-8M0151402	Vengeance
13.1	16	3	2400-3800	28-41	48-8M0151401	Vengeance
13.3	15	3	2700-4300	25-37	48-8M0151400	Vengeance
12.8	19	4	2000-2700	38-49	48-8M8026600	SpitFire
12.8	17	4	2300-3300	31-44	48-8M8026590	SpitFire
12.8	15	4	2700-4300	25-37	48-8M8026580	SpitFire
12.5	23	3	1600-2000	49-60	48- 77350A45	Black Max
12.8	21	3	1800-2300	43-55	48- 77348A45	Black Max
13	19	3	2000-2700	38-49	48- 77346A45	Black Max
13.3	17	3	2300-3300	31-44	48- 77344A45	Black Max
13.3	16	3	2400-3800	28-41	48-854360A45	Black Max

115 CT HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
13.5	22	3	2000-2800	35-47	48-8M0151245	Enertia
13.8	21	3	2100-3100	32-45	48-8M0151243	Enertia
13.8	20	3	2300-3500	29-42	48-8M0151241	Enertia
14	19	3	2400-3700	27-40	48-8M0151239	Enertia
14.2	18	3	2600-4300	24-37	48-8M0151237	Enertia
14.5	17	3	2800-5000	21-35	48-8M0151235	Enertia
14.7	16	3	3100-5600	19-32	48-8M0151233	Enertia
15	15	3	3500-6700	16-29	48-8M0151231	Enertia
15.3	14	3	3900-7800	14-26	48-8M0151229	Enertia

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
15.6	13	3	4300-10300	11-24	48-8M0151227	Enertia
16	11	3	7000+	1-18	48-8M0151225	Enertia
14.6	23	3	1900-2600	38-49	48-8M0151384	Tempest Plus
14.6	22	3	2000-2800	35-47	48-8M0151383	Tempest Plus
14.6	21	3	2100-3100	32-45	48-8M0151382	Tempest Plus
14.6	19	3	2400-3700	27-40	48-8M0151381	Tempest Plus
14.6	17	3	2800-5000	21-35	48-8M0151380	Tempest Plus
14	23	4	1900-2600	38-49	48-8M0084497	SpitFire
14	21	4	2100-3100	32-45	48-8M0084496	SpitFire
14	19	4	2400-3700	27-40	48-8M0084495	SpitFire
14	17	4	2800-5000	21-35	48-8M0084494	SpitFire
14	14	4	3900-7800	14-26	48-8M0084493	SpitFire
14	12	4	7000+	1-24	48-8M0084491	SpitFire
14.5	19	3	2400-3700	27-40	48-832830A45	Black Max
15	17	3	2800-5000	21-35	48-832828A45	Black Max
15.3	15	3	3500-6700	16-29	48- 78116A45	Black Max
16	13	3	4300-10300	11-24	48- 78114A45	Black Max
16	12	3	5000+	9-21	48- 16436A45	Black Max
16	11	3	7000+	1-18	48- 78112A45	Black Max

115 STD HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
12.7	21	4	1800-2400	40-52	48-8M0151364	SpitFire X7
12.7	19	4	2000-2900	34-47	48-8M0151363	SpitFire X7
13	17	4	2300-3600	28-41	48-8M0151362	SpitFire X7
13.5	15	4	2800-4700	22-35	48-8M0151361	SpitFire X7
14	13	4	3500-6700	16-29	48-8M0151360	SpitFire X7
13	18	3	2200-3200	31-44	48-8M0151402	Vengeance
13.1	16	3	2500-4100	25-38	48-8M0151401	Vengeance
13.3	15	3	2800-4700	22-35	48-8M0151400	Vengeance
13.3	14	3	3100-5600	19-32	48-8M0151399	Vengeance
14	12	3	3900-8500	13-26	48-8M0151398	Vengeance
12.8	19	4	2000-2900	34-47	48-8M8026600	SpitFire
12.8	17	4	2300-3600	28-41	48-8M8026590	SpitFire
12.8	15	4	2800-4700	22-35	48-8M8026580	SpitFire
13.8	13	4	3500-6700	16-29	48-8M8026570	SpitFire
13.8	11	4	4500-11500	10-23	48-8M8026560	SpitFire
12.5	23	3	1600-2100	45-57	48- 77350A45	Black Max
12.8	21	3	1800-2400	40-52	48- 77348A45	Black Max
13	19	3	2000-2900	34-47	48- 77346A45	Black Max
13.3	17	3	2300-3600	28-41	48- 77344A45	Black Max
13.3	16	3	2500-4100	25-38	48-854360A45	Black Max
13.8	15	3	2800-4700	22-35	48- 77342A45	Black Max
13.8	14	3	3100-5600	19-32	48-854352A45	Black Max
14	13	3	3500-6700	16-29	48- 77340A45	Black Max
14	11	3	4700+	1-23	48- 77338A45	Black Max

90 CT HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
13.8	21	3	1600-2400	32-45	48-8M0151243	Enertia
13.8	20	3	1800-2700	29-42	48-8M0151241	Enertia
14	19	3	1900-2900	27-40	48-8M0151239	Enertia
14.2	18	3	2100-3300	24-37	48-8M0151237	Enertia
14.5	17	3	2200-3900	21-35	48-8M0151235	Enertia
14.7	16	3	2400-4400	19-32	48-8M0151233	Enertia
15	15	3	2700-5300	16-29	48-8M0151231	Enertia
15.3	14	3	3100-6100	14-26	48-8M0151229	Enertia
15.6	13	3	3300-8100	11-24	48-8M0151227	Enertia
16	11	3	6000+	1-18	48-8M0151225	Enertia
13.8	21	3	1600-2400	32-45	48-8M0151408	Vengeance
14	19	3	1900-2900	27-40	48-8M0151407	Vengeance
14.5	17	3	2200-3900	21-35	48-8M0151405	Vengeance
14	21	4	1600-2400	32-45	48-8M0084496	SpitFire
14	19	4	1900-2900	27-40	48-8M0084495	SpitFire
14	17	4	2200-3900	21-35	48-8M0084494	SpitFire
14	14	4	3300-8100	11-24	48-8M0084493	SpitFire
14	12	4	6000+	1-18	48-8M0084491	SpitFire
14	23	3	1500-1900	38-49	48-832834A45	Black Max
14.3	21	3	1600-2400	32-45	48-832832A45	Black Max
14.5	19	3	1900-2900	27-40	48-832830A45	Black Max
15	17	3	2200-3900	21-35	48-832828A45	Black Max
15.3	15	3	2700-5300	16-29	48- 78116A45	Black Max
16	13	3	3300-8100	11-24	48- 78114A45	Black Max
16	11	3	6000+	1-18	48- 78112A45	Black Max

90 STD HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
12.7	21	4	1400-1900	40-52	48-8M0151364	SpitFire X7
12.7	19	4	1600-2300	34-47	48-8M0151363	SpitFire X7
13	17	4	1800-2800	28-41	48-8M0151362	SpitFire X7
13.5	15	4	2200-3700	22-35	48-8M0151361	SpitFire X7
13	18	3	4000+	31-44	48-8M0151402	Vengeance
13.1	16	3	2000-3200	25-38	48-8M0151401	Vengeance
13.25	15	3	2200-3700	22-35	48-8M0151400	Vengeance
13.3	14	3	2400-4400	19-32	48-8M0151399	Vengeance
14	12	3	2700-5300	13-26	48-8M0151398	Vengeance
12.8	19	4	1600-2300	34-47	48-8M8026600	SpitFire
12.8	17	4	1800-2800	28-41	48-8M8026590	SpitFire
12.8	15	4	2200-3700	22-35	48-8M8026580	SpitFire
13.8	13	4	2700-5300	16-29	48-8M8026570	SpitFire
13.8	11	4	4000+	10-23	48-8M8026560	SpitFire
12.5	23	3	1300-1600	45-57	48- 77350A45	Black Max
12.75	21	3	1400-1900	40-52	48- 77348A45	Black Max
13	19	3	1600-2300	34-47	48- 77346A45	Black Max
13.25	17	3	1800-2800	28-41	48- 77344A45	Black Max
13.25	16	3	2000-3200	25-38	48-854360A45	Black Max
13.75	15	3	2200-3700	22-35	48- 77342A45	Black Max
13.8	14	3	2400-4400	19-32	48-854352A45	Black Max
14	13	3	2700-5300	16-29	48- 77340A45	Black Max
14	11	3	4000+	1-22	48- 77338A45	Black Max

MERCURY PROPELLER RIGGING CHART

75 STD HP FourStroke - Freshwater Fish (V and Mod V)

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
12.7	21	4	1300-1900	34-47	48-8M0151364	SpitFire X7
12.7	19	4	1500-2300	29-42	48-8M0151363	SpitFire X7
13	17	4	1700-2900	23-37	48-8M0151362	SpitFire X7
13.5	15	4	2100-3900	18-31	48-8M0151361	SpitFire X7
13	18	3	1600-2500	26-40	48-8M0151402	Vengeance
13.1	16	3	1900-3400	20-34	48-8M0151401	Vengeance
13.25	15	3	2100-3900	18-31	48-8M0151400	Vengeance
13.3	14	3	2300-4700	15-28	48-8M0151399	Vengeance
14	12	3	2900-7500	10-23	48-8M0151398	Vengeance
12.8	19	4	1500-2300	29-42	48-8M8026600	SpitFire
12.8	17	4	1700-2900	23-37	48-8M8026590	SpitFire
12.8	15	4	2100-3900	18-31	48-8M8026580	SpitFire
12.5	23	3	1200-1600	39-52	48- 77350A45	Black Max
12.75	21	3	1300-1900	34-47	48- 77348A45	Black Max
13	19	3	1500-2300	29-42	48- 77346A45	Black Max
13.25	17	3	1700-2900	23-37	48- 77344A45	Black Max
13.25	16	3	1900-3400	20-34	48-854360A45	Black Max
13.75	15	3	2100-3900	18-31	48- 77342A45	Black Max
13.8	14	3	2300-4700	15-28	48-854352A45	Black Max

60 STD HP FourStroke - Freshwater Fish (V and Mod V)

Engine RPM Range: 5500-6000 Gearcase ratio: 2.33:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description
10.6	14	4	1300-1700	16-30	48-878616A46	Trophy Sport
10.6	13	4	1500-2000	17-26	48-878614A46	Trophy Sport
10.6	12	4	1700-2500	19-22	48-878612A46	Trophy Sport
10.25	15	3	1200-1600	15-33	48-855862A46	Vengeance
10.4	14	3	1300-1700	16-30	48-855860A46	Vengeance
10.5	13	3	1500-2000	17-26	48-855858A46	Vengeance
10.1	15	4	1200-1600	15-33	48-8M8026640	SpitFire
10.1	14	4	1300-1700	16-30	48-8M8026635	SpitFire
10.3	13	4	1500-2000	17-26	48-8M8026630	SpitFire
10	17	3	1000-1300	13-40	48- 73144A45	Black Max
10	16	3	1100-1400	14-37	48- 73142A45	Black Max
10.1	15	3	1200-1600	15-33	48- 73140A45	Black Max
10.25	14	3	1300-1700	16-30	48- 73138A45	Black Max
10.4	13	3	1500-2000	17-26	48- 73136A45	Black Max

TRI / PONTOON: 40 - 350 HP

Verado 350 HP - Tri / Pontoon (Single and Twin)

Engine RPM Range: 5800 - 6400 Gearcase Ratio 1.75:1

No. of Engine	Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	LH Part Number	Performance Category
Single	13.4	22	3	3900-4500	62-70	48-8M0151245	Enertia		Comp Series
Single	13.6	21	3	4200-4700	59-66	48-8M0151243	Enertia		Comp Series
Single	13.8	20	3	4400-5000	56-63	48-8M0151241	Enertia		Comp Series
Single	14	19	3	4600-5300	53-60	48-8M0151239	Enertia		Comp Series
Single	14.2	18	3	5000-5700	50-56	48-8M0151237	Enertia		Comp Series
Single	14.4	17	3	5300-6300	46-53	48-8M0151235	Enertia		Comp Series
Single	14.7	16	3	5700-6700	43-50	48-8M0151233	Enertia		Comp Series

No. of Engine	Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	LH Part Number	Performance Category
Single	15	15	3	6300-7500	39-46	48-8M0151231	Enertia		Comp Series
Single	15.3	14	3	6700-8500	35-43	48-8M0151229	Enertia		Comp Series
Single	15.6	13	3	7500-9800	31-39	48-8M0151227	Enertia		Comp Series
Single	16	23	3	3700-4200	65-74	48-8M0151263	Enertia ECO		Comp Series
Single	16	22	3	3900-4500	62-70	48-8M0151261	Enertia ECO		Comp Series
Single	16	21	3	4200-4700	59-66	48-8M0151259	Enertia ECO		Comp Series
Single	16	20	3	4400-5000	56-63	48-8M0151257	Enertia ECO		Comp Series
Single	16	19	3	4600-5300	53-60	48-8M0151255	Enertia ECO		Comp Series
Single	16	18	3	5000-5700	50-56	48-8M0151253	Enertia ECO		Comp Series
Single	16	17	3	5300-6300	46-53	48-8M0151251	Enertia ECO		Comp Series
Single	14.6	25	4	3300-3800	71-81	48-8M0151329	Revolution 4		Comp Series
Single	14.6	23	4	3700-4200	65-74	48-8M0151327	Revolution 4		Comp Series
Single	14.6	21	4	4200-4700	59-66	48-8M0151325	Revolution 4		Comp Series
Single	14.6	20	4	4400-5000	56-63	48-8M0151323	Revolution 4		Comp Series
Single	14.6	19	4	4600-5300	53-60	48-8M0151321	Revolution 4		Comp Series
Single	14.6	18	4	5000-5800	49-56	48-8M0151319	Revolution 4		Comp Series
Single	14.6	17	4	5300-6300	46-53	48-8M0151317	Revolution 4		Comp Series
Single	14.6	15	4	6300-7500	39-46	48-8M0151315	Revolution 4		Comp Series
Twin	13.6	21	3	7000-8300	59-66	48-8M0151243	Enertia	48-8M0151242	Comp Series
Twin	14	19	3	8100-9600	53-60	48-8M0151239	Enertia	48-8M0151238	Comp Series
Twin	14.4	17	3	9600-12200	46-53	48-8M0151235	Enertia	48-8M0151234	Comp Series
Twin	15	15	3	11600-15300	39-46	48-8M0151231	Enertia	48-8M0151230	Comp Series
Twin	16	23	3	5800-7200	65-74	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
Twin	16	22	3	3900-4500	62-70	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
Twin	16	21	3	7000-8300	59-66	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
Twin	16	20	3	7600-9000	56-63	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
Twin	16	19	3	8100-9600	53-60	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
Twin	16	18	3	5000-5700	50-56	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
Twin	16	17	3	9600-12200	46-53	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
Twin	14.6	25	4	5000-6300	71-81	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
Twin	14.6	23	4	5800-7200	65-74	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
Twin	14.6	21	4	7000-8300	59-66	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
Twin	14.6	20	4	7600-9000	56-63	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
Twin	14.6	19	4	8100-9600	53-60	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
Twin	14.6	18	4	9000-10800	49-56	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
Twin	14.6	17	4	9600-12200	46-53	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
Twin	14.6	15	4	11600-15300	39-46	48-8M0151315	volution 4	48-8M0151314	Comp Series

Verado 300 HP - Tri / Pontoon

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.75:1 and 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.4	22	3	3300-3800	62-70	48-8M0151245	Enertia		Comp Series
13.6	21	3	3600-4100	59-66	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	3800-4300	56-63	48-8M0151241	Enertia		Comp Series
14	19	3	4000-4600	53-60	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	4300-4900	50-56	48-8M0151237	Enertia		Comp Series
14.4	17	3	4600-5400	46-53	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	4900-5800	43-50	48-8M0151233	Enertia		Comp Series
15	15	3	5400-6500	39-46	48-8M0151231	Enertia	48-8M0151230	Comp Series
15	14	3	6700-8500	35-43	48-8M0151229	Enertia	48-8M0151228	Comp Series
15	13	3	7500-9800	31-39	48-8M0151227	Enertia	48-8M0151226	Comp Series
16	23	3	3100-3600	65-74	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
16	22	3	3300-3800	62-70	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
16	21	3	3600-4100	59-66	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
16	20	3	3800-4300	56-63	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
16	19	3	4000-4600	53-60	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	18	3	4300-4900	50-56	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
16	17	3	4600-5400	46-53	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
14.6	25	4	2800-3300	71-81	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	3100-3600	65-74	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	3600-4100	59-66	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	3800-4300	56-63	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	4000-4600	53-60	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	4300-4900	49-56	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	4600-5400	46-53	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	5400-6500	39-46	48-8M0151315	Revolution 4	48-8M0151314	Comp Series

Verado 250 HP – Tri / Pontoon

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.4	22	3	2900-3300	60-68	48-8M0151245	Enertia		Comp Series
13.6	21	3	3100-3500	57-64	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	3250-3750	54-61	48-8M0151241	Enertia		Comp Series
14	19	3	3400-4000	51-58	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3650-4500	45-54	48-8M0151237	Enertia		Comp Series
14.4	17	3	3900-5000	39-49	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	4300-5500	37-47	48-8M0151233	Enertia		Comp Series
15	15	3	4600-6000	35-45	48-8M0151231	Enertia	48-8M0151230	Comp Series
15	14	3	5000-5500	25-38	48-8M0151229	Enertia	48-8M0151228	Comp Series
15	13	3	5500+	1-28	48-8M0151227	Enertia	48-8M0151226	Comp Series
14.6	21	4	3100-3500	57-64	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	3250-3750	54-61	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	3400-4000	51-58	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	3750-4300	47-54	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	3900-5000	39-49	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	4600-6000	35-45	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.8	21	3	3100-3500	57-64	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3400-4000	51-58	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3900-5000	39-49	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	4600-6000	35-45	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Verado 225 HP – Tri / Pontoon

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.4	22	3	2700-3100	60-68	48-8M0151245	Enertia		Comp Series
13.6	21	3	2800-3200	57-64	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	2950-3400	54-61	48-8M0151241	Enertia		Comp Series
14	19	3	3100-3600	51-58	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3300-3850	48-55	48-8M0151237	Enertia		Comp Series
14.4	17	3	3500-4100	45-52	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	3800-4800	40-49	48-8M0151233	Enertia		Comp Series
15	15	3	4100-5500	35-45	48-8M0151231	Enertia	48-8M0151230	Comp Series
15.3	14	3	4500-6000	30-41	48-8M0151229	Enertia	48-8M0151228	Comp Series
15.6	13	3	5000+	25-38	48-8M0151227	Enertia	48-8M0151226	Comp Series
14.6	25	4	2200-2500	69-78	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	2500-2800	63-71	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	2800-3200	57-64	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	2950-3400	54-61	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	3100-3600	51-58	48-8M0151321	Revolution 4	48-8M0151320	Comp Series

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
14.6	18	4	3400-3800	48-54	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	3500-4100	45-52	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	4100-5500	35-45	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.5	25	3	2200-2500	69-78	48-8M0151313	Mirage Plus		Elite Series
14.6	23	3	2500-2800	63-71	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	2800-3200	57-64	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3100-3600	51-58	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3500-4100	45-52	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	4100-5500	35-45	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Pro FourStroke 200 HP - V6 - Tri / Pontoon

Engine RPM Range: 5800 - 6400 Gearcase Ratio 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.8	20	3	2750-2950	54-63	48-8M0151241	Enertia	Comp Series
14	19	3	2800-3200	51-58	48-8M0151239	Enertia	Comp Series
14.2	18	3	2950-3450	47-55	48-8M0151237	Enertia	Comp Series
14.5	17	3	3100-3700	45-52	48-8M0151235	Enertia	Comp Series
14.7	16	3	3350-4250	41-50	48-8M0151233	Enertia	Comp Series
15	15	3	3600-4400	38-47	48-8M0151231	Enertia	Comp Series
15.3	14	3	3900-5200	35-43	48-8M0151229	Enertia	Comp Series
15.6	13	3	4100-5800	31-40	48-8M0151227	Enertia	Comp Series
16	11	3	6000+	1-29	48-8M0151225	Enertia	Comp Series
14	23	3	2200-2500	63-71	48-8M0084497	SpitFire	Elite Series
14	21	3	2500-2800	57-64	48-8M0084496	SpitFire	Elite Series
14	19	3	2800-3200	51-58	48-8M0084495	SpitFire	Elite Series
14	17	3	2200-2500	63-71	48-8M0084494	SpitFire	Elite Series
14	14	3	3900-5200	35-43	48-8M0084493	SpitFire	Elite Series
14	12	3	4900-6800	26-35	48-8M0084491	SpitFire	Elite Series
14.3	21	3	2500-2800	57-64	48-832832A45	Black Max	Sport Series
14.5	19	3	2800-3200	51-58	48-832830A45	Black Max	Sport Series
15	17	3	3100-3700	45-52	48-832828A45	Black Max	Sport Series
14.5	19	3	2800-3200	51-58	48-832830A45	Black Max	Sport Series
15	17	3	3100-3700	45-52	48-832828A45	Black Max	Sport Series
15.3	15	3	3600-4400	38-47	48- 78116A45	Black Max	Sport Series
16	13	3	4100-5800	31-40	48- 78114A45	Black Max	Sport Series

Verado 200 HP – 4Cyl - Tri / Pontoon

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	19	3	3300-3900	43-50	48-8M0151239	Enertia	Comp Series
14.2	18	3	3500-4300	39-47	48-8M0151237	Enertia	Comp Series
14.4	17	3	3800-4700	36-44	48-8M0151235	Enertia	Comp Series
14.7	16	3	4100-5200	33-41	48-8M0151233	Enertia	Comp Series
15	15	3	4400-6000	29-38	48-8M0151231	Enertia	Comp Series
15.3	14	3	4900-6800	26-35	48-8M0151229	Enertia	Comp Series
15.6	13	3	5400-8200	22-32	48-8M0151227	Enertia	Comp Series
16	11	3	6000+	1-25	48-8M0151225	Enertia	Comp Series
15.3	19	3	3300-3900	43-50	48-8M0084496	SpitFire	Elite Series
15.5	17	3	3800-4700	36-44	48-8M0084494	SpitFire	Elite Series
15.8	14	3	3600-4400	29-38	48-8M0084493	SpitFire	Elite Series
16	12	3	5400-8200	22-32	48-8M0084491	SpitFire	Elite Series
15.3	19	3	3300-3900	43-50	48-832830A45	Black Max	Sport Series
15.5	17	3	3800-4700	36-44	48-832828A45	Black Max	Sport Series
15.3	15	3	3600-4400	29-38	48- 78116A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
16	13	3	5400-8200	22-32	48- 78114A45	Black Max	Sport Series
16	11	3	6000+	1-25	48- 78112A45	Black Max	Sport Series

150 HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-5800 Gearcase Ratio: 1.92:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	2100-2600	47-57	48-8M0151245	Enertia	Comp Series
13.6	21	3	2200-2800	44-54	48-8M0151243	Enertia	Comp Series
13.8	20	3	2300-3000	42-52	48-8M0151241	Enertia	Comp Series
14	19	3	2500-3200	39-49	48-8M0151239	Enertia	Comp Series
14.3	18	3	2700-3200	35-46	48-8M0151237	Enertia	Comp Series
14.5	17	3	2900-4000	32-43	48-8M0151235	Enertia	Comp Series
14.8	16	3	3100-4500	29-40	48-8M0151233	Enertia	Comp Series
15	15	3	3400-5100	26-37	48-8M0151231	Enertia	Comp Series
15.3	14	3	3800-6200	22-34	48-8M0151229	Enertia	Comp Series
15.6	13	3	4500-7000	1-28	48-8M0151227	Enertia	Comp Series
16	11	3	7000+	1-25	48-8M0151225	Enertia	Comp Series
14	19	4	2500-3200	39-49	48-8M0084495	SpitFire	Elite Series
14	17	4	2900-4000	32-43	48-8M0084494	SpitFire	Elite Series
14	14	4	3800-6200	22-34	48-8M0084493	SpitFire	Elite Series
14	12	4	7000+	1-25	48-8M0084491	SpitFire	Elite Series
14.5	19	3	2500-3200	39-79	48-832830A45	Black Max	Sport Series
15	17	3	2900-4000	32-43	48-832828A45	Black Max	Sport Series
15.3	15	3	3400-5100	26-37	48- 78116A45	Black Max	Sport Series
16	13	3	4500-7000	1-28	48- 78114A45	Black Max	Sport Series
16	11	3	7000+	1-25	48- 78112A45	Black Max	Sport Series

115 CT HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	2000-2800	35-47	48-8M0151245	Enertia	Comp Series
13.8	21	3	2100-3100	32-45	48-8M0151243	Enertia	Comp Series
13.8	20	3	2300-3500	29-42	48-8M0151241	Enertia	Comp Series
14	19	3	2400-3700	27-40	48-8M0151239	Enertia	Comp Series
14.2	18	3	2600-4300	24-37	48-8M0151237	Enertia	Comp Series
14.5	17	3	2800-5000	21-35	48-8M0151235	Enertia	Comp Series
14.7	16	3	3100-5600	19-32	48-8M0151233	Enertia	Comp Series
15	15	3	3500-6700	16-29	48-8M0151231	Enertia	Comp Series
15.3	14	3	3900-7800	14-26	48-8M0151229	Enertia	Comp Series
15.6	13	3	4300-10300	11-24	48-8M0151227	Enertia	Comp Series
16	11	3	7000+	1-18	48-8M0151225	Enertia	Comp Series
14	23	4	1900-2600	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	2100-3100	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	2400-3700	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2800-5000	21-35	48-8M0084494	SpitFire	Elite Series
14	14	4	3900-7800	14-26	48-8M0084493	SpitFire	Elite Series
14	12	4	7000+	1-24	48-8M0084491	SpitFire	Elite Series
14.5	19	3	2400-3700	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2800-5000	21-35	48-832828A45	Black Max	Sport Series
15.3	15	3	3500-6700	16-29	48- 78116A45	Black Max	Sport Series
16	13	3	4300-10300	11-24	48- 78114A45	Black Max	Sport Series
16	12	3	5000+	9-21	48- 16436A45	Black Max	Sport Series
16	11	3	7000+	1-18	48- 78112A45	Black Max	Sport Series

115 STD HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2400	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2900	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3600	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2800-4700	22-35	48-8M0151361	SpitFire X7	Elite Series
14	13	4	3500-6700	16-29	48-8M0151360	SpitFire X7	Elite Series
13	18	3	2200-3200	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2500-4100	25-38	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2800-4700	22-35	48-8M0151400	Vengeance	Sport Series
13.4	14	3	3100-5600	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	3900-8500	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	2000-2900	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3600	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2800-4700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	3500-6700	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4500-11500	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1600-2100	45-57	48- 77350A45	Black Max	Sport Series
12.8	21	3	1800-2400	40-52	48- 77348A45	Black Max	Sport Series
13	19	3	2000-2900	34-47	48- 77346A45	Black Max	Sport Series
13.3	17	3	2300-3600	28-41	48- 77344A45	Black Max	Sport Series
13.3	16	3	2500-4100	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2800-4700	22-35	48- 77342A45	Black Max	Sport Series
13.8	14	3	3100-5600	19-32	48-854352A45	Black Max	Sport Series
14	13	3	3500-6700	16-29	48- 77340A45	Black Max	Sport Series
14	11	3	4700+	1-23	48- 77338A45	Black Max	Sport Series

90 CT HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.8	21	3	2100-3100	32-45	48-8M0151243	Enertia	Comp Series
13.3	20	3	2300-3500	29-42	48-8M0151241	Enertia	Comp Series
14	19	3	2400-3700	27-40	48-8M0151239	Enertia	Comp Series
14.2	18	3	2600-4300	24-37	48-8M0151237	Enertia	Comp Series
14.5	17	3	2800-5000	21-35	48-8M0151235	Enertia	Comp Series
14.7	16	3	3100-5600	19-32	48-8M0151233	Enertia	Comp Series
15	15	3	3500-6700	16-29	48-8M0151231	Enertia	Comp Series
15.3	14	3	3900-7800	14-26	48-8M0151229	Enertia	Comp Series
15.6	13	3	4300-10300	11-24	48-8M0151227	Enertia	Comp Series
16	11	3	7000+	1-18	48-8M0151225	Enertia	Comp Series
14	23	4	1500-1900	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	1600-2400	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	1900-2900	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2200-3900	21-35	48-8M0084494	SpitFire	Elite Series
14	23	3	1500-1900	38-49	48-832834A45	Black Max	Sport Series
14.3	21	3	1600-2400	32-45	48-832832A45	Black Max	Sport Series
14.5	19	3	1900-2900	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2200-3900	21-35	48-832828A45	Black Max	Sport Series
15.3	15	3	2700-5300	16-29	48- 78116A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

90 STD HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1400-1900	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	1600-2300	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	1800-2800	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2200-3700	22-35	48-8M0151361	SpitFire X7	Elite Series
14	13	4	2700-5300	16-29	48-8M0151360	SpitFire X7	Elite Series
13	18	3	1700-2500	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2000-3200	25-38	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2200-3700	22-35	48-8M0151400	Vengeance	Sport Series
13.4	14	3	2400-4400	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	2700-5300	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	1600-2300	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1800-2800	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2200-3700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2700-5300	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4000+	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1300-1600	45-57	48- 77350A45	Black Max	Sport Series
12.8	21	3	1400-1900	40-52	48- 77348A45	Black Max	Sport Series
13	19	3	1600-2300	34-47	48- 77346A45	Black Max	Sport Series
13.3	17	3	1800-2800	28-41	48- 77344A45	Black Max	Sport Series
13.3	16	3	2000-3200	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2200-3700	22-35	48- 77342A45	Black Max	Sport Series
13.8	14	3	2400-4400	19-32	48-854352A45	Black Max	Sport Series
14	13	3	2700-5300	16-29	48- 77340A45	Black Max	Sport Series
14	11	3	4000+	1-22	48- 77338A45	Black Max	Sport Series

75 STD HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1300-1900	34-47	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	1500-2300	29-42	48-8M0151363	SpitFire X7	Elite Series
13	17	4	1700-2900	23-37	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2100-3900	18-31	48-8M0151361	SpitFire X7	Elite Series
14	13	4	2500-6100	12-26	48-8M0151360	SpitFire X7	Elite Series
13	18	3	1600-2500	26-40	48-8M0151402	Vengeance	Sport Series
13.1	16	3	1900-3400	20-34	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2100-3900	18-31	48-8M0151400	Vengeance	Sport Series
13.4	14	3	2300-4700	15-28	48-8M0151399	Vengeance	Sport Series
14	12	3	2900-7500	10-23	48-8M0151398	Vengeance	Sport Series
12.8	19	4	1500-2300	29-42	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1700-2900	23-37	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2100-3900	18-31	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2500-6100	12-26	48-8M8026570	SpitFire	Elite Series
13.8	11	4	3800+	1-20	48-8M8026560	SpitFire	Elite Series
13.8	10	4	4200+	1-18	48-8M8026555	SpitFire	Elite Series
12.5	23	3	1200-1600	39-52	48- 77350A45	Black Max	Sport Series
12.8	21	3	1300-1900	34-47	48- 77348A45	Black Max	Sport Series
13	19	3	1500-2300	29-42	48- 77346A45	Black Max	Sport Series
13.3	17	3	1700-2900	23-37	48- 77344A45	Black Max	Sport Series
13.3	16	3	1900-3400	20-34	48-854360A45	Black Max	Sport Series
13.8	15	3	2100-3900	18-31	48- 77342A45	Black Max	Sport Series
13.9	14	3	2300-4700	15-28	48-854352A45	Black Max	Sport Series
14	13	3	2500-6100	12-26	48- 77340A45	Black Max	Sport Series
14	11	3	3800+	1-20	48- 77338A45	Black Max	Sport Series

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	10	3	4200+	1-18	48-854342A45	Black Max	Sport Series

60 CT HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13	17	4	1400-1800	34-38	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	1700-2300	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	2000-3300	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	17	4	1400-1800	34-38	48-8M8026590	SpitFire	Elite Series
12.8	15	4	1700-2300	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2000-3300	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	2700-5400	18-25	48-8M8026560	SpitFire	Elite Series
13.3	17	3	1400-1800	34-38	48- 77344A45	Black Max	Sport Series
13.3	16	3	1500-2000	30-36	48-854360A45	Black Max	Sport Series
13.8	15	3	1700-2300	28-34	48- 77342A45	Black Max	Sport Series
13.9	14	3	1800-2700	26-32	48-854352A45	Black Max	Sport Series
14	13	3	2000-3300	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	2700-5400	18-25	48- 77338A45	Black Max	Sport Series
14	10	3	3500+	1-18	48-854342A45	Black Max	Sport Series
14	9	3	4000+	1-15	48-854340A45	Black Max	Sport Series

60 STD HP FourStroke - Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase ratio: 2.33:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.3	15	3	1200-1600	15-33	48-855862A46	Vengeance	Sport Series
10.4	14	3	1300-1700	16-30	48-855860A46	Vengeance	Sport Series
10.5	13	3	1500-2000	17-26	48-855858A46	Vengeance	Sport Series
11	12	3	1700-2500	19-22	48-855856A46	Vengeance	Sport Series
11.6	11	3	2000-3100	18-21	48-823478A46	Vengeance	Sport Series
10.1	15	4	1200-1600	15-33	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1300-1700	16-30	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1500-2000	17-26	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1700-2500	19-22	48-8M8026625	SpitFire	Elite Series
10	17	3	1000-1300	13-40	48- 73144A45	Black Max	Sport Series
10	16	3	1100-1400	14-37	48- 73142A45	Black Max	Sport Series
10.1	15	3	1200-1600	15-33	48- 73140A45	Black Max	Sport Series
10.3	14	3	1300-1700	16-30	48- 73138A45	Black Max	Sport Series
10.4	13	3	1500-2000	17-26	48- 73136A45	Black Max	Sport Series
10.7	12	3	1700-2500	19-22	48- 73134A45	Black Max	Sport Series
10.9	11	3	2000-3100	18-21	48- 85632A45	Black Max	Sport Series
11.3	10	3	2100-3500	16-22	48- 73132A45	Black Max	Sport Series

50 CT HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.5	15	4	1400-2000	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	1700-2700	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	15	4	1400-2000	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	1700-2700	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	2300-4500	18-25	48-8M8026560	SpitFire	Elite Series
14	10	4	3000-5000	1-18	48-8M8026555	SpitFire	Elite Series
13.3	16	3	1300-1700	30-36	48-854360A45	Black Max	Sport Series
13.8	15	3	1400-2000	28-34	48- 77342A45	Black Max	Sport Series
13.9	14	3	1500-2300	26-32	48-854352A45	Black Max	Sport Series

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
14	13	3	1700-2700	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	2300-4500	18-25	48- 77338A45	Black Max	Sport Series
14	10	3	3000-5000	1-18	48-854342A45	Black Max	Sport Series
14	9	3	4000+	1+	48-854340A45	Black Max	Sport Series

50 STD HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.83:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.3	15	3	1000-1300	33-41	48-855862A46	Vengeance	Sport Series
10.4	14	3	1100-1400	30-38	48-855860A46	Vengeance	Sport Series
10.5	13	3	1300-1700	26-34	48-855858A46	Vengeance	Sport Series
11	12	3	1400-2100	22-31	48-855856A46	Vengeance	Sport Series
11.6	11	3	1600-2600	18-27	48-823478A46	Vengeance	Sport Series
10.1	15	4	1000-1300	33-41	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1100-1400	30-38	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1300-1700	26-34	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1400-2100	22-31	48-8M8026625	SpitFire	Elite Series
10	17	3	900-1000	40-47	48- 73144A45	Black Max	Sport Series
10	16	3	900-1100	37-44	48- 73142A45	Black Max	Sport Series
10.1	15	3	1000-1300	33-41	48- 73140A45	Black Max	Sport Series
10.3	14	3	1100-1400	30-38	48- 73138A45	Black Max	Sport Series
10.4	13	3	1300-1700	26-34	48- 73136A45	Black Max	Sport Series
10.6	12	3	1400-2100	22-31	48- 73134A45	Black Max	Sport Series
10.8	11	3	1600-2600	18-27	48- 85632A45	Black Max	Sport Series
12	10.5	3	1800-2900	16-25	48- 42740A45	Black Max	Sport Series
11.3	10	3	1900-3400	14-24	48- 73132A45	Black Max	Sport Series
12.3	9	3	2300-4500	11-20	48- 87818A45	Black Max	Sport Series
12.5	8	3	2900-7400	7-16	48- 42738A45	Black Max	Sport Series

40 CT HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.5	15	4	1100-1600	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	1400-2200	23-30	48-8M0151360	SpitFire X7	Elite Series
13.4	14	3	1200-1800	26-32	48-8M0151399	Vengeance	Sport Series
14	12	3	1600-2800	20-27	48-8M0151398	Vengeance	Sport Series
14	10	3	2000+	1-18	48-8M0151397	Vengeance	Sport Series
12.8	15	4	1100-1600	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	1400-2200	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	1800-3600	18-25	48-8M8026560	SpitFire	Elite Series
14	10	4	2000+	1-18	48-8M8026555	SpitFire	Elite Series
13.8	15	3	1100-1600	28-34	48- 77342A45	Black Max	Sport Series
13.9	14	3	1200-1800	26-32	48-854352A45	Black Max	Sport Series
14	13	3	1400-2200	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	1800-3600	18-25	48- 77338A45	Black Max	Sport Series
14	10	3	2000+	1-18	48-854342A45	Black Max	Sport Series
14	9	3	3000+	1+	48-854340A45	Black Max	Sport Series

40 STD HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.00:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.3	15	3	900-1200	29-37	48-855862A46	Vengeance	Sport Series
10.4	14	3	1000-1400	25-34	48-855860A46	Vengeance	Sport Series
10.5	13	3	1200-1600	22-30	48-855858A46	Vengeance	Sport Series
11	12	3	1300-2100	18-27	48-855856A46	Vengeance	Sport Series
11.6	11	3	1500-2500	15-24	48-823478A46	Vengeance	Sport Series
10.1	15	4	900-1200	29-37	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1000-1400	25-34	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1200-1600	22-30	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1300-2100	18-27	48-8M8026625	SpitFire	Elite Series
10	17	3	800-1000	35-43	48- 73144A45	Black Max	Sport Series
10	16	3	800-1100	32-40	48- 73142A45	Black Max	Sport Series
10.1	15	3	900-1200	29-37	48- 73140A45	Black Max	Sport Series
10.3	14	3	1000-1400	25-34	48- 73138A45	Black Max	Sport Series
10.4	13	3	1200-1600	22-30	48- 73136A45	Black Max	Sport Series
10.6	12	3	1300-2100	18-27	48- 73134A45	Black Max	Sport Series
10.8	11	3	1500-2500	15-24	48- 85632A45	Black Max	Sport Series
12	10.5	3	1600-3000	13-22	48- 42740A45	Black Max	Sport Series
11.3	10	3	1800-3600	11-20	48- 73132A45	Black Max	Sport Series
12.3	9	3	2200-5100	8-17	48- 87818A45	Black Max	Sport Series
12.5	8	3	2700-8700	5-14	48- 42738A45	Black Max	Sport Series

BASS: 115 - 250 HP

250 Pro XS – 2 Stroke – Bass

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.75:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	27	3	Up to 2600	75-83	48-8M0151275	Fury	Comp
14	26	3	Up to 2700	71-79	48-8M0151274	Fury	Comp
14	25	3	2400-2900	64-75	48-8M0151273	Fury	Comp
14	24	3	2500-3000	62-75	48-8M0151272	Fury	Comp
14	23	3	2600-3100	60-68	48-8M0151271	Fury	Comp
14	22	3	2700-3200	58-65	48-8M0151270	Fury	Comp
14.5	26	4	Up to 2700	71-79	48-8M0238907	Fury 4	Comp
14.5	25	4	2400-2900	64-75	48-8M0238906	Fury 4	Comp
14.5	24	4	2500-3000	62-72	48-8M0238905	Fury 4	Comp
14.5	23	4	2600-3100	60-70	48-8M0238904	Fury 4	Comp
14.6	27	3	Up to 2600	75-83	48-8M0151388	Tempest	Elite
14.6	26	3	Up to 2700	71-79	48-8M0151387	Tempest	Elite
14.6	25	3	Up to 2800	67-75	48-8M0151386	Tempest	Elite
14.6	24	3	2700-3000	65-72	48-8M0151385	Tempest	Elite
14.6	23	3	2900-3200	62-68	48-8M0151384	Tempest	Elite

225 Pro XS – 2 Stroke – Bass

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.75:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	27	3	Up to 2600	67-80	48-8M0151275	Fury	Comp
14	26	3	Up to 2700	65-77	48-8M0151274	Fury	Comp
14	25	3	2400-2900	62-73	48-8M0151273	Fury	Comp
14	24	3	2500-3000	60-73	48-8M0151272	Fury	Comp
14	23	3	2600-3100	58-68	48-8M0151271	Fury	Comp

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	22	3	2700-3200	55-65	48-8M0151270	Fury	Comp
14.5	26	4	Up to 2700	65-77	48-8M0238907	Fury 4	Comp
14.5	25	4	2400-2900	62-73	48-8M0238906	Fury 4	Comp
14.5	24	4	2500-3000	60-70	48-8M0238905	Fury 4	Comp
14.5	23	4	2600-3100	58-68	48-8M0238904	Fury 4	Comp
14.6	27	3	Up to 2600	67-80	48-8M0151388	Tempest	Elite
14.6	26	3	Up to 2700	65-77	48-8M0151387	Tempest	Elite
14.6	25	3	2400-2900	62-73	48-8M0151386	Tempest	Elite
14.6	24	3	2500-3000	60-70	48-8M0151385	Tempest	Elite
14.6	23	3	2600-3200	57-67	48-8M0151384	Tempest	Elite

200 Pro XS – 2 Stroke – Bass

Engine RPM Range: 5250-5750 Gearcase Ratio: 1.75:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	27	3	Up to 2200	70-78	48-8M0151275	Fury	Comp
14	26	3	2100-2300	67-75	48-8M0151274	Fury	Comp
14	25	3	2200-2500	64-72	48-8M0151273	Fury	Comp
14	24	3	2300-2600	62-68	48-8M0151272	Fury	Comp
14	23	3	2400-2700	59-65	48-8M0151271	Fury	Comp
14	22	3	2500-2800	57-63	48-8M0151270	Fury	Comp
14.5	26	4	2100-2300	67-75	48-8M0238907	Fury 4	Comp
14.5	25	4	2200-2500	64-72	48-8M0238906	Fury 4	Comp
14.5	24	4	2300-2600	62-68	48-8M0238905	Fury 4	Comp
14.5	23	4	2400-3700	60-65	48-8M0238904	Fury 4	Comp
14.6	27	3	Up to 2200	70-78	48-8M0151388	Tempest	Elite
14.6	26	3	2100-2300	67-75	48-8M0151387	Tempest	Elite
14.6	25	3	2200-2500	64-72	48-8M0151386	Tempest	Elite
14.6	24	3	2300-2600	62-68	48-8M0151385	Tempest	Elite
14.6	23	3	2400-2700	59-65	48-8M0151384	Tempest	Elite
14.6	22	3	2600-2900	56-62	48-8M0151383	Tempest	Elite

175 Pro XS – 2 Stroke – Bass

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.87:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	27	3	Up to 2000	68-76	48-8M0151275	Fury	Comp
14	26	3	1900-2100	66-73	48-8M0151274	Fury	Comp
14	25	3	1900-2200	63-70	48-8M0151273	Fury	Comp
14	24	3	2000-2300	60-67	48-8M0151272	Fury	Comp
14	23	3	2100-2400	55-62	48-8M0151271	Fury	Comp
14	22	3	2200-2400	48-60	48-8M0151270	Fury	Comp
14.5	26	4	1900-2100	66-73	48-8M0238907	Fury 4	Comp
14.5	25	4	1900-2200	63-70	48-8M0238906	Fury 4	Comp
14.5	24	4	2000-2300	60-67	48-8M0238905	Fury 4	Comp
14.5	23	4	2100-2400	55-62	48-8M0238904	Fury 4	Comp
14.6	27	3	Up to 2000	68-76	48-8M0151388	Tempest	Elite
14.6	26	3	1900-2100	66-73	48-8M0151387	Tempest	Elite
14.6	25	3	1900-2200	63-70	48-8M0151386	Tempest	Elite
14.6	24	3	2000-2300	60-67	48-8M0151385	Tempest	Elite
14.6	23	3	2200-2400	58-64	48-8M0151384	Tempest	Elite
14.6	22	3	2300-2600	55-61	48-8M0151383	Tempest	Elite

150 HP FourStroke - Bass

Engine RPM Range: 5000-5800 Gearcase Ratio: 1.92:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	25	3	1800-2200	55-65	48-8M0151273	Fury	Comp Series
14	24	3	1900-2300	53-62	48-8M0151272	Fury	Comp Series
14	23	3	2100-2500	50-60	48-8M0151271	Fury	Comp Series
14	22	3	2300-2700	48-58	48-8M0151270	Fury	Comp Series
14.5	25	4	1800-2200	55-65	48-8M0238906	Fury 4	Comp Series
14.5	24	4	1900-2300	53-62	48-8M0238905	Fury 4	Comp Series
14.5	23	4	2000-2400	50-59	48-8M0238904	Fury 4	Comp Series
14.6	25	3	1800-2200	55-65	48-8M0151386	Tempest Plus	Elite Series
14.6	24	3	1900-2300	53-62	48-8M0151385	Tempest Plus	Elite Series
14.6	23	3	2000-2400	50-60	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2100-2600	47-57	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2200-2800	44-54	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2500-3200	39-49	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2900-4000	32-43	48-8M0151380	Tempest Plus	Elite Series

115 CT Pro XS FourStroke - Bass

Engine RPM Range: 5300-6300 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	25	3	1700-2100	46-57	48-8M0151273	Fury	Comp Series
14	24	3	1800-2300	43-55	48-8M0151272	Fury	Comp Series
14	23	3	1900-2500	40-53	48-8M0151271	Fury	Comp Series
14	22	3	2000-2700	37-50	48-8M0151270	Fury	Comp Series
14.6	25	3	1700-2100	46-57	48-8M0151386	Tempest Plus	Elite Series
14.6	24	3	1800-2300	43-55	48-8M0151385	Tempest Plus	Elite Series
14.6	23	3	1900-2400	41-52	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2000-2700	38-50	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2100-2900	35-47	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2400-3500	30-42	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2700-4500	24-37	48-8M0151380	Tempest Plus	Elite Series
14	23	4	1900-2400	41-52	48-8M0084497	SpitFire	Elite Series
14	21	4	2100-2900	35-47	48-8M0084496	SpitFire	Elite Series
14	19	4	2400-3500	30-42	48-8M0084495	SpitFire	Elite Series
14	17	4	2700-4500	24-37	48-8M0084494	SpitFire	Elite Series
14.5	23	3	1900-2400	41-52	48-832834A45	Black Max	Sport Series
15	21	3	2100-2900	35-47	48-832832A45	Black Max	Sport Series
14.5	19	3	2400-3500	30-42	48-832830A45	Black Max	Sport Series
15	17	3	2700-4500	24-37	48-832828A45	Black Max	Sport Series

115 STD Pro XS FourStroke - Bass

Engine RPM Range: 5300-6300 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2300	43-55	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2700	38-49	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3300	31-44	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2700-4300	25-37	48-8M0151361	SpitFire X7	Elite Series
12.8	19	4	2000-2700	38-49	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3300	31-44	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2700-4300	25-37	48-8M8026580	SpitFire	Elite Series
12.5	23	3	1600-2000	49-60	48- 77350A45	Black Max	Sport Series
12.8	21	3	1800-2300	43-55	48- 77348A45	Black Max	Sport Series
13	19	3	2000-2700	38-49	48- 77346A45	Black Max	Sport Series
13.3	17	3	2300-3300	31-44	48- 77344A45	Black Max	Sport Series
13.3	16	3	2400-3800	28-41	48-854360A45	Black Max	Sport Series

115 CT HP FourStroke - Bass

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	24	3	1600-2300	38-49	48-8M0151272	Fury	Comp Series
14	23	3	1900-2600	36-45	48-8M0151271	Fury	Comp Series
14	22	3	2000-2700	34-43	48-8M0151270	Fury	Comp Series
14.6	24	3	1600-2300	38-49	48-8M0151385	Tempest Plus	Elite Series
14.6	23	3	1900-2600	38-49	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2000-2800	35-47	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2100-3100	32-45	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2400-3700	27-40	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2800-5000	21-35	48-8M0151380	Tempest Plus	Elite Series
14	23	4	1900-2600	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	2100-3100	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	2400-3700	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2800-5000	21-35	48-8M0084494	SpitFire	Elite Series
14.5	23	3	1900-2600	27-40	48-832834A45	Black Max	Sport Series
15	21	3	2100-3100	21-35	48-832832A45	Black Max	Sport Series
14.5	19	3	2400-3700	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2800-5000	21-35	48-832828A45	Black Max	Sport Series

115 STD HP FourStroke - Bass

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2400	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2900	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3600	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2800-4700	22-35	48-8M0151361	SpitFire X7	Elite Series
12.8	19	4	2000-2900	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3600	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2800-4700	22-35	48-8M8026580	SpitFire	Elite Series
12.5	23	3	1600-2100	45-57	48- 77350A45	Black Max	Sport Series
12.8	21	3	1800-2400	40-52	48- 77348A45	Black Max	Sport Series
13	19	3	2000-2900	34-47	48- 77346A45	Black Max	Sport Series
13.3	17	3	2300-3600	28-41	48- 77344A45	Black Max	Sport Series
13.3	16	3	2500-4100	25-38	48-854360A45	Black Max	Sport Series

OFFSHORE / BAY / FLATS CENTER CONSOLE: 40 - 350 HP

Verado 350 HP - Offshore / Bay / Flats Center Console (Single and Twin)

Engine RPM Range: 5800 - 6400 Gearcase Ratio 1.75:1

No. of Engine	Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	LH Part Number	Performance Category
Single	16	23	3	3700-4200	65-74	48-8M0151263	Enertia ECO		Comp Series
Single	16	22	3	3700-4200	62-71	48-8M0151261	Enertia ECO		Comp Series
Single	16	21	3	4200-4700	59-66	48-8M0151259	Enertia ECO		Comp Series
Single	16	20	3	4400-5000	55-63	48-8M0151257	Enertia ECO		Comp Series
Single	16	19	3	4600-5300	53-60	48-8M0151255	Enertia ECO		Comp Series

No. of Engine	Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	LH Part Number	Performance Category
Single	16	18	3	8900-10400	65-74	48-8M0151253	Enertia ECO		Comp Series
Single	16	17	3	5300-6300	46-53	48-8M0151251	Enertia ECO		Comp Series
Single	14.6	25	4	3300-3800	71-81	48-8M0151329	Revolution 4		Comp Series
Single	14.6	23	4	3700-4200	65-75	48-8M0151327	Revolution 4		Comp Series
Single	14.6	21	4	4200-4700	59-66	48-8M0151325	Revolution 4		Comp Series
Single	14.6	20	4	4400-5000	55-63	48-8M0151323	Revolution 4		Comp Series
Single	14.6	19	4	4600-5300	53-60	48-8M0151321	Revolution 4		Comp Series
Single	14.6	18	4	5000-5750	49-55	48-8M0151319	Revolution 4		Comp Series
Single	14.6	17	4	5300-6300	46-53	48-8M0151317	Revolution 4		Comp Series
Single	14.6	15	4	6300-7500	39-46	48-8M0151315	Revolution 4		Comp Series
Single	14.5	25	3	3300-3800	71-81	48-8M0151313	Mirage Plus		Elite Series
Single	14.6	23	3	3700-4200	65-74	48-8M0151312	Mirage Plus		Elite Series
Single	14.8	21	3	4200-4700	59-66	48-8M0151310	Mirage Plus		Elite Series
Single	15.3	19	3	4600-5300	53-60	48-8M0151308	Mirage Plus		Elite Series
Single	15.5	17	3	5300-6300	46-53	48-8M0151304	Mirage Plus		Elite Series
Single	15.8	15	3	6300-7500	39-46	48-8M0151302	Mirage Plus		Elite Series
Twin	16	23	3	5800-7200	65-74	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
Twin	16	22	3	5800-7200	65-74	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
Twin	16	21	3	7000-8300	59-66	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
Twin	16	20	3	7500-8900	56-63	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
Twin	16	19	3	8100-9600	53-60	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
Twin	16	18	3	8900-10400	65-74	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
Twin	16	17	3	9600-12200	46-53	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
Twin	14.6	25	4	5000-6300	71-81	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
Twin	14.6	23	4	5800-7200	65-74	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
Twin	14.6	21	4	7000-8300	59-66	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
Twin	14.6	20	4	7500-8900	56-63	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
Twin	14.6	19	4	8100-9600	53-60	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
Twin	14.6	18	4	8900-11200	49-56	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
Twin	14.6	17	4	9600-12200	46-53	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
Twin	14.6	15	4	11600-15300	39-46	48-8M0151315	Revolution 4	48-8M0151314	Comp Series

Verado 300 HP - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.75:1 and 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	23	3	3100-3600	65-74	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
16	22	3	3300-3800	62-70	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
16	21	3	3600-4100	59-66	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
16	20	3	3800-4300	56-63	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
16	19	3	4000-4600	53-60	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
16	18	3	4300-4900	50-56	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
16	17	3	4600-5400	46-53	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
13.4	22	3	3300-3800	62-70	48-8M0151245	Enertia		Comp Series
13.6	21	3	3600-4100	59-66	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	3800-4300	56-63	48-8M0151241	Enertia		Comp Series
14	19	3	4000-4600	53-60	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	4300-4900	50-56	48-8M0151237	Enertia		Comp Series
14.4	17	3	4600-5400	46-53	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	4900-5800	43-50	48-8M0151233	Enertia		Comp Series
15	15	3	5400-6500	39-46	48-8M0151231	Enertia	48-8M0151230	Comp Series
14.6	25	4	2800-3300	71-81	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	3100-3600	65-74	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	3600-4100	59-66	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	3800-4300	56-63	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	4000-4600	53-60	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	4300-4900	49-56	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	4600-5400	46-53	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	5400-6500	39-46	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.6	23	3	3100-3600	65-74	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	3600-4100	59-66	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	4000-4600	53-60	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	4600-5400	46-53	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	5400-6500	39-46	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Verado 250 HP - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	23	3	2700-3100	63-71	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
16	22	3	2900-3300	60-68	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
16	21	3	3100-3500	57-64	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
16	20	3	3250-3750	54-61	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
16	19	3	3400-4000	51-58	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
16	18	3	3650-4500	45-54	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
16	17	3	3900-5000	39-49	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
13.4	22	3	2900-3300	60-68	48-8M0151245	Enertia		Comp Series
13.6	21	3	3100-3500	57-64	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	3250-3750	54-61	48-8M0151241	Enertia		Comp Series
14	19	3	3400-4000	51-58	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3650-4500	45-54	48-8M0151237	Enertia		Comp Series
14.4	17	3	3900-5000	39-49	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	4300-5500	37-47	48-8M0151233	Enertia		Comp Series
15	15	3	4600-6000	35-45	48-8M0151231	Enertia	48-8M0151230	Comp Series
14.6	25	4	2500-2800	69-78	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	2700-3100	63-71	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	3100-3500	57-64	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	3250-3750	54-61	48-8M0151323	Revolution 4	48-8M0151322	Comp Series

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
14.6	19	4	3400-4000	51-58	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	3750-4500	45-54	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	3900-5000	39-49	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	4600-6000	35-45	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.6	23	3	2700-3100	63-71	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	3100-3500	57-64	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3400-4000	51-58	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3900-5000	39-49	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	4600-6000	35-45	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Verado 225 HP - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	23	3	2500-2800	63-71	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
16	22	3	2650-3000	60-68	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
16	21	3	2800-3200	57-64	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
16	20	3	2950-3400	54-61	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
16	19	3	3100-3600	51-58	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
16	18	3	3300-3850	48-55	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
16	17	3	3500-4100	45-5	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
13.4	22	3	2700-3100	60-68	48-8M0151245	Enertia		Comp Series
13.6	21	3	2800-3200	57-64	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	2950-3400	54-61	48-8M0151241	Enertia		Comp Series
14	19	3	3100-3600	51-58	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3300-3850	48-55	48-8M0151237	Enertia		Comp Series
14.4	17	3	3500-4100	45-52	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	3800-4800	40-49	48-8M0151233	Enertia		Comp Series
15	15	3	4100-5500	35-45	48-8M0151231	Enertia	48-8M0151230	Comp Series
14.6	25	4	2200-2500	69-78	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	2500-2800	63-71	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	2800-3200	57-64	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	2950-3400	54-61	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	3100-3600	51-58	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	3400-3850	48-55	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	3500-4100	45-52	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	4100-5500	35-45	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.6	23	3	2500-2800	63-71	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	2800-3200	57-64	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3100-3600	51-58	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3500-4100	45-52	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	4100-5500	35-45	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Verado 200 HP – 4Cyl - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	23	3	2600-3000	54-61	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
16	22	3	2800-3200	51-58	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
16	21	3	2900-3300	49-55	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
16	20	3	3000-3600	46-53	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
16	19	3	3300-3900	43-50	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
16	18	3	3500-4300	39-47	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
16	17	3	3800-4700	36-44	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
13.4	22	3	2800-3200	51-58	48-8M0151245	Enertia		Comp Series
13.6	21	3	2900-3300	49-55	48-8M0151243	Enertia	48-8M0151242	Comp Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.8	20	3	3000-3600	46-53	48-8M0151241	Enertia		Comp Series
14	19	3	3300-3900	43-50	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3500-4300	39-47	48-8M0151237	Enertia		Comp Series
14.4	17	3	3800-4700	36-44	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	4100-5200	33-41	48-8M0151233	Enertia		Comp Series
15	15	3	4400-6000	29-38	48-8M0151231	Enertia	48-8M0151230	Comp Series
15.3	14	3	4900-6800	26-35	48-8M0151229	Enertia		Comp Series
14.6	23	3	2600-3000	54-61	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	3000-3500	48-55	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3300-3900	43-50	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3800-4700	36-44	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	3600-4400	29-38	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

150 HP FourStroke - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5000-5800 Gearcase Ratio: 1.92:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.5	22	3	2100-2600	47-57	48-8M0151245	Enertia		Comp Series
13.6	21	3	2200-2800	44-54	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	2300-3000	42-52	48-8M0151241	Enertia		Comp Series
14	19	3	2500-3200	39-49	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.3	18	3	2700-3200	35-46	48-8M0151237	Enertia		Comp Series
14.5	17	3	2900-4000	32-43	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.8	16	3	3100-4500	29-40	48-8M0151233	Enertia		Comp Series
15	15	3	3400-5100	26-37	48-8M0151231	Enertia	48-8M0151230	Comp Series
15.1	14	3	3800-6200	22-34	48-8M0151229	Enertia		Comp Series
14.6	25	3	1800-2200	55-65	48-8M0151386	Tempest Plus		Elite Series
14.6	24	3	1900-2300	53-62	48-8M0151385	Tempest Plus		Elite Series
14.6	23	3	2000-2400	50-60	48-8M0151384	Tempest Plus		Elite Series
14.6	22	3	2100-2600	47-57	48-8M0151383	Tempest Plus		Elite Series
14.6	21	3	2200-2800	44-54	48-8M0151382	Tempest Plus		Elite Series
14.6	19	3	2500-3200	39-49	48-8M0151381	Tempest Plus		Elite Series
14.6	17	3	2900-4000	32-43	48-8M0151380	Tempest Plus		Elite Series

115 CT HP FourStroke - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.5	22	3	2000-2800	35-47	48-8M0151245	Enertia		Comp Series
13.6	21	3	2100-3100	32-45	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	2300-3500	29-42	48-8M0151241	Enertia		Comp Series
14	19	3	2400-3700	27-40	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	2600-4300	24-37	48-8M0151237	Enertia		Comp Series
14.5	17	3	2800-5000	21-35	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	3100-5600	19-32	48-8M0151233	Enertia		Comp Series
15	15	3	3500-6700	16-29	48-8M0151231	Enertia	48-8M0151230	Comp Series
15.3	14	3	3900-7800	14-26	48-8M0151229	Enertia	48-8M0151228	Comp Series
15.6	13	3	4300-10300	11-24	48-8M0151227	Enertia	48-8M0151226	Comp Series
16	11	3	7000+	1-18	48-8M0151225	Enertia	48-8M0151224	Comp Series
14.6	23	3	1900-2600	38-49	48-8M0151384	Tempest Plus		Elite Series
14.6	22	3	2000-2800	35-47	48-8M0151383	Tempest Plus		Elite Series
14.6	21	3	2100-3100	32-45	48-8M0151382	Tempest Plus		Elite Series
14.6	19	3	2400-3700	27-40	48-8M0151381	Tempest Plus		Elite Series
14.6	17	3	2800-5000	21-35	48-8M0151380	Tempest Plus		Elite Series
14	23	4	1900-2600	38-49	48-8M0084497	SpitFire		Elite Series

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
14	21	4	2100-3100	32-45	48-8M0084496	SpitFire		Elite Series
14	19	4	2400-3700	27-40	48-8M0084495	SpitFire		Elite Series
14	17	4	2800-5000	21-35	48-8M0084494	SpitFire		Elite Series
14	14	4	3900-7800	14-26	48-8M0084493	SpitFire		Elite Series
14	12	4	7000+	1-24	48-8M0084491	SpitFire		Elite Series
14.5	19	3	2400-3700	27-40	48-832830A45	Black Max		Sport Series
15	17	3	2800-5000	21-35	48-832828A45	Black Max		Sport Series
15.3	15	3	3500-6700	16-29	48- 78116A45	Black Max		Sport Series
16	13	3	4300-10300	11-24	48- 78114A45	Black Max		Sport Series
16	12	3	5000+	9-21	48- 16436A45	Black Max		Sport Series
16	11	3	7000+	1-18	48- 78112A45	Black Max		Sport Series

115 STD HP FourStroke - Offshore / Bay / Flats Center Console

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2400	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2900	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3600	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2800-4700	22-35	48-8M0151361	SpitFire X7	Elite Series
14	13	4	3500-6700	16-29	48-8M0151360	SpitFire X7	Elite Series
13	18	3	2200-3200	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2500-4100	25-38	48-8M0151401	Vengeance	Sport Series
13.25	15	3	2800-4700	22-35	48-8M0151400	Vengeance	Sport Series
13.4	14	3	3100-5600	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	3900-8500	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	2000-2900	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3600	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2800-4700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	3500-6700	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4500-11500	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1600-2100	45-57	48- 77350A45	Black Max	Sport Series
12.8	21	3	1800-2400	40-52	48- 77348A45	Black Max	Sport Series
13	19	3	2000-2900	34-47	48- 77346A45	Black Max	Sport Series
13.3	17	3	2300-3600	28-41	48- 77344A45	Black Max	Sport Series
13.3	16	3	2500-4100	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2800-4700	22-35	48- 77342A45	Black Max	Sport Series
13.9	14	3	3100-5600	19-32	48-854352A45	Black Max	Sport Series
14	13	3	3500-6700	16-29	48- 77340A45	Black Max	Sport Series
14	11	3	4700+	1-23	48- 77338A45	Black Max	Sport Series

90 CT HP FourStroke - Offshore / Bay / Flats Center Console

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	1600-2200	35-47	48-8M0151245	Enertia	Comp Series
13.6	21	3	1600-2400	32-45	48-8M0151243	Enertia	Comp Series
13.8	20	3	1800-2700	29-42	48-8M0151241	Enertia	Comp Series
14	19	3	1900-2900	27-40	48-8M0151239	Enertia	Comp Series
14.2	18	3	2100-3300	24-37	48-8M0151237	Enertia	Comp Series
14.5	17	3	2200-3900	21-35	48-8M0151235	Enertia	Comp Series
14.7	16	3	2400-4400	19-32	48-8M0151233	Enertia	Comp Series
15	15	3	2700-5300	16-29	48-8M0151231	Enertia	Comp Series
15.3	14	3	3100-6100	14-26	48-8M0151229	Enertia	Comp Series
14.6	23	3	1500-1900	38-49	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	1600-2200	35-47	48-8M0151383	Tempest Plus	Elite Series

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14.6	21	3	1600-2400	32-45	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	1900-2900	27-40	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2200-3900	21-35	48-8M0151380	Tempest Plus	Elite Series
13.8	21	3	1600-2400	32-45	48-8M0151408	Vengeance	Sport Series
14	19	3	1900-2900	27-40	48-8M0151407	Vengeance	Sport Series
14.5	17	3	2200-3900	21-35	48-8M0151405	Vengeance	Sport Series
14	23	4	1500-1900	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	1600-2400	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	1900-2900	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2200-3900	21-35	48-8M0084494	SpitFire	Elite Series
14	23	3	1500-1900	38-49	48-832834A45	Black Max	Sport Series
14.3	21	3	1600-2400	32-45	48-832832A45	Black Max	Sport Series
14.5	19	3	1900-2900	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2200-3900	21-35	48-832828A45	Black Max	Sport Series
15.3	15	3	2700-5300	16-29	48- 78116A45	Black Max	Sport Series

90 STD HP FourStroke - Bay / Flats Center Console

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1400-1900	40-52	48-8M0151363	SpitFire X7	Elite Series
12.7	19	4	1600-2300	34-47	48-8M0151362	SpitFire X7	Elite Series
13	17	4	1800-2800	28-41	48-8M0151361	SpitFire X7	Elite Series
13.5	15	4	2200-3700	22-35	48-8M0151360	SpitFire X7	Elite Series
13	18	3	4000+	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2000-3200	25-38	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2200-3700	22-35	48-8M0151400	Vengeance	Sport Series
13.4	14	3	2400-4400	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	2700-5300	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	1600-2300	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1800-2800	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2200-3700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2700-5300	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4000+	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1300-1600	45-57	48- 77350A45	Black Max	Sport Series
12.8	21	3	1400-1900	40-52	48- 77348A45	Black Max	Sport Series
13	19	3	1600-2300	34-47	48- 77346A45	Black Max	Sport Series
13.3	17	3	1800-2800	28-41	48- 77344A45	Black Max	Sport Series
13.3	16	3	2000-3200	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2200-3700	22-35	48- 77342A45	Black Max	Sport Series
13.9	14	3	2400-4400	19-32	48-854352A45	Black Max	Sport Series
14	13	3	2700-5300	16-29	48- 77340A45	Black Max	Sport Series
14	11	3	4000+	1-22	48- 77338A45	Black Max	Sport Series

75 STD HP FourStroke - Bay / Flats Center Console

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1300-1900	34-47	48-8M0151363	SpitFire X7	Elite Series
12.7	19	4	1500-2300	29-42	48-8M0151362	SpitFire X7	Elite Series
13	17	4	1700-2900	23-37	48-8M0151361	SpitFire X7	Elite Series
13.5	15	4	2100-3900	18-31	48-8M0151360	SpitFire X7	Elite Series
13	18	3	1600-2500	26-40	48-8M0151402	Vengeance	Sport Series
13.1	16	3	1900-3400	20-34	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2100-3900	18-31	48-8M0151400	Vengeance	Sport Series
13.4	14	3	2300-4700	15-28	48-8M0151399	Vengeance	Sport Series
14	12	3	2900-7500	10-23	48-8M0151398	Vengeance	Sport Series

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.8	19	4	1500-2300	29-42	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1700-2900	23-37	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2100-3900	18-31	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2500-6100	12-26	48-8M8026570	SpitFire	Elite Series
13.8	11	4	3800+	7-20	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1200-1600	39-52	48- 77350A45	Black Max	Sport Series
12.8	21	3	1300-1900	34-47	48- 77348A45	Black Max	Sport Series
13	19	3	1500-2300	29-42	48- 77346A45	Black Max	Sport Series
13.3	17	3	1700-2900	23-37	48- 77344A45	Black Max	Sport Series
13.3	16	3	1900-3400	20-34	48-854360A45	Black Max	Sport Series
13.8	15	3	2100-3900	18-31	48- 77342A45	Black Max	Sport Series
13.9	14	3	2300-4700	15-28	48-854352A45	Black Max	Sport Series
14	13	3	2500-6100	12-26	48- 77340A45	Black Max	Sport Series
14	11	3	3800+	1-20	48- 77338A45	Black Max	Sport Series

60 CT HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13	17	4	1400-1800	34-38	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	1700-2300	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	2000-3300	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	17	4	1400-1800	34-38	48-8M8026590	SpitFire	Elite Series
12.8	15	4	1700-2300	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2000-3300	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	2700-5400	18-25	48-8M8026560	SpitFire	Elite Series
13.3	17	3	1400-1800	34-38	48- 77344A45	Black Max	Sport Series
13.3	16	3	1500-2000	30-36	48-854360A45	Black Max	Sport Series
13.8	15	3	1700-2300	28-34	48- 77342A45	Black Max	Sport Series
13.9	14	3	1800-2700	26-32	48-854352A45	Black Max	Sport Series
14	13	3	2000-3300	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	2700-5400	18-25	48- 77338A45	Black Max	Sport Series

60 STD HP FourStroke - Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.83:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.6	14	4	1300-1700	16-30	48-878616A46	Trophy Sport	Elite Series
10.6	13	4	1500-2000	17-26	48-878614A46	Trophy Sport	Elite Series
10.6	12	4	1700-2500	19-22	48-878612A46	Trophy Sport	Elite Series
10.3	15	3	1200-1600	15-33	48-855862A46	Vengeance	Sport Series
10.4	14	3	1300-1700	16-30	48-855860A46	Vengeance	Sport Series
10.5	13	3	1500-2000	17-26	48-855858A46	Vengeance	Sport Series
11	12	3	1700-2500	19-22	48-855856A46	Vengeance	Sport Series
11.6	11	3	2000-3100	21-18	48-823478A46	Vengeance	Sport Series
10.1	15	4	1200-1600	15-33	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1300-1700	16-30	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1500-2000	17-26	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1700-2500	19-22	48-8M8026625	SpitFire	Elite Series
10	17	3	1000-1300	13-40	48- 73144A45	Black Max	Sport Series
10	16	3	1100-1400	14-37	48- 73142A45	Black Max	Sport Series
10.1	15	3	1200-1600	15-33	48- 73140A45	Black Max	Sport Series
10.3	14	3	1300-1700	16-30	48- 73138A45	Black Max	Sport Series
10.4	13	3	1500-2000	17-26	48- 73136A45	Black Max	Sport Series
10.6	12	3	1700-2500	19-22	48- 73134A45	Black Max	Sport Series
10.8	11	3	2000-3100	21-18	48- 85632A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12	10.5	3	2100-3500	22-16	48- 42740A45	Black Max	Sport Series
11.3	10	3	2200-4100	23-14	48- 73132A45	Black Max	Sport Series
12.3	9	3	2700-5400	25-11	48- 87818A45	Black Max	Sport Series
12.5	8	3	3500-8900	29-7	48- 42738A45	Black Max	Sport Series

50 CT HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.5	15	4	1400-2000	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	1700-2700	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	15	4	1400-2000	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	1700-2700	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	2300-4500	18-25	48-8M8026560	SpitFire	Elite Series
13.3	16	3	1300-1700	30-36	48-854360A45	Black Max	Sport Series
13.8	15	3	1400-2000	28-34	48- 77342A45	Black Max	Sport Series
13.9	14	3	1500-2300	26-32	48-854352A45	Black Max	Sport Series
14	13	3	1700-2700	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	2300-4500	18-25	48- 77338A45	Black Max	Sport Series

50 STD HP FourStroke - Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.83:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.6	14	4	1100-1400	30-38	48-878616A46	Trophy Sport	Elite Series
10.6	13	4	1300-1700	26-34	48-878614A46	Trophy Sport	Elite Series
10.6	12	4	1400-2100	22-31	48-878612A46	Trophy Sport	Elite Series
10.3	15	3	1000-1300	33-41	48-855862A46	Vengeance	Sport Series
10.4	14	3	1100-1400	30-38	48-855860A46	Vengeance	Sport Series
10.5	13	3	1300-1700	26-34	48-855858A46	Vengeance	Sport Series
11	12	3	1400-2100	22-31	48-855856A46	Vengeance	Sport Series
11.6	11	3	1600-2600	18-27	48-823478A46	Vengeance	Sport Series
10.1	15	4	1000-1300	33-41	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1100-1400	30-38	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1300-1700	26-34	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1400-2100	22-31	48-8M8026625	SpitFire	Elite Series
10	17	3	900-1000	40-47	48- 73144A45	Black Max	Sport Series
10	16	3	900-1100	37-44	48- 73142A45	Black Max	Sport Series
10.1	15	3	1000-1300	33-41	48- 73140A45	Black Max	Sport Series
10.3	14	3	1100-1400	30-38	48- 73138A45	Black Max	Sport Series
10.4	13	3	1300-1700	26-34	48- 73136A45	Black Max	Sport Series
10.6	12	3	1400-2100	22-31	48- 73134A45	Black Max	Sport Series
10.8	11	3	1600-2600	18-27	48- 85632A45	Black Max	Sport Series
12	10.5	3	1800-2900	16-25	48- 42740A45	Black Max	Sport Series
11.25	10	3	1900-3400	14-24	48- 73132A45	Black Max	Sport Series
12.25	9	3	2300-4500	11-20	48- 87818A45	Black Max	Sport Series
12.5	8	3	2900-7400	7-16	48- 42738A45	Black Max	Sport Series

40 CT HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.5	15	4	1100-1600	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	1400-2200	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	15	4	1100-1600	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	1400-2200	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	1800-3600	18-25	48-8M8026560	SpitFire	Elite Series

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.8	15	3	1100-1600	28-34	48- 77342A45	Black Max	Sport Series
13.9	14	3	1200-1800	26-32	48-854352A45	Black Max	Sport Series
14	13	3	1400-2200	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	1800-3600	18-25	48- 77338A45	Black Max	Sport Series

40 STD HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.00:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.6	14	4	1000-1400	25-34	48-878616A46	Trophy Sport	Elite Series
10.6	13	4	1200-1600	22-30	48-878614A46	Trophy Sport	Elite Series
10.6	12	4	1300-2100	18-27	48-878612A46	Trophy Sport	Elite Series
10.3	15	3	900-1200	29-37	48-855862A46	Vengeance	Sport Series
10.4	14	3	1000-1400	25-34	48-855860A46	Vengeance	Sport Series
10.5	13	3	1200-1600	22-30	48-855858A46	Vengeance	Sport Series
11	12	3	1300-2100	18-27	48-855856A46	Vengeance	Sport Series
11.6	11	3	1500-2500	15-24	48-823478A46	Vengeance	Sport Series
10.1	15	4	900-1200	29-37	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1000-1400	25-34	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1200-1600	22-30	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1300-2100	18-27	48-8M8026625	SpitFire	Elite Series
10	17	3	800-1000	35-43	48- 73144A45	Black Max	Sport Series
10	16	3	800-1100	32-40	48- 73142A45	Black Max	Sport Series
10.1	15	3	900-1200	29-37	48- 73140A45	Black Max	Sport Series
10.3	14	3	1000-1400	25-34	48- 73138A45	Black Max	Sport Series
10.4	13	3	1200-1600	22-30	48- 73136A45	Black Max	Sport Series
10.6	12	3	1300-2100	18-27	48- 73134A45	Black Max	Sport Series
10.8	11	3	1500-2500	15-24	48- 85632A45	Black Max	Sport Series
12	10.5	3	1600-3000	13-22	48- 42740A45	Black Max	Sport Series
11.3	10	3	1800-3600	11-20	48- 73132A45	Black Max	Sport Series
12.3	9	3	2200-5100	8-17	48- 87818A45	Black Max	Sport Series
12.5	8	3	2700-8700	5-14	48- 42738A45	Black Max	Sport Series

MERCURY PROPELLER TYPE - ALUMINUM

Propellers sorted by Pitch, then Diameter, then by Rotation (Right-hand, Left-hand)

MERCURY PROPELLER SELECTOR

Mercury makes a propeller to fit almost any type of boating application. Another industry first, Mercury Propellers has developed a Prop Selector to assist consumers with narrowing down the propeller selection process. You can find the Propeller Selector on our website, www.mercurymarine.com, under the Mercury Propeller-Technical Information section.

MERCURY OUTBOARD PROPELLER SELECTOR CHART

Mercury Propeller selector by family for Outboards

Inflatable 16ft and Under

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
9.9-15 HP	Black Max	
20-25 HP	Black Max	Vengeance
25-30 4-stroke	Black Max, Spitfire	Vengeance
40-60 HP 4-stroke	Black Max, Spitfire	Vengeance, Trophy Sport

Aluminum

(14'-21') (4.3-6.4m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
9.9-15 HP	Black Max	
20-25 HP	Black Max	Vengeance
25-30 HP 4-stroke	Black Max, Spitfire	Vengeance
40-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
75-115 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-300 HP	Black Max, Spitfire	High Five, Tempest, Fury, Enertia

Fiberglass

to 14' (4.3m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
9.9-15 HP	Black Max	
20-25 HP	Black Max	Vengeance
25-30 HP 4-stroke	Black Max, Spitfire	Vengeance

Fiberglass Runabout and Inflatable RIB

14'-17' (4.3-5.2m)(closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
30-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
75-125 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-150 HP	Black Max, Spitfire	Vengeance, High Five, Enertia

Fiberglass Fish-Type

14'-17' (4.3-5.2m) (fish & ski, side console, center console)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
30-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
75-115 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-225 HP	Black Max, Spitfire	High Five, Enertia, Tempest, Fury

Fiberglass Bass

14'-17' (4.3-5.2m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
30-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
75-115HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-225 HP	Black Max, Spitfire	Trophy Plus, Tempest Plus, High Five, Fury, Fury 4

Fiberglass Runabout and Inflatable RIB

17'-21' (5.2-6.4m) (closed deck or bowrider, same hull . . .)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
60 4-stroke BigFoot	Black Max, Spitfire	Vengeance
75-125 HP	Black Max, Spitfire	Vengeance, SpitFire X7
135-300 HP	Black Max, Spitfire	Vengeance, High Five, Enertia

Fiberglass Fish-Type

17'-21' (5.2-6.4m) (fish & ski, side console, center console, cuddy)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
75-125 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-300 HP	Black Max, Spitfire	Enertia, Tempest Plus, High Five

Fiberglass Bass

17'-21' (5.2-6.4m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
75-125 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-225 HP	Spitfire	Trophy Plus, Tempest Plus, High Five, Fury, Fury 4
250+ HP		Fury, Tempest Plus, Trophy Plus, Fury 4

Fiberglass Fishing

21' + (6.4m+) (side console, center console, cuddy)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
135-300 HP		Enertia, Enertia ECO, Rev 4, Tempest Plus, Mirage Plus

Aluminum Pontoon

16'-28' (4.9-8.5m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
15-30	Black Max	Vengeance
40-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
40-60 HP 4-stroke BigFoot	Black Max, Spitfire Pontoon	Vengeance
75-115 HP	Black Max, Spitfire Pontoon	Vengeance, SpitFire X7
135-300 HP	Black Max	Enertia, Vengeance, Rev 4, Mirage Plus

Fiberglass Deckboat

16'-24' (4.9-7.3m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
40-60 4-stroke BigFoot	Black Max, Spitfire	Vengeance
75-115 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-300HP	Black Max, Spitfire	Vengeance, High Five, Enertia

MERCURY STERNDRIVE PROPELLER SELECTOR CHART

Mercury Propeller selector by famliy for Sterndrives

Fiberglass Runabout

14'-17' (4.3-5.2m)(closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
3.0L	Black Max	Vengeance, High Five
4.3L	Black Max	Vengeance, High Five

Fiberglass Runabout

17'-21' (5.2-6.4m) (closed deck or bowrider, same hull . . .)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
3.0L	Black Max	Vengeance
4.3L	Black Max	Vengeance, High Five
5.0L	Black Max	Vengeance, High Five
5.7L	Black Max	Vengeance, High Five

Fiberglass Runabout/Sport Boat

21' + (6.4m+) (side console, center console, cuddy)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
5.7L	Black Max	Vengeance, Mirage Plus, Rev 4
350 Mag		Vengeance, Mirage Plus, Bravo 1, Rev 4
MX 6.2L MPI		Vengeance, Mirage Plus, Bravo 1, Rev 4
8.2L Mag		Vengeance, Mirage Plus, Bravo 1, Rev 4
8.2L Mag HO		Vengeance, Mirage Plus, Bravo 1, Rev 4

Fiberglass Cruiser

21' + (6.4m+)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
4.3L	Black Max	Vengeance, High Five
5.0L	Black Max	Vengeance, High Five
5.7L	Black Max	Enertia, Vengeance, Mirage Plus, Rev 4
350 Mag		Enertia, Vengeance, Mirage Plus, Rev 4
MX 6.2L MPI		Enertia, Vengeance, Mirage Plus, Rev 4
8.2L Mag		Enertia, Vengeance, Mirage Plus, Rev 4
8.2L Mag HO		Enertia, Vengeance, Mirage Plus, Rev 4

Fiberglass Deckboat

16'-24' (4.9-7.3m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
3.0L	Black Max	Vengeance, High Five
4.3L	Black Max	Vengeance, High Five
5.0L	Black Max	Vengeance, High Five
5.7L	Black Max	Vengeance, Mirage Plus, High Five, Rev 4
350 Mag		Vengeance, Mirage Plus, Rev 4
MX 6.2L MPI		Vengeance, Mirage Plus, Rev 4
8.2L Mag		Vengeance, Mirage Plus, Rev 4
8.2L Mag HO		Vengeance, Mirage Plus, Rev 4

COMPOSITE

CLEAR MACHETE PROPELLER



48-**MAF12406T**

10 X 3.5 RH Plastic 2 BL

PROP - JPO FOR SINGLE-ENGINE PONTOONS



48-**8M0180533**

Contains Propeller 8M0178817
Use with Prop Nut Kit 8M0192279

SPITFIRE

Spitfire - the world's first performance aluminum propeller. Do you want to take your boats performance to the next level? The Spitfire provides 16-25% faster acceleration, superior holding with no penalty in top speed vs. a comparable 3 blade aluminum propeller.

Equipped with Hub Kit:
25-30 HP Flo-Torq I Rubber hub
40-60 HP Flo-Torq Reflex 835257K12
40CT - 300 HP Flo-Torq II 835257K 1

If engine RPM is appropriate with 3-blade prop, replace with the same pitch SpitFire propeller.

Right hand rotation only.

MERCURY SPITFIRE

SPITFIRE 25 - 30 HP

25-30 HP FourStroke (2006 and newer). Equipped with rubber hub 897001T.

SPITFIRE PROPELLER



48-**8M8026650**
9.3 X 9.5 RH AL 4 BL

48-**8M8026655**
9.3 X 11 RH AL 4 BL

SPITFIRE 25 CT - 60 HP

25-30 HP Bigfoot / Command Thrust FourStroke
30 HP TwoStroke, FourStroke (2005 and earlier)
40-60 HP (all years)

Equipped with Flo-Torq Reflex Hub Kit 835257K12

SPITFIRE PROPELLER



48-**8M8026620**
10.6 X 11 RH AL 4 BL

48-**8M8026625**
10.6 X 12 RH AL 4 BL

48-**8M8026630**
10.3 X 13 RH AL 4 BL

48-**8M8026635**
10.1 X 14 RH AL 4 BL

48-**8M8026640**
10.1 X 15 RH AL 4 BL

SPITFIRE 40 CT - 125 HP

40-60 HP Bigfoot / Command Thrust FourStroke
75-125 HP TwoStroke, FourStroke

10-13 pitches are designed to provide superior holding and lift for pontoon applications

Equipped with Flo-Torq II hub kit 835257K 1

SPITFIRE PONTOON PROPELLER



48-**8M8026555**
13.8 X 10 RH AL 4 BL

48-**8M8026560**
13.8 X 11 RH AL 4 BL

48-**8M8026570**
13.8 X 13 RH AL 4 BL

SPITFIRE PROPELLER



48-**8M8026580**
13.4 X 15 RH AL 4 BL

48-**8M8026590**
13.0 X 17 RH AL 4 BL

48-**8M8026600**
12.5 X 19 RH AL 4 BL

SPITFIRE 90 CT - 300 HP, ALPHA/BRAVO I STERNDRIVE

90-115 HP Command Thrust FourStroke (all years)
135-300 HP TwoStroke, FourStroke (all years)
Alpha and Bravo I Sterndrive (all years)

Equipped with Flo-Torq II Hub Kit 835257K 1

SPITFIRE CT PROPELLER



48-**8M0084491**
14 X 12 RH AL 4 BL

48-**8M0084493**
14 X 14 RH AL 4 BL

SPITFIRE PROPELLER

48-**8M0084494**
14 X 17 RH AL 4 BL

48-**8M0084495**
14 X 19 RH AL 4 BL

48-**8M0084496**
14 X 21 RH AL 4 BL

48-**8M0084497**
14 X 23 RH AL 4 BL

BLACK MAX

The Black Max aluminum propellers are standard equipment on most boats with Mercury/Mariner/MerCruiser power. Recommended for use on boats with up to 300 horsepower and with a top speed of less than 50 MPH. Pontoon style props available.

High quality die-cast aluminum
Attractive and durable high-gloss Phantom Black finish
Easy to maintain & repair

BLACK MAX 2.5 - 3.5 HP

BLACK MAX PROPELLER



48-**815083A01**
7.4 X 6 RH Plastic 3 BL

48-**815083A02**
7.4 X 7 RH Plastic 3 BL

BLACK MAX 4 - 6 HP

4-6 HP FourStroke (1999 and newer)
4-5 HP TwoStroke (1987 and newer)
Equipped with Flo-Torq I rubber hub

BLACK MAX PROPELLER



48-**812951A02**
8.4 X 6 RH AL 3 BL - High Thrust

48-**812949A02**
7.8 X 7 RH AL 3 BL


48-**812950A02**
7.8 X 8 RH AL 3 BL

BLACK MAX 6 - 15 HP

6-15 HP TwoStroke (all years)
9.9 HP FourStroke (2004 and older)
15 HP FourStroke (2007 and older)

Equipped with rubber hub 827598T

BLACK MAX PROPELLER



48-**828150A12**
9.8 X 6.5 RH AL 3 BL

48-**828152A12**
9.3 X 7 RH AL 3 BL

48-**828154A12**
9 X 8 RH AL 3 BL

48-**828156A12**
9 X 9 RH AL 3 BL

48-**828158A12**
9 X 10.5 RH AL 3 BL

BLACK MAX 8 - 9.9 HP FOURSTROKE

8-9.9 HP FourStroke with standard gearcase (2005 and newer)

Equipped with rubber hub 897453T

BLACK MAX PROPELLER



48-**897614A10**
8.9 X 7.5 RH AL 3 BL

48-**897618A10**
8.9 X 8.5 RH AL 3 BL

BLACK MAX KICKER PROPELLER



48-**812954A10**
8.7 X 5 RH AL 4 BL

BLACK MAX 9.9 CT - 20 HP FOURSTROKE

9.9 HP Bigfoot / Command Thrust FourStroke (2005 and newer)
9.9 HP Pro Kicker (all years)
15-20 HP FourStroke (2008 and newer)

Equipped with rubber hub 8M0054769

BLACK MAX PROPELLER



48-**897748A11**
9.5 X 8 RH AL 3 BL

48-**897750A11**
9.3 X 9 RH AL 3 BL

48-**897752A11**
9.3 X 10 RH AL 3 BL

48-**897754A11**
9.3 X 11.5 RH AL 3 BL

BLACK MAX KICKER PROPELLER



48-**812950A10**
10 X 7 RH AL 4 BL - BLACK

48-**812948A10**
10 X 7 RH AL 4 BL - SILVER

BLACK MAX 9.9 BF - 25 HP

9.9 - 15 HP Bigfoot FourStroke (2004 and older)
20-25 HP TwoStroke (all years)

Equipped with rubber hub 19669T

BLACK MAX PROPELLER



48- **19636A10**
10.4 X 9.5 RH AL 3 BL

48- **19638A40**
10.4 X 11 RH AL 3 BL

48- **19639A40**
10.4 X 12 RH AL 3 BL

48- **19640A40**
10.4 X 13 RH AL 3 BL

BLACK MAX 25 - 30 HP FOURSTROKE

25-30 HP FourStroke (2006 and newer)

Equipped with rubber hub 897001T

BLACK MAX PROPELLER



48-**896890A10**
10 X 8 RH AL 3 BL


48-**896892A40**
9.8 X 9.5 RH AL 3 BL

48-**896896A40**
9.5 X 11 RH AL 3 BL

48-**896900A40**
9.3 X 12.5 RH AL 3 BL

BLACK MAX 25 - 30 HP (2022 AND NEWER WITH 2.17:1 GEAR RATIO)

BLACK MAX PROPELLER



48-**8M0185640**
11 X 7 RH AL 4 SILVER
48-**8M0185635**
10.7 X 10 RH AL 3 BL
48-**8M0185636**
10.7 X 11 RH AL 3 BL
48-**8M0185637**
10.6 X 12 RH AL 3 BL
48-**8M0185638**
10.5 X 13 RH AL 3 BL
48-**8M0185639**
9.9 X 14 RH AL 3 BL

BLACK MAX 25 CT - 60 HP

25-30 HP Bigfoot / Command Thrust FourStroke (all years)
30 HP TwoStroke, FourStroke (2005 and earlier)
40-60 HP (all years)

8,10.5,12,13,14 pitches available with a larger blade area for pontoon applications

Equipped with Flo-Torq Reflex hub kit 835257K12

BLACK MAX PROPELLER



48- **42738A45**
12.5 X 8 RH AL 3 BL
48- **42738CP1**
12.5 X 8 RH AL 3 BL - Extra Cup for Pontoons
48- **87818A45**
12.3 X 9 RH AL 3 BL
48- **73132A45**
11.3 X 10 RH AL 3 BL
48-**827312A45**
11.6 X 10.5 RH AL 3 BL
48- **42740A45**
12 X 10.5 RH AL 3 BL Large Blade Area for Pontoons
48- **85632A45**
10.9 X 11 RH AL 3 BL
48- **73134A45**
10.6 X 12 RH AL 3 BL
48-**816702A45**
10.8 X 12 RH AL 3 BL Large Blade Area for Pontoons
48- **73136A45**
10.4 X 13 RH AL 3 BL
48-**816704A45**
10.5 X 13 RH AL 3 BL Large Blade Area for Pontoons
48- **73138A45**
10.3 X 14 RH AL 3 BL
48-**816706A45**
10.4 X 14 RH AL 3 BL Large Blade Area for Pontoons
48- **73140A45**
10.1 X 15 RH AL 3 BL
48- **73142A45**
10 X 16 RH AL 3 BL
48- **73144A45**
10 X 17 RH AL 3 BL

BLACK MAX 40 CT - 125 HP


40-60 HP Command Thrust, 75-125 HP with a 4.25" gearcase (all years)

Standard propeller equipped with Flo-Torq II hub kit 835257K 1

9" - 15" pitch propellers now offered with Flo-Torq SSR hub kit 8M0150151 for reduced vibration. Replaces legacy silver propellers with rubber Flo-Torq I hub installed

10", 11", 13" pitch propellers available with extra cup for pontoon applications and include Flo-Torq SSR Hub kit 8M0150151 for reduced vibration

BLACK MAX PROPELLER



48-**854340A45**
14 X 9 RH AL 3 BL
48-**8M0151352**
14 X 9 RH AL 3BL - Equipped with Flo-Torq SSR
48-**854342A45**
14 X 10 RH AL 3 BL
48-**8M0151353**
14 X 10 RH AL 3BL - Equipped with Flo-Torq SSR
48-**8M0151354**
14 X 10 RH AL 3 BL - Extra Cup - Equipped with Flo-Torq SSR
48- **77338A45**
14 X 11 RH AL 3 BL
48-**8M0151355**
14 X 11 RH AL 3BL - Equipped with Flo-Torq SSR
48-**8M0151356**
14 x 11 RH AL 3 BL - Extra Cup - Equipped with Flo-Torq SSR
48- **77340A45**
14 X 13 RH AL 3 BL
48-**8M0151357**
14 X 13 RH AL 3BL - Equipped with Flo-Torq SSR
48-**8M0151358**
14 X 13 RH AL 3 BL - Extra Cup - Equipped with Flo-Torq SSR

48-**854352A45**
13.9 X 14 RH AL 3 BL

BLACK MAX PROPELLER



48- **77342A33**
13.8 X 15 RH AL 3 BL

BLACK MAX PROPELLER



48- **77342A45**
13.8 X 15 RH AL 3 BL
48-**854360A45**
13.3 X 16 RH AL 3 BL
48- **77344A45**
13.3 X 17 RH AL 3 BL
48- **77346A45**
13 X 19 RH AL 3 BL
48- **77348A45**
12.8 X 21 RH AL 3 BL
48- **77350A45**
12.5 X 23 RH AL 3 BL

BLACK MAX 90 CT - 300 HP, ALPHA/BRAVO I STERNDRIVE

90-115 HP Command Thrust FourStroke (all years)
135-300 HP TwoStroke, FourStroke (all years)
Alpha and Bravo I Sterndrives

11,12,13,14,15 pitches avialable with extra cup for pontoon applications

Equipped with Flo-Torq II hub kit 835257K 1

BLACK MAX PROPELLER



48- **78112A45**
16 X 11 RH AL 3 BL
48- **78112CP1**
16 X 11 RH AL 3 BL - Extra Cup
48- **16436A45**
16 X 12 RH AL 3 BL
48- **16436CP1**
16 X 12 RH AL 3 BL - Extra Cup
48- **78114A45**
16 X 13 RH AL 3 BL
48- **78114CP1**
16 X 13 RH AL 3 BL - Extra Cup
48- **16438A45**
16 X 14 RH AL 3 BL
48- **16438CP1**
16 X 14 RH AL 3 BL - Extra Cup
48- **78116A45**
15.3 X 15 RH AL 3 BL
48- **78116CP1**
15.3 X 15 RH AL 3 BL - Extra Cup
48- **16440A45**
16 X 16 RH AL 3 BL
48-**832828A45**
15 X 17 RH AL 3 BL
48- **11324A45**
15.5 X 18 RH AL 3 BL
48-**832830A45**
14.5 X 19 RH AL 3 BL
48-**832832A45**
14.3 X 21 RH AL 3 BL
48-**832834A45**
14 X 23 RH AL 3 BL

BRAVO TWO - ALUMINUM

The Aluminum Bravo Two propeller is a 3-blade propeller manufactured specifically for Bravo Two sterndrives.

Equipped with rubber hub 43636T

Use with:
55074T Forward Thrust Washer
55073A 2 Aft Washer
34817 Tab Washer
826711 27 Prop Nut

Bravo Two
MERCURY MARINE

BLACK DIAMOND BRAVO TWO (MATTE BLACK)



48-**8M0155023**
20 X 11 LH AL 3 BL
48-**8M0155024**
20 X 11 RH AL 3 BL
48-**8M0155025**
19.5 X 13 LH AL 3 BL

48-**8M0155026**
19.5 X 13 RH AL 3 BL
48-**8M0155026**
19.5 X 13 RH AL 3 BL
48-**8M0155027**
19.3 X 15 LH AL 3 BL
48-**8M0155028**
19.3 X 15 RH AL 3 BL
48-**8M0155029**
18.8 X 17 LH AL 3 BL
48-**8M0155030**
18.8 X 17 RH AL 3 BL

BRAVO TWO PROPELLER



48- **18615A40**
18.3 X 19 LH AL 3 BL
48- **18614A40**
18.3 X 19 RH AL 3 BL
48- **18617A40**
17.8 X 21 LH AL 3 BL
48- **18616A40**
17.8 X 21 RH AL 3 BL
48- **18619A40**
17.5 X 23 LH AL 3 BL
48- **18618A40**
17.5 X 23 RH AL 3 BL

MERCURY PROPELLER TYPE - STAINLESS STEEL

MERCURY PROPELLER TYPE - STAINLESS STEEL

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

SSR HUB KIT SELECTOR

MERCURY

How to select your new Mercury propeller hub kit

The SSR lineup of hub kits should be selected for quietest operation

		2019 and newer				2018 and older				All[3]				
1	Model Year													
2	Engine	L4 Mercury 40CT - 150HP FourStroke	V6 Mercury 175 - 225HP FourStroke	V8 Mercury 200 - 300HP FourStroke	L6 Mercury 350 - 400HP FourStroke	L4/V6 Mercury 40CT - 225HP FourStroke	L6 Mercury 250 - 350HP FourStroke			Mercury TwoStroke		Mercury Alpha® & Bravo® Sterndrives		Non-Mercury
							1.00" Shaft	1.25" Shaft						
3	Prop Pitch	All				21" & lower[1]	22" & higher[2]	All		21" & lower[1]	22" & higher[2]	21" & lower[1]	22" & higher[2]	All
4	SSR 8M0150151	■	■			■								
	SSR Solid 8M0101602						■	■						
	SSR HD 8M0101601			■	■				■					See accessory guide for correct Flo-Torq II hub solution
	FTII w/o bushing 835257K1									■		■		
	FTII w/ bushing 835257K6										■		■	

[1]General purpose applications [2]High-performance and surface-piercing propeller applications [3]SSR not recommended in some applications due to potential gear shifting issues

Learn more at MercuryMarine.com

©2021 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited.

MERCURY STAINLESS STEEL PROPELLER CROSS REFERENCE CHART

Mercury Stainless Steel Propeller Cross Reference Chart

Starting in April 2021, hub kits will no longer be shipped with most Mercury stainless steel propellers.

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

For additional hub kit information, refer to the Propeller Hardware and Accessories section of the guide.

Use the table as a cross reference between the legacy part numbers that included hub kits with the package and the current part numbers that do not include the hub kit.

Family	Pitch	No of Blades	LH - Legacy	LH - Legacy	RH - Legacy	RH - Legacy	LH - Current	RH - Current
Bravo I	22	4	48-8M0151210	48-8M0151210	48-8M0151211	48-8M0151211	48-8M0151210	48-8M0151211
Bravo I	24	4	48-8M0151212	48-8M0151212	48-8M0151213	48-8M0151213	48-8M0151212	48-8M0151213
Bravo I	26	4	48-8M0151214	48-8M0151214	48-8M0151215	48-8M0151215	48-8M0151214	48-8M0151215
Bravo I	28	4	48-8M0151216		48-8M0151217		48-8M0151216	48-8M0151217
Bravo I	30	4	48-8M0151218		48-8M0151219		48-8M0151218	48-8M0151219
Bravo I	32	4	48-8M0151220		48-8M0151221		48-8M0151220	48-8M0151221
Enertia	11	3	48-8M0151224		48-8M0151225		48-8M0151224	48-8M0151225
Enertia	13	3	48-8M0151226		48-8M0151227	48-8M0151227	48-8M0151226	48-8M0151227
Enertia	14	3	48-8M0151228		48-8M0151229	48-8M0151229	48-8M0151228	48-8M0151229
Enertia	15	3	48-8M0151230		48-8M0151231	48-8M0151231	48-8M0151230	48-8M0151231
Enertia	16	3			48-8M0151233	48-8M0151233		48-8M0151233
Enertia	17	3	48-8M0151234		48-8M0151235	48-8M0151235	48-8M0151234	48-8M0151235
Enertia	18	3			48-8M0151237			48-8M0151237
Enertia	19	3	48-8M0151238		48-8M0151239		48-8M0151238	48-8M0151239
Enertia	20	3			48-8M0151241			48-8M0151241
Enertia	21	3	48-8M0151242		48-8M0151243		48-8M0151242	48-8M0151243
Enertia	22	3			48-8M0151245			48-8M0151245
Enertia ECO	17	3	48-8M0151250	48-8M0151250	48-8M0151251	48-8M0151251	48-8M0151250	48-8M0151251
Enertia ECO	18	3	48-8M0151252	48-8M0151252	48-8M0151253	48-8M0151253	48-8M0151252	48-8M0151253
Enertia ECO	19	3	48-8M0151254	48-8M0151254	48-8M0151255	48-8M0151255	48-8M0151254	48-8M0151255
Enertia ECO	20	3	48-8M0151256	48-8M0151256	48-8M0151257	48-8M0151257	48-8M0151256	48-8M0151257
Enertia ECO	21	3	48-8M0151258	48-8M0151258	48-8M0151259	48-8M0151259	48-8M0151258	48-8M0151259
Enertia ECO	22	3	48-8M0151260	48-8M0151260	48-8M0151261	48-8M0151261	48-8M0151260	48-8M0151261
Enertia ECO	23	3	48-8M0151262	48-8M0151262	48-8M0151263	48-8M0151263	48-8M0151262	48-8M0151263
Fury	22	3			48-8M0151270	48-8M0151270		48-8M0151270
Fury	23	3			48-8M0151271	48-8M0151271		48-8M0151271
Fury	24	3			48-8M0151272	48-8M0151272		48-8M0151272
Fury	25	3			48-8M0151273	48-8M0151273		48-8M0151273
Fury	26	3			48-8M0151274	48-8M0151274		48-8M0151274
Fury	27	3			48-8M0151275			48-8M0151275
Fury 4	23	4			48-8M0238904	48-8M0238904		48-8M0238904
Fury 4	24	4			48-8M0238905	48-8M0238905		48-8M0238905
Fury 4	25	4			48-8M0238906	48-8M0238906		48-8M0238906
Fury 4	26	4			48-8M0238907	48-8M0238907		48-8M0238907
HighFive	17	5			48-8M0151290			48-8M0151290
HighFive	19	5			48-8M0151291			48-8M0151291
HighFive	21	5			48-8M0151292			48-8M0151292
Mirage Plus	15	3	48-8M0151301		48-8M0151302		48-8M0151301	48-8M0151302
Mirage Plus	17	3	48-8M0151303		48-8M0151304		48-8M0151303	48-8M0151304
Mirage Plus	19	3	48-8M0151307		48-8M0151308		48-8M0151307	48-8M0151308
Mirage Plus	21	3	48-8M0151309		48-8M0151310		48-8M0151309	48-8M0151310
Mirage Plus	23	3	48-8M0151311		48-8M0151312		48-8M0151311	48-8M0151312
Mirage Plus	25	3			48-8M0151313			48-8M0151313
Revolution 4	15	4	48-8M0151314	48-8M0151314	48-8M0151315	48-8M0151315	48-8M0151314	48-8M0151315
Revolution 4	17	4	48-8M0151316	48-8M0151316	48-8M0151317	48-8M0151317	48-8M0151316	48-8M0151317
Revolution 4	18	4	48-8M0151318	48-8M0151318	48-8M0151319	48-8M0151319	48-8M0151318	48-8M0151319
Revolution 4	19	4	48-8M0151320	48-8M0151320	48-8M0151321	48-8M0151321	48-8M0151320	48-8M0151321

MERCURY PROPELLER TYPE - STAINLESS STEEL

Family	Pitch	No of Blades	LH - Legacy	LH - Legacy	RH - Legacy	RH - Legacy	LH - Current	RH - Current
Revolution 4	20	4	48-8M0151322	48-8M0151322	48-8M0151323	48-8M0151323	48-8M0151322	48-8M0151323
Revolution 4	21	4	48-8M0151324	48-8M0151324	48-8M0151325	48-8M0151325	48-8M0151324	48-8M0151325
Revolution 4	23	4	48-8M0151326	48-8M0151326	48-8M0151327	48-8M0151327	48-8M0151326	48-8M0151327
Revolution 4	25	4	48-8M0151328	48-8M0151328	48-8M0151329	48-8M0151329	48-8M0151328	48-8M0151329
Maximus	24	5	N.L.A.		48-8M0151331		N.L.A.	N.L.A.
Maximus	26	5	N.L.A.		N.L.A.		N.L.A.	N.L.A.
Maximus	28	5	48-8M0151334		N.L.A.		N.L.A.	N.L.A.
Maximus	30	5	48-8M0151336		N.L.A.		N.L.A.	N.L.A.
Maximus	32	5	N.L.A		N.L.A.		N.L.A.	N.L.A.
Maximus	34	5	48-8M0151340		48-8M0151341		N.L.A.	N.L.A.
Spitfire X7	13	4			48-8M0151360			48-8M0151360
Spitfire X7	15	4			48-8M0151361			48-8M0151361
Spitfire X7	17	4			48-8M0151362			48-8M0151362
Spitfire X7	19	4			48-8M0151363			48-8M0151363
Spitfire X7	21	4			48-8M0151364			48-8M0151364
Tempest Plus	17	3			48-8M0151380			48-8M0151380
Tempest Plus	19	3			48-8M0151381			48-8M0151381
Tempest Plus	21	3			48-8M0151382			48-8M0151382
Tempest Plus	22	3			48-8M0151383			48-8M0151383
Tempest Plus	23	3			48-8M0151384			48-8M0151384
Tempest Plus	24	3			48-8M0151385			48-8M0151385
Tempest Plus	25	3			48-8M0151386			48-8M0151386
Tempest Plus	26	3			48-8M0151387			48-8M0151387
Tempest Plus	27	3			48-8M0151388			48-8M0151388
Trophy Plus	17	4			48-8M0151389			48-8M0151389
Trophy Plus	19	4			48-8M0151390			48-8M0151390
Trophy Plus	21	4			48-8M0151391			48-8M0151391
Trophy Plus	23	4			48-8M0151392			48-8M0151392
Trophy Plus	24	4			48-8M0151393			48-8M0151393
Trophy Plus	25	4			48-8M0151394			48-8M0151394
Trophy Plus	26	4			48-8M0151395			48-8M0151395
Vengeance	10	3			48-8M0151397			48-8M0151397
Vengeance	12	3			48-8M0151398	17312A46		48-8M0151398
Vengeance	14	3			48-8M0151399			48-8M0151399
Vengeance	15	3			48-8M0151400			48-8M0151400
Vengeance	16	3			48-8M0151401			48-8M0151401
Vengeance	18	3			48-8M0151402			48-8M0151402
Vengeance	15	3			48-8M0151403			48-8M0151403
Vengeance	17	3	48-8M0151404		48-8M0151405		48-8M0151404	48-8M0151405
Vengeance	19	3	48-8M0151406		48-8M0151407		48-8M0151406	48-8M0151406
Vengeance	21	3			48-8M0151408			48-8M0151408

ENERTIA 90 CT - 400 HP

The Enertia is a 3-blade propeller well-suited for a variety of boats from pontoons and runabouts to offshore center console boats with multiple engines. Enertia uses Mercury's X7 alloy, which allows for a more advanced blade design. Good acceleration and top speed with fewer blow outs when cornering and during tow-sports activity. Available in left and right hand rotation. Equipped with solid PVS plugs installed. Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

MERCURY ENERTIA

ENERTIA PROPELLER



48-8M0151224
16 X 11 LH SS 3 BL

48-8M0151225
16 X 11 RH SS 3 BL

48-**8M0151226**
15.6 X 13 LH SS 3 BL
48-**8M0151227**
15.6 X 13 RH SS 3 BL
48-**8M0151228**
15.3 X 14 LH SS 3 BL
48-**8M0151229**
15.3 X 14 RH SS 3 BL
48-**8M0151230**
15 X 15 LH SS 3 BL
48-**8M0151231**
15 X 15 RH SS 3 BL
48-**8M0151233**
14.8 X 16 RH SS 3 BL
48-**8M0151234**
14.5 X 17 LH SS 3 BL
48-**8M0151235**
14.5 X 17 RH SS 3 BL
48-**8M0151237**
14.3 X 18 RH SS 3 BL
48-**8M0151238**
14 X 19 LH SS 3 BL
48-**8M0151239**
14 X 19 RH SS 3 BL
48-**8M0151241**
13.8 X 20 RH SS 3 BL
48-**8M0151242**
13.6 X 21 LH SS 3 BL
48-**8M0151243**
13.6 X 21 RH SS 3 BL
48-**8M0151245**
13.5 X 22 RH SS 3 BL

ENERTIA ECO 90 CT - 400 HP

The Enertia ECO complements the Enertia and is made with Mercury's X7 and is ideal for 200hp+ boats. The large diameter and high progressive rake improve fuel economy at cruise speeds with improved acceleration and comparable top speed. Ideal for center console boats traveling long distances. Approved for use with Joystick Piloting in left and right hand rotation. Equipped with solid PVS plugs installed. Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

MERCURY ENERTIA ECO

ENERTIA ECO PROPELLER



48-**8M0151250**
16 X 17 LH SS 3 BL
48-**8M0151251**
16 X 17 RH SS 3 BL
48-**8M0151252**
16 X 18 LH SS 3 BL
48-**8M0151253**
16 X 18 RH SS 3 BL
48-**8M0151254**
16 X 19 LH SS 3 BL
48-**8M0151255**
16 X 19 RH SS 3 BL
48-**8M0151256**
16 X 20 LH SS 3 BL
48-**8M0151257**
16 X 20 RH SS 3 BL
48-**8M0151258**
16 X 21 LH SS 3 BL
48-**8M0151259**
16 X 21 RH SS 3 BL
48-**8M0151260**
16 X 22 LH SS 3 BL
48-**8M0151261**
16 X 22 RH SS 3 BL
48-**8M0151262**
16 X 23 LH SS 3 BL
48-**8M0151263**
16 X 23 RH SS 3 BL

REVOLUTION 4 90 CT - 400 HP

The Revolution 4 is an incredible and versatile 4-blade propeller for a wide range of applications, known for a great holeshot, staying hooked up without blowouts, and the ability to provide a low-speed plane off for slower tow sport activity. Approved for use with Joystick Piloting in left and right hand rotation. Equipped with solid PVS plugs installed. Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

MERCURY MARINE Revolution 4

REVOLUTION 4 PROPELLER



48-**8M0151314**
14.6 X 15 LH SS 4 BL
48-**8M0151315**
14.6 X 15 RH SS 4 BL
48-**8M0151316**
14.6 X 17 LH SS 4 BL
48-**8M0151317**
14.6 X 17 RH SS 4 BL
48-**8M0151318**
14.6 X 18 LH SS 4 BL
48-**8M0151319**
14.6 X 18 RH SS 4 BL
48-**8M0151320**
14.6 X 19 LH SS 4 BL
48-**8M0151321**
14.6 X 19 RH SS 4 BL

MERCURY PROPELLER TYPE - STAINLESS STEEL

48-**8M0151322**
14.6 X 20 LH SS 4 BL

48-**8M0151323**
14.6 X 20 RH SS 4 BL

48-**8M0151324**
14.6 X 21 LH SS 4 BL

48-**8M0151325**
14.6 X 21 RH SS 4 BL

48-**8M0151326**
14.6 X 23 LH SS 4 BL

48-**8M0151327**
14.6 X 23 RH SS 4 BL

48-**8M0151328**
14.6 X 25 LH SS 4 BL

48-**8M0151329**
14.6 X 25 RH SS 4 BL

REVOLUTION X - MERCURY V10 OUTBOARD

REVOLUTION X PROPELLER



48-**8M0182941**
18 LH SS 4 BL

48-**8M0182942**
18 RH SS 4 BL

48-**8M0182943**
19 LH SS 4 BL

48-**8M0182944**
19 RH SS 4 BL

48-**8M0182945**
20 LH SS 4 BL

48-**8M0182946**
20 RH SS 4 BL

48-**8M0182947**
21 LH SS 4 BL

48-**8M0182948**
21 RH SS 4 BL

48-**8M0182949**
22 LH SS 4 BL

48-**8M0182950**
22 RH SS 4 BL

48-**8M0182951**
23 LH SS 4 BL

48-**8M0182952**
23 RH SS 4 BL

48-**8M0182953**
25 LH SS 4 BL

48-**8M0182954**
25 RH SS 4 BL

48-**8M0182955**
27 LH SS 4 BL

48-**8M0182956**
27 RH SS 4 BL

48-**8M0182957**
29 LH SS 4 BL

48-**8M0182958**
29 RH SS 4 BL

48-**8M0182959**
31 LH SS 4 BL

48-**8M0182960**
31 RH SS 4 BL

48-**8M0182961**
33 LH SS 4 BL

48-**8M0182962**
33 RH SS 4 BL

FLO -TORQ X HUB KIT

FLO TORQ X HUB KIT



8M0182970
Flo Torq X Hub Kit

FLO TORQ X HUB KIT HD

8M0182969
Flo Torq X Hub Kit HD

FURY 90 CT - 400 HP

The Fury is a 3-blade top-of-the-line tournament bass propeller. Perfect for light to medium load situations with maximum acceleration and top speed, especially for 200+ horsepower outboards. Equipped with solid and large hole PVS plugs uninstalled. Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

FURY PROPELLER



48-**8M0151270**
14 X 22 RH SS 3 BL

48-**8M0151271**
14 X 23 RH SS 3 BL

48-**8M0151272**
14 X 24 RH SS 3 BL

48-**8M0151273**
14 X 25 RH SS 3 BL

48-**8M0151274**
14 X 26 RH SS 3 BL

48-**8M0151275**
14 X 27 RH SS 3 BL

FURY 4 90 CT - 400 HP

The Fury 4 is a 4-blade top-of-the-line tournament bass propeller. Perfect for heavy tournament-load situations with maximum acceleration and top speed, especially for 200+ horsepower outboards. Fury 4 contains extra PVS holes (8 total) to allow for holeshot customization. Equipped with solid and large hole PVS plugs uninstalled. Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

FURY 4 PROPELLER



48-**8M0238904**
14.5 X 23 RH SS 4 BL

48-**8M0238905**
14.5 X 24 RH SS 4 BL

48-**8M0238906**
14.5 X 25 RH SS 4 BL

48-**8M0238907**
14.5 X 26 RH SS 4 BL

BRAVO I 90 CT - 400 HP

The Bravo I is a 4-blade stainless steel propeller for high-performance, high drive height, outboard and sterndrive applications. Excellent speed and handling, great for stepped hulls and cats. Available in left and right hand rotation. Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

BRAVO I PROPELLER



48-**8M0151210**
15.3 X 22 LH SS 4 BL

48-**8M0151211**
15.3 X 22 RH SS 4 BL

48-**8M0151212**
15.3 X 24 LH SS 4 BL

48-**8M0151213**
15.3 X 24 RH SS 4 BL

48-**8M0151214**
15.3 X 26 LH SS 4 BL

48-**8M0151215**
15.3 X 26 RH SS 4 BL

48-**8M0151216**
15.3 X 28 LH SS 4 BL

48-**8M0151217**
15.3 X 28 RH SS 4 BL

48-**8M0151218**
15.3 X 30 LH SS 4 BL

48-**8M0151219**
15.3 X 30 RH SS 4 BL

48-**8M0151220**
15.3 X 32 LH SS 4 BL

48-**8M0151221**
15.3 X 32 RH SS 4 BL

SPITFIRE X7 40 CT - 125 HP

The Spitfire X7 is 4-blade stainless steel version of the Spitfire aluminum propeller and is suited for 75-125 horsepower applications and 40-60 horsepower command thrust with larger 4.25" gearcases. With remarkable acceleration, top speed, and holding this is the propeller of choice for these engines.

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

SPITFIRE X7 PROPELLER



48-**8M0151360**
14 X 13 RH SS 4 BL

48-**8M0151361**
13.5 X 15 RH SS 4 BL

48-**8M0151362**
13 X 17 RH SS 4 BL

48-**8M0151363**
12.8 X 19 RH SS 4 BL

48-**8M0151364**
12.8 X 21 RH SS 4 BL

MERCURY PROPELLER TYPE - STAINLESS STEEL

TEMPEST PLUS 90 CT - 400 HP

The Tempest Plus is a great 3-blade propeller suited for a variety of inland water applications from bass boats to walleye boats, and other sport boats with 150+ horsepower outboards. This prop does well in higher motor height installations with its larger diameter over other propellers for these boat types.

17 pitch equipped with solid PVS plugs installed
19-27 pitches equipped with large hole PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

MERCURY MARINE TEMPEST PLUS

TEMPEST PLUS PROPELLER



48-**8M0151380**
14.6 X 17 RH SS 3 BL
48-**8M0151381**
14.6 X 19 RH SS 3 BL
48-**8M0151382**
14.6 X 21 RH SS 3 BL
48-**8M0151383**
14.6 X 22 RH SS 3 BL
48-**8M0151384**
14.6 X 23 RH SS 3 BL
48-**8M0151385**
14.6 X 24 RH SS 3 BL
48-**8M0151386**
14.6 X 25 RH SS 3 BL
48-**8M0151387**
14.6 X 26 RH SS 3 BL
48-**8M0151388**
14.6 X 27 RH SS 3 BL

TROPHY PLUS 40 CT - 225 HP

The Trophy Plus is a 4-blade propeller known for great acceleration on 75-225 horsepower outboards (except V8). The 17-19 pitch is designed for 75-115 horsepower outboards.

Propeller hub is 4.25" diameter – when using on 4.75" gearcase applications and exhaust venting is excessive, install seal ring 878421.

17-19 pitches equipped with solid PVS plugs installed
21-26 pitches equipped with large hole PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

MERCURY MARINE TROPHY PLUS

TROPHY PLUS PROPELLER



48-**8M0151389**
13.8 X 17 RH SS 4 BL
48-**8M0151390**
13.8 X 19 RH SS 4 BL
48-**8M0151391**
13.8 X 21 RH SS 4 BL
48-**8M0151392**
13.8 X 23 RH SS 4 BL
48-**8M0151393**
13.8 X 24 RH SS 4 BL
48-**8M0151394**
13.8 X 25 RH SS 4 BL
48-**8M0151395**
13.8 X 26 RH SS 4 BL

TROPHY SPORT 30 - 60 HP

The Trophy Sport is a 4-blade propeller for us with 30-60 horsepower applications where performance needs to be maximized.

Equipped with the Flo-Torq Reflex hub kit 835257K12 to eliminate clutch rattle

MERCURY MARINE TROPHY Sport

TROPHY SPORT PROPELLER



48-**878612A46**
10.6 X 12 RH SS 4 BL
48-**878614A46**
10.6 X 13 RH SS 4 BL
48-**878616A46**
10.6 X 14 RH SS 4 BL

HIGHFIVE 90 CT - 400 HP

The HighFive is a 5-blade propeller that performs well on older, underpowered, or heavily loaded boats engaged in watersports type activity, or with some large cruisers without extra power available. The High Five is also a great fit for legacy two stroke carbureted outboards that tend to run rich at idle or slow speeds, allowing for better engine speed increase on hole shot to eliminate the fuel rich condition.

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

MERCURY MARINE HIGHFIVE

HIGHFIVE PROPELLER



48-**8M0151290**
13.5 X 17 RH SS 5 BL
48-**8M0151291**
13.3 X 19 RH SS 5 BL
48-**8M0151292**
13.3 X 21 RH SS 5 BL

MIRAGE PLUS 90 CT - 400 HP

The Mirage Plus is a 3-blade propeller well known for its use in higher horsepower sterndrive applications where top speed is important. Also for offshore fishing boats with outboards.

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

MERCURY MARINE MIRAGE plus

MIRAGE PLUS PROPELLER



48-**8M0151301**
15.8 X 15 LH SS 3 BL
48-**8M0151302**
15.8 X 15 RH SS 3 BL
48-**8M0151303**
15.5 X 17 LH SS 3 BL
48-**8M0151304**
15.5 X 17 RH SS 3 BL
48-**8M0151307**
15.3 X 19 LH SS 3 BL
48-**8M0151308**
15.3 X 19 RH SS 3 BL
48-**8M0151309**
14.8 X 21 LH SS 3 BL
48-**8M0151310**
14.8 X 21 RH SS 3 BL
48-**8M0151311**
14.6 X 23 LH SS 3 BL
48-**8M0151312**
14.6 X 23 RH SS 3 BL
48-**8M0151313**
14.5 X 25 RH SS 3 BL

VENGEANCE

The Vengeance is a great 3-blade propeller to use as a stainless steel upgrade from an aluminum propeller in a variety of applications. The Vengeance is known for its durability over aluminum propellers.

Many sizes are available to accommodate a variety of engine types.

MERCURY MARINE VENGEANCE

MERCURY PROPELLER TYPE - STAINLESS STEEL

VENGEANCE 25 - 30 HP FS

20-25 HP FourStroke (2006 and newer)

Equipped with rubber hub 897001T

VENGEANCE PROPELLER



48-**899818A05**
9.8 X 9.5 RH SS 3 BL

48-**899820A05**
9.5 X 11 RH SS 3 BL

VENGEANCE 25 BF - 60 HP

25 HP Bigfoot and 30 HP 2005 and earlier)
30 HP Command Thrust (2010 and newer)
40-60 HP (all years)

Equipped with Flo-Torq Reflex hub kit 835257K12

VENGEANCE PROPELLER



48-**823478A46**
11.6 X 11 RH SS 3 BL

48-**855856A46**
11 X 12 RH SS 3 BL

48-**855858A46**
10.5 X 13 RH SS 3 BL

48-**855860A46**
10.4 X 14 RH SS 3 BL

48-**855862A46**
10.3 X 15 RH SS 3 BL

VENGEANCE 40 CT - 125 HP

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

VENGEANCE PROPELLER



48-**8M0151397**
14 X 10 RH SS 3 BL

48-**8M0151398**
14 X 12 RH SS 3 BL

48-**8M0151399**
13.4 X 14 RH SS 3 BL

48-**8M0151400**
13.3 X 15 RH SS 3 BL

48-**8M0151401**
13.1 X 16 RH SS 3 BL

48-**8M0151402**
13 X 18 RH SS 3 BL

VENGEANCE 90 CT - 300 HP

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

VENGEANCE PROPELLER



48-**8M0151403**
14.5 X 15 RH SS 3 BL

48-**8M0151404**
14.5 X 17 LH SS 3 BL

48-**8M0151405**
14.5 X 17 RH SS 3 BL

48-**8M0151406**
14 X 19 LH SS 3 BL

48-**8M0151407**
14 X 19 RH SS 3 BL

48-**8M0151408**
13.8 X 21 RH SS 3 BL

VERADO12 500 - 600 HP

Leave no horsepower behind. Verado12 Propellers are for exclusive use on the Mercury V12 outboard. Front and Rear props used as a pair should be the same pitch.

VERADO12



48-**8M0166979**
23 LH SS 4 BL - Front

48-**8M0166980**
23 RH SS 3 BL - Rear

48-**8M0166981**
24.5 LH SS 4 BL - Front

48-**8M0166982**
24.5 RH SS 3 BL - Rear

48-**8M0166983**
26 LH SS 4 BL - Front

48-**8M0166984**
26 RH SS 3 BL - Rear

48-**8M0166985**
27.5 LH SS 4 BL - Front

48-**8M0166986**
27.5 RH SS 3 BL - Rear

48-**8M0166987**
29 LH SS 4 BL - Front

48-**8M0166988**
29 RH SS 3 BL - Rear

48-**8M0166989**
31 LH SS 4 BL - Front

48-**8M0166990**
31 RH SS 3 BL - Rear

48-**8M0166991**
33 LH SS 4 BL - Front

48-**8M0166992**
33 RH SS 3 BL - Rear

48-**8M0166993**
35 LH SS 4 BL - Front

48-**8M0166994**
35 RH SS 3 BL - Rear

48-**8M0166995**
37 LH SS 4 BL - Front

48-**8M0166996**
37 RH SS 3 BL - Rear

BRAVO TWO - STAINLESS STEEL

The Stainless Steel Bravo Two propeller is a 3-blade propeller manufactured specifically for Bravo Two drives. Stainless Steel offers better durability and performance over aluminum. Equipped with rubber hub 43636T.

Use with:
55074T Forward Thrust Washer
55073A 2 Aft Washer
34817 Tab Washer
826711 27 Prop Nut

BRAVO TWO PROPELLER



48- **18607A 6**
20 X 11 LH SS 3 BL

48- **18606A 6**
20 X 11 RH SS 3 BL

48- **18609A 6**
19.5 X 13 LH SS 3 BL

48- **18608A 6**
19.5 X 13 RH SS 3 BL

48- **18611A 6**
19.3 X 15 LH SS 3 BL

48- **18610A 6**
19.3 X 15 RH SS 3 BL

48- **18613A 6**
18.8 X 17 LH SS 3 BL

48- **18612A 6**
18.8 X 17 RH SS 3 BL

48- **18615A 6**
18.3 X 19 LH SS 3 BL

48- **18614A 6**
18.3 X 19 RH SS 3 BL

48- **18617A 6**
17.8 X 21 LH SS 3 BL

48- **18616A 6**
17.8 X 21 RH SS 3 BL

48- **18619A 6**
17.5 X 23 LH SS 3 BL

48- **18618A 6**
17.5 X 23 RH SS 3 BL

MERCURY PROPELLER TYPE - STAINLESS STEEL

BRAVO FOUR S

The Bravo Four S propeller is made specifically for the Bravo Four S Forward Facing Drive. The propellers deliver exceptional performance and reliability when used in the demanding Bravo Four S application.

Use in matched pitch sets only.

Use with:
8M0173364 Nose Cone
8M0173363 Nose Cone Fastener
805100 Thrust Washer
805101T Thrust Washer
862907 Prop Nut
8M0105210 Prop Nut

BRAVO FOUR S



48-**8M0167001**
19.5 LH SS 4 BL - Front
48-**8M0167002**
19.5 RH SS 3 BL - Rear
48-**8M0167003**
21 LH SS 4 BL - Front
48-**8M0167004**
21 RH SS 3 BL - Rear
48-**8M0167005**
22.5 LH SS 4 BL - Front
48-**8M0167006**
22.5 RH SS 3 BL - Rear
48-**8M0167007**
24 LH SS 4 BL - Front
48-**8M0167008**
24 RH SS 3 BL - Rear
48-**8M0167009**
25.5 LH SS 4 BL - Front
48-**8M0167010**
25.5 RH SS 3 BL - Rear

BRAVO THREE

This amazing twin-prop drive system features stainless steel props: A large diameter forward propeller and a smaller diameter aft propeller for unbelievable handling and boat control.

Bravo Three features 4-blade front, 3-blade rear set that offers better acceleration performance and enhanced holding. Bravo Three is available in both matte and high polish finishes. Mixing with old style three blade front three blade rear Bravo Three propellers is not recommended. For part number information on the old Bravo Three propellers (2008 and earlier) see the historical propeller charts section of this guide.

Use with:
805100 Aft Thrust Washer
805101T Forward Thrust Washer
862907 Aft Prop Nut
8M0105210 Forward Prop Nut

MERCURY BRAVO Three

BRAVO THREE PROPELLER (MATTE FINISH)



48-**8M8022340**
16 X 19 LH SS 4 BL - Front
48-**8M8022350**
14.4 X 19 RH SS 3 BL - Rear
48-**8M8022360**
16 X 20 LH SS 4 BL - Front
48-**8M8022370**
14.4 X 20 RH SS 3 BL - Rear
48-**8M8022380**
15.9 X 21 LH SS 4 BL - Front
48-**8M8022390**
14.3 X 21 RH SS 3 BL - Rear
48-**8M8022400**
15.8 X 22.5 LH SS 4 BL - Front
48-**8M8022410**
14.3 X 22.5 RH SS 3 BL - Rear
48-**8M8022420**
15.5 X 24 LH SS 4 BL - Front
48-**8M8022430**
14 X 24 RH SS 3 BL - Rear
48-**8M8022440**
15.3 X 26 LH SS 4 BL - Front
48-**8M8022450**
13.8 X 26 RH SS 3 BL - Rear
48-**8M8022460**
15 X 28 LH SS 4 BL - Front
48-**8M8022470**
13.5 X 28 RH SS 3 BL - Rear

BRAVO THREE DIESEL

Designed for use on heavier boats high HP diesels. A large diameter four-blade front propeller coupled with a smaller diameter, three-blade rear propeller provides unmatched acceleration, tracking and handling with diesel applications. Extra cup built in to the trailing edges of both front and rear props captures the torque generated by today's turbocharged diesel engines. Best performing propeller for modern diesel engines matched to Bravo III drives.

Key Features:
Left-hand, 4-blade forward and right-hand, 3-blade rear propellers.
Enhanced blade cup for improved planing performance and fuel economy.
Recommended for 260-370 H.P. diesel engines.
Fit for use on standard Bravo Three, Bravo Three X and Bravo Three XR drives.
Bravo Three Diesel Propellers feature a durable matte finish
Moving from the standard Bravo Three propellers to the Bravo Three Diesel props will result in one inch pitch decrease to match the same RPM.

Use with:
805100 Aft Thrust Washer
805101T Forward Thrust Washer
862907 Aft Prop Nut
8M0105210 Forward Prop Nut

MERCURY BRAVO Three Diesel

BRAVO THREE DIESEL



48-**8M0074865**
16 X 21 LH SS 4 BL - Front

48-**8M0074866**
15 X 21 RH SS 3 BL - Rear

48-**8M0074867**
16 X 23 LH SS 4 BL - Front

48-**8M0074868**
15 X 23 RH SS 3 BL - Rear

48-**8M0074869**
15.8 X 25 LH SS 4 BL - Front

48-**8M0074870**
14.8 X 25 RH SS 4 BL - Rear

48-**8M0074871**
15.5 X 27 LH SS 4 BL - Front

48-**8M0074872**
14.5 X 27 RH SS 3 BL - Rear

Z - SERIES PROPELLER

Original equipment for Zeus pod drives up to 550 HP. A large diameter 4 blade forward propeller and a smaller diameter 3 blade aft propeller provides outstanding acceleration and boat control. These props come in a tough matte finish.

ZEUS PROPELLER



48-**8M8021430**
Z6 4 Blade LH Front Propeller

48-**8M8021440**
Z6 3 Blade RH Rear Propeller

48-**8M8021450**
Z7 4 Blade LH Front Propeller

48-**8M8021460**
Z7 3 Blade RH Rear Propeller

48-**8M8021470**
Z8 4 Blade LH Front Propeller

48-**8M8021480**
Z8 3 Blade RH Rear Propeller

48-**8M8021490**
Z9 4 Blade LH Front Propeller

48-**8M8021500**
Z9 3 Blade RH Rear Propeller

48-**8M8021510**
Z10 4 Blade LH Front Propeller

48-**8M8021520**
Z10 3 Blade RH Rear Propeller

48-**8M8021530**
Z11 4 Blade LH Front Propeller

48-**8M8021540**
Z11 3 Blade RH Rear Propeller

48-**8M8021550**
Z12 4 Blade LH Front Propeller

48-**8M8021560**
Z12 3 Blade RH Rear Propeller

48-**8M8023600**
Z13 4 Blade LH Front Propeller

48-**8M8023610**
Z13 3 Blade RH Rear Propeller

48-**8M8021590**
Z14 4 Blade LH Front Propeller

48-**8M8021600**
Z14 3 Blade RH Rear Propeller

48-**8M8021610**
Z15 4 Blade LH Front Propeller

48-**8M8021620**
Z15 3 Blade RH Rear Propeller

48-**8M8021630**
Z16 4 Blade LH Front Propeller

48-**8M8021640**
Z16 3 Blade RH Rear Propeller

48-**8M8021650**
Z17 4 Blade LH Front Propeller

48-**8M8021660**
Z17 3 Blade RH Rear Propeller

MERCURY PROPELLER TYPE - STAINLESS STEEL

48-**8M8021670**
Z18 4 Blade LH Front Propeller

48-**8M8021680**
Z18 3 Blade RH Rear Propeller

48-**8M8021690**
Z19 4 Blade LH Front Propeller

48-**8M8021700**
Z19 3 Blade RH Rear Propeller

M - SERIES PROPELLER

Original equipment on select Zeus pod drives up to 700 HP. Additional blade area vs. Z series props is an excellent fit for higher horsepower Zeus applications. These props come in a tough matte finish.

M-SERIES PROPELLER



48-**8M0079236**
M0 5 Blade LH Front Propeller

48-**8M0079237**
M0 4 Blade RH Rear Propeller

48-**8M0063951**
M1 5 Blade LH Front Propeller

48-**8M0063952**
M1 4 Blade RH Rear Propeller

48-**8M8024110**
M2 5 Blade LH Front Propeller

48-**8M8024120**
M2 4 Blade RH Rear Propeller

48-**8M8023800**
M4 5 Blade LH Front Propeller

48-**8M8023810**
M4 4 Blade RH Rear Propeller

48-**8M8023820**
M5 5 Blade LH Front Propeller

48-**8M8023830**
M5 4 Blade RH Rear Propeller

48-**8M8023840**
M6 5 Blade LH Front Propeller

48-**8M8023850**
M6 4 Blade RH Rear Propeller

48-**8M8023860**
M7 5 Blade LH Front Propeller

48-**8M8023870**
M7 4 Blade RH Rear Propeller

48-**8M8023880**
M8 5 Blade LH Front Propeller

48-**8M8023890**
M8 4 Blade RH Rear Propeller

48-**8M8023900**
M9 5 Blade LH Front Propeller

48-**8M8023910**
M9 4 Blade RH Rear Propeller

48-**8M8023920**
M10 5 Blade LH Front Propeller

48-**8M8023930**
M10 4 Blade RH Rear Propeller

48-**8M8023940**
M11 5 Blade LH Front Propeller

48-**8M8023950**
M11 4 Blade RH Rear Propeller

48-**8M8023960**
M12 5 Blade LH Front Propeller

48-**8M8023970**
M12 4 Blade RH Rear Propeller

48-**8M8023980**
M13 5 Blade LH Front Propeller

48-**8M8023990**
M13 4 Blade RH Rear Propeller

48-**8M8024000**
M14 5 Blade LH Front Propeller

48-**8M8024010**
M14 4 Blade RH Rear Propeller

MERCURY RACING PROPELLER TYPE

SPITFIRE XP

- The Pro Finished Spitfire XP is designed for shallow running flats boats.
- The fourth blade and flared exhaust barrel allow for lighting fast hole shot in shallow condition.
- Dial in RPM with available half inch pitch offerings.
- 60R to 115 HP outboards
- The hub kit is not included; use 835257K6 or 835258K 2

SPITFIRE XP PROPELLER



48-**8M0167641**
14 x 12 Pitch RH
48-**8M0167642**
14 x 12.5 Pitch RH
48-**8M0167643**
14 x 13 Pitch RH
48-**8M0167659**
13.5 x 13.5 Pitch RH
48-**8M0167660**
13.5 x 14 Pitch RH
48-**8M0167661**
13.5 x 14.5 Pitch RH
48-**8M0167662**
13.5 x 15 Pitch RH
48-**8M0167664**
13 x 15.5 Pitch RH
48-**8M0167665**
13 x 16 Pitch RH
48-**8M0167666**
13 x 16.5 Pitch RH
48-**8M0167667**
13 x 17 Pitch RH
48-**8M0167697**
12.7 x 17.5 Pitch RH
48-**8M0167698**
12.7 x 18 Pitch RH
48-**8M0167699**
12.7 x 18.5 Pitch RH
48-**8M0167700**
12.7 x 19 Pitch RH
48-**8M0167702**
12.7 x 19.5 Pitch RH
48-**8M0167703**
12.7 x 20 Pitch RH
48-**8M0167704**
12.7 x 20.5 Pitch RH
48-**8M0167705**
12.7 x 21 Pitch RH

LIGHTNING E.T.

•The Lightning E.T. is Lab Finished and features over-the-hub exhaust
•Hub kit is not included, use 8M0183487 for 1.25 inch prop shaft and 835258K 1 for 1 inch prop shaft
•Applicable for lightweight bass boats, tunnel boats, and outboard drag racing
•150 to 300 hp outboard only

LIGHTNING E.T. PROPELLER



48-**849508L62**
14.5 X 32 Pitch RH
48-**849506L62**
14.5 x 30 Pitch RH
48-**849248L62**
14.5 X 28 Pitch RH
48-**849246L62**
14.5 X 26 Pitch RH

PRO MAX PROPELLER

•The Pro Finished Pro Max has a polished appearance with durable leading edges, robust blade thickness, tuned cup height and zero balanced. Lab Finished also has a polished appearance, crisp leading edge, thinned blades, tuned cup height and zero balanced (expect to gain 150 RPM over Pro Finished, pitch for pitch).
•150 to 400 hp outboard only
•The Hub kit not included; 835257K6 or 835258K 2 for 1 inch or 8M0183487 for 1.25 inch propshaft.
•Applicable for performance bass boats, 19 to 22 foot single outboard performance vee bottoms, and tunnel boats

PRO MAX PROPELLER



48-**8M0079707**
14.5 x 32 Pitch RH
48-**8M0112990**
14.5 x 31.5 Pitch RH
48-**8M0079706**
14.5 x 31 Pitch RH
48-**8M0112989**
14.5 x 30.5 Pitch RH

48-**8M0079705**
14.5 x 30 Pitch RH
48-**8M0112988**
14.5 x 29.5 Pitch RH
48-**8M0079704**
14.5 x 29 Pitch RH
48-**8M0112987**
14.5 x 28.5 Pitch RH
48-**8M0079703**
14.5 x 28 Pitch RH
48-**8M0112986**
14.5 x 27.5 Pitch RH
48-**8M0079702**
14.5 x 27 Pitch RH
48-**8M0112985**
14.5 x 26.5 Pitch RH
48-**8M0079701**
14.5 x 26 Pitch RH
48-**8M0112984**
14.5 x 25.5 Pitch RH
48-**8M0079700**
14.5 x 25 Pitch RH
48-**8M0112983**
14.5 x 24.5 Pitch RH
48-**8M0079699**
14.5 x 24 Pitch RH
48-**8M0112982**
14.5 x 23.5 Pitch RH
48-**8M0079698**
14.5 x 23 Pitch RH
48-**8M0112981**
14.5 x 22.5 Pitch RH
48-**8M0079696**
14.5 x 32 Pitch RH Lab Finished
48-**8M0079695**
14.5 x 30 Pitch RH Lab Finished
48-**8M0079694**
14.5 x 28 Pitch RH Lab Finished
48-**8M0079693**
14.5 x 26 Pitch RH Lab Finished
48-**8M0079692**
14.5 x 24 Pitch RH Lab Finished

BRAVO I LT PRO FINISHED

•The Pro Finished Bravo I LT is offered in one half pitch increments for extreme precision when dialing in engine rpm for maximized performance
•Equipped with (4) adjustable PVS exhaust vent holes offering improved time-to-plane. The 4 blades and full length barrel support staying on plane during slow turns, great rough water handling, and excellent mid-range acceleration
•150 to 400 hp outboard and 450R HD gear case only, up to 600 hp sterndrive
•Hub kit sold separately; 835257K6 or 835258K2 for 1 inch propshaft or for 1.25 inch propshaft use 8M0183487

BRAVO I LT PROPELLER



48-**8M0129049**
15.25 x 29 Pitch RH
48-**8M0142107**
15.25 x 29 Pitch LH
48-**8M0129048**
15.25 x 28.5 Pitch RH
48-**8M0129046**
15.25 x 28 Pitch RH
48-**8M0142106**
15.25 x 28 Pitch LH
48-**8M0121604**
15.25 x 27.5 Pitch RH
48-**8M0121603**
15.25 x 27 Pitch RH
48-**8M0142105**
15.25 x 27 Pitch LH
48-**8M0121602**
15.25 x 26.5 Pitch RH
48-**8M0121601**
15.25 x 26 Pitch RH
48-**8M0142104**
15.25 x 26 Pitch LH
48-**8M0121600**
15.25 x 25.5 Pitch RH
48-**8M0121599**
15.25 x 25 Pitch RH
48-**8M0142103**
15.25 x 25 Pitch LH
48-**8M0121598**
15.25 x 24.5 Pitch RH
48-**8M0121597**
15.25 x 24 Pitch RH
48-**8M0142102**
15.25 x 24 Pitch LH
48-**8M0121596**
15.25 x 23.5 RH
48-**8M0121595**
15.25 x 23 Pitch RH

48-**8M0142101**
15.25 x 23 Pitch LH
48-**8M0121594**
15.25 x 22.5 Pitch RH
48-**8M0121593**
15.25 x 22 Pitch RH
48-**8M0142100**
15.25 x 22 Pitch LH
48-**8M0121592**
15.25 x 21.5 Pitch RH
48-**8M0121591**
15.25 x 21 Pitch RH
48-**8M0142099**
15.25 x 21 Pitch LH
48-**8M0121590**
15.25 x 20.5 Pitch RH
48-**8M0121589**
15.25 x 20 Pitch RH
48-**8M0142098**
15.25 x 20 Pitch LH
48-**8M0126237**
15.25 x 19.5" Pitch RH
48-**8M0126236**
15.25 x 19 Pitch RH
48-**8M0142097**
15.25 x 19 Pitch LH

BRAVO I XS PRO FINISHED

•The Pro Finished Bravo I XS features the same shorteded barrel as the Bravo I FS, but has (8) PVS vent holes for optimal two stroke planing performance
•The four blades support staying on plane during slow switchback turns, great rough water handling and excellent mid-range acceleration
•Applications include lightweight to heavy walleye, bass, flats and some ultra-high speed bass boats
•150 to 300 hp two stroke outboards
•PVS large vent hole fittings included.
•Hub kit sold separately; 835257K6 or 835258K2 for 1 inch propshaft or for 1.25 inch propshaft use 8M0183487 or 8M0183487.

BRAVO I XS PROPELLER



48-**8M0100109**
15.25 x 31.5 Pitch RH
48-**831918L80**
15.25 x 31 Pitch RH
48-**8M0111151**
15.25 x 30.5 Pitch RH
48-**831918L60**
15.25 x 30 Pitch RH
48-**8M0100107**
15.25 x 29.5 Pitch RH
48-**831916L80**
15.25 x 29 Pitch RH
48-**8M0111150**
15.25 x 28.5 Pitch RH
48-**831916L60**
15.25 x 28 Pitch RH
48-**8M0100106**
15.25 x 27.5 Pitch RH
48-**831914L80**
15.25 x 27 Pitch RH
48-**8M0111149**
15.25 x 26.5 Pitch RH
48-**831914L60**
15.25 x 26 Pitch RH
48-**8M0100105**
15.25 x 25.5 Pitch RH
48-**831912L80**
15.25 x 25 Pitch RH
48-**8M0111148**
15.25 x 24.5 Pitch RH
48-**831912L60**
15.25 x 24 Pitch RH
48-**8M0100104**
15.25 x 23.5 Pitch RH
48-**831910L80**
15.25 x 23 Pitch RH
48-**8M0111147**
15.25 x 22.5 Pitch RH
48-**831910L60**
15.25 x 22 Pitch RH

BRAVO I XC PRO FINISHED

•The Pro Finished Bravo I XC is designed for shallow water running, requiring quick planing and durable trailing edges
•Equipped with PVS allowing exhaust adjustment for planing, extended barrel to support quick hole shot and extra trailing edge cup for greater durability
•At WOT the 20 inch pitch Bravo I XC should offer similar rpm to the standard 22 inch pitch Bravo I
•Hub kit sold separately, 835257K6 or 835258K2 for 1 inch or 8M0183487 for 1.25 inch propshaft.

BRAVO I XC PROPELLER



48-**8M0100112**
15.3 x 24 Pitch RH
48-**8M0100111**
15.3 x 22 Pitch RH
48-**8M0118470**
15.3 x 21 Pitch RH
48-**8M0100110**
15.3 x 20 Pitch RH
48-**8M0118468**
15.3 x 19 Pitch RH

BRAVO I FS PRO FINISHED

•The Pro Finished Bravo I FS propeller is designed to improve ride quality, hole shot, and top end speed for a variety of applications. The 4 blades deliver unmatched time-to-plane performance, mid-range punch, and improved fuel economy
•150-400 hp, 450R HD gear case outboard and up to 600 hp sterndrive applications.
•Applicable for medium to heavy outboard bass, flats, cat flats, bay boats, center consoles and sterndrive deck and vee bottom boats
•A majority of four stroke outboards and sterndrive applications will use the prop with all four vent holes plugged with solid PVS fittings. Larger heavier multiple engine applications may benefit by taking one or two fittings out for improved planing
•Eligible for Joy Stick Piloting outboards.
•Hub kit sold separately; 835258K2 for 1 inch and 8M0183487 or 8M0183487 for 1.25 inch propshaft.

BRAVO I FS PROPELLER



48-**8M0104419**
15.25 x 33 Pitch RH

48-**8M0104420**
15.25 x 33 Pitch LH

48-**8M0104417**
15.25 x 32 Pitch RH

48-**8M0104418**
15.25 x 32 Pitch LH

48-**8M0064477**
15.25 x 31 Pitch RH

48-**8M0071097**
15.25 x 31 Pitch LH

48-**8M0064476**
15.25 x 30 Pitch RH

48-**8M0071096**
15.25 x 30 Pitch LH

48-**8M0064475**
15.25 x 29 Pitch RH

48-**8M0071095**
15.25 x 29 Pitch LH

48-**8M0128335**
15.25 x 28.5 Pitch RH

48-**8M0064473**
15.25 x 28 Pitch RH

48-**8M0071094**
15.25 x 28 Pitch LH

48-**8M0064472**
15.25 x 27 Pitch RH

48-**8M0071093**
15.25 x 27 Pitch LH

48-**8M0128334**
15.25 x 26.5 Pitch RH

48-**8M0064471**
15.25 x 26 Pitch RH

48-**8M0071092**
15.25 x 26 Pitch LH

48-**8M0129397**
15.25 x 25.5 Pitch RH

48-**8M0064470**
15.25 x 25 Pitch RH

48-**8M0071091**
15.25 x 25 Pitch LH

48-**8M0128333**
15.25 x 24.5 Pitch RH

48-**8M0064469**
15.25 x 24 Pitch RH

48-**8M0071090**
15.25 x 24 Pitch LH

48-**8M0152624**
15.25 x 23.5 Pitch RH

48-**8M0064468**
15.25 x 23 Pitch RH

48-**8M0071089**
15.25 x 23 Pitch LH

48-**8M0128332**
15.25 x 22.5 Pitch RH

48-**8M0064450**
15.25 x 22 Pitch RH

48-**8M0071088**
15.25 x 22 Pitch LH

48-**8M0118471**
15.25 x 21.5 Pitch RH

48-**8M0090455**
15.25 x 21 Pitch RH

48-**8M0090457**
15.25 x 21 Pitch LH

48-**8M0118469**
15.25 x 20.5 Pitch RH

48-**8M0090451**
15.25 x 20 Pitch RH

48-**8M0090453**
15.25 x 20 Pitch LH

REVOLUTION 4 XP

•The Pro Finished Mercury Racing Revolution 4 XP is offered in half pitch increments designed to fine tune the engines RPM maximizing performance
•Applicable for Center Console, Bay and work boats
•150 to 400 hp and 450R HD gear case outboards only, sterndrive up to 600 hp
•Eligible for Joy Stick Piloting outboards
•Hub kit sold separately; 835258K2 for 1 inch and 8M0183487 or 8M0183487 for 1.25 inch propshaft

REVOLUTION 4 XP



48-**8M0142117**
14.6 x 17 Pitch LH

48-**8M0142118**
14.6 x 17 Pitch RH

48-**8M0142115**
14.6 x 16 Pitch LH

48-**8M0142116**
14.6 x 16 Pitch RH

48-**8M0142113**
14.6 x 15 Pitch LH
48-**8M0142114**
14.6 x 15 Pitch RH
48-**8M0142111**
14.6 x 14 Pitch LH
48-**8M0142112**
14.6 x 14 Pitch RH
48-**8M0142110**
14.6 x 13 Pitch RH

ENERTIA ECO XP

•The Enertia ECO XP is offered in one half pitch icrements for extreme precision to dial in your outboard engines rpm maximizing performance and fuel economy at cruising speeds
•Ideal for long distance running center consoles, the Enertia ECO XP's large diameter and high progressive rake provide additional bow lift reducing boat drag
•Benefits include 10 percent fuel gains, durable X7 stainless steel alloy and eligible for Joy Stick Piloting outboards
•200 to 400 hp, and 450R HD gear case outboard only
•Hub kit sold separately; 835258K2 for 1 inch and 8M0183487 or 8M0183487 for 1.25 inch propshaft

ENERTIA ECO XP PROPELLER



48-**8M0108357**
16 x 22.5 Pitch LH
48-**8M0108354**
16 x 22.5 Pitch RH
48-**8M0119057**
16 x 21.5 Pitch LH
48-**8M0119058**
16 x 21.5 Pitch RH
48-**8M0108353**
16 x 20.5 Pitch LH
48-**8M0108352**
16 x 20.5 Pitch RH
48-**8M0119055**
16 x 19.5 Pitch LH
48-**8M0119056**
16 x 19.5 Pitch RH
48-**8M0108351**
16 x 18.5 Pitch LH
48-**8M0108350**
16 x 18.5 Pitch RH
48-**8M0119053**
16 x 17.5 Pitch LH
48-**8M0119052**
16 x 17.5 Pitch RH
48-**8M0110303**
16 x 16.5 Pitch LH
48-**8M0110304**
16 x 16.5 Pitch RH

VENTERA

The Ventera represents Mercury Racing's next evolution from the Rev 4 family of propellers. A stronger blade profile and 15.00" diameter offer improved longevity and performance over the Rev 4 XP for high horsepower outboard applications. The Pro Finished Ventera is available in half inch pitch increments to dial in performance and is compatible with the full range of Mercury Flo Torq hub kits. Rated for up to 600 hp in both conventional and surfacing applications.

VENTERA PROPELLER



48-**8M0214710**
15.00 x 18 Pitch RH
48-**8M0214711**
15.00 x 18 Pitch LH
48-**8M0214712**
15.00 x 18.5 Pitch RH
48-**8M0214713**
15.00 x 18.5 Pitch LH
48-**8M0214714**
15.00 x 19 Pitch RH
48-**8M0214715**
15.00 x 19 Pitch LH
48-**8M0214716**
15.00 x 19.5 Pitch RH
48-**8M0214717**
15.00 x 19.5 Pitch LH
48-**8M0214718**
15.00 x 20 Pitch RH
48-**8M0214719**
15.00 x 20 Pitch LH
48-**8M0214720**
15.00 x 20.5 Pitch RH
48-**8M0214721**
15.00 x 20.5 Pitch LH
48-**8M0214722**
15.00 x 21 Pitch RH
48-**8M0214723**
15.00 x 21 Pitch LH
48-**8M0214724**
15.00 x 21.5 Pitch RH
48-**8M0214725**
15.00 x 21.5 Pitch LH
48-**8M0214726**
15.00 x 22 Pitch RH
48-**8M0214727**
15.00 x 22 Pitch LH
48-**8M0214728**
15.00 x 22.5 Pitch RH
48-**8M0214729**
15.00 x 22.5 Pitch LH
48-**8M0214730**
15.00 x 23 Pitch RH

48-**8M0214731**
15.00 x 23 Pitch LH
48-**8M0214732**
15.00 x 23.5 Pitch RH
48-**8M0214733**
15.00 x 23.5 LH
48-**8M0214734**
15.00 x 24 Pitch RH
48-**8M0214735**
15.00 x 24 Pitch LH
48-**8M0214736**
15.00 x 24.5 Pitch RH
48-**8M0214737**
15.00 x 24.5 Pitch LH
48-**8M0214738**
15.00 x 25 Pitch RH
48-**8M0214739**
15.00 x 25 Pitch LH
48-**8M0214740**
15.00 x 25.5 Pitch RH
48-**8M0214741**
15.00 x 25.5 Pitch LH
48-**8M0173918**
15.00 x 26 Pitch RH
48-**8M0173919**
15.00 x 26 Pitch LH
48-**8M0173920**
15.00 x 26.5 Pitch RH
48-**8M0173921**
15.00 x 26.5 Pitch LH
48-**8M0173922**
15.00 x 27 Pitch RH
48-**8M0173923**
15.00 x 27 Pitch LH
48-**8M0173924**
15.00 x 27.5 Pitch RH
48-**8M0173925**
15.00 x 27.5 Pitch LH

VENTERA LAB FINISH

•The Ventera Lab Finish offers extreme blueprinted and increased efficiency compared to its Pro Finish counterpart.
•RPM gains are typically 150-200 compared to Pro Finish, allowing most users to step up in pitch and increase speed.
•Rated for up to 600hp in both conventional and surfacing applications.

VENTERA LAB FINISH



48-**8M0214742**
15.00 x 19 Pitch RH
48-**8M0214743**
15.00 x 19 Pitch LH
48-**8M0214744**
15.00 x 20 Pitch RH
48-**8M0214745**
15.00 x 20 Pitch LH
48-**8M0214746**
15.00 x 21 Pitch RH
48-**8M0214747**
15.00 x 21 Pitch LH
48-**8M0214748**
15.00 x 22 Pitch RH
48-**8M0214749**
15.00 x 22 Pitch LH
48-**8M0214750**
15.00 x 23 Pitch RH
48-**8M0214751**
15.00 x 23 Pitch LH
48-**8M0214752**
15.00 x 24 Pitch RH
48-**8M0214753**
15.00 x 24 Pitch LH
48-**8M0214754**
15.00 x 25 Pitch RH
48-**8M0214755**
15.00 x 25 Pitch LH
48-**8M0173947**
15.00 x 27.5 Pitch
48-**8M0173946**
15.00 x 27.5 Pitch RH
48-**8M0173945**
15.00 x 27 Pitch LH
48-**8M0173944**
15.00 x 27 Pitch RH
48-**8M0173943**
15.00 x 26.5 Pitch LH
48-**8M0173942**
15.00 x 26.5 Pitch RH
48-**8M0173941**
15.00 x 26 Pitch LH
48-**8M0173940**
15.00 x 26 Pitch RH

VENTERA LAB SATIN FINISH

•The Ventera Lab Satin Finish features the most extreme and precise finish offered from Mercury Racing.
•Every parameter of the propeller is blueprinted to exact specifications and finished off in the classic Mercury Racing satin buff, leaving all edges as crisp and sharp as possible for maximum grip and efficiency.
•Rated for up to 600hp in both conventional and surfacing applications.

VENTERA LAB SATIN FINISH



48-**8M0214757**
15.00 x 23 Pitch LH
48-**8M0214756**
15.00 x 23 Pitch RH
48-**8M0214759**
15.00 x 24 Pitch LH
48-**8M0214758**
15.00 x 24 Pitch RH

48-**8M0214761**
15.00 x 24.5 Pitch LH
48-**8M0214760**
15.00 x 24.5 Pitch RH
48-**8M0214763**
15.00 x 25 Pitch LH
48-**8M0214762**
15.00 x 25 Pitch RH
48-**8M0214765**
15.00 x 25.5 Pitch LH
48-**8M0214764**
15.00 x 25.5 Pitch RH
48-**8M0173948**
15.00 x 26 Pitch RH
48-**8M0173949**
15.00 x 26 Pitch LH
48-**8M0173950**
15.00 x 26.5 Pitch RH
48-**8M0173951**
15.00 x 26.5 Pitch LH
48-**8M0173952**
15.00 x 27 Pitch RH
48-**8M0173953**
15.00 x 27 Pitch LH
48-**8M0173954**
15.00 x 27.5 Pitch RH
48-**8M0173955**
15.00 x 27 Pitch LH

BRAVO I OC LAB FINISHED

•The Lab Finished Bravo I OC propeller is designed for Outboard Catamarans equipped with Sport Master gearcase or single outboard high speed boats
•The four blades with (8) PVS vent holes offer excellant planing, great handling, awesome mid-range acceleration and the tuned shortened exhaust tube provides bow and minimal stern lift for awesome top end speed
•150 to 400 hp outboard only
•Hub kit sold separately, 8M0183487 for 1.25 inch propshaft.

BRAVO I OC PROPELLER



48-**8M0092012**
14.75 x 33 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0092013**
14.75 x 33 Pitch LH SS 4 BL Polished Lab Finished
48-**8M0092010**
14.75 x 32 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0092011**
14.75 x 32 Pitch LH SS 4 BL Polished Lab Finished
48-**8M0092008**
14.75 x 31 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0092009**
14.75 x 31 Pitch LH SS 4 BL Polished Lab Finished
48-**8M0092006**
14.75 x 30 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0092007**
14.75 x 30 Pitch LH SS 4 BL Polished Lab Finished
48-**8M0092004**
14.75 x 29 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0092005**
14.75 x 29 Pitch LH SS 4 BL Polished Lab Finished
48-**8M0092002**
14.75 x 28 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0092003**
14.75 x 28 Pitch LH SS 4 BL Polished Lab Finished
48-**8M0129149**
14.75 x 27 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0129148**
14.75 x 26.5 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0129147**
14.75 x 26 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0144046**
14.75 x 25.5 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0144044**
14.75 x 24.5 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0144042**
14.75 x 23.5 Pitch RH SS 4 BL Polished Lab Finished
48-**8M0144040**
14.75 x 22.5 Pitch RH SS 4 BL Polished Lab Finished

BRAVO I LAB FINISHED

•The Lab Finished Bravo I propellers are designed for high-performance catamarans, vee bottoms, both outboard and sterndrive
•Excellent top speeds, great handling, good mid-range speeds and great planing performance
•250 to 400 hp and 450R HD gear case only, sterndrive up to 600 hp four stroke outboard and Bravo I, Sport and Sport Master sterndrive applications
•Hub kits sold separately, 835258K2 for 1 inch and 8M0183487 for 1.25 inch propshaft

BRAVO I LAB FINISHED PROPELLER



48-**831919L45**
15.25 X 33 Pitch LH SS Polished Lab Finished
48-**831920L45**
15.25 X 33 Pitch RH SS Polished Lab Finished
48-**831919L65**
15.25 X 32 Pitch LH SS Polished Lab Finished
48-**831920L65**
15.25 X 32 Pitch RH SS Polished Lab Finished
48-**831917L45**
15.25 X 31 Pitch LH SS Polished Lab Finished
48-**831918L45**
15.25 X 31 Pitch RH SS Polished Lab Finished
48-**831917L65**
15.25 X 30 Pitch LH SS Polished Lab Finished
48-**831918L65**
15.25 X 30 Pitch RH SS Polished Lab Finished
48-**831915L45**
15.25 X 29 Pitch LH SS Polished Lab Finished

48-**831916L45**
15.25 X 29 Pitch RH SS Polished Lab Finished
48-**831915L65**
15.25 X 28 Pitch LH SS Polished Lab Finished
48-**831916L65**
15.25 X 28 Pitch RH SS Polished Lab Finished
48-**831913L45**
15.25 X 27 Pitch LH SS Polished Lab Finished
48-**831914L45**
15.25 X 27 Pitch RH SS Polished Lab Finished
48-**831913L65**
15.25 X 26 Pitch LH SS Polished Lab Finished
48-**831914L65**
15.25 X 26 Pitch RH SS Polished Lab Finished
48-**831911L45**
15.25 x 25 Pitch LH SS Polished Lab Finished
48-**831912L45**
15.25 x 25 Pitch RH SS Polished Lab Finished
48-**831911L65**
15.25 X 24 Pitch LH SS Polished Lab Finished
48-**831912L65**
15.25 X 24 Pitch RH SS Polished Lab Finished
48-**8M0073457**
15.25 X 23 Pitch LH, SS Polished Lab Finished
48-**8M0073456**
15.25 X 23 Pitch RH SS Polished Lab Finished
48-**831909L65**
15.25 X 22 Pitch LH SS Polished Lab Finished
48-**831910L65**
15.25 X 22 Pitch RH SS Polished Lab Finished

MAX 5 LAB FINISHED

•The Lab Finished MAX 5 is designed for high performance Outboard Center Console and Cats with elevated engine heights
•Also applicable for high performance Vee Bottom, Sterndrive Sport Deck, Cats and Modified Cats with top speeds over 80 mph
•Available in either 15.00 or 15.25 diameter, the Max 5 holds more water and offers less slip than it's 4 blade counterparts
•250 to 450 hp outboards, and up to 600 hp sterndrive
•For the 1.25 inch prop shaft use 8M0183487 HD Hub kit and for 1 inch prop shaft use hub kit 835258K2

MAX 5 PROPELLER



48-**8M0118017**
15 x 34 Pitch LH, SS Polished LAB
48-**8M0118016**
15 x 34 Pitch RH, SS Polished LAB
48-**8M0118015**
15 x 33.5 Pitch LH, SS Polished LAB
48-**8M0118014**
15 x 33.5 Pitch RH, SS Polished LAB
48-**8M0118013**
15 x 33 Polished LH, SS Polished LAB
48-**8M0118012**
15 x 33 Pitch RH, SS Polished LAB
48-**8M0131167**
15 x 32.8 Pitch LH, SS Polished LAB
48-**8M0131166**
15 x 32.8 RH, SS Polished LAB
48-**8M0131165**
15 x 32.3 Pitch LH, SS Polished LAB
48-**8M0131164**
15 x 32.3 Pitch RH, SS Polished LAB
48-**8M0118011**
15 x 32 Pitch LH, SS Polished LAB
48-**8M0118010**
15 x 32 Pitch RH, SS Polished LAB
48-**8M0118009**
15 x 31.5 Pitch LH, SS Polished LAB
48-**8M0118008**
15 x 31.5 Pitch RH, SS Polished LAB
48-**8M0118007**
15 x 31 Pitch LH, SS Polished LAB
48-**8M0118006**
15 x 31 Pitch RH, SS Polished LAB
48-**8M0131163**
15 x 30.8 Pitch LH, SS Polished LAB
48-**8M0131162**
15 x 30.8 Pitch RH SS Polished LAB
48-**8M0131161**
15 x 30.3 Pitch LH SS Polished LAB
48-**8M0131160**
15 x 30.3 Pitch RH SS Polished LAB
48-**8M0118005**
15 x 30 Pitch LH, SS Polished LAB
48-**8M0118004**
15 x 30 Pitch RH, SS Polished LAB
48-**8M0118003**
15 x 29.5 Pitch LH, SS Polished LAB
48-**8M0118002**
15 x 29.5 Pitch RH, SS Polished LAB
48-**8M0118001**
15 x 29 Pitch LH, SS Polished LAB
48-**8M0118000**
15 x 29 Pitch RH, SS Polished LAB
48-**8M0131159**
15 x 28.8 Pitch LH SS Polished LAB
48-**8M0131158**
15 x 28.8 Pitch RH SS Polished LAB
48-**8M0131157**
15 x 28.3 Pitch LH SS Polished LAB
48-**8M0131156**
15 x 28.3 Pitch RH SS Polished LAB
48-**8M0117999**
15 x 28 Pitch LH, SS Polished LAB
48-**8M0117998**
15 x 28 Pitch RH, SS Polished LAB
48-**8M0117997**
15 x 27.5 Pitch LH, SS Polished LAB
48-**8M0117996**
15 x 27.5 Pitch RH, SS Polished LAB
48-**8M0117995**
15 x 27 Pitch LH, SS Polished LAB
48-**8M0117994**
15 x 27 Pitch RH, SS Polished LAB
48-**8M0131155**
15 x 26.8 Pitch LH SS Polished LAB
48-**8M0131154**
15 x 26.8 Pitch RH SS Polished LAB
48-**8M0131153**
15 x 26.3 Pitch LH SS Polished LAB

48-**8M0131152**
15 x 26.3 Pitch RH SS Polished LAB
48-**8M0117993**
15 x 26 Pitch LH, SS Polished LAB
48-**8M0117992**
15 x 26 Pitch RH, SS Polished LAB
48-**8M0117991**
15 x 25.5 Pitch LH, SS Polished LAB
48-**8M0117990**
15 x 25.5 Pitch RH, SS Polished LAB
48-**8M0117989**
15 x 25 Pitch LH, SS Polished LAB
48-**8M0117988**
15 x 25 Pitch RH, SS Polished LAB
48-**8M0131151**
15 x 24.8 Pitch LH SS Polished LAB
48-**8M0131150**
15 x 24.8 Pitch RH SS Polished LAB
48-**8M0131149**
15 x 24.3 Pitch LH SS Polished LAB
48-**8M0131148**
15 x 24.3 Pitch RH SS Polished LAB
48-**8M0117987**
15 x 24 Pitch LH, SS Polished LAB
48-**8M0117986**
15 x 24 Pitch RH, SS Polished LAB
48-**8M0117985**
15 x 23.5 Pitch LH, SS Polished LAB
48-**8M0117984**
15 x 23.5 Pitch RH, SS Polished LAB
48-**8M0117983**
15 x 23 Polished LH, SS Polished LAB
48-**8M0117982**
15 x 23 Pitch RH, SS Polished LAB
48-**8M0131147**
15 x 22.8 Pitch LH SS Polished LAB
48-**8M0131146**
15 x 22.8 Pitch RH SS Polished LAB
48-**8M0131145**
15 x 22.3 Pitch LH SS Polished LAB
48-**8M0131144**
15 x 22.3 Pitch RH SS Polished LAB
48-**8M0156434**
15.25 x 22.5 Pitch RH SS Polished LAB
48-**8M0156436**
15.25 x 23 Pitch RH SS Polished LAB
48-**8M0156438**
15.25 x 23.5 Pitch RH SS Polished LAB
48-**8M0156440**
15.25 x 24 Pitch RH SS Polished LAB
48-**8M0156435**
15.25 x 22.5 Pitch LH SS Polished LAB
48-**8M0156437**
15.25 x 23 Pitch LH SS Polsihed LAB
48-**8M0156439**
15.25 x 23.5 Pitch LH SS Polished LAB
48-**8M0156441**
15.25 x 24 Pitch LH SS Polished LAb
48-**8M0156444**
15.25 x 24.5 Pitch RH SS Polished LAB
48-**8M0156446**
15.25 x 25 RH SS Polished LAB
48-**8M0156448**
15.25 x 25.5 RH SS Polished LAB
48-**8M0156450**
15.25 x 26 Pitch RH SS Polished LAB
48-**8M0156445**
15.25 x 24.5 Pitch LH SS Polished LAB
48-**8M0156447**
15.25 x 25 Pitch LH SS Polished LAB
48-**8M0156449**
15.25 x 25.5 Pitch LH SS Polished LAB
48-**8M0156451**
15.25 x 26 Pitch LH SS Polished LAB
48-**8M0156454**
15.25 x 26.5 Pitch RH SS Polished LAB
48-**8M0156456**
15.25 x 27 Pitch RH SS Polished LAB
48-**8M0156458**
15.25 x 27.5 Pitch RH SS Polished LAB
48-**8M0156460**
15.25 x 28 Pitch RH SS Polished LAB
48-**8M0156455**
15.25 x 26.5 Pitch LH SS Polished LAB
48-**8M0156457**
15.25 x 27 Pitch LH SS Polished LAB
48-**8M0156459**
15.25 x 27.5 Pitch LH SS Polished LAB
48-**8M0156461**
15.25 x 28 Pitch LH SS Polished LAB
48-**8M0156464**
15.25 x 28.5 Pitch RH SS Polished LAB
48-**8M0156466**
15.25 x 29 Pitch RH SS Polished LAB
48-**8M0156468**
15.25 x 29.5 Pitch RH SS Polished LAB
48-**8M0156470**
15.25 x 30 Pitch RH SS Polished LAB
48-**8M0156465**
15.25 x 28.5 Pitch LH SS Polished LAB
48-**8M0156467**
15.25 x 29 Pitch LH SS Polished LAB
48-**8M0156469**
15.25 x 29.5 Pitch LH SS Polished LAB
48-**8M0156471**
15.25 x 30 Pitch LH SS Polished LAB
48-**8M0156474**
15.25 x 30.5 Pitch RH SS Polished LAB
48-**8M0156476**
15.25 x 31 Pitch RH Polished LAB
48-**8M0156478**
15.25 x 31.5 Pitch RH SS Polished LAB
48-**8M0156480**
15.25 x 32 Pitch RH SS Polished LAB
48-**8M0156475**
15.25 x 30.5 Pitch LH SS Polished LAB
48-**8M0156477**
15.25 x 31 Pitch LH SS Polished LAB
48-**8M0156479**
15.25 x 31.5 Pitch LH SS Polished LAB
48-**8M0156481**
15.25 x 32 Pitch LH SS Polished LAB
48-**8M0156484**
15.25 x 32.5 Pitch RH SS Polished LAB
48-**8M0156486**
15.25 x 33 Pitch RH SS Polished LAB
48-**8M0156488**
15.25 x 33.5 Pitch RH SS Polished LAB
48-**8M0156490**
15.25 x 34 Pitch RH SS Polished LAB
48-**8M0156485**
15.25 x 32.5 Pitch LH SS Polished LAB

48-**8M0156487**
15.25 x 33 Pitch LH SS Polished LAB

48-**8M0156489**
15.25 x 33.5 Pitch LH SS Polished LAB

48-**8M0156491**
15.25 x 34 Pitch LH SS Polished LAB

MAX 5 ST LAB FINISHED

•The Lab Finished MAX 5 ST is designed for high performance bass boats, center consoles and outboard catamarans with elevated engine heights
•The shortened exhaust barrel enhances performance of lightweight outboard boats by keeping the stern planted for a confidence-inspired ride, while the 15.25 inch diameter stays hooked up at extreme engine heights
•250 to 450 hp outboard, up to 600 hp sterndrive
•For the 1.25 inch prop shaft use 8M0183487 HD Hub kit and for 1 inch prop shaft use hub kit 835258K2.

MAX 5 ST PROPELLER



48-**8M0156494**
15.25 x 22.5 Pitch RH SS Lab Finished

48-**8M0156496**
15.25 x 23 Pitch RH SS Polished Lab Finished

48-**8M0156498**
15.25 x 23.5 Pitch RH SS Polished Lab Finished

48-**8M0156500**
15.25 x 24 Pitch RH SS Polished Lab Finished

48-**8M0156495**
15.25 x 22.5 Pitch LH SS Polished Lab Finished

48-**8M0156497**
15.25 x 23 Pitch LH SS Polished Lab Finished

48-**8M0156499**
15.25 x 23.5 Pitch LH SS Polished Lab Finished

48-**8M0156501**
15.25 x 24 Pitch LH SS Polished Lab Finished

48-**8M0156504**
15.25 x 24.5 Pitch RH SS Polished Lab Finished

48-**8M0156506**
15.25 x 25 Pitch RH SS Polished Lab Finished

48-**8M0156508**
15.25 x 25.5 Pitch RH SS Polished Lab Finished

48-**8M0156510**
15.25 x 26 Pitch RH SS Polished Lab Finished

48-**8M0156505**
15.25 x 24.5 Pitch LH SS Polished Lab Finished

48-**8M0156507**
15.25 x 25 Pitch LH SS Polished Lab Finished

48-**8M0156509**
15.25 x 25.5 Pitch LH SS Polished Lab Finished

48-**8M0156511**
15.25 x 26 Pitch LH SS Polished Lab Finished

48-**8M0156514**
15.25 x 26.5 Pitch RH SS Polished Lab Finished

48-**8M0156516**
15.25 x 27 Pitch RH SS Polished Lab Finished

48-**8M0156518**
15.25 x 27.5 Pitch RH SS Polished Lab Finished

48-**8M0156520**
15.25 x 28 Pitch RH SS Polished Lab Finished

48-**8M0156515**
15.25 x 26.5 Pitch LH SS Polished Lab Finished

48-**8M0156517**
15.25 x 27 Pitch LH SS Polished Lab Finished

48-**8M0156519**
15.25 x 27.5 Pitch LH SS Polished Lab Finished

48-**8M0156521**
15.25 x 28 Pitch LH SS Polished Lab Finished

48-**8M0156524**
15.25 x 28.5 Pitch RH SS Polished Lab Finished

48-**8M0156526**
15.25 x 29 Pitch RH SS Polished Lab Finished

48-**8M0156528**
15.25 x 29.5 Pitch RH SS Polished Lab Finished

48-**8M0156530**
15.25 x 30 Pitch RH SS Polished Lab Finished

48-**8M0156525**
15.25 x 28.5 Pitch LH SS Polished Lab Finished

48-**8M0156527**
15.25 x 29 Pitch LH SS Polished Lab Finished

48-**8M0156529**
15.25 x 29.5 Pitch LH SS Polished Lab Finished

48-**8M0156531**
15.25 x 30 Pitch LH SS Polished Lab Finished

48-**8M0156534**
15.25 x 30.5 Pitch RH SS Polished Lab Finished

48-**8M0156536**
15.25 x 31 Pitch RH SS Polished Lab Finished

48-**8M0156538**
15.25 x 31.5 Pitch RH SS Polished Lab Finished

48-**8M0156540**
15.25 x 32 Pitch RH SS Polished Lab Finished

48-**8M0156535**
15.25 x 30.5 Pitch LH SS Polished Lab Finished

48-**8M0156537**
15.25 x 31 Pitch LH SS Polished Lab Finished

48-**8M0156539**
15.25 x 31.5 Pitch LH SS Polished Lab Finished

48-**8M0156541**
15.25 x 32 Pitch LH SS Polished Lab Finished

48-**8M0156544**
15.25 x 32.5 Pitch RH SS Polished Lab Finished

48-**8M0156546**
15.25 x 33 Pitch RH SS Polished Lab Finished

48-**8M0156548**
15.25 x 33.5 Pitch RH SS Polished Lab Finished

48-**8M0156550**
15.25 x 34 Pitch RH SS Polished Lab Finished

48-**8M0156545**
15.25 x 32.5 Pitch LH SS Polished Lab Finished

48-**8M0156547**
15.25 x 33 Pitch LH SS Polished Lab Finished

48-**8M0156549**
15.25 x 33.5 Pitch LH SS Polished Lab Finished

48-**8M0156551**
15.25 x 34 Pitch LH SS Polished Lab Finished

MAXIMUS PRO FINISH

- The Pro Finish Maximus from Mercury Racing is designed to be a substitute for the stock Mercury Maximus which is no longer available. All models are offered in 15.63" diameter and the full-length flared barrel.
- Pro Finish offers mild blade blueprinting and full zero-balancing by hand at a competitive price point.

MAXIMUS PROPELLER.



48-**8M0230124**
15.63 x 23 RH
48-**8M0230125**
15.63 x 23 LH
48-**8M0230126**
15.63 x 24 RH
48-**8M0230127**
15.63 x 24 LH
48-**8M0230128**
15.63 x 25 RH
48-**8M0230129**
15.63 x 25 LH
48-**8M0230130**
15.63 x 26 RH
48-**8M0230131**
15.63 x 26 LH
48-**8M0230132**
15.63 x 27 RH
48-**8M0230133**
15.63 x 27 LH
48-**8M0230134**
15.63 x 28 RH
48-**8M0230135**
15.63 x 28 LH
48-**8M0230136**
15.63 x 29 RH
48-**8M0230137**
15.63 x 29 LH
48-**8M0230138**
15.63 x 30 RH
48-**8M0230139**
15.63 x 30 LH
48-**8M0230140**
15.63 x 31 RH
48-**8M0230141**
15.63 x 31 LH
48-**8M0230142**
15.63 x 32 RH
48-**8M0230143**
15.63 x 32 LH
48-**8M0230144**
15.63 x 33 RH
48-**8M0230145**
15.63 x 33 LH
48-**8M0230146**
15.63 x 34 RH
48-**8M0230147**
15.63 x 34 LH

MAXIMUS LONG TUBE LAB FINISHED

•The Lab Finished Maximus propeller is designed to reduce propeller slip with high-performance, high gearcase drive height sterndrive applications
•Excellent top speeds, great handling, good mid-range speeds and eye popping planing performance for Deep Vee, Deep Step Vee and Deck boats
•300 to 450 hp outboard, up to 600 hp sterndrive
•Barrel length is 8.5 inches, adds stern lift. Hub kits are sold separately, for 1.25 inch prop shaft use 8M0183487 HD Hub kit. If using with 1 inch prop shaft use hub kit 835258K 2. If using full 15.625 inch diameter with the XR Sport Master Shorty the anti-cavitation plate must be removed.

MAXIMUS LONG TUBE LAB FINISHED PROPELLER



48-**889973L85**
15.63 X 35 Pitch LH, SS Lab Finished
48-**889973L84**
15.3 X 35 Pitch LH, SS Lab Finished
48-**889972L85**
15.63X 35 Pitch RH, SS Lab Finished
48-**889972L84**
15.3 X 35 Pitch RH, SS Lab Finished
48-**889973L65**
15.63 X 34 Pitch LH, SS Lab Finished
48-**889973L64**
15.3 X 34 Pitch LH, SS Lab Finished
48-**889973L63**
15 X 34 Pitch LH, SS Lab Finished
48-**889972L65**
15.63 X 34 Pitch RH, SS Lab Finished
48-**889972L64**
15.3 X 34 Pitch RH, SS Lab Finished
48-**889972L63**
15 X 34 Pitch RH, SS Lab Finished
48-**889973L45**
15.63 X 33 Pitch LH, SS Lab Finished
48-**889973L44**
15.3 X 33 Pitch LH, SS Lab Finished
48-**889972L45**
15.63 X 33 Pitch RH, SS Lab Finished
48-**889972L44**
15.3 X 33 Pitch RH, SS Lab Finished
48-**889971L65**
15.63 X 32 Pitch LH, SS Lab Finished
48-**889971L64**
15.3 X 32 Pitch LH, SS Lab Finished
48-**889971L63**
15 X 32 Pitch LH, SS Lab Finished
48-**889970L65**
15.63 X 32 Pitch RH, SS Lab Finished
48-**889970L64**
15.3 X 32 Pitch RH, SS Lab Finished

48-**889970L63**
15 X 32 Pitch RH, SS Lab Finished
48-**889971L45**
15.63 X 31 Pitch LH, SS Lab Finished
48-**889971L44**
15.3 X 31 Pitch LH, SS Lab Finished
48-**889970L45**
15.63 X 31 Pitch RH, SS Lab Finished
48-**889970L44**
15.3 X 31 Pitch RH, SS Lab Finished
48-**889969L65**
15.63 X 30 Pitch LH, SS Lab Finished
48-**889969L64**
15.3 X 30 Pitch LH, SS Lab Finished
48-**889969L63**
15 X 30 Pitch LH, SS Lab Finished
48-**889968L65**
15.63 X 30 Pitch RH, SS Lab Finished
48-**889968L64**
15.3 X 30 Pitch RH, SS Lab Finished
48-**889968L63**
15 X 30 Pitch RH, SS Lab Finished
48-**889969L45**
15.63 X 29 Pitch LH, SS Lab Finished
48-**889969L44**
15.3 X 29 Pitch LH, SS Lab Finished
48-**889968L45**
15.63 X 29 Pitch RH, SS Lab Finished
48-**889968L44**
15.3 X 29 Pitch RH, SS Lab Finished
48-**889967L65**
15.63 X 28 Pitch LH, SS Lab Finished
48-**889967L64**
15.3 X 28 Pitch LH, SS Lab Finished
48-**889967L63**
15 X 28 Pitch LH, SS Lab Finished
48-**889966L65**
15.63 X 28 Pitch RH, SS Lab Finished
48-**889966L64**
15.3 X 28 RH, SS Lab Finished
48-**889966L63**
15 X 28 Pitch RH, SS Lab Finished
48-**889967L45**
15.63 X 27 Pitch LH, SS Lab Finished
48-**889967L44**
15.3 X 27 LH, SS Lab Finished
48-**889966L45**
15.63 X 27 RH, SS Lab Finished
48-**889966L44**
15.3 X 27 Pitch RH, SS 5 Lab Finished
48-**889965L65**
15.63 X 26 Pitch LH, SS Lab Finished
48-**889965L64**
15.3 X 26 Pitch LH, SS Lab Finished
48-**889965L63**
15 X 26 Pitch LH, SS Lab Finished
48-**889964L65**
15.63 X 26 Pitch RH, SS Lab Finished
48-**889964L64**
15.3 X 26 Pitch RH, SS Lab Finished
48-**889964L63**
15 X 26 Pitch RH, SS Lab Finished
48-**889965L45**
15.63 X 25 Pitch LH, SS Lab Finished
48-**889965L44**
15.3 X 25 Pitch LH, SS Lab Finished
48-**889964L45**
15.63 X 25 Pitch RH, SS Lab Finished
48-**889964L44**
15.3 X 25 Pitch RH, SS Lab Finished
48-**889975L65**
15.63 X 24 Pitch LH, SS Lab Finished
48-**889975L64**
15.3 X 24 Pitch LH, SS Lab Finished
48-**889975L63**
15 X 24 Pitch LH, SS Lab Finished
48-**889974L65**
15.63 X 24 Pitch RH, SS Lab Finished
48-**889974L64**
15.3 X 24 Pitch RH, SS Lab Finished
48-**889974L63**
15 X 24 Pitch RH, SS Lab Finished
48-**889975L45**
15.63 X 23 Pitch LH, SS Lab Finished
48-**889975L44**
15.3 X 23 Pitch LH, SS Lab Finished
48-**889974L45**
15.63 X 23 Pitch RH, SS Lab Finished
48-**889974L44**
15.3 X 23 Pitch RH, SS Lab Finished

MAXIMUS SHORT TUBE LAB FINISHED

•The Lab Finished Maximus propeller is designed to reduce propeller slip for high-performance, high gearcase drive height sterndrive applications.
•Excellent top speeds, great handling, good mid-range speeds and eye popping planing performance for Vee, Step Vee, Cats and Deck boats
•300 to 450 hp outboard, up to 600 hp sterndrive
•Barrel length is 7.875 inches reduces stern lift. Hub kits sold separately, for 1.25 inch prop shaft use 8M0183487 HD Hub kit and for 1 inch prop shaft use hub kit 835258K 2. If using full 15.625 inch diameter with the XR Sport Master Shorty the anti-cavitation plate must be removed

MAXIMUS SHORT TUBE LAB FINISHED PROPELLER



48-**889973L89**
15.63 X 35 Pitch LH, SS Lab Finished
48-**889973L88**
15.3 X 35 Pitch LH, SS Lab Finished
48-**889972L89**
15.63 X 35 Pitch RH, SS Lab Finished
48-**889972L88**
15.3 X 35 Pitch RH, SS Lab Finished
48-**889973L69**
15.63 X 34 Pitch LH, SS Lab Finished
48-**889973L68**
15.3 X 34 Pitch LH, SS Lab Finished
48-**889972L69**
15.63 X 34 Pitch RH, SS Lab Finished
48-**889972L68**
15.3 X 34 Pitch RH, SS Lab Finished

48-**889973L49**
15.63 X 33 Pitch LH, SS Lab Finished
48-**889973L48**
15.3 X 33 Pitch LH, SS Lab Finished
48-**889972L49**
15.63 X 33 Pitch RH, SS Lab Finished
48-**889972L48**
15.3 X 33 Pitch RH, SS Lab Finished
48-**889971L69**
15.63 X 32 Pitch LH, SS Lab Finished
48-**889971L68**
15.3 X 32 Pitch LH, SS Lab Finished
48-**889970L69**
15.63 X 32 Pitch RH, SS Lab Finished
48-**889970L68**
15.3 X 32 Pitch RH, SS Lab Finished
48-**889971L49**
15.63 31 Pitch LH, SS Lab Finished
48-**889971L48**
15.25 X 31 LH, SS 5BL Lab Finished.
48-**889970L49**
15.63 X 31 Pitch RH, SS Lab Finished
48-**889970L48**
15.3 X 31 Pitch RH, SS Lab Finished
48-**889969L69**
15.63 X 30 Pitch LH, SS Lab Finished
48-**889969L68**
15.3 X 30 Pitch LH, SS Lab Finished
48-**889968L69**
15.63 X 30 RH, SS 5BL Lab Finished.
48-**889968L68**
15.3 X 30 RH, SS Lab Finished
48-**889969L49**
15.63 X 29 Pitch LH, SS Lab Finished
48-**889969L48**
15.3 X 29 Pitch LH, SS Lab Finished
48-**889968L49**
15.63 X 29 Pitch RH, SS Lab Finished
48-**889968L48**
15.3 X 29 Pitch RH, SS Lab Finished
48-**889967L69**
15.63 X 28 Pitch LH, SS Lab Finished
48-**889967L68**
15.3 X 28 Pitch LH, SS Lab Finished
48-**889966L69**
15.63 X 28 Pitch RH, SS Lab Finished
48-**889966L68**
15.3 X 28 Pitch RH, SS Lab Finished
48-**889967L49**
15.63 X 27 Pitch LH, SS Lab Finished
48-**889967L48**
15.3 X 27 Pitch LH, SS Lab Finished
48-**889966L49**
15.63 X 27 Pitch RH, SS Lab Finished
48-**889966L48**
15.3 X 27 Pitch RH, SS Lab Finished
48-**889965L69**
15.63 X 26 Pitch LH, SS Lab Finished
48-**889965L68**
15.3 X 26 Pitch LH, SS Lab Finished
48-**889964L69**
15.63 X 26 Pitch RH, SS Lab Finished
48-**889964L68**
15.3 X 26 Pitch RH, SS Lab Finished
48-**889965L49**
15.63 X 25 Pitch LH, SS Lab Finished
48-**889965L48**
15.3 X 25 LH, SS Lab Finished
48-**889964L49**
15.63 X 25 Pitch RH, SS Lab Finished
48-**889964L48**
15.3 X 25 RH, SS Lab Finished
48-**889975L69**
15.63 X 24 Pitch LH, SS Lab Finished
48-**889975L68**
15.3 X 24 Pitch LH, SS Lab Finished
48-**889974L69**
15.63 X 24 Pitch RH, SS Lab Finished
48-**889974L68**
15.25 X 24 Pitch RH, SS Lab Finished
48-**889975L49**
15.63 X 23 Pitch LH, SS Lab Finished
48-**889975L48**
15.25 X 23 Pitch LH, SS Lab Finished
48-**889974L49**
15.63 X 23 Pitch RH, SS Lab Finished
48-**889974L48**
15.25 X 23 Pitch RH, SS Lab Finished

BRAVO THREE XR PRO FINISHED

Designed for 250-520 horsepower gas and diesel powered sport cruisers and performance Bravo Three applications. A large diameter 4 blade forward propeller followed by a smaller diameter 3 blade aft propeller feature built in cup for incredible handling, improved fuel economy at cruise and boat control. Intended for the Bravo Three XR drive and can be used with the Bravo Three and Bravo Three X drives. The Pro Finish provides a performance leading edge, consistent cup heights, zero balanced for minimal vibration and durable high luster finish.
As a general rule the odd pitch numbered Bravo Three XR propellers run similar engine RPM to the next higher pitch even numbered Bravo Three propellers. For example, the Bravo Three XR 27 pitch matches the RPM of a Bravo Three 28 pitch with satin finish.

BRAVO THREE XR PRO FINISHED PROPELLER



48-**842945L80**
15.5 x 28 Pitch LH SS 4 BL High Gloss - Front
48-**842946L80**
14.5 x 28 Pitch RH, SS 3 BL High Gloss - Rear
48-**8M0125747**
15.5 x 27.5 Pitch LH, SS 4 BL High Polished - Forward
48-**8M0125746**
14.5 x 27.5 Pitch RH, SS 3 BL High Gloss - Rear
48-**842945L70**
15.5 x 27 Pitch LH, SS 4 BL High Gloss - Front
48-**842946L70**
14.5 x 27 Pitch RH, SS 3 BL High Gloss - Rear
48-**842943L80**
15.8 X 26 Pitch LH, SS 4 BL High Gloss - Front
48-**842944L80**
14.8 X 26 Pitch RH, SS 3 BL High Gloss - Rear

48-**8M0125745**
15.8 x 25.5 Pitch LH, SS 4 BL High Polished - Forward
48-**8M0125744**
14.8 x 25.5 Pitch RH, SS 3 BL High Gloss - Rear
48-**842943L70**
15.8 x 25 Pitch LH, SS 4 BL High Gloss - Front
48-**842944L70**
14.8 x 25 Pitch RH, SS 3 BL High Gloss - Rear
48-**842941L80**
16 X 24 Pitch LH, SS 4 BL High Gloss - Front
48-**842942L80**
15 X 24 Pitch RH, SS 3 BL High Gloss - Rear
48-**8M0125743**
16 x 23.5 Pitch LH, SS 4 BL High Gloss -Forward
48-**8M0125742**
15 x 23.5 Pitch RH, SS 3 BL High Gloss - Rear
48-**842941L70**
16 x 23 Pitch LH, SS 4 BL High Gloss - Front
48-**842942L70**
15 x 23 Pitch RH, SS 3 BL High Gloss - Rear
48-**8M0073458**
16 x 22 Pitch LH SS 4 BL High Gloss - Front
48-**8M0073459**
15 x 22 Pitch RH SS 3 BL High Gloss - Rear
48-**8M0125741**
16 x 21.5 Pitch LH, SS 4 BL High Gloss - Forward
48-**8M0125740**
15 x 21.5 Pitch RH, SS 3 BL High Gloss - Rear
48-**842939L70**
16 x 21 Pitch LH SS 4 BL High Gloss - Front
48-**842940L70**
15 x 21 Pitch RH SS 3 BL High Gloss - Rear
48-**8M0125739**
16 x 20 Pitch LH, SS 4 BL High Gloss - Forward
48-**8M0125738**
15 x 20 Pitch RH, SS 3 BL High Gloss - Rear

ALTITUDE CNC CLEAVER 300HP

- Altitude propellers feature the same level of precision and customization as all other Mercury Racing CNC Cleaver propellers.
- 300HP models are specifically designed for use on the 300R and feature 1.25" broached prop shaft splines.
- Custom order 1", 2", or 3" barrel extensions

ALTITUDE PROPELLER.



48-**8M0226682**
14.75 x 26 RH 18R 300hp
48-**8M0226683**
14.75 x 26 LH 18R 300hp
48-**8M0226684**
15.00 x 26 RH 18R 300hp
48-**8M0226685**
15.00 x 26 LH 18R 300hp
48-**8M0226686**
15.25 x 26 RH 18R 300hp
48-**8M0226687**
15.25 x 26 LH 18R 300hp
48-**8M0226688**
15.50 x 26 RH 18R 300hp
48-**8M0226689**
15.50 x 26 LH 18R 300hp
48-**8M0226698**
14.75 x 27 RH 18R 300hp
48-**8M0226699**
14.75 x 27 LH 18R 300hp
48-**8M0226700**
15.00 x 27 RH 18R 300hp
48-**8M0226701**
15.00 x 27 LH 18R 300hp
48-**8M0226702**
15.25 x 27 RH 18R 300hp
48-**8M0226703**
15.25 x 27 LH 18R 300hp
48-**8M0226704**
15.50 x 27 RH 18R 300hp
48-**8M0226705**
15.50 x 27 LH 18R 300hp
48-**8M0226714**
14.75 x 28 RH 18R 300hp
48-**8M0226715**
14.75 x 28 LH 18R 300hp
48-**8M0226716**
15.00 x 28 RH 18R 300hp
48-**8M0226717**
15.00 x 28 LH 18R 300hp
48-**8M0226718**
15.25 x 28 RH 18R 300hp
48-**8M0226719**
15.25 x 28 LH 18R 300hp
48-**8M0226720**
15.50 x 28 RH 18R 300hp
48-**8M0226721**
15.50 x 28 LH 18R 300hp
48-**8M0226738**
14.75 x 30 RH 15R 300hp
48-**8M0226739**
14.75 x 30 LH 15R 300hp
48-**8M0226740**
15.00 x 30 RH 15R 300hp
48-**8M0226741**
15.00 x 30 LH 15R 300hp
48-**8M0226742**
15.25 x 30 RH 15R 300hp
48-**8M0226743**
15.25 x 30 LH 15R 300hp
48-**8M0226744**
15.50 x 30 RH 15R 300hp
48-**8M0226745**
15.50 x 30 LH 15R 300hp
48-**8M0226754**
14.75 x 31 RH 15R 310hp
48-**8M0226755**
14.75 x 31 LH 15R 310hp
48-**8M0226756**
15.00 x 31 RH 15R 310hp
48-**8M0226757**
15.00 x 31 LH 15R 310hp
48-**8M0226758**
15.25 x 31 RH 15R 310hp
48-**8M0226759**
15.25 x 31 LH 15R 310hp

48-**8M0226760**
15.50 x 31 RH 15R 310hp
48-**8M0226761**
15.50 x 31 LH 15R 310hp
48-**8M0226770**
14.75 x 32 RH 15R 320hp
48-**8M0226771**
14.75 x 32 LH 15R 320hp
48-**8M0226772**
15.00 x 32 RH 15R 320hp
48-**8M0226773**
15.00 x 32 LH 15R 320hp
48-**8M0226774**
15.25 x 32 RH 15R 320hp
48-**8M0226775**
15.25 x 32 LH 15R 320hp
48-**8M0226776**
15.50 x 32 RH 15R 320hp
48-**8M0226777**
15.50 x 32 LH 15R 320hp
48-**8M0226786**
14.75 x 33 RH 15R 330hp
48-**8M0226787**
14.75 x 33 LH 15R 330hp
48-**8M0226788**
15.00 x 33 RH 15R 330hp
48-**8M0226789**
15.00 x 33 LH 15R 330hp
48-**8M0226790**
15.25 x 33 RH 15R 330hp
48-**8M0226791**
15.25 x 33 LH 15R 330hp
48-**8M0226792**
15.50 x 33 RH 15R 330hp
48-**8M0226793**
15.50 x 33 LH 15R 330hp
48-**8M0226802**
14.75 x 34 RH 15R 340hp
48-**8M0226803**
14.75 x 34 LH 15R 340hp
48-**8M0226804**
15.00 x 34 RH 15R 340hp
48-**8M0226805**
15.00 x 34 LH 15R 340hp
48-**8M0226806**
15.25 x 34 RH 15R 340hp
48-**8M0226807**
15.25 x 34 LH 15R 340hp
48-**8M0226808**
15.50 x 34 RH 15R 340hp
48-**8M0226809**
15.50 x 34 LH 15R 340hp
48-**8M0226818**
14.75 x 35 RH 15R 350hp
48-**8M0226819**
14.75 x 35 LH 15R 350hp
48-**8M0226820**
15.00 x 35 RH 15R 350hp
48-**8M0226821**
15.00 x 35 LH 15R 350hp
48-**8M0226822**
15.25 x 35 RH 15R 350hp
48-**8M0226823**
15.25 x 35 LH 15R 350hp
48-**8M0226824**
15.50 x 35 RH 15R 350hp
48-**8M0226825**
15.50 x 35 LH 15R 350hp

ALTITUDE CNC CLEAVER 400HP

- Altitude propellers feature the same level of precision and customization as all other Mercury Racing CNC Cleaver propellers.
- 400HP models are specifically designed for use on the 400R and feature 1.25" broached prop shaft splines.
- Custom order 1", 2", or 3" barrel extensions

ALTITUDE PROPELLER.



48-**8M0226490**
14.75 x 26 RH 18R 400hp
48-**8M0226491**
14.75 x 26 LH 18R 400hp
48-**8M0226492**
15.00 x 26 RH 18R 400hp
48-**8M0226493**
15.00 x 26 LH 18R 400hp
48-**8M0226494**
15.25 x 26 RH 18R 400hp
48-**8M0226495**
15.25 x 26 LH 18R 400hp
48-**8M0226496**
15.50 x 26 RH 18R 400hp
48-**8M0226497**
15.50 x 26 LH 18R 400hp
48-**8M0226506**
14.75 x 27 RH 18R 400hp
48-**8M0226507**
14.75 x 27 LH 18R 400hp
48-**8M0226508**
15.00 x 27 RH 18R 400hp
48-**8M0226509**
15.00 x 27 LH 18R 400hp
48-**8M0226510**
15.25 x 27 RH 18R 400hp
48-**8M0226511**
15.25 x 27 LH 18R 400hp
48-**8M0226512**
15.50 x 27 RH 18R 400hp
48-**8M0226513**
15.50 x 27 LH 18R 400hp
48-**8M0226522**
14.75 x 28 RH 18R 400hp
48-**8M0226523**
14.75 x 28 LH 18R 400hp
48-**8M0226524**
15.00 x 28 RH 18R 400hp
48-**8M0226525**
15.00 x 28 LH 18R 400hp
48-**8M0226526**
15.25 x 28 RH 18R 400hp
48-**8M0226527**
15.25 x 28 LH 18R 400hp

48-**8M0226528**
15.50 x 28 RH 18R 400hp
48-**8M0226529**
15.50 x 28 LH 18R 400hp
48-**8M0226546**
14.75 x 30 RH 15R 400hp
48-**8M0226547**
14.75 x 30 LH 15R 400hp
48-**8M0226548**
15.00 x 30 RH 15R 400hp
48-**8M0226549**
15.00 x 30 LH 15R 400hp
48-**8M0226550**
15.25 x 30 RH 15R 400hp
48-**8M0226551**
15.25 x 30 LH 15R 400hp
48-**8M0226552**
15.50 x 30 RH 15R 400hp
48-**8M0226553**
15.50 x 30 LH 15R 400hp
48-**8M0226562**
14.75 x 31 RH 15R 310hp
48-**8M0226563**
14.75 x 31 LH 15R 310hp
48-**8M0226564**
15.00 x 31 RH 15R 310hp
48-**8M0226565**
15.00 x 31 LH 15R 310hp
48-**8M0226566**
15.25 x 31 RH 15R 310hp
48-**8M0226567**
15.25 x 31 LH 15R 310hp
48-**8M0226568**
15.50 x 31 RH 15R 310hp
48-**8M0226569**
15.50 x 31 LH 15R 310hp
48-**8M0226578**
14.75 x 32 RH 15R 320hp
48-**8M0226579**
14.75 x 32 LH 15R 320hp
48-**8M0226580**
15.00 x 32 RH 15R 320hp
48-**8M0226581**
15.00 x 32 LH 15R 320hp
48-**8M0226582**
15.25 x 32 RH 15R 320hp
48-**8M0226583**
15.25 x 32 LH 15R 320hp
48-**8M0226584**
15.50 x 32 RH 15R 320hp
48-**8M0226585**
15.50 x 32 LH 15R 320hp
48-**8M0226594**
14.75 x 33 RH 15R 330hp
48-**8M0226595**
14.75 x 33 LH 15R 330hp
48-**8M0226596**
15.00 x 33 RH 15R 330hp
48-**8M0226597**
15.00 x 33 LH 15R 330hp
48-**8M0226598**
15.25 x 33 RH 15R 330hp
48-**8M0226599**
15.25 x 33 LH 15R 330hp
48-**8M0226600**
15.50 x 33 RH 15R 330hp
48-**8M0226601**
15.50 x 33 LH 15R 330hp
48-**8M0226610**
14.75 x 34 RH 15R 340hp
48-**8M0226611**
14.75 x 34 LH 15R 340hp
48-**8M0226612**
15.00 x 34 RH 15R 340hp
48-**8M0226613**
15.00 x 34 LH 15R 340hp
48-**8M0226614**
15.25 x 34 RH 15R 340hp
48-**8M0226615**
15.25 x 34 LH 15R 340hp
48-**8M0226616**
15.50 x 34 RH 15R 340hp
48-**8M0226617**
15.50 x 34 LH 15R 340hp
48-**8M0226626**
14.75 x 35 RH 15R 350hp
48-**8M0226627**
14.75 x 35 LH 15R 350hp
48-**8M0226628**
15.00 x 35 RH 15R 350hp
48-**8M0226629**
15.00 x 35 LH 15R 350hp
48-**8M0226630**
15.25 x 35 RH 15R 350hp
48-**8M0226631**
15.25 x 35 LH 15R 350hp
48-**8M0226632**
15.50 x 35 RH 15R 350hp
48-**8M0226633**
15.50 x 35 LH 15R 350hp

ALTITUDE CNC CLEAVER 500HP

- Altitude propellers feature the same level of precision and customization as all other Mercury Racing CNC Cleaver propellers.
- 500HP models are specifically designed for use on the 500R and feature 1.50" broached prop shaft splines.
- Custom order 1", 2", or 3" barrel extensions

ALTITUDE PROPELLER.



48-**8M0226298**
14.75 x 26 RH 18R 500hp
48-**8M0226299**
14.75 x 26 LH 18R 500hp
48-**8M0226300**
15.00 x 26 RH 18R 500hp
48-**8M0226301**
15.00 x 26 LH 18R 500hp
48-**8M0226302**
15.25 x 26 RH 18R 500hp
48-**8M0226303**
15.25 x 26 LH 18R 500hp

48-**8M0226304**
15.50 x 26 RH 18R 500hp
48-**8M0226305**
15.50 x 26 LH 18R 500hp
48-**8M0226314**
14.75 x 27 RH 18R 500hp
48-**8M0226315**
14.75 x 27 LH 18R 500hp
48-**8M0226316**
15.00 x 27 RH 18R 500hp
48-**8M0226317**
15.00 x 27 LH 18R 500hp
48-**8M0226318**
15.25 x 27 RH 18R 500hp
48-**8M0226319**
15.25 x 27 LH 18R 500hp
48-**8M0226320**
15.50 x 27 RH 18R 500hp
48-**8M0226321**
15.50 x 27 LH 18R 500hp
48-**8M0226330**
14.75 x 28 RH 18R 500hp
48-**8M0226331**
14.75 x 28 LH 18R 500hp
48-**8M0226332**
15.00 x 28 RH 18R 500hp
48-**8M0226333**
15.00 x 28 LH 18R 500hp
48-**8M0226334**
15.25 x 28 RH 18R 500hp
48-**8M0226335**
15.25 x 28 LH 18R 500hp
48-**8M0226336**
15.50 x 28 RH 18R 500hp
48-**8M0226337**
15.50 x 28 LH 18R 500hp
48-**8M0226354**
14.75 x 30 RH 15R 500hp
48-**8M0226355**
14.75 x 30 LH 15R 500hp
48-**8M0226356**
15.00 x 30 RH 15R 500hp
48-**8M0226357**
15.00 x 30 LH 15R 500hp
48-**8M0226358**
15.25 x 30 RH 15R 500hp
48-**8M0226359**
15.25 x 30 LH 15R 500hp
48-**8M0226360**
15.50 x 30 RH 15R 500hp
48-**8M0226361**
15.50 x 30 LH 15R 500hp
48-**8M0226370**
14.75 x 31 RH 15R 310hp
48-**8M0226371**
14.75 x 31 LH 15R 310hp
48-**8M0226372**
15.00 x 31 RH 15R 310hp
48-**8M0226373**
15.00 x 31 LH 15R 310hp
48-**8M0226374**
15.25 x 31 RH 15R 310hp
48-**8M0226375**
15.25 x 31 LH 15R 310hp
48-**8M0226376**
15.50 x 31 RH 15R 310hp
48-**8M0226377**
15.50 x 31 LH 15R 310hp
48-**8M0226386**
14.75 x 32 RH 15R 320hp
48-**8M0226387**
14.75 x 32 LH 15R 320hp
48-**8M0226388**
15.00 x 32 RH 15R 320hp
48-**8M0226389**
15.00 x 32 LH 15R 320hp
48-**8M0226390**
15.25 x 32 RH 15R 320hp
48-**8M0226391**
15.25 x 32 LH 15R 320hp
48-**8M0226392**
15.50 x 32 RH 15R 320hp
48-**8M0226393**
15.50 x 32 LH 15R 320hp
48-**8M0226402**
14.75 x 33 RH 15R 330hp
48-**8M0226403**
14.75 x 33 LH 15R 330hp
48-**8M0226404**
15.00 x 33 RH 15R 330hp
48-**8M0226405**
15.00 x 33 LH 15R 330hp
48-**8M0226406**
15.25 x 33 RH 15R 330hp
48-**8M0226407**
15.25 x 33 LH 15R 330hp
48-**8M0226408**
15.50 x 33 RH 15R 330hp
48-**8M0226409**
15.50 x 33 LH 15R 330hp
48-**8M0226418**
14.75 x 34 RH 15R 340hp
48-**8M0226419**
14.75 x 34 LH 15R 340hp
48-**8M0226420**
15.00 x 34 RH 15R 340hp
48-**8M0226421**
15.00 x 34 LH 15R 340hp
48-**8M0226422**
15.25 x 34 RH 15R 340hp
48-**8M0226423**
15.25 x 34 LH 15R 340hp
48-**8M0226424**
15.50 x 34 RH 15R 340hp
48-**8M0226425**
15.50 x 34 LH 15R 340hp
48-**8M0226434**
14.75 x 35 RH 15R 350hp
48-**8M0226435**
14.75 x 35 LH 15R 350hp
48-**8M0226436**
15.00 x 35 RH 15R 350hp
48-**8M0226437**
15.00 x 35 LH 15R 350hp
48-**8M0226438**
15.25 x 35 RH 15R 350hp
48-**8M0226439**
15.25 x 35 LH 15R 350hp
48-**8M0226440**
15.50 x 35 RH 15R 350hp
48-**8M0226441**
15.50 x 35 LH 15R 350hp

CNC OUTBOARD CLEAVER 400 HP 15 DEGREE RAKE

•The Lab Finished CNC Outboard Cleaver is designed to be the most efficient propeller for high speed applications
•As opposed to a standard propeller, the CNC machining process offers superior precision and replicability for all dimensions of the propeller
•15 degree rake is applicable for lightweight or air entrapment hulls that do not require additional bow lift
•Broached splines for 1.25 inch prop shaft, designed for 400R outboard
•Additional dimensions are available for custom order

LAB FINISHED OUTBOARD CNC CLEAVER



48-**8M0186214**
14.63 x 26 Pitch RH 15 Rake

48-**8M0186215**
14.63 x 26 Pitch LH 15 Rake

48-**8M0186216**
14.75 x 26 Pitch RH 15 Rake

48-**8M0186217**
14.75 x 26 Pitch LH 15 Rake

48-**8M0186218**
15.00 x 26 Pitch RH 15 Rake

48-**8M0186219**
15.00 x 26 Pitch LH 15 Rake

48-**8M0186220**
15.25 x 26 Pitch RH 15 Rake

48-**8M0186221**
15.25 x 26 Pitch LH 15 Rake

48-**8M0186238**
14.63 x 27 Pitch RH 15 Rake

48-**8M0186239**
14.63 x 27 Pitch LH 15 Rake

48-**8M0186240**
14.75 x 27 Pitch RH 15 Rake

48-**8M0186241**
14.75 x 27 Pitch LH 15 Rake

48-**8M0186242**
15.00 x 27 Pitch RH 15 Rake

48-**8M0186243**
15.00 x 27 Pitch LH 15 Rake

48-**8M0186280**
15.25 x 27 Pitch RH 15 Rake

48-**8M0186281**
15.25 x 27 Pitch LH 15 Rake

48-**8M0186290**
14.63 x 28 Pitch RH 15 Rake

48-**8M0186291**
14.63 x 28 Pitch LH 15 Rake

48-**8M0156783**
14.75 x 28 Pitch LH 15 Rake

48-**8M0156784**
14.75 x 28 Pitch RH 15 Rake

48-**8M0169474**
15.00 x 28 Pitch RH 15 Rake

48-**8M0169475**
15.00 x 28 Pitch LH 15 Rake

48-**8M0186362**
15.25 x 28 Pitch RH 15 Rake

48-**8M0186363**
15.25 x 28 Pitch LH 15 Rake

48-**8M0186368**
14.63 x 29 Pitch RH 15 Rake

48-**8M0186369**
14.63 x 29 Pitch LH 15 Rake

48-**8M0186370**
14.75 x 29 Pitch RH 15 Rake

48-**8M0186371**
14.75 x 29 Pitch LH 15 Rake

48-**8M0186372**
15.00 x 29 Pitch RH 15 Rake

48-**8M0186373**
15.00 x 29 Pitch LH 15 Rake

48-**8M0145700**
15.25 x 29 Pitch RH 15 Rake

48-**8M0145701**
15.25 x 29 Pitch LH 15 Rake

48-**8M0186420**
14.63 x 30 Pitch RH 15 Rake

48-**8M0186421**
14.63 x 30 Pitch LH 15 Rake

48-**8M0186422**
14.75 x 30 Pitch RH 15 Rake

48-**8M0186423**
14.75 x 30 Pitch LH 15 Rake

48-**8M0152315**
15.00 x 30 Pitch LH 15 Rake

48-**8M0152316**
15.00 x 30 Pitch RH 15 Rake

48-**8M0151078**
15.25 x 30 Pitch LH 15 Rake

48-**8M0151077**
15.25 x 30 Pitch RH 15 Rake

48-**8M0187110**
14.63 x 31 Pitch RH 15 Rake

48-**8M0187111**
14.63 x 31 Pitch LH 15 Rake

48-**8M0183477**
14.75 x 31 Pitch LH 15 Rake

48-**8M0183478**
14.75 x 31 Pitch RH 15 Rake

48-**8M0153316**
15.00 x 31 Pitch RH 15 Rake

48-**8M0153317**
15.00 x 31 Pitch LH 15 Rake

48-**8M0145698**
15.25 x 31 Pitch RH 15 Rake

48-**8M0145699**
15.25 x 31 Pitch LH 15 Rake

48-**8M0187134**
14.63 x 32 Pitch RH 15 Rake

48-**8M0187135**
14.63 x 32 Pitch LH 15 Rake

48-**8M0187136**
14.75 x 32 Pitch RH 15 Rake

48-**8M0187137**
14.75 x 32 Pitch LH 15 Rake

48-**8M0140855**
15.00 x 32 Pitch LH 15 Rake


48-**8M0140854**
15.00 x 32 Pitch RH 15 Rake

48-**8M0147733**
15.25 x 32 Pitch LH 15 Rake
48-**8M0147732**
15.25 x 32 Pitch RH 15 Rake
48-**8M0187140**
14.63 x 33 Pitch RH 15 Rake
48-**8M0187141**
14.63 x 33 Pitch LH 15 Rake
48-**8M0136308**
14.75 x 33 Pitch RH 15 Rake
48-**8M0136309**
14.75 x 33 Pitch LH 15 Rake
48-**8M0140247**
15.00 x 33 Pitch LH 15 Rake
48-**8M0140248**
15.00 x 33 Pitch RH 15 Rake
48-**8M0148161**
15.25 x 33 Pitch LH 15 Rake
48-**8M0148162**
15.25 x 33 Pitch RH 15 Rake
48-**8M0187160**
14.63 x 34 Pitch RH 15 Rake
48-**8M0187161**
14.63 x 34 Pitch LH 15 Rake
48-**8M0181200**
14.75 x 34 Pitch RH 15 Rake
48-**8M0181201**
14.75 x 34 Pitch LH 15 Rake
48-**8M0139055**
15.00 x 34 Pitch LH 15 Rake
48-**8M0139056**
15.00 x 34 Pitch RH 15 Rake
48-**8M0148163**
15.25 x 34 Pitch LH 15 Rake
48-**8M0148164**
15.25 x 34 Pitch RH 15 Rake
48-**8M0187166**
14.63 x 35 Pitch RH 15 Rake
48-**8M0187167**
14.63 x 35 Pitch LH 15 Rake
48-**8M0164146**
14.75 x 35 Pitch RH 15 Rake
48-**8M0164147**
14.75 x 35 Pitch LH 15 Rake
48-**8M0139764**
15.00 x 35 Pitch LH 15 Rake
48-**8M0139763**
15.00 x 35 Pitch RH 15 Rake
48-**8M0148290**
15.25 x 35 Pitch RH 15 Rake
48-**8M0148291**
15.25 x 35 Pitch LH 15 Rake
48-**8M0187188**
14.63 x 36 Pitch RH 15 Rake
48-**8M0187189**
14.63 x 36 Pitch LH 15 Rake
48-**8M0166026**
14.75 x 36 Pitch LH 15 Rake
48-**8M0166025**
14.75 x 36 Pitch RH 15 Rake
48-**8M0148310**
15.00 x 36 Pitch RH 15 Rake
48-**8M0148311**
15.00 x 36 Pitch LH 15 Rake
48-**8M0127244**
15.25 x 36 Pitch RH 15 Rake
48-**8M0127245**
15.25 x 36 Pitch LH 15 Rake
48-**8M0187196**
14.63 x 37 Pitch RH 15 Rake
48-**8M0187197**
14.63 x 37 Pitch RH 15 Rake
48-**8M0167788**
14.75 x 37 Pitch RH 15 Rake
48-**8M0167787**
14.75 x 37 Pitch RH 15 Rake
48-**8M0168392**
15.00 x 37 Pitch RH 15 Rake
48-**8M0168393**
15.00 x 37 Pitch RH 15 Rake
48-**8M0187338**
15.25 x 37 Pitch RH 15 Rake
48-**8M0187339**
15.25 x 37 Pitch RH 15 Rake
48-**8M0187344**
14.63 x 38 Pitch RH 15 Rake
48-**8M0187345**
14.63 x 38 Pitch LH 15 Rake
48-**8M0165498**
14.75 x 38 Pitch RH 15 Rake
48-**8M0165499**
14.75 x 38 Pitch LH 15 Rake
48-**8M0187346**
15.00 x 38 Pitch RH 15 Rake
48-**8M0187347**
15.00 x 38 Pitch LH 15 Rake
48-**8M0187410**
15.25 x 38 Pitch RH 15 Rake
48-**8M0187411**
15.25 x 38 Pitch LH 15 Rake
48-**8M0187412**
14.63 x 39 Pitch RH 15 Rake
48-**8M0187413**
14.63 x 39 Pitch LH 15 Rake
48-**8M0187414**
14.75 x 39 Pitch RH 15 Rake
48-**8M0187415**
14.75 x 39 Pitch LH 15 Rake
48-**8M0187416**
15.00 x 39 Pitch RH 15 Rake
48-**8M0187417**
15.00 x 39 Pitch LH 15 Rake
48-**8M0187418**
15.25 x 39 Pitch RH 15 Rake
48-**8M0187419**
15.25 x 39 Pitch LH 15 Rake
48-**8M0187420**
14.63 x 40 Pitch RH 15 Rake
48-**8M0187421**
14.63 x 40 Pitch LH 15 Rake
48-**8M0187508**
14.75 x 40 Pitch RH 15 Rake
48-**8M0187509**
14.75 x 40 Pitch LH 15 Rake
48-**8M0187510**
15.00 x 40 Pitch RH 15 Rake
48-**8M0187511**
15.00 x 40 Pitch LH 15 Rake
48-**8M0187512**
15.25 x 40 Pitch RH 15 Rake

CNC OUTBOARD CLEAVER 500 HP 15 DEGREE RAKE

•The Lab Finished CNC Outboard Cleaver is designed to be the most efficient propeller for high speed applications
•As opposed to a standard propeller, the CNC machining process offers superior precision and replicability for all dimensions of the propeller
•15 degree rake is applicable for lightweight or air entrapment hulls that do not require additional bow lift
•Broached splines for 1.25 inch prop shaft, designed for 450R outboard
•Additional dimensions are available for custom order

LAB FINISHED OUTBOARD CNC CLEAVER



48-**8M0159882**
14.75 x 26 Pitch RH 15 Rake

48-**8M0159883**
14.75 x 26 Pitch LH 15 Rake

48-**8M0154968**
15.00 x 26 Pitch RH 15 Rake

48-**8M0154967**
15.00 x 26 Pitch LH 15 Rake

48-**8M0159954**
15.25 x 26 Pitch RH 15 Rake

48-**8M0159953**
15.25 x 26 Pitch LH 15 Rake

48-**8M0160054**
14.75 x 27 Pitch RH 15 Rake

48-**8M0160053**
14.75 x 27 Pitch LH 15 Rake

48-**8M0160056**
15.00 x 27 Pitch RH 15 Rake

48-**8M0160055**
15.00 x 27 Pitch LH 15 Rake

48-**8M0160058**
15.25 x 27 Pitch RH 15 Rake

48-**8M0160057**
15.25 x 27 Pitch LH 15 Rake

48-**8M0160128**
14.75 x 28 Pitch RH 15 Rake

48-**8M0160127**
14.75 x 28 Pitch LH 15 Rake

48-**8M0160130**
15.00 x 28 Pitch RH 15 Rake

48-**8M0160129**
15.00 x 28 Pitch LH 15 Rake

48-**8M0160132**
15.25 x 28 Pitch RH 15 Rake

48-**8M0160131**
15.25 x 28 Pitch LH 15 Rake

48-**8M0160538**
14.75 x 29 Pitch RH 15 Rake

48-**8M0160539**
14.75 x 29 Pitch LH 15 Rake

48-**8M0160540**
15.00 x 29 Pitch RH 15 Rake

48-**8M0160541**
15.00 x 29 Pitch LH 15 Rake

48-**8M0160542**
15.25 x 29 Pitch RH 15 Rake

48-**8M0160543**
15.25 x 29 Pitch LH 15 Rake

48-**8M0160590**
14.75 x 30 Pitch RH 15 Rake

48-**8M0160589**
14.75 x 30 Pitch LH 15 Rake

48-**8M0160592**
15.00 x 30 Pitch RH 15 Rake

48-**8M0160591**
15.00 x 30 Pitch LH 15 Rake

48-**8M0160594**
15.25 x 30 Pitch RH 15 Rake

48-**8M0160593**
15.25 x 30 Pitch LH 15 Rake

48-**8M0160660**
14.75 x 31 Pitch RH 15 Rake

48-**8M0160659**
14.75 x 31 Pitch LH 15 Rake

48-**8M0155582**
15.00 x 31 Pitch RH 15 Rake

48-**8M0155583**
15.00 x 31 Pitch LH 15 Rake

48-**8M0160662**
15.25 x 31 Pitch RH 15 Rake

48-**8M0160661**
15.25 x 31 Pitch LH 15 Rake

48-**8M0160752**
14.75 x 32 Pitch RH 15 Rake

48-**8M0160751**
14.75 x 32 Pitch LH 15 Rake

48-**8M0155574**
15.00 x 32 Pitch RH 15 Rake

48-**8M0155573**
15.00 x 32 Pitch LH 15 Rake

48-**8M0160120**
15.25 x 32 Pitch RH 15 Rake

48-**8M0160121**
15.25 x 32 Pitch LH 15 Rake

48-**8M0160850**
14.75 x 33 Pitch RH 15 Rake

48-**8M0160851**
14.75 x 33 Pitch LH 15 Rake

48-**8M0155576**
15.00 x 33 Pitch RH 15 Rake

48-**8M0155575**
15.00 x 33 Pitch LH 15 Rake

48-**8M0160122**
15.25 x 32 Pitch RH 15 Rake

48-**8M0160123**
15.25 x 33 Pitch LH 15 Rake

48-**8M0160856**
14.75 x 34 Pitch RH 15 Rake

48-**8M0160857**
14.75 x 34 Pitch LH 15 Rake

48-**8M0160858**
15.00 x 34 Pitch RH 15 Rake

48-**8M0160859**
15.00 x 34 Pitch LH 15 Rake

48-**8M0160860**
15.25 x 24 Pitch RH 15 Rake

48-**8M0160861**
15.25 x 34 Pitch LH 15 Rake

48-**8M0155384**
14.75 x 35 Pitch RH 15 Rake
48-**8M0155383**
14.75 x 35 Pitch LH 15 Rake
48-**8M0156788**
15.00 x 35 Pitch RH 15 Rake
48-**8M0156787**
15.00 x 35 Pitch LH 15 Rake
48-**8M0160826**
15.25 x 35 Pitch RH 15 Rake
48-**8M0160827**
15.25 x 35 Pitch LH 15 Rake
48-**8M0155386**
14.75 x 36 Pitch RH 15 Rake
48-**8M0155385**
14.75 x 36 Pitch LH 15 Rake
48-**8M0159892**
15.00 x 36 Pitch RH 15 Rake
48-**8M0159893**
15.00 x 36 Pitch LH 15 Rake
48-**8M0159972**
15.25 x 36 Pitch RH 15 Rake
48-**8M0159973**
15.25 x 36 Pitch LH 15 Rake
48-**8M0157712**
14.75 x 37 Pitch RH 15 Rake
48-**8M0157711**
14.75 x 37 Pitch LH 15 Rake
48-**8M0160038**
15.00 x 37 Pitch RH 15 Rake
48-**8M0160037**
15.00 x 37 Pitch LH 15 Rake
48-**8M0160040**
15.25 x 37 Pitch RH 15 Rake
48-**8M0160039**
15.25 x 37 Pitch LH 15 Rake
48-**8M0163488**
14.75 x 38 Pitch RH 15 Rake
48-**8M0163489**
14.75 x 38 Pitch LH 15 Rake
48-**8M0163490**
15.00 x 38 Pitch RH 15 Rake
48-**8M0163491**
15.00 x 38 Pitch LH 15 Rake
48-**8M0163492**
15.25 x 38 Pitch RH 15 Rake
48-**8M0163493**
15.25 x 38 Pitch LH 15 Rake
48-**8M0163514**
14.75 x 39 Pitch RH 15 Rake
48-**8M0163513**
14.75 x 39 Pitch LH 15 Rake
48-**8M0163516**
15.00 x 39 Pitch RH 15 Rake
48-**8M0163515**
15.00 x 39 Pitch LH 15 Rake
48-**8M0163518**
15.25 x 39 Pitch RH 15 Rake
48-**8M0163517**
15.25 x 39 Pitch LH 15 Rake
48-**8M0163522**
14.75 x 40 Pitch RH 15 Rake
48-**8M0163521**
14.75 x 40 Pitch LH 15 Rake
48-**8M0163524**
15.00 x 40 Pitch RH 15 Rake
48-**8M0163523**
15.00 x 40 Pitch LH 15 Rake
48-**8M0163526**
15.25 x 40 Pitch RH 15 Rake
48-**8M0163525**
15.25 x 40 Pitch LH 15 Rake

CNC OUTBOARD CLEAVER 500 HP 18 DEGREE RAKE

•The Lab Finished CNC Outboard Cleaver is designed to be the most efficient propeller for high speed applications
•As opposed to a standard propeller, the CNC machining process offers superior precision and replicability for all dimensions of the propeller
•18 degree rake is applicable for high speed vee bottoms and some catamarans that require additional bow lift
•Broached splines for 1.25 inch prop shaft, designed for 450R outboard
•Additional dimensions are available for custom order

LAB FINISHED OUTBOARD CNC CLEAVER



48-**8M0159956**
14.75 x 26 Pitch RH 18 Rake
48-**8M0159955**
14.75 x 26 Pitch LH 18 Rake
48-**8M0154970**
15.00 x 26 Pitch RH 18 Rake
48-**8M0154969**
15.00 x 26 Pitch LH 18 Rake
48-**8M0160052**
15.25 x 26 Pitch RH 18 Rake
48-**8M0160051**
15.25 x 26 Pitch LH 18 Rake
48-**8M0160106**
14.75 x 27 Pitch RH 18 Rake
48-**8M0160105**
14.75 x 27 Pitch LH 18 Rake
48-**8M0160112**
15.00 x 27 Pitch RH 18 Rake
48-**8M0160111**
15.00 x 27 Pitch LH 18 Rake
48-**8M0160114**
15.25 x 27 Pitch LH 18 Rake
48-**8M0160113**
15.25 x 27 Pitch LH 18 Rake
48-**8M0160484**
14.75 x 28 Pitch RH 18 Rake
48-**8M0160483**
14.75 x 28 Pitch LH 18 Rake
48-**8M0160486**
15.00 x 28 Pitch RH 18 Rake
48-**8M0160485**
15.00 x 28 Pitch LH 18 Rake
48-**8M0160488**
15.25 x 28 Pitch RH 18 Rake
48-**8M0160487**
15.25 x 28 Pitch LH 18 Rake

48-**8M0160582**
14.75 x 29 Pitch RH 18 Rake

48-**8M0160581**
14.75 x 29 Pitch LH 18 Rake

48-**8M0160584**
15.00 x 29 Pitch RH 18 Rake

48-**8M0160583**
15.00 x 29 Pitch LH 18 Rake

48-**8M0160586**
15.25 x 29 Pitch RH 18 Rake

48-**8M0160585**
15.25 x 29 Pitch LH 18 Rake

48-**8M0160652**
14.75 x 30 Pitch RH 18 Rake

48-**8M0160653**
14.75 x 30 Pitch LH 18 Rake

48-**8M0160654**
15.00 x 30 Pitch RH 18 Rake

48-**8M0160655**
15.00 x 30 Pitch LH 18 Rake

48-**8M0160656**
15.25 x 30 Pitch RH 18 Rake

48-**8M0160657**
15.25 x 30 Pitch LH 18 Rake

48-**8M0160738**
14.75 x 31 Pitch RH 18 Rake

48-**8M0160737**
14.75 x 31 Pitch LH 18 Rake

48-**8M0160740**
15.00 x 31 Pitch RH 18 Rake

48-**8M0160739**
15.00 x 31 Pitch LH 18 Rake

48-**8M0160742**
15.25 x 31 Pitch RH 18 Rake

48-**8M0160741**
15.25 x 31 Pitch LH 18 Rake

48-**8M0160804**
14.75 x 32 Pitch RH 18 Rake

48-**8M0160803**
14.75 x 32 Pitch LH 18 Rake

48-**8M0160806**
15.00 x 32 Pitch RH 18 Rake

48-**8M0160805**
15.00 x 32 Pitch LH 18 Rake

48-**8M0160808**
15.25 x 32 Pitch RH 18 Rake

48-**8M0160807**
15.25 x 32 Pitch LH 18 Rake

48-**8M0160852**
14.75 x 33 Pitch RH 18 Rake

48-**8M0160853**
14.75 x 33 Pitch LH 18 Rake

48-**8M0159338**
15.00 x 33 Pitch RH 18 Rake

48-**8M0159339**
15.00 x 33 Pitch LH 18 Rake

48-**8M0160854**
15.25 x 33 Pitch RH 18 Rake

48-**8M0160855**
15.25 x 33 Pitch LH 18 Rake

48-**8M0160834**
14.75 x 34 Pitch RH 18 Rake

48-**8M0160835**
14.75 x 34 Pitch LH 18 Rake

48-**8M0159340**
15.00 x 34 Pitch RH 18 Rake

48-**8M0159341**
15.00 x 34 Pitch LH 18 Rake

48-**8M0160836**
15.25 x 34 Pitch RH 18 Rake

48-**8M0160837**
15.25 x 34 Pitch LH 18 Rake

48-**8M0160828**
14.75 x 35 Pitch RH 18 Rake

48-**8M0160829**
14.75 x 35 Pitch LH 18 Rake

48-**8M0160830**
15.00 x 35 Pitch RH 18 Rake

48-**8M0160831**
15.00 x 35 Pitch LH 18 Rake

48-**8M0160832**
15.25 x 35 Pitch RH 18 Rake

48-**8M0160833**
15.25 x 35 Pitch LH 18 Rake

48-**8M0159974**
14.75 x 36 Pitch RH 18 Rake

48-**8M0159975**
14.75 x 36 Pitch LH 18 Rake

48-**8M0159976**
15.00 x 36 Pitch RH 18 Rake

48-**8M0159977**
15.00 x 36 Pitch LH 18 Rake

48-**8M0159978**
15.25 x 36 Pitch RH 18 Rake

48-**8M0159979**
15.25 x 36 Pitch LH 18 Rake

48-**8M0160042**
14.75 x 37 Pitch RH 18 Rake

48-**8M0160041**
14.75 x 37 Pitch LH 18 Rake

48-**8M0160044**
15.00 x 37 Pitch RH 18 Rake

48-**8M0160043**
15.00 x 37 Pitch LH 18 Rake

48-**8M0160046**
15.25 x 37 Pitch RH 18 Rake

48-**8M0160045**
15.25 x 37 Pitch LH 18 Rake

CNC CLEAVER 5 BLADE 12 DEGREE RAKE LAB FINISHED

Varying horsepower ratings available depending on application, from 600 hp up to 1800 hp
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0099571 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. The 15 degree rake propellers are designed specifically for step Vee hulls, diameters from 15 inch to 18 inch and pitch from 26 inch to 40 inch (custom order 41 and 42 inch pitch,14.5" diameters and limited 13 degree rake available - contact Mercury Racing).
If moving from the old style 5 blade Cleaver to the new style 5 blade CNC Cleaver generally move up 2 inch of pitch; example if old style was 17 x 33 move to 17 x 35 CNC Cleaver.

As a general rule for every 1 inch of pitch change, the effect will typically be 150 RPM change. For every .50 inch of diameter change, the effect will typically be 150 RPM change.

For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 5 BLADE 15 DEGREE RAKE LAB FINISHED

Varying horsepower ratings available depending on application, from 600 hp up to 1800 hp

822974 Six and 8M drive bushing

822975 Retaining ring

11-826135 Nylon Insert, 8M0099571 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. The 15 degree rake propellers are designed specifically for step Vee hulls, diameters from 15 inch to 18 inch and pitch from 26 inch to 40 inch (custom order 41 and 42 inch pitch,14.5" diameters and limited 13 degree rake available - contact Mercury Racing).
If moving from the old style 5 blade Cleaver to the new style 5 blade CNC Cleaver generally move up 2 inch of pitch; example if old style was 17 x 33 move to 17 x 35 CNC Cleaver.

As a general rule for every 1 inch of pitch change, the effect will typically be 150 RPM change. For every .50 inch of diameter change, the effect will typically be 150 RPM change.

For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 5 BLADE 18 DEGREE RAKE LAB FINISHED

Varying horsepower ratings available depending on application, from 600 hp up to 1800 hp
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0099571 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. Custom order 41 and 42 inch pitch available contact Mercury Racing. For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 5 BLADE 21 DEGREE RAKE LAB FINISHED

Varying horsepower ratings available depending on application, from 600 hp up to 1800 hp
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0099571 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. Custom order 41 and 42 inch pitch available contact Mercury Racing. For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 6 BLADE 15 DEGREE RAKE LAB FINISHED

600 HP, 900 HP, 1200 HP and 1550 HP(custom order)
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0099571 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 6 BLADE 18 DEGREE RAKE LAB FINISHED

600 HP, 900 HP, 1200 HP and 1550 HP(custom order)
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0099571 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. Custom order 41 and 42 inch pitch available contact Mercury Racing. For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 6 BLADE 21 DEGREE RAKE LAB FINISHED

600 HP, 900 HP, 1200 HP and 1550 HP(custom order)
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0099571 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. Custom order 41 and 42 inch pitch available contact Mercury Racing. For a complete listing of part numbers see Mercury Racing Propeller chart section.

MERCURY RACING PROPELLER CHARTS

SPITFIRE XP

Spitfire XP

Diameter	Pitch	Pro Finished Part Number
14	12	48-8M0167641
14	12.5	48-8M0167642
14	13	48-8M0167643
13.5	13.5	48-8M0167659
13.5	14	48-8M0167660
13.5	14.5	48-8M0167661
13.5	15	48-8M0167662
13	15.5	48-8M0167664
13	16	48-8M0167665
13	16.5	48-8M0167666
13	17	48-8M0167667
12.7	17.5	48-8M0167697
12.7	18	48-8M0167698
12.7	18.5	48-8M0167699
12.7	19	48-8M0167700
12.7	19.5	48-8M0167702
12.7	20	48-8M0167703
12.7	20.5	48-8M0167704
12.7	21	48-8M0167705

LIGHTNING E.T.



Lightning E.T. Outboard Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
14.5	26	N.L.A.	48-849246L62
14.5	28	N.L.A.	48-849248L62
14.5	30	N.L.A.	48-849506L62
14.5	32	N.L.A.	48-849508L62

PRO MAX ® - 4 BLADE STAINLESS STEEL



Pro Max. ® 4 Blade X7 Stainless Steel Outboard Propeller Chart

Diameter (Inches)	Pitch	Blade	Pro Finished LH Rotation	Lab Finished LH Rotation	Pro Finished RH Rotation	Lab Finished RH Rotation
14.5	22.5	4	N/A	N/A	48-8M0112981	N/A
14.5	23	4	N/A	N/A	48-8M0079698	N/A
14.5	23.5	4	N/A	N/A	48-8M0112982	N/A
14.5	24	4	N/A	N/A	48-8M0079699	48-8M0079692
14.5	24.5	4	N/A	N/A	48-8M0112983	N/A
14.5	25	4	N/A	N/A	48-8M0079700	N/A
14.5	25.5	4	N/A	N/A	48-8M0112984	N/A
14.5	26	4	N/A	N/A	48-8M0079701	48-8M0079693
14.5	26.5	4	N/A	N/A	48-8M0112985	N/A
14.5	27	4	N/A	N/A	48-8M0079702	N/A
14.5	27.5	4	N/A	N/A	48-8M0112986	N/A
14.5	28	4	N/A	N/A	48-8M0079703	48-8M0079694
14.5	28.5	4	N/A	N/A	48-8M0112987	N/A
14.5	29	4	N/A	N/A	48-8M0079704	N/A
14.5	29.5	4	N/A	N/A	48-8M0112988	N/A
14.5	30	4	N/A	N/A	48-8M0079705	48-8M0079695
14.5	30.5	4	N/A	N/A	48-8M0112989	N/A

Diameter (Inches)	Pitch	Blade	Pro Finished LH Rotation	Lab Finished LH Rotation	Pro Finished RH Rotation	Lab Finished RH Rotation
14.5	31	4	N/A	N/A	48-8M0079706	N/A
14.5	31.5	4	N/A	N/A	48-8M0112990	N/A
14.5	32	4	N/A	N/A	48-8M0079707	48-8M0079696

BRAVO I LT PRO FINISHED



Bravo I LT Pro Finished Outboard

Diameter	Pitch	Pro Finish LH Rotation	Pro Finished RH Rotation
15.25	19	48-8M0142097	48-8M0126236
15.25	19.5	N/A	48-8M0126237
15.25	20	48-8M0142098	48-8M0121589
15.25	20.5	N/A	48-8M0121590
15.25	21	48-8M0142099	48-8M0121591
15.25	21.5	N/A	48-8M0121592
15.25	22	48-8M0142100	48-8M0121593
15.25	22.5	N/A	48-8M0121594
15.25	23	48-8M0142101	48-8M0121595
15.25	23.5	N/A	48-8M0121596
15 .25	24	48-8M0142102	48-8M0121597
15.25	24.5	N/A	48-8M0121598
15.25	25	48-8M0142103	48-8M0121599
15.25	25.5	N/A	48-8M0121600
15.25	26	48-8M0142104	48-8M0121601
15.25	26.5	N/A	48-8M0121602
15.25	27	48-8M0142105	48-8M0121603
15.25	27.5	N/A	48-8M0121604
15.25	28	48-8M0142106	48-8M0129046
15.25	28.5	N/A	48-8M0129048
15.25	29	48-8M0142107	48-8M0129049

BRAVO I XS PRO FINISHED



Bravo I XS Pro Finished Outboard

Diameter	Pitch	Pro Finished RH Rotation
15.25	22	48-831910L60
15.25	22.5	48-8M0111147
15.25	23	48-831910L80
15.25	23.5	48-8M0100104
15.25	24	48-831912L60
15.25	24.5	48-8M0111148
15.25	25	48-831912L80
15.25	25.5	48-8M0100105
15 .25	26	48-831914L60
15.25	26.5	48-8M0111149
15.25	27	48-831914L80
15.25	27.5	48-8M0100106
15.25	28	48-831916L60
15.25	28.5	48-8M0111150
15.25	29	48-831916L80
15.25	29.5	48-8M0100107
15.25	30	48-831918L60
15.25	30.5	48-8M0111151
15.25	31	48-831918L80
15.25	31.5	48-8M0100109

BRAVO I XC PRO FINISHED



Bravo I XC Pro Finished Outboard

Diameter	Pitch	Pro Finished RH Rotation
15.3	19	48-8M0118468
15.3	20	48-8M0100110
15.3	21	48-8M0118470
15.3	22	48-8M0100111
15.3	24	48-8M0100112

BRAVO I FS PRO FINISHED



Bravo I FS Pro Finished Propeller Chart

Diameter	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
15.25	20	48-8M0090453	48-8M0090451
15.25	20.5	Not Available	48-8M0118469
15.25	21	48-8M0090457	48-8M0090455
15.25	21.5	Not Available	48-8M0118471
15.25	22	48-8M0071088	48-8M0064450

Diameter	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
15.25	22.5	Not Available	48-8M0128332
15.25	23	48-8M0071089	48-8M0064468
15.25	23.5	Not Available	48-8M0152624
15.25	24	48-8M0071090	48-8M0064469
15.25	24.5	Not Available	48-8M0128333
15.25	25	48-8M0071091	48-8M0064470
15.25	25.5	Not Available	48-8M0129397
15.25	26	48-8M0071092	48-8M0064471
15.25	26.5	Not Available	48-8M0128334
15.25	27	48-8M0071093	48-8M0064472
15.25	28	48-8M0071094	48-8M0064473
15.25	28.5	Not Available	48-8M0128335
15.25	29	48-8M0071095	48-8M0064475
15.25	30	48-8M0071096	48-8M0064476
15.25	31	48-8M0071097	48-8M0064477
15.25	32	48-8M0104418	48-8M0104417
15.25	33	48-8M0104420	48-8M0104419

REVOLUTION 4 XP

Revolution 4 XP

Diameter	Pitch	LH Rotation	RH Rotation
14.6	17	48-8M0142117	48-8M0142118
14.6	16	48-8M0142115	48-8M0142116
14.6	15	48-8M0142113	48-8M0142114
14.6	14	48-8M0142111	48-8M0142112
14.6	13		48-8M0142110

ENERTIA ECO XP PROPELLER



Enertia ECO XP Propeller Chart

Diameter	Pitch	LH Rotation	RH Rotaion
16	16.5	48-8M0110303	48-8M0110304
16	17.5	48-8M0119053	48-8M0119052
16	18.5	48-8M0108351	48-8M0108350
16	19.5	48-8M0119055	48-8M0119056
16	20.5	48-8M0108353	48-8M0108352
16	21.5	48-8M0119057	48-8M0119058
16	22.5	48-8M0108357	48-8M0108354

VENTERA PROPELLER



Ventera Chart

Diameter	Pitch	Ventera LH Rotaion	Ventera RH Rotaion
15.00	18	48-8M0214711	48-8M0214710
15.00	18.5	48-8M0214713	48-8M0214712
15.00	19	48-8M0214715	48-8M0214714
15.00	19.5	48-8M0214717	48-8M0214716
15.00	20	48-8M0214719	48-8M0214718
15.00	20.5	48-8M0214721	48-8M0214720
15.00	21	48-8M0214723	48-8M0214722
15.00	21.5	48-8M0214725	48-8M0214724
15.00	22	48-8M0214727	48-8M0214726
15.00	22.5	48-8M0214729	48-8M0214728
15.00	23	48-8M0214731	48-8M0214730
15.00	23.5	48-8M0214733	48-8M0214732
15.00	24	48-8M0214735	48-8M0214734
15.00	24.5	48-8M0214737	48-8M0214736
15.00	25	48-8M0214739	48-8M0214738
15.00	25.5	48-8M0214741	48-8M0214740
15.00	26	48-8M0173919	48-8M0173918
15.00	26.5	48-8M0173921	48-8M0173920
15.00	27	48-8M0173923	48-8M0173922
15.00	27.5	48-8M0173925	48-8M0173924

VENTERA LAB FINISH



Ventera Lab Finish

Diameter	Pitch	Lab Finished LH Rotaion	Lab Finished RH Rotaion
15.00	19	48-8M0214743	48-8M0214742
15.00	20	48-8M0214745	48-8M0214744
15.00	21	48-8M0214747	48-8M0214746
15.00	22	48-8M0214749	48-8M0214748
15.00	23	48-8M0214751	48-8M0214750
15.00	24	48-8M0214753	48-8M0214752
15.00	25	48-8M0214755	48-8M0214754

MERCURY RACING PROPELLER CHARTS

Diameter	Pitch	Lab Finished LH Rotaion	Lab Finished RH Rotaion
15.00	26	48-8M0173941	48-8M0173940
15.00	26.5	48-8M0173943	48-8M0173942
15.00	27	48-8M0173945	48-8M0173944
15.00	27.5	48-8M0173947	48-8M0173946

VENTERA LAB SATIN FINISH



Ventera Lab Satin Finish

Diameter	Pitch	Satin Lab Finished LH Rotation	Satin Lab Finished RH Rotation
15.00	23	48-8M0214757	48-8M0214756
15.00	24	48-8M0214759	48-8M0214758
15.00	24.5	48-8M0214761	48-8M0214760
15.00	25	48-8M0214763	48-8M0214762
15.00	25.5	48-8M0214765	48-8M0214764
15.00	26	48-8M0173949	48-8M0173948
15.00	26.5	48-8M0173951	48-8M0173950
15.00	27	48-8M0173953	48-8M0173952
15.00	27.5	48-8M0173955	48-8M0173954

BRAVO I OC LAB FINISHED



Bravo I OC Lab Finished Outboard Propeller Chart

Diameter	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
14.75	22.5	NA	48-8M0144040
14.75	23.5	NA	48-8M0144042
14.75	24.5	NA	48-8M0144044
14.75	25.5	NA	48-8M0144046
14.75	26	NA	48-8M0129147
14.75	26.5	NA	48-8M0129148
14.75	27	NA	48-8M0129149
14.75	28	48-8M0092003	48-8M0092002
14.75	29	48-8M0092005	48-8M0092004

Diameter	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
14.75	30	48-8M0092007	48-8M0092006
14.75	31	48-8M0092009	48-8M0092008
14.75	32	48-8M0092011	48-8M0092010
14.75	33	48-8M0092013	48-8M0092012

BRAVO I LAB FINISHED



Bravo I 4 Blade SS Lab Finished Sterndrive and 4 Stroke Outboard Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.25	22	48-831909L65	48-831910L65
15.25	23	48-8M0073457	48-8M0073456
15.25	24	48-831911L65	48-831912L65
15.25	25	48-831911L45	48-831912L45
15.25	26	48-831913L65	48-831914L65
15.25	27	48-831913L45	48-831914L45
15.25	28	48-831915L65	48-831916L65
15.25	29	48-831915L45	48-831916L45
15.25	30	48-831917L65	48-831918L65
15.25	31	48-831917L45	48-831918L45
15.25	32	48-831919L65	48-831920L65
15.25	33	48-831919L45	48-831920L45

MAX 5 LAB FINISHED PROPELLER



MAX 5 Lab Finished Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15	34	48-8M0118017	27-8M0115016
15	33.5	48-8M0118015	48-8M0118014
15	33	48-8M0118013	48-8M0118012
15	32.8	48-8M0131167	48-8M0131166
15	32.3	48-8M0131165	48-8M0131164
15	32	48-8M0118011	48-8M0118010
15	31.5	48-8M0118009	48-8M0118008
15	31	48-8M0118007	48-8M0118006
15	30.8	48-8M0131163	48-8M0131162

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15	30.3	48-8M0131161	48-8M0131160
15	30	48-8M0118005	48-8M0118004
15	29.5	48-8M0118003	48-8M0118002
15	29	48-8M0118001	48-8M0118000
15	28.8	48-8M0131159	48-8M0131158
15	28.3	48-8M0131157	48-8M0131156
15	28	48-8M0117999	48-8M0117998
15	27.5	48-8M0117997	48-8M0117996
15	27	48-8M0117995	48-8M0117994
15	26.8	48-8M0131155	48-8M0131154
15	26.3	48-8M0131153	48-8M0131152
15	26	48-8M0117993	48-8M0117992
15	25.5	48-8M0117991	48-8M0117990
15	25	48-8M0117989	48-8M0117988
15	24.8	48-8M0131151	48-8M0131150
15	24.3	48-8M0131149	48-8M0131148
15	24	48-8M0117987	48-8M0117986
15	23.5	48-8M0117985	48-8M0117984
15	23	48-8M0117983	48-8M0117982
15	22.8	48-8M0131147	48-8M0131146
15	22.3	48-8M0131145	48-8M0131144
15.25	22.5	48-8M0156439	48-8M0156434
15.25	23	48-8M0156437	48-8M0156436
15.25	24	48-8M0156441	48-8M0156440
15.25	24.5	48-8M0156445	48-8M0156444
15.25	25	48-8M0156447	48-8M0156446
15.25	25.5	48-8M0156449	48-8M0156448
15.25	26	48-8M0156451	48-8M0156450
15.25	26.5	48-8M0156455	48-8M0156451
15.25	27	48-8M0156457	48-8M0156456
15.25	27.5	48-8M0156459	48-8M0156458
15.25	28	48-8M0156461	48-8M0156460
15.25	28.5	48-8M0156465	48-8M0156464
15.25	29	48-8M0156467	48-8M0156466
15.25	29.5	48-8M0156469	48-8M0156468
15.25	30	48-8M0156471	48-8M0156470
15.25	30.5	48-8M0156475	48-8M0156474
15.25	31	48-8M0156477	48-8M0156476
15.25	31.5	48-8M0156479	48-8M0156478
15.25	32	48-8M0156481	48-8M0156480
15.25	32.5	48-8M0156485	48-8M0156484
15.25	33	48-8M0156487	48-8M0156486
15.25	33.5	48-8M0156489	48-8M0156488
15.25	34	48-8M0156491	48-8M0156490

MAX 5 ST LAB FINISHED PROPELLER



MAX 5 ST Lab Finished Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.25	22.5	48-8M0156495	48-8M0156494
15.25	23	48-8M0156497	48-8M0156496
15.25	23.5	48-8M0156499	48-8M0156498
15.25	24	48-8M0156501	48-8M0156500
15.25	24.5	48-8M0156505	48-8M0156504
15.25	25	48-8M0156507	48-8M0156506
15.25	25.5	48-8M0156509	48-8M0156508
15.25	26	48-8M0156511	48-8M0156510
15.25	26.5	48-8M0156515	48-8M0156514
15.25	27	48-8M0156517	48-8M0156516
15.25	27.5	48-8M0156519	48-8M0156518
15.25	28	48-8M0156521	48-8M0156520
15.25	28.5	48-8M0156525	48-8M0156524
15.25	29	48-8M0156527	48-8M0156526
15.25	29.5	48-8M0156529	48-8M0156528
15.25	30	48-8M0156531	48-8M0156530
15.25	30.5	48-8M0156535	48-8M0156534
15.25	31	48-8M0156537	48-8M0156536
15.25	31.5	48-8M0156539	48-8M0156538
15.25	32	48-8M0156541	48-8M0156540
15.25	32.5	48-8M0156545	48-8M0156544
15.25	33	48-8M0156547	48-8M0156546
15.25	33.5	48-8M0156549	48-8M0156548
15.25	34	48-8M0156551	48-8M0156550

MAXIMUS LONG TUBE 5 BLADE SS LAB FINISHED



Maximus Long Tube 5 Blade Stainless Steel Sterndrive Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.63	23	48-889975L45	48-889974L45
15.3	23	48-889975L44	48-889974L44
15.63	24	48-889975L65	48-889974L65
15.3	24	48-889975L64	48-889974L64
15	24	48-889975L63	48-889974L63
15.63	25	48-889965L45	48-889964L45
15.3	25	48-889965L44	48-889964L44
15.63	26	48-889965L65	48-889964L65
15.3	26	48-889965L64	48-889964L64
15	26	48-889965L63	48-889964L63
15.63	27	48-889967L45	48-889966L45
15.3	27	48-889967L44	48-889966L44
15.63	28	48-889967L65	48-889966L65
15.3	28	48-889967L64	48-889966L64
15	28	48-889967L63	48-889966L63

MERCURY RACING PROPELLER CHARTS

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.63	29	48-889969L45	48-889968L45
15.3	29	48-889969L44	48-889968L44
15.63	30	48-889969L65	48-889968L65
15.3	30	48-889969L64	48-889968L64
15	30	48-889969L63	48-889968L63
15.63	31	48-889971L45	48-889970L45
15.3	31	48-889971L44	48-889970L44
15.63	32	48-889971L65	48-889970L65
15.3	32	48-889971L64	48-889970L64
15	32	48-889971L63	48-889970L63
15.63	33	48-889973L45	48-889972L45
15.3	33	48-889973L44	48-889972L44
15.63	34	48-889973L65	48-889972L65
15.3	34	48-889973L64	48-889972L64
15	34	48-889973L63	48-889972L63
15.63	35	48-889973L85	48-889972L85
15.3	35	48-889973L84	48-889972L84

MAXIMUS SHORT TUBE 5 BLADE SS LAB FINISHED



Maximus Short Tube 5 Blade Stainless Steel Sterndrive Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.63	23	48-889975L49	48-889974L49
15.3	23	48-889975L48	48-889974L48
15.63	24	48-889975L69	48-889974L69
15.3	24	48-889975L68	48-889974L68
15	24	N.L.A.	N.L.A.
15.63	25	48-889965L49	48-889964L49
15.3	25	48-889965L48	48-889964L48
15.63	26	48-889965L69	48-889964L69
15.3	26	48-889965L68	48-889964L68
15	26	N.L.A.	N.L.A.
15.63	27	48-889967L49	48-889966L49
15.3	27	48-889967L48	48-889966L48
15.63	28	48-889967L69	48-889966L69
15.3	28	48-889967L68	48-889966L68
15	28	N.L.A.	N.L.A.
15.63	29	48-889969L49	48-889968L49
15.3	29	48-889969L48	48-889968L48
15.63	30	48-889969L69	48-889968L69
15.3	30	48-889969L68	48-889968L68
15	30	N.L.A.	N.L.A.
15.63	31	48-889971L49	48-889970L49
15.3	31	48-889971L48	48-889970L48
15.63	32	48-889971L69	48-889970L69
15.3	32	48-889971L68	48-889970L68
15	32	N.L.A.	N.L.A.
15.63	33	48-889973L49	48-889972L49
15.3	33	48-889973L48	48-889972L48
15.63	34	48-889973L69	48-889972L69
15.3	34	48-889973L68	48-889972L68
15	34	N.L.A.	N.L.A.
15.63	35	48-889973L89	48-889972L89
15.3	35	48-889973L88	48-889972L88

BRAVO THREE XR PRO FINISHED



Bravo Three XR Pro Finished Sterndrive Propeller Chart

Bravo Three X, XR Propeller Hardware:
Bravo Three Inner Prop Nut Wrench 91-805457T 1
Forward Thrust Washer 805101T
Aft Thrust Washer 805100T
Forward Prop Nut 11-805092T
Aft Prop Nut 11-805093

Diameter	Pitch	Material	Blades	Pro Finished LH Rotation	Pro Finished RH Rotation
15.5 / 14.5	28	Polished SS	4 / 3	48-842945L80	48-842946L80
15.5 / 14.5	27.5	Polished SS	4 / 3	48-8M0125747	48-8M0125746
15.5 / 14.5	27	Polished SS	4 / 3	48-842945L70	48-842946L70
15.8 / 14.8	26	Polished SS	4 / 3	48-842943L80	48-842944L80
15.8 / 14.8	25.5	Polished SS	4 / 3	48-8M0125745	48-8M0125744
15.8 / 14.8	25	Polished SS	4 / 3	48-842943L70	48-842944L70
16 / 15	24	Polished SS	4 / 3	48-842941L80	48-842942L80
16 / 15	23.5	Polished SS	4 / 3	48-8M0125743	48-8M0125742
16 / 15	23	Polished SS	4 / 3	48-842941L70	48-842942L70
16 / 15	22	Polished SS	4 / 3	48-8M0073458	48-8M0073459
16 / 15	21.5	Polished SS	4 / 3	48-8M0125741	48-8M0125740
16 / 15	21	Polished SS	4 / 3	48-842939L70	48-842940L70
16 / 15	20	Polished SS	4 / 3	48-8M0125739	48-8M0125738

CNC OUTBOARD CLEAVER 300 HP 15 DEGREE

CNC Outboard Cleaver 300 HP 15 Degree

Diameter	Pitch	RH Rotation	LH Rotation
14.75	26	48-8M0187768	48-8M0187769
15.00	26	48-8M0187770	48-8M0187771
15.25	26	48-8M0187772	48-8M0187773
14.63	27	48-8M0187840	48-8M0187841
14.75	27	48-8M0187842	48-8M0187843
15.00	27	48-8M0188070	48-8M0188071
15.25	27	48-8M0188072	48-8M0188073

Diameter	Pitch	RH Rotation	LH Rotation
14.63	28	48-8M0188194	48-8M0188195
14.75	28	48-8M0188196	48-8M0188197
15.00	28	48-8M0189082	48-8M0189083
15.25	28	48-8M0189084	48-8M0189085
14.63	29	48-8M0189092	48-8M0189093
14.75	29	48-8M0189094	48-8M0189095
15.00	29	48-8M0189120	48-8M0189121
15.25	29	48-8M0189122	48-8M0189123
14.63	30	48-8M0189132	48-8M0189133
14.75	30	48-8M0189134	48-8M0189135
15.00	30	48-8M0173545	48-8M0173546
15.25	30	48-8M0189136	48-8M0189139
14.63	31	48-8M0189374	48-8M0189375
14.75	31	48-8M0175698	48-8M0175699
15.00	31	48-8M0174086	48-8M0174087
15.25	31	48-8M0189376	48-8M0189377
14.63	32	48-8M0189386	48-8M0189387
14.75	32	48-8M0175691	48-8M0175692
15.00	32	48-8M0173547	48-8M0173548
15.25	32	48-8M0189388	48-8M0189389
14.63	33	48-8M0169470	48-8M0169471
14.75	33	48-8M0189398	48-8M0189399
15.00	33	48-8M0189400	48-8M0189401
15.25	33	48-8M0189402	48-8M0189403
14.63	34	48-8M0189432	48-8M0189433
14.75	34	48-8M0189434	48-8M0189435
15.00	34	48-8M0175041	48-8M0175042
15.25	34	48-8M0189436	48-8M0189437
14.63	35	48-8M0189446	48-8M0189447
14.75	35	48-8M0189448	48-8M0189449
15.00	35	48-8M0189450	48-8M0189451
15.25	35	48-8M0189452	48-8M0189453
14.63	36	48-8M0189462	48-8M0189463
14.75	36	48-8M0189464	48-8M0189465
15.00	36	48-8M0189466	48-8M0189467
15.25	36	48-8M0189468	48-8M0189469
14.63	37	48-8M0189478	48-8M0189479
14.75	37	48-8M0181196	48-8M0181197
15.00	37	48-8M0189480	48-8M0189481
15.25	37	48-8M0189482	48-8M0189483
14.63	38	48-8M0189492	48-8M0189493
14.75	38	48-8M0182365	48-8M0182366
15.00	38	48-8M0189494	48-8M0189495
15.25	38	48-8M0189496	48-8M0189497
14.63	39	48-8M0189498	48-8M0189499
14.75	39	48-8M0189500	48-8M0189501
15.00	39	48-8M0189502	48-8M0189503
15.25	39	48-8M0189504	48-8M0189505
14.63	40	48-8M0189506	48-8M0189507
14.75	40	48-8M0189508	48-8M0189509
15.00	40	48-8M0189510	48-8M0189511
15.25	40	48-8M0189512	48-8M0189513

CNC OUTBOARD CLEAVER 300 HP 18 DEGREE

CNC Outboard Cleaver 300 HP 18 Degree

Diameter	Pitch	RH Rotation	LH Rotation
14.63	26	48-8M0187774	48-8M0187775
14.75	26	48-8M0187834	48-8M0187835
15.00	26	48-8M0187836	48-8M0187837
15.25	26	48-8M0187838	48-8M0187839
14.63	27	48-8M0188074	48-8M0188075
14.75	27	48-8M0188076	48-8M0188077
15.00	27	48-8M0188078	48-8M0188079
15.25	27	48-8M0188192	48-8M0188193
14.63	28	48-8M0189086	48-8M0189087
14.75	28	48-8M0178073	48-8M0178074
15.00	28	48-8M0189088	48-8M0189089
15.25	28	48-8M0189090	48-8M0189091
14.63	29	48-8M0189124	48-8M0189125
14.75	29	48-8M0189126	48-8M0189127
15.00	29	48-8M0189128	48-8M0189129
15.25	29	48-8M0189130	48-8M0189131
14.63	30	48-8M0189142	48-8M0189143
14.75	30	48-8M0189368	48-8M0189369
15.00	30	48-8M0189370	48-8M0189371
15.25	30	48-8M0189372	48-8M0189373
14.63	31	48-8M0189378	48-8M0189379
14.75	31	48-8M0189380	48-8M0189381
15.00	31	48-8M0189382	48-8M0189383
15.25	31	48-8M0189384	48-8M0189385
14.63	32	48-8M0189390	48-8M0189391
14.75	32	48-8M0189392	48-8M0189393
15.00	32	48-8M0189394	48-8M0189395
15.25	32	48-8M0189396	48-8M0189397
14.63	33	48-8M0175873	48-8M0175874
14.75	33	48-8M0173605	48-8M0173606
15.00	33	48-8M0189404	48-8M0189405
15.25	33	48-8M0189406	48-8M0189407
14.63	34	48-8M0189438	48-8M0189439
14.75	34	48-8M0189440	48-8M0189441
15.00	34	48-8M0189442	48-8M0189443
15.25	34	48-8M0189444	48-8M0189445
14.63	35	48-8M0189454	48-8M0189455
14.75	35	48-8M0189456	48-8M0189457
15.00	35	48-8M0189458	48-8M0189459
15.25	35	48-8M0189460	48-8M0189461
14.63	36	48-8M0189470	48-8M0189471
14.75	36	48-8M0189472	48-8M0189473
15.00	36	48-8M0189474	48-8M0189475
15.25	36	48-8M0189476	48-8M0189477
14.63	37	48-8M0189484	48-8M0189485
14.75	37	48-8M0189486	48-8M0189487
15.00	37	48-8M0189488	48-8M0189489
15.25	37	48-8M0189490	48-8M0189491

CNC OUTBOARD CLEAVER 400 HP 15 DEGREE RAKE

CNC Outboard Cleaver 400 HP 15 Degree Rake

Diameter	Pitch	RH Rotation	LH Rotation
14.63	26	48-8M0186214	48-8M0186215
14.75	26	48-8M0186216	48-8M0186217
15.00	26	48-8M0186218	48-8M0186219
15.25	26	48-8M0186220	48-8M0186221
14.63	27	48-8M0186238	48-8M0186239
14.75	27	48-8M0186240	48-8M0186241
15.00	27	48-8M0186242	48-8M0186243
15.25	27	48-8M0186280	48-8M0186281
14.63	28	48-8M0186290	48-8M0186291
14.75	28	48-8M0156783	48-8M0156784
15.00	28	48-8M0169474	48-8M0169475
15.25	28	48-8M0186362	48-8M0186363
14.63	29	48-8M0186368	48-8M0186369
14.75	29	48-8M0186370	48-8M0186371
15.00	29	48-8M0186372	48-8M0186373
15.25	29	48-8M0145700	48-8M0145701
14.63	30	48-8M0186420	48-8M0186421
14.75	30	48-8M0186422	48-8M0186423
15.00	30	48-8M0152315	48-8M0152316
15.25	30	48-8M0151078	48-8M0151077
14.63	31	48-8M0187110	48-8M0187111
14.75	31	48-8M0183477	48-8M0183478
15.00	31	48-8M0153316	48-8M0153317
15.25	31	48-8M0145698	48-8M0145699
14.63	32	48-8M0187134	48-8M0187135
14.75	32	48-8M0187346	48-8M0187347
15.00	32	48-8M0140854	48-8M0140855
15.25	32	48-8M0147732	48-8M0147733
14.63	33	48-8M0187140	48-8M0187141
14.75	33	48-8M0136308	48-8M0136309
15.00	33	48-8M0140248	48-8M0140247
15.25	33	48-8M0148162	48-8M0148161
14.63	34	48-8M0187160	48-8M0187161
14.75	34	48-8M0181200	48-8M0181201
15.00	34	48-8M0139056	48-8M0139055
15.25	34	48-8M0148164	48-8M0148163
14.63	35	48-8M0187166	48-8M0187167
14.75	35	48-8M0164146	48-8M0164147
15.00	35	48-8M0139764	48-8M0139763
15.25	35	48-8M0148290	48-8M0148291
14.63	36	48-8M0187188	48-8M0187189
14.75	36	48-8M0166026	48-8M0166025
15.00	36	48-8M0148310	48-8M0148311
15.25	36	48-8M0127244	48-8M0127245
14.63	37	48-8M0187196	48-8M0187197
14.75	37	48-8M0167788	48-8M0167787
15.00	37	48-8M0168392	48-8M0168393
15.25	37	48-8M0187338	48-8M0187339
14.63	38	48-8M0187344	48-8M0187345
14.75	38	48-8M0165498	48-8M0165499
15.00	38	48-8M0187346	48-8M0187347
15.25	38	48-8M0187410	48-8M0187411
14.63	39	48-8M0187412	48-8M0187413
14.75	39	48-8M0187414	48-8M0187415
15.00	39	48-8M0187416	48-8M0187417
15.25	39	48-8M0187418	48-8M0187419
14.63	40	48-8M0187420	48-8M0187421
14.75	40	48-8M0187508	48-8M0187509
15.00	40	48-8M0187510	48-8M0187511
15.25	40	48-8M0187512	48-8M0187513

CNC OUTBOARD CLEAVER 400 HP 18 DEGREE RAKE

CNC Cleaver Outboard 400 HP 18 Degree Rake

Daimeter	Pitch	RH Rotation	LH Rotation
14.63	26	48-8M0186222	48-8M0186223
14.75	26	48-8M0186234	48-8M0186235
15.00	26	48-8M0152451	48-8M0152452
15.25	26	48-8M0186236	48-8M0186237
14.63	27	48-8M0186282	48-8M0186283
14.75	27	48-8M0186284	48-8M0186285
15.00	27	48-8M0186286	48-8M0186287
15.25	27	48-8M0186288	48-8M0186289
14.63	28	48-8M0186364	48-8M0186365
14.75	28	48-8M0186366	48-8M0186367
15.00	28	48-8M0163002	48-8M0163003
15.25	28	48-8M0146898	48-8M0146899
14.63	29	48-8M0186414	48-8M0186415
14.75	29	48-8M0186416	48-8M0186417
15.00	29	48-8M0144111	48-8M0144112
15.25	29	48-8M0186418	48-8M0186419
14.63	30	48-8M0187106	48-8M0187107
14.75	30	48-8M0187108	48-8M0187109
15.00	30	48-8M0179843	48-8M0179844
15.25	30	48-8M0163752	48-8M0163751
14.63	31	48-8M0187112	48-8M0187113
14.75	31	48-8M0187114	48-8M0187115
15.00	31	48-8M0148847	48-8M0148848
15.25	31	48-8M0189618	48-8M0189619
14.63	32	48-8M0189616	48-8M0189617
14.75	32	48-8M0165313	48-8M0165314
15.00	32	48-8M0145081	48-8M0145082
15.25	32	48-8M0143702	48-8M0143703
14.63	33	48-8M0187142	48-8M0187143
14.75	33	48-8M0141471	48-8M0141472
15.00	33	48-8M0156780	48-8M0156781
15.25	33	48-8M0145071	48-8M0145072
14.63	34	48-8M0187162	48-8M0187163
14.75	34	48-8M0141474	48-8M0141473
15.00	34	48-8M0187164	48-8M0187165
15.25	34	48-8M0149444	48-8M0149445
14.63	35	48-8M0187168	48-8M0187169
14.75	35	48-8M0175764	48-8M0175765
15.00	35	48-8M0146584	48-8M0146583
15.25	35	48-8M0187186	48-8M0187187
14.63	36	48-8M0187190	48-8M0187191

Daimeter	Pitch	RH Rotation	LH Rotation
14.75	36	48-8M0187192	48-8M0187193
15.00	36	48-8M0167838	48-8M0167837
15.25	36	48-8M0187194	48-8M0187195
14.63	37	48-8M0187340	48-8M0187341
14.75	37	48-8M0176006	48-8M0176005
15.00	37	48-8M0187342	48-8M0187343
15.25	37	48-8M0173180	48-8M0173179

CNC OUTBOARD CLEAVER 500 HP 15 DEGREE RAKE

CNC Outboard Cleaver 500 HP 15 Degree Rake

Diameter	Pitch	RH Rotation	L0H Rotation
14.75	26	48-8M0159882	48-8M0159883
15.00	26	48-8M0154968	48-8M0154967
15.25	26	48-8M0159954	48-8M0159953
14.75	27	48-8M0160054	48-8M0160053
15.00	27	48-8M0160056	48-8M0160055
15.25	27	48-8M0160058	48-8M0160057
14.75	28	48-8M0160128	48-8M0160127
15.00	28	48-8M0160130	48-8M0160129
15.25	28	48-8M0160132	48-8M0160131
14.75	29	48-8M0160538	48-8M0160539
15.00	29	48-8M0160540	48-8M0160541
15.25	29	48-8M0160542	48-8M0160543
14.75	30	48-8M0160590	48-8M0160589
15.00	30	48-8M0160592	48-8M0160591
15.25	30	48-8M0160594	48-8M0160593
14.75	31	48-8M0160660	48-8M0160659
15.00	31	48-8M0155582	48-8M0155583
15.25	31	48-8M0160662	48-8M0160661
14.75	32	48-8M0160752	48-8M0160751
15.00	32	48-8M0155574	48-8M0155573
15.25	32	48-8M0160120	48-8M0160121
14.75	33	48-8M0160850	48-8M0160851
15.00	33	48-8M0155576	48-8M0155575
15.25	33	48-8M0160122	48-8M0160123
14.75	34	48-8M0160856	48-8M0160857
15.00	34	48-8M0160858	48-8M0160859
15.25	34	48-8M0160860	48-8M0160861
14.75	35	48-8M0155384	48-8M0155383
15.00	35	48-8M0156788	48-8M0156787
15.25	35	48-8M0160826	48-8M0160827
14.75	36	48-8M0155386	48-8M0155385
15.00	36	48-8M0159892	48-8M0159893
15.25	36	48-8M0159972	48-8M0159973
14.75	37	48-8M0157712	48-8M0157711
15.00	37	48-8M0160038	48-8M0160037
15.25	37	48-8M0160040	48-8M0160039
14.75	38	48-8M0163488	48-8M0163489
15.00	38	48-8M0163490	48-8M0163491
15.25	38	48-8M0163492	48-8M0163493
14.75	39	48-8M0163514	48-8M0163513
15.00	39	48-8M0163516	48-8M0163515
15.25	39	48-8M0163518	48-8M0163517
14.75	40	48-8M0163522	48-8M0163521
15.00	40	48-8M0163524	48-8M0163523
15.25	40	48-8M0163526	48-8M0163525

CNC OUTBOARD CLEAVER 500 HP 18 DEGREE RAKE

CNC Outboard Cleaver 500 HP 18 Degree Rake

Diameter	Pitch	LH Rotation	RH Rotation
14.75	26	48-8M0159955	48-8M0159956
15.00	26	48-8M0154969	48-8M0154970
15.25	26	48-8M0160051	48-8M0160052
14.75	27	48-8M0160105	48-8M0160106
15.00	27	48-8M0160111	48-8M0160112
15.25	27	48-8M0160113	48-8M0160114
14.75	28	48-8M0160483	48-8M0160484
15.00	28	48-8M0160485	48-8M0160486
15.25	28	48-8M0160487	48-8M0160488
14.75	29	48-8M0160581	48-8M0160582
15.00	29	48-8M0160583	48-8M0160584
15.25	29	48-8M0160585	48-8M0160586
14.75	30	48-8M0160653	48-8M0160652
15.00	30	48-8M0160655	48-8M0160654
15.25	30	48-8M0160657	48-8M0160656
14.75	31	48-8M0160737	48-8M0160738
15.00	31	48-8M0160739	48-8M0160740
15.25	31	48-8M0160741	48-8M0160742
14.75	32	48-8M0160803	48-8M0160804
15.00	32	48-8M0160805	48-8M0160806
15.25	32	48-8M0160807	48-8M0160808
14.75	33	48-8M0160853	48-8M0160852
15.00	33	48-8M0159339	48-8M0159338
15.25	33	48-8M0160855	48-8M0160854
14.75	34	48-8M0160835	48-8M0160834
15.00	34	48-8M0159341	48-8M0159340
15.25	34	48-8M0160837	48-8M0160836
14.75	35	48-8M0160829	48-8M0160828
15.00	35	48-8M0160831	48-8M0160830
15.25	35	48-8M0160833	48-8M0160832
14.75	36	48-8M0159975	48-8M0159974
15.00	36	48-8M0159977	48-8M0159976
15.25	36	48-8M0159979	48-8M0159978
14.75	37	48-8M0160041	48-8M0160042
15.00	37	48-8M0160043	48-8M0160044
15.25	37	48-8M0160045	48-8M0160046

CNC OUTBOARD CLEAVER 500 B 15 DEGREE RAKE

CNC Outboard Cleaver 500 B 15 Degree Rake

Diameter	Pitch	RH Rotation	LH Rotation
14.75	26	48-8M0211324	48-8M0211325
15.00	26	48-8M0211326	48-8M0211327
15.25	26	48-8M0211328	48-8M0211329
15.50	26	48-8M0215700	48-8M0215701
15.63	26	48-8M0211558	48-8M0211323

Diameter	Pitch	RH Rotation	LH Rotation
14.75	27	48-8M0211340	48-8M0211341
15.00	27	48-8M0211342	48-8M0211343
15.25	27	48-8M0211344	48-8M0211345
15.50	27	48-8M0215704	48-8M0215705
15.63	27	48-8M0211338	48-8M0211339
14.75	28	48-8M0211356	48-8M0211357
15.00	28	48-8M0211358	48-8M0211359
15.25	28	48-8M0211360	48-8M0211361
15.50	28	48-8M0215708	48-8M0215709
15.63	28	48-8M0211354	48-8M0211355
14.75	29	48-8M0211372	48-8M0211373
15.00	29	48-8M0211374	48-8M0211375
15.25	29	48-8M0211376	48-8M0211377
15.50	29	48-8M0215712	48-8M0215713
15.63	29	48-8M0211370	48-8M0211371
14.75	30	48-8M0211388	48-8M0211389
15.00	30	48-8M0211390	48-8M0211391
15.25	30	48-8M0211392	48-8M0211393
15.50	30	48-8M0215716	48-8M0215717
15.63	30	48-8M0211386	48-8M0211387
14.75	31	48-8M0211404	48-8M0211405
15.00	31	48-8M0211406	48-8M0211407
15.25	31	48-8M0211408	48-8M0211409
15.50	31	48-8M0215720	48-8M0215721
15.63	31	48-8M0211402	48-8M0211403
14.75	32	48-8M0211420	48-8M0211421
15.00	32	48-8M0211422	48-8M0211423
15.25	32	48-8M0211424	48-8M0211425
15.50	32	48-8M0215724	48-8M0215725
15.63	32	48-8M0211418	48-8M0211419
14.75	33	48-8M0211436	48-8M0211437
15.00	33	48-8M0211438	48-8M0211439
15.25	33	48-8M0211440	48-8M0211441
15.50	33	48-8M0215728	48-8M0215729
15.63	33	48-8M0211434	48-8M0211435
14.75	34	48-8M0211452	48-8M0211453
15.00	34	48-8M0211454	48-8M0211455
15.25	34	48-8M0211456	48-8M0211457
15.50	34	48-8M0215732	48-8M0215733
15.63	34	48-8M0211450	48-8M0211451
14.75	35	48-8M0211468	48-8M0211469
15.00	35	48-8M0211470	48-8M0211471
15.25	35	48-8M0211472	48-8M0211473
15.50	35	48-8M0215736	48-8M0215737
15.63	35	48-8M0211466	48-8M0211467
14.75	36	48-8M0211484	48-8M0211485
15.00	36	48-8M0211486	48-8M0211487
15.25	36	48-8M0211488	48-8M0211489
15.50	36	48-8M0215740	48-8M0215741
15.63	36	48-8M0211482	48-8M0211483
14.75	37	48-8M0211500	48-8M0211501
15.00	37	48-8M0211502	48-8M0211503
15.25	37	48-8M0211504	48-8M0211505
15.50	37	48-8M0215744	48-8M0215745
15.63	37	48-8M0211498	48-8M0211499
14.75	38	48-8M0211516	48-8M0211517
15.00	38	48-8M0211518	48-8M0211519
15.25	38	48-8M0211520	48-8M0211521
15.50	38	48-8M0215754	48-8M0215755
15.63	38	48-8M0211514	48-8M0211515
14.75	39	48-8M0211524	48-8M0211525
15.00	39	48-8M0211526	48-8M0211527
15.25	39	48-8M0211528	48-8M0211529
15.50	39	48-8M0215748	48-8M0215749
15.63	39	48-8M0211522	48-8M0211523
14.75	40	48-8M0211532	48-8M0211533
15.00	40	48-8M0211534	48-8M0211535
15.25	40	48-8M0211536	48-8M0211537
15.50	40	48-8M0215750	48-8M0215751
15.63	40	48-8M0211530	48-8M0211531

CNC OUTBOARD CLEAVER 500 B 18 DEGREE RAKE

CNC Outboard Cleaver 500 B 18 Degree Rake

Diameter	Pitch	RH Rotation	LH Rotation
14.75	26	48-8M0211332	48-8M0211333
15.00	26	48-8M0211334	48-8M0211335
15.25	26	48-8M0211336	48-8M0211337
15.50	26	48-8M0215702	48-8M0215703
15.63	26	48-8M0211330	48-8M0211331
14.75	27	48-8M0211348	48-8M0211349
15.00	27	48-8M0211350	48-8M0211351
15.25	27	48-8M0211352	48-8M0211353
15.50	27	48-8M0215706	48-8M0215707
15.63	27	48-8M0211346	48-8M0211347
14.75	28	48-8M0211364	48-8M0211365
15.00	28	48-8M0211366	48-8M0211367
15.25	28	48-8M0211368	48-8M0211369
15.50	28	48-8M0215710	48-8M0215711
15.63	28	48-8M0211362	48-8M0211363
14.75	29	48-8M0211380	48-8M0211381
15.00	29	48-8M0211382	48-8M0211383
15.25	29	48-8M0211384	48-8M0211385
15.50	29	48-8M0215714	48-8M0215715
15.63	29	48-8M0211378	48-8M0211379
14.75	30	48-8M0211396	48-8M0211397
15.00	30	48-8M0211398	48-8M0211399
15.25	30	48-8M0211400	48-8M0211401
15.50	30	48-8M0215718	48-8M0215719
15.63	30	48-8M0211394	48-8M0211395
14.75	31	48-8M0211412	48-8M0211413
15.00	31	48-8M0211414	48-8M0211415
15.25	31	48-8M0211416	48-8M0211417
15.50	31	48-8M0215722	48-8M0215723
15.63	31	48-8M0211410	48-8M0211411
14.75	32	48-8M0211428	48-8M0211429
15.00	32	48-8M0211430	48-8M0211431
15.25	32	48-8M0211432	48-8M0211433
15.50	32	48-8M0215726	48-8M0215727
15.63	32	48-8M0211426	48-8M0211427

Diameter	Pitch	RH Rotation	LH Rotation
14.75	33	48-8M0211444	48-8M0211445
15.00	33	48-8M0211446	48-8M0211447
15.25	33	48-8M0211448	48-8M0211449
15.50	33	48-8M0215730	48-8M0215731
15.63	33	48-8M0211442	48-8M0211443
14.75	34	48-8M0211460	48-8M0211461
15.00	34	48-8M0211462	48-8M0211463
15.25	34	48-8M0211464	48-8M0211465
15.50	34	48-8M0215734	48-8M0215735
15.63	34	48-8M0211458	48-8M0211459
14.75	35	48-8M0211476	48-8M0211477
15.00	35	48-8M0211478	48-8M0211479
15.25	35	48-8M0211480	48-8M0211481
15.50	35	48-8M0215738	48-8M0215739
15.63	35	48-8M0211474	48-8M0211475
14.75	36	48-8M0211492	48-8M0211493
15.00	36	48-8M0211494	48-8M0211495
15.25	36	48-8M0211496	48-8M0211497
15.50	36	48-8M0215742	48-8M0215743
15.63	36	48-8M0211490	48-8M0211491
14.75	37	48-8M0211508	48-8M0211509
15.00	37	48-8M0211510	48-8M0211511
15.25	37	48-8M0211512	48-8M0211513
15.50	37	48-8M0215746	48-8M0215747
15.63	37	48-8M0211506	48-8M0211507

CNC CLEAVER 5 BLADE 15 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake – 1550 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0049063	48-8M0049064
17.75	26	48-8M0049093	48-8M0049094
17.50	26	48-8M0049123	48-8M0049124
17.25	26	48-8M0049153	48-8M0049154
17	26	48-8M0049183	48-8M0049184
16.75	26	48-8M0049213	48-8M0049214
16.50	26	48-8M0049243	48-8M0049244
16.25	26	48-8M0049273	48-8M0049274
16	26	48-8M0049303	48-8M0049304
18	27	48-8M0049065	48-8M0049066
17.75	27	48-8M0049095	48-8M0049096

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.50	27	48-8M0049125	48-8M0049126
17.25	27	48-8M0049155	48-8M0049156
17	27	48-8M0049185	48-8M0049186
16.75	27	48-8M0049215	48-8M0049216
16.50	27	48-8M0049245	48-8M0049246
16.25	27	48-8M0049275	48-8M0049276
16	27	48-8M0049305	48-8M0049306
18	28	48-8M0049067	48-8M0049068
17.75	28	48-8M0049097	48-8M0049098
17.50	28	48-8M0049127	48-8M0049128
17.25	28	48-8M0049157	48-8M0049158
17	28	48-8M0049187	48-8M0049188
16.75	28	48-8M0049217	48-8M0049218
16.50	28	48-8M0049247	48-8M0049248
16.25	28	48-8M0049277	48-8M0049278
16	28	48-8M0049307	48-8M0049308
18	29	48-8M0049069	48-8M0049070
17.75	29	48-8M0049099	48-8M0049100
17.50	29	48-8M0049129	48-8M0049130
17.25	29	48-8M0049159	48-8M0049160
17	29	48-8M0049189	48-8M0049190
16.75	29	48-8M0049219	48-8M0049220
16.50	29	48-8M0049249	48-8M0049250
16.25	29	48-8M0049279	48-8M0049280
16	29	48-8M0049309	48-8M0049310
18	30	48-8M0049071	48-8M0049072
17.75	30	48-8M0049101	48-8M0049102
17.50	30	48-8M0049131	48-8M0049132
17.25	30	48-8M0049161	48-8M0049162
17	30	48-8M0049191	48-8M0049192
16.75	30	48-8M0049221	48-8M0049222
16.50	30	48-8M0049251	48-8M0049252
16.25	30	48-8M0049281	48-8M0049282
16	30	48-8M0049311	48-8M0049312
18	31	48-8M0049073	48-8M0049074
17.75	31	48-8M0049103	48-8M0049104
17.50	31	48-8M0049133	48-8M0049134
17.25	31	48-8M0049163	48-8M0049164
17	31	48-8M0049193	48-8M0049194
16.75	31	48-8M0049223	48-8M0049224
16.50	31	48-8M0049253	48-8M0049254
16.25	31	48-8M0049283	48-8M0049284
16	31	48-8M0049313	48-8M0049314
18	32	48-8M0049075	48-8M0049076
17.75	32	48-8M0049105	48-8M0049106
17.50	32	48-8M0049135	48-8M0049136
17.25	32	48-8M0049165	48-8M0049166
17	32	48-8M0049195	48-8M0049196
16.75	32	48-8M0049225	48-8M0049226
16.50	32	48-8M0049255	48-8M0049256
16.25	32	48-8M0049285	48-8M0049286
16	32	48-8M0049315	48-8M0049316
18	33	48-8M0049077	48-8M0049078
17.75	33	48-8M0049107	48-8M0049108
17.50	33	48-8M0049137	48-8M0049138
17.25	33	48-8M0049167	48-8M0049168

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17	33	48-8M0049197	48-8M0049198
16.75	33	48-8M0049227	48-8M0049228
16.50	33	48-8M0049257	48-8M0049258
16.25	33	48-8M0049287	48-8M0049288
16	33	48-8M0049317	48-8M0049318
18	34	48-8M0049079	48-8M0049080
17.75	34	48-8M0049109	48-8M0049110
17.50	34	48-8M0049139	48-8M0049140
17.25	34	48-8M0049169	48-8M0049170
17	34	48-8M0049199	48-8M0049200
16.75	34	48-8M0049229	48-8M0049230
16.50	34	48-8M0049259	48-8M0049260
16.25	34	48-8M0049289	48-8M0049290
16	34	48-8M0049319	48-8M0049320
18	35	48-8M0049081	48-8M0049082
17.75	35	48-8M0049111	48-8M0049112
17.50	35	48-8M0049141	48-8M0049142
17.25	35	48-8M0049171	48-8M0049172
17	35	48-8M0049201	48-8M0049202
16.75	35	48-8M0049231	48-8M0049232
16.50	35	48-8M0049261	48-8M0049262
16.25	35	48-8M0049291	48-8M0049292
16	35	48-8M0049321	48-8M0049322
18	36	48-8M0049083	48-8M0049084
17.75	36	48-8M0049113	48-8M0049114
17.50	36	48-8M0049143	48-8M0049144
17.25	36	48-8M0049173	48-8M0049174
17	36	48-8M0049203	48-8M0049204
16.75	36	48-8M0049233	48-8M0049234
16.50	36	48-8M0049263	48-8M0049264
16.25	36	48-8M0049293	48-8M0049294
16	36	48-8M0049323	48-8M0049324
18	37	48-8M0049085	48-8M0049086
17.75	37	48-8M0049115	48-8M0049116
17.50	37	48-8M0049145	48-8M0049146
17.25	37	48-8M0049175	48-8M0049176
17	37	48-8M0049205	48-8M0049206
16.75	37	48-8M0049235	48-8M0049236
16.50	37	48-8M0049265	48-8M0049266
16.25	37	48-8M0049295	48-8M0049296
16	37	48-8M0049325	48-8M0049326
18	38	48-8M0049087	48-8M0049088
17.75	38	48-8M0049117	48-8M0049118
17.50	38	48-8M0049147	48-8M0049148
17.25	38	48-8M0049177	48-8M0049178
17	38	48-8M0049207	48-8M0049208
16.75	38	48-8M0049237	48-8M0049238
16.50	38	48-8M0049267	48-8M0049268
16.25	38	48-8M0049297	48-8M0049298
16	38	48-8M0049327	48-8M0049328
18	39	48-8M0049089	48-8M0049090
17.75	39	48-8M0049119	48-8M0049120
17.50	39	48-8M0049149	48-8M0049150
17.25	39	48-8M0049179	48-8M0049180
17	39	48-8M0049209	48-8M0049210
16.75	39	48-8M0049239	48-8M0049240
16.50	39	48-8M0049269	48-8M0049270
16.25	39	48-8M0049299	48-8M0049300
16	39	48-8M0049329	48-8M0049330
18	40	48-8M0049091	48-8M0049092
17.75	40	48-8M0049121	48-8M0049122
17.50	40	48-8M0049151	48-8M0049152
17.25	40	48-8M0049181	48-8M0049182
17	40	48-8M0049211	48-8M0049212
16.75	40	48-8M0049241	48-8M0049242
16.50	40	48-8M0049271	48-8M0049272
16.25	40	48-8M0049301	48-8M0049302
16	40	48-8M0049331	48-8M0049332

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 1350 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.50	37	48-8M0094553	48-8M0094554
17.50	38	48-8M0104251	48-8M0104250
17	39	48-8M0119331	48-8M0119332
16.50	39	48-8M0103651	48-8M0103650

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0002277	48-8M0002278
17.75	26	48-8M0002307	48-8M0002308
17.50	26	48-8M0002337	48-8M0002338
17.25	26	48-8M0002367	48-8M0002368
17	26	48-8M0002397	48-8M0002398
16.75	26	48-8M0002427	48-8M0002428
16.50	26	48-8M0002457	48-8M0002458
16.25	26	48-8M0002487	48-8M0002488
16	26	48-8M0002517	48-8M0002518
15.75	26	48-8M0002547	48-8M0002548
15.50	26	48-8M0002577	48-8M0002578
15.25	26	48-8M0002607	48-8M0002608
15	26	48-8M0002637	48-8M0002638
18	27	48-8M0002279	48-8M0002280
17.75	27	48-8M0002309	48-8M0002310
17.50	27	48-8M0002339	48-8M0002340
17.25	27	48-8M0002369	48-8M0002370
17	27	48-8M0002399	48-8M0002400
16.75	27	48-8M0002429	48-8M0002430
16.50	27	48-8M0002459	48-8M0002460
16.25	27	48-8M0002489	48-8M0002490
16	27	48-8M0002519	48-8M0002520
15.75	27	48-8M0002549	48-8M0002550
15.50	27	48-8M0002579	48-8M0002580
15.25	27	48-8M0002609	48-8M0002610

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	27	48-8M0002639	48-8M0002640
18	28	48-8M0002281	48-8M0002282
17.75	28	48-8M0002311	48-8M0002312
17.50	28	48-8M0002341	48-8M0002342
17.25	28	48-8M0002371	48-8M0002372
17	28	48-8M0002401	48-8M0002402
16.75	28	48-8M0002431	48-8M0002432
16.50	28	48-8M0002461	48-8M0002462
16.25	28	48-8M0002491	48-8M0002492
16	28	48-8M0002521	48-8M0002522
15.75	28	48-8M0002551	48-8M0002552
15.50	28	48-8M0002581	48-8M0002582
15.25	28	48-8M0002611	48-8M0002612
15	28	48-8M0002641	48-8M0002642
18	29	48-8M0002283	48-8M0002284
17.75	29	48-8M0002313	48-8M0002314
17.50	29	48-8M0002343	48-8M0002344
17.25	29	48-8M0002373	48-8M0002374
17	29	48-8M0002403	48-8M0002404
16.75	29	48-8M0002433	48-8M0002434
16.50	29	48-8M0002463	48-8M0002464
16.25	29	48-8M0002493	48-8M0002494
16	29	48-8M0002523	48-8M0002524
15.75	29	48-8M0002553	48-8M0002554
15.50	29	48-8M0002583	48-8M0002584
15.25	29	48-8M0002613	48-8M0002614
15	29	48-8M0002643	48-8M0002644
18	30	48-8M0002285	48-8M0002286
17.75	30	48-8M0002315	48-8M0002316
17.50	30	48-8M0002345	48-8M0002346
17.25	30	48-8M0002375	48-8M0002376
17	30	48-8M0002405	48-8M0002406
16.75	30	48-8M0002435	48-8M0002436
16.50	30	48-8M0002465	48-8M0002466
16.25	30	48-8M0002495	48-8M0002496
16	30	48-8M0002525	48-8M0002526
15.75	30	48-8M0002555	48-8M0002556
15.50	30	48-8M0002585	48-8M0002586
15.25	30	48-8M0002615	48-8M0002616
15	30	48-8M0002645	48-8M0002646
18	31	48-8M0002287	48-8M0002288
17.75	31	48-8M0002317	48-8M0002318
17.50	31	48-8M0002347	48-8M0002348
17.25	31	48-8M0002377	48-8M0002378
17	31	48-8M0002407	48-8M0002408
16.75	31	48-8M0002437	48-8M0002438
16.50	31	48-8M0002467	48-8M0002468
16.25	31	48-8M0002497	48-8M0002498
16	31	48-8M0002527	48-8M0002528
15.75	31	48-8M0002557	48-8M0002558
15.50	31	48-8M0002587	48-8M0002588
15.25	31	48-8M0002617	48-8M0002618
15	31	48-8M0002647	48-8M0002648
18	32	48-8M0002289	48-8M0002290
17.75	32	48-8M0002319	48-8M0002320
17.50	32	48-8M0002349	48-8M0002350

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	32	48-8M0002379	48-8M0002380
17	32	48-8M0002409	48-8M0002410
16.75	32	48-8M0002439	48-8M0002440
16.50	32	48-8M0002469	48-8M0002470
16.25	32	48-8M0002499	48-8M0002500
16	32	48-8M0002529	48-8M0002530
15.75	32	48-8M0002559	48-8M0002560
15.50	32	48-8M0002589	48-8M0002590
15.25	32	48-8M0002619	48-8M0002620
15	32	48-8M0002649	48-8M0002650
18	33	48-8M0003461	48-8M0003462
17.75	33	48-8M0002321	48-8M0002322
17.50	33	48-8M0002351	48-8M0002352
17.25	33	48-8M0002381	48-8M0002382
17	33	48-8M0002411	48-8M0002412
16.75	33	48-8M0002441	48-8M0002442
16.50	33	48-8M0002471	48-8M0002472
16.25	33	48-8M0002501	48-8M0002502
16	33	48-8M0002531	48-8M0002532
15.75	33	48-8M0002561	48-8M0002562
15.50	33	48-8M0002591	48-8M0002592
15.25	33	48-8M0002621	48-8M0002622
15	33	48-8M0002651	48-8M0002652
18	34	48-8M0002293	48-8M0002294
17.75	34	48-8M0002323	48-8M0002324
17.50	34	48-8M0002353	48-8M0002354
17.25	34	48-8M0002383	48-8M0002384
17	34	48-8M0002413	48-8M0002414
16.75	34	48-8M0002443	48-8M0002444
16.50	34	48-8M0002473	48-8M0002474
16.25	34	48-8M0002503	48-8M0002504
16	34	48-8M0002533	48-8M0002534
15.75	34	48-8M0002563	48-8M0002564
15.50	34	48-8M0002593	48-8M0002594
15.25	34	48-8M0002623	48-8M0002624
15	34	48-8M0002653	48-8M0002654
18	35	48-8M0002295	48-8M0002296
17.75	35	48-8M0002325	48-8M0002326
17.50	35	48-8M0002355	48-8M0002356
17.25	35	48-8M0002385	48-8M0002386
17	35	48-8M0002415	48-8M0002416
16.75	35	48-8M0002445	48-8M0002446
16.50	35	48-8M0002475	48-8M0002476
16.25	35	48-8M0002505	48-8M0002506
16	35	48-8M0002535	48-8M0002536
15.75	35	48-8M0002565	48-8M0002566
15.50	35	48-8M0002595	48-8M0002596
15.25	35	48-8M0002625	48-8M0002626
15	35	48-8M0002655	48-8M0002656
18	36	48-8M0002297	48-8M0002298
17.75	36	48-8M0002327	48-8M0002328
17.50	36	48-8M0002357	48-8M0002358
17.25	36	48-8M0002387	48-8M0002388
17	36	48-8M0002417	48-8M0002418
16.75	36	48-8M0002447	48-8M0002448
16.50	36	48-8M0002477	48-8M0002478

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.25	36	48-8M0002507	48-8M0002508
16	36	48-8M0002537	48-8M0002538
15.75	36	48-8M0002567	48-8M0002568
15.50	36	48-8M0002597	48-8M0002598
15.25	36	48-8M0002627	48-8M0002628
15	36	48-8M0002657	48-8M0002658
18	37	48-8M0002299	48-8M0002300
17.75	37	48-8M0002329	48-8M0002330
17.50	37	48-8M0002359	48-8M0002360
17.25	37	48-8M0002389	48-8M0002390
17	37	48-8M0002419	48-8M0002420
16.75	37	48-8M0002449	48-8M0002450
16.50	37	48-8M0002479	48-8M0002480
16.25	37	48-8M0002509	48-8M0002510
16	37	48-8M0002539	48-8M0002540
15.75	37	48-8M0002569	48-8M0002570
15.50	37	48-8M0002599	48-8M0002600
15.25	37	48-8M0002629	48-8M0002630
15	37	48-8M0002659	48-8M0002660
18	38	48-8M0002301	48-8M0002302
17.75	38	48-8M0002331	48-8M0002332
17.50	38	48-8M0002361	48-8M0002362
17.25	38	48-8M0002391	48-8M0002392
17	38	48-8M0002421	48-8M0002422
16.75	38	48-8M0002451	48-8M0002452
16.50	38	48-8M0002481	48-8M0002482
16.25	38	48-8M0002511	48-8M0002512
16	38	48-8M0002541	48-8M0002542
15.75	38	48-8M0002571	48-8M0002572
15.50	38	48-8M0002601	48-8M0002602
15.25	38	48-8M0002631	48-8M0002632
15	38	48-8M0002661	48-8M0002662
18	39	48-8M0002303	48-8M0002304
17.75	39	48-8M0002333	48-8M0002334
17.50	39	48-8M0002363	48-8M0002364
17.25	39	48-8M0002393	48-8M0002394
17	39	48-8M0002423	48-8M0002424
16.75	39	48-8M0002453	48-8M0002454
16.50	39	48-8M0002483	48-8M0002484
16.25	39	48-8M0002513	48-8M0002514
16	39	48-8M0002543	48-8M0002544
15.75	39	48-8M0002573	48-8M0002574
15.50	39	48-8M0002603	48-8M0002604
15.25	39	48-8M0002633	48-8M0002634
15	39	48-8M0002663	48-8M0002664
18	40	48-8M0002305	48-8M0002306
17.75	40	48-8M0002335	48-8M0002336
17.50	40	48-8M0002365	48-8M0002366
17.25	40	48-8M0002395	48-8M0002396
17	40	48-8M0002425	48-8M0002426
16.75	40	48-8M0002455	48-8M0002456
16.50	40	48-8M0002485	48-8M0002486
16.25	40	48-8M0002515	48-8M0002516
15	40	48-8M0002545	48-8M0002546
15.75	40	48-8M0002575	48-8M0002576
15.50	40	48-8M0002605	48-8M0002606
15.25	40	48-8M0002635	48-8M0002636
15	40	48-8M0002665	48-8M0002666

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 1100 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.50	34	48-8M0106641	48-8M0106640
17.50	35	48-8M0106643	48-8M0049142
17.50	36	48-8M0109491	48-8M0109490
17.50	37	48-8M0112363	48-8M0112362

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 900 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0003447	48-8M0003448
17.75	26	48-8M0003449	48-8M0003450
17.50	26	48-8M0003507	48-8M0003508
17.25	26	48-8M0003537	48-8M0003538
17	26	48-8M0003567	48-8M0003568
16.75	26	48-8M0003597	48-8M0003598
16.50	26	48-8M0003627	48-8M0003628
16.25	26	48-8M0003657	48-8M0003658
16	26	48-8M0003687	48-8M0003688
15.75	26	48-8M0003717	48-8M0003718
15.50	26	48-8M0003747	48-8M0003748
15.25	26	48-8M0003777	48-8M0003778
15	26	48-8M0003807	48-8M0003808
18	27	48-8M0003449	48-8M0003450
17.75	27	48-8M0003479	48-8M0003480
17.50	27	48-8M0003507	48-8M0003508
17.25	27	48-8M0003539	48-8M0003538
17	27	48-8M0003569	48-8M0003570
16.75	27	48-8M0003599	48-8M0003600
16.50	27	48-8M0003629	48-8M0003630
16.25	27	48-8M0003659	48-8M0003660
16	27	48-8M0003687	48-8M0003688
15.75	27	48-8M0003719	48-8M0003720
15.50	27	48-8M0003749	48-8M0003750
15.25	27	48-8M0003779	48-8M0003780
15	27	48-8M0003809	48-8M0003810
18	28	48-8M0003451	48-8M0003452
17.75	28	48-8M0003481	48-8M0003482
17.50	28	48-8M0003511	48-8M0003512
17.25	28	48-8M0003541	48-8M0003542
17	28	48-8M0003571	48-8M0003572
16.75	28	48-8M0003601	48-8M0003602
16.50	28	48-8M0003631	48-8M0003632
16.25	28	48-8M0003661	48-8M0003662
16	28	48-8M0003691	48-8M0003692

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.75	28	48-8M0003721	48-8M0003722
15.50	28	48-8M0003751	48-8M0003752
15.25	28	48-8M0003781	48-8M0003782
15	28	48-8M0003811	48-8M0003812
18	29	48-8M0003453	48-8M0003454
17.75	29	48-8M0003483	48-8M0003484
17.50	29	48-8M0003513	48-8M0003514
17.25	29	48-8M0003543	48-8M0003544
17	29	48-8M0003573	48-8M0003574
16.75	29	48-8M0003603	48-8M0003604
16.50	29	48-8M0003633	48-8M0003634
16.25	29	48-8M0003663	48-8M0003664
16	29	48-8M0003693	48-8M0003694
15.75	29	48-8M0003723	48-8M0003724
15.50	29	48-8M0003753	48-8M0003754
15.25	29	48-8M0003783	48-8M0003784
15	29	48-8M0003813	48-8M0003814
18	30	48-8M0003455	48-8M0003456
17.75	30	48-8M0003485	48-8M0003486
17.50	30	48-8M0003515	48-8M0003516
17.25	30	48-8M0003545	48-8M0003546
17	30	48-8M0003575	48-8M0003576
16.75	30	48-8M0003605	48-8M0003606
16.50	30	48-8M0003635	48-8M0003636
16.25	30	48-8M0003665	48-8M0003666
16	30	48-8M0003695	48-8M0003696
15.75	30	48-8M0003725	48-8M0003726
15.50	30	48-8M0003755	48-8M0003756
15.25	30	48-8M0003785	48-8M0003786
15	30	48-8M0003815	48-8M0003816
18	31	48-8M0003457	48-8M0003458
17.75	31	48-8M0003487	48-8M0003488
17.50	31	48-8M0003517	48-8M0003518
17.25	31	48-8M0003547	48-8M0003548
17	31	48-8M0003577	48-8M0003578
16.75	31	48-8M0003607	48-8M0003608
16.50	31	48-8M0003637	48-8M0003638
16.25	31	48-8M0003667	48-8M0003668
16	31	48-8M0003697	48-8M0003698
15.75	31	48-8M0003727	48-8M0003728
15.50	31	48-8M0003757	48-8M0003758
15.25	31	48-8M0003787	48-8M0003788
15	31	48-8M0003817	48-8M0003818
18	32	48-8M0003459	48-8M0003460
17.75	32	48-8M0003489	48-8M0003490
17.50	32	48-8M0003519	48-8M0003520
17.25	32	48-8M0003549	48-8M0003550
17	32	48-8M0003579	48-8M0003580
16.75	32	48-8M0003609	48-8M0003610
16.50	32	48-8M0003639	48-8M0003640
16.25	32	48-8M0003669	48-8M0003670
16	32	48-8M0003699	48-8M0003700
15.75	32	48-8M0003729	48-8M0003730
15.50	32	48-8M0003759	48-8M0003760
15.25	32	48-8M0003789	48-8M0003790
15	32	48-8M0003819	48-8M0003820

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	33	48-8M0003461	48-8M0003462
17.75	33	48-8M0003491	48-8M0003492
17.50	33	48-8M0003521	48-8M0003522
17.25	33	48-8M0003551	48-8M0003552
17	33	48-8M0003581	48-8M0003582
16.75	33	48-8M0003611	48-8M0003612
16.50	33	48-8M0003641	48-8M0003642
16.25	33	48-8M0003671	48-8M0003672
16	33	48-8M0003701	48-8M0003702
15.75	33	48-8M0003731	48-8M0003732
15.50	33	48-8M0003761	48-8M0003762
15.25	33	48-8M0003791	48-8M0003792
15	33	48-8M0003821	48-8M0003822
18	34	48-8M0003463	48-8M0003464
17.75	34	48-8M0003493	48-8M0003494
17.50	34	48-8M0003523	48-8M0003524
17.25	34	48-8M0003553	48-8M0003554
17	34	48-8M0003583	48-8M0003584
16.75	34	48-8M0003613	48-8M0003614
16.50	34	48-8M0003643	48-8M0003644
16.25	34	48-8M0003673	48-8M0003674
16	34	48-8M0003703	48-8M0003704
15.75	34	48-8M0003733	48-8M0003734
15.50	34	48-8M0003763	48-8M0003764
15.25	34	48-8M0003793	48-8M0003794
15	34	48-8M0003823	48-8M0003824
18	35	48-8M0003465	48-8M0003466
17.75	35	48-8M0003495	48-8M0003496
17.50	35	48-8M0003525	48-8M0003526
17.25	35	48-8M0003555	48-8M0003556
17	35	48-8M0003585	48-8M0003586
16.75	35	48-8M0003615	48-8M0003616
16.50	35	48-8M0003645	48-8M0003646
16.25	35	48-8M0003675	48-8M0003676
16	35	48-8M0003705	48-8M0003706
15.75	35	48-8M0003835	48-8M0003836
15.50	35	48-8M0003765	48-8M0003766
15.25	35	48-8M0003795	48-8M0003796
15	35	48-8M0003825	48-8M0003826
18	36	48-8M0003467	48-8M0003468
17.75	36	48-8M0003497	48-8M0003498
17.50	36	48-8M0003527	48-8M0003528
17.25	36	48-8M0003557	48-8M0003558
17	36	48-8M0003587	48-8M0003588
16.75	36	48-8M0003617	48-8M0003618
16.50	36	48-8M0003647	48-8M0003648
16.25	36	48-8M0003677	48-8M0003678
16	36	48-8M0003707	48-8M0003708
15.75	36	48-8M0003737	48-8M0003738
15.50	36	48-8M0003767	48-8M0003768
15.25	36	48-8M0003797	48-8M0003798
15	36	48-8M0003827	48-8M0003828
18	37	48-8M0003469	48-8M0003470
17.75	37	48-8M0003499	48-8M0003500
17.50	37	48-8M0003529	48-8M0003530
17.25	37	48-8M0003559	48-8M0003560

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17	37	48-8M0003589	48-8M0003590
16.75	37	48-8M0003619	48-8M0003620
16.50	37	48-8M0003649	48-8M0003650
16.25	37	48-8M0003679	48-8M0003680
16	37	48-8M0003709	48-8M0003710
15.75	37	48-8M0003739	48-8M0003740
15.50	37	48-8M0003769	48-8M0003770
15.25	37	48-8M0003799	48-8M0003800
15	37	48-8M0003829	48-8M0003830
18	38	48-8M0003471	48-8M0003472
17.75	38	48-8M0003501	48-8M0003502
17.50	38	48-8M0003531	48-8M0003532
17.25	38	48-8M0003561	48-8M0003562
17	38	48-8M0003591	48-8M0003592
16.75	38	48-8M0003621	48-8M0003622
16.50	38	48-8M0003651	48-8M0003652
16.25	38	48-8M0003681	48-8M0003682
16	38	48-8M0003711	48-8M0003712
15.75	38	48-8M0003741	48-8M0003742
15.50	38	48-8M0003771	48-8M0003772
15.25	38	48-8M0003801	48-8M0003802
15	38	48-8M0003831	48-8M0003832
18	39	48-8M0003473	48-8M0003474
17.75	39	48-8M0003503	48-8M0003504
17.50	39	48-8M0003533	48-8M0003534
17.25	39	48-8M0003563	48-8M0003564
17	39	48-8M0003593	48-8M0003594
16.75	39	48-8M0003623	48-8M0003624
16.50	39	48-8M0003653	48-8M0003654
16.25	39	48-8M0003683	48-8M0003684
16	39	48-8M0003713	48-8M0003714
15.75	39	48-8M0003743	48-8M0003744
15.50	39	48-8M0003773	48-8M0003774
15.25	39	48-8M0003803	48-8M0003804
15	39	48-8M0003835	48-8M0003836
18	40	48-8M0003475	48-8M0003476
17.75	40	48-8M0003505	48-8M0003506
17.50	40	48-8M0003535	48-8M0003536
17.25	40	48-8M0003565	48-8M0003566
17	40	48-8M0003595	48-8M0003596
16.75	40	48-8M0003625	48-8M0003626
16.50	40	48-8M0003655	48-8M0003656
16.25	40	48-8M0003685	48-8M0003686
15	40	48-8M0003715	48-8M0003716
15.75	40	48-8M0003745	48-8M0003746
15.50	40	48-8M0003775	48-8M0003776
15.25	40	48-8M0003805	48-8M0003806
15	40	48-8M0003835	48-8M0003836

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 700 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17	34	48-8M0104253	48-8M0104252
17	35	48-8M0109501	48-8M0109500

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 600 HP

IIIA, IV, V, VI, VII SSM, NXT1. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
14.75	25	48-8M0071911	
14.5	25	48-8M0065413	
18	26	48-8M0004617	48-8M0004618
17.75	26	48-8M0004647	48-8M0004648
17.50	26	48-8M0004677	48-8M0004678
17.25	26	48-8M0004707	48-8M0004708
17	26	48-8M0004737	48-8M0004738
16.75	26	48-8M0004767	48-8M0004768
16.50	26	48-8M0004797	48-8M0004798
16.25	26	48-8M0004827	48-8M0004828
16	26	48-8M0004857	48-8M0004858
15.75	26	48-8M0004887	48-8M0004888
15.50	26	48-8M0004917	48-8M0004918
15.25	26	48-8M0004947	48-8M0004948
15	26	48-8M0004977	48-8M0004978
14.75	26	48-8M0063206	
14.5	26	48-8M0065293	48-8M0065294
18	27	48-8M0004619	48-8M0004620
17.75	27	48-8M0004649	48-8M0004650
17.50	27	48-8M0004679	48-8M0004680
17.25	27	48-8M0004709	48-8M0004710
17	27	48-8M0004739	48-8M0004740
16.75	27	48-8M0004769	48-8M0004770
16.50	27	48-8M0004799	48-8M0004800
16.25	27	48-8M0004829	48-8M0004830
16	27	48-8M0004859	48-8M0004860
15.75	27	48-8M0004889	48-8M0004890
15.50	27	48-8M0004919	48-8M0004920
15.25	27	48-8M0004949	48-8M0004950
15	27	48-8M0004979	48-8M0004980
14.5	27	48-8M0065295	48-8M0065296
18	28	48-8M0004621	48-8M0004622
17.75	28	48-8M0004651	48-8M0004652
17.50	28	48-8M0004681	48-8M0004682
17.25	28	48-8M0004711	48-8M0004712
17	28	48-8M0004741	48-8M0004742
16.75	28	48-8M0004771	48-8M0004772
16.50	28	48-8M0004801	48-8M0004802
16.25	28	48-8M0004831	48-8M0004832
16	28	48-8M0004861	48-8M0004862
15.75	28	48-8M0004891	48-8M0004892
15.50	28	48-8M0004921	48-8M0004922
15.25	28	48-8M0004951	48-8M0004952
15	28	48-8M0004981	48-8M0004982
14.5	28	48-8M0075897	48-8M0075896
18	29	48-8M0004623	48-8M0004624
17.75	29	48-8M0004653	48-8M0004654
17.50	29	48-8M0004683	48-8M0004684
17.25	29	48-8M0004713	48-8M0004714
17	29	48-8M0004743	48-8M0004744
16.75	29	48-8M0004773	48-8M0004774

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.50	29	48-8M0004803	48-8M0004804
16.25	29	48-8M0004833	48-8M0004834
16	29	48-8M0004863	48-8M0004864
15.75	29	48-8M0004893	48-8M0004894
15.50	29	48-8M0004923	48-8M0004924
15.25	29	48-8M0004953	48-8M0004954
15	29	48-8M0004983	48-8M0004984
18	30	48-8M0004625	48-8M0004626
17.75	30	48-8M0004655	48-8M0004656
17.50	30	48-8M0004685	48-8M0004686
17.25	30	48-8M0004715	48-8M0004716
17	30	48-8M0004745	48-8M0004746
16.75	30	48-8M0004775	48-8M0004776
16.50	30	48-8M0004805	48-8M0004806
16.25	30	48-8M0004835	48-8M0004836
16	30	48-8M0004865	48-8M0004866
15.75	30	48-8M0004895	48-8M0004896
15.50	30	48-8M0004925	48-8M0004926
15.25	30	48-8M0004955	48-8M0004956
15	30	48-8M0004985	48-8M0004986
18	31	48-8M0004627	48-8M0004628
17.75	31	48-8M0004657	48-8M0004658
17.50	31	48-8M0004687	48-8M0004688
17.25	31	48-8M0004717	48-8M0004718
17	31	48-8M0004747	48-8M0004748
16.75	31	48-8M0004777	48-8M0004778
16.50	31	48-8M0004807	48-8M0004808
16.25	31	48-8M0004837	48-8M0004838
16	31	48-8M0004867	48-8M0004868
15.75	31	48-8M0004897	48-8M0004898
15.50	31	48-8M0004927	48-8M0004928
15.25	31	48-8M0004957	48-8M0004958
15	31	48-8M0004987	48-8M0004988
18	32	48-8M0004629	48-8M0004630
17.75	32	48-8M0004659	48-8M0004660
17.50	32	48-8M0004689	48-8M0004690
17.25	32	48-8M0004719	48-8M0004720
17	32	48-8M0004749	48-8M0004750
16.75	32	48-8M0004779	48-8M0004780
16.50	32	48-8M0004809	48-8M0004810
16.25	32	48-8M0004839	48-8M0004840
16	32	48-8M0004869	48-8M0004870
15.75	32	48-8M0004899	48-8M0004900
15.50	32	48-8M0004929	48-8M0004930
15.25	32	48-8M0004959	48-8M0004960
15	32	48-8M0004989	48-8M0004990
18	33	48-8M0004631	48-8M0004632
17.75	33	48-8M0004661	48-8M0004662
17.50	33	48-8M0004691	48-8M0004692
17.25	33	48-8M0004721	48-8M0004722
17	33	48-8M0004751	48-8M0004752
16.75	33	48-8M0004781	48-8M0004782
16.50	33	48-8M0004811	48-8M0004812
16.25	33	48-8M0004841	48-8M0004842
16	33	48-8M0004871	48-8M0004872
15.75	33	48-8M0004901	48-8M0004902

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.50	33	48-8M0004931	48-8M0004932
15.25	33	48-8M0004961	48-8M0004962
15	33	48-8M0004991	48-8M0004992
18	34	48-8M0004633	48-8M0004634
17.75	34	48-8M0004663	48-8M0004664
17.50	34	48-8M0004693	48-8M0004694
17.25	34	48-8M0004723	48-8M0004724
17	34	48-8M0004753	48-8M0004754
16.75	34	48-8M0004783	48-8M0004784
16.50	34	48-8M0004813	48-8M0004814
16.25	34	48-8M0004843	48-8M0004844
16	34	48-8M0004873	48-8M0004874
15.75	34	48-8M0004903	48-8M0004904
15.50	34	48-8M0004933	48-8M0004934
15.25	34	48-8M0004963	48-8M0004964
15	34	48-8M0004993	48-8M0004994
18	35	48-8M0004635	48-8M0004636
17.75	35	48-8M0004665	48-8M0004666
17.50	35	48-8M0004695	48-8M0004696
17.25	35	48-8M0004725	48-8M0004726
17	35	48-8M0004755	48-8M0004756
16.75	35	48-8M0004785	48-8M0004786
16.50	35	48-8M0004815	48-8M0004816
16.25	35	48-8M0004845	48-8M0004846
16	35	48-8M0004875	48-8M0004876
15.75	35	48-8M0004905	48-8M0004906
15.50	35	48-8M0004935	48-8M0004936
15.25	35	48-8M0004965	48-8M0004966
15	35	48-8M0004995	48-8M0004996
18	36	48-8M0004637	48-8M0004638
17.75	36	48-8M0004667	48-8M0004668
17.50	36	48-8M0004697	48-8M0004698
17.25	36	48-8M0004727	48-8M0004728
17	36	48-8M0004757	48-8M0004758
16.75	36	48-8M0004787	48-8M0004788
16.50	36	48-8M0004817	48-8M0004818
16.25	36	48-8M0004847	48-8M0004848
16	36	48-8M0004877	48-8M0004878
15.75	36	48-8M0004907	48-8M0004908
15.50	36	48-8M0004937	48-8M0004938
15.25	36	48-8M0004967	48-8M0004968
15	36	48-8M0004997	48-8M0004998
18	37	48-8M0004639	48-8M0004640
17.75	37	48-8M0004669	48-8M0004670
17.50	37	48-8M0004701	48-8M0004702
17.25	37	48-8M0004731	48-8M0004732
17	37	48-8M0004761	48-8M0004762
16.75	37	48-8M0004791	48-8M0004792
16.50	37	48-8M0004821	48-8M0004822
16.25	37	48-8M0004849	48-8M0004850
16	37	48-8M0004879	48-8M0004880
15.75	37	48-8M0004909	48-8M0004910
15.50	37	48-8M0004939	48-8M0004940
15.25	37	48-8M0004971	48-8M0004972
15	37	48-8M0004999	48-8M0005000
18	38	48-8M0004641	48-8M0004642

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.75	38	48-8M0004671	48-8M0004672
17.50	38	48-8M0004701	48-8M0004702
17.25	38	48-8M0004731	48-8M0004732
17	38	48-8M0004761	48-8M0004762
16.75	38	48-8M0004791	48-8M0004792
16.50	38	48-8M0004821	48-8M0004822
16.25	38	48-8M0004851	48-8M0004852
16	38	48-8M0004881	48-8M0004882
15.75	38	48-8M0004911	48-8M0004912
15.50	38	48-8M0004941	48-8M0004942
15.25	38	48-8M0004971	48-8M0004972
15	38	48-8M0005001	48-8M0005002
18	39	48-8M0004643	48-8M0004644
17.75	39	48-8M0004673	48-8M0004674
17.50	39	48-8M0004703	48-8M0004704
17.25	39	48-8M0004733	48-8M0004734
17	39	48-8M0004763	48-8M0004764
16.75	39	48-8M0004793	48-8M0004794
16.50	39	48-8M0004823	48-8M0004824
16.25	39	48-8M0004853	48-8M0004854
16	39	48-8M0004883	48-8M0004884
15.75	39	48-8M0004913	48-8M0004914
15.50	39	48-8M0004943	48-8M0004944
15.25	39	48-8M0004973	48-8M0004974
15	39	48-8M0005003	48-8M0005004
18	40	48-8M0004645	48-8M0004646
17.75	40	48-8M0004675	48-8M0004676
17.50	40	48-8M0004705	48-8M0004706
17.25	40	48-8M0004735	48-8M0004736
17	40	48-8M0004765	48-8M0004766
16.75	40	48-8M0004795	48-8M0004796
16.50	40	48-8M0004825	48-8M0004826
16.25	40	48-8M0004855	48-8M0004856
15	40	48-8M0004885	48-8M0004886
15.75	40	48-8M0004915	48-8M0004916
15.50	40	48-8M0004945	48-8M0004946
15.25	40	48-8M0004975	48-8M0004976
15	40	48-8M0005005	48-8M0005006

CNC CLEAVER 5 BLADE 18 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 1550 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0049333	48-8M0049334
17.75	30	48-8M0049355	48-8M0049356
17.5	30	48-8M0049377	48-8M0049378
17.25	30	48-8M0049399	48-8M0049400
17	30	48-8M0049421	48-8M0049422
16.75	30	48-8M0049443	48-8M0049444
16.5	30	48-8M0049465	48-8M0049466
16.25	30	48-8M0049487	48-8M0049488
16	30	48-8M0049509	48-8M0049510
18	31	48-8M0049335	48-8M0049336
17.75	31	48-8M0049357	48-8M0049358
17.5	31	48-8M0049379	48-8M0049380
17.25	31	48-8M0049401	48-8M0049402
17	31	48-8M0049423	48-8M0049424
16.75	31	48-8M0049445	48-8M0049446
16.5	31	48-8M0049467	48-8M0049468
16.25	31	48-8M0049489	48-8M0049490
16	31	48-8M0049511	48-8M0049512
18	32	48-8M0049337	48-8M0049338
17.75	32	48-8M0049359	48-8M0049360
17.5	32	48-8M0049381	48-8M0049382
17.25	32	48-8M0049403	48-8M0049404
17	32	48-8M0049425	48-8M0049426
16.75	32	48-8M0049447	48-8M0049448
16.5	32	48-8M0049469	48-8M0049470
16.25	32	48-8M0049491	48-8M0049492
16	32	48-8M0049513	48-8M0049514
18	33	48-8M0049339	48-8M0049340
17.75	33	48-8M0049361	48-8M0049362
17.5	33	48-8M0049383	48-8M0049384
17.25	33	48-8M0049405	48-8M0049406
17	33	48-8M0049427	48-8M0049428
16.75	33	48-8M0049449	48-8M0049450
16.5	33	48-8M0049471	48-8M0049472
16.25	33	48-8M0049493	48-8M0049494
16	33	48-8M0049515	48-8M0049516
18	34	48-8M0049341	48-8M0049342
17.75	34	48-8M0049363	48-8M0049364
17.5	34	48-8M0049385	48-8M0049386
17.25	34	48-8M0049407	48-8M0049408
17	34	48-8M0049429	48-8M0049430
16.75	34	48-8M0049451	48-8M0049452
16.5	34	48-8M0049473	48-8M0049474
16.25	34	48-8M0049495	48-8M0049496
16	34	48-8M0049517	48-8M0049518
18	35	48-8M0049343	48-8M0049344
17.75	35	48-8M0049365	48-8M0049366
17.5	35	48-8M0049387	48-8M0049388
17.25	35	48-8M0049409	48-8M0049410
17	35	48-8M0049431	48-8M0049432
16.75	35	48-8M0049453	48-8M0049454

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.5	35	48-8M0049475	48-8M0049476
16.25	35	48-8M0049497	48-8M0049498
16	35	48-8M0049519	48-8M0049520
18	36	48-8M0049345	48-8M0049346
17.75	36	48-8M0049367	48-8M0049368
17.5	36	48-8M0049389	48-8M0049390
17.25	36	48-8M0049411	48-8M0049412
17	36	48-8M0049433	48-8M0049434
16.75	36	48-8M0049455	48-8M0049456
16.5	36	48-8M0049477	48-8M0049478
16.25	36	48-8M0049499	48-8M0049500
16	36	48-8M0049521	48-8M0049522
18	37	48-8M0049347	48-8M0049348
17.75	37	48-8M0049369	48-8M0049370
17.5	37	48-8M0049391	48-8M0049392
17.25	37	48-8M0049413	48-8M0049414
17	37	48-8M0049435	48-8M0049436
16.75	37	48-8M0049457	48-8M0049458
16.5	37	48-8M0049479	48-8M0049480
16.25	37	48-8M0049501	48-8M0049502
16	37	48-8M0049523	48-8M0049524
18	38	48-8M0049349	48-8M0049350
17.75	38	48-8M0049371	48-8M0049372
17.5	38	48-8M0049393	48-8M0049394
17.25	38	48-8M0049415	48-8M0049416
17	38	48-8M0049437	48-8M0049438
16.75	38	48-8M0049459	48-8M0049460
16.5	38	48-8M0049481	48-8M0049482
16.25	38	48-8M0049503	48-8M0049504
16	38	48-8M0049525	48-8M0049526
18	39	48-8M0049351	48-8M0049352
17.75	39	48-8M0049373	48-8M0049374
17.5	39	48-8M0049395	48-8M0049396
17.25	39	48-8M0049417	48-8M0049418
17	39	48-8M0049439	48-8M0049440
16.75	39	48-8M0049461	48-8M0049462
16.5	39	48-8M0049483	48-8M0049484
16.25	39	48-8M0049505	48-8M0049506
16	39	48-8M0049527	48-8M0049528
18	40	48-8M0049353	48-8M0049354
17.75	40	48-8M0049375	48-8M0049376
17.5	40	48-8M0049397	48-8M0049398
17.25	40	48-8M0049419	48-8M0049420
17	40	48-8M0049441	48-8M0049442
16.75	40	48-8M0049463	48-8M0049464
16.5	40	48-8M0049485	48-8M0049486
16.25	40	48-8M0049507	48-8M0049508
16	40	48-8M0049529	48-8M0049530

CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 1350 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	34	48-8M0106505	48-8M0106504
16.5	37	48-8M0093361	48-8M0093360
17	38	48-8M0059069	48-8M0059068
16.5	38	48-8M0109051	48-8M0109052
17.5	39	48-8M0101559	48-8M0101560
17	39	48-8M0102349	48-8M0102348
16.75	39	48-8M0107949	48-8M0107948
17	40	48-8M0059071	48-8M0059070
17	41	48-8M0029395	48-8M0029396
16.50	42	48-8M0104717	48-8M0104716

CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0013507	48-8M0013508
17.75	30	48-8M0013537	48-8M0013538
17.5	30	48-8M0013567	48-8M0013568
17.25	30	48-8M0013597	48-8M0013598
17	30	48-8M0013627	48-8M0013628
16.75	30	48-8M0013657	48-8M0013658
16.5	30	48-8M0013687	48-8M0013688
16.25	30	48-8M0013717	48-8M0013718
16	30	48-8M0013747	48-8M0013748
15.75	30	48-8M0013777	48-8M0013778
15.5	30	48-8M0013807	48-8M0013808
15.25	30	48-8M0013837	48-8M0013838
15	30	48-8M0013867	48-8M0013868
18	31	48-8M0013509	48-8M0013510
17.75	31	48-8M0013539	48-8M0013540
17.5	31	48-8M0013569	48-8M0013570
17.25	31	48-8M0013599	48-8M0013600
17	31	48-8M0013629	48-8M0013630
16.75	31	48-8M0013659	48-8M0013660
16.5	31	48-8M0013689	48-8M0013690
16.25	31	48-8M0013719	48-8M0013720
16	31	48-8M0013749	48-8M0013750
15.75	31	48-8M0013779	48-8M0013780
15.5	31	48-8M0013809	48-8M0013810
15.25	31	48-8M0013839	48-8M0013840
15	31	48-8M0013869	48-8M0013870
18	32	48-8M0013511	48-8M0013512
17.75	32	48-8M0013541	48-8M0013542
17.5	32	48-8M0013571	48-8M0013572
17.25	32	48-8M0013601	48-8M0013602
17	32	48-8M0013631	48-8M0013632
16.75	32	48-8M0013661	48-8M0013662
16.5	32	48-8M0013691	48-8M0013692

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.25	32	48-8M0013721	48-8M0013722
16	32	48-8M0013751	48-8M0013752
15.75	32	48-8M0013781	48-8M0013782
15.5	32	48-8M0013811	48-8M0013812
15.25	32	48-8M0013841	48-8M0013842
15	32	48-8M0013871	48-8M0013872
18	33	48-8M0013513	48-8M0013514
17.75	33	48-8M0013543	48-8M0013544
17.5	33	48-8M0013573	48-8M0013574
17.25	33	48-8M0013603	48-8M0013604
17	33	48-8M0013633	48-8M0013634
16.75	33	48-8M0013663	48-8M0013664
16.5	33	48-8M0013693	48-8M0013694
16.25	33	48-8M0013723	48-8M0013724
16	33	48-8M0013753	48-8M0013754
15.75	33	48-8M0013783	48-8M0013784
15.5	33	48-8M0013813	48-8M0013814
15.25	33	48-8M0013843	48-8M0013844
15	33	48-8M0013873	48-8M0013874
18	34	48-8M0013515	48-8M0013516
17.75	34	48-8M0013545	48-8M0013546
17.5	34	48-8M0013575	48-8M0013576
17.25	34	48-8M0013605	48-8M0013606
17	34	48-8M0013635	48-8M0013636
16.75	34	48-8M0013665	48-8M0013666
16.5	34	48-8M0013695	48-8M0013696
16.25	34	48-8M0013725	48-8M0013726
16	34	48-8M0013755	48-8M0013756
15.75	34	48-8M0013785	48-8M0013786
15.5	34	48-8M0013815	48-8M0013816
15.25	34	48-8M0013845	48-8M0013846
15	34	48-8M0013875	48-8M0013876
18	35	48-8M0013517	48-8M0013518
17.75	35	48-8M0013547	48-8M0013548
17.5	35	48-8M0013577	48-8M0013578
17.25	35	48-8M0013607	48-8M0013608
17	35	48-8M0013637	48-8M0013638
16.75	35	48-8M0013667	48-8M0013668
16.5	35	48-8M0013697	48-8M0013698
16.25	35	48-8M0013727	48-8M0013728
16	35	48-8M0013757	48-8M0013758
15.75	35	48-8M0013787	48-8M0013788
15.5	35	48-8M0013817	48-8M0013818
15.25	35	48-8M0013847	48-8M0013848
15	35	48-8M0013877	48-8M0013878
18	36	48-8M0013519	48-8M0013520
17.75	36	48-8M0013549	48-8M0013550
17.5	36	48-8M0013579	48-8M0013580
17.25	36	48-8M0013609	48-8M0013610
17	36	48-8M0013639	48-8M0013640
16.75	36	48-8M0013669	48-8M0013670
16.5	36	48-8M0013699	48-8M0013700
16.25	36	48-8M0013729	48-8M0013730
16	36	48-8M0013759	48-8M0013760
15.75	36	48-8M0013789	48-8M0013790
15.5	36	48-8M0013819	48-8M0013820

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.25	36	48-8M0013849	48-8M0013850
15	36	48-8M0013879	48-8M0013880
18	37	48-8M0013521	48-8M0013522
17.75	37	48-8M0013551	48-8M0013552
17.5	37	48-8M0013581	48-8M0013582
17.25	37	48-8M0013611	48-8M0013612
17	37	48-8M0013641	48-8M0013642
16.75	37	48-8M0013671	48-8M0013672
16.5	37	48-8M0013701	48-8M0013702
16.25	37	48-8M0013731	48-8M0013732
16	37	48-8M0013761	48-8M0013762
15.75	37	48-8M0013791	48-8M0013792
15.5	37	48-8M0013821	48-8M0013822
15.25	37	48-8M0013851	48-8M0013852
15	37	48-8M0013881	48-8M0013882
18	38	48-8M0013523	48-8M0013524
17.75	38	48-8M0013553	48-8M0013554
17.5	38	48-8M0013583	48-8M0013584
17.25	38	48-8M0013613	48-8M0013614
17	38	48-8M0013643	48-8M0013644
16.75	38	48-8M0013673	48-8M0013674
16.5	38	48-8M0013703	48-8M0013704
16.25	38	48-8M0013733	48-8M0013734
16	38	48-8M0013763	48-8M0013764
15.75	38	48-8M0013793	48-8M0013794
15.5	38	48-8M0013823	48-8M0013824
15.25	38	48-8M0013853	48-8M0013854
15	38	48-8M0013883	48-8M0013884
18	39	48-8M0013525	48-8M0013526
17.75	39	48-8M0013555	48-8M0013556
17.5	39	48-8M0013585	48-8M0013586
17.25	39	48-8M0013615	48-8M0013616
17	39	48-8M0013645	48-8M0013646
16.75	39	48-8M0013675	48-8M0013676
16.5	39	48-8M0013705	48-8M0013706
16.25	39	48-8M0013735	48-8M0013736
16	39	48-8M0013765	48-8M0013766
15.75	39	48-8M0013795	48-8M0013796
15.5	39	48-8M0013825	48-8M0013826
15.25	39	48-8M0013855	48-8M0013856
15	39	48-8M0013885	48-8M0013886
18	40	48-8M0013527	48-8M0013528
17.75	40	48-8M0013557	48-8M0013558
17.5	40	48-8M0013587	48-8M0013588
17.25	40	48-8M0013617	48-8M0013618
17	40	48-8M0013647	48-8M0013648
16.75	40	48-8M0013677	48-8M0013678
16.5	40	48-8M0013707	48-8M0013708
16.25	40	48-8M0013737	48-8M0013738
16	40	48-8M0013767	48-8M0013768
15.75	40	48-8M0013797	48-8M0013798
15.5	40	48-8M0013827	48-8M0013828
15.25	40	48-8M0013857	48-8M0013858
15	40	48-8M0013887	48-8M0013888

CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake – 1100 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.5	38	48-8M0099431	48-8M0099430
16.5	39	48-8M0112359	48-8M0112360
17	40	48-8M0085857	48-8M0085858
16.75	40	48-8M0108441	48-8M0108442
16.5	40	48-8M0092609	48-8M0092608
17	42	48-8M0083389	48-8M0083390

CNC Cleaver, Heat Treated 5 Blade, 18 Degree Rake – 900 HP

IIIA, IV, V, VI, VII SSM, NXT1
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0014677	48-8M0014678
17.75	30	48-8M0014707	48-8M0014708
17.5	30	48-8M0014737	48-8M0014738
17.25	30	48-8M0014767	48-8M0014768
17	30	48-8M0014797	48-8M0014798
16.75	30	48-8M0014827	48-8M0014828
16.5	30	48-8M0014857	48-8M0014858
16.25	30	48-8M0014887	48-8M0014888
16	30	48-8M0014917	48-8M0014918
15.75	30	48-8M0014947	48-8M0014948
15.5	30	48-8M0014977	48-8M0014978
15.25	30	48-8M0015007	48-8M0015008
15	30	48-8M0015037	48-8M0015038
18	31	48-8M0014679	48-8M0014680
17.75	31	48-8M0014709	48-8M0014710
17.5	31	48-8M0014739	48-8M0014740
17.25	31	48-8M0014769	48-8M0014770
17	31	48-8M0014799	48-8M0014800
16.75	31	48-8M0014829	48-8M0014830
16.5	31	48-8M0014859	48-8M0014860
16.25	31	48-8M0014889	48-8M0014890
16	31	48-8M0014919	48-8M0014920
15.75	31	48-8M0014949	48-8M0014950
15.5	31	48-8M0014979	48-8M0014980
15.25	31	48-8M0015009	48-8M0015010
15	31	48-8M0015039	48-8M0015040
18	32	48-8M0014681	48-8M0014682
17.75	32	48-8M0014711	48-8M0014712
17.5	32	48-8M0014741	48-8M0014742
17.25	32	48-8M0014771	48-8M0014772
17	32	48-8M0014801	48-8M0014802
16.75	32	48-8M0014831	48-8M0014832
16.5	32	48-8M0014861	48-8M0014862
16.25	32	48-8M0014891	48-8M0014892
16	32	48-8M0014921	48-8M0014922
15.75	32	48-8M0014951	48-8M0014952
15.5	32	48-8M0014981	48-8M0014982
15.25	32	48-8M0015011	48-8M0015012
15	32	48-8M0015041	48-8M0015042
18	33	48-8M0014683	48-8M0014684
17.75	33	48-8M0014713	48-8M0014714
17.5	33	48-8M0014743	48-8M0014744
17.25	33	48-8M0014773	48-8M0014774
17	33	48-8M0014803	48-8M0014804
16.75	33	48-8M0014833	48-8M0014834
16.5	33	48-8M0014863	48-8M0014864
16.25	33	48-8M0014893	48-8M0014894
16	33	48-8M0014923	48-8M0014924
15.75	33	48-8M0014953	48-8M0014954
15.5	33	48-8M0014983	48-8M0014984
15.25	33	48-8M0015013	48-8M0015014
15	33	48-8M0015043	48-8M0015044
18	34	48-8M0014685	48-8M0014686
17.75	34	48-8M0014715	48-8M0014716
17.5	34	48-8M0014745	48-8M0014746
17.25	34	48-8M0014775	48-8M0014776
17	34	48-8M0014805	48-8M0014806
16.75	34	48-8M0014835	48-8M0014836
16.5	34	48-8M0014865	48-8M0014866
16.25	34	48-8M0014895	48-8M0014896
16	34	48-8M0014925	48-8M0014926
15.75	34	48-8M0014955	48-8M0014956
15.5	34	48-8M0014985	48-8M0014986
15.25	34	48-8M0015015	48-8M0015016
15	34	48-8M0015045	48-8M0015046
18	35	48-8M0014687	48-8M0014688
17.75	35	48-8M0014717	48-8M0014718
17.5	35	48-8M0014747	48-8M0014748
17.25	35	48-8M0014777	48-8M0014778
17	35	48-8M0014807	48-8M0014808
16.75	35	48-8M0014837	48-8M0014838
16.5	35	48-8M0014867	48-8M0014868
16.25	35	48-8M0014897	48-8M0014898
16	35	48-8M0014927	48-8M0014928
15.75	35	48-8M0014957	48-8M0014958
15.5	35	48-8M0014987	48-8M0014988
15.25	35	48-8M0015017	48-8M0015018
15	35	48-8M0015047	48-8M0015048
18	36	48-8M0014689	48-8M0014690
17.75	36	48-8M0014719	48-8M0014720
17.5	36	48-8M0014749	48-8M0014750
17.25	36	48-8M0014779	48-8M0014780
17	36	48-8M0014809	48-8M0014810
16.75	36	48-8M0014839	48-8M0014840
16.5	36	48-8M0014869	48-8M0014870
16.25	36	48-8M0014899	48-8M0014900
16	36	48-8M0014929	48-8M0014930
15.75	36	48-8M0014959	48-8M0014960
15.5	36	48-8M0014989	48-8M0014990
15.25	36	48-8M0015019	48-8M0015020
15	36	48-8M0015049	48-8M0015050
18	37	48-8M0014691	48-8M0014692
17.75	37	48-8M0014721	48-8M0014722
17.5	37	48-8M0014751	48-8M0014752
17.25	37	48-8M0014781	48-8M0014782

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17	37	48-8M0014811	48-8M0014812
16.75	37	48-8M0014841	48-8M0014842
16.5	37	48-8M0014871	48-8M0014872
16.25	37	48-8M0014901	48-8M0014902
16	37	48-8M0014931	48-8M0014932
15.75	37	48-8M0014961	48-8M0014962
15.5	37	48-8M0014991	48-8M0014992
15.25	37	48-8M0015021	48-8M0015022
15	37	48-8M0015051	48-8M0015052
18	38	48-8M0014693	48-8M0014694
17.75	38	48-8M0014723	48-8M0014724
17.5	38	48-8M0014753	48-8M0014754
17.25	38	48-8M0014783	48-8M0014784
17	38	48-8M0014813	48-8M0014814
16.75	38	48-8M0014843	48-8M0014844
16.5	38	48-8M0014873	48-8M0014874
16.25	38	48-8M0014903	48-8M0014904
16	38	48-8M0014933	48-8M0014934
15.75	38	48-8M0014963	48-8M0014964
15.5	38	48-8M0014993	48-8M0014994
15.25	38	48-8M0015023	48-8M0015024
15	38	48-8M0015053	48-8M0015054
18	39	48-8M0014695	48-8M0014696
17.75	39	48-8M0014725	48-8M0014726
17.5	39	48-8M0014755	48-8M0014756
17.25	39	48-8M0014785	48-8M0014786
17	39	48-8M0014815	48-8M0014816
16.75	39	48-8M0014845	48-8M0014846
16.5	39	48-8M0014875	48-8M0014876
16.25	39	48-8M0014905	48-8M0014906
16	39	48-8M0014935	48-8M0014936
15.75	39	48-8M0014965	48-8M0014966
15.5	39	48-8M0014995	48-8M0014996
15.25	39	48-8M0015025	48-8M0015026
15	39	48-8M0015055	48-8M0015056
18	40	48-8M0014697	48-8M0014698
17.75	40	48-8M0014727	48-8M0014728
17.5	40	48-8M0014757	48-8M0014758
17.25	40	48-8M0014787	48-8M0014788
17	40	48-8M0014817	48-8M0014818
16.75	40	48-8M0014847	48-8M0014848
16.5	40	48-8M0014877	48-8M0014878
16.25	40	48-8M0014907	48-8M0014908
16	40	48-8M0014937	48-8M0014938
15.75	40	48-8M0014967	48-8M0014968
15.5	40	48-8M0014997	48-8M0014998
15.25	40	48-8M0015027	48-8M0015028
15	40	48-8M0015057	48-8M0015058

CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 700 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.5	38	48-8M0100497	48-8M0100496
16.7539	39	48-8M0054727	48-8M0054728
16.5	39	48-8M0100499	48-8M0100498

CNC CLEAVER 5 BLADE 21 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 5 Blade, 21 Degree Rake - 1550 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 Included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length
1350 HP Limited, currently offering 17.50 x 34 8M0104607 and 8M0104608.

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0049531	48-8M0049532
17.75	30	48-8M0049553	48-8M0049554
17.5	30	48-8M0049575	48-8M0049576
17.25	30	48-8M0049597	48-8M0049598
17	30	48-8M0049619	48-8M0049620
16.75	30	48-8M0049641	48-8M0049642
16.5	30	48-8M0049663	48-8M0049664
16.25	30	48-8M0049685	48-8M0049686
16	30	48-8M0049707	48-8M0049708
18	31	48-8M0049533	48-8M0049534
17.75	31	48-8M0049555	48-8M0049556
17.5	31	48-8M0049577	48-8M0049578
17.25	31	48-8M0049599	48-8M0049600
17	31	48-8M0049621	48-8M0049622
16.75	31	48-8M0049643	48-8M0049644
16.5	31	48-8M0049665	48-8M0049666
16.25	31	48-8M0049687	48-8M0049688
16	31	48-8M0049709	48-8M0049710
18	32	48-8M0049535	48-8M0049536
17.75	32	48-8M0049557	48-8M0049558
17.5	32	48-8M0049579	48-8M0049580
17.25	32	48-8M0049601	48-8M0049602
17	32	48-8M0049623	48-8M0049624
16.75	32	48-8M0049645	48-8M0049646
16.5	32	48-8M0049667	48-8M0049668
16.25	32	48-8M0049689	48-8M0049690
16	32	48-8M0049711	48-8M0049712

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	33	48-8M0049537	48-8M0049538
17.75	33	48-8M0049559	48-8M0049560
17.5	33	48-8M0049581	48-8M0049582
17.25	33	48-8M0049603	48-8M0049604
17	33	48-8M0049625	48-8M0049626
16.75	33	48-8M0049647	48-8M0049648
16.5	33	48-8M0049669	48-8M0049670
16.25	33	48-8M0049691	48-8M0049692
16	33	48-8M0049713	48-8M0049714
18	34	48-8M0049539	48-8M0049540
17.75	34	48-8M0049561	48-8M0049562
17.5	34	48-8M0049583	48-8M0049584
17.25	34	48-8M0049605	48-8M0049606
17	34	48-8M0049627	48-8M0049628
16.75	34	48-8M0049649	48-8M0049650
16.5	34	48-8M0049671	48-8M0049672
16.25	34	48-8M0049693	48-8M0049694
16	34	48-8M0049715	48-8M0049716
18	35	48-8M0049541	48-8M0049542
17.75	35	48-8M0049563	48-8M0049564
17.5	35	48-8M0049585	48-8M0049586
17.25	35	48-8M0049607	48-8M0049608
17	35	48-8M0049629	48-8M0049630
16.75	35	48-8M0049651	48-8M0049652
16.5	35	48-8M0049673	48-8M0049674
16.25	35	48-8M0049695	48-8M0049696
16	35	48-8M0049717	48-8M0049718
18	36	48-8M0049543	48-8M0049544
17.75	36	48-8M0049565	48-8M0049566
17.5	36	48-8M0049587	48-8M0049588
17.25	36	48-8M0049609	48-8M0049610
17	36	48-8M0049631	48-8M0049632
16.75	36	48-8M0049653	48-8M0049654
16.5	36	48-8M0049675	48-8M0049676
16.25	36	48-8M0049697	48-8M0049698
16	36	48-8M0049719	48-8M0049720
18	37	48-8M0049545	48-8M0049546
17.75	37	48-8M0049567	48-8M0049568
17.5	37	48-8M0049589	48-8M0049590
17.25	37	48-8M0049611	48-8M0049612
17	37	48-8M0049633	48-8M0049634
16.75	37	48-8M0049655	48-8M0049656
16.5	37	48-8M0049677	48-8M0049678
16.25	37	48-8M0049699	48-8M0049700
16	37	48-8M0049721	48-8M0049722
18	38	48-8M0049547	48-8M0049548
17.75	38	48-8M0049569	48-8M0049570
17.5	38	48-8M0049591	48-8M0049592
17.25	38	48-8M0049613	48-8M0049614
17	38	48-8M0049635	48-8M0049636
16.75	38	48-8M0049657	48-8M0049658
16.5	38	48-8M0049679	48-8M0049680
16.25	38	48-8M0049701	48-8M0049702
16	38	48-8M0049723	48-8M0049724
18	39	48-8M0049549	48-8M0049550
17.75	39	48-8M0049571	48-8M0049572
17.5	39	48-8M0049593	48-8M0049594
17.25	39	48-8M0049615	48-8M0049616
17	39	48-8M0049637	48-8M0049638
16.75	39	48-8M0049659	48-8M0049660
16.5	39	48-8M0049681	48-8M0049682
16.25	39	48-8M0049703	48-8M0049704
16	39	48-8M0049725	48-8M0049726
18	40	48-8M0049551	48-8M0049552
17.75	40	48-8M0049573	48-8M0049574
17.5	40	48-8M0049595	48-8M0049596
17.25	40	48-8M0049617	48-8M0049618
17	40	48-8M0049639	48-8M0049640
16.75	40	48-8M0049661	48-8M0049662
16.5	40	48-8M0049683	48-8M0049684
16.25	40	48-8M0049705	48-8M0049706
16	40	48-8M0049727	48-8M0049728

CNC Cleaver, Heat Treated SS 5 Blade, 21 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0017089	48-8M0017090
17.75	30	48-8M0017119	48-8M0017120
17.5	30	48-8M0017149	48-8M0017150
17.25	30	48-8M0017179	48-8M0014180
17	30	48-8M0017209	48-8M0017210
16.75	30	48-8M0017239	48-8M0017240
16.5	30	48-8M0017269	48-8M0014270
16.25	30	48-8M0017299	48-8M0017300
16	30	48-8M0017329	48-8M0017330
15.75	30	48-8M0017359	48-8M0017360
15.5	30	48-8M0017389	48-8M0017390
15.25	30	48-8M0017419	48-8M0017420
15	30	48-8M0017449	48-8M0017450
18	31	48-8M0017091	48-8M0017092
17.75	31	48-8M0017121	48-8M0017122
17.5	31	48-8M0017151	48-8M0017152
17.25	31	48-8M0017181	48-8M0017182
17	31	48-8M0017211	48-8M0017212
16.75	31	48-8M0017241	48-8M0017242
16.5	31	48-8M0017271	48-8M0017272
16.25	31	48-8M0017301	48-8M0017302
16	31	48-8M0017331	48-8M0017332
15.75	31	48-8M0017361	48-8M0017362
15.5	31	48-8M0017391	48-8M0017392
15.25	31	48-8M0017421	48-8M0017422
15	31	48-8M0017451	48-8M0017452
18	32	48-8M0017093	48-8M0017094
17.75	32	48-8M0017123	48-8M0017124
17.5	32	48-8M0017153	48-8M0017154
17.25	32	48-8M0017183	48-8M0017184
17	32	48-8M0017213	48-8M0017214
16.75	32	48-8M0017243	48-8M0017244
16.5	32	48-8M0017273	48-8M0017274

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.25	32	48-8M0017303	48-8M0017304
16	32	48-8M0017333	48-8M0017334
15.75	32	48-8M0017363	48-8M0017364
15.5	32	48-8M0017393	48-8M0017394
15.25	32	48-8M0017423	48-8M0017424
15	32	48-8M0017453	48-8M0017454
18	33	48-8M0017095	48-8M0017096
17.75	33	48-8M0017125	48-8M0017126
17.5	33	48-8M0017155	48-8M0017156
17.25	33	48-8M0017185	48-8M0017186
17	33	48-8M0017215	48-8M0017216
16.75	33	48-8M0017245	48-8M0017246
16.5	33	48-8M0017275	48-8M0017276
16.25	33	48-8M0017305	48-8M0017306
16	33	48-8M0017335	48-8M0017336
15.75	33	48-8M0017365	48-8M0017366
15.5	33	48-8M0017395	48-8M0017396
15.25	33	48-8M0017425	48-8M0017426
15	33	48-8M0017455	48-8M0017456
18	34	48-8M0017097	48-8M0017098
17.75	34	48-8M0017127	48-8M0017128
17.5	34	48-8M0017157	48-8M0017158
17.25	34	48-8M0017187	48-8M0017188
17	34	48-8M0017217	48-8M0017218
16.75	34	48-8M0017247	48-8M0017248
16.5	34	48-8M0017277	48-8M0017278
16.25	34	48-8M0017307	48-8M0017308
16	34	48-8M0017337	48-8M0017338
15.75	34	48-8M0017367	48-8M0017368
15.5	34	48-8M0017397	48-8M0017398
15.25	34	48-8M0017427	48-8M0017428
15	34	48-8M0017457	48-8M0017458
18	35	48-8M0017099	48-8M0017100
17.75	35	48-8M0017129	48-8M0017130
17.5	35	48-8M0017159	48-8M0017160
17.25	35	48-8M0017189	48-8M0017190
17	35	48-8M0017219	48-8M0017220
16.75	35	48-8M0017249	48-8M0017250
16.5	35	48-8M0017279	48-8M0017280
16.25	35	48-8M0017309	48-8M0017310
16	35	48-8M0017339	48-8M0017340
15.75	35	48-8M0017369	48-8M0017370
15.5	35	48-8M0017399	48-8M0017400
15.25	35	48-8M0017429	48-8M0017430
15	35	48-8M0017459	48-8M0017460
18	36	48-8M0017101	48-8M0017102
17.75	36	48-8M0017131	48-8M0017132
17.5	36	48-8M0017161	48-8M0017162
17.25	36	48-8M0017191	48-8M0017192
17	36	48-8M0017221	48-8M0017222
16.75	36	48-8M0017251	48-8M0017252
16.5	36	48-8M0017281	48-8M0017282
16.25	36	48-8M0017311	48-8M0017312
16	36	48-8M0017341	48-8M0017342
15.75	36	48-8M0017371	48-8M0017372
15.5	36	48-8M0017401	48-8M0017402

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.25	36	48-8M0017431	48-8M0017432
15	36	48-8M0017461	48-8M0017462
18	37	48-8M0017103	48-8M0017104
17.75	37	48-8M0017133	48-8M0017134
17.5	37	48-8M0017163	48-8M0017164
17.25	37	48-8M0017193	48-8M0017194
17	37	48-8M0017223	48-8M0017224
16.75	37	48-8M0017253	48-8M0017254
16.5	37	48-8M0017283	48-8M0017284
16.25	37	48-8M0017313	48-8M0017314
16	37	48-8M0017343	48-8M0017344
15.75	37	48-8M0017373	48-8M0017374
15.5	37	48-8M0017403	48-8M0017404
15.25	37	48-8M0017433	48-8M0017434
15	37	48-8M0017463	48-8M0017464
18	38	48-8M0017105	48-8M0017106
17.75	38	48-8M0017135	48-8M0017136
17.5	38	48-8M0017165	48-8M0017166
17.25	38	48-8M0017195	48-8M0017196
17	38	48-8M0017225	48-8M0017226
16.75	38	48-8M0017255	48-8M0017256
16.5	38	48-8M0017285	48-8M0017286
16.25	38	48-8M0017315	48-8M0017316
16	38	48-8M0017345	48-8M0017346
15.75	38	48-8M0017375	48-8M0017376
15.5	38	48-8M0017405	48-8M0017406
15.25	38	48-8M0017435	48-8M0017436
15	38	48-8M0017465	48-8M0017466
18	39	48-8M0017107	48-8M0017108
17.75	39	48-8M0017137	48-8M0017138
17.5	39	48-8M0017167	48-8M0017168
17.25	39	48-8M0017197	48-8M0017198
17	39	48-8M0017227	48-8M0017228
16.75	39	48-8M0017257	48-8M0017258
16.5	39	48-8M0017287	48-8M0017288
16.25	39	48-8M0017317	48-8M0017318
16	39	48-8M0017347	48-8M0017348
15.75	39	48-8M0017377	48-8M0017378
15.5	39	48-8M0017407	48-8M0017408
15.25	39	48-8M0017437	48-8M0017438
15	39	48-8M0017467	48-8M0017468
18	40	48-8M0017109	48-8M0017110
17.75	40	48-8M0017139	48-8M0017140
17.5	40	48-8M0017169	48-8M0017170
17.25	40	48-8M0017199	48-8M0017200
17	40	48-8M0017229	48-8M0017230
16.75	40	48-8M0017259	48-8M0017260
16.5	40	48-8M0017289	48-8M0017290
16.25	40	48-8M0017319	48-8M0017320
16	40	48-8M0017349	48-8M0017350
15.75	40	48-8M0017379	48-8M0017380
15.5	40	48-8M0017409	48-8M0017410
15.25	40	48-8M0017439	48-8M0017440
15	40	48-8M0017469	48-8M0017470

CNC Cleaver, Heat Treated SS 5 Blade, 21 Degree Rake – 900 HP

IIIA, IV, V, VI, VII SSM, NXT1 and M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
18	30	48-8M0018259	48-8M0018260
17.75	30	48-8M0018289	48-8M0018290
17.5	30	48-8M0018319	48-8M0018320
17.25	30	48-8M0018349	48-8M0018350
17	30	48-8M0018379	48-8M0018380
16.75	30	48-8M0018409	48-8M0018410
16.5	30	48-8M0018439	48-8M0018440
16.25	30	48-8M0018469	48-8M0018470
16	30	48-8M0018499	48-8M0018500
15.75	30	48-8M0018529	48-8M0018530
15.5	30	48-8M0018559	48-8M0018560
15.25	30	48-8M0018589	48-8M0018590
15	30	48-8M0018619	48-8M0018620
18	31	48-8M0018261	48-8M0018262
17.75	31	48-8M0018291	48-8M0018292
17.5	31	48-8M0018321	48-8M0018322
17.25	31	48-8M0018351	48-8M0018352
17	31	48-8M0018381	48-8M0018382
16.75	31	48-8M0018411	48-8M0018412
16.5	31	48-8M0018441	48-8M0018442
16.25	31	48-8M0018471	48-8M0018472
16	31	48-8M0018501	48-8M0018502
15.75	31	48-8M0018531	48-8M0018532
15.5	31	48-8M0018561	48-8M0018562
15.25	31	48-8M0018591	48-8M0018592
15	31	48-8M0018621	48-8M0018622
18	32	48-8M0018263	48-8M0018264
17.75	32	48-8M0018293	48-8M0018294
17.5	32	48-8M0018323	48-8M0018324
17.25	32	48-8M0018353	48-8M0018354
17	32	48-8M0018383	48-8M0018384
16.75	32	48-8M0018413	48-8M0018414
16.5	32	48-8M0018443	48-8M0018444
16.25	32	48-8M0018473	48-8M0018474
16	32	48-8M0018503	48-8M0018504
15.75	32	48-8M0018533	48-8M0018534
15.5	32	48-8M0018563	48-8M0018564
15.25	32	48-8M0018593	48-8M0018594
15	32	48-8M0018623	48-8M0018624
18	33	48-8M0018265	48-8M0018266
17.75	33	48-8M0018295	48-8M0018296
17.5	33	48-8M0018325	48-8M0018326
17.25	33	48-8M0018355	48-8M0018356
17	33	48-8M0018385	48-8M0018386
16.75	33	48-8M0018415	48-8M0018416
16.5	33	48-8M0018445	48-8M0018446
16.25	33	48-8M0018475	48-8M0018476
16	33	48-8M0018505	48-8M0018506
15.75	33	48-8M0018535	48-8M0018536
15.5	33	48-8M0018565	48-8M0018566
15.25	33	48-8M0018595	48-8M0018596
15	33	48-8M0018625	48-8M0018626
18	34	48-8M0018267	48-8M0018268
17.75	34	48-8M0018297	48-8M0018298
17.5	34	48-8M0018327	48-8M0018328
17.25	34	48-8M0018357	48-8M0018358
17	34	48-8M0018387	48-8M0018388
16.75	34	48-8M0018417	48-8M0018418
16.5	34	48-8M0018447	48-8M0018448
16.25	34	48-8M0018477	48-8M0018478
16	34	48-8M0018507	48-8M0018508
15.75	34	48-8M0018537	48-8M0018538
15.5	34	48-8M0018567	48-8M0018568
15.25	34	48-8M0018597	48-8M0018598
15	34	48-8M0018627	48-8M0018628
18	35	48-8M0018269	48-8M0018270
17.75	35	48-8M0018299	48-8M0018300
17.5	35	48-8M0018329	48-8M0018330
17.25	35	48-8M0018359	48-8M0018360
17	35	48-8M0018389	48-8M0018390
16.75	35	48-8M0018419	48-8M0018420
16.5	35	48-8M0018449	48-8M0018450
16.25	35	48-8M0018479	48-8M0018480
16	35	48-8M0018509	48-8M0018510
15.75	35	48-8M0018539	48-8M0018540
15.5	35	48-8M0018569	48-8M0018570
15.25	35	48-8M0018599	48-8M0018600
15	35	48-8M0018629	48-8M0018630
18	36	48-8M0018271	48-8M0018272
17.75	36	48-8M0018301	48-8M0018302
17.5	36	48-8M0018331	48-8M0018332
17.25	36	48-8M0018361	48-8M0018362
17	36	48-8M0018391	48-8M0018392
16.75	36	48-8M0018421	48-8M0018422
16.5	36	48-8M0018451	48-8M0018452
16.25	36	48-8M0018481	48-8M0018482
16	36	48-8M0018511	48-8M0018512
15.75	36	48-8M0018541	48-8M0018542
15.5	36	48-8M0018571	48-8M0018572
15.25	36	48-8M0018601	48-8M0018602
15	36	48-8M0018631	48-8M0018632
18	37	48-8M0018273	48-8M0018274
17.75	37	48-8M0018303	48-8M0018304
17.5	37	48-8M0018333	48-8M0018334
17.25	37	48-8M0018363	48-8M0018364
17	37	48-8M0018393	48-8M0018394
16.75	37	48-8M0018423	48-8M0018424
16.5	37	48-8M0018453	48-8M0018454
16.25	37	48-8M0018483	48-8M0018484
16	37	48-8M0018513	48-8M0018514
15.75	37	48-8M0018543	48-8M0018544
15.5	37	48-8M0018573	48-8M0018574
15.25	37	48-8M0018603	48-8M0018604
15	37	48-8M0018633	48-8M0018634
18	38	48-8M0018275	48-8M0018276

Diameter (Inches)	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
17.75	38	48-8M0018305	48-8M0018306
17.5	38	48-8M0018335	48-8M0018336
17.25	38	48-8M0018365	48-8M0018366
17	38	48-8M0018395	48-8M0018396
16.75	38	48-8M0018425	48-8M0018426
16.5	38	48-8M0018455	48-8M0018456
16.25	38	48-8M0018485	48-8M0018486
16	38	48-8M0018515	48-8M0018516
15.75	38	48-8M0018545	48-8M0018546
15.5	38	48-8M0018575	48-8M0018576
15.25	38	48-8M0018605	48-8M0018606
15	38	48-8M0018635	48-8M0018636
18	39	48-8M0018277	48-8M0018278
17.75	39	48-8M0018307	48-8M0018308
17.5	39	48-8M0018337	48-8M0018338
17.25	39	48-8M0018367	48-8M0018368
17	39	48-8M0018397	48-8M0018398
16.75	39	48-8M0018427	48-8M0018428
16.5	39	48-8M0018457	48-8M0018458
16.25	39	48-8M0018487	48-8M0018488
16	39	48-8M0018517	48-8M0018518
15.75	39	48-8M0018547	48-8M0018548
15.5	39	48-8M0018577	48-8M0018578
15.25	39	48-8M0018607	48-8M0018608
15	39	48-8M0018637	48-8M0018638
18	40	48-8M0018279	48-8M0018280
17.75	40	48-8M0018309	48-8M0018310
17.5	40	48-8M0018339	48-8M0018340
17.25	40	48-8M0018369	48-8M0018370
17	40	48-8M0018399	48-8M0018400
16.75	40	48-8M0018429	48-8M0018430
16.5	40	48-8M0018459	48-8M0018460
16.25	40	48-8M0018489	48-8M0018490
16	40	48-8M0018519	48-8M0018520
15.75	40	48-8M0018549	48-8M0018550
15.5	40	48-8M0018579	48-8M0018580
15.25	40	48-8M0018609	48-8M0018610
15	40	48-8M0018639	48-8M0018640

CNC CLEAVER 6 BLADE 15 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 6 Blade, 15 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M017970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0002667	48-8M0002668
17.75	26	48-8M0002697	48-8M0002698
17.5	26	48-8M0002727	48-8M0002728
17.25	26	48-8M0002757	48-8M0002758
17	26	48-8M0002787	48-8M0002788
16.75	26	48-8M0002817	48-8M0002818
16.5	26	48-8M0002847	48-8M0002848
16.25	26	48-8M0002877	48-8M0002878
16	26	48-8M0002907	48-8M0002908
15.75	26	48-8M0002937	48-8M0002938
15.5	26	48-8M0002967	48-8M0002968
15.25	26	48-8M0002997	48-8M0002998
15	26	48-8M0003027	48-8M0003028
18	27	48-8M0002669	48-8M0002670
17.75	27	48-8M0002699	48-8M0002700
17.5	27	48-8M0002729	48-8M0002730
17.25	27	48-8M0002759	48-8M0002760
17	27	48-8M0002789	48-8M0002790
16.75	27	48-8M0002819	48-8M0002820
16.5	27	48-8M0002849	48-8M0002850
16.25	27	48-8M0002879	48-8M0002880
16	27	48-8M0002909	48-8M0002910
15.75	27	48-8M0002939	48-8M0002940
15.5	27	48-8M0002969	48-8M0002970
15.25	27	48-8M0002999	48-8M0003000
15	27	48-8M0003029	48-8M0003030
18	28	48-8M0002671	48-8M0002672
17.75	28	48-8M0002701	48-8M0002702
17.5	28	48-8M0002731	48-8M0002732
17.25	28	48-8M0002761	48-8M0002762
17	28	48-8M0002791	48-8M0002792
16.75	28	48-8M0002821	48-8M0002822
16.5	28	48-8M0002851	48-8M0002852
16.25	28	48-8M0002881	48-8M0002882
16	28	48-8M0002911	48-8M0002912
15.75	28	48-8M0002941	48-8M0002942
15.5	28	48-8M0002971	48-8M0002972
15.25	28	48-8M0003001	48-8M0003002
15	28	48-8M0003031	48-8M0003032
18	29	48-8M0002673	48-8M0002674
17.75	29	48-8M0002703	48-8M0002704
17.5	29	48-8M0002733	48-8M0002734
17.25	29	48-8M0002763	48-8M0002764
17	29	48-8M0002793	48-8M0002794
16.75	29	48-8M0002823	48-8M0002824
16.5	29	48-8M0002853	48-8M0002854
16.25	29	48-8M0002883	48-8M0002884
16	29	48-8M0002913	48-8M0002914
15.75	29	48-8M0002943	48-8M0002944
15.5	29	48-8M0002973	48-8M0002974
15.25	29	48-8M0003003	48-8M0003004

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	29	48-8M0003033	48-8M0003034
18	30	48-8M0002675	48-8M0002676
17.75	30	48-8M0002705	48-8M0002706
17.5	30	48-8M0002735	48-8M0002736
17.25	30	48-8M0002765	48-8M0002766
17	30	48-8M0002795	48-8M0002796
16.75	30	48-8M0002825	48-8M0002826
16.5	30	48-8M0002855	48-8M0002856
16.25	30	48-8M0002885	48-8M0002886
16	30	48-8M0002915	48-8M0002916
15.75	30	48-8M0002945	48-8M0002946
15.5	30	48-8M0002975	48-8M0002976
15.25	30	48-8M0003005	48-8M0003006
15	30	48-8M0003035	48-8M0003036
18	31	48-8M0002677	48-8M0002678
17.75	31	48-8M0002707	48-8M0002708
17.5	31	48-8M0002737	48-8M0002738
17.25	31	48-8M0002767	48-8M0002768
17	31	48-8M0002797	48-8M0002798
16.75	31	48-8M0002827	48-8M0002828
16.5	31	48-8M0002857	48-8M0002858
16.25	31	48-8M0002887	48-8M0002888
16	31	48-8M0002917	48-8M0002918
15.75	31	48-8M0002947	48-8M0002948
15.5	31	48-8M0002977	48-8M0002978
15.25	31	48-8M0003007	48-8M0003008
15	31	48-8M0003037	48-8M0003038
18	32	48-8M0002679	48-8M0002680
17.75	32	48-8M0002709	48-8M0002710
17.5	32	48-8M0002739	48-8M0002740
17.25	32	48-8M0002769	48-8M0002770
17	32	48-8M0002799	48-8M0002800
16.75	32	48-8M0002829	48-8M0002830
16.5	32	48-8M0002859	48-8M0002860
16.25	32	48-8M0002889	48-8M0002890
16	32	48-8M0002919	48-8M0002920
15.75	32	48-8M0002949	48-8M0002950
15.5	32	48-8M0002979	48-8M0002980
15.25	32	48-8M0003009	48-8M0003010
15	32	48-8M0003039	48-8M0003040
18	33	48-8M0002681	48-8M0002682
17.75	33	48-8M0002711	48-8M0002712
17.5	33	48-8M0002741	48-8M0002742
17.25	33	48-8M0002771	48-8M0002772
17	33	48-8M0002801	48-8M0002802
16.75	33	48-8M0002831	48-8M0002832
16.5	33	48-8M0002861	48-8M0002862
16.25	33	48-8M0002891	48-8M0002892
16	33	48-8M0002921	48-8M0002922
15.75	33	48-8M0002951	48-8M0002952
15.5	33	48-8M0002981	48-8M0002982
15.25	33	48-8M0003011	48-8M0003012
15	33	48-8M0003041	48-8M0003042
18	34	48-8M0002683	48-8M0002684
17.75	34	48-8M0002713	48-8M0002714
17.5	34	48-8M0002743	48-8M0002744

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	34	48-8M0002773	48-8M0002774
17	34	48-8M0002803	48-8M0002804
16.75	34	48-8M0002833	48-8M0002834
16.5	34	48-8M0002863	48-8M0002864
16.25	34	48-8M0002893	48-8M0002894
16	34	48-8M0002923	48-8M0002924
15.75	34	48-8M0002953	48-8M0002954
15.5	34	48-8M0002983	48-8M0002984
15.25	34	48-8M0003013	48-8M0003014
15	34	48-8M0003043	48-8M0003044
18	35	48-8M0002685	48-8M0002686
17.75	35	48-8M0002715	48-8M0002716
17.5	35	48-8M0002745	48-8M0002746
17.25	35	48-8M0002775	48-8M0002776
17	35	48-8M0002805	48-8M0002806
16.75	35	48-8M0002835	48-8M0002836
16.5	35	48-8M0002865	48-8M0002866
16.25	35	48-8M0002895	48-8M0002896
16	35	48-8M0002925	48-8M0002926
15.75	35	48-8M0002955	48-8M0002956
15.5	35	48-8M0002985	48-8M0002986
15.25	35	48-8M0003015	48-8M0003016
15	35	48-8M0003045	48-8M0003046
18	36	48-8M0002687	48-8M0002688
17.75	36	48-8M0002717	48-8M0002718
17.5	36	48-8M0002747	48-8M0002748
17.25	36	48-8M0002777	48-8M0002778
17	36	48-8M0002807	48-8M0002808
16.75	36	48-8M0002837	48-8M0002838
16.5	36	48-8M0002867	48-8M0002868
16.25	36	48-8M0002897	48-8M0002898
16	36	48-8M0002927	48-8M0002928
15.75	36	48-8M0002957	48-8M0002958
15.5	36	48-8M0002987	48-8M0002988
15.25	36	48-8M0003017	48-8M0003018
15	36	48-8M0003047	48-8M0003048
18	37	48-8M0002689	48-8M0002690
17.75	37	48-8M0002719	48-8M0002720
17.5	37	48-8M0002749	48-8M0002750
17.25	37	48-8M0002779	48-8M0002780
17	37	48-8M0002809	48-8M0002810
16.75	37	48-8M0002839	48-8M0002840
16.5	37	48-8M0002869	48-8M0002870
16.25	37	48-8M0002899	48-8M0002900
16	37	48-8M0002929	48-8M0002930
15.75	37	48-8M0002959	48-8M0002960
15.5	37	48-8M0002989	48-8M0002990
15.25	37	48-8M0003019	48-8M0003020
15	37	48-8M0003049	48-8M0003050
18	38	48-8M0002691	48-8M0002692
17.75	38	48-8M0002721	48-8M0002722
17.5	38	48-8M0002751	48-8M0002752
17.25	38	48-8M0002781	48-8M0002782
17	38	48-8M0002811	48-8M0002812
16.75	38	48-8M0002841	48-8M0002842
16.5	38	48-8M0002871	48-8M0002872

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.25	38	48-8M0002901	48-8M0002902
16	38	48-8M0002931	48-8M0002932
15.75	38	48-8M0002961	48-8M0002962
15.5	38	48-8M0002991	48-8M0002992
15.25	38	48-8M0003021	48-8M0003022
15	38	48-8M0003051	48-8M0003052
18	39	48-8M0002693	48-8M0002694
17.75	39	48-8M0002723	48-8M0002724
17.5	39	48-8M0002753	48-8M0002754
17.25	39	48-8M0002783	48-8M0002784
17	39	48-8M0002813	48-8M0002814
16.75	39	48-8M0002843	48-8M0002844
16.5	39	48-8M0002873	48-8M0002874
16.25	39	48-8M0002903	48-8M0002904
16	39	48-8M0002933	48-8M0002934
15.75	39	48-8M0002963	48-8M0002964
15.5	39	48-8M0002993	48-8M0002994
15.25	39	48-8M0003023	48-8M0003024
15	39	48-8M0003053	48-8M0003054
18	40	48-8M0002695	48-8M0002696
17.75	40	48-8M0002725	48-8M0002726
17.5	40	48-8M0002755	48-8M0002756
17.25	40	48-8M0002785	48-8M0002786
17	40	48-8M0002815	48-8M0002816
16.75	40	48-8M0002845	48-8M0002846
16.5	40	48-8M0002875	48-8M0002876
16.25	40	48-8M0002905	48-8M0002906
16	40	48-8M0002935	48-8M0002936
15.75	40	48-8M0002965	48-8M0002966
15.5	40	48-8M0002995	48-8M0002996
15.25	40	48-8M0003025	48-8M0003026
15	40	48-8M0003055	48-8M0003056

CNC Cleaver, Heat Treated SS 6 Blade, 15 Degree Rake – 900 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0003837	48-8M0003838
17.75	26	48-8M0003867	48-8M0003868
17.5	26	48-8M0003897	48-8M0003898
17.25	26	48-8M0003927	48-8M0003928
17	26	48-8M0003957	48-8M0003958
16.75	26	48-8M0003987	48-8M0003988
16.5	26	48-8M0004017	48-8M0004018
16.25	26	48-8M0004047	48-8M0004048
16	26	48-8M0004077	48-8M0004078
15.75	26	48-8M0004107	48-8M0004108
15.5	26	48-8M0004137	48-8M0004138
15.25	26	48-8M0004167	48-8M0004168
15	26	48-8M0004197	48-8M0004198
18	27	48-8M0003839	48-8M0003840
17.75	27	48-8M0003869	48-8M0003870
17.5	27	48-8M0003899	48-8M0003900
17.25	27	48-8M0003929	48-8M0003930
17	27	48-8M0003959	48-8M0003960
16.75	27	48-8M0003989	48-8M0003990
16.5	27	48-8M0004019	48-8M0004020
16.25	27	48-8M0004049	48-8M0004050
16	27	48-8M0004079	48-8M0004080
15.75	27	48-8M0004109	48-8M0004110
15.5	27	48-8M0004139	48-8M0004140
15.25	27	48-8M0004169	48-8M0004170
15	27	48-8M0004199	48-8M0004200
18	28	48-8M0003841	48-8M0003842
17.75	28	48-8M0003871	48-8M0003872
17.5	28	48-8M0003901	48-8M0003902
17.25	28	48-8M0003931	48-8M0003932
17	28	48-8M0003961	48-8M0003962
16.75	28	48-8M0003991	48-8M0003992
16.5	28	48-8M0004021	48-8M0004022
16.25	28	48-8M0004051	48-8M0004052
16	28	48-8M0004081	48-8M0004082
15.75	28	48-8M0004111	48-8M0004112
15.5	28	48-8M0004141	48-8M0004142
15.25	28	48-8M0004171	48-8M0004172
15	28	48-8M0004201	48-8M0004202
18	29	48-8M0003843	48-8M0003844
17.75	29	48-8M0003873	48-8M0003874
17.5	29	48-8M0003903	48-8M0003904
17.25	29	48-8M0003933	48-8M0003934
17	29	48-8M0003963	48-8M0003964
16.75	29	48-8M0003993	48-8M0003994
16.5	29	48-8M0004023	48-8M0004024
16.25	29	48-8M0004053	48-8M0004054
16	29	48-8M0004083	48-8M0004084
15.75	29	48-8M0004113	48-8M0004114
15.5	29	48-8M0004143	48-8M0004144
15.25	29	48-8M0004173	48-8M0004174
15	29	48-8M0004203	48-8M0004204
18	30	48-8M0003845	48-8M0003846
17.75	30	48-8M0003875	48-8M0003876
17.5	30	48-8M0003905	48-8M0003906
17.25	30	48-8M0003935	48-8M0003936
17	30	48-8M0003965	48-8M0003966
16.75	30	48-8M0003995	48-8M0003996
16.5	30	48-8M0004025	48-8M0004026
16.25	30	48-8M0004055	48-8M0004056
16	30	48-8M0004085	48-8M0004086
15.75	30	48-8M0004115	48-8M0004116
15.5	30	48-8M0004145	48-8M0004146
15.25	30	48-8M0004175	48-8M0004176
15	30	48-8M0004205	48-8M0004206
18	31	48-8M0003847	48-8M0003848
17.75	31	48-8M0003877	48-8M0003878
17.5	31	48-8M0003907	48-8M0003908
17.25	31	48-8M0003937	48-8M0003938
17	31	48-8M0003967	48-8M0003968
16.75	31	48-8M0003997	48-8M0003998
16.5	31	48-8M0004027	48-8M0004028
16.25	31	48-8M0004057	48-8M0004058

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16	31	48-8M0004087	48-8M0004088
15.75	31	48-8M0004117	48-8M0004118
15.5	31	48-8M0004147	48-8M0004148
15.25	31	48-8M0004177	48-8M0004178
15	31	48-8M0004207	48-8M0004208
18	32	48-8M0003849	48-8M0003850
17.75	32	48-8M0003879	48-8M0003880
17.5	32	48-8M0003909	48-8M0003910
17.25	32	48-8M0003939	48-8M0003940
17	32	48-8M0003969	48-8M0003970
16.75	32	48-8M0003999	48-8M0004000
16.5	32	48-8M0004029	48-8M0004030
16.25	32	48-8M0004059	48-8M0004060
16	32	48-8M0004089	48-8M0004090
15.75	32	48-8M0004119	48-8M0004120
15.5	32	48-8M0004149	48-8M0004150
15.25	32	48-8M0004179	48-8M0004180
15	32	48-8M0004209	48-8M0004210
18	33	48-8M0003851	48-8M0003852
17.75	33	48-8M0003881	48-8M0003882
17.5	33	48-8M0003911	48-8M0003912
17.25	33	48-8M0003941	48-8M0003942
17	33	48-8M0003971	48-8M0003972
16.75	33	48-8M0004001	48-8M0004002
16.5	33	48-8M0004031	48-8M0004032
16.25	33	48-8M0004061	48-8M0004062
16	33	48-8M0004091	48-8M0004092
15.75	33	48-8M0004121	48-8M0004122
15.5	33	48-8M0004151	48-8M0004152
15.25	33	48-8M0004181	48-8M0004182
15	33	48-8M0004211	48-8M0004212
18	34	48-8M0003853	48-8M0003854
17.75	34	48-8M0003883	48-8M0003884
17.5	34	48-8M0003913	48-8M0003914
17.25	34	48-8M0003943	48-8M0003944
17	34	48-8M0003973	48-8M0003974
16.75	34	48-8M0004003	48-8M0004004
16.5	34	48-8M0004033	48-8M0004034
16.25	34	48-8M0004063	48-8M0004064
16	34	48-8M0004093	48-8M0004094
15.75	34	48-8M0004123	48-8M0004124
15.5	34	48-8M0004153	48-8M0004154
15.25	34	48-8M0004183	48-8M0004184
15	34	48-8M0004213	48-8M0004214
18	35	48-8M0003855	48-8M0003856
17.75	35	48-8M0003885	48-8M0003886
17.5	35	48-8M0003915	48-8M0003916
17.25	35	48-8M0003945	48-8M0003946
17	35	48-8M0003975	48-8M0003976
16.75	35	48-8M0004005	48-8M0004006
16.5	35	48-8M0004035	48-8M0004036
16.25	35	48-8M0004065	48-8M0004066
16	35	48-8M0004095	48-8M0004096
15.75	35	48-8M0004125	48-8M0004126
15.5	35	48-8M0004155	48-8M0004156
15.25	35	48-8M0004185	48-8M0004186

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	35	48-8M0004215	48-8M0004216
18	36	48-8M0003857	48-8M0003858
17.75	36	48-8M0003887	48-8M0003888
17.5	36	48-8M0003917	48-8M0003918
17.25	36	48-8M0003947	48-8M0003948
17	36	48-8M0003977	48-8M0003978
16.75	36	48-8M0004007	48-8M0004008
16.5	36	48-8M0004037	48-8M0004038
16.25	36	48-8M0004067	48-8M0004068
16	36	48-8M0004097	48-8M0004098
15.75	36	48-8M0004127	48-8M0004128
15.5	36	48-8M0004157	48-8M0004158
15.25	36	48-8M0004187	48-8M0004188
15	36	48-8M0004217	48-8M0004218
18	37	48-8M0003859	48-8M0003860
17.75	37	48-8M0003889	48-8M0003890
17.5	37	48-8M0003919	48-8M0003920
17.25	37	48-8M0003949	48-8M0003950
17	37	48-8M0003979	48-8M0003980
16.75	37	48-8M0004009	48-8M0004010
16.5	37	48-8M0004039	48-8M0004040
16.25	37	48-8M0004069	48-8M0004070
16	37	48-8M0004099	48-8M0004100
15.75	37	48-8M0004129	48-8M0004130
15.5	37	48-8M0004159	48-8M0004160
15.25	37	48-8M0004189	48-8M0004190
15	37	48-8M0004219	48-8M0004220
18	38	48-8M0003861	48-8M0003862
17.75	38	48-8M0003891	48-8M0003892
17.5	38	48-8M0003921	48-8M0003922
17.25	38	48-8M0003951	48-8M0003952
17	38	48-8M0003981	48-8M0003982
16.75	38	48-8M0004011	48-8M0004012
16.5	38	48-8M0004041	48-8M0004042
16.25	38	48-8M0004071	48-8M0004072
16	38	48-8M0004101	48-8M0004102
15.75	38	48-8M0004131	48-8M0004132
15.5	38	48-8M0004161	48-8M0004162
15.25	38	48-8M0004191	48-8M0004192
15	38	48-8M0004221	48-8M0004222
18	39	48-8M0003863	48-8M0003864
17.75	39	48-8M0003893	48-8M0003894
17.5	39	48-8M0003923	48-8M0003924
17.25	39	48-8M0003953	48-8M0003954
17	39	48-8M0003983	48-8M0003984
16.75	39	48-8M0004013	48-8M0004014
16.5	39	48-8M0004043	48-8M0004044
16.25	39	48-8M0004073	48-8M0004074
16	39	48-8M0004103	48-8M0004104
15.75	39	48-8M0004133	48-8M0004134
15.5	39	48-8M0004163	48-8M0004164
15.25	39	48-8M0004193	48-8M0004194
15	39	48-8M0004223	48-8M0004224
18	40	48-8M0003865	48-8M0003866
17.75	40	48-8M0003895	48-8M0003896
17.5	40	48-8M0003925	48-8M0003926

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	40	48-8M0003955	48-8M0003956
17	40	48-8M0003985	48-8M0003986
16.75	40	48-8M0004015	48-8M0004016
16.5	40	48-8M0004045	48-8M0004046
16.25	40	48-8M0004075	48-8M0004076
16	40	48-8M0004105	48-8M0004106
15.75	40	48-8M0004135	48-8M0004136
15.5	40	48-8M0004165	48-8M0004166
15.25	40	48-8M0004195	48-8M0004196
15	40	48-8M0004225	48-8M0004226

CNC Cleaver, Heat Treated SS 6 Blade, 15 Degree Rake - 600 HP

IIIA, IV, V, VI, VII SSM,NXT1. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
14.75	25	48-8M0064647	
14.5	25	48-8M0064815	48-8M0064816
18	26	48-8M0005007	48-8M0005008
17.75	26	48-8M0005037	48-8M0005038
17.5	26	48-8M0005067	48-8M0005068
17.25	26	48-8M0005097	48-8M0005098
17	26	48-8M0005127	48-8M0005128
16.75	26	48-8M0005157	48-8M0005158
16.5	26	48-8M0005187	48-8M0005188
16.25	26	48-8M0005217	48-8M0005218
16	26	48-8M0005247	48-8M0005248
15.75	26	48-8M0005277	48-8M0005278
15.5	26	48-8M0005307	48-8M0005308
15.25	26	48-8M0005337	48-8M0005338
15	26	48-8M0005367	48-8M0005368
14.75	26	48-8M0062239	48-8M0062240
14.5	26	48-8M0076407	48-8M0076406
18	27	48-8M0005009	48-8M0005010
17.75	27	48-8M0005039	48-8M0005040
17.5	27	48-8M0005069	48-8M0005070
17.25	27	48-8M0005099	48-8M0005100
17	27	48-8M0005129	48-8M0005130
16.75	27	48-8M0005159	48-8M0005160
16.5	27	48-8M0005189	48-8M0005190
16.25	27	48-8M0005219	48-8M0005220
16	27	48-8M0005249	48-8M0005250
15.75	27	48-8M0005279	48-8M0005280
15.5	27	48-8M0005309	48-8M0005310
15.25	27	48-8M0005339	48-8M0005340
15	27	48-8M0005369	48-8M0005370
14.75	27	48-8M0062421	
14.5	27	48-8M0076181	48-8M0076180
18	28	48-8M0005011	48-8M0005012
17.75	28	48-8M0005041	48-8M0005042
17.5	28	48-8M0005071	48-8M0005072
17.25	28	48-8M0005101	48-8M0005102
17	28	48-8M0005131	48-8M0005132
16.75	28	48-8M0005161	48-8M0005162
16.5	28	48-8M0005191	48-8M0005192
16.25	28	48-8M0005221	48-8M0005222
16	28	48-8M0005251	48-8M0005252
15.75	28	48-8M0005281	48-8M0005282
15.5	28	48-8M0005311	48-8M0005312
15.25	28	48-8M0005341	48-8M0005342
15	28	48-8M0005371	48-8M0005372
14.5	28		48-8M0081418
18	29	48-8M0005013	48-8M0005014
17.75	29	48-8M0005043	48-8M0005044
17.5	29	48-8M0005073	48-8M0005074
17.25	29	48-8M0005103	48-8M0005104
17	29	48-8M0005133	48-8M0005134
16.75	29	48-8M0005163	48-8M0005164
16.5	29	48-8M0005193	48-8M0005194
16.25	29	48-8M0005223	48-8M0005224
16	29	48-8M0005253	48-8M0005254
15.75	29	48-8M0005283	48-8M0005284
15.5	29	48-8M0005313	48-8M0005314
15.25	29	48-8M0005343	48-8M0005344
15	29	48-8M0005373	48-8M0005374
18	30	48-8M0005015	48-8M0005016
17.75	30	48-8M0005045	48-8M0005046
17.5	30	48-8M0005075	48-8M0005076
17.25	30	48-8M0005105	48-8M0005106
17	30	48-8M0005135	48-8M0005136
16.75	30	48-8M0005165	48-8M0005166
16.5	30	48-8M0005195	48-8M0005196
16.25	30	48-8M0005225	48-8M0005226
16	30	48-8M0005255	48-8M0005256
15.75	30	48-8M0005285	48-8M0005286
15.5	30	48-8M0005315	48-8M0005316
15.25	30	48-8M0005345	48-8M0005346
15	30	48-8M0005375	48-8M0005376
18	31	48-8M0005017	48-8M0005018
17.75	31	48-8M0005047	48-8M0005048
17.5	31	48-8M0005077	48-8M0005078
17.25	31	48-8M0005107	48-8M0005108
17	31	48-8M0005137	48-8M0005138
16.75	31	48-8M0005167	48-8M0005168
16.5	31	48-8M0005197	48-8M0005198
16.25	31	48-8M0005227	48-8M0005228
16	31	48-8M0005257	48-8M0005258
15.75	31	48-8M0005287	48-8M0005288
15.5	31	48-8M0005317	48-8M0005318
15.25	31	48-8M0005347	48-8M0005348
15	31	48-8M0005377	48-8M0005378
18	32	48-8M0005019	48-8M0005020
17.75	32	48-8M0005049	48-8M0005050
17.5	32	48-8M0005079	48-8M0005080
17.25	32	48-8M0005109	48-8M0005110
17	32	48-8M0005139	48-8M0005140
16.75	32	48-8M0005169	48-8M0005170
16.5	32	48-8M0005199	48-8M0005200
16.25	32	48-8M0005229	48-8M0005230
16	32	48-8M0005259	48-8M0005260
15.75	32	48-8M0005289	48-8M0005290

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.5	32	48-8M0005319	48-8M0005320
15.25	32	48-8M0005349	48-8M0005350
15	32	48-8M0005379	48-8M0005380
18	33	48-8M0005021	48-8M0005022
17.75	33	48-8M0005051	48-8M0005052
17.5	33	48-8M0005081	48-8M0005082
17.25	33	48-8M0005111	48-8M0005112
17	33	48-8M0005141	48-8M0005142
16.75	33	48-8M0005171	48-8M0005172
16.5	33	48-8M0005201	48-8M0005202
16.25	33	48-8M0005231	48-8M0005232
16	33	48-8M0005261	48-8M0005262
15.75	33	48-8M0005291	48-8M0005292
15.5	33	48-8M0005321	48-8M0005322
15.25	33	48-8M0005351	48-8M0005352
15	33	48-8M0005381	48-8M0005382
18	34	48-8M0005023	48-8M0005024
17.75	34	48-8M0005053	48-8M0005054
17.5	34	48-8M0005083	48-8M0005084
17.25	34	48-8M0005113	48-8M0005114
17	34	48-8M0005143	48-8M0005144
16.75	34	48-8M0005173	48-8M0005174
16.5	34	48-8M0005203	48-8M0005204
16.25	34	48-8M0005233	48-8M0005234
16	34	48-8M0005263	48-8M0005264
15.75	34	48-8M0005293	48-8M0005294
15.5	34	48-8M0005323	48-8M0005324
15.25	34	48-8M0005353	48-8M0005354
15	34	48-8M0005383	48-8M0005384
18	35	48-8M0005025	48-8M0005026
17.75	35	48-8M0005055	48-8M0005056
17.5	35	48-8M0005085	48-8M0005086
17.25	35	48-8M0005115	48-8M0005116
17	35	48-8M0005145	48-8M0005146
16.75	35	48-8M0005175	48-8M0005176
16.5	35	48-8M0005205	48-8M0005206
16.25	35	48-8M0005235	48-8M0005236
16	35	48-8M0005265	48-8M0005266
15.75	35	48-8M0005295	48-8M0005296
15.5	35	48-8M0005325	48-8M0005326
15.25	35	48-8M0005355	48-8M0005356
15	35	48-8M0005385	48-8M0005386
18	36	48-8M0005027	48-8M0005028
17.75	36	48-8M0005057	48-8M0005058
17.5	36	48-8M0005087	48-8M0005088
17.25	36	48-8M0005117	48-8M0005118
17	36	48-8M0005147	48-8M0005148
16.75	36	48-8M0005177	48-8M0005178
16.5	36	48-8M0005207	48-8M0005208
16.25	36	48-8M0005237	48-8M0005238
16	36	48-8M0005267	48-8M0005268
15.75	36	48-8M0005297	48-8M0005298
15.5	36	48-8M0005327	48-8M0005328
15.25	36	48-8M0005357	48-8M0005358
15	36	48-8M0005387	48-8M0005388
18	37	48-8M0005029	48-8M0005030

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.75	37	48-8M0005059	48-8M0005060
17.5	37	48-8M0005089	48-8M0005090
17.25	37	48-8M0005119	48-8M0005120
17	37	48-8M0005149	48-8M0005150
16.75	37	48-8M0005179	48-8M0005180
16.5	37	48-8M0005209	48-8M0005210
16.25	37	48-8M0005239	48-8M0005240
16	37	48-8M0005269	48-8M0005270
15.75	37	48-8M0005299	48-8M0005300
15.5	37	48-8M0005329	48-8M0005330
15.25	37	48-8M0005359	48-8M0005360
15	37	48-8M0005389	48-8M0005390
18	38	48-8M0005031	48-8M0005032
17.75	38	48-8M0005061	48-8M0005062
17.5	38	48-8M0005091	48-8M0005092
17.25	38	48-8M0005121	48-8M0005122
17	38	48-8M0005151	48-8M0005152
16.75	38	48-8M0005181	48-8M0005182
16.5	38	48-8M0005211	48-8M0005212
16.25	38	48-8M0005241	48-8M0005242
16	38	48-8M0005271	48-8M0005272
15.75	38	48-8M0005301	48-8M0005302
15.5	38	48-8M0005331	48-8M0005332
15.25	38	48-8M0005361	48-8M0005362
15	38	48-8M0005391	48-8M0005392
18	39	48-8M0005033	48-8M0005034
17.75	39	48-8M0005063	48-8M0005064
17.5	39	48-8M0005093	48-8M0005094
17.25	39	48-8M0005123	48-8M0005124
17	39	48-8M0005153	48-8M0005154
16.75	39	48-8M0005183	48-8M0005184
16.5	39	48-8M0005213	48-8M0005214
16.25	39	48-8M0005243	48-8M0005244
16	39	48-8M0005273	48-8M0005274
15.75	39	48-8M0005303	48-8M0005304
15.5	39	48-8M0005333	48-8M0005334
15.25	39	48-8M0005363	48-8M0005364
15	39	48-8M0005393	48-8M0005394
18	40	48-8M0005035	48-8M0005036
17.75	40	48-8M0005065	48-8M0005066
17.5	40	48-8M0005095	48-8M0005096
17.25	40	48-8M0005125	48-8M0005126
17	40	48-8M0005155	48-8M0005156
16.75	40	48-8M0005185	48-8M0005186
16.5	40	48-8M0005215	48-8M0005216
16.25	40	48-8M0005245	48-8M0005246
16	40	48-8M0005275	48-8M0005276
15.75	40	48-8M0005305	48-8M0005306
15.5	40	48-8M0005335	48-8M0005336
15.25	40	48-8M0005365	48-8M0005366
15	40	48-8M0005395	48-8M0005396

CNC CLEAVER 6 BLADE 18 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 6 Blade, 18 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0013897	48-8M0013898
17.75	30	48-8M0013927	48-8M0013928
17.5	30	48-8M0013957	48-8M0013958
17.25	30	48-8M0013987	48-8M0013988
17	30	48-8M0014017	48-8M0014018
16.75	30	48-8M0014047	48-8M0014048
16.5	30	48-8M0014077	48-8M0014078
16.25	30	48-8M0014107	48-8M0014108
16	30	48-8M0014137	48-8M0014138
15.75	30	48-8M0014167	48-8M0014168
15.5	30	48-8M0014197	48-8M0014198
15.25	30	48-8M0014227	48-8M0014228
15	30	48-8M0014257	48-8M0014258
18	31	48-8M0013899	48-8M0013900
17.75	31	48-8M0013929	48-8M0013930
17.5	31	48-8M0013959	48-8M0013960
17.25	31	48-8M0013989	48-8M0013990
17	31	48-8M0014019	48-8M0014020
16.75	31	48-8M0014049	48-8M0014050
16.5	31	48-8M0014079	48-8M0014080
16.25	31	48-8M0014109	48-8M0014110
16	31	48-8M0014139	48-8M0014140
15.75	31	48-8M0014169	48-8M0014170
15.5	31	48-8M0014199	48-8M0014200
15.25	31	48-8M0014229	48-8M0014230
15	31	48-8M0014259	48-8M0014260
18	32	48-8M0013901	48-8M0013902
17.75	32	48-8M0013931	48-8M0013932
17.5	32	48-8M0013961	48-8M0013962
17.25	32	48-8M0013991	48-8M0013992
17	32	48-8M0014021	48-8M0014022
16.75	32	48-8M0014051	48-8M0014052
16.5	32	48-8M0014081	48-8M0014082
16.25	32	48-8M0014111	48-8M0014112
16	32	48-8M0014141	48-8M0014142
15.75	32	48-8M0014171	48-8M0014172
15.5	32	48-8M0014201	48-8M0014202
15.25	32	48-8M0014231	48-8M0014232
15	32	48-8M0014261	48-8M0014262
18	33	48-8M0013903	48-8M0013904
17.75	33	48-8M0013933	48-8M0013934
17.5	33	48-8M0013963	48-8M0013964
17.25	33	48-8M0013993	48-8M0013994
17	33	48-8M0014023	48-8M0014024
16.75	33	48-8M0014053	48-8M0014054
16.5	33	48-8M0014083	48-8M0014084
16.25	33	48-8M0014113	48-8M0014114
16	33	48-8M0014143	48-8M0014144
15.75	33	48-8M0014173	48-8M0014174
15.5	33	48-8M0014203	48-8M0014204
15.25	33	48-8M0014233	48-8M0014234
15	33	48-8M0014263	48-8M0014264
18	34	48-8M0013905	48-8M0013906
17.75	34	48-8M0013935	48-8M0013936
17.5	34	48-8M0013965	48-8M0013966
17.25	34	48-8M0013995	48-8M0013996
17	34	48-8M0014025	48-8M0014026
16.75	34	48-8M0014055	48-8M0014056
16.5	34	48-8M0014085	48-8M0014086
16.25	34	48-8M0014115	48-8M0014116
16	34	48-8M0014145	48-8M0014146
15.75	34	48-8M0014175	48-8M0014176
15.5	34	48-8M0014205	48-8M0014206
15.25	34	48-8M0014235	48-8M0014236
15	34	48-8M0014265	48-8M0014266
18	35	48-8M0013907	48-8M0013908
17.75	35	48-8M0013937	48-8M0013938
17.5	35	48-8M0013967	48-8M0013968
17.25	35	48-8M0013997	48-8M0013998
17	35	48-8M0014027	48-8M0014028
16.75	35	48-8M0014057	48-8M0014058
16.5	35	48-8M0014087	48-8M0014088
16.25	35	48-8M0014117	48-8M0014118
16	35	48-8M0014147	48-8M0014148
15.75	35	48-8M0014177	48-8M0014178
15.5	35	48-8M0014207	48-8M0014208
15.25	35	48-8M0014237	48-8M0014238
15	35	48-8M0014267	48-8M0014268
18	36	48-8M0013909	48-8M0013910
17.75	36	48-8M0013939	48-8M0013940
17.5	36	48-8M0013969	48-8M0013970
17.25	36	48-8M0013999	48-8M0014000
17	36	48-8M0014029	48-8M0014030
16.75	36	48-8M0014059	48-8M0014060
16.5	36	48-8M0014089	48-8M0014090
16.25	36	48-8M0014119	48-8M0014120
16	36	48-8M0014149	48-8M0014150
15.75	36	48-8M0014179	48-8M0014180
15.5	36	48-8M0014209	48-8M0014210
15.25	36	48-8M0014239	48-8M0014240
15	36	48-8M0014269	48-8M0014270
18	37	48-8M0013911	48-8M0013912
17.75	37	48-8M0013941	48-8M0013942

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.5	37	48-8M0013971	48-8M0013972
17.25	37	48-8M0014001	48-8M0014002
17	37	48-8M0014031	48-8M0014032
16.75	37	48-8M0014061	48-8M0014062
16.5	37	48-8M0014091	48-8M0014092
16.25	37	48-8M0014121	48-8M0014122
16	37	48-8M0014151	48-8M0014152
15.75	37	48-8M0014181	48-8M0014182
15.5	37	48-8M0014211	48-8M0014212
15.25	37	48-8M0014241	48-8M0014242
15	37	48-8M0014271	48-8M0014272
18	38	48-8M0013913	48-8M0013914
17.75	38	48-8M0013943	48-8M0013944
17.5	38	48-8M0013973	48-8M0013974
17.25	38	48-8M0014003	48-8M0014004
17	38	48-8M0014033	48-8M0014034
16.75	38	48-8M0014063	48-8M0014064
16.5	38	48-8M0014093	48-8M0014094
16.25	38	48-8M0014123	48-8M0014124
16	38	48-8M0014153	48-8M0014154
15.75	38	48-8M0014183	48-8M0014184
15.5	38	48-8M0014213	48-8M0014214
15.25	38	48-8M0014243	48-8M0014244
15	38	48-8M0014273	48-8M0014274
18	39	48-8M0013915	48-8M0013916
17.75	39	48-8M0013945	48-8M0013946
17.5	39	48-8M0013975	48-8M0013976
17.25	39	48-8M0014005	48-8M0014006
17	39	48-8M0014035	48-8M0014036
16.75	39	48-8M0014065	48-8M0014066
16.5	39	48-8M0014095	48-8M0014096
16.25	39	48-8M0014125	48-8M0014126
16	39	48-8M0014155	48-8M0014156
15.75	39	48-8M0014185	48-8M0014186
15.5	39	48-8M0014215	48-8M0014216
15.25	39	48-8M0014245	48-8M0014246
15	39	48-8M0014275	48-8M0014276
18	40	48-8M0013917	48-8M0013918
17.75	40	48-8M0013947	48-8M0013948
17.5	40	48-8M0013977	48-8M0013978
17.25	40	48-8M0014007	48-8M0014008
17	40	48-8M0014037	48-8M0014038
16.75	40	48-8M0014067	48-8M0014068
16.5	40	48-8M0014097	48-8M0014098
16.25	40	48-8M0014127	48-8M0014128
16	40	48-8M0014157	48-8M0014158
15.75	40	48-8M0014187	48-8M0014188
15.5	40	48-8M0014217	48-8M0014218
15.25	40	48-8M0014247	48-8M0014248
15	40	48-8M0014277	48-8M0014278

CNC Cleaver, Heat Treated SS 6 Blade, 18 Degree Rake - 900 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0015067	48-8M0015068
17.75	30	48-8M0015097	48-8M0015098
17.5	30	48-8M0015127	48-8M0015128
17.25	30	48-8M0015157	48-8M0015158
17	30	48-8M0015187	48-8M0015188
16.75	30	48-8M0015217	48-8M0015218
16.5	30	48-8M0015247	48-8M0015248
16.25	30	48-8M0015277	48-8M0015278
16	30	48-8M0015307	48-8M0015308
15.75	30	48-8M0015337	48-8M0015338
15.5	30	48-8M0015367	48-8M0015368
15.25	30	48-8M0015397	48-8M0015398
15	30	48-8M0015427	48-8M0015428
18	31	48-8M0015069	48-8M0015070
17.75	31	48-8M0015099	48-8M0015100
17.5	31	48-8M0015129	48-8M0015130
17.25	31	48-8M0015159	48-8M0015160
17	31	48-8M0015189	48-8M0015190
16.75	31	48-8M0015219	48-8M0015220
16.5	31	48-8M0015249	48-8M0015250
16.25	31	48-8M0015279	48-8M0015280
16	31	48-8M0015309	48-8M0015310
15.75	31	48-8M0015339	48-8M0015340
15.5	31	48-8M0015369	48-8M0015370
15.25	31	48-8M0015399	48-8M0015400
15	31	48-8M0015429	48-8M0015430
18	32	48-8M0015071	48-8M0015072
17.75	32	48-8M0015101	48-8M0015102
17.5	32	48-8M0015131	48-8M0015132
17.25	32	48-8M0015161	48-8M0015162
17	32	48-8M0015191	48-8M0015192
16.75	32	48-8M0015221	48-8M0015222
16.5	32	48-8M0015251	48-8M0015252
16.25	32	48-8M0015281	48-8M0015282
16	32	48-8M0015311	48-8M0015312
15.75	32	48-8M0015341	48-8M0015342
15.5	32	48-8M0015371	48-8M0015372
15.25	32	48-8M0015401	48-8M0015402
15	32	48-8M0015431	48-8M0015432
18	33	48-8M0015073	48-8M0015074
17.75	33	48-8M0015103	48-8M0015104
17.5	33	48-8M0015133	48-8M0015134
17.25	33	48-8M0015163	48-8M0015164
17	33	48-8M0015193	48-8M0015194
16.75	33	48-8M0015223	48-8M0015224
16.5	33	48-8M0015253	48-8M0015254
16.25	33	48-8M0015283	48-8M0015284
16	33	48-8M0015313	48-8M0015314
15.75	33	48-8M0015343	48-8M0015344
15.5	33	48-8M0015373	48-8M0015374
15.25	33	48-8M0015403	48-8M0015404

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	33	48-8M0015433	48-8M0015434
18	34	48-8M0015075	48-8M0015076
17.75	34	48-8M0015105	48-8M0015106
17.5	34	48-8M0015135	48-8M0015136
17.25	34	48-8M0015165	48-8M0015166
17	34	48-8M0015195	48-8M0015196
16.75	34	48-8M0015225	48-8M0015226
16.5	34	48-8M0015255	48-8M0015256
16.25	34	48-8M0015285	48-8M0015286
16	34	48-8M0015315	48-8M0015316
15.75	34	48-8M0015345	48-8M0015346
15.5	34	48-8M0015375	48-8M0015376
15.25	34	48-8M0015405	48-8M0015406
15	34	48-8M0015435	48-8M0015436
18	35	48-8M0015077	48-8M0015078
17.75	35	48-8M0015107	48-8M0015108
17.5	35	48-8M0015137	48-8M0015138
17.25	35	48-8M0015167	48-8M0015168
17	35	48-8M0015197	48-8M0015198
16.75	35	48-8M0015227	48-8M0015228
16.5	35	48-8M0015257	48-8M0015258
16.25	35	48-8M0015287	48-8M0015288
16	35	48-8M0015317	48-8M0015318
15.75	35	48-8M0015347	48-8M0015348
15.5	35	48-8M0015377	48-8M0015378
15.25	35	48-8M0015407	48-8M0015408
15	35	48-8M0015437	48-8M0015438
18	36	48-8M0015079	48-8M0015080
17.75	36	48-8M0015109	48-8M0015110
17.5	36	48-8M0015139	48-8M0015140
17.25	36	48-8M0015169	48-8M0015170
17	36	48-8M0015199	48-8M0015200
16.75	36	48-8M0015229	48-8M0015230
16.5	36	48-8M0015259	48-8M0015260
16.25	36	48-8M0015289	48-8M0015290
16	36	48-8M0015319	48-8M0015320
15.75	36	48-8M0015349	48-8M0015350
15.5	36	48-8M0015379	48-8M0015380
15.25	36	48-8M0015409	48-8M0015410
15	36	48-8M0015439	48-8M0015440
18	37	48-8M0015081	48-8M0015082
17.75	37	48-8M0015111	48-8M0015112
17.5	37	48-8M0015141	48-8M0015142
17.25	37	48-8M0015171	48-8M0015172
17	37	48-8M0015201	48-8M0015202
16.75	37	48-8M0015231	48-8M0015232
16.5	37	48-8M0015261	48-8M0015262
16.25	37	48-8M0015291	48-8M0015292
16	37	48-8M0015321	48-8M0015322
15.75	37	48-8M0015351	48-8M0015352
15.5	37	48-8M0015381	48-8M0015382
15.25	37	48-8M0015411	48-8M0015412
15	37	48-8M0015441	48-8M0015442
18	38	48-8M0015083	48-8M0015084
17.75	38	48-8M0015113	48-8M0015114
17.5	38	48-8M0015143	48-8M0015144

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	38	48-8M0015173	48-8M0015174
17	38	48-8M0015203	48-8M0015204
16.75	38	48-8M0015233	48-8M0015234
16.5	38	48-8M0015263	48-8M0015264
16.25	38	48-8M0015293	48-8M0015294
16	38	48-8M0015323	48-8M0015324
15.75	38	48-8M0015353	48-8M0015354
15.5	38	48-8M0015383	48-8M0015384
15.25	38	48-8M0015413	48-8M0015414
15	38	48-8M0015443	48-8M0015444
18	39	48-8M0015085	48-8M0015086
17.75	39	48-8M0015115	48-8M0015116
17.5	39	48-8M0015145	48-8M0015146
17.25	39	48-8M0015175	48-8M0015176
17	39	48-8M0015205	48-8M0015206
16.75	39	48-8M0015235	48-8M0015236
16.5	39	48-8M0015265	48-8M0015266
16.25	39	48-8M0015295	48-8M0015296
16	39	48-8M0015325	48-8M0015326
15.75	39	48-8M0015355	48-8M0015356
15.5	39	48-8M0015385	48-8M0015386
15.25	39	48-8M0015415	48-8M0015416
15	39	48-8M0015445	48-8M0015446
18	40	48-8M0015087	48-8M0015088
17.75	40	48-8M0015117	48-8M0015118
17.5	40	48-8M0015147	48-8M0015148
17.25	40	48-8M0015177	48-8M0015178
17	40	48-8M0015207	48-8M0015208
16.75	40	48-8M0015237	48-8M0015238
16.5	40	48-8M0015267	48-8M0015268
16.25	40	48-8M0015297	48-8M0015298
16	40	48-8M0015327	48-8M0015328
15.75	40	48-8M0015357	48-8M0015358
15.5	40	48-8M0015387	48-8M0015388
15.25	40	48-8M0015417	48-8M0015418
15	40	48-8M0015447	48-8M0015448

QUICKSILVER PROPELLER APPLICATION CHARTS

EVINRUDE/JOHNSON OUTBOARD APPLICATION CHARTS

9.5-14 Horsepower - Evinrude/Johnson

9.5 HP 1964-73
10 HP 1958-63
10-14 HP Commercial 1982-94
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		8 1/4 X 8 RH	AL	3	Black Diamond	QA3178R	387334	Rubber Bushing

8-15 Horsepower - Evinrude/Johnson

9.9 - 15 HP 2-Strokes 1974-2000
8 - 9.9 - 15 HP 4-Strokes 2000-2001
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		9.25 X 10 RH	AL	3	Black Diamond	QA3168R	174950	Rubber Bushing
All Purpose		9.25 X 11 RH	AL	3	Black Diamond	QA3170R	174817	Rubber Bushing

15-25 Horsepower - Evinrude/Johnson

15 HP 1953-56
18 HP 1957-73
20 HP 1969-73
25 HP 1969-77
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	383629	Rubber Bushing
12-14 / 3.6-4.2	25-32 / 40-51	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	388088	Rubber Bushing

20-35 Horsepower - Evinrude/Johnson

20 HP 1984-97
25 HP 2 & 3 Cyl. 1984 & Newer (including ETEC)
25 HP Commercial 1993 & Newer
35 HP 2 & 3 Cyl. 1976 & Newer
30 HP 2 Cyl. 1984 & Newer (including ETEC)
14 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
17-20 / 5.2-6.1	10-20 / 16-32	10 1/2 X 11 RH	AL	3	Black Diamond	QA3114R	175190	Rubber Bushing
13-15 / 3.9-4.5	26-34 / 42-54	10 X 13 RH	AL	3	Black Diamond	QA3118R	175191	Rubber Bushing

40-50 Horsepower - Johnson 4-Stroke

40 HP 4-Stroke 2000-2007
50 HP 4-Stroke 2000-2007
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-19 / 4.2-5.8	16-26 / 26-42	11 1/2 X 13 RH	AL	3	Black Diamond	QA2078X	5031619	Rubber Bushing

45-75 Hp Large Gearcase - Evinrude/Johnson

40 HP ETEC 2004 & Newer
45 HP 2 Cyl Commercial 1986 & Newer
50 HP ETEC 2004 & Newer
50 HP 2 Cyl. 1971-74
50 HP 2 Cyl Commercial 1977-79
50 HP 3 Cyl. 1994-99
55 HP 3 Cyl. 1968-69
55 HP 2 Cyl. Commercial 1980 & Newer
60 HP ETEC 2004 & Newer 60 HP 3 Cyl. 1970-71, 1986 & Newer
65 HP 3 Cyl. 1972-73
65 HP 3 Cyl. Commercial 1984 & Newer
70 HP 3 & 4 Cyl. 1974 & Newer (including 4-stroke)
75 HP 3 Cyl. 1975-84
75 HP ETEC 2004 & Newer
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
19-22 / 5.8-6.7	17-26 / 27-42	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
17-19 / 5.2-5.8	23-31 / 37-50	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
16-19 / 4.8-5.8	29-36 / 47-58	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase Separately.

85 HP-140 HP V-4 Outboard - Evinrude/Johnson

85 HP V-4 1969-80
85 HP V-4 1991-95
88 HP V-4 1981-96
90 HP V-4 1981 & Newer
90 HP ETEC 2004 & Newer
100 HP V-4 1979-80
100 HP V-4 1988-93
110 HP V-4 1986-89
112 HP V-4 1994-96
115 HP V-4 1973 & Newer
115 HP V-4 ETEC 2004 & Newer
120 HP V-4 1986-94
125 HP V-4 1971-72
130 HP V-4 ETEC 2004 & Newer
135 HP V-4 1973-76
140 HP V-4 1977-84
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-29 / 6.6-8.8	14-28 / 23-45	14 X 13 RH extra cup	AL	3	Black Diamond	QA3832X	391668	(1)
21-26 / 6.4-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

100 HP-300 HP V-6/V-8 Outboard – Evinrude/Johnson

100 HP V-4 Commercial 1984 & Newer, 115 HP V-4 95 & Newer
120 HP V-4 1985, 130 HP V-4 1995 & Newer
140 HP V-4 (25") 1989-94, 140 HP V-4 1985
150 HP V-6 Commercial 1993 & Newer
150 HP V-6 1978 & Newer (including ETEC)
155 HP V-6 Commercial 1978 & Newer
175 HP V-6 1977 & Newer (including ETEC)
185 HP V-6 1984-85, 200 HP V-6 1976 & Newer
200 HP V-6 ETEC
225 HP V-6 1986 & Newer, 250 HP V-8 1991 & Newer (including ETEC)
250 HP V-6 ETEC
250 HP HO V-6 ETEC
275-300 HP V-8 Two Strokes 1986-95
300 HP V-6 ETEC
150-300 HP E-TEC G2
15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 x 12 RH	AL	4	Nemesis	48-8M0055531		(1)
Pontoon	to 29 / to 46	14 x 14 RH	AL	4	Nemesis	48-8M0055533		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(1)
15-19 / 4.5-5.8	50-64 / 81-103	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(1)
House/Pontoon	10-25 / 16-40	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(1)
House/Cruisers	24-36 / 39-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X		(1)
House/Cruisers	24-36 / 39-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(1)
21-26 / 6.4-7.8	30-42 / 48-68	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(1)
15-19 / 4.5-5.8	50-64 / 81-103	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(1)
House/Cruisers	24-36 / 39-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(1)
17-20 / 5.2-6.1	42-56 / 68-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(1)
House/Cruisers	24-36 / 39-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(1)
21-26 / 6.4-7.8	30-42 / 48-68	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(1)
19-22 / 5.8-6.7	36-49 / 58-79	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(1)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(1)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(1)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(1)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(1)
21-26 / 6.4-7.8	24-36 / 43-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(1)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(1)
19-22 / 5.8-6.7	36-49 / 58-79	14.0 X 19P RH	SS	3	Q3	48-8M0103523		(1)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(1)(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(1)(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(1)(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(1)(2)
LH Propellers		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(1)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(1)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(1)(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(1)(2)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(1)(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(1)(2)

(1) Use Flo-Torq II hub kit 8M0119081 for 1991 and newer non E-TEC G2 applications. Use Flo-Torq II hub kit 8M0119082 for 1990 and older applications. Use Flo-Torq II hub kit 8M0107220 for 2014 and newer E-TEC G2 outboards 200-300 hp. Purchase separately.

(2) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with the Q4 and Torrent propellers. Purchase separately.

FORCE OUTBOARD APPLICATION CHARTS

3.5 HP-8 HP - Force

3.5 HP 1980-1984
5 HP 1987-1998
4-8 HP 1968-1988
Flo-Torq I Round Rubber Hub = 318304-3
Prop Pin = FA324101

Length (ft/m)	Propeller Size	Material	Blades	Quicksilver PN	Hub System
All	7.25 x 6.5 RH	Nylon	3	48-820110A20(1)	Rubber Bushing

(1) Standard with 5 HP Engine

9.9-15 Horsepower - Force

9.9 HP 1996-1998
15 HP 1996-1998
8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-20 / 4.5-6.1	15-18 / 24-29	9 X 7 RH	AL	3	Black Diamond	QA2124R	828152A12	Rubber Bushing
14-19 / 4.2-2.8	16-22 / 25-35	9 X 8 RH	AL	3	Black Diamond	QA2126R	828154A12	Rubber Bushing
to 17 / to 5.2	19-24 / 31-38	9 X 9 RH	AL	3	Black Diamond	QA2128R	828156A12	Rubber Bushing
to 16 / to 4.8	21-28 / 33-45	9 X 10 1/2 RH	AL	3	Black Diamond	QA2130R	828158A12	Rubber Bushing

25 Horsepower - Force

25 HP 3 Cyl. 1995-1998
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-15 / 3.6-4.5	24-30 / 38-48	10 3/8 X13 RH	AL	3	Black Diamond	QA2106R	19640A40	Rubber Bushing

40-75 Horsepower - Force

40 - 50 HP 1995-1998
75 HP 1996-98
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 17 / to 27	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	42738A11	(1)
Work/Pontoon	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	87818A11	(1)
17-22 / 5.2-6.7	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	73132A40	(1)
16-20 / 4.8-6.1	20-24 / 32-38	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	85632A40	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	816702A40	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	73134A40	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	816704A40	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	73136A40	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	816706A40	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	73138A40	(1)
13-16 / 4.0-4.8	31-34 / 50-54	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	73140A40	(1)
16-20 / 4.8-6.1	20-24 / 32-38	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510	48-8M8026620	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	48-8M8026625	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10.3X 13 RH	AL	4	Nemesis	48-8M8027512	48-8M8026630	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	48-8M8026635	(1)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
13-16 / 4.0-4.8	31-34 / 50-54	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	48-8M8026640	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	855858A5	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	855860A5	(1)
13-16 / 4.0-4.8	31-34 / 50-54	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	855862A5	(1)

(1) Flo-Torq Reflex Hub System. Hub and required hardware included in box.

75-150 Horsepower - Force

75 HP 1999 & Newer
90, 120, 150 HP 1995 & Newer
15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X	854340A45	(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X	854342A45	(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X	854342CP1	(1)(2)
25+ / 7.6	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2030X	77338A45	(1)
Pontoon	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2830X	48-8M0151356	(1)(2)
22+ / 6.7	24-27 / 38-43	14 X 13 RH	AL	3	Black Diamond	QA2032X	77340A45	(1)
Pontoon	24-27 / 38-43	14 X 13 RH	AL	3	Black Diamond	QA2832X	48-8M0151358	(1)(2)
19-24 / 5.8-7.3	30-33 / 48-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	77342A45	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	77344A45	(1)
16-19 / 4.8-5.8	41-45 / 66-72	13 X 19 RH	AL	3	Black Diamond	QA2038X	77346A45	(1)
15-18 / 4.5-5.5	43-48 / 69-77	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	77348A45	(1)
to 16 / to 4.8	46-52 / 74-84	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	77350A45	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497	48-8M8026555	(1)
Pontoon	18-21 / 29-34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498	48-8M8026560	(1)
Pontoon	24-27 / 38-43	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500	48-8M8026570	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13.4X 15 RH	AL	4	Nemesis	48-8M8027502	48-8M8026570	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504	48-8M8026590	(1)
16-19 / 4.8-5.8	41-45 / 66-72	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506	48-8M8026600	(1)
Pontoon	24-27 / 38-43	14 X 13 RH	SS	4	Q4	48-8M0055559	48-8M0151360	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13.5 X 15 RH	SS	4	Q4	48-8M0055560	48-8M0151361	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 X 17 RH	SS	4	Q4	48-8M0055561	48-8M0151362	(1)
16-19 / 4.8-5.8	41-45 / 66-72	12.7 X 19 RH	SS	4	Q4	48-8M0055562	48-8M0151363	(1)
15-18 / 4.4-5.5	44-48 / 75-83	12.7 X 21 RH	SS	4	Q4	48-8M0055563	48-8M0151364	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	48-8M0151399	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	48-8M0151401	(1)
16-19 / 4.8-5.8	41-45 / 66-72	13 X 18 RH	SS	3	Silverado	QS5118X	48-8M0151402	(1)

(1) Use Flo-Torq II attaching hardware kit 835257Q1. Purchase separately.

(2) Extra Cup Version.

HONDA OUTBOARD APPLICATION CHARTS

7.5-10 Horsepower - Honda

7.5 HP 1978-87
BF 8 HP 1987-1999
BF 100 (10 HP) All Years
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		9 X 10 RH	AL	3	Black Diamond	QA3150R		Rubber Bushing
All Purpose		9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R		Rubber Bushing

9.9-20 Horsepower - Honda

BF 8 2000 & Newer
BF 9.9 HP 1988 & Newer
BF 15 HP All Years
BF 20 2003 & Newer
8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-16 / 4.2-4.8	17-21 / 27-34	9 1/4 X 9 RH	AL	3	Black Diamond	QA3906R	58130-ZV4-701ZA	Rubber Bushing
to 15 / to 4.5	21-26 / 34-42	9 1/4 X 10 1/2 RH	AL	3	Black Diamond	QA3914R	58130-ZV4-030ZA	Rubber Bushing

25-30 Horsepower

25-30 Horsepower
BF 25 All Years
BF 30 All Years
10 Tooth Spline
Use existing Honda nut and washer

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	48-896890A10	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.75 x 9.5 RH	Alum	3	Black Diamond	QA2192R	48-896892A40	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.5 x 11 RH	Alum	3	Black Diamond	QA2196R	48-896896A40	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9.25 x 12.5 RH	Alum	3	Black Diamond	QA2200R	48-896900A40	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	48-8M8026650	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 x 11 RH	Alum	4	Nemesis	48-8M8027517	48-8M8026655	Rubber Bushing

35-60 Horsepower - Honda

BF 35 HP 1991-94
BF 40 HP 1995 & Newer
BF 45 HP 1991-94
BF 50/50A HP 1995 & Newer
BF 60 Small Gearcase
13 Tooth Spline
Flo-Torq Reflex Propeller. Replace existing forward thrust washer with Quicksilver thrust washer 8M0046466. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Pontoon	11-17 / 17-27	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X		(1)
Pontoon	16-21 / 25-34	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	58130-ZV5-009AH	(1)
17+ / 5.2	20-24 / 32-38	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X		(1)
16-18 / 4.8-5.5	23-28 / 37-45	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	58130-ZV5-850ZA	(1)
15-17 / 4.5-5.2	26-32 / 42-51	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	58130-ZV5-012AH	(1)
15-17 / 4.5-5.2	26-32 / 42-51	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	58130-ZV5-000ZA	(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	58130-ZV5-013AH	(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	58130-ZV5-012AH	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	58130-ZV5-014AH	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	58130-ZV5-013AH	(1)
13-15 / 4.0-4.5	36-43 / 58-69	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	58130-ZV5-870ZA	(1)
16-18 / 4.8-5.5	23-28 / 37-45	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510		(1)
15-17 / 4.5-5.2	26-32 / 42-51	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511		(1)
14-17 / 4.2-5.2	30-35 / 48-57	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512		(1)
14-16 / 4.2-4.8	33-39 / 53-63	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513		(1)
13-15 / 4.0-4.5	36-43 / 58-69	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514		(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	58110-ZV5-E20	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	58110-ZV5-E10	(1)
13-15 / 4.0-4.5	36-43 / 58-69	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	58110-ZV5-E00	(1)

(1) Flo-Torq Reflex Propeller. Replace existing forward thrust washer with Quicksilver thrust washer 8M0046466. Purchase separately.

60 BFP, 75-130 Horsepower - Honda

60 BFP 1995 & newer (Large Gearcase)
75 HP 1995 & Newer
90 HP 1995 & Newer
115 HP 1998 & Newer
130 HP 1998 & Newer
15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
25+ / 7.8	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2030X	58130-ZW1-W01 ZA	(1)
Pontoon	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
22+ / 6.7	24-27 / 39-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	58130-ZW1-W11 ZA	(1)
Pontoon	24-27 / 39-44	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)
19-24 / 5.8-7.3	30-33 / 48-53	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	58130-ZW1-W21 ZA	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	58130-ZW1-W31 ZA	(1)
16-19 / 4.8-5.8	41-45 / 66-73	13 X 19 RH	AL	3	Black Diamond	QA2038X	58130-ZW1-W61 ZA	(1)
15-18 / 4.5-4.5	43-48 / 69-77	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	58130-ZW1-W41	(1)
to 16 / to 4.8	46-52 / 74-84	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	58130-ZW1-W50	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)
Pontoon	18-21 / 29-34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	24-27 / 39-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
16-19 / 4.8-5.8	41-45 / 66-73	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	24-27 / 39-44	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)
16-19 / 4.8-5.8	41-45 / 66-73	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)
15-18 / 4.5-4.5	43-48 / 69-77	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	58133-ZW1-A13AH	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	58133-ZW1-A15AH	(1)
16-19 / 4.8-5.8	41-45 / 66-73	13 X 18 RH	SS	3	Silverado	QS5118X	58133-ZW1-A17AH	(1)

(1) Use Flo-Torq II attaching hardware kit 835277Q1for 75-90 HP thru 1998 or 835279Q2 for 75-90 HP 1999 and newer, 115-130 HP all years. Purchase separately.

(2) Extra Cup Version

115 D, 135-250 Horsepower - Honda

115D, 135 -150 HP 2004 & Newer
200 - 250 Horsepower (4-Stroke) 2002 & Newer
15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	(1)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	(1)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	(1)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	(1)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	(1)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X	(1)
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X	(1)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	(1)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	(1)
23-26 / 7.0-7.8	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	(1)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	(1)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	(1)
23-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	(1)
23-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	(1)
20-23 / 6.1-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	(1)
19-23 / 5.8-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	(1)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516	(1)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517	(1)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	(1)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519	(1)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521	(1)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523	(1)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526	(1)(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	(1)(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	(1)(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532	(1)(2)
LH Propellers (1)		15.8 X 15 LH	SS	3	Thunderbolt	QS5005X	(1)
		15.5 X 17 LH	SS	3	Thunderbolt	QS5007X	(1)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	(1)(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	(1)(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	(1)(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	(1)

(1) Use Flo-Torq II attaching hardware kit 835278Q1. Purchase separately..

(2) Use forward bushing 23-856163Q1 with Flo-Torq II hub kit for surface peircing applications with Q4 and Torrent propellers. Purchase separately.

MERCURY/MARINER OUTBOARD APPLICATION CHARTS

4–6 Horsepower – Mercury/Mariner

4 -6 Horspower
4 - 5 HP 2-Stroke 1987 & Newer & 4, 5, 6 HP -Stroke 1999 & Newer
12 Tooth Spline

Length (ft/m)	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose	7.8 X 9 RH	AL	3	Black Diamond	48-8M0081239		Rubber Bushing
All Purpose	7.8 X 8 RH	AL	3	Black Diamond	QA3184R	48-812950A02(2)	Rubber Bushing
All Purpose	7.8 X 7 RH	AL	3	Black Diamond	QA3182R	48-812949A02(1)	Rubber Bushing
All Purpose	7.9 X 6 RH	AL	3	Black Diamond	48-8M0081238	48-812951A02	Rubber Bushing

(1) Standard with 4 Hp, 2-Stroke and FourStroke (2) Standard with 5 and 6 Hp FourStroke

8 Horsepower – Mercury/Mariner

8 HP 1976-84 Mariner
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.2-5.5	to 15 / to 24	8 X 7 RH	AL	3	Black Diamond	QA3178R	82764	Rubber Bushing

8/9.9 Horsepower (4-Stroke) - Mercury/Mariner

8/9.9 (4-Stroke) 2005 and newer
Std. gearcase only (Not Bigfoot)
12 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		8.7 x 5 RH	Alum	4	Black Diamond	QA2148R	48-812954A10	Rubber Bushing
14-17 / 4.2-5.2	8-17 / 14-27	8.9 x 7.5 RH	Alum	3	Black Diamond	QA2154R	48-897614A10(1)	Rubber Bushing
13-16 / 3.9-4.8	12-21 / 19-34	8.9 x 8.5 RH	Alum	3	Black Diamond	QA2158R	48-897618A10(2)	Rubber Bushing

(1) Standard with 8 Hp FourStroke (2) Standard with 9.9 Hp FourStroke

6-15 Horsepower - Mercury/Mariner

6, 8, 9.9 and 15 HP 2-Strokes 1986 & Newer
10, 15 HP Seapro/Marathon 1995 & Newer
8/9.9 HP (Not Bigfoot) 4-Strokes 1995-2004
15 HP 4 Stroke 1989-2006
8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-20 / 4.5-6.1	12-17 / 19-27	9 1/4 X 7 RH	AL	3	Black Diamond	QA2124R	48-828152A12	Rubber Bushing
14-20 / 4.2-6.1	16-19 / 26-31	9 X 8 RH	AL	3	Black Diamond	QA2126R	48-828154A12	Rubber Bushing
14-19 / 4.2-5.8	19-24 / 31-39	9 X 9 RH	AL	3	Black Diamond	QA2128R	48-828156A12(1)	Rubber Bushing
14-16 / 4.2-4.8	23-27 / 37-44	9 X 10 1/2 RH	AL	3	Black Diamond	QA2130R	48-828158A12	Rubber Bushing

(1) Standard with 6-15 Hp 2-Stroke and SeaPro/Marathon 10-15 Hp

15-25 Horsepower - Mariner

15 HP 1976-81 Mariner
15A 1979-82 Mariner
W15 1977-85 Mariner
20 HP 1976-79 Mariner
25 HP 1977-79 Mariner
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	96625M	Rubber Bushing
12-14 / 3.6-4.2	25-32 / 40-52	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	96623M	Rubber Bushing

9.9-25 Horsepower - Mercury/Mariner

9.9 & 15 HP Bigfoot 4-Strokes 2005 & Older
9.9 Sail Power 4 Strokes 2005 & Older
18 HP Mercury 1980-85
20 HP Mariner 1985 & Newer
20 HP Mercury 2 Stroke 1986 & Newer
25 HP Mercury 2 Stroke 1980 & Newer
25 HP Mariner 2 Stroke 1985 & Newer
25 HP SeaPro/Marathon
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-15 / 3.6-4.5	19-30 / 31-48	10 3/8 X 13 RH	AL	3	Black Diamond	QA2106R	48- 19640A40(1)	Rubber Bushing

(1) Standard with 20-25 Hp 2-Stroke

15/20 Hp 4-Stroke, 9.9 HP CT/Bigfoot 4-Stroke Mercury/Mariner

9.9 CT/Bigfoot Model Year 2005 and Newer
15/20 HP 4-Stroke 2007 and Newer
14 Tooth Spline

Length	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		10 x 5	AL	4	Black Diamond	QA2178R(1)		Rubber Hub
15-19 / 4.6-5.8	5-12 / 8-19	9.5 X 8 RH	AL	3	Black Diamond	QA2171R	48-897748A11	Rubber Hub
14-17 / 4.3-5.2	10-16 / 16-26	9.25 X 9 RH	AL	3	Black Diamond	QA2173R	48-897750A11(2)	Rubber Hub
to 16 / to 4.9	13-20 / 21-32	9.25 X 10 RH	AL	3	Black Diamond	QA2175R	48-897752A11(3)	Rubber Hub

(1) Standard with 9.9 BF and 9.9 Prokicker (2) Standard with 15 Hp 4-S (3) Standard with 20 Hp 4-S

25-30 Horsepower 4-Stroke - Mercury/Mariner

25 HP 2006 and Newer
30 HP 2006 and Newer
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	48-896890A10	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.75 x 9.5 RH	Alum	3	Black Diamond	QA2192R	48-896892A40	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.5 x 11 RH	Alum	3	Black Diamond	QA2196R	48-896896A40	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9.25 x 12.5 RH	Alum	3	Black Diamond	QA2200R	48-896900A40	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	48-8M8026650	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 x 11 RH	Alum	4	Nemesis	48-8M8027517	48-8M8026655	Rubber Bushing

25-30 Horsepower 2-Stroke - Mariner

25 HP 1980-84 Mariner
28 HP 2-Stroke 1976-79 Mariner
30 HP 2-Stroke 1979-90 Mariner
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-17 / 4.5-5.2	18-26 / 29-42	9 7/8 X 10 1/2 RH	AL	3	Black Diamond	QA3808R	81649M	Rubber Bushing
14-16 / 4.2-4.8	19-28 / 31-45	9 7/8 X 11 1/4 RH	AL	3	Black Diamond	QA3810R	84976M	Rubber Bushing

25 Hp CT/Bigfoot, 30-70 Hp Standard Gearcase Mercury/Mariner

402-500 Model Mercury 1974-76*, 402-500-700 Models Mercury 1977-84
650 Model Mercury 1972-76*, 25 HP CT/Bigfoot 4-stroke 1999-2005
30 HP CT/BigFoot 2010 & Newer
30 HP 2 & 4-Strokes 1994-2005, 30 HP SeaPro/Marathon All Years
35 HP 1984-89, 40 HP 2 & 4-Strokes (Not CT/Bigfoot) 1977 & Newer
40 HP Seapro/Marathon 1977 & Newer, 45HP 1986-89
48 HP Mariner All Years, 50 HP 2 & 4 Strokes (Not CT/Bigfoot) 1977 & Newer
55 HP Seapro/Marathon 1995 & Newer, 60 HP Mariner 1976*
60 HP 2 & 4 Stroke (Not CT/Bigfoot) 1978 & Newer, 70 HP 1983 & Older
13 Tooth Spline
Flo-Torq Reflex Propellers. Hub Kit included in box.
Note: Flo-Torq Reflex Propeller hardware is not compatible with older rubber hub propeller hardware.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
20'+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	48- 42738A45	Flo-Torq Reflex
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	48- 87818A45	Flo-Torq Reflex
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	48- 73132A45	Flo-Torq Reflex
16-19 / 4.8-5.8	21-25 / 34-41	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	48- 85632A45	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	48-816702A45	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	48- 73134A45	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	48-816704A45	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	48- 73136A45	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	48-816706A45	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	48- 73138A45	Flo-Torq Reflex
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	48- 73140A45	Flo-Torq Reflex
16-19 / 4.8-5.8	21-25 / 34-41	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510	48-8M8026620	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	48-8M8026625	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	48-8M8026630	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	48-8M8026635	Flo-Torq Reflex
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	48-8M8026640	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	48-855858A46	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	48-855860A46	Flo-Torq Reflex
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	48-855862A46	Flo-Torq Reflex

40-60 Hp CT/Bigfoot, 70-140 Hp Standard Gearcase

650 Model (4 cyl.) 1961-70, 650 Model (2 cyl.) thru 1971
900 to 1500 Models thru 1977, 60 HP Seapro/Marathon All Years
70 HP 1987-89, 75 HP 2 & 4 Strokes 1984 & Newer
75 HP SeaPro/Marathon All Years, 80 HP Mariner 1977
80 HP 1978-89, 90 HP 2 & 4-Strokes 1978 and Newer
100 HP 1988-99, 115 HP 2 & 4 Strokes 1978 and Newer
125 HP 1994 and Newer, 140 HP 1978-81
40 HP-60 HP CT/Bigfoot All Years
15 Tooth Spline

With stainless props use the Flo-Torq SSR hub kit 8M0150152 or SSR Solid 8M0101604

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Work/Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
23' + / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	48- 77338A45	(1)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X	48-8M0151356	(1)(2)
20' + / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	48- 77340A45	(1)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X	48-8M0151358	(1)(2)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	48- 77342A45	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	48- 77344A45	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	48- 77346A45	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	48- 77348A45	(1)
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	48- 77350A45	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497	48-8M8026555	(1)
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498	48-8M8026560	(1)
Pontoon	to 21 / to 34	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500	48-8M8026570	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502	48-8M8026580	(1)
17-19 / 5.2-5.8	31-39 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504	48-8M8026590	(1)
15-18 / 4.5-5.5	35-43 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506	48-8M8026600	(1)
Pontoon	to 21 / to 34	14 X 13 RH	AL	4	Q4	48-8M0055559	48-8M0151360	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X 15 RH	AL	4	Q4	48-8M0055560	48-8M0151361	(1)
17-19 / 5.2-5.8	31-39 / 48-61	13.0 X 17 RH	AL	4	Q4	48-8M0055561	48-8M0151362	(1)
15-18 / 4.5-5.5	35-43 / 56-66	12.7 X 19 RH	AL	4	Q4	48-8M0055562	48-8M0151363	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X 21 RH	AL	4	Q4	48-8M0055563	48-8M0151364	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	48-8M0151399	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	48-8M0151401	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	48-8M0151402	(1)

(1) For 2-stroke carb applications use Flo-Torq II attaching hardware kit 835257Q1. For 4-stroke and Opti-Max applications use Flo-Torq III attaching hardware kit 8M0150152 to reduce rattle. Purchase separately.

(2) Extra Cup Version.

90CT-400 Horsepower - Mercury/Mariner

90, 115HP Command Thrust 2014 & Newer
135 HP 1987 & Newer, 150 HP 1978 & Newer
175 HP 1978 & Newer, 200 HP 1978 & Newer
220 HP 1987-88, 225 HP 1980 & Newer
225 HP SeaPro/Marathon All Years
250-400 HP 2 and 4-Stroke 1990 and Newer

Use hub kit P/N 835257Q 1 for 90/115 CT and 150-300 HP 2 & 4 Strokes 1990 & Newer (Purchase separately) 15 Tooth Spline

Use hub kit P/N 8M0101603 for FourStroke V8 or 350 - 400 Verado outboards (Purchase separately) 19 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084491	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X	48- 78112A45	(2)
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X	48- 78114A45	(2)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	48- 16438A45	(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48- 78116A45	(2)
23-26 / 7.0-7.8	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	48- 16440A45	(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48- 11324A45	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
23-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-8M0151403	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-8M0151405	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	48-8M0151407	(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-8M0151408	(2)
23-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-8M0151302	(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-8M0151304	(2)
20-23 / 6.1-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-8M0151308	(2)
19-23 / 5.8-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-8M0151310	(2)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516	48-8M0151225	(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517	48-8M0151227	(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	48-8M0151229	(2)
Pontoon	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519	48-8M0151231	(2)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	48-8M0151233	(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521	48-8M0151235	(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522	48-8M0151237	(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523	48-8M0151239	(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	48-8M0151243	(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526	48-8M0151317	(2)(3)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	48-8M0151321	(2)(3)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	48-8M0151325	(2)(3)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532	48-8M0151327	(2)(3)
LH Propellers		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-8M0151303	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-8M0151307	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	48-8M0151316	(2)(3)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	48-8M0151325	(2)(3)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	48-8M0151327	(2)(3)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	48-8M0151326	(2)(3)

(2) Use Flo-Torq II attaching hardware kit 835257Q1. For Verado 4 cyl 135-200 HP use Flo-Torq SSR Solid attaching hardware kit 8M0101604. For Verado 350, 350 SCI and 400R use Flo-Torq II attaching hardware kit 8M0183487. Purchase separately.

(3) Use Flo-Torq hub kit 835257Q6 for surface piercing applications with Q4 propellers. Purchase separately.

SUZUKI OUTBOARD APPLICATION CHARTS

35-65 Horsepower - Suzuki - Reflex Hub

DT35C HP 1987-90
DT40, DF40 HP 1983 & Newer
DF 50 1999 and Newer
DT50,50M HP 1983-84
DT55 HP 1985-97
DT60 HP 1983-84
DT65 HP 1985-97
13 Tooth Spline
Flo-Torq Reflex Propeller.
Replace existing forward and aft washer with Quicksilver kit 8M0088039. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
20'+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	Flo-Torq Reflex(1)
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	Flo-Torq Reflex(1)
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	Flo-Torq Reflex(1)
16-19 - 4.6-5.6	21-26 / 35-42	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	Flo-Torq Reflex(1)
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	Flo-Torq Reflex(1)

(1) Replace existing forward and aft washer with Quicksilver kit 8M0088039. Purchase separately.

35-65 Horsepower - Suzuki - Rubber Hub

DT35C HP 1987-90
DT40, DF40 HP 1983 & Newer
DF 50 1999 and Newer
DT50,50M HP 1983-84
DT55 HP 1985-97
DT60 HP 1983-84
DT65 HP 1985-97
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.3-5.5	27-32 / 44-52	11 1/2 X 13 RH	AL	3	Black Diamond	QA2078X	58100-94313-019	Rubber Bushing

60-70 Hp (4-Stroke), 75-140 Hp (2-Stroke) - Suzuki

DF60 HP 1998 & Newer
DF70 HP 1998-2008
DT75 HP 1992-97
DT75 HP 1983-91
DT85 HP 1992-2000
DT85 HP 1979-91
DT90 HP 1989-97
DT100 HP 1989 and Newer
DT115, 140 HP 1992 & Newer
DT115, 140 HP 1981-91
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	-	14 X 13 RH extra cup	AL	3	Black Diamond	QA3832X		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	58100-95500-019	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	58100-95511-019	(1)

(1) Use Flo-Torq II attaching hardware kit 835282Q1. Purchase separately.

70-140 Horsepower (4-Stroke) - Suzuki

DF 70-100 HP 2009 and Newer
DF 115-140 HP 2002 & Newer
15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X	854340A45	(1)(2)(3)(4)
Work/Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X	845342A45	(1)(2)(3)(4)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X	845342CP1	(1)(2)(3)(4)
23' + / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	77338A45	(1)(2)(3)(4)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X	48-8M0151356	(1)(2)(3)(4)
20' + / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	77340A45	(1)(2)(3)(4)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X	48-8M0151358	(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	77342A45	(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	77344A45	(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	77346A45	(1)(2)(3)(4)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	77348A45	(1)(2)(3)(4)
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	77350A45	(1)(2)(3)(4)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)(2)(3)(4)
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)(2)(3)(4)
Pontoon	19-27 / 31-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)(2)(3)(4)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)(2)(3)(4)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	48-8M0151399	(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	48-8M0151401	(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	48-8M0151402	(1)(2)(3)(4)

(1) For 90-115HP 2001 - 2008 use Flo-Torq II attaching hardware kit 835283Q 1

(2) For 100-115HP 2009 and newer use Flo-Torq II attaching hardware kit 835283Q 2

(3) For 140HP use Flo-Torq II attaching hardware kit 835283Q 2

(4) For 70-90HP 2009 and newer use Flo-Torq II attaching hardware kit 835283Q03

150–300 Horsepower – Suzuki

DT150/150S HP 1986 & Newer
DT175 HP 1986-92
DT200 HP 1986-2000
DT225 HP 1990 & Newer
DF150- DF300 All Years
15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X		(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	99105-00200-16P	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	99105-00200-18P	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14.6 X 17 LH	SS	4	Q4	48-8M0103527		(2)(3)
		14.6 X 19 LH	SS	4	Q4	48-8M0103529		(2)(3)
		14.6 X 21 LH	SS	4	Q4	48-8M0103531		(2)(3)
		14.6 X 23 LH	SS	4	Q4	48-8M0103533		(2)(3)

(2) Use Flo-Torq II attaching hardware kit 835281Q1. Purchase separately.

(3) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with Torrent propellers. Purchase separately.

TOHATSU/NISSAN OUTBOARD APPLICATION CHARTS

4-6 Horsepower - Tohatsu/Nissan

4 -6 Horspower
4 - 5 HP 2-Stroke 1987 & Newer
4, 5, 6 HP -Stroke 1999 & Newer
12 Tooth Spline

Length (ft/m)	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose	7.8 X 9 RH	AL	3	Black Diamond	48-8M0081239		Rubber Bushing
All Purpose	7.8 X 7 RH	AL	3	Black Diamond	QA3182R	48-812949A02(1)	Rubber Bushing
All Purpose	7.8 X 8 RH	AL	3	Black Diamond	QA3184R	48-812950A02(2)	Rubber Bushing
All Purpose	7.9 X 6 RH	AL	3	Black Diamond	48-8M0081238		Rubber Bushing

(1) Standard with 4 Hp, 2-Stroke and FourStroke

(2) Standard with 5 and 6 Hp FourStroke

8/9.9 Horsepower (4-Stroke) - Tohatsu/Nissan

8/9.9 (4-Stroke)
12 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		8.7 x 5 RH	Alum	4	Black Diamond	QA2148R	48-812954A10	Rubber Bushing
14-17 / 4.2-5.2	8-17 / 14-27	8.9 x 7.5 RH	Alum	3	Black Diamond	QA2154R	48-897614A10(1)	Rubber Bushing
13-16 / 3.9-4.8	12-21 / 19-34	8.9 x 8.5 RH	Alum	3	Black Diamond	QA2158R	48-897618A10(2)	Rubber Bushing

(1) Standard with 8 Hp FourStroke

(2) Standard with 9.9 Hp FourStroke

9.9-20 Horsepower Tohatsu/Nissan

9.9 HP 1984 and Newer
9.9 HP 4-Stroke 2000 and Newer
12 HP 1985-1988
15 HP 4-Stroke 2000 and Newer
15/18 HP 1995 and Newer
18/20 HP 4-Stroke 2001 and Newer
14 Tooth Spline

Length	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
Kicker		10 x 5	AL	4	Black Diamond	QA2178R	Rubber Hub
15-19 / 4.6-5.8	5-12 / 8-19	9 1/2 X 8 RH	AL	3	Black Diamond	QA2171R	Rubber Hub
14-17 / 4.3-5.2	10-16 / 16-26	9 1/4 X 9 RH	AL	3	Black Diamond	QA2173R	Rubber Hub
to 16 / to 4.9	13-20 / 21-32	9 1/4 X 10 RH	AL	3	Black Diamond	QA2175R	Rubber Hub

25-30 Horsepower 4-Stroke - Tohatsu/Nissan

25 HP 1986 and Newer
30 HP 1985 and Newer
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9-3/4 x 9-1/2 RH	Alum	3	Black Diamond	QA2192R	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9-1/2 x 11 RH	Alum	3	Black Diamond	QA2196R	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9-1/4 x 12-1/2 RH	Alum	3	Black Diamond	QA2200R	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 X 11 RH	Alum	4	Nemesis	48-8M8027517	Rubber Bushing

35-50 Hp Tohatsu/Nissan

35 HP (35B Only) 1984 and Earlier
50 HP (50D Only) 1991
40 HP 1984 and Newer
50 HP 1992 and Newer
13 Tooth Spline
Flo-Torq Reflex Propeller. Replace existing forward and aft washer with Quicksilver kit 8M0053074. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
20'+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	Flo-Torq Reflex(1)
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	Flo-Torq Reflex(1)
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	Flo-Torq Reflex(1)
16-19 / 4.8-5.8	21-25 / 34-41	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	Flo-Torq Reflex(1)
16-19 / 4.8-5.8	21-25 / 34-41	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	Flo-Torq Reflex(1)
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	Flo-Torq Reflex(1)

(1) Flo-Torq Reflex Propeller. Replace existing forward and aft washer with Quicksilver kit 8M0053074. Purchase separately.

70-140 Horsepower - Tohatsu/Nissan

70C HP 1996 & Newer
90 HP 1987 & Newer
115 HP 1992 & Newer
120 HP 1988 & Newer
140 HP 1988 & Newer

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	7-16 / 11-22	14 X 9 RH	AL	3	Black Diamond	QA2026X	3B764-5230M	(1)
Pontoon/Work	9-19 / 15-31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	9-19 / 15-31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
House/Work	12-22 / 19-35	14 X 11 RH	AL	3	Black Diamond	QA2030X	3B764-5270M	(1)
Pontoon	12-22 / 19-35	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
22-29 / 6.7-8.8	14-28 / 23-45	14 X 13 RH	AL	3	Black Diamond	QA2032X	3B764-5320M	(1)
Pontoon	14-28 / 23-45	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)
21-26 / 6.4-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	3B764-5360M	(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	3B764-5410M	(1)
17-20 / 5.2-6.1	38-50 / 61-81	13 X 19 RH	AL	3	Black Diamond	QA2038X	3B764-5451M	(1)
15-18 / 4.5-5.5	44-56 / 71-90	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	3B764-5490M	(1)
15-17 / 4.5-5.2	48-62 / 77-100	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X		(1)
Pontoon	9-19 / 15-31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)
Pontoon	12-22 / 19-35	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	14-28 / 23-4	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
21-26 / 6.4-7.8	24-36 / 39-58	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
17-20 / 5.2-6.1	38-50 / 61-81	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	14-28 / 23-4	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)
21-26 / 6.4-7.8	24-36 / 39-58	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
17-20 / 5.2-6.1	38-50 / 61-81	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)
15-18 / 4.5-5.5	44-56 / 71-90	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)
21-26 / 6.4-7.9	24-36 / 39-58	13 3/8 X 14 RH	SS	3	Silverado	QS5114X		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/8 X 16 RH	SS	3	Silverado	QS5116X		(1)
17-20 / 5.2-6.1	38-50 / 61-81	13 X 18 RH	SS	3	Silverado	QS5118X		(1)

(1) Use Flo-Torq II attaching hardware kit 835284Q1. Purchase separately.

(2) Extra Cup Version.

YAMAHA OUTBOARD APPLICATION CHARTS

8 Horsepower - Yamaha

8 HP 1976-83
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.3-5.5	to 15 / to 24	8.25 X 7 RH	AL	3	Black Diamond	QA3178R		Rubber Bushing

9.9-20 Horsepower - Yamaha

9.9 HP 2-Stroke 1984 and Newer
F9.9 4-Stroke 2000-2007
15 HP 2-Stroke 1984 and Newer
F15 4-Stroke 2000 and Newer
F20 4-Stroke All Years
8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-19 / 4.3-5.8	19-24 / 31-39	9 1/4 X 9 RH	AL	3	Black Diamond	QA3906R	683-45945-00-EL	Rubber Bushing
14-16 / 4.3-4.8	23-27 / 37-44	9 1/4 X 10 RH	AL	3	Black Diamond	QA3914R	683-45943-00-EL	Rubber Bushing

15-28 Horsepower - Yamaha

15 HP 1976-83
W15 1976-83
20 HP 1976-78
25 HP 1977-79
28 HP 1976-78
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	651-45947-00-36	Rubber Bushing
12-14 / 3.6-4.3	25-32 / 40-52	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	653-45941-01-36	Rubber Bushing

20-30 Horsepower - Yamaha

20 HP 1996-97
25 HP 1980 and Newer
F25 4-Stroke 2000 and Newer
30 HP 1979 and Newer
F30 4-Stroke 2001 and Newer
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-17 / 4.5-5.2	18-26 / 29-42	9 7/8 X 10 1/2 RH	AL	3	Black Diamond	QA3808R	664-45945-00-EL	Rubber Bushing
14-16 / 4.3-4.8	19-28 / 31-45	9 7/8 X 11 1/4 RH	AL	3	Black Diamond	QA3810R	664-45947-01-EL	Rubber Bushing

T25-60 Horsepower - Yamaha

T25 All Years
40 HP 1984 and Newer
F40 4-Stroke 1999 and Newer
48 HP 1995-2000
50 HP (Excluding T50) 1984 & Newer
F50 4-Stroke 1999 and Newer
55 HP 1976-95
60 HP 1976-91
F60 4-Stroke 2002 and Newer
13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 16 / to 26	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X		(1)
18+ / 5.5+	16-20 / 26-32	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	663-45956-01-EL	(1)
17+ / 5.2+	20-23 / 32-37	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	6H5-45952-00-EL	(1)
16-18 / 4.8-5.5	23-30 / 37-48	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	663-45947-02-EL	(1)
15-17 / 4.5-5.2	30-31 / 48-50	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	6H5-45958-00-EL	(1)
14-17 / 4.2-5.2	31-35 / 50-56	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	6H5-45943-00-EL	(1)
14-16 / 4.2-4.8	35-38 / 56-61	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	663-45958-01-EL	(1)
13-15 / 3.9-4.5	38-42 / 61-68	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X		(1)
16-18 / 4.8-5.5	23-30 / 37-48	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510		(1)
15-17 / 4.5-5.2	30-31 / 48-50	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511		(1)
14-17 / 4.2-5.2	31-35 / 50-56	10.3X 13 RH	AL	4	Nemesis	48-8M8027512		(1)
14-16 / 4.2-4.8	35-38 / 56-61	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513		(1)
13-15 / 3.9-4.5	38-42 / 61-68	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514		(1)
14-17 / 4.2-5.2	31-35 / 50-56	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	663-45974-60-98	(1)
14-16 / 4.2-4.8	35-38 / 56-61	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	663-45930-00-98	(1)
13-15 / 3.9-4.5	38-42 / 61-68	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	663-45976-00-98	(1)

(1) Flo-Torq Reflex Propeller - All required hardware included

T50-130 Horsepower - Yamaha

T50 HP 4-Stroke 1996 and Newer
60 HP 1992 and Newer
T60 HP 4-Stroke 2003 and Newer
70 HP 1984 and Newer
75 HP 1994-2000
F75 4-Stroke 2003 and Newer
80 HP 1977, 2000 and Newer
F80 HP 4-Stroke 1999 and Newer
85 HP 1991-97
90 HP 1984 and Newer
F90 HP 4-Stroke 2003 and Newer
F100 HP 4-Stroke 2000 and Newer
115 HP 1984 and Newer
F115 HP 4-Stroke 2000 and Newer
130 HP 1984 and Newer
15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
23'+ / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	6E5-45954-00-EL	(1)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
20'+ / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	6E5-45949-00-EL	(1)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	6E5-45947-00-EL	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	6E5-45945-01-EL	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	6E5-45941-00-EL	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	6E5-45943-00-EL	(1)
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	6E5-45952-00-EL	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	19-27 / 31-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
15-18 / 4.5-5.5	35-41 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)
15-18 / 4.5-5.5	35-41 / 56-66	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	688-45932-60-98	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	688-45978-60-98	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	688-45930-02-98	(1)

(1) Use Flo-Torq II attaching hardware kit 835272Q1 on 50 to 100HP applications and kit 835271Q2 on 115 & 130HP units. Purchase separately.

(2) Extra Cup Version

150-300 Horsepower - Yamaha

150 HP 1986 and Newer, F150 4-Stroke 2004 and Newer
175 HP 1984 and Newer
200 HP 1984 and Newer, F200 HP 4-Stroke 2002 and Newer
220 HP Special 1984-85
225 HP Excel 1987-88
225 HP 1986 and Newer, F225 HP 4-Stroke 2002 and Newer
250 HP 1990 and Newer (Including VMAX), F250 HP 4-Stroke 2005 and Newer
300 HP 2003 and Newer, 300 HPDI 2004 and Newer
150-250 HP SHO 4-Stroke
15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Pontoon	to 29 / to 47	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X		(2)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	6G5-45941-00-98	(2)
23-26 / 6.7-7.9	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	6G5-45952-00-98	(2)
21-25 / 6.4-8.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	53-61 / 86-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	6G5-45949-00-98	(2)
22-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	6G5-45970-02-98	(2)
21-25 / 6.4-8.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	6G5-45978-03-98	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	6G5-45974-03-98	(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	6G5-45972-02-98	(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-8.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	6R4-45978-A0-00	(2)
19-23 / 5.8-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	6R4-45970-A0-00	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	6R4-45972-A0-00	(2)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P R	SS	3	Q3	48-8M0103520		(2)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)(3)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)(3)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)(3)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103533		(2)(3)
LH Propellers (1)(1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	6R1-45978-A0-00	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	6R1-45970-A0-00	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)(3)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)(3)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)(3)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)(3)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Flo-Torq II kit 835271Q2 for 150-300 HPDI and VMAX. Flo-Torq II kit 8M0075402 for 2014 and older 200-250 HP SHO. Flo-Torq II kit 835274Q1 for 2015 and Newer 115-250 SHO and 150-300 4-stroke outboards.

(3) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with Q4 and Torrent propellers. Purchase separately.

MERCRUISER STERNDRIVE APPLICATION CHARTS

ALPHA ONE, MERCRUISER I

MERCRUISER I 120-190 HP
Models 470, 485, 888, 898, 225S & 233
ALPHA ONE 1986 AND NEWER
4.5 Liter 200 HP 2014 and Newer
2.5 Liter 120HP 1986-89
3.0 Liter 125-140HP 1986 & Newer
3.7 Liter 165-190HP 1986-89
Warning! Check for adequate tip clearance with stainless and 4 blade aluminum props. If necessary, switch to a flat tab anode (76214Q 5) or high performance trim tab (822777Q 1) to permit clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084493	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
24+ / 7.3	to 10 / to 16	16 X 11 RH	AL	3	Black Diamond	QA2000X	78112A45	(2)
23-27 / 7.0-8.2	18-22 / 29-36	16 X 13 RH	AL	3	Black Diamond	QA2004X	78114A45	(2)
21-25 / 6.4-7.6	22-26 / 36-42	16 X 14 RH	AL	3	Black Diamond	QA2006X	16438A45	(2)
21-25 / 6.4-7.8	22-31 / 36-50	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	78116A45	(2)
21-25 / 6.4-7.8	26-31 / 42-50	16 X 16 RH	AL	3	Black Diamond	QA2010X	16440A45	(2)
19-23 / 5.8-7.0	30-36 / 48-58	15 X 17 RH	AL	3	Black Diamond	QA1912X	832828A45	(2)
18-22 / 5.5-6.7	32-38 / 52-61	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48- 11324A45	(2)
17-21 / 5.2-6.4	35-41 / 56-66	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	832830A45	(2)
to 19 / to 5.8	40-46 / 65-74	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	832832A45	(2)
to 18 / to 5.5	44-49 / 71-79	14 X 23 RH	AL	3	Black Diamond	QA1920X	832834A45	(2)
21-25 / 6.4-7.8	22-31 / 36-50	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-8M0151403	(2)
19-23 / 5.8-7.0	30-36 / 48-58	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-8M0151405	(2)
17-21 / 5.2-6.4	35-41 / 56-66	14 X 19 RH	SS	3	Silverado	QS5054X	48-8M0151407	(2)
to 19 / to 5.8	40-46 / 65-74	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-8M0151408	(2)
21-25 / 6.4-7.8	22-31 / 36-50	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-8M0151302	(2)
19-23 / 5.8-7.0	30-36 / 48-58	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-8M0151304	(2)
17-21 / 5.2-6.4	35-41 / 56-66	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-8M0151308	(2)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
to 19 / to 5.8	40-46 / 65-74	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-8M0151310	(2)
24+ / 7.3+	to 10 / to 16	16 X 11P RH	SS	3	Q3	48-8M0103516	48-8M0151225	(2)
23-27 / 7.0-8.2	15-18 / 24-29	15.6 X 13P RH	SS	3	Q3	48-8M0103517	48-8M0151227	(2)
23-27 / 7.0-8.2	18-22 / 29-36	15.3 X 14P RH	SS	3	Q3	48-8M0103518	48-8M0151229	(2)
21-25 / 6.4-7.6	22-26 / 36-42	15 X 15P RH	SS	3	Q3	48-8M0103519	48-8M0151231	(2)
21-25 / 6.4-7.6	22-31 / 36-50	14.7 X 16P RH	SS	3	Q3	48-8M0103520	48-8M0151233	(2)
21-25 / 6.4-7.6	26-31 / 42-50	14.5 X 17P RH	SS	3	Q3	48-8M0103521	48-8M0151235	(2)
19-23 / 5.8-7.0	30-36 / 48-58	14.2 X 18P RH	SS	3	Q3	48-8M0103522	48-8M0151237	(2)
18-22 / 5.5-6.7	32-38 / 52-61	14 X 19P RH	SS	3	Q3	48-8M0103523	48-8M0151239	(2)
to 19 / to 5.8	40-46 / 64-74	13.6 X 21P RH	SS	3	Q3	48-8M0103525	899902A46	(2)
21-25 / 6.4-7.6	26-31 / 42-50	14.6 X 17P RH	SS	4	Q4	48-8M0103526	48-8M0151317	(2)
18-22 / 5.5-6.7	32-38 / 52-61	14.6 X 19P RH	SS	4	Q4	48-8M0103528	48-8M0151321	(2)
to 19 / to 5.8	40-46 / 64-74	14.6 X 21P RH	SS	4	Q4	48-8M0103530	48-8M0151325	(2)
to 18 / to 5.5	44-49 / 71-79	14.6 X 23P RH	SS	4	Q4	48-8M0103532	48-8M0151327	(2)
LH Propellers(1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-8M0151303	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-8M0151307	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103527	48-8M0151316	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103529	48-8M0151320	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103531	48-8M0151324	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	48-8M0151326	(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835257Q1. Purchase separately.

ALPHA ONE/BRAVO ONE

MERCRUISER 200-280 HP Thru 1985
Models 228, 255, 260, & 280TRS
ALPHA ONE/BRAVO ONE 1986 AND NEWER
4.5 Liter 200-250 HP 2014 and Newer
4.3 Liter 155-250 HP 1986 - 2014
5.0 Liter 180-250 HP 1986 - 2014 (Including 262 Mag)
Warning! Check for adequate tip clearance when installing stainless steel or aluminum 4 blade propellers. If necessary, switch to high performance trim tab (822777Q1) to allow adequate clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084493	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
26+ / 7.9+	to 16 / to 26	16 X 11 RH	AL	3	Black Diamond	QA2000X	48-78112A45	(2)
24-29 / 7.3-8.8	17-26 / 5.2-42	16 X 13 RH	AL	3	Black Diamond	QA2004X	48-78114A45	(2)
24-29 / 7.3-8.8	22-31 / 35-50	16 X 14 RH	AL	3	Black Diamond	QA2006X	48-16438A45	(2)
23-27 / 7.0-8.2	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48-78116A45	(2)
23-27 / 7.0-8.2	31-39 / 50-63	16 X 16 RH	AL	3	Black Diamond	QA2010X	48-16440A45	(2)
22-26 / 6.7-7.9	36-41 / 58-66	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
22-26 / 6.7-7.9	38-44 / 61-71	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48-11324A45	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
23-27 / 7.0-8.2	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-8M0151403	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-16314A46	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	SS	3	Silverado	QS5054X	48-16316A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-16318A46	(2)
23-27 / 7.0-8.2	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-19838A46	(2)
22-26 / 6.7-7.9	36-41 / 58-66	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-18278A46	(2)
21-25 / 6.4-7.6	41-46 / 66-74	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-8M0151308	(2)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
19-23 / 5.8-7.0	46-51 / 74-82	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-8M0151310	(2)
26+ / 7.9+	to 16 / to 26	16 X 11P RH	SS	3	Q3	48-8M0103516	48-8M0151225	(2)
24-29 / 7.3-8.8	16-21 / 26-34	15.6 X 13P RH	SS	3	Q3	48-8M0103517	48-8M0151224	(2)
24-29 / 7.3-8.8	17-26 / 30-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	48-8M0151229	(2)
24-29 / 7.3-8.8	22-31 / 35-50	15 X 15P RH	SS	3	Q3	48-8M0103519	48-8M0151231	(2)
23-27 / 7.0-8.2	26-36 / 42-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	48-8M0151233	(2)
23-27 / 7.0-8.2	31-39 / 50-63	14.5 X 17P RH	SS	3	Q3	48-8M0103521	48-8M0151235	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14.2 X 18P RH	SS	3	Q3	48-8M0103522	48-8M0151237	(2)
22-26 / 6.7-7.9	38-44 / 61-71	14 X 19P RH	SS	3	Q3	48-8M0103523	48-8M0151239	(2)
19-23 / 5.8-7.0	46-51 / 74-82	13.6 X 21P RH	SS	3	Q3	48-8M0103525	48-8M0151243	(2)
23-27 / 7.0-8.2	31-39 / 50-63	14.6 X 17P RH	SS	4	Q4	48-8M0103526	48-8M0151317	(2)
22-26 / 6.7-7.9	38-44 / 61-71	14.6 X 19P RH	SS	4	Q4	48-8M0103528	48-8M0151321	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14.6 X 21P RH	SS	4	Q4	48-8M0103530	48-8M0151325	(2)
to 20 / to 6.1	51-56 / 74-90	14.6 X 23P RH	SS	4	Q4	48-8M0103532	48-8M0151327	(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-8M0151303	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-8M0151307	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	48-8M0151316	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	48-8M0151320	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	48-8M0151324	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	48-8M0151328	(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835257Q1. Order separate.

ALPHA ONE/BRAVO ONE

Model 330TRS
4.5 Liter 250 HP 2014 & Newer
5.7 Liter 210-320 HP 1986 & Newer
6.2 Liter 320 HP 2001 & newer
7.4 Liter 300-385 HP 1988 & Newer
8.1 Liter 375-425 HP 2001 & Newer
8.2 Liter 390-415 HP 1990 & Newer
Including 350, 454, 496 & 502 Mag. & 320 EFI
Add 2" of pitch to suggested size for single engine applications 385 HP and above.
Caution! Check for adequate blade tip clearance when installing stainless steel propellers. If necessary, switch to Mercury trim tab 822777Q1 to ensure adequate blade clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
29+ / 8.8+	to18 / to 29	16 X 11 RH	AL	3	Black Diamond	QA2000X	48-78112A45	(2)
29-34 / 8.8-10.3	18-30 / 29-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	48-78114A45	(2)
29-32 / 8.8-9.7	24-35 / 39-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	48-16438A45	(2)
27-30 / 8.2-9.1	29-40 / 47-65	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48-78116A45	(2)
26-30 / 8.2-9.1	29-40 / 47-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	48-16440A45	(2)
25-29 / 7.6-8.8	40-46 / 65-74	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
24-28 / 7.3-8.9	43-49 / 69-79	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48-11324A45	(2)
23-26 / 7.0-7.9	46-51 / 74-82	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
22-25 / 6.7-7.6	51-56 / 82-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
22-24 / 6.7-7.3	56-62 / 90-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
27-30 / 8.2-9.1	29-40 / 47-65	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-8M0151403	(2)
25-29 / 7.6-8.8	40-46 / 65-74	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-8M0151405	(2)
23-26 / 7.0-7.9	46-51 / 74-82	14 X 19 RH	SS	3	Silverado	QS5054X	48-8M0151407	(2)
22-25 / 6.7-7.6	51-56 / 82-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-8M0151408	(2)
27-30 / 8.2-9.1	29-40 / 47-65	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-8M0151302	(2)
25-29 / 7.6-8.8	40-46 / 65-74	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-8M0151304	(2)
23-26 / 7.0-7.9	46-51 / 74-82	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-8M0151308	(2)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-25 / 6.7-7.6	51-56 / 82-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-8M0151310	(2)
29+ / 8.8+	to 18 / to 29	16 X 11P RH	SS	3	Q3	48-8M0103516	48-8M0151224	(2)
29-34 / 8.8-10.3	18-25 / 29-40	15.6 X 13P RH	SS	3	Q3	48-8M0103517	48-8M0151225	(2)
29-34 / 8.8-10.3	18-30 / 29-48	15.3 X 14P RH	SS	3	Q3	48-8M0103518	48-8M0151229	(2)
29-32 / 8.8-9.7	24-35 / 39-56	15 X 15P RH	SS	3	Q3	48-8M0103519	48-8M0151231	(2)
27-30 / 8.2-9.1	29-40 / 47-65	14.7 X 16P RH	SS	3	Q3	48-8M0103520	48-8M0151233	(2)
26-30 / 8.2-9.1	29-40 / 47-65	14.5 X 17P RH	SS	3	Q3	48-8M0103521	48-8M0151235	(2)
25-29 / 7.6-8.8	40-46 / 64-74	14.2 X 18P RH	SS	3	Q3	48-8M0103522	48-8M0151237	(2)
24-28 / 7.3-8.9	43-49 / 69-79	14 X 19P RH	SS	3	Q3	48-8M0103523	48-8M0151239	(2)
22-25 / 6.7-7.6	51-56 / 82-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	48-8M0151243	(2)
26-30 / 8.2-9.1	29-40 / 47-65	14.6 X 17P RH	SS	4	Q4	48-8M0103526	48-8M0151317	(2)
24-28 / 7.3-8.9	43-49 / 69-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	48-8M0151321	(2)
22-25 / 6.7-7.6	51-56 / 82-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	48-8M0151325	(2)
22-24 / 6.7-7.3	56-62 / 90-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532	48-8M0151327	(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-8M0151303	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-8M0151307	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	48-8M0151316	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	48-8M0151320	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	48-8M0151324	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	48-8M0151326	(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835257Q1 Order separate, except on 400 HP and above applications use solid hub kit 835258Q2. Order separate.

Bravo Two 1988 and Newer – MerCruiser

- 4.3L 155-250hp 1996 & Newer
- 5.7L 210-300hp 1993 & Newer
- 7.4L 300-385hp 1990 & Newer
- 496 375-425hp 2001 & Newer
- D2.8L 150hp 1997 & Newer
- D4.2L 200-250hp 1996 & Newer
- 5.0L 180-250hp 1995 & Newer
- 6.2L 320hp 2001 & Newer
- 454 385hp 1996 & Newer
- 502 390-425hp 1996 & Newer
- D3.6L 180hp 1996 & Newer
- D7.3L 260-300hp 1994 & Newer

Length (ft/m)	Current MPH/KPH	Prop Size	Matl	#Blades	Style	Quicksilver P/N	OEM P/N	Hub System
34-35/10.4-13.7	0-14/0-20	20 x 11 RH	AL	3	Black Diamond BII	48-8M0155024	48-8M0155024	Rubber Bushing
31-39/9.4-12	14-19/20-30	19 1/2 x 13 RH	AL	3	Black Diamond BII	48-8M0155026	48-8M0155026	Rubber Bushing
29-37/8.8-11.3	19-23/30-38	19 1/4 x 15 RH	AL	3	Black Diamond BII	48-8M0155028	48-8M0155028	Rubber Bushing
28-32/8.5-9.8	24-31/38-46	18 3/4 x 17 RH	AL	3	Black Diamond BII	48-8M0155030	48-8M0155030	Rubber Bushing
26-30/7.8-9.1	32-36/52-58	18 1/4 x 19 RH	AL	3	Black Diamond BII	QA1940R	48-18614A40	Rubber Bushing
25-28/7.5-8.5	35-40/56-65	17 3/4 x 21 RH	AL	3	Black Diamond BII	QA1946R	48-18616A40	Rubber Bushing
24-27/7.2-8.2	39-44/63-71	17 1/2 x 23 RH	AL	3	Black Diamond BII	QA1952R	48-18618A40	Rubber Bushing
LH Propellers (1)(1)		20 x 11 LH	AL	3	Black Diamond BII	48-8M0155023	48-8M0155023	Rubber Bushing
		19 1/2 x 13 LH	AL	3	Black Diamond BII	48-8M0155025	48-8M0155025	Rubber Bushing
		19 1/4 x 15 LH	AL	3	Black Diamond BII	48-8M0155027	48-8M0155027	Rubber Bushing
		18 3/4 x 17 LH	AL	3	Black Diamond BII	48-8M0155029	48-8M0155029	Rubber Bushing
		18 1/4 x 19 LH	AL	3	Black Diamond BII	QA1941R	48-18615A40	Rubber Bushing
		17 3/4 x 21 LH	AL	3	Black Diamond BII	QA1947R	48-18617A40	Rubber Bushing
		17 1/2 x 23 LH	AL	3	Black Diamond BII	QA1953R	48-18619A40	Rubber Bushing

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

Bravo Three 1993 and Newer - MerCruiser

The Quicksilver Bravo Three propeller set is now standard issue within Quicksilver Propellers!

The Quicksilver Bravo Three features 4-blade front, 3-blade rear set that offers better acceleration performance and enhanced holding. Mixing with old style three blade front three blade rear Thunderbolt BIII propellers is not recommended. For part number information on the old Bravo Three propellers (Pre 2008) see the historical propeller charts section of this guide.

•4.3L 155-250hp 1996 & Newer •4.5L 200-250hp 2014 & Newer
•5.0L 180-250hp 1998 & Newer •5.7L 210-300hp 1994 & Newer
•6.2L 320hp 2001 -2015 •6.2L 300-350hp 2015 & Newer
•7.4L 300-385hp 1993 & Newer •454 385hp 1995 & Newer
•496 375-425hp 2001 & Newer •502 390-425hp?1995 & Newer
•8.2L 380-430 2011 & Newer
•D2.8L 150hp 1997 & Newer •D3.6L 180hp 1996 and Newer
•D4.2L 200-250hp 1996 and Newer •D7.3L 260-300hp 1994 and Newer

Current MPH/KPH	Prop Size	Matl	#Blades	Style	Quicksilver P/N	OEM P/N	Hub System
(Rear Prop)(1)							
<31 / <50	14.4 x 19 RH	SS	3	Quicksilver Bravo III	48-8M0123399	8M8022350	Solid Steel Spline
27-35 / 43-56	14.4 x 20 RH	SS	3	Quicksilver Bravo III	48-8M0123401	8M8022370	Solid Steel Spline
32-40 / 51-64	14.3 x 21 RH	SS	3	Quicksilver Bravo III	48-8M0123403	8M8022390	Solid Steel Spline
34-42 / 55-68	14.25 x 22.5 RH	SS	3	Quicksilver Bravo III	48-8M0123405	8M8022410	Solid Steel Spline
37-44 / 60-71	14 x 24 RH	SS	3	Quicksilver Bravo III	48-8M0123407	8M8022430	Solid Steel Spline
41-48 / 66-77	13.75 x 26 RH	SS	3	Quicksilver Bravo III	48-8M0123409	8M8022450	Solid Steel Spline
46-52 / 74-84	13.5 x 28 RH	SS	3	Quicksilver Bravo III	48-8M0123411	8M8022470	Solid Steel Spline
(Front Prop) (1)							
	16 x 19 LH	SS	4	Quicksilver Bravo III	48-8M0123400	8M8022340	Solid Steel Spline
	16 x 20 LH	SS	4	Quicksilver Bravo III	48-8M0123402	8M8022360	Solid Steel Spline
	15.9 x 21 LH	SS	4	Quicksilver Bravo III	48-8M0123404	8M8022380	Solid Steel Spline
	15.75 x 22.5 LH	SS	4	Quicksilver Bravo III	48-8M0123406	8M8022400	Solid Steel Spline
	15.5 x 24 LH	SS	4	Quicksilver Bravo III	48-8M0123408	8M8022420	Solid Steel Spline
	15.25 x 26 LH	SS	4	Quicksilver Bravo III	48-8M0123410	8M8022440	Solid Steel Spline
	15 x 28 LH	SS	4	Quicksilver Bravo III	48-8M0123412	8M8022460	Solid Steel Spline

(1) Add 4" of pitch to above application chart for twin engine installations.

OMC STERNDRIVE APPLICATION CHARTS

MODEL 400 AND COBRA - OMC

2.3 Litre 120-128 HP 1978-90
2.5 Litre 120 HP 1978-89
3.0 Litre 130-140 HP 1978-89

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Cruisers	14-26 / 23-42	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
19-22 / 5.8-6.7	24-32 / 39-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
17-20 / 5.2-6.1	30-40 / 48-65	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

SEA DRIVE 4 1/4 INCH GEARCASE - OMC

1.6 Litre V-4 1983 & Newer
1.8 Litre V-4 1983 & Newer
Add 2" of pitch for twin engines

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-26 / 6.7-7.8	14-28 / 23-45	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
22-26 / 6.7-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

SEA DRIVE 4 3/4 INCH LARGE GEARCASE - OMC

•2.0 Litre V-4 1982 & Newer •2.5 Litre V-6 1982 & Newer
•2.6 Litre V-6 1982 & Newer •2.7 Litre V-6 1982 & Newer
•3.0 Litre V-6 1982 & Newer •3.6 Litre V-8 1982 & Newer
•4.0 Litre V-8 1982 & Newer
Following suggestions based on twin engines - Deduct 4" of pitch for single engine applications.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 13 / to 21	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Work/House	13-27 / 21-43	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(2)
Work/House	16-29 / 26-47	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(2)
28-32 / 8.5-9.6	33-45 / 53-72	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(2)
23-25 / 6.9-7.6 (Twin)	50-62 / 81-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 13 / to 21	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Work/House	13-27 / 16-40	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Work/House	16-29 / 21-43	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 26-47	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
32-36 / 9.6-10.9 (Twin)	26-38 / 30-51	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
30-33 / 9.1-10 (Twin)	30-40 / 39-55	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
28-32 / 8.5-9.6 (Twin)	33-45 / 48-65	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 53-75	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 58-76	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
30-33 / 9.1-10 (Twin)	30-40 / 39-55	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 53-75	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 58-76	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
23-25 / 6.9-7.6 (Twin)	50-62 / 81-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 8M0119081 for 1991 and newer applications and Flo-Torq II kit 8M0119082 for 1990 and older models. Purchase separately.

MODEL 800 COBRA AND KING COBRA - OMC


•3.0 Litre 1990-93 •3.2 Litre Diesel 1992-93
•3.8 Litre 1978-93 •4.3 Litre 1985-93
•5.0 Litre 1978-93 •5.7 Litre 1978-93
•5.8 Litre 1978-93 •454 King (7.4 Litre) 1990-93
•7.4 Litre 1987-93 •502 King (8.2 litre) 1990-93
•7.5 Litre 1987-93
See Volvo SX section for 1994 and newer OMC sterndrive applications.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 15 / 24	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Non Planing	22-30 / 36-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(2)
Non Planing	24-33 / 39-53	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(2)
21-27 / 6.4-8.2	34-44 / 55-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(2)
19-25 / 5.8-7.6	37-47 / 60-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(2)
16-21 / 4.8-6.4	44-57 / 71-92	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(2)
15-20 / 4.5-6.1	48-62 / 77-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(2)
24-28 / 7.2-8.5	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(2)
21-27 / 6.4-8.2	34-44 / 55-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(2)
16-21 / 4.8-6.4	44-57 / 71-92	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-27 / 6.4-8.2	34-44 / 55-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 15 / to 24	16 X 11P RH	SS	4	Q3	48-8M0103516		(2)
Non Planing	22-30 / 36-48	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Non Planing	24-33 / 39-53	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
24-28 / 7.2-8.5	29-40 / 47-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-25 / 5.8-7.6	37-47 / 60-76	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
16-21 / 4.8-6.4	44-57 / 71-92	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.6 X 17P RH	SS	4	Q4	48-8M0103525		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-20 / 4.5-6.1	48-62 / 77-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.


(2) Use Flo-Torq II attaching hardware kit 8M0119081 for 1991 and newer applications and Flo-Torq II kit 8M0119082 for 1990 and older models. Purchase separately.

VOLVO PENTA STERNDRIVE APPLICATION CHARTS



Short Hub Installation

1 Bolt
2 Propeller Cone
3 Spacer
4 Lock Tab Washer/Nylon Washer
5 Propeller
6 Fish Line Cutter



Long Hub Installation

1 Bolt
2 Propeller Cone
4 Nylon Washer
5 Propeller
6 Fish Line Cutter

VOLVO PENTA SX

SX COBRA
OMC COBRA 1994 & NEWER
3.0 Litre 1994 & Newer
4.3 Litre 1994 & Newer
5.0 Litre 1994 & Newer
5.7 Litre 1994 & Newer
5.8 Litre 1994-97
7.4 Litre 1997 & Newer
8.2 Litre 1997
LARGE 4 3/4" GEARCASE - 19 SPLINE
Caution! When installing stainless steel propellers remove anode attached to bearing carrier and check clearance before operation.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 15 / 24	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Non Planing	22-30 / 35-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	3850298-5	(2)
Non Planing	24-33 / 39-53	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
24-28 / 7.3-8.5	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	3850299-3	(2)
20-27 / 6.1-8.2	34-44 / 55-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	3850300-9	(2)
19-25 / 5.8-7.6	37-47 / 60-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	3850301-7	(2)
16-20 / 4.8-6.1	44-57 / 55-92	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	3850302-5	(2)
15-20 / 4.5-6.1	48-62 / 77-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	3850303-3	(2)
24-28 / 7.3-8.5	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	3850305-8	(2)
20-27 / 6.1-8.2	34-44 / 55-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	3850307-7	(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19 RH	SS	3	Silverado	QS5054X	3850308-2	(2)
16-20 / 4.8-6.1	44-57 / 55-92	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	3850309-0	(2)
24-28 / 7.3-8.5	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
20-27 / 6.1-8.2	34-44 / 55-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
16-20 / 4.8-6.1	44-57 / 55-92	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 15 / to 24	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Non Planing	22-30 / 36-48	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Non Planing	24-33 / 39-53	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
24-28 / 7.2-8.5	29-40 / 47-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-25 / 5.8-7.6	37-47 / 60-76	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
16-(2)21 / 4.8-6.4	44-57 / 71-92	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-20 / 4.5-6.1	48-62 / 77-100	14.6 X 23P RH	SS	4	Q4	48-8M0103530		(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 8M0119083. Purchase separately.

YAMAHA STERNDRIVE APPLICATION CHART

V6/V8 - 4 3/4" GEARCASE - Yamaha

3.0 Liter 1989-93
4.3 liter 1989-93
5.0 Liter 1989-93
5.7 Liter 1989-93
7.4 Liter 1992-93
130-300 HP - V-6/V-8 - 4 3/4" GEARCASE

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
24+ / 7.3+	to 10 / to 16	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
23-27 / 7.0-8.2	15-18 / 24-29	16 X 13 RH	AL	3	Black Diamond	QA2004X		(2)
21-25 / 6.4-7.6	22-26 / 36-42	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
22-27 / 6.7-8.2	23-36 / 37-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	6G5-45941-00-98	(2)
22-26 / 6.7-7.8	26-40 / 42-64	16 X 16 RH	AL	3	Black Diamond	QA2010X	6G5-45952-00-98	(2)
21-25 / 6.4-7.6	30-46 / 48-74	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
18-22 / 5.5-6.7	32-38 / 52-61	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
19-23 / 5.8-7.0	35-51 / 56-82	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-21 / 5.5-6.4	40-56 / 64-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	44-62 / 71-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	6G5-45949-00-98	(2)
22-27 / 6.7-8.2	23-36 / 37-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	6G5-45970-02-98	(2)
21-25 / 6.4-7.6	30-46 / 48-74	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	6G5-45978-03-98	(2)
19-23 / 5.8-7.0	35-51 / 56-82	14 X 19 RH	SS	3	Silverado	QS5054X	6G5-45974-03-98	(2)
18-21 / 5.5-6.4	40-56 / 64-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	6G5-45972-02-98	(2)
22-27 / 6.7-8.2	23-36 / 37-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-7.6	30-46 / 48-74	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	6R4-45978-A0-00	(2)
19-23 / 5.8-7.0	35-51 / 56-82	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	6R4-45970-A0-00	(2)
18-21 / 5.5-6.4	40-56 / 64-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	6R4-45972-A0-00	(2)
24+ / 7.3+	to 10 / to 16	16 X 11 RH	SS	3	Q3	48-8M0103516		(2)

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
23-27 / 7-8.2	15-18 / 24-29	15.6 X 13 RH	SS	3	Q3	48-8M0103517		(2)
21-25 / 6.4-7.6	22-26 / 36-42	15.3 X 14 RH	SS	3	Q3	48-8M0103518		(2)
22-27 / 6.7-8.2	23-36 / 37-58	15 X 15 RH	SS	3	Q3	48-8M0103519		(2)
22-26 / 6.7-7.8	26-40 / 42-64	14.7 X 16 RH	SS	3	Q3	48-8M0103520		(2)
21-25 / 6.4-7.6	30-46 / 48-74	14.5 X 17 RH	SS	3	Q3	48-8M0103521		(2)
18-22 / 5.5-6.7	32-38 / 52-61	14.2 X 18 RH	SS	3	Q3	48-8M0103522		(2)
19-23 / 5.8-7	35-51 / 56-82	14.0 X 19 RH	SS	3	Q3	48-8M0103523		(2)
18-21 / 5.5-6.4	40-56 / 64-90	13.6 X 21 RH	SS	3	Q3	48-8M0103525		(2)
21-25 / 6.4-7.6	30-46 / 48-74	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
19-23 / 5.8-7	35-51 / 56-82	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
18-21 / 5.5-6.4	40-56 / 64-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
17-20 / 5.2-6.1	44-62 / 71-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers(1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	6R1-45978-A0-00	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	6R1-45970-A0-00	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103533		(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835271Q2. Purchase separately.

QUICKSILVER PROPELLER TYPE

Propellers sorted by Pitch, then Diameter, then by Rotation (Right-hand, Left-hand)

BLACK DIAMOND

General purpose 3-blade aluminum propeller
Inexpensive and easy to repair
Recommended for speeds less than 50 MPH and applications less than 300 HP
4 - 30 HP are equipped with the Flo-Torq I rubber hub
40 - 60 HP standard are equipped with the Reflex hub system
40 CT - 300 HP requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

BLACK DIAMOND 25/30HP (2022 AND NEWER WITH 2.17:1 GEAR RATIO)

BLACK DIAMOND



48-8M0185642
10.7 X 10 RH AL 3 BL

48-8M0185643
10.7 X 11 RH AL 3 BL

48-8M0185644
10.6 X 12 RH AL 3 BL

48-8M0185645
10.5 X 13 AL 3 BL

48-8M0185647
11 X 7 RH AL 4 SILVER

BLACK DIAMOND 40 - 60 HP STANDARD

BLACK DIAMOND



QA2060X
12.5 X 8 RH AL 3 BL

QA2062X
12.3 X 9 RH AL 3 BL

QA2064X
11.3 X 10 RH AL 3 BL

QA2070X
10.9 X 11 RH AL 3 BL

QA2074X
10.6 X 12 RH AL 3 BL

QA2072X
10.8 X 12 RH AL 3 BL

QA2078X
10.4 X 13 RH AL 3 BL

QA2076X
10.5 X 13 RH AL 3 BL

QA2082X
10.3 X 14 RH AL 3 BL

QA2080X
10.4 X 14 RH AL 3 BL

QA2084X
10.1 X 15 RH AL 3 BL

BLACK DIAMOND 40 CT - 125 HP

BLACK DIAMOND



QA2026X
14 X 9 RH AL 3 BL

QA2028X
14 X 10 RH AL 3 BL

QA2828X
14 X 10 RH AL 3 BL Extra Cup

QA2030X
14 X 11 RH AL 3 BL

QA2830X
14 X 11 RH AL 3 BL Extra Cup

QA2032X
14 X 13 RH AL 3 BL

QA2832X
14 X 13 RH AL 3 BL Extra Cup

QA2034X
13.8 X 15 RH AL 3 BL

QA2036X
13.3 X 17 RH AL 3 BL

QA2038X
13 X 19 RH AL 3 BL

QA2040X
12.8 X 21 RH AL 3 BL

QA2042X
12.5 X 23 RH AL 3 BL

QUICKSILVER PROPELLER TYPE

BLACK DIAMOND 90 CT - 300 HP

BLACK DIAMOND



QA2000X
16 X 11 RH AL 3 BL

QA2004X
16 X 13 RH AL 3 BL

QA2006X
16 X 14 RH AL 3 BL

QA2008X
15.3 X 15 RH AL 3 BL

QA2010X
16 X 16 RH AL 3 BL

QA1912X
15 X 17 RH AL 3 BL

QA2014X
15.5 X 18 RH AL 3 BL

QA1916X
14.5 X 19 RH AL 3 BL

QA1918X
14.3 X 21 RH AL 3 BL

QA1920X
14 X 23 RH AL 3 BL

BLACK DIAMOND FOR 85 - 140 HP EVINRUDE/ JOHNSON V-4

Black Diamond Propellers designed to fit 85-140 hp Evinrude/Johnson V-4

BLACK DIAMOND



QA3832X
14 X 13 RH AL 3 BL Extra Cup

QA2208X
13.8 X 15 RH AL 3 BL

QA2206X
13.3 X 17 RH AL 3 BL

NEMESIS

The ultimate performance aluminum propeller. Do you want to take your boat's performance to the next level? The Nemesis provides 16-25% faster acceleration and superior holding all while maintaining top speed vs. a comparable 3 blade aluminum propeller.

Hub Application:
25-30 HP are equipped with the Flo-Torq 1 rubber hub
40-60 HP standard gearcase are equipped with the Reflex hub system
40 CT - 300 HP requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

The 10, 11 and 13 pitch propellers for the 40-60 CT are specifically designed for excellent performance in pontoon applications. If engine RPM is appropriate with 3-blade prop, replace with the same pitch Nemesis propeller.

9.5" - 23" pitch RH only

NEMESIS 25 - 30 HP

25-30 HP 4-Stroke outboards (2006 and newer)
Equipped with a Flo-Torq I rubber hub

NEMESIS PROPELLER



48-**8M8027516**
9.3 X 9.5P RH Al 4 BL

48-**8M8027517**
9.3 X 11 RH AL 4 BL

NEMESIS 40 - 60 HP

25 HP CT, 30 HP FourStroke (2005 and earlier), 40-60 HP 2-stroke and FourStroke outboards with standard gearcases

Equipped with a Flo-Torq Reflex Hub system to eliminate clutch rattle

NEMESIS PROPELLER



48-**8M8027510**
10.6 X 11 RH AL 4 BL

48-**8M8027511**
10.6 X 12 RH AL 4 BL

48-**8M8027512**
10.3 X 13 RH AL 4 BL

48-**8M8027513**
10.1 X 14 RH AL 4 BL

48-**8M8027514**
10.1 X 15 RH AL 4 BL

NEMESIS 40 CT - 125 HP

For 40-60 HP CT FourStroke, 75-125 HP outboards

10-13 Pitch propellers are designed for to provide superior holding and lift for pontoon boats

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

NEMESIS PONTOON PROPELLER



48-**8M8027497**
13.8 X 10 RH AL 4 BL
48-**8M8027498**
13.8 X 11 RH AL 4 BL
48-**8M8027500**
13.8 X 13 RH AL 4 BL

NEMESIS PROPELLER



48-**8M8027502**
13.4 X 15 RH AL 4 BL
48-**8M8027504**
13.0 X 17 RH AL 4 BL
48-**8M8027506**
12.5 X 19 RH AL 4 BL

NEMESIS 90 CT - 300 HP

For 90 CT - 300 HP outboards and most 4.75 inch gearcase sterndrives
The high performance blade design is not recommended for Alpha One drives with a 1.47 ratio
The 12P and 14P offering are high performing propellers for 90-115 CT and 150 HP outboard powered pontoons

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

NEMESIS PROPELLER



48-**8M0055531**
14 X 12 AL RH 4BL
48-**8M0055533**
14 X 14 AL RH 4BL
48-**8M0055534**
14 X 17 RH AL 4 BL
48-**8M0055535**
14 X 19 RH AL 4 BL
48-**8M0055536**
14 X 21 RH AL 4 BL
48-**8M0055537**
14 X 23 RH AL 4 BL

Q3 90 CT - 400 HP

The Q3 is a revolutionary propeller that improves both acceleration and top speed on center consoles, high horsepower pontoons, and sterndrive powered runabouts. The design consists of high rake angles and thin blades resulting in the Q3 being the highest performing 3-blade propeller in the Quicksilver line-up.

Equipped with PVS - Performance Vent System

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

Use Flo-Torq SSR HD hub kit 8M0101603 when installing a Q3 propeller on a Mercury FourStroke V8 and 350 - 400 HP Verado Outboards

QUICKSILVER Q3 PROPELLER



48-**8M0103516**
16 x 11 RH SS 3 BL
48-**8M0103517**
15.6 x 13P RH SS 3 BL
48-**8M0103518**
15.3 x 14P RH SS 3 BL

QUICKSILVER PROPELLER TYPE

48-**8M0103519**
15.0 x 15P RH SS 3 BL
48-**8M0103520**
14.7 x 16P RH SS 3 BL
48-**8M0103521**
14.5 x 17P RH SS 3 BL
48-**8M0103522**
14.2 x 18P RH SS 3 BL
48-**8M0103523**
14.0 x 19P RH SS 3 BL
48-**8M0103525**
13.6 x 21P RH SS 3 BL

Q4 40 CT - 125 HP

The aggressive 4-blade Q4 generates exceptional lift resulting in a propeller that provides outstanding holeshot, unmatched midrange performance and superior handling, all while running at best-in-class top speeds. The new Q4 is the ideal match on a wide range of boat types (Bass, Multi-Species, Fish and Ski, Center Console, Bay, Pontoon).

Equipped with PVS - Performance Vent System

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

Q4 PROPELLER



48-**8M0055559**
14 X 13 SS RH 4BL
48-**8M0055560**
13.5 x 15 SS RH 4 BL
48-**8M0055561**
13.0 x 17 SS RH 4BL
48-**8M0055562**
12.7 x 19 SS RH 4BL
48-**8M0055563**
12.7 x 21 SS RH 4BL

Q4 90 CT - 400 HP

The Q4 is an innovative propeller that provides outstanding holeshot, unmatched midrange performance, and superior holding on high horsepower walleye boats, center consoles, and sterndrive runabouts.

Available in Right and Left Hand

Equipped with PVS - Performance Vent System

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

Use Flo-Torq SSR HD hub kit 8M0101603 when installing a Q4 propeller on a Mercury FourStroke V8 and 350 - 400 HP Verado Outboards.

QUICKSILVER Q4 PROPELLER



48-**8M0103526**
14.6 x 17P RH SS 4 BL
48-**8M0103527**
14.6 x 17P LH SS 4 BL
48-**8M0103528**
14.6 x 19P RH SS 4 BL
48-**8M0103529**
14.6 x 19P LH SS 4 BL
48-**8M0103530**
14.6 x 21P RH SS 4 BL
48-**8M0103531**
14.6 x 21P LH SS 4 BL
48-**8M0103532**
14.6 x 23P RH SS 4 BL
48-**8M0103533**
14.6 x 23P LH SS 4 BL

SILVERADO

General-purpose 3-blade stainless steel propeller

SILVERADO 40 - 60 HP

40 - 60 HP with standard gearcase

Equipped with the Reflex hub system

SILVERADO



QS5166X
10.5 X 13 RH SS 3 BL

QS5168X
10.4 X 14 RH SS 3 BL

QS5170X
10.3 X 15 RH SS 3 BL

SILVERADO 40 CT - 125 HP

For 40 - 60 HP CT FourStroke, 75-125 HP standard gearcase outboards

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

SILVERADO



QS5114X
13.4 X 14 RH SS 3 BL

QS5116X
13.1 X 16 RH SS 3 BL

QS5118X
13 X 18 RH SS 3 BL

SILVERADO 90 CT - 300 HP

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

SILVERADO



QS5050X
14.5 X 15 RH SS 3 BL

QS5052X
14.5 X 17 RH SS 3 BL

QS5054X
14 X 19 RH SS 3 BL

QS5056X
13.8 X 21 RH SS 3 BL

THUNDERBOLT 90 CT - 400 HP

3-blade stainless performance propeller with more blade area for large boats with big V-6 outboards and V-8 sterndrives
Outstanding on Bravo One and TRS sterndrives
Good prop for sport/performance style boats as well as cruisers
Equipped with PVS - Performance Vent System

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

Use Flo-Torq SSR HD hub kit 8M0101603 when installing a Thunderbolt propeller on a Mercury FourStroke V8 and 350 - 400 HP Verado Outboards.

THUNDERBOLT



QS5002X
15.8 X 15 RH SS 3 BL

QS5004X
15.5 X 17 RH SS 3 BL

QS5005X
15.5 X 17 LH SS 3 BL

QS5006X
15.3 X 19 RH SS 3 BL

QS5007X
15.3 X 19 LH SS 3 BL

QS5008X
14.8 X 21 RH SS 3 BL

QUICKSILVER PROPELLER TYPE

BLACK DIAMOND BRAVO TWO

General purpose 3-blade aluminum propeller
Right and left-hand rotation
11-23" pitch

BLACK DIAMOND BRAVO TWO (MATTE BLACK)



48-**8M0155023**
20 X 11 LH AL 3 BL
48-**8M0155024**
20 X 11 RH AL 3 BL
48-**8M0155025**
19.5 X 13 LH AL 3 BL
48-**8M0155026**
19.5 X 13 RH AL 3 BL
48-**8M0155027**
19.3 X 15 LH AL 3 BL
48-**8M0155028**
19.3 X 15 RH AL 3 BL
48-**8M0155029**
18.8 X 17 LH AL 3 BL
48-**8M0155030**
18.8 X 17 RH AL 3 BL
QA1941R
18.3 X 19 LH AL 3 BL
QA1940R
18.3 X 19 RH AL 3 BL
QA1947R
17.8 X 21 LH AL 3 BL
QA1946R
17.8 X 21 RH AL 3 BL
QA1953R
17.5 X 23 LH AL 3 BL
QA1952R
17.5 X 23 RH AL 3 BL

QUICKSILVER BRAVO THREE

Twin contra-rotating stainless steel propellers
Large diameter forward 4-blade propeller
Small diameter aft 3-blade propeller
Unbelievable handling and boat control
Tough matte finish
19-28" pitch

QUICKSILVER BRAVO THREE



48-**8M0123399**
14.4 X 19 RH SS 3 BL - Rear
48-**8M0123400**
16 X 19 LH SS 4BL - Front
48-**8M0123401**
14.4 X 20 RH SS 3 BL - Rear
48-**8M0123402**
16 X 20 LH SS 4BL - Front
48-**8M0123403**
14.3 X 21 RH SS 3 BL - Rear
48-**8M0123404**
15.9 X 21 LH SS 4BL - Front
48-**8M0123405**
14.3 X 22.5 RH SS 3 BL - Rear
48-**8M0123406**
15.8 X 22.5 LH SS 4BL - Front
48-**8M0123407**
14.0 X 24 RH SS 3 BL - Rear
48-**8M0123408**
15.5 X 24 LH SS 4BL - Front
48-**8M0123409**
13.8 X 26 RH SS 3 BL - Rear
48-**8M0123410**
15.3 X 26 LH SS 4BL - Front
48-**8M0123411**
13.5 X 28 RH SS 3 BL - Rear
48-**8M0123412**
15 X 28 LH SS 4BL - Front

AVATOR PROPELLERS

AVATOR PROPELLER



48-**8M0217210**
8P AL 3B

48-**8M0217211**
9P AL 3B

48-**8M0217212**
10.5P AL 3B

48-**8M0199620**
12.7x7P, plastic.

48-**8M0199621**
12.4x9P, plastic.

48-**8M0199622**
12.4x11P, plastic

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

EVINRUDE/JOHNSON/OMC PROP CROSS REFERENCE

Evinrude/Johnson/OMC Prop Cross Reference

OEM	QUICKSILVER
174813	
174816	NLA
174817	QA3170R
174926	QS5050X
174950	QA3168R
175190	QA3114R
175191	QA3118R
176214	NLA
176215	NLA
176216	NLA
176421	
176422	
176423	
176571	
176572	
176573	
176574	
176615	QS5052X
176616	
176617	QS5054X
176618	
176619	QS5056X
176620	
176623	
176624	
176625	
176626	QS5052X
176627	QS5054X
176628	QS5056X
176629	
176630	
176902	
176969	QS5052X
176970	QS5054X
176973	
176974	
177034	
177035	
177036	
177042	
380637	NLA
382761	NLA
383629	QA3150R
384460	NLA
386786	
386841	
386907	
386908	
386909	
387334	QA3178R
388088	QA3152R
388883	
389019	NLA
389510	
389512	
389788	NLA
389923	QS5056X
389924	QS5054X
389944	NLA
389948	
389949	
390237	
390380	
390821	
390822	
390823	
390896	NLA
391198	NLA
391199	NLA
391200	QA1912X
391201	QA1916X
391202	QA1918X
391203	QA1920X
391290	QS5052X
391535	QA2008X
391536	QA2004X
391668	NLA
394752	
394753	
394754	
394755	
394759	
394760	
394761	NLA
398502	
398503	
398504	NLA
431390	
3850298	QA2004X
3850299	QA2008X
3850300	QA1912X
3850301	QA1916X
3850302	QA1918X
3850303	QA1920X
3850305	QS5050X
3850307	QS5052X
3850308	QS5054X
3850309	QS5056X
3850310	NLA
3850311	QS5052X
3850312	QS5054X
3850313	QS5056X
3850314	NLA

OEM	QUICKSILVER
3850316	
3850317	
3850318	
3850319	
3850320	
3850321	
3850322	
3850323	
3855142	
3855144	
3855146	
3855152	
3855154	
3855156	NLA
3858026	QS5052X
3858027	QS5054X
3858028	QS5056X
3858029	
3858030	
3858031	
5031619	QA2078X
5031620	NLA
5031623	NLA
5031627	

FORCE PROPELLER CROSS REFERENCE

Force Prop Cross Reference

OEM	QUICKSILVER
16986A45	QS5116X
48-16986A46	QS5116X
48-16988A45	QS5118X
48-16988A46	QS5118X
48-16990A45	
48-16990A46	
48-16992A45	
48-16992A46	
48-16994A45	
48-16994A46	
48-16996A45	
48-16996A46	
48-17314A45	QS5114X
48-17314A46	QS5114X
48-19638A40	NLA
48-19640A40	QA2106R
48-19642A40	NLA
48-19644A5	
48-42738A11	QA2060X
48-42740A11	NLA
48-73132A40	QA2064X
48-73134A40	QA2074X
48-73136A40	QA2078X
48-73138A40	QA2082X
48-73140A40	QA2084X
48-73144A40	NLA
48-77338A40	QA2030X
48-77338A45	QA2030X
48-77340A40	QA2032X
48-77340A45	QA2032X
48-77342A40	QA2034X
48-77342A45	QA2034X
48-77344A40	QA2036X
48-77344A45	QA2036X
48-77346A40	QA2038X
48-77346A45	QA2038X
48-77348A40	QA2040X
48-77348A45	QA2040X
48-77350A40	QA2042X
48-77350A45	QA2042X
48-816702A40	QA2072X
48-816704A40	QA2076X
48-816706A40	QA2080X
48-827312A11	NLA
48-828148A12	
48-828150A12	NLA
48-828152A12	QA2124R
48-828154A12	QA2126R
48-828156A12	QA2128R
48-828158A12	QA2130R
48-854340A45	QA2026X
48-854342A45	QA2028X
48-855856A5	
48-855858A5	QS5166X
48-855860A5	QS5168X
48-855862A5	QS5170X
48-85632A40	QA2070X
48-87818A11	QA2062X

HONDA PROPELLER CROSS REFERENCE

Honda Prop Cross Reference

OEM	QUICKSILVER
08M60-ZW7-A00	QS5116X
08M60-ZW7-A10	QS5118X
58110-ZV5-E00	QS5170X
58110-ZV5-E10	QS5168X
58110-ZV5-E20	QS5166X
58110-ZV5-E30	
58120-ZW1-V01	QS5118X
58130-ZV4-008AH	NLA
58130-ZV4-009AH	QA3906R
58130-ZV4-010AH	QA3914R
58130-ZV4-030ZA	QA3914R
58130-ZV4-701ZA	QA3906R
58130-ZV5-000ZA	QA2074X
58130-ZV5-009AH	QA2062X
58130-ZV5-011AH	NLA
58130-ZV5-012AH	QA2072X
58130-ZV5-012AH	QA2078X
58130-ZV5-013AH	QA2076X
58130-ZV5-013AH	QA2082X

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM	QUICKSILVER
58130-ZV5-014AH	QA2080X
58130-ZV5-015AH	QA2084X
58130-ZV5-015AH	NLA
58130-ZV5-850ZA	QA2070X
58130-ZV5-860ZA	NLA
58130-ZV5-870ZA	QA2084X
58130-ZW1-V11	
58130-ZW1-V31	
58130-ZW1-W01ZA	QA2030X
58130-ZW1-W11ZA	QA2032X
58130-ZW1-W21ZA	QA2034X
58130-ZW1-W31ZA	QA2036X
58130-ZW1-W41ZA	QA2040X
58130-ZW1-W51ZA	QA2042X
58130-ZW1-W61ZA	QA2038X
58130-ZW1-W91	QS5116X
58133-ZV7-012AH	
58133-ZV7-013AH	QS5166X
58133-ZW1-A13AH	QS5114X
58133-ZW1-A15AH	QS5116X
58133-ZW1-A17AH	QS5118X

MERCURY/MARINER/MERCRUISER PROP CROSS REFERENCE

Mercury/Mariner/MerCruiser Prop Cross Reference

OEM	QUICKSILVER
8M0055547	48-8M0055559
8M0055548	48-8M0055560
8M0055549	48-8M0055561
8M0055550	48-8M0055562
8M0055551	48-8M0055563
8M0084491	48-8M0055531
8M0084493	48-8M0055533
8M0084494	48-8M0055534
8M0084495	48-8M0055535
8M0084496	48-8M0055536
8M0084497	48-8M0055537
8M0070079	48-8M0103516
8M0070074	48-8M0103517
48-898988A46	48-8M0103518
48-898990A46	48-8M0103519
48-898992A46	48-8M0103520
48-898994A46	48-8M0103521
48-898996A46	48-8M0103522
48-898998A46	48-8M0103523
48-899900A46	N.L.A.
48-899902A46	48-8M0103525
48-857024A46	48-8M0103526
48-857025A46	48-8M0103527
48-857026A46	48-8M0103528
48-857027A46	48-8M0103529
48-857028A46	48-8M0103530
48-857029A46	48-8M0103531
48-857030A46	48-8M0103532
48-857031A46	48-8M0103533

OEM	QUICKSILVER
48-11324A40	QA2014X
48-11324A45	QA2014X
48-13700A41	QS5006X
48-13700A45	QS5006X
48-13700A46	QS5006X
48-13701A41	QS5007X
48-13701A45	QS5007X
48-13701A46	QS5007X
48-13702A41	QS5008X
48-13702A45	QS5008X
48-13702A46	QS5008X
48-13703A41	
48-13703A45	
48-13703A46	
48-13704A41	N.L.A.
48-13704A45	N.L.A.
48-13704A46	N.L.A.
48-13705A41	
48-13705A45	
48-13705A46	
48-16312A4	QS5050X
48-16312A45	QS5050X
48-8M0151403	QS5050X
48-16314A4	QS5052X
48-16314A45	QS5052X
48-16314A46	QS5052X
48-16315A4	
48-16315A45	
48-16315A46	
48-16316A4	QS5054X
48-16316A45	QS5054X
48-16316A46	QS5054X
48-16317A4	
48-16317A45	
4/-16317A46	
48-16318A4	QS5056X
48-16318A45	QS5056X
48-16318A46	QS5056X
48-16319A4	
48-16319A45	
48-16319A46	
48-16320A4	NLA
48-16320A45	NLA
48-16320A46	NLA
48-16321A4	
48-16321A45	
48-16321A46	
48-16322A4	
48-16322A45	
48-16436A40	
48-16436A45	
48-16438A40	QA2006X
48-16438A45	QA2006X
48-16440A40	QA2010X
48-16440A45	QA2010X
48-16543A41	

OEM	QUICKSILVER
48-16543A45	
48-16543A46	
48-16544A41	
48-16544A45	
48-16544A46	
48-16545A41	
48-16545A45	
48-16545A46	
48-16546A41	
48-16546A45	
48-16546A46	
48-16547A41	
48-16547A45	
48-16547A46	
48-16548A41	
48-16548A45	
48-16548A46	
48-16549A41	N.L.A.
48-16549A45	N.L.A.
48-16549A46	N.L.A.
48-16550A46	
48-16986A45	QS5116X
48-16986A46	QS5116X
48-16988A45	QS5118X
48-16988A46	QS5118X
48-16990A45	
48-16990A46	
48-16992A45	
48-16992A46	
48-16994A45	
48-16994A46	
48-16996A45	
48-16996A46	
48-17314A45	QS5114X
48-17314A46	QS5114X
48-18278A41	QS5004X
48-18278A45	QS5004X
48-18278A46	QS5004X
48-19638A40	N.L.A.
48-19640A40	QA2106R
48-19642A40	N.L.A.
48-19644A5	
48-32390A3	QA2032X
48-32390A4	QA2034X
48-35936A3	QA2030X
48-36020A4	QA2004X
48-42738A11	QA2060X
48-42740A11	N.L.A.
48-58826A3	QA2030X
48-61812A1	QA2064X
48-61814A1	QA2064X
48-61816A1	QA2078X
48-61818A1	QA2078X
48-61820A1	QA2082X
48-61822A1	QA2084X
48-61824A1	QA2084X

OEM	QUICKSILVER
48-65022A1	QA2034X
48-65022A4	QA2036X
48-65024A1	QA2036X
48-65024A4	QA2038X
48-67280A1	QA2038X
48-67280A4	QA2040X
48-73132A40	QA2064X
48-73134A40	QA2074X
48-73136A40	QA2078X
48-73138A40	QA2082X
48-73140A40	QA2084X
48-73144A40	N.L.A.
48-77338A40	QA2030X
48-77338A45	QA2030X
48-77340A40	QA2032X
48-77340A45	QA2032X
48-77342A40	QA2034X
48-77342A45	QA2034X
48-77344A40	QA2036X
48-77344A45	QA2036X
48-77346A40	QA2038X
48-77346A45	QA2038X
48-77348A40	QA2040X
48-77348A45	QA2040X
48-77350A40	QA2042X
48-77350A45	QA2042X
48-78112A4	QA2000X
48-78112A40	QA2000X
48-78112A45	QA2000X
48-78114A4	QA2004X
48-78114A40	QA2004X
48-78114A45	QA2004X
48-78116A4	QA2008X
48-78116A40	QA2008X
48-78116A45	QA2008X
48-78118A4	QA1912X
48-78118A40	QA1912X
48-78118A45	QA1912X
48-78120A4	QA1916X
48-78120A40	QA1916X
48-48120A45	QA1916X
48-78122A4	QA1918X
48-78122A45	QA1918X
48-78124A4	QA1920X
48-78124A40	QA1920X
48-78124A45	QA1920X
48-78126A4	N.L.A.
48-78126A40	N.L.A.
48-78126A45	N.L.A.
48-79570A4	QA2006X
48-79572A4	QA2010X
48-79574A4	QA2014X
48-79576A4	QA1918X
48-79578A4	QA1920X
48-81649M	QA3808R
48-816702A40	QA2072X

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM	QUICKSILVER
48-816704A40	QA2076X
48-816706A40	QA2080X
48-827312A11	N.L.A.
48-82764	QA3178R
48-828148A12	
48-828150A12	N.L.A.
48-828152A12	QA2124R
48-828154A12	QA2126R
48-828156A12	QA2128R
48-828158A12	QA2130R
48-82826M	
48-832828A45	QA1912X
48-832830A45	QA1916X
48-832832A45	QA1918X
48-832834A45	QA1920X
48-834850A45	
48-834851A45	
48-834852A45	
48-834853A45	
48-834854A45	
48-834855A45	
48-84976M	QA3810R
48-854340A45	QA2026X
48-854342A45	QA2028X
48-855856A5	
48-855858A5	QS5166X
48-855860A5	QS5168X
48-855862A5	QS5170X
48-85632A40	QA2070X
48-87818A11	QA2062X
48-90159A41	QS5005X
48-90159A45	QS5005X
48-90159A46	QS5005X
48-96623M	QA3152R
48-96625M	QA3150R

SUZUKI PROPELLER CROSS REFERENCE

Suzuki Prop Cross Reference

OEM	QUICKSILVER
58100-93733-019	
58100-93743-019	NLA
58100-93773-09	
58100-94313-019	QA2078X
58100-95222-019	NLA
58100-95353-019	NLA
58100-95363-019	
58100-95382-019	NLA
58100-95500-019	QA2208X
58100-95511-019	QA2206X
58100-95521-019	NLA
58100-95530-019	NLA
58100-96370-019	NLA
58100-96420-019	
58100-96430-019	NLA
58100-96440-019	NLA
58100-96480-019	NLA
58100-96490-019	NLA
99105-00100-16P	
99105-00100-18P	
99105-00100-22P	
99105-00101-20P	
99105-00101-24P	NLA
99105-00200-16P	QS5050X
99105-00200-18P	QS5052X
99105-00200-20P	
99105-00200-22P	
99105-00200-24P	
99105-00200-26P	
99105-00203-23P	NLA
99105-0020L-18P	
99105-0020L-20P	
99105-0020L-22P	
99105-0020L-24P	
99105-0020L-26P	NLA
99105-00301-24P	NLA

TOHATSU/NISSAN PROPELLER CROSS REFERENCE

Tohatsu/Nissan Prop Cross Reference

OEM	QUICKSILVER
35364-1040M	
35364-1050M	
35364-1060M	
35364-1090M	
3B764-5230M	QA2026X
3B764-5270M	QA2030X
3B764-5320M	QA2032X
3B764-5360M	QA2034X
3B764-5410M	QA2036X
3B764-5451M	QA2038X
3B764-5490M	QA2040X

VOLVO PROPELLER CROSS REFERENCE

Volvo Prop Cross Reference

OEM	QUICKSILVER
3858026	QS5052X
3858029	
3858030	
3858031	
3850298-5	QA2004X
3850299-3	QA2008X
3850300-9	QA1912X
3850301-7	QA1916X
3850302-5	QA1918X
3850303-5	QA1920X
3850305-8	QS5050X

OEM	QUICKSILVER
3850307-7	QS5052X
3850308-2	QS5054X
3850309-0	QS5056X
3850310-8	NLA
3850311-6	QS5052X
3850312-4	QS5054X
3850313-2	QS5056X
3850314-0	NLA
3850316-5	
3850317-3	
3850318-1	
3850319-9	
3850320-7	
3850321-5	
3850322-3	
3850323-1	
3855142-0	
3855144-6	
3855146-1	
3855152-9	
3855154-5	
3855156-0	NLA
3858027-0	QS5054X
3858028-8	QS5056X
814612-8	NLA
814616-9	NLA
814627-6	NLA
814628-4	NLA
814629-2	NLA
814633-4	NLA
814634-2	NLA
851139-6	
854979-2	
854982-6	
854983-4	
854993-3	NLA
854997-4	
854998-2	

YAMAHA PROPELLER CROSS REFERENCE

Yamaha Prop Cross Reference

OEM	QUICKSILVER
651-45947-00-36	QA3150R
653-45941-01-36	QA3152R
663-45930-00-98	QS5168X
663-45947-02-EL	QA2070X
663-45949-01-EL	NLA
663-45956-01-EL	QA2062X
663-45958-01-EL	QA2082X
663-45970-60-98	
663-45974-30-98	QS5168X
663-45974-60-98	QS5166X
663-45976-00-98	QS5170X
663-45976-30-98	QS5170X
664-45945-00-EL	QA3808R

OEM	QUICKSILVER
664-45947-01-EL	QA3810R
664-45949-02-EL	
664-45954-00-EL	
683-45943-00-EL	QA3914R
683-45945-00-EL	QA3906R
683-45947-00-EL	NLA
688-45930-02-98	QS5118X
688-45932-60-98	QS5114X
688-45970-03-98	
688-45972-02-98	
688-45974-02-98	
688-45976-01-98	
688-45978-60-98	QS5116X
6E5-45941-00-EL	QA2038X
6E5-45943-00-EL	QA2040X
6E5-45945-01-EL	QA2036X
6E5-45947-00-EL	QA2034X
6E5-45949-00-EL	QA2032X
6E5-45952-00-EL	QA2042X
6E5-45954-00-EL	QA2030X
6G5-45941-00-98	QA2008X
6G5-45943-01-98	QA1918X
6G5-45945-01-98	QA1916X
6G5-45947-01-98	QA1912X
6G5-45949-00-98	QA1920X
6G5-45952-00-98	QA2010X
6G5-45970-02-98	QS5050X
6G5-45972-02-98	QS5056X
6G5-45974-03-98	QS5054X
6G5-45976-01-98	NLA
6G5-45978-03-98	QS5052X
6H5-45943-00-EL	QA2078X
6H5-45945-00-EL	QA2070X
6H5-45952-00-EL	QA2064X
6H5-45958-00-EL	QA2074X
6K1-45972-01-98	
6K1-45974-02-98	
6K1-45976-00-98	
6K1-45978-02-98	
6R1-45970-A0-00	QS5007X
6R1-45972-A0-00	
6R1-45974-A0-00	
6R1-45978-A0-00	QS5005X
6R4-45970-A0-00	QS5006X
6R4-45972-A0-00	QS5008X
6R4-45974-A0-00	
6R4-45978-A0-00	QS5004X
MAR-GYT3B-L6-18	
MAR-GYT3B-L6-20	
MAR-GYT3B-L6-22	
MAR-GYT3B-V6-18	
MAR-GYT3B-V6-20	
MAR-GYT3B-V6-22	
MAR-GYT3B-V6-24	

HISTORICAL PROPELLER CHARTS

MERCURY ELECTRIC MOTORS

Thruster Gear Drive #577

Nut 79719 - NLA Pin 17-70733 Retainer 79719 - NLA

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
18024A 4	10-1/2	6	PL BL	2	RH
18430A 4	10-1/2	6	PL CL	2	RH
72426	10-1/2	6	PL	2	RH
77970	10-1/2	6	PL	2	RH
85644	10-1/2	6	PL	2	RH
85646	10-1/2	6	PL	2	RH
87842A 2	10-1/2	6	PL	2	RH
87844A 2	10-1/2	6	PL	2	RH
N.L.A.	10	6	PL	2	RH

Thruster Direct Drive

Nut 79719 - NLA Washer 26-72462 Pin 17-70733

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
17530A__	9	3.2	PL BL	2	RH
18530A__	9-1/4	3.2	PL CL	2	RH
N.L.A.	9-1/4	3-1/4	PL BL	2	RH
	9-1/4	3-1/4	PL CL	2	RH
18512A__	9-1/4	3-1/4	PL CL	2	RH

Thruster R33, RX33, T33, R45, FL45, RX45, T45

Nut 818911-2 Washer 23-35935 Pin 17-70733

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
813728A 3	11	5	PL BL	2	RH
	11	5	PL CL	2	RH

Thruster (MotorGuide Built)

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
48-MAF12406T	10	3-1/2	PL CL	2	RH

MERCURY OUTBOARD

Merc 2.5/3.3 A856377 and Up

Shear Pin 17-815111 (ALProp), 17-815111--1 (PL Prop) Cotter Pin 18-95295

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
48-815083A01	7-3/8	6	PL	3	RH
48-815083A02	7-3/8	7	PL	3	RH
48-815084A01	7-3/8	7	AL	3	RH
48-815084A02	7-3/8	7	AL w/rubber hub	3	RH

Merc 3.5 & 3.6

Thrust Hub (Fwd) 70588 Thrust Hub (Rear) 93356 - NLA Nut 11-826709 11

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
93357A__	8	7	PL	3		N.L.A.

MERC 39 & 60 (1967 and OLDER - 6 SPLINE HUB)

N.L.A. = 48-34398A 1
N.L.A. = 48-34398A 1Collar 23-33582 -N.L.A. Washer 12-30524 -N.L.A. Washer 12-20084 Nut 11-826709 11

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
30382A 1	8	8	AL	2	RH	N.L.A.
31105A 1	7-7/8	8	AL	2	RH	N.L.A.
31214A 1	8-1/4	6	AL	2	RH	N.L.A.
45890A 1	8-7/8	5	AL	3	RH	N.L.A.
37320A 1	9	4	AL	2	RH	N.L.A.

Merc 39/60(1968 and UP-8 SPLINE HUB)-Merc 40(1CYL)

NLA = 48-47920A1, 48-47938A1
Thrust Hub 86665A1 Spacer 11-64075A1 Washer 12-27025 Nut 11-34933

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
47940A 1	8-1/4	6	AL	2		N.L.A.
47944A 1	8-7/8	5	AL	3		N.L.A.

MERC 40 (2 CYL.)

S/N 5805430 and Below Thrust Hub (Fwd) 70588 - NLA Thrust Hub (Rear) 70589 Nut 11-826709 11
S/N 5805431 and Up Thrust Hub (Fwd) 70588 - NLA Thrust Hub (Rear) 93356 Nut 11-826709 11

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
70453A 1	8	7	PL	3	LH	N.L.A.
86903A 1	8 (7.9)	6-3/8 (6.3)	PL	3	LH	N.L.A.

MERC 45 & 4.5

NLA = 48-65010A1, 48-65012A1
Collar 86665A1 Spacer 23-65439 Nut 11-89013 - NLA

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
77716A 1	8-1/4	7	AL	2	RH	N.L.A.
77716A10	8-1/4	7	AL	2	RH	N.L.A.
63494A 1	8-1/4	6	AL	2	RH	N.L.A.
63494A10	8-1/4	6	AL	2	RH	N.L.A.
94118A 1	8-1/2	5	AL	3	RH	N.L.A.
94118A10	8-1/2	5	AL	3	RH	N.L.A.

MERC 4/5 A809601 and UP

Thrust Hub 16145Q01 Washer 12-16146 Nut 11-16147

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
48-812950A02	7.8	8	AL	3	RH
48-812949A02	7.8	7	AL	3	RH
48-812950A02	7.8	8	AL	3	RH
48-812951A02	8.38	6	AL	3	RH

MARK 6 & 6A

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
23919A 1						N.L.A.
25774						N.L.A.

Mercury 75 (7.5HP) and 110 (9.8HP)

Mercury 75 (7.5HP) and 110(9.8) 1968-1984
8 Spline
1968 thru 1978 - Thrust Hub 86665A1 Spacer 11-64075A1 Nut 11-46335 Washer 12-27025
1972 thru 1978 - Nut 11-64075A1

Length	Current MPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N
To 15'	Up to 20	9 X 9 RH	AL	2	Black Diamond		

MERC 110 (1967 and OLDER - 6 SPLINE HUB)

NLA = 48-34400A1, 37318A1
Collar 12-31980A2 Washer 12-30524 - NLA Washer 12-20084 Nut 11-826709__11

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
31504A 1	9	10	AL	2	RH	N.L.A.
32364A 1	9	9	AL	2	RH	N.L.A.

MARK 10 & MERC 100

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
26608A 1						N.L.A.

MERC 6/8/9.9/9.9 4-STROKE/15 A197112 and UP

Forward Thrust Hub - Design I Propeller Shaft (Full length spines on propeller shaft) 821932 Thrust Hub for New Propellers, 42037 Thrust Hub for Old Propellers; Design II Propeller Shaft (Half length splines on propeller shaft) 821932--1 Thrust Hub for N

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
42522A__	9	9	AL	3	RH
42520A__	9-1/4	7	AL	3	RH
42524A__	9-3/4	6-1/2	AL - HIGH REVERSE	3	RH
42518A__	9-3/4	5-1/2	AL WORKBOAT	3	RH
17874A12	9	10-1/2	AL	3	RH

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
48-828158A12	9	10-1/2	AL	3	RH
48-828156A12	9	9	AL	3	RH
48-828154A12	9	8	AL	3	RH
48-828152A12	9-1/4	7	AL	3	RH
48-828150A12	9-3/4	6-1/2	AL	3	RH
48-828150A12	9-3/4	5-1/2	AL	3	RH

MARK 15-20-25-30

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
20325A 1						N.L.A.
23647A 1						N.L.A.
25518A 1						N.L.A.
25551A 1						N.L.A.
25662A 1						N.L.A.
25419A 2						N.L.A.

OLD MARK 15A & MERC 150 (15Hp)

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS OR SUPERSESSION
27787A 1						N.L.A.
28880A 1						N.L.A.

MERC 18 & 25 (Standard Propellers)

Thrust Hub 858498 Nut 11-88228

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
48- 19642A40	10.3	14.4	AL	3	RH
48- 19640A40	10.4	13	AL	3	RH
48- 19638A40	10.4	11	AL	3	RH
48- 19636A10	10.4	9.5	AL	3	RH

MERC 18 & 25 (Chopper Propellers)

Thrust Hub 858498 Nut 11-88228

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
92764A 4	10-3/8	18C	SS	3	RH
92764A 5	10-3/8	18C	SS	3	RH
43592A61	10-3/8	18C	SS	3	RH

Mercury 200 (20HP)

MERC 200 (20Hp) 1963-1979
8 Tooth Spline
Thrust Hub 23-85964A1, Spacer 23-85964A1, Nut 11-64075A1

Length	Current MPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
To 14'	18-22	9-7/8 X 11 RH	AL	2	Black Diamond	N.L.A.	N.L.A.	Rubber Bushing
14-16	up to 20	10 X 9 RH	AL	3	Black Diamond	N.L.A.	N.L.A.	Rubber Bushing

MARK 28/28A & MERC 200/250 AUTO. TRANS.

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
28036A 1						N.L.A.
28037A 1						N.L.A.
28038A 1						N.L.A.

MARK 50 & 55 (14 SPLINE HUB)

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
22105A 1						N.L.A.
22575A 1						N.L.A.
22636A 1						N.L.A.
22814A 1						N.L.A.
22914A 1						N.L.A.
23586A 1						N.L.A.
23587A 1						N.L.A.
26666A 1						N.L.A.
27028A 1						N.L.A.

MARK 35A/55/55A/58/58A & MERC 300/350/400/500

(11 SPLINE HUB, NON-THRU HUB EXHAUST)

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
22105A 2						N.L.A.
22575A 2						N.L.A.
22636A 2						N.L.A.
22814A 2						N.L.A.
22914A 2						N.L.A.
23586A 2						N.L.A.
23587A 2						N.L.A.
25773A 2						N.L.A.
26666A 2						N.L.A.
27028A 2						N.L.A.
28765A 2						N.L.A.
29296A 2						N.L.A.
29958A 2						N.L.A.
29986A 2						N.L.A.

MERC 350/450/500/500SS

(11 SPLINE HUB, THRU HUB EXHAUST)
Thrust Hub 38859A1 Washer 12-32007 Nut 11-69578Q1

DIAMETER	MATERIAL	BLADES	Style	Quicksilver P/N	OEM P/N
10-3/4 X 10 RH	AL	3	Black Diamond	N.L.A.	N.L.A.

Merc 400/402/500/Merc 650/700 (3 Cyl)/Merc 35-70

Merc 35-70 (13 Spline Hub)
NLA = 48-56228A1, 48-56228A4, 48-56230A1, 48-56230A4, 48-56250A1, 48-56250A4, 48-63452A1, 48-63452A4, 48-64726A1, 48-64726A4
48-63538A4, 48-56232A4, 48-56252A4, 48-63454A4, 48-63540A4, 48-63546A1, 48-63460A1, 48-63548A1, 48-63

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS OR SUPERSESSION
73146A 4	10	19C	AL	3	RH	73146A40
73146A40	10	19C	AL	3	RH	AVAIL.
64724A 1 & A 2	10-3/4	17	AL	3	RH	73144A40
64724A 4	10-3/4	17C	AL	3	RH	73144A40
73144A 4	10	17C	AL	3	RH	73144A40
73144A40	10	17C	AL	3	RH	AVAIL.
61824A 1 & A 2	10-3/4	16	AL	3	RH	73140A40

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS OR SUPERSESSION
61824A 4	10-3/4	16C	AL	3	RH	73144A40
63538A 1	10-3/4	16	BR	3	RH	73140A40
73142A 4	10	16C	AL	3	RH	73142A40
73142A40	10	16C	AL	3	RH	AVAIL.
73138A40	10	16C	AL	3	RH	91818A 5
91818A 4	10	16C	SS	3	RH	91818A 5
73138A40	10	16C	SS	3	RH	AVAIL.
91818A 5	10	16C	SS	3	RH	AVAIL.
73138A40	10	16C	SS	3	RH	AVAIL.
56232A 1	10-3/4	15	AL	3	RH	73136A40
73136A40	10-3/4	15	AL	3	RH	AVAIL.
56252A 1	10-3/4	15	BR	2	RH	73136A40
73136A40	10-3/4	15	BR	2	RH	AVAIL.
63454A 1	10-3/4	15	BR	2	RH	73136A40
73136A40	10-3/4	15	BR	2	RH	AVAIL.
63540A 1	11	15	BR	3	RH	73140A40
73140A 4	10-1/8	15	AL	3	RH	73140A40
73140A40	10-1/8	15C	AL	3	RH	AVAIL.
61822A 1	11	15	AL	3	RH	73140A40
61822A 4	11	15C	AL	3	RH	73140A40
76232A 4	10-1/8	15C	SS	3	RH	855862A 5
855862A 5	10-1/8	15C	SS	3	RH	AVAIL.
76232A5	10-1/8	15C	SS	3	RH	855862A 5
855862A 5	10-1/8	15C	SS	3	RH	AVAIL.
61820A 1 &A 2	11-1/4	14	AL	3	RH	73138A40
61820A 4	11-1/4	14C	AL	3	RH	73138A40
63542A 1	11-1/4	14	BR	3	RH	73138A40
63542A 4	11-1/4	14C	BR	3	RH	73140A40
73138A 4	10-1/4	14C	AL	3	RH	73138A40
73138A40	10-1/4	14C	AL	3	RH	AVAIL.
76230A 4	10-1/4	14C	SS	3	RH	855860A 5
76230A 5	10-1/4	14C	SS	3	RH	855860A 5
56236A 1	10-3/4	13	AL	3	RH	73136A40
56236A 4	10-3/4	13C	AL	3	RH	73136A40
56234A 1	11	13	AL	2	RH	73136A40
56234A 4	11	13C	AL	2	RH	73136A40
56254A 1	11	13	BR	2	RH	73136A40
56254A 4	11	13C	BR	2	RH	73136A40
61818A 1 & A2	11-1/2	13	AL	3	RH	73136A40
61818A 4	11-1/2	13C	AL	3	RH	73136A40
63456A 1	11	13	BR	2	RH	73136A40
63456A 4	11	13C	BR	2	RH	73136A40
63544A 1	11-1/2	13	BR	3	RH	73136A40
63544A 4	11-1/2	13C	BR	3	RH	73136A40
73136A40	10-3/8	13C	AL	3	RH	AVAIL.
73136A40	10-3/8	13C	AL	3	RH	AVAIL.
76228A 4	10-3/8	13C	SS	3	RH	855858A 5
76228A 5	10-3/8	13C	SS	3	RH	855858A 5
73134A40	10-3/8	13C	SS	3	RH	AVAIL.
56238A 1	11	12	AL	2	RH	73136A40
73134A40	11	12	AL	2	RH	AVAIL.
56238A 4	11	12C	AL	2	RH	73136A40
73134A40	11	12C	AL	2	RH	AVAIL.
56240A 1	10-3/4	12	AL	3	RH	73136A40
73134A40	10-3/4	12	AL	3	RH	AVAIL.
56240A 4	10-3/4	12C	AL	3	RH	73136A40

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS OR SUPERSESSION
73134A40	10-3/4	12C	AL	3	RH	AVAIL.
56256A 1	11	12	BR	2	RH	73136A40
73134A40	11	12	BR	2	RH	AVAIL.
56256A 4	11	12C	BR	2	RH	73136A40
73134A40	11	12C	BR	2	RH	AVAIL.
61816A 1	11-3/4	12	AL	3	RH	73136A40
61816A 4	11-3/4	12C	AL	3	RH	73136A40
73134A40	11-3/4	12C	AL	3	RH	AVAIL.
63458A 1	11	12	BR	2	RH	73136A40
73136A40	11	12	BR	2	RH	AVAIL.
63458A 4	11	12C	BR	2	RH	73136A40
73136A40	11	12C	BR	2	RH	AVAIL.
63546A 4	11-3/4	12C	BR	3	RH	73136A40
73134A 4	10-5/8	12C	AL	3	RH	73134A40
73134A40	10-5/8	12C	AL	3	RH	AVAIL.
79792A 4	10-5/8	12C	SS	3	RH	855856A 5
79792A 5	10-5/8	12C	SS	3	RH	855856A 5
73132A40	10-5/8	12C	SS	3	RH	AVAIL.
56242A 1	11	11	AL	2	RH	NLA
56242A 4	11	11C	AL	2	RH	73136A40
73136A40	11	11C	AL	2	RH	AVAIL.
56244A 1	10-3/4	11	AL	3	RH	NLA
56244A 4	10-3/4	11C	AL	3	RH	73136A40
73136A40	10-3/4	11C	AL	3	RH	AVAIL.
56258A 1	11	11	BR	2	RH	NLA
56258A 4	11	11C	BR	2	RH	73136A40
73136A40	11	11C	BR	2	RH	AVAIL.
61814A 1 & A2	12	11	AL	3	RH	73132A40
61814A 4	12	11C	AL	3	RH	73132A40
63460A 4	11	11C	BR	2	RH	73136A40
73136A40	11	11C	BR	2	RH	AVAIL.
85632A 4	10-7/8	11C	AL	3	RH	85632A40
85632A40	10-7/8	11C	AL	3	RH	AVAIL.
42740A10	12	10-1/2C	AL	3	RH	42740A11
42740A11	12	10-1/2C	AL	3	RH	AVAIL.
61812A 1	12-1/4	10	AL	3	RH	73132A40
61812A 4	12-1/4	10C	AL	3	RH	73132A40
73132A 4	11-1/4	10C	AL	3	RH	73132A40
73132A40	11-1/4	10C	AL	3	RH	AVAIL.
62274A 1 & A2	12-1/4	9	AL	3	RH	73132A40
62274A 4	12-1/4	9C	AL	3	RH	73132A40
87818A 1	12-1/4	9	AL	3	RH	87818A11
87818A10	12-1/4	9C	AL	3	RH	87818A11
97868A 1	12-1/4	9	SS	3	RH	97868A10
97868A 5	12-1/4	9	SS	3	RH	97868A10
42738A10	12-1/2	8C	AL	3	RH	42738A11

Merc 700/800 Direct Reversing-RH Rotation

Includes Merc 650 (4 Cyl.) Thru 1500/Mercury 75/90 (3 Cyl.), 100/115 (4 Cyl.) and Inline 6 Cyl.
NLA = 48-49624A4, 48-49628A4, 48-49622A4, 48-49626A4, 48-46162A4, 48-49620A4, 48-46160A4, 48-49618A4, 48-46158A4, 48-49616A4
48-59138A4, 48-30870A1, 48-31448

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
52012A3	13	25	AL	3	RH	77350A45
52012A4	13	25C	AL	3	RH	16996A36
72758A4	12-5/8	25C	SS	3	RH	16996A36
72758A5	12-5/8	25C	SS	3	RH	16996A36
31082A1	13-3/4	23	AL	2	RH	77344A45
77344A45	13-3/4	23	AL	2	RH	AVAIL.
32386A3	13-3/4	23	AL	2	RH	77348A45
32386A4	13-3/4	23C	AL	2	RH	77350A45
52008A3	13	23	AL	3	RH	77348A45
52008A4	13	23C	AL	3	RH	77350A45
65736A1	13	23	AL	3	RH	77348A45
65736A4	13	23C	AL	3	RH	77350A45
66140A1	13	23	SS	3	RH	16994A36
66140A4	13	23C	SS	3	RH	16994A36
72760A4	12-3/4	23C	SS	3	RH	16994A36
72760A5	12-3/4	23C	SS	3	RH	16994A36
77350A4	12-1/2	23C	AL	3	RH	77350A45
77350A40	12-1/2	23C	AL	3	RH	77350A45
31454A3	13-3/4	21	AL	2	RH	77346A45
31454A4	13-3/4	21C	AL	2	RH	77348A45
32746A3	13	21	AL	3	RH	77346A45
32746A4	13	21C	AL	3	RH	77348A45
49632A3	13-3/4	21	AL	2	RH	77346A45
49632A4	13-3/4	21C	AL	2	RH	77348A45
53892A3	13-3/4	21	AL	3	RH	77346A45
53892A4	13-3/4	21C	AL	3	RH	77348A45
63744A1	13-1/4	21	SS	3	RH	16992A36
63744A4	13-1/4	21C	SS	3	RH	16992A36
67280A1	13	21	AL	3	RH	77346A45
67280A4	13	21C	AL	3	RH	77348A45
72500A4	13	21C	SS	3	RH	16992A36
72500A5	13	21C	SS	3	RH	16992A36
77348A4	12-3/4	21C	AL	3	RH	77348A45
77348A40	12-3/4	21C	AL	3	RH	77348A45
30388A1	13-1/4	19	BR	2	RH	NLA
31080A1	13-1/4	19	BR	2	RH	NLA
31456A3	13-3/4	19	BR	2	RH	NLA
31456A4	13-3/4	19C	BR	2	RH	77346A45
32388A3	13-3/4	19	AL	3	RH	NLA
32388A4	13-3/4	19C	AL	3	RH	77346A45
32748A3	13	19	BR	3	RH	NLA
32748A4	13	19C	BR	3	RH	77346A45
32750A3	13	19	AL	3	RH	NLA
32750A4	13	19C	AL	3	RH	77346A45
53896A3	13-3/4	19	AL	3	RH	77344A45
53896A4	13-3/4	19C	AL	3	RH	77346A45
65024A1	13-3/4	19	AL	3	RH	77344A45
65024A4	13-3/4	19C	AL	3	RH	77346A45
65588A1	13	19	AL	3	RH	NLA
65588A4	13	19C	AL	3	RH	77346A45
66138A1	13-1/2	19	SS	3	RH	16990A36

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
66138A4	13-1/2	19C	SS	3	RH	16990A36
72762A4	13-1/4	19C	SS	3	RH	16990A36
72762A5	13-1/4	19C	SS	3	RH	16990A36
77346A4	13	19C	AL	3	RH	77346A45
77346A40	13	19C	AL	3	RH	77346A45
16988A5	13	18C	SS	3	RH	16988A36
29658A1/A2/A3	13	17	BR	2	RH	77344A45
77344A45	13	17	BR	2	RH	AVAIL.
29658A4	13	17C	BR	2	RH	NLA
30390A1	13-3/4	17	BR	3	RH	77344A45
77344A45	13-3/4	17	BR	3	RH	AVAIL.
31072A2 & A3	13	17	AL	2	RH	77344A45
77344A45	13	17	AL	2	RH	AVAIL.
31072A4	13	17C	AL	2	RH	NLA
31458A3	13	17	BR	3	RH	77344A45
77344A45	13	17	BR	3	RH	AVAIL.
31458A4	13	17C	BR	3	RH	77344A45
32264A3	13	17	AL	3	RH	77344A45
77344A45	13	17	AL	3	RH	AVAIL.
32264A4	13	17C	AL	3	RH	77344A45
37902A2	12	17	AL	3	RH	77344A45
37902A3	12	17	AL	3	RH	77344A45
37902A4	12	17C	AL	3	RH	NLA
53900A3	14	17	AL	3	RH	77342A45
53900A4	14	17C	AL	3	RH	77344A45
65022A1	14	17	AL	3	RH	77342A45
65022A4	14	17C	AL	3	RH	77344A45
854360A45	14	17C	AL	3	RH	AVAIL.
65748A1	13	17	AL	3	RH	77344A45
77344A45	13	17	AL	3	RH	AVAIL.
65748A4	13	17C	AL	3	RH	77344A45
72764A4	13-1/2	17C	SS	3	RH	16988A36
72764A5	13-1/2	17C	SS	3	RH	16988A36
77344A4	13-1/4	17C	AL	3	RH	77344A45
77344A40	13-1/4	17C	AL	3	RH	77344A45
16986A5	13-1/8	16C	SS	3	RH	16986A36
29660A1	13	15	BR	2	RH	77344A45
29660A4	13	15C	BR	2	RH	77344A45
31074A2 & A3	13	15	AL	2	RH	77344A45
31074A4	13	15C	AL	2	RH	77344A45
32390A3	14	15	AL	3	RH	77340A45
32390A4	14	15C	AL	3	RH	77342A45
37900A2	12-1/2	15	AL	3	RH	77344A45
37900A3	12-1/2	15	AL	3	RH	77344A45
37900A4	12-1/2	15C	AL	3	RH	77344A45
77342A4	13-3/4	15C	AL	3	RH	77342A45
77342A40	13-3/4	15C	AL	3	RH	77342A45
87444A4	13-3/4	15C	SS	3	RH	17314A36
87444A5	13-3/4	15C	SS	3	RH	17314A36
17314A5	13-3/8	14C	SS	3	RH	17314A36
29662A4	13-1/2	13C	BR	2	RH	77344A45
31076A4	13-1/2	13C	AL	2	RH	77344A45
32392A3	13-1/2	13	AL	3	RH	77338A45
32392A4	13-1/2	13C	AL	3	RH	77340A45
37898A4	13	13C	AL	3	RH	77344A45
58826A3	14	13	AL	3	RH	77338A45

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
58826A4	14	13C	AL	3	RH	77340A45
77340A4	14	13C	AL	3	RH	77340A45
77340A40	14	13C	AL	3	RH	77340A45
17312A5	14	12C	SS	3	RH	17312A36
12606A5	14	12C	SS	3	RH	17312A36
30396A1 & A3	14	11	AL	3	RH	77338A45
30396A4	14	11C	AL	3	RH	77340A45
35936A3	14	11	AL	3	RH	77338A45
35936A4	14	11C	AL	3	RH	77340A45
77338A4	14	11	AL	3	RH	77338A45
77338A40	14	11C	AL	3	RH	77338A45
17310A5	14	10C	SS	3	RH	17310A36
12604A5	14	10C	SS	3	RH	17310A36

Mercury V-6 Models (W/Large Gearcase 4-3/4 Inch)

Standard Propeller
1976 and 1977 - Thrust Hub - 72894 - NLA Washer 12-31211A3 Tab Washer 14-816629 Nut 11-52707Q1
1978 and Up - Thrust Hub - 12-835467 1 Washer 12-31211A3 Tab Washer 14-816629 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
73514A4	13-3/8	25C	AL	3	RH	78126A45
78126A4	13-3/8	25C	AL	3	RH	78126A45
78126A40	13-3/8	25C	AL	3	RH	78126A45
79796A4	13-3/8	25C	SS	3	RH	16550A46
16550A46	13-3/8	25C	SS	3	RH	Avail.
79796A5	13-3/8	25C	SS	3	RH	16550A46
16550A46	13-3/8	25C	SS	3	RH	Avail.
75724A4	13-1/2	23C	SS	3	RH	16320A46
75724A5	13-1/2	23C	SS	3	RH	16320A46
16322A4	13-3/8	25C	SS	3	RH	16550A46
16550A46	13-3/8	25C	SS	3	RH	Avail.
16322A5	13-3/8	25C	SS	3	RH	16550A46
16550A46	13-3/8	25C	SS	3	RH	Avail.
16321A5	13-1/2	23C	SS	3	LH	16321A46
16320A4	13-1/2	23C	SS	3	RH	16320A46
16320A5	13-1/2	23C	SS	3	RH	16320A46
73512A4	13-1/2	23C	AL	3	RH	832834A45
78124A4	13-1/2	23C	AL	3	RH	832834A45
78124A40	13-1/2	23C	AL	3	RH	832834A45
88442A4	13-3/4	21C	SS	3	RH	16318A46
74268A4	13-3/4	21C	SS	3	RH	16318A46
73510A4	13-3/4	21C	AL	3	RH	832832A45
73982A4	13-3/4	21C	SS	3	RH	16318A46
73982A5	13-3/4	21C	SS	3	RH	16318A46
16319A5	13-3/4	21C	SS	3	LH	16319A46
16318A5	13-3/4	21C	SS	3	RH	16318A46
16318A4	13-3/4	21C	SS	3	RH	16318A46
78122A4	13-3/4	21C	AL	3	RH	832832A45
78122A40	13-3/4	21C	AL	3	RH	832832A45
73508A4	14-1/4	19C	AL	3	RH	832830A45
73980A4	14	19C	SS	3	RH	16316A46
73980A5	14	19C	SS	3	RH	16317A46
16317A5	14	19C	SS	3	LH	16317A46
16316A5	14	19C	SS	3	RH	16316A46
78120A4	14	19C	AL	3	RH	832830A45
78120A40	14	19C	AL	3	RH	832830A45
73506A4	14-3/4	17C	AL	3	RH	832828A45

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
78118A4	14-1/2	17C	AL	3	RH	832828A45
78118A40	14-1/2	17C	AL	3	RH	832828A45
79794A4	14-1/2	17C	SS	3	RH	16314A46
79794A5	14-1/2	17C	SS	3	RH	16314A46
16315A5	14-1/2	17C	SS	3	LH	16315A46
16314A5	14-1/2	17C	SS	3	RH	16314A46
16312A5	14-1/2	15C	SS	3	RH	16312A46
73504A4	15-1/4	15C	AL	3	RH	78116A45
78116A4	16	15C	AL	3	RH	78116A45
78116A40	16	15C	AL	3	RH	78116A45
93272A4	14-1/2	15C	SS	3	RH	16312A46
93272A40	14-1/2	15C	SS	3	RH	NLA
73502A4	16	13C	AL	3	RH	78114A45
78114A4	16	13C	AL	3	RH	78114A45
78114A40	16	13C	AL	3	RH	78114A45
73500A4	16	11C	AL	3	RH	78112A45
78112A4	16	11C	AL	3	RH	78112A45
78112A40	16	11C	AL	3	RH	78112A45
16316A4	14	19	SS	3	RH	16316A46
16315A4	14-1/2	17	SS	3	LH	16315A46
16314A4	14-1/2	17	SS	3	RH	16314A46
16312A4	14-1/2	15	SS	3	RH	16312A46

Mercury V-6 Models-Chopper (Gearcase 4-3/4 Inch)

Thrust Hub - 13191A1 Tab Washer 14-816629 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
98246A4	14-1/4	30C	SS	3	RH	NLA
98246A5	14-1/4	30C	SS	3	RH	NLA
89860A4	14-1/2	28C	SS	3	RH	13372A62
89860A5	14-1/2	28C	SS	3	RH	13372A62
13373A5	14-1/2	28C	SS	3	LH	13373A62
13372A5	14-1/2	28C	SS	3	RH	13372A62
98245A1	14-1/2	28	SS	3	LH	13373A62
89858A4	14-1/2	26C	SS	3	RH	13370A62
93593A1	14-1/2	26	SS	3	LH	13371A62
13371A5	14-1/2	26C	SS	3	LH	13371A62
13370A5	14-1/2	26C	SS	3	RH	13370A62
89858A5	14-1/2	26C	SS	3	RH	13370A62
77320A4	14-1/2	24C	SS	3	RH	13368A62
93591A1	14-1/2	24C	SS	3	LH	13369A62
77320A5	14-1/2	24C	SS	3	RH	13368A62
13369A5	14-1/2	24C	SS	3	LH	13369A62
13368A5	14-1/2	24C	SS	3	RH	13368A62
89856A4	14-1/2	22C	SS	3	RH	13366A62
89856A5	14-1/2	22C	SS	3	RH	13366A62
13366A5	14-1/2	22C	SS	3	RH	13366A62

Mercury V-6 Models-Trophy (Gearcase 4-3/4 Inch)

Large Hub
Thrust Hub - 12-835467 1 Tab Washer 14-816629 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
825904A41	14	21	SS	4	RH	825902A46
825908A40	14	23	SS	4	RH	825906A46
825910A40	14	24	SS	4	RH	825910A46
825912A40	14	25	SS	4	RH	825912A46
825914A40	14	26	SS	4	RH	NLA

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
825908A41	14	23	SS	4	RH	825906A46
825910A41	14	24	SS	4	RH	825910A46
825912A41	14	25	SS	4	RH	NLA
825914A41	14	26	SS	4	RH	NLA

MARINER ELECTRIC MOTOR

Mariner-Trolling Motor

Nut 79719 - NLA Pin 17-70733 Retainer 79719 - NLA

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
18024A__	10-1/2	6	PL BL	2	RH	18024A5
18430A__	10-1/2	6	PL CL	2	RH	18024A5
87842A2	10-1/2	6	PL	2	RH	18024A5
18024A5	10	6	PL	2	RH	AVAIL.

Mariner-Thruster Direct Drive

Trolling Motor
Nut 79719 - NLA Washer 26-72462 Pin 17-70733

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
17530A__	9	3.2	PL BL	2	RH	18022A5
18530A__	9-1/4	3.2	PL CL	2	RH	18022A5
18022A__	9-1/4	3-1/4	PL BL	2	RH	18022A5
18428A5	9-1/4	3-1/4	PL CL	2	RH	AVAIL.
18512A__	9-1/4	3-1/4	PL CL	2	RH	18428A5
18022A5	9-1/4	3	PL BL	2	RH	AVAIL.

Mariner-R33, RX33, T33, R45, RL45, RX45, T45

Trolling Motor
Nut 818911--2 Washer 23-35935 Pin 17-70733

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
813728A__	11	5	PL BL	2	RH	
813730A__	11	5	PL CL	2	RH	

Mariner-Thruster (MotorGuide)(Machete)

Trolling Motor

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
801889	10	3-1/2	PL CL	2	RH	MAF12406T

Mariner V-6 Models (W/Large Gearcase 4-3/4 Inch)

Thrust Hub 12-835467Q01 Tab Washer 15-816629Q Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
78126A4	13-3/8	25C	AL	3	RH	N.L.A.
78126A40	13-3/8	25C	AL	3	RH	N.L.A.
79796A 4	13-3/8	25C	SS	3	RH	NLA
79796A 5	13-3/8	25C	SS	3	RH	NLA
16322A 5	13-3/8	25C	SS	3	RH	NLA
75724A 4	13-1/2	23C	SS	3	RH	
16321A 5	13-1/2	23C	AL	3	LH	
16320A 5	13-1/2	23C	AL	3	RH	
78124A 4	13-1/2	23C	AL	3	RH	48-832834A45
78124A40	13-1/2	23C	AL	3	RH	48-832834A45
73982A 4	13-3/4	21C	SS	3	RH	48-8M0151408

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
73982A 5	13-3/4	21C	SS	3	RH	48-8M0151408
16319A 5	13-3/4	21C	SS	3	LH	48-8M0151408
16318A 5	13-3/4	21C	SS	3	RH	48-8M0151408
78122A 4	13-3/4	21C	SS	3	RH	48-832832A45
78122A40	13-3/4	21C	SS	3	RH	48-832832A45
73980A 4	14	19C	SS	3	RH	48-8M0151407
73980A 5	14	19C	SS	3	RH	48-8M0151407
16317A 5	14	19C	SS	3	LH	48-8M0151406
16316A 5	14	19C	SS	3	RH	48-8M0151407
78118A 4	14-1/2	17C	SS	3	RH	48-832828A45
78118A40	14-1/2	17C	SS	3	RH	48-832828A45
79794A 4	14-1/2	17C	SS	3	RH	48-8M0151405
79794A 5	14-1/2	17C	SS	3	RH	48-8M0151405
16315A 5	14-1/2	17C	SS	3	LH	48-8M0151404
16314A5	14-1/2	17C	SS	3	RH	48-8M0151404
78116A 4	16	15C	SS	3	RH	48- 78116A45
78116A40	16	15C	SS	3	RH	48- 78116A45
93272A 4	14-1/2	15C	SS	3	RH	48-8M0151403
93272A 5	14-1/2	15C	SS	3	RH	48-8M0151403
16312A 5	14-1/2	15C	SS	3	RH	48-8M0151403
16312A 4	14-1/2	15	SS	3	RH	48-8M0151403
78114A 4	16	13C	SS	3	RH	48- 78114A45
78114A40	16	13C	SS	3	RH	48- 78114A45
78112A 4	16	11C	SS	3	RH	48- 78112A45
78112A40	16	11C	SS	3	RH	48- 78112A45
16320A 4	13-3/8	25	SS	3	RH	
16321A 4	13-1/2	23	SS	3	LH	16321A46
16322A 4	13-3/8	25	SS	3	RH	16322A46
16312A 4	14-1/2	15	SS	3	RH	48-8M0151403
16315A 4	14-1/2	17	SS	3	LH	48-8M0151404
16316A 4	14	19	SS	3	RH	48-8M0151407
16317A 4	14	19	SS	3	LH	48-8M0151406
16318A 4	13-3/4	21	SS	3	RH	48-8M0151408

MARINER OUTBOARD

Mariner 2 (6A1)

Cotter Pin 18-82134M Drive Pin 17-81896M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
80409M	7-1/4	5-1/2	AL	3	RH	NLA
43110M	7-1/4	5	AL	3	RH	NLA
80410M	7-1/4	4-1/2	AL	3	RH	AVAIL.
93032M	7-1/4	4	PL	3	RH	AVAIL.

Mariner 2.5/3.3 A856377 and Up

Cotter Pin 18-95295 Shear Pin 17-815111 (AL Prop), 17-815111--1 (PL Prop)

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
815083	7-3/8	6	PL	3	RH	AVAIL.
815084	7-3/8	6	AL	3	RH	AVAIL.
815084--1	7-3/8	6	AL	3	RH	AVAIL.

Mariner 3.5 (642)

NLA = 48-80176M, 48-80177M, 48-80304M
Nut 11-80103M Cotter Pin 18-82134M Thrust Hub 12-81855M - NLA Drive Pin 17-17554M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
80178M	7-1/2	4	AL	3	RH	NLA
82861M	7-1/2	4	AL	3	RH	NLA

Mariner 4 (6E) & 5 (6E3)

NLA = 48-81016M
Nut 11-859931 Cotter Pin 18-82132M Drive Pin 17-17554M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
96593M	7-1/4	8-1/4	AL	3	RH	NLA
96590M	7-1/2	8	AL	3	RH	AVAIL.
96592M	7-1/4	7-1/4	AL	3	RH	NLA
96591M	7-1/2	7	AL	3	RH	AVAIL.
81015M	7-1/4	6-1/2	AL	3	RH	NLA
82825M	7-1/4	5	AL	3	RH	NLA

Mariner 4/5 A855097 and Up

Thrust Hub 16145Q01 Washer 12-16146 Nut 11-16147

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
16143	8-3/8	8	AL	3	RH	812950
16142	8-3/8	7	AL	3	RH	812949
16144	8-3/8	6	AL	3	RH	AVAIL.
16836A1	8-3/8	6	AL High Reverse	3	RH	812951A1

Mariner 6 (647) & 8 (655 / 677)

Without Thru Hub Exhaust
NLA = 48-80546M, 48-82765
Nut 11-80545M Cotter Pin 18-82132M Drive Pin 17-81901M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
80548M	9	9	AL	3	RH	NLA
82766	8-1/4	9	AL	3	RH	AVAIL.
82764	8-1/4	8	AL	3	RH	AVAIL.
80547M	9	7	AL	3	RH	AVAIL.
82763	8-1/4	6-1/2	AL	3	RH	NLA
8109M	9	6-1/4	AL	3	RH	NLA
94780M	9	5-3/4	AL	3	RH	NLA
94781M	9	5	AL	3	RH	NLA

Mariner 6 (6HB) & 8 (6G1)

With Thru Hub Exhaust
Nut 11-859933 Cotter Pin 18-815026 Thrust Hub (Fwd) 23-11654M Thrust Hub (Rear) 12-84275M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
11672M	8	8	AL	3	RH	NLA
11673M	8	8	AL	3	RH	AVAIL.
11896M	9	9	AL	3	RH	NLA
11674M	8	8	AL	3	RH	NLA
11897M	9	9	AL	3	RH	NLA

Mariner 9.9C (682) & 15C (684)

Nut 11-859933 Cotter Pin 18-815026 Thrust Hub (Fwd) 23-859916 Thrust Hub (Rear) 12-84275M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
84079M	9-1/4	12	AL	3	RH	N.L.A.
84080M	9-1/4	10-1/2	AL	3	RH	QA3914R
QA3914T	9-1/4	10-1/2	AL	3	RH	QA3914R
84407M	9-1/2	9-3/4	AL	3	RH	AVAIL.
84081M	9-1/4	9	AL	3	RH	QA3906R
84082M	9-1/4	8	AL	3	RH	N.L.A.
QA3902T	9-1/4	8	AL	3	RH	N.L.A.
94786M	9-3/4	8	AL	3	RH	AVAIL.
84083M	9-1/2	6.5	AL	3	RH	AVAIL.
94787M	9-3/4	6.5	AL	3	RH	AVAIL.

Mariner 6/8/9/15 A197112 and Up

Thrust Hub 42037 Design I, 821932 Design II Spacer 23-42091-1 Nut 11-40140

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
17874A12	9	10-1/2	AL	3	RH	48-828158A12
42522A__	9	9	AL	3	RH	48-828156A12
42520A10	9-1/4	7	AL	3	RH	48-828152A12
42524A__	9-3/4	6-1/2	AL High Reverse	3	RH	48-828150A12

Mariner 15 (6510 20 (653) 25 (648/694)

Without Thru Hub Exhaust
NLA = 48-80264M, 48-80681M, 48-80925M, 48-80926M, 48-80947M, 48-96629M
Nut 859946 Cotter Pin 18-82132M Drive Pin 17-81900M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
82770	9-1/4	12	AL	3	RH	NLA
96622M	9-1/2	11-1/2	AL	3	RH	NLA
80955M	9-1/4	11-1/4	AL	3	RH	
96623M	9-1/4	11-1/4	AL	3	RH	AVAIL
82769	9-1/4	11	AL	3	RH	
80263M	9-1/4	10-3/4	AL	3	RH	N.L.A.
96624M	9-1/4	10-3/4	AL	3	RH	AVAIL
82768	9	10	AL	3	RH	QA3914R
96625M	9-1/4	10	AL	3	RH	AVAIL
80546M	9-1/4	9-1/4	AL	3	RH	NLA
80265M	9-1/4	9	AL	3	RH	N.L.A.
96626M	9-1/4	9	AL	3	RH	N.L.A.
80924M	9-1/4	8	AL	3	RH	NLA
96627M	9-1/4	8	AL	3	RH	NLA
82767	9-1/4	7	AL	3	RH	NLA
96628M	9-1/4	7	AL	3	RH	NLA
96630M	9-1/4	5	AL	3	RH	NLA

Mariner 20 (6A9), 25 (690/695), 28 (664), 30 (689)

With Thru Hub Exhaust
NLA = 48-80262M
Nut 11-81774M Cotter Pin 18-82132M Thrust Hub (Fwd) 859917
20/25/30 - Thrust Hub (Rear) 859895 Spacer 85905
28 - Thrust Hub (Rear) 23-82796M (NLA) Spacer 23-81651M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
84977M	9-7/8	14	AL	3	RH	AVAIL.
82827M	9-7/8	13	AL	3	RH	
QA3814T	9-7/8	13	AL	3	RH	
82826M	9-7/8	12	AL	3	RH	QA3810R
88168A4	9	12	SS	3	RH	NLA
84976M	9-7/8	11-1/4	AL	3	RH	QA3810R
81649M	9-7/8	10-1/2	AL	3	RH	QA3808R
81647M	9-7/8	9	AL	3	RH	AVAIL.
88166A4	10	9	SS	3	RH	NLA
81648M	9-7/8	8	AL	3	RH	AVAIL.

Mariner 20 & 25 S/N 6535603 and Above

Standard
Thrust Hub 858498 Hub 11-88228

Chopper
Thrust Hub 858498 Hub 11-88228

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
Standard						
4590A40	10-1/4	14-1/2C	AL	3	RH	
89854A 4	10-1/4	14-1/2C	AL	3	RH	
19642A40	10-3/8	14-1/2C	AL	3	RH	AVAIL.
43586A40	10-3/8	13C	AL	3	RH	48- 19640A40
86848A 4	10-3/8	13C	AL	3	RH	48- 19640A40
19640A40	10-3/8	13C	AL	3	RH	AVAIL.
43588A 5	10-3/8	13C	SS	3	RH	N.L.A.
90780A 4	10-3/8	13C	SS	3	RH	N.L.A.
19644A 5	10-3/8	13C	SS	3	RH	N.L.A.
43584A40	10-3/8	11C	AL	3	RH	48- 19638A40
89852A 4	10-3/8	11C	AL	3	RH	48- 19638A40
19638A40	10-3/8	11C	AL	3	RH	AVAIL.
43582A10	10-3/8	9-1/2	AL	3	RH	48- 19636A10
89850A 1	10-3/8	9-1/2	AL	3	RH	48- 19636A10
19636A10	10-3/8	9-1/2C	AL	3	RH	AVAIL.
Chopper						
92764A 4	10-3/8	18C	SS	3	RH	N.L.A.
92764A 5	10-3/8	18C	SS	3	RH	N.L.A.
43592A 5	10-3/8	18C	SS	3	RH	N.L.A.

Mariner 30 (689B)

Without Thru Hub Exhaust
Nut 11-97027M (NLA) Cotter Pin 18-95295 Drive Pin 18-97028M Thrust Hub (Rear) 12-83447M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
96638M	9-1/2	12-3/8	AL	3	RH	NLA
96639M	9-1/2	11-1/2	AL	3	RH	NLA
96640M	9-1/4	11-1/4	AL	3	RH	NLA
96641M	9	10-3/4	AL	3	RH	NLA
96642M	9-1/4	9	AL	3	RH	NLA
96643M	9-1/4	8	AL	3	RH	NLA

Mariner 40 (676A)

Without Thru Hub Exhaust
Nut 11-14279M Drive Pin 17-83443M Cotter Pin 80652M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
83311M	11-1/2	13-1/2	AL	3	RH	N.L.A.
96631M	11-1/2	13-1/2	AL	3	RH	AVAIL.
83729M	11-1/2	13	AL	3	RH	N.L.A.
96632M	11-1/2	13	AL	3	RH	AVAIL.
83535M	11-1/2	12	AL	3	RH	
96633M	11-1/2	12	AL	3	RH	AVAIL.
83541M	11-1/2	11	AL	3	RH	
96634M	11-1/2	11	AL	3	RH	AVAIL.
83552M	11-3/4	10	AL	3	RH	N.L.A.
96635M	11-3/4	10	AL	3	RH	AVAIL.
83573M	11-3/4	8-3/4	AL	3	RH	N.L.A.
96636M	11-3/4	8-3/4	AL	3	RH	AVAIL.
11904M	11-3/4	7-1/2	AL	3	RH	AVAIL.

Mariner 40-70

40 (676B) (6E9)/48 (670)/50/55 (663)/60 (675)
(6F0)/70 (3CYL.) (BELOW SERIAL #A996142)
With Thru Hub Exhaust
40/48/55/60 - Thrust Hub 73345A1 Cotter Pin 18-82132M Nut 11-859935
50 - Thrust Hub 73345A1 Washer 14-76281 Nut 11-69578Q

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
73146A4	10	19C	AL	3	RH	
73146A40	10	19C	AL	3	RH	AVAIL.
73144A 4	10	17C	AL	3	RH	48- 73144A45
73144A40	10	17C	AL	3	RH	AVAIL.
73142A 4	10	16C	AL	3	RH	48- 73142A45
73142A40	10	16C	AL	3	RH	AVAIL.
91818A 4	10	16C	SS	3	RH	N.L.A.
91818A 5	10	16C	SS	3	RH	AVAIL.
73140A 4	10-1/8	15C	AL	3	RH	48- 73140A45
73140A40	10-1/8	15C	AL	3	RH	AVAIL.
76232A 4	10-1/8	15C	SS	3	RH	48-855862A46
76232A 5	10-1/8	15C	SS	3	RH	48-855862A46
73138A 4	10-1/4	14C	AL	3	RH	48- 73138A45
73138A40	10-1/4	14C	AL	3	RH	AVAIL.
76230A 4	10-1/4	14C	SS	3	RH	48-855860A46
76230A 5	10-1/4	14C	SS	3	RH	48-855860A46
73136A 4	10-3/8	13C	AL	3	RH	48- 73136A45
73136A40	10-3/8	13C	AL	3	RH	AVAIL.
76228A 4	10-3/8	13C	SS	3	RH	48-855858A46
76228A 5	10-3/8	13C	SS	3	RH	48-855858A46
13295M	11-1/2	13	SS	3	RH	NLA
99957M	11-1/2	13	WORK	3	RH	Export Only
73134A 4	10-5/8	12C	AL	3	RH	48- 73134A45
73134A40	10-5/8	12C	AL	3	RH	AVAIL.
79792A 4	10-5/8	12C	SS	3	RH	48-855856A46
79792A 5	10-5/8	12	SS	3	RH	48-855856A46
855856A 5	12	12	SS	3	RH	AVAIL.
99956M	10-5/8	11	WORK	3	RH	Export Only
79792A 5	11-3/4	12C	SS	3	RH	48-855856A46
96536M	10-7/8	12	AL	3	RH	AVAIL.
85632A 4	10-7/8	11C	AL	3	RH	48- 85632A45

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
85632A40	12	11C	AL	3	RH	AVAIL.
42740A10	11-1/4	10-1/2C	AL	3	RH	48- 42740A45
73132A 4	11-1/4	10C	AL	3	RH	48- 73132A45
73132A40	12-1/4	10C	AL	3	RH	AVAIL.
87818A 1	12-1/4	9	AL	3	RH	48- 87818A45
87818A10	12-1/4	9	AL	3	RH	48- 87818A45
97868A 1	12-1/4	9	SS	3	RH	
97868A 5	12-1/4	9	SS	3	RH	
97868A10	12-1/4	9	SS	3	RH	AVAIL.
87818A10	12-1/4	9	AL Workboat	3	RH	48- 87818A45

Mariner 70-140 I/L / 75/90 (3 Cyl)/100/114 (4 Cyl)

Standard Propeller
Thrust Hub 13191Q01 Tab Washer 14-816629Q Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
72758A 4	12-5/8	25C	SS	3	RH	
72758A 5	12-5/8	25C	SS	3	RH	
72760A 4	12-3/4	23C	SS	3	RH	
72760A 5	12-3/4	23C	SS	3	RH	
77350A 4	12-1/2	23C	AL	3	RH	48- 77350A45
77350A40	12-1/2	23C	AL	3	RH	48- 77350A45
72500A 4	13	21C	SS	3	RH	NLA
72500A 5	13	21C	SS	3	RH	NLA
77348A 4	12-3/4	21C	AL	3	RH	48- 77348A45
77348A40	12-3/4	21C	AL	3	RH	48- 77348A45
72762A 4	13-1/4	19C	SS	3	RH	NLA
72762A 5	13-1/4	19C	SS	3	RH	NLA
77346A 4	13	19C	AL	3	RH	48- 77346A45
77346A40	13	19C	AL	3	RH	48- 77346A45
16988A 5	13	18C	SS	3	RH	48-8M0151402
72764A 4	13-1/2	17C	SS	3	RH	48-8M0151402
72764A 5	13-1/2	17C	SS	3	RH	48-8M0151402
77344A 4	13-1/4	17C	AL	3	RH	48- 77344A45
77344A40	13-1/4	17C	AL	3	RH	48- 77344A45
77342A 4	13-3/4	15C	AL	3	RH	48- 77342A45
77342A40	13-3/4	15C	AL	3	RH	48- 77342A45
87444A 4	13-3/4	15C	SS	3	RH	48-8M0151399
87444A 5	13-3/4	15C	SS	3	RH	48-8M0151399
77340A 4	14	13C	AL	3	RH	48- 77340A45
77340A40	14	13C	AL	3	RH	48- 77340A45
12606A 5	14	12C	SS	3	RH	48-8M0151398
17312A 5	14	12C	SS	3	RH	48-8M0151398
77338A 4	14	11C	AL	3	RH	48- 77338A45
77338A40	14	11C	AL	3	RH	48- 77338A45
12604A 5	14	10C	SS	3	RH	48-8M0151397
17310A 5	14	10C	SS	3	RH	48-8M0151397

Mariner V-6 Models-Chopper (Gearcase 4-3/4 Inch)

Thrust Hub - 13191Q01 Tab Washer 14-816629Q Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
98246A 4	14-1/4	30C	SS	3	RH	NLA
98246A 5	14-1/4	30C	SS	3	RH	NLA
89860A 4	14-1/2	28C	SS	3	RH	N.L.A.
89860A 5	14-1/2	28C	SS	3	RH	N.L.A.
13373A 5	14-1/2	28C	SS	3	LH	N.L.A.

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
13372A 5	14-1/2	28C	SS	3	RH	N.L.A.
98245A 1	14-1/2	28	SS	3	LH	N.L.A.
89858A 4	14-1/2	26C	SS	3	RH	N.L.A.
93593A 1	14-1/2	26	SS	3	LH	N.L.A.
13371A 5	14-1/2	26C	SS	3	LH	N.L.A.
13370A 5	14-1/2	26C	SS	3	RH	N.L.A.
89858A 5	14-1/2	26C	SS	3	RH	N.L.A.
77320A 4	14-1/2	24C	SS	3	RH	N.L.A.
93591A 1	14-1/2	24C	SS	3	LH	N.L.A.
77320A 5	14-1/2	24C	SS	3	RH	N.L.A.
13369A 5	14-1/2	24C	SS	3	LH	N.L.A.
13368A 5	14-1/2	24C	SS	3	RH	N.L.A.
89856A 4	14-1/2	22C	SS	3	RH	N.L.A.
89856A 5	14-1/2	22C	SS	3	RH	N.L.A.
13366A 5	14-1/2	22C	SS	3	RH	N.L.A.

Mariner V-6 Models-Laser (Gearcase 4-3/4 Inch)

Thrust Hub 12-835467Q01 Tab Washer 14-816629Q Washer 12-31211Q03 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
11078A40	14-1/8	25C	SS	3	RH	
11074A40	14-1/4	23C	SS	3	RH	
11070A40	14-3/8	21C	SS	3	RH	48-8M0151399

Mariner V-6 Models-Trophy (Gearcase 4-3/4 Inch)

Thrust Hub 12-835467Q01 Tab Washer 14-816629Q Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
825904A41	14	21	SS	4	RH	NLA
825908A40	14	23	SS	4	RH	NLA
825910A40	14	24	SS	4	RH	NLA
825912A40	14	25	SS	4	RH	NLA
825914A40	14	26	SS	4	RH	NLA
825908A41	14	23	SS	4	RH	
825910A41	14	24	SS	4	RH	NLA
825912A41	14	25	SS	4	RH	NLA
825914A41	14	26	SS	4	RH	NLA

FORCE OUTBOARDS

Force 3

Cotter Pin 18-95295 Shear Pin 17-815111 (AL Prop), 17-815111--1 (PL Prop)

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
48-815083A01	7-3/8	6	PL	3	RH	AVAIL.
48-815084A01	7-3/8	6	AL	3	RH	AVAIL.
48-815084A02	7-3/8	6	AL w/rubber hub	3	RH	AVAIL.

Force 4/5

Pin FA324101 Nut 11-817752A1 Cotter Pin 18-45882

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FP332	7-1/4	6-1/2	NYLON	3	RH	48-820110A20
N.L.A.	7	6-1/4	AL	2	RH	AVAIL.
FP712	7-1/4	6-1/2	NYLON	3	RH	48-820110A20
820110A20	7-1/4	6-1/2	NYLON	3	RH	AVAIL.
FP652	8	5	AL	3	RH	NLA

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FP75	8	5	AL	2	RH	NLA
FP488	7-1/4	5-1/2	AL	3	RH	NLA

Force 7.5

Pin FA324101 Nut 11-817752A1 Cotter Pin 18-45882

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FP477	8	9-1/4	NYLON	3	RH	NLA
	8	8-1/4	NYLON	3	RH	NLA
FP75	8	5	AL	2	RH	NLA
FP73	8	3-1/2	AL	2	RH	NLA

Force 9.9/15

Pin FA324101 Nut 11-817752A1 Cotter Pin 18-45882

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FP715	8-3/4	6	AL	3	RH	N.L.A.
FP6477	8	9-1/4	NYLON	3	RH	N.L.A.
FP472	9	9	AL	3	RH	N.L.A.
FP 70	8-1/4	8-3/4	AL	2	RH	N.L.A.
FP6430	8	8-1/4	NYLON	3	RH	N.L.A.
FP286-__	8-1/4	8-1/4	AL	2	RH	N.L.A.
FP395	8-1/4	6	AL	3	RH	N.L.A.
FP396	8-1/4	4-1/2	AL	3	RH	N.L.A.

Force 20-60 Horsepower

20-25 HP 1979-1981
30 HP 1966-1982
35 HP 1966-1991
40 HP 1992-1994
45 HP 1966-1984
50 HP 1982-1994
55-60 HP 1966-1984
14 Tooth Spline & Pin Drive
Nut FA94094-2 Pin FK247 Cotter Pin 18-89961

Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
10-3/8 X 12.5	AL	3	Black Diamond	N.L.A.	Rubber Bushing
10-3/8 X 11.5	AL	3	Black Diamond	N.L.A.	Rubber Bushing
10-3/8 X 10	AL	3	Black Diamond	N.L.A.	Rubber Bushing

Force 60

NLA = FP497, FP499
Hub 22-F522099 (NLA) Flat Washer F531299 Washer 12-F1866 Nut 11-F7048
Cotter Pin 826374 Prop Nut F522094-1 (NLA)

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FPS495	10	15	AL	3	RH	NLA
FP496	10	14c	SS	3	RH	NLA
FPS494	10	14	AL	3	RH	NLA
FPS486	10	13c	AL	3	RH	NLA
FPS493	10	13	AL	3	RH	NLA
FPS522	10	12	AL	3	RH	NLA

Force 70

Thrust Hub 73345A1 Tab Washer 14-76281 Nut 11-69578Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FPM735	10	19	AL	3	RH	
73146A40	10	19	AL	3	RH	AVAIL.
FPM736	10	17	AL	3	RH	48- 73144A45
73144A40	10	17	AL	3	RH	AVAIL.
FPM737	10	16	AL	3	RH	48- 73142A45
73142A40	10	16	AL	3	RH	AVAIL.
FPM750	10	16	SS	3	RH	N.L.A.
91818A 5	10	16	SS	3	RH	AVAIL.
FPM738	10-1/8	15	AL	3	RH	48- 73140A45
73140A40	10-1/8	15	AL	3	RH	AVAIL.
FPM739	10-3/8	15	AL	3	RH	48-816706A45
816706A40	10-3/8	15	AL	3	RH	AVAIL.
FPM751	10-1/8	15	SS	3	RH	48-855862A46
76232A 5	10-1/8	15	SS	3	RH	48-855862A46
FPM752	10-1/4	14	SS	3	RH	48-855860A46
76230A 5	10-1/4	14	SS	3	RH	48-855860A46
FPM740	10-1/2	13	AL	3	RH	48-816704A45
816704A40	10-1/2	13	AL	3	RH	AVAIL.
FPM753	10-3/8	13	SS	3	RH	48-855858A46
76228A 5	10-3/8	13	SS	3	RH	48-855858A46
FPM741	10-3/4	12	AL	3	RH	48-816702A45
816702A40	10-3/4	12	AL	3	RH	AVAIL.
FPM742	11-7/8	12	AL	3	RH	48- 85632A45
85632A40	10-7/8	11	AL	3	RH	AVAIL.
FPM754	10-5/8	12	SS	3	RH	48-855856A46
79792A 5	10-5/8	12	SS	3	RH	48-855856A46
FPM743	12	10-1/2	AL	3	RH	48- 42740A45
42740A10	12	10-1/2	AL	3	RH	48- 42740A45
FPM756	11-1/4	10	AL	3	RH	48- 73132A45
73132A40	11-1/4	10	AL	3	RH	AVAIL.
FPM755	12-1/4	9	SS	3	RH	
97868A10	12-1/4	9	SS	3	RH	AVAIL.
FPM757	12-1/4	9	AL	3	RH	48- 87818A45
87818A10	12-1/4	9	AL	3	RH	48- 87818A45
FPM746	12-1/2	8	AL	3	RH	48- 42738A45
42738A10	12-1/2	8	AL	3	RH	48- 42738A45

Force 85-150 and All L-Drives Pre 1995 No Thru or Thru Hub Exhaust

85, 125 HP 1988-1989
90, 120 HP 1990-1994
90-120 HP L Drive 1989-1991
150 HP 1989-1994
150 HP L Drive 1991
15 Tooth Spline

Propeller Size	Material	Blades	Style	Quicksliver P/N	Hub System
13 X 19 RH	AL	3	Black Diamond		Rubber Bushing
13-1/2 X 17 RH	AL	3	Black Diamond		Rubber Bushing
13-1/2 X 15 RH Cupped	AL	3	Black Diamond		Rubber Bushing
13-1/2 X 15 RH	AL	3	Black Diamond		Rubber Bushing

CHRYSLER OUTBOARDS

Chrysler Outboard 1983 and Older

NLA = FP50, FP77, FP102, FP324, FP346, FP381, FP391, FP392, FP393, FP394, FP410, FP410, FP446, FP461, FP471, FP481, FP497, FP499, FP527, FP530, FP539

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession	Horsepower	Model Year
FP19	7-1/2	4-1/2	AL (PIN)	2	RH	N.L.A.	3.5*, 3.6*(1)	69-76
FP332	7-1/2	6-1/2	PL	3	RH	48-820110A20	4.0*, 3.5*(1)	77 AND NEWER
FP73	8	3-1/2	AL	2	RH	N.L.A.	4.4, 5.0, 6.0, 4.5, 8.0	68-78
FP521	7-1/4	5-1/2	AL (PIN)	3	RH	N.L.A.	4.0*, L.L.(1)	76-78
FP430	8	8-1/4	PL	3	RH	AVAIL.	6.0*, 8.0, 7.5(1)	78-81
N.L.A.	7	6-1/4	AL	2	RH	AVAIL.	3.5, 6.0, 8.0	76-79
FP477	8	9-1/4	PL	3	RH	AVAIL.	6.0, 7.5, 8.0	78 AND NEWER
FP488	7-1/4	5-1/2	AL	3	RH	N.L.A.	3.5, 6.0, 8.0, 4.0, L.L.*(1)	76-79
FP75	8	5	AL	2	RH	N.L.A.	3.5, 6.6, 7.0, 7.5, 8.0	68-80
FP6430	8	8-1/2	PL	3	RH	N.L.A.	9.9, 10, 12.9, 15	68 AND NEWER
FP70	8-1/4	8-3/4	AL	2	RH	N.L.A.	9.9, 10, 12.9, 15	68 AND NEWER
FP396	8-1/4	4-1/2	AL	3	RH	N.L.A.	9.9, 10, 12.9, 15	68 AND NEWER
FP395	8-1/4	6	AL	3	RH	N.L.A.	9.9, 10, 12.9, 15	68 AND NEWER
FP472	8	9	AL	3	RH	N.L.A.	9.9, 10, 12.9, 15	68 AND NEWER
FP273	10-3/8	13-1/2	AL	3	RH	NLA	30*, 35, 45, 55+, 60+	66 AND NEWER
819334A40	10-3/8	13-1/2	AL	3	RH	N.L.A.	30*, 35, 45, 55+, 60+	66 AND NEWER
FP293	10-3/8	12-1/2	AL	3	RH	N.L.A.	30, 35, 45*, 55*+, 60+	66 AND NEWER
FP287	10-3/8	11-1/2	AL	3	RH	N.L.A.	30, 35*, 45, 55+, 60+	66 AND NEWER
FP278	10-3/8	10	AL	3	RH	N.L.A.	30, 35, 45, 55+, 60+ Sailors 10, 250, 280(2)	66 AND NEWER

(1) Standard Replacement Propeller

(2) Two-piece gear case

MERCRUSIER STERNDRIVES

MerCruiser 60

NLA = 48-38396A1, 48-38396A4, 48-38394A1, 48-38394A4, 48-38086A4, 48-38090A4, 48-37314A1, 48-37314A4,
Thrust Hub 38859A1 Washer 12-32007 Nut 11-69578Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
38090A1	10-3/4	13	AL	3	RH	N.L.A.
38094A1	10-3/4	12	AL	3	RH	N.L.A.
38094A4	10-3/4	12C	AL	3	RH	N.L.A.
38098A1	10-3/4	11	AL	3	RH	N.L.A.
38098A4	10-3/4	11C	AL	3	RH	N.L.A.
33774A1	10-3/4	10	AL	3	RH	AVAIL.
33774A4	10-3/4	10C	AL	3	RH	N.L.A.
32194A1	10-3/4	9	AL	3	RH	N.L.A.
32194A4	10-3/4	9C	AL	3	RH	N.L.A.

MerCruiser 80/90 & MerCruiser I

MerCruiser I with 4 Inch OD outer prop hub
NLA = 48-31448A3, 48-31448A4, 48-31450A3, 48-31450A4, 48-32744A3, 48-32744A4, 48-31460A3, 48-31460A4, 48-30394A3, 48-30394A4
48-30398A3, 48-30398A4, 48-33242A3, 48-33242A4, 48-30400A3, 48-30400A4
Thrust Hub 3

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
52012A 3	13	25	AL	3	RH	48- 77350A45
52012A 4	13	25C	AL	3	RH	
72758A 4	12-5/8	25C	SS	3	RH	
72758A 5	12-5/8	25C	SS	3	RH	
32386A 3	13-3/4	23	AL	2	RH	48- 77348A45
32386A 4	13-3/4	23C	AL	2	RH	48- 77350A45
52008A 3	13	23	AL	3	RH	48- 77348A45
52008A 4	13	23C	AL	3	RH	48- 77350A45
72760A 4	12-3/4	23C	SS	3	RH	
72760A 5	12-3/4	23C	SS	3	RH	
77350A 4	12-1/2	23C	AL	3	RH	48- 77350A45
77350A40	12-1/2	23C	AL	3	RH	48- 77350A45
31454A 3	13-3/4	21	AL	2	RH	48- 77346A45
31454A 4	13-3/4	21C	AL	2	RH	48- 77348A45
32746A 3	13	21	AL	3	RH	48- 77346A45
32746A 4	13	21C	AL	3	RH	48- 77348A45
72500A 4	13	21C	SS	3	RH	NLA
72500A 5	13	21C	SS	3	RH	NLA
77348A 4	12-3/4	21C	AL	3	RH	48- 77348A45
77348A40	12-3/4	21C	AL	3	RH	48- 77348A45
32388A 3	13-3/4	19	AL	2	RH	N.L.A.
32388A 4	13-3/4	19C	AL	2		

MerCruiser I (Standard Propeller)

With 4-1/2 Inch OD outer prop hub
NLA = 48-36028A4, 48-36032A1, 48-36032A4, 48-66139A4, 48-66448A4, 48-79582A4, 48-36030A1, 48-36030A4, 48-73982A4, 48-36022A1,
48-36024A1, 48-36024A4
1982 and Before - Thrust Hub 56292Q04 Tab Washer 14-816629Q

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
36028A 1	14-1/2	27	AL	3	RH	N.L.A.
36008A 1	14-1/2	25	AL	3	RH	N.L.A.
36008A 4	14-1/2	25C	AL	3	RH	N.L.A.
65480A 1	14-1/2	25	AL	3	RH	N.L.A.
65480A 4	14-1/2	25C	AL	3	RH	N.L.A.
75784A 4	13-1/4	25C	AL	3	RH	N.L.A.
77402A 4	13-1/2	25C	SS	3	RH	
16550A46	13-1/2	25C	SS	3	RH	AVAIL.
78126A 4	13-3/8	25C	AL	3	RH	N.L.A.
78126A40	13-3/8	25C	AL	3	RH	N.L.A.
79580A 4	14-1/2	25C	AL	3	RH	N.L.A.
79796A 4	13-3/8	25C	SS	3	RH	
16550A36	13-3/8	25C	SS	3	RH	AVAIL.
79796A 5	13-3/8	25C	SS	3	RH	
16550A36	13-3/8	25C	SS	3	RH	AVAIL.
88446A 4	13-1/2	25C	SS	3	RH	
16550A36	13-1/2	25C	SS	3	RH	AVAIL.
16322A 5	13-3/8	25C	SS	3	RH	
16550A36	13-3/8	25C	SS	3	RH	AVAIL.
36010A 1	14-1/2	23	AL	3	RH	48-832834A45
36010A 4	14-1/2	23C	AL	3	RH	48-832834A45

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
58426A 1	15	23	AL	3	RH	48-832834A45
58426A 4	15	23C	AL	3	RH	48-832834A45
67874A 4	15	23C	AL	3	RH	48-832834A45
75058A 4	13-1/2	23C	SS	3	RH	
75160A 4	13-1/2	23C	AL	3	RH	48-832834A45
75724A 4	13-1/2	23C	SS	3	RH	
75724A 5	13-1/2	23C	SS	3	RH	
16321A 5	13-1/2	23C	SS	3	LH	
16320A 5	13-1/2	23C	SS	3	RH	
78124A 4	13-1/2	23C	AL	3	RH	48-832834A45
78124A40	13-1/2	23C	AL	3	RH	48-832834A45
79578A 4	15	23C	AL	3	RH	48-832834A45
88444A 4	13-1/2	23C	SS	3	RH	
36012A 1	15	21	AL	3	RH	48-832832A45
36012A 4	15	21C	AL	3	RH	48-832832A45
49634A 1	15	21	AL	3	RH	48-832832A45
49634A 4	15	21C	AL	3	RH	48-832832A45
58424A 1	15-1/4	21	AL	3	RH	48-832832A45
58424A 4	15-1/4	21C	AL	3	RH	48-832832A45
65992A 1	15-1/4	21	AL	3	RH	48-832832A45
65992A 4	15-1/4	21C	AL	3	RH	48-832832A45
73982A 5	13-3/4	21C	SS	3	RH	48-8M0151408
74268A 4	13-3/4	21C	SS	3	RH	48-8M0151408
16319A 5	13-3/4	21C	SS	3	LH	
16318A 5	13-3/4	21C	SS	3	RH	48-8M0151408
74876A 4	13-3/4	21C	AL	3	RH	48-832832A45
74888A 4	15-1/4	21C	AL	3	RH	48-832832A45
78122A 4	13-3/4	21C	AL	3	RH	48-832832A45
78122A40	13-3/4	21C	AL	3	RH	48-832832A45
79576A 4	15-1/4	21C	AL	3	RH	48-832832A45
36014A 1	15-1/2	19	AL	3	RH	48-832830A45
832830A45	15-1/2	19	AL	3	RH	AVAIL.
36014A 4	15-1/2	19C	AL	3	RH	48- 11324A45
58422A 1	15-1/2	19	AL	3	RH	48-832830A45
832830A45	15-1/2	19	AL	3	RH	AVAIL.
58422A 4	15-1/2	19C	AL	3	RH	48- 11324A45
66432A 1	15-1/2	19	AL	3	RH	48-832830A45
832830A45	15-1/2	19	AL	3	RH	AVAIL.
66432A 4	15-1/2	19C	AL	3	RH	48- 11324A45
73980A 4	14	19C	SS	3	RH	48-8M0151407
73980A 5	14	19C	SS	3	RH	48-8M0151407
74266A 4	14	19C	SS	3	RH	48-8M0151407
74874A 4	14	19C	AL	3	RH	48-832830A45
74886A 4	15-1/2	19C	AL	3	RH	48- 11324A45
78120A 4	14	19C	AL	3	RH	48-832830A45
78120A40	14	19C	AL	3	RH	48-832830A45
79574A 4	15-1/2	19C	AL	3	RH	48- 11324A45
88440A 4	14	19C	SS	3	RH	48-8M0151407
16317A 5	14	19C	SS	3	LH	48-8M0151406
16317A46	14	19C	SS	3	LH	AVAIL.
16316A 5	14	19C	SS	3	RH	48-8M0151407
11324A40	15-1/2	18C	AL	3	RH	48- 11324A45
36016A 1	15-3/4	17	AL	3	RH	48- 16440A45
36016A 4	15-3/4	17C	AL	3	RH	48- 16440A45
66450A 4	15-3/4	17C	AL	3	RH	48- 16440A45
74872A 4	14-1/4	17C	AL	3	RH	48-832828A45

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
78118A 4	14-1/2	17C	AL	3	RH	48-832828A45
78118A40	14-1/2	17C	AL	3	RH	48-832828A45
79572A 4	15-3/4	17C	AL	3	RH	48- 16440A45
79794A 4	14-1/2	17C	SS	3	RH	48-8M0151405
79794A 5	14-1/2	17C	SS	3	RH	48-8M0151405
79830A 4	14-1/2	17C	SS	3	RH	48-8M0151405
16315A 5	14-1/2	17C	SS	3	LH	48-8M0151404
16314A 5	14-1/2	17C	SS	3	RH	48-8M0151405
88438A 4	14-1/2	17C	SS	3	RH	48-8M0151405
11322A40	15-3/4	16C	AL	3	RH	48- 16440A45
16440A40	16	16C	AL	3	RH	48- 16440A45
36018A 1	16	15	AL	3	RH	48- 78116A45
36018A 4	16	15C	AL	3	RH	48- 16438A45
66452A 4	16	15C	AL	3	RH	48- 16438A45
75760A 4	14-1/2	15C	AL	3	RH	48- 78116A45
78116A 4	16	15C	AL	3	RH	48- 78116A45
78116A40	16	15C	AL	3	RH	48- 78116A45
79570A 4	16	15C	AL	3	RH	48- 16438A45
93272A 4	14-1/2	15C	SS	3	RH	48-8M0151403
93272A 5	14-1/2	15C	SS	3	RH	48-8M0151403
16312A 5	14-1/2	15C	SS	3	RH	48-8M0151403
11320A40	16	14C	AL	3	RH	48- 16438A45
16438A40	16	14C	AL	3	RH	48- 16438A45
36020A 1	16	13	AL	3	RH	48- 78114A45
36020A 4	16	13C	AL	3	RH	48- 78114A45
75138A 4	16	13C	AL	3	RH	48- 78114A45
78114A 4	16	13C	AL	3	RH	48- 78114A45
78114A40	16	13C	AL	3	RH	48- 78114A45
79568A 4	16	13C	AL	3	RH	48- 78114A45
16436A40	16	12C	AL	3	RH	48- 16436A45
36022A 4	16	11C	AL	3	RH	48- 78112A45
78112A 4	16	11C	AL	3	RH	48- 78112A45
78112A40	16	11C	AL	3	RH	48- 78112A45
16312A 4	14-1/2	15C	SS	3	RH	48-8M0151403
16314A 4	14-1/2	17C	SS	3	RH	48-8M0151405
16315A 4	14-1/2	17C	SS	3	LH	48-8M0151404
16316A 4	14	19C	SS	3	RH	48-8M0151407
16318A 4	13-3/4	21C	SS	3	RH	48-8M0151408
16319A 4	13-3/4	21C	SS	3	LH	
16320A 4	13-1/2	23C	SS	3	RH	
16321A 4	13-1/2	23C	SS	3	LH	
16322A 4	13-3/8	25C	SS	3	RH	
16550A46	13-3/8	25C	SS	3	RH	AVAIL.

MerCruiser I (Cleaver)

With 4-1/2 Inch OD outer prop hub
NLA = 48-77096A4, 48-88452A4, 48-89806A4, 48-89806A5, 48-77094A4, 48-88450A4, 48-89804A4, 48-89804A5, 48-77092A4, 48-88448A4
Thrust Hub 92950 Tab Washer 14-816629Q Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
89802A 4	14-3/4	21C	SS	3	RH	N.L.A.
89802A 5	14-3/4	21C	SS	3	RH	N.L.A.
89266A 4	15	19C	SS	3	RH	N.L.A.
89800A 4	15	19C	SS	3	RH	N.L.A.
89800A 5	15	19C	SS	3	RH	N.L.A.

Bravo One - Mirage

Solid Hub
Mirage Plus 370 Hp & Below
Thrust Hub 12-835467 1 Tab Washer 14-816629 Washer Splined 12-31211A2 Nut 11-52707A1
Solid Hub Mirage - 370 Hp & Up
Thrust Hub 14359 Splined Washer (FWD) 12-39701 Flat Washer (Rear) 12-39698

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
821720A 5	14-3/4	29C	SS	3	RH	
821719A 5	14-3/4	29C	SS	3	LH	
19836A 5	14-3/8	27C	SS	3	RH	N.L.A.
18280A56	14-3/8	27C	SS	3	RH	N.L.A.
19835A 5	14-3/8	27C	SS	3	LH	N.L.A.
13248A 5	14-1/2	25C	SS	3	RH	
13247A 5	14-1/2	25C	SS	3	LH	
13246A 5	14-5/8	23C	SS	3	RH	
13245A 5	14-5/8	23C	SS	3	LH	
13244A 5	14-3/4	21C	SS	3	RH	
13243A 5	14-3/4	21C	SS	3	LH	
13703A56	14-3/4	21C	SS	3	LH	AVAIL.
13242A 5	15-1/4	19C	SS	3	RH	
13241A 5	15-1/4	19C	SS	3	LH	
19839A 5	15-1/2	17C	SS	3	LH	
19835A 5	15-1/2	17C	SS	3	RH	N.L.A.
19834A50	15-1/2	17	SS	3	RH	N.L.A.
18278A56	15-1/2	17	SS	3	RH	N.L.A.
19835A50	14-3/8	27	SS	3	LH	N.L.A.
19836A50	14-3/8	27	SS	3	RH	18280A56
19839A50	15-1/2	17	SS	3	LH	
13241A50	15-1/4	19	SS	3	LH	
13242A50	15-1/4	19	SS	3	RH	
13243A50	14-3/4	21	SS	3	LH	
13244A50	14-3/4	21	SS	3	RH	
13245A50	14-5/8	23	SS	3	LH	
13246A50	14-5/8	23	SS	3	RH	
13247A50	14-1/2	25	SS	3	LH	
13248A50	14-1/2	25	SS	3	RH	
821719A50	14-3/4	29	SS	3	LH	
821720A50	14-3/4	29	SS	3	RH	

Bravo One - Cleaver

Rubber Hub
NLA = 48-89799A5, 48-89801A5, 48-89803A5, 48-89804A5, 48-89805A5, 48-89806A5
Thrust Hub 92950 Tab Washer 14-816629Q Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
89805A4	14-1/4	25C	SS	3	LH	N.L.A.
89806A4	14-1/4	25C	SS	3	RH	N.L.A.
89803A4	14-1/2	23C	SS	3	LH	N.L.A.
89804A4	14-1/2	23C	SS	3	RH	N.L.A.
89801A4	14-3/4	21C	SS	3	LH	N.L.A.
89802A4	14-3/4	21C	SS	3	RH	N.L.A.
89802A5	14-3/4	21C	SS	3	RH	N.L.A.
89799A4	15	19C	SS	3	LH	N.L.A.
89800A4	15	19C	SS	3	RH	N.L.A.
89800A5	15	19C	SS	3	RH	N.L.A.

Bravo Two

NLA = 48-18607A42, 48-18609A42
Thrust Washer 55074T Tab Washer 14-34817 Washer 12-55073A2 Nut 11-826711 27

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
	16-1/4	25C	AL	3	LH	AVAIL.
	17-1/4	25C	AL	3	LH	AVAIL.
	16-1/4	25C	AL	3	RH	AVAIL.
	17-1/4	25C	AL	3	RH	AVAIL.
	16-1/2	23C	AL	3	LH	AVAIL.
48- 18619A40	17-1/2	23C	AL	3	LH	AVAIL.
	16-1/2	23C	AL	3	RH	AVAIL.
48- 18618A40	17-1/2	23C	AL	3	RH	AVAIL.
	16-3/4	21C	AL	3	LH	AVAIL.
48- 18617A40	17-3/4	21C	AL	3	LH	AVAIL.
	16-3/4	21C	AL	3	RH	AVAIL.
48- 18616A40	17-3/4	21C	AL	3	RH	AVAIL.
	19-1/2	21C	AL	3	RH	AVAIL.
	14-1/4	19C	AL	3	LH	AVAIL.
48- 18615A40	18-1/4	19C	AL	3	LH	AVAIL.
	17-1/4	19C	AL	3	RH	AVAIL.
	19-3/4	19C	AL	3	RH	AVAIL.
48- 18614A40	18-1/4	19C	AL	3	RH	AVAIL.
	17-3/4	17C	AL	3	LH	AVAIL.
	18-3/4	17C	AL	3	LH	AVAIL.
	18-3/4	17C	AL	3	RH	AVAIL.
	18-3/4	17C	AL	3	RH	AVAIL.
	18-1/4	15C	AL	3	LH	AVAIL.
	19-1/4	15C	AL	3	LH	AVAIL.
	18-1/4	15C	AL	3	RH	AVAIL.
	19-1/4	15C	AL	3	RH	AVAIL.
	19-1/2	13C	AL	3	RH	AVAIL.
	20	11C	AL	3	RH	AVAIL.

Bravo Three - Gas & Diesel

Prop Wrench 91-805457T1 Rear Prop Nut 862907 Forward Prop Nut 11-859131
Rear Thrust Hub 805101T Forward Thrust Hub 805100

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
823670A 5	13-3/4	28	SS	3	RH	
823669A 5	15	28	SS	3	LH	
823668A 5	14	26	SS	3	RH	
823667A 5	15-1/4	26	SS	3	LH	
823666A 5	14-1/4	24	SS	3	RH	
823665A 5	15-1/2	24	SS	3	LH	
823664A 5	14-1/4	22	SS	3	RH	
823663A 5	15-3/4	22	SS	3	LH	
823662A 5	14-2/5	20	SS	3	RH	
823661A 5	16	20	SS	3	LH	
823670A 6	13-3/4	28	SS	3	RH	
823669A 6	15	28	SS	3	LH	
823668A 6	14	26	SS	3	RH	
823667A 6	15-1/4	26	SS	3	LH	
823666A 6	14-1/4	24	SS	3	RH	
823665A 6	15-1/2	24	SS	3	LH	
823664A 6	14-1/4	22	SS	3	RH	
823663A 6	14-1/4	22	SS	3	LH	
823662A 6	14-3/8	20	SS	3	RH	
823661A 6	16	20	SS	3	LH	

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Pre 2017 3 blade Front/Rear Quicksilver Thunderbolt BIII for MerCruiser Bravo Three sterndrives

3 blade front 3 blade rear propellers
For listing of New style 4 blade front 3 blade rear propellers, reference the Quicksilver Bravo Three section within the Quicksilver Propeller Application Charts section of guide
Mixing of old style and new style props is not recommended for best performance.

All Engines
Bravo Three Propeller Hardware (not included with propellers):
Forward Thrust Washer 805101T
Aft Thrust Washer 805100
Forward Prop Nut 859131
Aft Prop Nut 862907
Bravo Three Inner Prop Nut Wrench 805457T 1

Pitch	Material	Finish	Blades (Front & Rear)	LH Rotation Front Prop	RH Rotation Rear Prop	Model
28	SS	Matte	3 & 3			Bravo Three
26	SS	Matte	3 & 3			Bravo Three
24	SS	Matte	3 & 3			Bravo Three
22	SS	Matte	3 & 3			Bravo Three
20	SS	Matte	3 & 3			Bravo Three

Pre 2008 3 blade Front/Rear Mercury MerCruiser Bravo Three

3 blade front 3 blade rear propellers
For listing of New style 4 blade front 3 blade rear propellers Bravo Three in Mercury Propeller Application Charts section of guide
Mixing of old style and new style props is not recommended for best performance

All Engines
Bravo Three Propeller Hardware (not included with propellers):
Forward Thrust Washer 805101T
Aft Thrust Washer 805100
Forward Prop Nut 859131
Aft Prop Nut 862907
Bravo Three Inner Prop Nut Wrench 805457T 1

Pitch	Material	Finish	Blades (Front & Rear)	LH Rotation Front Prop	RH Rotation Rear Prop	Model
30 Cup	SS	Matte	3 & 3			Bravo Three
30	SS	Matte	3 & 3	N.L.A.	48-831868A60	Bravo Three
28 Cup	SS	Matte	3 & 3			Bravo Three
28	SS	Matte	3 & 3			Bravo Three
26 Cup	SS	Matte	3 & 3			Bravo Three
26	SS	Matte	3 & 3			Bravo Three
24 Cup	SS	Matte	3 & 3			Bravo Three
24	SS	Matte	3& 3			Bravo Three
22 Cup	SS	Matte	3 & 3			Bravo Three
22	SS	Matte	3 & 3			Bravo Three
20 Cup	SS	Matte	3 & 3			Bravo Three
20	SS	Matte	3 & 3			Bravo Three

MerCruiser 215E/215H/All II-TR & TR

NLA = 48-57270A1, 48-57271A1, 48-54733A1, 48-54733A4, 48-57268A1, 48-57269A1, 48-54731A1, 48-54731A4, 48-57266A1, 48-57267A1, 48-54719A1, 48-54720A1, 48-54717A1, 48-54718A1
Thrust Washer 55074T Tab Washer 14-34817 Washer 12-55073 (NLA) Nu

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
54726A 4	18	23C	AL	3	LH	48- 18619A40
57264A 1	19-1/4	23	AL	3	RH	48- 18618A40
57265A 1	19-1/4	23	AL	3	LH	48- 18619A40
77902A 1	19-1/4	23	AL	3	RH	48- 18618A40
77902A10	19-1/4	23	AL	3	RH	48- 18618A40
48- 18618A40	16-1/2	23C	AL	3	RH	AVAIL.
77903A 1	19-1/4	23	AL	3	LH	48- 18619A40
77903A10	19-1/4	23	AL	3	LH	48- 18619A40
48- 18618A40	16-1/2	23C	AL	3	LH	AVAIL.

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
54727A 1	18-1/2	21	AL	3	LH	48- 18617A40
54727A 4	18-1/2	21C	AL	3	LH	48- 18617A40
57262A 1	19-1/2	21	AL	3	RH	48- 18616A40
57263A 1	19-1/2	21	AL	3	LH	48- 18617A40
69262A 1	19-1/2	21	AL	3	RH	48- 18616A40
77900A 1	19-1/2	21	AL	3	RH	48- 18616A40
77900A10	19-1/2	21	AL	3	RH	48- 18616A40
48- 18616A40	16-3/4	21C	AL	3	RH	AVAIL.
77901A 1	19-1/2	21	AL	3	LH	48- 18617A40
77901A10	19-1/2	21	AL	3	LH	48- 18617A40
48- 18617A40	17-3/4	21C	AL	3	LH	AVAIL.
54725A 1	19	19	AL	3	LH	48- 18615A40
54726A 1	19	19	AL	3	RH	48- 18614A40
63305A 1	19-3/4	19	AL	3	LH	48- 18615A40
63306A 1	19-3/4	19	AL	3	RH	48- 18614A40
69260A 1	19-3/4	19	AL	3	RH	48- 18614A40
77898A 1	19-3/4	19	AL	3	RH	48- 18614A40
77898A10	19-3/4	19	AL	3	RH	48- 18614A40
	19-3/4	19C	AL	3	RH	AVAIL.
48- 18614A40	17-1/4	19C	AL	3	RH	AVAIL.
77899A1	19-3/4	19	AL	3	LH	48- 18615A40
77899A10	19-3/4	19	AL	3	LH	48- 18615A40
48- 18615A40	17-1/4	19C	AL	3	LH	AVAIL.
54723A 1	20	17	AL	3	LH	
54724A 1	20	17	AL	3	RH	
63303A 1	20	17	AL	3	LH	
63304A 1	20	17	AL	3	RH	
77896A 1	20	17	AL	3	RH	
77896A10	20	17	AL	3	RH	
48-8M0155030	18.8	17	AL	3	RH	AVAIL.
77897A1	20	17	AL	3	LH	
77897A10	20	17	AL	3	LH	
48-8M0155029	18.8	17	AL	3	LH	AVAIL.
54721A 1	19-3/4	15	AL	3	LH	
54722A 1	19-3/4	15	AL	3	RH	
77894A 1	19-3/4	15	AL	3	RH	
77894A10	19-3/4	15	AL	3	RH	
48-8M0155028	19.3	15	AL	3	RH	AVAIL.
77895A 1	19-3/4	15	AL	3	LH	
77895A10	19-3/4	15	AL	3	LH	
48-8M0155027	19.3	15	AL	3	LH	AVAIL.

MerCruiser TRS - Mirage

Rubber Hub - 370 Hp & Below
Thrust Hub 13171 Tab Washer 14-816629 Washer Splined 12-31211A2 Nut 11-52707A1

Solid Hub - 370 Hp & Up
Thrust Hub 14359 Splined Washer (FWD) 12-39701 Flat Washer (Rear) 12-39698 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
821720A 5	14-3/4	29C	SS	3	RH	
821719A 5	14-3/4	29C	SS	3	LH	
19836A 5	14-3/8	27C	SS	3	RH	18280A56
18280A56	14-3/8	27C	SS	3	RH	N.L.A.
19835A 5	14-3/8	27C	SS	3	LH	N.L.A.
13248A 5	14-1/2	25C	SS	3	RH	
13247A 5	14-1/2	25C	SS	3	LH	

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
13246A 5	14-5/8	23C	SS	3	RH	
13245A 5	14-5/8	23C	SS	3	LH	
13244A 5	14-3/4	21C	SS	3	RH	
13243A 5	14-3/4	21C	SS	3	LH	
13242A 5	15-1/4	19C	SS	3	RH	
13241A 5	15-1/4	19C	SS	3	LH	
19839A 5	15-1/2	17C	SS	3	LH	
19834A 5	15-1/2	17C	SS	3	RH	18278A56
19834A50	15-1/2	17	SS	3	RH	18278A56
18278A56	15-1/2	17	SS	3	RH	N.L.A.
19835A50	14-3/8	27	SS	3	LH	N.L.A.
19836A50	14-3/8	27	SS	3	RH	18280A56
19836A50	15-1/2	17	SS	3	LH	
13241A50	15-1/4	19	SS	3	LH	
13242A50	15-1/4	19	SS	3	RH	
13243A50	14-3/4	21	SS	3	LH	
13244A50	14-3/4	21	SS	3	RH	
13245A50	14-5/8	23	SS	3	LH	
13246A50	14-5/8	23	SS	3	RH	
13247A50	14-1/2	25	SS	3	LH	
13248A50	14-1/2	25	SS	3	RH	
821719A50	14-3/4	29	SS	3	LH	
821720A50	14-3/4	29	SS	3	RH	

MerCruiser TRS - Cleaver (Solid Hub)

Splined Washer (FWD) 12-39701 Flat Washer (Rear) 12-39698 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
74603A 4	14-1/4	25C	SS	3	LH	
13247A50	14-1/2	25	SS	3	LH	
74604A 4	14-1/4	25C	SS	3	RH	
13248A50	14-1/2	25	SS	3	RH	
68560A 4	15	23C	SS	3	RH	
74601A 4	14-1/2	23C	SS	3	LH	
13245A50	14-1/2	23	SS	3	LH	
74602A 4	14-1/2	23C	SS	3	RH	
13246A50	14-1/2	23	SS	3	RH	
68557A 4	15-1/4	21C	SS	3	LH	
68558A 4	15-1/4	21C	SS	3	RH	
74599A 4	14-3/4	21C	SS	3	LH	
13243A50	14-5/16	21	SS	3	LH	
74600A 4	14-3/4	21C	SS	3	RH	
13244A50	14-5/16	21	SS	3	RH	
68555A 4	15-1/2	19C	SS	3	LH	
68556A 4	15-1/2	19C	SS	3	RH	
74597A 4	15	19C	SS	3	LH	
13241A50	15	19	SS	3	LH	
74598A 4	15	19C	SS	3	RH	
13242A50	15	19	SS	3	RH	

MerCruiser TRS - Cleaver (Rubber Hub)

NLA = 48-89799A5, 48-89801A5, 48-89803A5, 48-89804A5, 48-89805A5, 48-89806A5
Thrust Hub 92950 Tab Washer 14-816629 Washer 12-31211A2 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
89805A 4	14-1/4	25C	SS	3	LH	N.L.A.
89806A 4	14-1/4	25C	SS	3	RH	N.L.A.
89803A 4	14-1/2	23C	SS	3	LH	N.L.A.
89804A 4	14-1/2	23C	SS	3	RH	N.L.A.
89801A 4	14-3/4	21C	SS	3	LH	N.L.A.
89802A 4	14-3/4	21C	SS	3	RH	N.L.A.
89802A 5	14-3/4	21C	SS	3	RH	N.L.A.
89799A 4	15	19C	SS	3	LH	N.L.A.
89800A 4	15	19C	SS	3	RH	N.L.A.
89800A 5	15	19C	SS	3	RH	N.L.A.

MerCruiser TRS - Laser

370 Hp & Below Only
Thrust Hub 12-835467 1 Tab Washer 14-816629 Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
11078A40	14-1/8	25	SS	3	RH	
11074A40	14-1/4	23	SS	3	RH	
11070A40	14-3/8	21	SS	3	RH	48-8M0151399

MerCruiser TRS - Standard (Aluminum)

255 & 280 Hp Only
NLA = 48-66141A4, 48-66143A4, 48-66145A4, 48-66147A4
Thrust Hub 56292A4 Tab Washer 14-816629 Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
65480A 4	14-1/2	25C	AL	3	RH	N.L.A.
79580A 4	14-1/2	25C	AL	3	RH	N.L.A.
78126A40	13-3/8	25C	AL	3	RH	N.L.A.
67874A 4	15	23C	AL	3	RH	48-832834A45
79578A 4	15	23C	AL	3	RH	48-832834A45
78124A40	13-1/2	23C	AL	3	RH	48-832834A45
65992A 4	15-1/4	21C	AL	3	RH	48-832832A45
79576A 4	15-1/4	21C	AL	3	RH	48-832832A45
78122A40	13-3/4	21C	AL	3	RH	48-832832A45
66432A 4	15-1/2	19C	AL	3	RH	48- 11324A45
11324A45	15-1/2	19C	AL	3	RH	AVAIL.
79574A 4	15-1/2	19C	AL	3	RH	48- 11324A45
11324A45	15-1/2	19C	AL	3	RH	AVAIL.
78120A40	14	19C	AL	3	RH	48-832830A45
66450A 4	16	17C	AL	3	RH	48- 16440A45
79572A 4	15-3/4	17C	AL	3	RH	48- 16440A45
78118A40	14-1/2	17C	AL	3	RH	48-832828A45
832828A45	14-1/2	17C	AL	3	RH	AVAIL.
16440A40	16	16C	AL	3	RH	48- 16440A45

MerCruiser II

NLA = 48-54352A1, 48-54352A4, 48-54353A1, 48-54353A4, 48-53496A1, 48-53496A4, 48-53497A1, 48-53497A4, 48-49978A1, 48-49978A4, 48-49979A1, 48-49979A4, 48-54829A4, 48-49973A1, 48-49973A4, 48-49974A1, 48-49974A4, 48-33237A1, 48-33238A1, 48-33238A4, 48-4997

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
	19-1/2	21	AL	3	RH	AVAIL.
	19-3/4	19	AL	3	RH	AVAIL.

MerCruiser III

NLA = 48-47691A1, 48-47691A4, 48-47692A1, 48-47692A4, 48-47693A1, 48-47693A4, 48-47694A1, 48-47694A4, 48-47695A4, 48-47696A4, 48-47697A1, 48-47697A4, 48-47698A1, 48-47698A4, 48-47699A4, 48-47700A4, 48-47701A1, 48-47707A4, 48-47702A1, 48-47702A4, 48-4770

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
47707A 1	19-1/4	25	AL	3	LH	N.L.A.
47708A 1	19-1/4	25	AL	3	RH	N.L.A.
47705A 1	19-3/4	23	AL	3	LH	N.L.A.
47704A 1	20	21	AL	3	RH	N.L.A.
47699A 1	20	17	AL	3	LH	N.L.A.
47700A 1	20	17	AL	3	RH	N.L.A.
47695A 1	20	13	AL	3	LH	N.L.A.
47696A 1	20	13	AL	3	RH	N.L.A.
47704A10	20	21	AL	3	RH	N.L.A.
47708A10	19-1/4	25	AL	3	RH	N.L.A.
47707A10	19-1/4	25	AL	3	LH	N.L.A.
47699A10	20	17	AL	3	LH	N.L.A.
47700A10	20	17	AL	3	RH	N.L.A.
47695A10	20	13	AL	3	LH	N.L.A.
47696A10	20	13	AL	3	RH	N.L.A.

PROPELLER HARDWARE AND ACCESSORIES

HUB CROSS-REFERENCE CHART

Mercury Rubber Hub Cross-Reference Chart

Application	Name	Hub Style	Hub or Sleeve P/N	Thrust Washer	Aft Washer / Sheer Pin	Nut	Cotter Pin	Nut Kit
Mercury/Mariner 2.5-3.5 HP FourStroke	Flo-Torq I	Rubber	N.L.A.	N.L.A.	17-815111Q02	N.L.A.	18- 95295Q	N.L.A.
Mercury/Mariner 4-6 HP FourStroke	Flo-Torq I	Rubber	N.L.A.	16145Q01	12- 16146	11- 16147	18-815026	N.L.A.
Mercury/Mariner 8-9.9 HP(2005 and Newer)	Flo-Torq I	Rubber	897453T	8M0131240	12- 16146	11- 16147	18-815026	803743Q02
Mercury/Mariner 6-15 HP 2-Stroke, 9.9 HP FourStroke (1995-2004), 15 HP FourStroke (Thru 2007)	Flo-Torq I	Rubber	827598T	821932 1	23- 42091 1	11- 40140	N.L.A.	11- 13914Q02
Mercury/Mariner 9.9 HP BigFoot, ProKicker (2005 and Newer) 15-20 FourStroke (2007 and Newer)	Flo-Torq I	Rubber	8M0054769	N.L.A.	12- 16140 2	11- 16147 1	18-815026 4	803743Q01
Mercury/Mariner 20/25 HP 2-Strokes (1980-2006), 9.9 & 15 HP BigFoot (1999-2004)	Flo-Torq I	Rubber	19669T	858498	N.L.A.	N.L.A.	N.L.A.	N.L.A.
Mercury/Mariner 25-30 HP FourStrokes (2006 and Newer)	Flo-Torq I	Rubber	897001T	16145 2	12- 16140 2	11- 16147 1	N.L.A.	N.L.A.
Mercury/Mariner 25 HP BigFoot, 30 HP 2-Strokes, 40-60 HP 2-Strokes and FourStrokes excluding BigFoot(1977 and Newer)	Flo-Torq I	Rubber	43676T	73345A 1	14- 76281Q	11- 69578Q 1	N.L.A.	11- 31990Q02
Mercury/Mariner 40-60 BigFoot FourStrokes with Silver (A33) Propellers	Flo-Torq I	Rubber	859173	12-835467K01	12- 31211K03	11- 52707Q 1	N.L.A.	11-827614Q01

FLO-TORQ APPLICATION CHARTS

Mercury/Mariner/Force & MerCruiser Sterndrive

Application	Flo-Torq Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut
Mercury 75 2- Stroke (1984 and newer), 90 & 115 2- Stroke (1978 and newer), 125 HP (1994 and newer), Verado 200-300 HP, Alpha & Bravo 1 Sterndrives	835257Q 1	12-835467K01	835290Q 1	N/A	826074Q 1	8M0204724	11- 52707Q 1
Force 75 (1999), 90-150 (1995 and newer)	835257Q 1	12-835467K01	835290Q 1	N/A	826074Q 1	8M0204724	11- 52707Q 1
Mercury 40 CT - 225 HP FourStroke for vibration reduction	8M0150152	12-835467K01	8M0173051	N/A	8M0173049	8M0204724	11- 52707Q 1
Mercury 40 CT - 300 HP FourStroke, high perf for vibration reduction	8M0101604	12-835467K01	N/A	N/A	N/A	8M0204724	11- 52707Q 1
Mercury 40 CT - 300 HP For Use With Surfacing Propellers; Tempest Plus, Trophy Plus, & Fury	835257Q 6	12-835467K01	835290Q 1	23-856163Q 1	826074Q 1	8M0204724	11- 52707Q 1
Mercury Racing Choppers & Cleavers for V-6 Outboards	835258Q 1	12-835467K01	850821Q11	N/A	826074Q 1	8M0204724	11- 52707Q 1
Mercury 400+ Bravo I	835258Q 2	12-835467 5	850821Q2	849501	826074Q 1	8M0204724	11- 52707Q 1
Mercury V8 FourStroke & 350 - 400 Verado Outboards (1.25 in. Shaft)	8M0101603	N/A	N/A	N/A	N/A	N/A	12-840383A 2

Yamaha Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Yamaha 115, 130 HP (1984 and newer)	835271Q 2	12-853948T	835290Q 1	N/A	826074Q 1	12-850076	8M0214972	18- 47959
Yamaha 50-100 HP	835272Q 1	12-853555	835290Q 1	N/A	826074Q 1	12-850076	8M0214972	18- 47959
Yamaha 150-300 HP 4-Strokes, Including SHO	835274Q 1	12-853948T	835290Q 1	N/A	826074Q 1	12-887972	8M0214972	18- 47959
Yamaha 150-300 HP 2-Strokes, HPDI, VMAX and 130-300 HP Sterndrives	835271Q 2	12-853948T	835290Q 1	N/A	826074Q 1	12-850076	8M0214972	18- 47959
Yamaha 200-250 HP VMAX SHO 4-Strokes	8M0075402	23-8M0064826	835290Q 1	23-856163Q 1	826074Q 1	12-887972	8M0214972	18- 47959

PROPELLER HARDWARE AND ACCESSORIES

Evinrude/Johnson/OMC & Volvo SX Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Evinrude/Johnson V-4	835266Q 1(1)	859915	835290Q1(Delrin)	N/A	834839Q	N/A	859929	18-8M0214988
Johnson 90-115 HP 4-Stroke	835283Q 1	12-888939	835290Q1(Delrin)	N/A	826074Q 1	12-887972	8M0214972	18-8M0214988
Johnson 140 HP 4-Stroke Outboard	835283Q 2	12-835467008	835290Q1(Delrin)	N/A	826074Q 1	12-887972	8M0214972	18-8M0214988
Evinrude/Johnson/OMC Sterndrives V-6, V-8 (1991 and newer)	8M0119081	12-835467008	835290Q1(Delrin)	N/A	834839Q	12-887972	8M0107489	18-8M0214988
Evinrude/Johnson 250 V-6 (2002 and newer)	8M0119081	12-835467008	835290Q1(Delrin)	N/A	834839Q	12-887972	8M0107489	18-8M0214988
Evinrude/Johnson/OMC Stern Drives V-6, V-8 (1990 and earlier)	8M0119082	12-835467K01	835290Q1(Delrin)	N/A	834839Q	12-887972	8M0107489	18-8M0214988
OMC Cobra SX/Volvo SX (1994 and newer) (19 tooth spline)	8M0119083	12-835467008	835290Q1(Delrin)	N/A	850330Q	N/A	8M0107489	18-8M0214988

(1) Use hub kit only with Quicksilver small labyrinth seal propellers: QA2202X thru QA2208X, QA 3828X thru QA3832X and QS5136X thru QS5144X.

Honda Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Honda 75-90 HP 1999 & Newer, 115-130 HP (all years)	835279Q 2	12-853359	835290Q1(Delrin)	N/A	826074Q 1	8M0204724	11- 52707Q 1	N/A
Honda 75-90 HP thru 1998	835277Q 1	12-835467K01	835290Q1(Delrin)	N/A	826074Q 1	8M0204724	11- 52707Q 1	N/A
Honda 135-250 HP 4-Stroke	835278Q 1	12-888451	835290Q1(Delrin)	N/A	826074Q 1	12-887972	8M0214972	18- 47959

Suzuki & Tohatsu/Nissan Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/ Washer	Nut	Cotter Pin
Suzuki 60 HP 4-Stroke (1998 and newer), 70 HP 4-Stroke (1998-2008), 75-140 HP 2-Stroke	835282Q 1(1)	12-854621	835290Q 1	N/A	834839Q	12-887972	8M0214972	18- 47959
Suzuki 70-90 HP (2009 and newer)	835283Q03	12-8M0042329	835290Q 1	N/A	826074Q 1	12-887972	8M0214972	18- 47959
Suzuki 90-115 HP 4-Stroke (2001-2008)	835283Q 1	12-888939	835290Q 1	N/A	826074Q 1	12-887972	8M0214972	18- 47959
Suzuki 140 HP 4-Stroke, 100-115 HP 4-Stroke (2009 and newer)	835283Q 2	12-835467008	835290Q 1	N/A	826074Q 1	12-887972	8M0214972	18- 47959
Suzuki 150-300 HP	835281Q 1	12-853359	835290Q 1	N/A	826074Q 1	12- 31211K03	8M0214972	18- 47959
Tohatsu/Nissan 60-140 HP	835284Q 1	12-853948T	835290Q 1	N/A	826074Q 1	12- 16140	11- 16147	18-815026

(1) Use hub kit only with Quicksilver small lybrinth seal propellers: QA2202X thru QA2208X, QA 3828X thru QA3832X and QS5136X thru QS5144X.

FLO-TORQ REFLEX HUB KITS

FLO-TORQ REFLEX HUB KIT



835257K12

Mercury/Mariner 40-60 HP FourStroke (not CT/BigFoot), 30 HP FourStroke 1994-2005, 30-60 HP 2-Stroke 1977 and newer, 25 HP CT/BigFoot, 55 HP SeaPro/Marathon, Yamaha 40-60 HP(Excluding 50T and 60T), Honda 40-50 HP with separately purchased 8M0046466 Thrust Washer.

Kit includes:
8M0047148 Drive Sleeve
835248 Thust Washer
8M0042293 Washer
86614 O-Ring
69578Q 1 Prop Nut Kit

835257K12

Mercury/Mariner 40-60 HP FourStroke (not CT/BigFoot), 30 HP FourStroke 1994-2005, 30-60 HP 2-Stroke 1977 and newer, 25 HP CT/BigFoot, 55 HP SeaPro/Marathon, Yamaha 40-60 HP(Excluding 50T and 60T), Honda 40-50 HP with separately purchased 8M0046466 Thrust Washer.

Kit includes:
8M0047148 Drive Sleeve
835248 Thust Washer
8M0042293 Washer
86614 O-Ring
69578Q 1 Prop Nut Kit

FLO-TORQ REFLEX DRIVE SLEEVE




8M0047148

Plastic drive sleeve Flo-Torq Reflex Composite Drive Sleeve

FLO-TORQ II & SSR HUB KITS

Quicksilver Propellers can improve performance of any boat. Use the following section to find the proper hardware selection for your engine.

FLO-TORQ SSR HUB KIT MERCURY



8M0150152

Specifically designed with the new Mercury FourStroke V6 engine to virtually eliminate prop rattle and shift clunk, providing a quieter boating experience. Also works well on 75 - 150 horsepower FourStroke engines.

For use with current Mercury/Mariner FourStroke outboards 40 CT - 225 HP (1" prop shaft) Bravo One Sterndrives in general purpose applications.

40 HP - 60 HP CT FourStroke (All Years)
75 HP - 115 HP FourStroke (2014 and Newer)
150 HP FourStroke (2011 and Newer)
175 HP - 225 HP FourStroke (2018 and Newer)
Not for use with legacy Two or FourStroke outboards or Alpha One sterndrives

Kit includes:
8M0173051 Drive sleeve
8M0173049 Aft adapter
835467Q01 Thrust washer
8M0056234 Prop nut kit

FLO-TORQ SSR HD HUB KIT MERCURY



8M0101603

Contains: Drive sleeve 840383A 2 Prop nut and washer kit

For use with Mercury V8 FourStroke and 350-400 HP Verado outboards (1.25" prop shaft). For all applications.

FLO-TORQ SSR SOLID HUB KIT MERCURY



8M0101604

For use with Mercury/Mariner FourStroke outboards 40 CT - 300 HP (1" prop shaft) & Mercruiser Bravo One Sterndrives for high performance and surface-piercing applications.
Not for use with 2 stroke outboards or Alpha One sterndrives

Kit includes: Drive sleeve, aft adapter
835467Q01 Thrust washer
8M0056234 Prop nut kit

FLO-TORQ II HUB KIT MERCURY



835257K 1

835467 1 Forward thrust washer
879637 Plastic drive sleeve
826074Q1 Aft adapter with Tab Washer
827614 1 Prop nut

Mercury/Mariner 40-60 HP CT/Bigfoot, 70-300 HP, Verado, Force 90-120, MerCruiser Alpha & Bravo One (under 400 HP)

Mercury Precision Branded, Hanging Box Point of Sale Packaged.

835257Q 1

835467Q01 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter with tab washer
8M0056234 Prop nut

Mercury/Mariner 40-60 HP CT/Bigfoot, 70-250 HP, Force 90-120 HP, Verado 150-300 HP, MerCruiser Alpha, Alpha One & Bravo One (under 400 HP)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT WITH BUSHING MERCURY



835257K 6

835467 1 Forward thrust washer
879637 Plastic drive sleeve
856163A1 Bushing
826074Q1 Aft adapter with Tab Washer
827614 1 Prop nut

Typically used for the Fury, Tempest Plus, Trophy Plus, Revolution 4 & Bravo 1 in a surface piercing application.

Mercury Precision Branded, Hanging Box Point of Sale Packaged.

835257Q 6

835467Q01 Forward thrust washer
835290Q 1 Plastic drive sleeve
856163 1 Bushing
826074Q1 Aft adapter with tab washer
8M0056234 Prop nut

Typically used with high speed surface piercing applications. Propellers used in these applications are the Mercury Fury, Fury 4, Tempest, Rev 4, Bravo I and Quicksilver Q4.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

FLO-TORQ II SOLID HUB KIT MERCURY



835258K 1

Kit contains: Forward thrust washer (hardened), Steel (3 7/8 in.) drive sleeve, Aft adapter, Tab Washer & Prop nut

For use with Chopper, Cleaver, Lightning ET, Pro ET & old style Bravo I (with MerCruiser logo) propellers.

Mercury Precision Branded, Hanging Box Point of Sale Packaged.

835258Q 1

Kit contains: Forward thrust washer (hardened), Steel (3 7/8 in.) drive sleeve, Aft adapter, Tab Washer & Prop nut

For use with Chopper, Cleaver, Lightning ET, Pro ET & old style Bravo I (with MerCruiser logo) propellers.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II SOLID HUB KIT MERCURY



835258K 2

Kit Contains: Forward thrust washer (hardened), Steel (3 5/8 in.) drive sleeve, Aft adapter, Tab Washer & Prop nut (1 in. Propshaft)

Standard length hub for use with the Fury, Tempest Plus, Mirage Plus, REV 4, Trophy Plus, Bravo I & Maximus propellers (Bravo One Sterndrive 400HP+, 1" prop shaft).

Mercury Propeller Branded, Hanging Box Point of Sale Packaged.

835258Q 2

Kit contains: Forward thrust washer (hardened), Steel (3 5/8) drive sleeve, Aft adapter, Tab washer & Prop nut

Standard length hub for use with Fury, Tempest Plus, Mirage Plus, REV 4, Trophy Plus, Bravo I & Maximus propellers (Bravo One Sterndrive 400HP+, 1" prop shaft).

Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROP HD HUB KIT



8M0183487

840382A02 Black snubber strip replacement kit
840383A 2 Prop nut and washer kit
8M0142084 HD Prop Hub Bushing Kit

For use with HD (Heavy Duty) 1.25" propshaft when installed on Sport Master, Torque, Torque II, HD Fleet Master, Verado 5.25" outboard gearcases, MerCruiser Bravo One XR or XZ, Sport Master, shorty Sport Master and Sport sterndrives.

8M0183487

840382A02 Black snubber strip replacement kit
840383A 2 Prop nut and washer kit
8M0142084 HD Prop Hub Bushing Kit

For use with HD (Heavy Duty) 1.25" propshaft when installed on Sport Master, Torque, Torque II, HD Fleet Master, Verado 5.25" outboard gearcases, MerCruiser Bravo One XR or XZ, Sport Master, shorty Sport Master and Sport sterndrives.

FLO-TORQ II HUB KIT HONDA



835277Q 1

835467Q01 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter with Tab Washer
8M0056234 Prop nut

Honda outboards (75-90 HP thru 1998)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT HONDA



835279Q 2

853359 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q 1 Aft adapter
887972 Washer
8M0214972 Prop Nut
8M0214988 Cotter pin

Honda outboards (75-90 HP 1999-present, 115-130 HP)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT HONDA



835278Q 1

888451 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
887972 Spacer
8M0214972 Nut
8M0214988 Cotter Pin

Honda 135, 150, 200, 225 and 250 HP 4-Stroke. Can be used with Mercury Racing propellers.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE E-TEC G2



8M0107220

835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
8M0214988 Cotter pin

Evinrude E-TEC G2, 2014 AND NEWER

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE & JOHNSON



835266Q 1

859915 Thrust washer
835290Q 1 Plastic drive sleeve
834839Q Aft adapter
859929 Nut
8M0214988 Cotter pin

Evinrude & Johnson outboards (V-4 gearcase, 1968-present). For use with propellers that have cut down labyrinth seal.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT



835283Q 1

888939 Fwd thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
887972 Washer
8M0214972 Nut
8M0214988 Cotter Pin

Johnson & Suzuki 90-115 HP 4-Stroke outboards

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835283Q 2

835467 1 Forward thrust washer
835257Q 1 Plastic drive sleeve
826074Q1 Aft adapter
887972 Washer
8M0214972 Nut
8M0214988 Cotter Pin

Johnson & Suzuki 140 HP 4-Stroke outboards

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835282Q 1

854621 Forward thrust washer
835290Q 1 Plastic drive sleeve
834839Q Aft adapter
854621 Washer
8M0214972 Nut
8M0214988 Cotter Pin

Suzuki 60 HP 4-Stroke (1998 and Newer) 70 HP 4-Stroke (1998-2008) 75-140 HP 2-Stroke

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835281Q 1

853359 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
31211A3 Washer
8M0214972 Nut
8M0214988 Cotter Pin

Suzuki 150-225 HP 2-Stroke Outboards and 150-250 HP 4-Stroke Outboards. Can be used with Mercury Racing propellers.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

FLO-TORQ II HUB KIT SUZUKI



835283Q03

8M0042329 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
887972 Washer
8M0214972 Nut
8M0214988 Cotter Pin

Suzuki 70-90 HP 2009 and Newer

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT TOHATSU



835284Q 1

853948 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
16140 Washer
16147 Nut
8M0214988 Cotter Pin

Tohatsu/Nissan (70C, 90-140 HP)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE, JOHNSON AND OMC



8M0119081

835467008 Forward thrust washer
835290Q 1 Plastic drive sleeve
834899Q Aft adapter
8M0214988 Cotter Pin

Evinrude/Johnson outboards and OMC stern drive (V6 & V8 gearcase, 1991 and newer including 150+ hp outboards and 2003 V6 with crescent gearcase. Caution! When installing stainless steel propellers, remove the anode to bearing carrier and check clearance before operation. Will not work with the OMC Cobra.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE, JOHNSON AND OMC



8M0119082

835467 1 Forward thrust washer
835290Q 1 Plastic drive sleeve
834899Q Aft adapter
8M0214988 Cotter pin

Evinrude/Johnson, OMC stern drives (V-6 & V-8 gearcase, 1984-1990). Caution! When installing stainless steel propellers, remove the anode to bearing carrier and check clearance before operation.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ HUB KIT OMC COBRA / VOLVO SX



8M0119083

835467 7 Forward thrust washer
835290Q 1 Plastic drive sleeve
850330Q Aft adapter
8M0214988 Cotter Pin

OMC Cobra an Volvo SX stern drive 19-tooth spline 1996 & Newer. Caution! When installing stainless steel propellers, remove the anode to bearing carrier and check clearance before operation.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



835272Q 1

853555 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
850076 Spacer
859935 Nut
8M0214988 Cotter Pin

Yamaha outboards (50-100 HP, splined forward thrust washer)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



835271Q 2

853948T Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
850076 Spacer
8M0214972 Nut
8M0214988 Cotter Pin

Yamaha 150-300 HP HPDI 2-stroke outboards using a one piece thrust washer and all Yamaha stern drives

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



8M0075402

8M0064826 Forward thrust washer
835257Q 1 Plastic drive sleeve
826074Q1 Aft adapter
887972 Spacer
8M0214972 Nut
8M0214988 Cotter Pin

115-250 HP VMAX SHO 4 stroke outboards using a two piece thrust washer.

Use part number 835274Q1 if OEM hub uses single piece thrust washer

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT



835274Q 1

853948 1 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
887972 Spacer
8M0214972 Nut
8M0214988 Cotter Pin

150-300 HP 4 stroke outboards and 115-250 VMAX SHO outboards using OEM single piece thrust washer

Use p/n 8M0075402 for 115-250 VMAX SHO outboards using OEM two piece thrust washer

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ REFLEX DRIVE SLEEVE



8M0047148

Plastic drive sleeve Flo-Torq Reflex Composite Drive Sleeve

DRIVE SLEEVE



8M0173051

Drive sleeve for Flo-Torq SSR. Use only with aft adapter 8M0173049.

See Flo-Torq SSR hub kit for application information.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

DRIVE SLEEVE



835290Q 1

Plastic drive sleeve Flo-Torq II

Quicksilver Branded, Hanging Box Point of Sale Packaged.

HUB ASSEMBLY WITH SLEEVE



850821Q11

Long, (3 7/8") with bushing (849501-1), included in steel hub kits

Stainless steel drive sleeve for A45/A55 P/N suffix (400 HP+) for use with Chopper, Cleaver, Lightning ET, Pro ET & Bravo I (with MerCruiser logo) propellers. Used with Mercury and selected Yamaha propshafts.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

HUB ASSEMBLY WITH SLEEVE



850821Q12

Short, (3 5/8") with bushing (849501-1), included in steel hub kits

Stainless steel drive sleeve for A46/A47/A56 P/N suffix (400 HP+). Standard length hub for use with Tempest Plus, Mirage Plus, REV 4, Trophy Plus, Bravo I & Maximus propellers (Bravo One Sterndrive 400HP+, 1" prop shaft). Used with Mercury and selected Yamaha propshafts.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

AFT ADAPTER



8M0173049

Adapter for use with only Flo-Torq SSR drive sleeve 8M0173051 (15 Spline)

See Flo-Torq SSR hub kit for application information.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

AFT ADAPTER WITH TAB WASHER



826074Q 1

Adapter for use with Flo-Torq II plastic Drive Sleeve (15 Spline)

Kit contains: 8M0042201 (aft adapter) & 8M0204724 (tab washer)
Mercury 40 BigFoot - 250 HP outboards & MerCruiser Alpha and Bravo One Sterndrives, Honda 75 - 225 HP, Suzuki 90 - 140 4-stroke & 150 - 225 HP, Tohatsu/Nissan 40 - 140 HP, Yamaha 50 - 225 HP outboards (1" prop shaft).

Quicksilver Branded, Hanging Box Point of Sale Packaged.

AFT ADAPTER WITH TAB WASHER



8M0061986

Kit contains 8M0115120 (aft adapter) & 8M0204724 (tab washer)
Drive sleeve for use with Flo-Torq III and IV. (15 Spline) Includes pin style tab washer

Quicksilver Branded, Box Point of Sale Packaged.

AFT ADAPTER



834839Q

Adapter OMC, Suzuki V-4 (Flo-Torq II) 13 spline

AFT ADAPTER



834899Q

Adapter OMC V-6, V-8 outboard (Flo-Torq II) 15 Spline

HUB KIT



8M8022263

Double nut kit for use with Mercury Racing NXT1 sterndrives adapting Cleaver propellers.

AFT ADAPTER



850330Q

Adapter Volvo SX, 19 spline (Flo-Torq II)

BUSHING - PROP HUB



23-849501Q 1

Included in steel hub kits
(Flo-Torq II)

BUSHING - PROP HUB



23-856163Q 1

Forward bushing for Flo-Torq II drive sleeve
Typically used for Tempest Plus, Trophy Plus, Revolution 4 & Bravo 1 in a surface piercing application with Flo-Torq II.
Note, this bushing is included in Flo-Torq kit # 835257K6 / 835257Q 6.

BUSHING



23-823516

Blade bushing Power 2 shifting prop
Priced individually, sold @ multiples of 6

PROP BUSHING



23-822974

Prop Bushing.
Fits Mercury Racing Six and M8 Drive (thin wall).


PROP BUSHING



23-8M0108472

For Mercury Racing Cleavers with 1.25" propshaft.

PROP BUSHING



8M0142084

For Mercury Racing 1.25 inch HD SOLID Hub.

PROP EXHAUST SEAL RING



878421

Will reduce ventilation when using Trophy Plus on a V-6 gearcase (prevents over/under exhaust).
Recommended on 200- 275 Verado when using Trophy Plus.

PROPELLER HARDWARE AND ACCESSORIES

VENT CONTROL RING



8M0086395

Reduces ventilation when used with Pro Max propellers on 4.8" gearcase; also recommended to use on the Mercury 150 FS and 75 - 115 CT with Trophy Plus propellers. The vent control ring allows minimal exhaust to flow between gearcase and ring during planing. Place the ring chamfer side up on the floor, press the propeller into the ring.

RETAINING RING



53-**822975**

For Mercury Racing Six and M8 Drive prop bushing 822974.

53-**8M0108475**

For Mercury Racing Outboard Cleavers with 1.25" propshaft, bushing 8M0108472.

PROP REVERSE KIT



822559Q01

Prop reverse kit (6-15 HP 2-Stroke)
Priced individually, sold @ multiples of 2

SNUBBER STRIP KIT



840382A02

Snubber strips and double sided tape.
For use with Mercury Racing HD Hub Kit (8M0183487).

ANODES

PROP NUT ANODE KIT



809664A 1

1-1/8 in. Shaft, 3/4 in. NF 16

Fits Mercury/Mariner 70 hp and higher outboards (except 225 EFI FourStroke); Also fits MC-I, R, MR, Alpha, Bravo One & TRS sterndrives (1970 & newer)

PROP NUT ANODE KIT



97-**809666A02**

Aluminum, For use in saltwater or freshwater.
1-3/8 in. Shaft, 1 in. NF 14

Fits Bravo III drives (s/n 0M179451 and below)

97-**809666A03**

Magnesium, For use in freshwater only.
1-3/8 in. Shaft, 1 in. NF 14

Fits MerCruiser Bravo Three Drives (serial No. 0M179451 and below)

REPLACEMENT PROP NUT ANODE



97-**809662T**

2 in. Aluminum Anode Shell
Replacement Shell for 809662A 1

2" aluminum anode shell
is a replacement anode for 809662A1, and fits Mercury 700-1500 outboards and MerCruiser MC-I sterndrives

REPLACEMENT PROP NUT ANODE



97-**809666T**

2-5/16 in. Aluminum Anode Shell
Replacement Shell for 809666A 1and 809666A02

2-5/16" aluminum anode shell
is a replacement anode for 809666A02, and fits MerCruiser Bravo Three sterndrives

REPLACEMENT PROP NUT ANODE



97-**809670T**

2-1/2 in. Aluminum Anode Shell
Replacement Shell for 809670A 1

2-1/2" aluminum anode shell is a replacement anode for 809670A1, and fits MerCruiser Bravo Two, TR and MC-III sterndrives

ANODIC PLATE



97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.

Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DIFFUSER RINGS

DIFFUSER RING



68861T

Mercury/Mariner 25 (4-Stroke), 30-60 HP, Force 40-75 HP

DIFFUSER RING



68858T

Mercury/Mariner 41/4" gearcase current Black Max (75-125 HP)

DIFFUSER RING



45676T

Mercury/Mariner V-6, Alpha, Bravo I & TRS (current 43/4" gearcase propellers)

DIFFUSER RING



54737T

MerCruiser Bravo II

PROPELLER HARDWARE AND ACCESSORIES

DIFFUSER RING



42594T

OMC 9.9 - 15 HP

PROP NUT KITS

PROP NUT KIT



8M0192279

Kit includes locking prop nut, washer, anode and pin.

For use with Joystick Piloting for Outboards (JPO) for Single-Engine Pontoons propeller 8M0180533.

PROP NUT KIT



FA94094-2

819883 Prop nut
8M0214988 Cotter pin
25-20195 O-Ring

Force 30, 40, 50

PROP NUT KIT



11- **13914Q02**

821932 1 Thrust washer, 23-42091 1 Spacer, 11-40140 Prop nut

Mercury/Mariner 6-15 HP 2-cycle, 9.9 hp FourStroke (1994-2004), 15 hp FourStroke (1994-2006), Force 9.9/15 hp 2-cycle 1998 & newer.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



803743Q01

8M0143215 THRUST HOLDER
12-16140 2 WASHER
11-16147 1 PROP NUT
18-815026 4 COTTER PIN

Fits the Mercury / Mariner 9.9 HP BF FS/ Pro Kicker, 15/20 HP FS (9.9 Big Foot Model Year 2005 and Newer) (15/20 HP FS 2007 and Newer).

Priced individually, sold @ multiples of 2

PROP NUT KIT



803743Q02

8M0070811 THRUST HOLDER
12-16146 WASHER
11-16147 PROP NUT
18-815026 1 COTTER PIN

Mercury / Mariner 8/9.9 HP FS, (Model Year 2005 and Newer)

Priced individually, sold @ multiples of 2

PROP NUT KIT



11- **64075A 1**

23-65439 Spacer
12-79552 Washer
11-8M0204653 Prop nut

Mercury/Mariner 200 (old 20 HP)

PROP NUT KIT



11- **69578T 1**

Kit includes a special locking nut and two tab washers.

For use on Mercury/Mariner 30-60 hp. outboard engines.

Priced individually, sold @ multiples of 2

Mercury Propeller Branded, Clamshell Package Point of Sale Packaged.

11- **69578Q 1**

Kit includes a special locking nut and two tab washers.

For use on Mercury/Mariner 30-60 hp. outboard engines.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

HARDWARE KIT



8M0088039

Adapts 40-60 HP Black Diamond, Nemesis, and Silverado propellers with Flo-Torq Reflex Hubs to fit Suzuki 35-65 HP engines. Kit contains both forward and aft washers.

HARDWARE KIT



8M0053074

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance propellers with Flo-Torq Reflex Hubs to fit Tohatsu 40-50 HP engines. Kit contains both forward and aft washers.

PROP NUT KIT



11- **31990K02**

73345A1 Front thrust washer, 14-76281 Tab washer, 11-69578Q1 Prop nut

Mercury/Mariner 30/40 HP (1989 to present), 50-60 HP (1991 to present, excluding Bigfoot), Force 40-50 HP (1995 & newer), Force 70 HP (1991 & newer), Force 75 HP (1996). Rubber hub propellers only. Purchase this hardware kit to complete install of a rubber hub propeller when propeller hardware is not included with engine.

Priced individually, sold @ multiples of 2

Mercury Propeller Branded, Clamshell Package Point of Sale Packaged.

11- **31990Q02**

73345A1 Front thrust washer, 14- 8M0214942, Tab washer, 11-69578Q1 Prop nut

Mercury/Mariner 30/40 HP (1989 to present), 50-60 HP (1991 to present, excluding Bigfoot), Force 40-50 HP (1995 & newer), Force 70 HP (1991 & newer), Force 75 HP (1996). Rubber hub propellers only. Purchase this hardware kit to complete install of a rubber hub propeller when propeller hardware is not included with engine.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11-**827614Q01**

12-835467 1 Front thrust washer, 13-42351 1 Continuity washer, 12-31211A3 Washer, 14-816629Q Tab washer, 11-52707Q1 Prop nut

Mercury/Mariner 70 HP+ (non Flo-Torq II)

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11-**827614Q04**

13191A1 Front thrust washer, 14-816629Q Tab washer, 11-52707Q1 Prop nut

For Aft-Installed Rubber Hub Props: Fits Mercury/Mariner 70-140 (Inline 6 cyl. 1977 and newer), Mercury/Mariner 60 HP BigFoot and 75-125 HP (1987 & newer) 2-cycle outboards, Force 90-120 HP (1995 & newer) 2-cycle outboards.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

PROP NUT KIT



12-**840383A 2**

Kit includes locking prop nut, 1.5 in. washer, 1.5 in. cupped belleville washer & 1 13/16 in. spacer.

For use with HD (Heavy Duty) 1.25" propshaft when installed on Sport Master, Torque Master I and II, Fleet Master and Verado 5.25" gearcase and MerCruiser Bravo One XR or XZ, Sport Master and shorty Sport Master Bravo I XR Sport sterndrives. Tighten propeller nut to 55 lb-ft (75Nm).

PROP NUT KIT



11-**8M0056235**

Tab washer and nut

Mercury outboards 75 HP and up and Mercruiser Alpha and Bravo 1 sterndrives

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

11-**8M0056234**

Tab washer and Nut

Mercury/Mariner 40-60 HP CT/Bigfoot, 70-250 HP, Force 90-120, Verado 150-300 (1" prop shaft) & Mercruiser Alpha and Bravo One (under 400HP)

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11- **52707T 1**

Kit includes a special locking nut and two tab washers.

For use on Mercury/Mariner 75 hp. and higher outboard engines (except 225 EFI FourStroke) and for use on MerCruiser Alpha One and Bravo I drives.

Priced individually, sold @ multiples of 2

Mercury Propeller Branded, Clamshell Package Point of Sale Packaged.

11- **52707Q 1**

Two tab washers and Nut

For use on Mercury/Mariner 75 HP and higher outboard engines (except 225 EFI FourStroke) and for use on MerCruiser Alpha One and Bravo I drives.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11-**827614A 3**

14359 Front thrust washer
12-31211A3 Washer

Bravo 1 (four blade stainless prop) & Mirage Plus (A50) solid hub (not Flo-Torq II)

PROP NUT KIT



802002Q 1

Fits all Johnson/Evinrude 20, 25, 30 & 35 HP 1976-2000 except 1991 25 HP DR, DE and DT International models.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUTS

PROP NUT



11-**826711 12**

Power 2 Shifting Prop

Priced individually, sold @ multiples of 2

PROP NUT



11-**F7048**

Force 60, 85-150 (single exhaust)

Priced individually, sold @ multiples of 2

PROP NUT




11-**826709 11**

Mercury 3.9, 3.6, 39, 40, 60, 110

Priced individually, sold @ multiples of 5

PROP NUT



11-**8M0204653**

7/16-20, nylon insert

For MCM inner transom studs and prop nut for Mercury 39, 60 (1968 & newer, 8 spline)

Priced individually, sold @ multiples of 10

PROP NUT



11- **16147**

Fits Mercury 4 & 5 HP, and fits the 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer).

PROP NUT



11- **40140**

Mercury/Mariner 5-15 HP outboards using a Brass propnut with M10x1.5 threads and nylon insert.

Priced individually, sold @ multiples of 2

PROP NUT



11- **88228**

A special molded nylon propnut fitting the 18/20/25 Hp. 2-cycle Mercury/Mariner outboards (1980 & newer), and the F9.9/15, 323cc BigFoot FourStroke outboards.

Priced individually, sold @ multiples of 2

PROP NUT KIT



11- **64075A 1**

23-65439 Spacer
12-79552 Washer
11-8M0204653 Prop nut

Mercury/Mariner 200 (old 20 HP)

PROP NUT



11- **46335**

Mercury/Mariner 18-25 HP (1980-present)

PROP NUT



11-**862907**

Bravo Three (rear), Bravo Four S (front), Zeus (rear)
Use 1-7/16 in. socket

PROPELLER HARDWARE AND ACCESSORIES

PROP NUT



11-**8M0105210**

Bravo Three (front), Bravo Four S (rear), Zeus (front)
Use prop wrench 91-805457T1

PROP NUT



11-**826711 27**

12-39817 Prop washer
For use with Bravo II and Mercury Racing Six Drive

PROP NUT



859929

OMC 40-140 HP V-4 (OEM P/N 314053)

PROP NUT



8M0214972

Prop Nut
16.13 PROP NUT-SUZ40/V6-YAMV6

SHEAR PINS

SHEAR PIN KIT



FA324101

17-820150 Shear Pin (3)18-45882 Cotter Pin
Force 4-15 HP

SHEAR PIN



17-**815111Q02**

Fits the Mercury/Mariner/Force 2/2.5/3/3.3hp 2-cycle and 2/2.5/3.5hp FourStroke outboards. Visit the prop charts or parts catalogs for proper matching selections.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SHEAR PIN



17-**8M0215660**

6X36

COTTER PINS

COTTER PIN



18-**8M0214988**

12 X 1.50

COTTER PIN



18-**815026**

Fits Mariner 9.9C (682) 15C (684), and fits Mercury/Mariner 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer).

Priced individually, sold @ multiples of 5

COTTER PIN



18- **95295Q**

Thruster (R, RL, RX, T series) Mariner 30 (689B)

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SPACERS

SPACER



23- **42091 1**

Mariner 9.9-15 HP

SPACER



12-**850076**

Yamaha 60-250 HP, includes sterndrives (Flo-Torq II)

SPACER



12- **29710**

Cupped Washer, 40HP Big Foot - old V6

Priced individually, sold @ multiples of 3

SPACER



12- **54738**

Cupped Washer, Bravo II

SPACER



12- **55072**

Cupped Washer, Bravo II

WASHERS

WASHER



12- **31211K03**

Fits following product with rubber hub propellers (non-Flo-Torq II): Mercury/Mariner 135-275 (V-6, 2-cycle) and Alpha, Bravo I (w/o Flo-Torq II Hub).

Priced individually, sold @ multiples of 2

Mercury Propeller Branded, Peg Display Card Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

WASHER



12- **20084**

Mercury 39, 60, 110 (1967 & older, 6 spline)
Priced individually, sold @ multiples of 5

WASHER



12- **27025**

Mercury 39, 60, 65, 110
Priced individually, sold @ multiples of 5

WASHER



12- **16146**

Fits Mercury 4 & 5HP, and fits the 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer).

WASHER



12- **39701**

Bravo I

WASHER



12- **55073A 2**

Bravo II

WASHER



12- **39817**

For use with Mercury Racing Six Drive prop shaft.

WASHER



12-**887972**

Washer
Evinrude/Johnson V6 Outboards and Sterndrives 1991 and newer, Yamaha 150-300 HP 4-Stroke outboards and Honda outboards 75-225HP
Priced individually, sold @ multiples of 2

CONTINUITY WASHER



13- **42351 1**

Mercury/Mariner 135-275 V-6, Alpha, Bravo I, (w/o Flo-Torq II Hub)
Priced individually, sold @ multiples of 2

TAB WASHERS

TAB WASHER



14-**8M0214942**

Tab Washer

TAB WASHER



8M0204724

Tab Washer, .770

TAB WASHER



14-**816629K**

Included in steel hub kits

Mercury/Mariner 40-60 hp FourStroke BigFoot, 75-250 hp 2-cycle, Alpha & Bravo I

Priced individually, sold @ multiples of 2

Mercury Propeller Branded, Peg Display Card Point of Sale Packaged.

14-**816629Q**

For Mercury/Mariner 40-60 hp FourStroke BigFoot, 75-300 hp 2-stroke and 4-stroke outboards, Alpha and Bravo I sterndrives using a bronze drive sleeve adapter.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

TAB WASHER



14- **34817**

Bravo II

THRUST WASHERS

THRUST WASHER



73345A 1

For use with 3 blade stainless steel - Cleaver or Chopper II

Fits Mercury 40-60 standard gearcase. Use with rubber props only - do not use with Flo-Torq Reflex propellers.

THRUST WASHER



16145Q01

Mercury 4-5 HP

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

FORWARD THRUST WASHER



8M0131240

Fits the standard propeller on 2005 and newer Mercury and Mariner 8 and 9.9hp FourStroke outboards with standard gearcase

THRUST WASHER



23- **85964A 1**

Mercury 200 (old 20 HP)

PROPELLER HARDWARE AND ACCESSORIES

THRUST WASHER



858498

For use with 3 blade stainless steel - Cleaver & Chopper II

Fits Mercury 20-25

THRUST WASHER



73345A 1

For use with 3 blade stainless steel - Cleaver or Chopper II

Fits Mercury 40-60 standard gearcase. Use with rubber props only - do not use with Flo-Torq Reflex propellers.

THRUST WASHER



38859A 1

Mercury 350-700 (old 35-75 HP)

THRUST WASHER



13191K01

Flat type

Fits 75 - 125 hp outboards with rubber hub props
Fits 40-60 hp FourStroke BigFoot

Priced individually, sold @ multiples of 2

Mercury Propeller Branded, Peg Display Card Point of Sale Packaged.

THRUST WASHER



14359

Mercury/MerCruiser A50 solid hub & Power 2

THRUST WASHER



12-**835467K01**

Fits the following product when used with Flo-Torq II hub propellers:

Mercury/Mariner 40-60 hp BigFoot FourStroke
Mercury/Mariner 75-125 hp 2-cycle and FourStroke
Mercury/Mariner 135-275 hp 2-cycle
Force 75 hp (1999) & 90-1150 hp (1995 and newer)
Mercury MerCruiser Alpha and Bravo I sterndrives
Evinrude/Johnson V-6 outboards 1990 and prior
OMC sterndrives V-6 & V-8 gearcases 1984-1990
Honda 75-90 hp outboards 1998 and prior
Suzuki 140 hp 4-stroke outboards

Caution should be exercised to assure the correct thrust hub is matched with the prop in use. Used with Flo-Torq II & III Delrin (plastic) hub kit propellers.

Priced individually, sold @ multiples of 2

Mercury Propeller Branded, Peg Display Card Point of Sale Packaged.

THRUST WASHER



12-**835467 5**

Front, included in steel hub kits

Mercury/MerCruiser A55 & A56 solid hub applications (Flo-Torq II)

THRUST WASHER



55074T

Bravo Two (front)

THRUST WASHER



805100

Bravo Three (front), Bravo Four S (rear), Zeus (front)

THRUST WASHER



805101T

Bravo Three (rear), Bravo Four S (front), Zeus (rear)

THRUST WASHER



12-**8M0046466**

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance propellers with Flo-Torq Reflex Hubs to fit Honda 40-50 HP engines.

THRUST WASHER



835278A 1

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance Rubber Hub props to Honda 40-50 HP & Nissan/Tohatsu 40-50 HP

THRUST WASHER



12-**853359**

Honda 75-90 HP (1999-present), 115-130 HP (1998-present) Suzuki V-6 (Flo-Torq II Hub)

THRUST WASHER



12-**888451**

Forward Thrust Washer
Honda 135-225 HP outboards

THRUST WASHER



859915

OMC 45, 60, 70 HP V-4 (OEM P/N 127084/318841)

PROPELLER HARDWARE AND ACCESSORIES

THRUST WASHER



12-**835467 7**

OMC V-6, V-8 outboard, 1991-present (Flo-Torq II)

THRUST WASHER



12-**854621**

Suzuki V-4 (Flo-Torq II)

THRUST WASHER



12-**853948T**

Tohatsu/Nissan 75-140 HP (Flo-Torq II)

THRUST WASHER



12-**853555**

Yamaha 60-90 HP (Flo-Torq II)

THRUST WASHER



23-**8M0064826**

Yamaha 200-250 SHO Adapts to Yamaha two piece thrust washer

TRIM TABS

TRIM TAB



97- **31640Q 4**

Aluminum

Fits most Mercury/Mariner outboards 30-200 hp outboards and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

TRIM TAB ANODE



97-**822777T 1**

Aluminum

For applications where extra clearance is required for high rake propellers.

Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.

Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

ANODIC PLATE



97- **76214Q 5**

Aluminum
Provides additional clearance for high rake propellers.
Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

RUBBER HUBS

RUBBER HUB



8M0054769

Rubber Hub Mercury/Mariner 9.9 BF, 15/20HP 4Stroke
9.9HP Bigfoot Model Year 2005 and Newer
15/20HP Model Year 2007 and Newer

897453T

Rubber Hub Mercury/Mariner 8-9.9 HP FourStroke
2005 and Newer

RUBBER HUB



897001T

Rubber Hub Mercury/ Mariner 25/30HP 4-Stroke
Model Year 2006 and Newer

RUBBER HUB



42630 1

2-3/16" long, 8 splines
Mercury 7.5 & 9.8 HP (1968-84)

RUBBER HUB



827598T

Mercury 9.9-15 HP 2-Stroke, 9.9 HP FourStroke 1995-2004, 15 HP FourStroke (Thru 2007)

RUBBER HUB



19669T

Mercury 20-25 HP

RUBBER HUB



859173

Mercury 40-60 HP BigFoot Engines 15 Tooth Spline 60HP Maximum

PROPELLER HARDWARE AND ACCESSORIES

RUBBER HUB



92418

Mercury 28, 28A, 200, 250 series

RUBBER HUB



43676T

3-3/8" long, 13 splines

Mercury 402, 500, 700 series (1977-85) Mercury 30-60 HP

RUBBER HUB



17611T

Mercury 80-140 HP (1978 & later in-line motors) Stainless steel applications

RUBBER HUB



43615T 1

OB front insertion 4" long, 15 splines

Mercury 150-200 HP (1978 & later V-6) aluminum, ET, Chopper and Outboard Cleaver

RUBBER HUB



43672

OB rear insertion

Mercury Stainless steel Chopper & Lightning ET propeller hub

RUBBER HUB



88437

MerCruiser 1A, 1B, 1C, 120, 140, 175, 888, 225S, 233, 255TRS & 80 TRS

RUBBER HUB



43636T

4-5/8" long, 19 splines

MerCruiser TR215, Bravo II

SKEGS

REPLACEMENT SKEG



15985A02

Precision die cast 360XK alloy for stronger, more uniform welds.

Fits Mercury/Mariner 50-60hp BigFoot 3-cyl, 70-90hp (serial No. US 0A996142 and newer, BEL 9483121 and newer), 100-125hp (0B209468 and newer), 75-115hp FourStroke (1B366823-2B094955), and Force 90 and 120hp (0E093700 and newer) outboards

REPLACEMENT SKEG



815632A02

For MCM Bravo One & Bravo Three drives

REPLACEMENT SKEG



859447A 1

Precision die cast 360XK alloy for stronger, more uniform welds.

Fits Mercury / Mariner 75/80 (4 cyl.), 90/115 (6 cyl.) and most V-6 outboard models including 2.5L OptiMax. Has adequate depth for the 3.0L models but is not an exact silhouette of the original skeg.

REPLACEMENT SKEG



90185A 1

Will not fit original Alpha One drives

For MCM Alpha One Gen II drives (s/n 0D469859 and above)


REPLACEMENT SKEG



806688A02

For MCM Bravo Two drives


REPLACEMENT SKEG



898245A01

Fits Verado outboards, 135 through 300 hp. and 3.0L gearcases that have a 4.80 inch diameter torpedo.

REPLACEMENT SKEG



8M0060147

Pecision die cast 360XK alloy for stronger, more uniform welds.

Fits the Mercury/Mariner F150 hp. EFI FourStroke 4 cylinder outboard, and the F75-115 hp. (2.1L) FourStroke Command Thrust outboard serail number 2B094996 and above..

REPLACEMENT SKEG



8M0052924

Precision die cast 360XK alloy for stronger, more uniform welds.

Fits the Verado and 3.0L gearhousings with a 5.44 inch diameter torpedo.

PERFORMANCE VENT PLUGS

VENT PLUG



19220A 4

R/H Laser II props (Old style A41, A45 P/N suffix)

PROPELLER HARDWARE AND ACCESSORIES

VENT PLUG



816318A 4

L/H Laser II props (Old Style A41, A45 P/N suffix)

VENT PLUG



19-**824431**

Used with Large tube Trophy (A41, A45 P/N suffix), replaces 19-32652A1 (welch plug)
Priced individually, sold @ multiples of 4

VENT PLUG



19-**8M0214985**

Vent Plug

PVS VENT FITTING



19-**889725T28**

Small PVS plug (.280/7mm) (A46, A47, A48 P/N suffix).
Priced individually, sold @ multiples of 5

PVS VENT FITTING



19-**889725T35**

Medium PVS plug (.350/9mm)
Priced individually, sold @ multiples of 5

PVS VENT FITTING



19-**889725047**

Large PVS plug (.470/12mm)(A46, A47, A48 P/N suffix)
Superseded from 19-856622 47
Priced individually, sold @ multiples of 5

STAINLESS STEEL IMPELLERS

OUTBOARD JET IMPELLER



47-**855708T25**

Mercury/Mariner 20/25 HP

OUTBOARD JET IMPELLER



47-**855708T40**

Mercury/Mariner 30/40 HP (3 cyl)
Force 50 HPS
OMC 40 HP
Yamaha (3 cyl) 40 HP
Suzuki (2 cyl) 40 HP
Tohatsu/Nissan (3 cyl) 40/50 HP

OUTBOARD JET IMPELLER



47-**8M0230713**

Mercury/Mariner 45/60 HP
OMC 50/70 HP
Yamaha 48
Suzuki 65 HP

OUTBOARD JET IMPELLER



47-**855708115**

Mercury/Mariner 65/90 HP
Mercury/Mariner 80/115 HP
OMC 110/140 HP
Suzuki 115/140 HP

SPORTJET IMPELLER



47-**828989T 1**

90 jet (splined) 1993-1995
95 XR jet 1996-1997
120 jet 1995
120 XR jet 1996-1998

SPORTJET IMPELLER



47-**835452T**

175 XR2 jet 1997-2000

SPORTJET IMPELLER



47-**877326T**

M2 jet drive 210 carb model 2000
M2 jet drive 240 EFI model 2000

SPORTJET IMPELLER



47-**883796T01**

High skew impeller developed to provide improved holding or reduced cavitation during acceleration and in turns. This impeller will produce an additional 75 RPM's on top end in most cases. When used in the 250 application the REV limiter may be activated more often than with the standard 4 blade impeller.

Fits the 175, 200, 210, 240 & 250 Jet Drive.

TOOLS

PLUG WRENCH/SCREW TOOL



91-**8M0026088**

Plug Wrench/Screw Tool

PROPELLER NUT TOOL




91-**805457T 1**

For removal and installation of inner/front propeller nut.

Bravo Three

PROPELLER HARDWARE AND ACCESSORIES

PROP SLIP CALCULATOR



90- **86147A 1**

Used to calculate the slip percentage of a boat

PROPELLER BLOCK



91-**8M0129072**

Hands free propeller block. Attach the propeller block to the anti-ventilation plate to stop the propeller from rotating while removing the propeller nut.
Similar in size to a Flo-Torq II drive sleeve, it is compact and lightweight to keep in the boat for quick access.
Works with all sterndrive and outboard applications

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Product Point of Sale Packaged.

BRAVO THREE PROPELLER WRENCH



91-**8M0129074**

Double ended wrench that fits both of the MerCruiser Bravo Three nuts for propeller removal and installation. Powder coated finish, durable steel construction.

MerCruiser Bravo Three

FLOATING PROP WRENCH



91-**859046M 1**

Fits 9/16" Nut (Purple) Fits Mercury/Mariner 6,8,9.9 & 15 HP.

Mercury Propeller Branded, Peg Display Product Point of Sale Packaged.

FLOATING PROP WRENCH



91-**859046M 2**

Fits 13/16" Nut (Green) Fits Mercury/Mariner 20, 25 HP Johnson/Evinrude 9.9,15,20,30 HP.

Mercury Propeller Branded, Peg Display Product Point of Sale Packaged.

FLOATING PROP WRENCH



91-**859046M 3**

Fits 15/16" Nut (Orange) Fits Mercury/Mariner 30,40,50&60 HP.

Mercury Propeller Branded, Peg Display Product Point of Sale Packaged.

FLOATING PROP WRENCH



91-**859046M 4**

Fits 1-1/16" Nut (Yellow) Fits MOST sterndrives and V4/V6 Outboards.

Mercury Propeller Branded, Peg Display Product Point of Sale Packaged.

PROP STOW



8M0192216

6 in.(152 mm) hub, for use with 15 inch to 18 inch sterndrive Clever propellers

PROP STOW



847314A 1
4 in.(102 mm) hub, for use with Bravo I, ECO, Max 5, Maximus, Mirage , etc.

MERCURY RACING PROPELLER ACCESSORIES

PROP STOW



847314A 1
4 in.(102 mm) hub, for use with Bravo I, ECO, Max 5, Maximus, Mirage , etc.

PROP STOW



8M0192216
6 in.(152 mm) hub, for use with 15 inch to 18 inch sterndrive Clever propellers

RACING CNC CLEAVER PROPELLER HARD CASE



8M0224768
Durable case to protect Mercury Racing Outboard 5 Blade Cleaver

8M0224769
Durable case to protect Mercury Racing Sterndrive 5 Blade Cleaver

MARINE GREASE

Quicksilver 2-4-C Marine Grease with PTFE is a high quality, extremely versatile lithium-based, NLGI 2 grease that won't break down when mixed with water. It also has:
• Excellent resistance to oxidation and degradation
• Extreme pressure additives to withstand friction in a wide variety of operations and temperatures
Replaces Quicksilver Special 101 Lubricant part number 92-802865Q02

For use in the following marine applications:
• Steering systems/cable linkages
• Throttle and shift cables and linkages
• Remote controls
• Prop shafts
• Swivel pins
• Tilt lock mechanisms/tilt tube
• Hinge pins
• Boat trailer wheel bearings

2-4-C MARINE LUBRICANT



92-**8M0208464**
3 - 85 g tubes (3 - 3 oz tubes) cartridge

2-4-C MARINE LUBRICANT & CARTRIDGE GUN



92-**8M0213123**
Cartridge gun and one 3 oz.(85 g) cartridge.

2-4-C MARINE LUBRICANT



92-**8M0208465**
2-4C grease with Teflon
227 g (8 oz) tube

PROPELLER HARDWARE AND ACCESSORIES

2-4-C MARINE LUBRICANT



92-**8M0208463**

Fits standard 14 oz grease guns
397 g (14 oz) cartridge

PAINTS

EDP PROPELLER BLACK PAINT



92-**8M0133931**

340 g (12 oz) spray can

PADDED RACING COVERS

RACING PROPELLER COVER



8M0232927

15-inch

8M0232928

18-inch

PROPELLER COVER - 18 INCH



8M0134102

18" padded cover for Cleaver Racing propeller

PROPELLER COVER

8M0134104

Padded propeller cover designed for CNC propellers 15 to 18 inches in diameter

PROPELLER COVER - 11 INCH



8M0134100

11" padded cover for Cleaver Racing propeller

PROPELLER COVER - 15 INCH

8M0134101

15" padded cover for Cleaver Racing propeller

TABLE OF CONTENTS

Quicksilver Inflatables 810

Airdeck 811
Alu-RIB - Hypalon 819
Alu-RIB - PVC 816
Alu-RIB Ultralight - PVC 815
Sport 812
Sport HD 813
Tendy 810

Inflatable Accessories 821

Air Pumps and Gauges 823
Boat Bags 823
Consoles 821
Repair Kits 823
Seat Bags/Cushions 823
Seatbenches 822

QUICKSILVER INFLATABLES

Reliable, Durable, and Versatile.

Quicksilver Inflatables offer the perfect balance of features, durability, and value. The range includes high-quality PVC models, both high-quality PVC aluminum RIBs and inflatable keel models (roll-ups), as well as two specialized Hypalon RIB models for UV-intensive climates. Built with thermal-welded seams, these boats ensure maximum durability.

Designed for lightweight portability, stability, quick setup, and easy operation, Quicksilver Inflatables come in a variety of styles and sizes. Whether you need a tender for a larger vessel or a standalone boat for recreational activities, Quicksilver Inflatables have you covered. Their lightweight design makes them easy to transport and store, while their stability ensures a safe and enjoyable experience on the water.

TENDY

Your ultimate companion.
Light. Compact. Reliable.

Why Choose Quicksilver Tendy?

1. Effortless Portability: The Tendy is easy to carry, transport, and store. No more struggling with bulky equipment!

2. Compact Design: Its sleek, space-saving structure ensures it fits seamlessly into your lifestyle, whether you're heading out for a day on the water or storing it at home.

3. Reliability: Built with high-quality materials, the Tendy promises durability and performance, giving you peace of mind on every outing.

Make Every Water Adventure Unforgettable with Quicksilver Tendy! Embrace the freedom and joy of effortless water adventures. The Quicksilver Tendy is not just a boat; it's your gateway to unforgettable memories. Get yours today and experience the perfect blend of innovation and practicality.

200 TENDY SLATTED



A-AA200059N

- 0,7mm white PVC
- Large black rubbing strake
- Adjustable bench seat
- Slatted Floor
- Tow D-rings
- External lifeline
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.0
Width (m) 1.34
Diameter tube (cm) 36
Weight (kg) 16.8
Max. persons 2
Max. hp 3.5
Short shaft
Packing size (cm) 93 x 47 x 20

200 TENDY AIR FLOOR



A-AA200060N

- 0,7mm white PVC
- Large black rubbing strake
- Adjustable bench seat
- Air Floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.0
Width (m) 1.34
Diameter tube (cm) 36
Weight (kg) 21.8
Max. persons 2+1
Max. hp 3.5
Short shaft
Packing size (cm) 93 x 47 x 20

240 TENDY SLATTED



A-AA240159N

- 0,7mm white PVC
- Large black rubbing strake
- Adjustable bench seat
- Slatted Floor
- Tow D-rings
- External lifeline
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.4
Width (m) 1.34
Diameter tube (cm) 36
Weight (kg) 18.8
Max. persons 3
Max. hp 4
Short shaft
Packing size (cm) 98 x 48 x 25

240 TENDY AIR FLOOR



A-AA240160N

- 0,7mm white PVC
- Large black rubbing strake
- Adjustable bench seat
- Air Floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.4
Width (m) 1.34
Diameter tube (cm) 36
Weight (kg) 23.8
Max. persons 3
Max. hp 4
Short shaft
Packing size (cm) 98 x 48 x 25

AIRDECK

High-quality tender for your boat.

The Quicksilver AirDeck is crafted for those who demand convenience and superior performance on the water. Combining practicality with advanced features, it is the perfect tender for any boat.

Why Choose Quicksilver AirDeck?
Effortless Portability: The AirDeck is designed for easy carrying, transport, and storage. Say goodbye to cumbersome equipment!
Spacious Design: With sizes ranging from 250 to 320 cm, it offers ample space for comfort and utility.
Superior Durability: Crafted from high-quality PVC with a fabric thickness of 0.9 mm and a denier of 1100, the AirDeck ensures long-lasting performance.

Make Every Voyage Enjoyable with Quicksilver AirDeck! Experience the ultimate in boating convenience and style. The Quicksilver AirDeck is not just a tender; it's your key to memorable water adventures. Get yours today and enjoy the perfect blend of innovation and practicality.

250 AIRDECK



A-AA250032N

- 0,9mm white PVC
- Large blue and white rubbing strake
- Adjustable bench seat
- AirDeck inflatable floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.49
Width (m) 1.52
Diameter tube (cm) 42
Weight (kg) 28
Max. persons 3+1
Max. hp 5
Short shaft
Packing size (cm) 100 x 54 x 25

300 AIRDECK



A-AA300064N

- 0,9mm white PVC
- Large blue and white rubbing strake
- Adjustable bench seat
- AirDeck inflatable floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 3.00
Width (m) 1.52
Diameter tube (cm) 42
Weight (kg) 37
Max. persons 4
Max. hp 15
Short shaft
Packing size (cm) 102 x 55 x 24

320 AIRDECK



A-AA320036N

- 0,9mm white PVC
- Large blue and white rubbing strake
- Adjustable bench seat
- AirDeck inflatable floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 3.20
Width (m) 1.52
Diameter tube (cm) 42
Weight (kg) 42
Max. persons 5
Max. hp 20
Short shaft
Packing size (cm) 108 x 57 x 25

SPORT

Imagine gliding across serene waters, the sun reflecting off the surface as you steer your Quicksilver Sport. This isn't just any boat; it's your ticket to adventure. Available in a sleek medium grey, the Quicksilver Sport is designed for those who crave both excitement and reliability.

Picture yourself adjusting the seat bench to find that perfect spot, feeling the sturdy aluminum floor beneath your feet. The multiple carrying handles make it easy to transport, whether you're heading to a secluded lake or a bustling marina. With the included carrying bag, double action hand-pump, and aluminum oars, you're always ready for the next journey.

The Quicksilver Sport isn't just about getting from point A to point B; it's about the thrill of the ride and the memories you'll create along the way. So, set sail with confidence and let the Quicksilver Sport be your guide to unforgettable water adventures.

250 SPORT (ALU-FLOOR) MEDIUM-GREY



A-AA250033N

- 0,9mm medium-grey PVC
- Large black and white rubbing strake
- Adjustable bench seat
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.49
Width (m) 1.52
Diameter tube (cm) 42
Weight (kg) 35
Max. persons 3+1
Max. hp 8
Short shaft
Packing size (cm) 98 x 57 x 22

300 SPORT (ALU FLOOR) MEDIUM-GREY



A-AA300065N

- 0,9mm medium-grey PVC
- Large black and white rubbing strake
- Adjustable bench seat
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 3.00
Width (m) 1.52
Diameter tube (cm) 42
Weight (kg) 49
Max. persons 4
Max. hp 15
Short shaft
Packing size (cm) 115 x 57 x 22

320 SPORT (ALU FLOOR) MEDIUM-GREY



A-AA320037N

- 0,9mm medium-grey PVC
- Large black and white rubbing strake
- Adjustable bench seat
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 3.20
Width (m) 1.52
Diameter tube (cm) 42
Weight (kg) 54
Max. persons 5
Max. hp 20
Short shaft
Packing size (cm) 113 x 60 x 25

SPORT HD

Imagine setting out on a calm morning, the Quicksilver Sport HD in your favorite color—medium grey or vibrant red—ready to take you on your next fishing or diving adventure. This boat is designed with enthusiasts in mind, offering the perfect blend of durability and convenience.

Picture yourself casting a line or gearing up for a dive, the large adjustable nylon strap securely holding your fuel tank, and the reinforced tow D-rings providing extra stability. The aluminum floor offers a sturdy base, while the multiple carrying handles make it easy to transport your gear. With sizes ranging from 365 to 470, there's ample space for all your equipment.

Included with the Quicksilver Sport HD are a carrying bag, double action hand-pump, repair kit, and aluminum paddles—everything you need for a seamless experience. Whether you're fishing in a quiet lake or diving into crystal-clear waters, the Quicksilver Sport HD is your reliable companion, making every outing unforgettable.
Ready to elevate your fishing and diving adventures? The Quicksilver Sport HD is here to make it happen.

365 SPORT HD (ALU FLOOR) MEDIUM-GREY



A-AA360004N

- 1,2mm medium-grey PVC
- Large black and white rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 3.65
Width (m) 1.70
Diameter tube (cm) 44
Weight (kg) 79
Max. persons 6
Max. hp 25
Short Shaft
Packing size (cm) 135 x 74 x 40

420 SPORT HD (ALU FLOOR) MEDIUM-GREY



A-AA430110N

- 1,2mm medium-grey PVC
- Large black and white rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 4.20
Width (m) 1.92
Diameter tube (cm) 50
Weight (kg) 115
Max. persons 8
Max. hp 40
Long shaft
Packing size (cm) 135 x 74 x 43

365 SPORT HD (ALU FLOOR) RED



A-AA380128N

- 1,2mm red PVC
- Large black and red rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 3.65
Width (m) 1.70
Diameter tube (cm) 44
Weight (kg) 79
Max. persons 6
Max. hp 25
Short Shaft
Packing size (cm) 135 x 74 x 40

470 SPORT HD (ALU FLOOR) MEDIUM-GREY



A-AA470046N

- 1,2mm medium-grey PVC
- Large black and white rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 4.70
Width (m) 1.92
Diameter tube (cm) 50
Weight (kg) 129
Max. persons 10
Max. hp 60
Long shaft
Packing size (cm) 135 x 74 x 46

420 SPORT HD (ALU FLOOR) RED



A-AA430111N

- 1,2mm red PVC
- Large black and red rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 4.20
Width (m) 1.92
Diameter tube (cm) 50
Weight (kg) 115
Max. persons 8
Max. hp 40
Long shaft
Packing size (cm) 135 x 74 x 43

470 SPORT HD (ALU FLOOR) RED



A-**AA470048N**

- 1,2mm red PVC
- Large black and red rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 4.70
Width (m) 1.92
Diameter tube (cm) 50
Weight (kg) 129
Max. persons 10
Max. hp 60
Long shaft
Packing size (cm) 135 x 74 x 46

ALU-RIB ULTRALIGHT - PVC

Imagine embarking on a luxurious water adventure with the Quicksilver Alu-RIB Ultra Light, available in sophisticated dark grey or classic white. This spacious RIB is designed for those who appreciate both elegance and functionality.
Picture yourself adjusting the seat bench to your liking, feeling the stability of the V-floor beneath you, enhanced by anti-skid pads for added safety. The reinforced tow D-rings and keel protection ensure a secure and smooth journey, while the multiple carrying handles make transportation effortless. With sizes of 270 and 290, there's plenty of room for comfort and convenience.

The Quicksilver Alu-RIB Ultra Light comes with everything you need for a seamless experience: a double action hand-pump, repair kit, and aluminum oars. Whether you're exploring new waters or enjoying a leisurely day out, this boat offers the perfect blend of luxury and practicality.

Set sail with the Quicksilver Alu-RIB Ultra Light and elevate your water adventures to new heights.

270 ALU-RIB ULTRA LIGHT DARK-GREY



A-**AA270162N**

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Tow D-rings
- Multiple carrying handles
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.70
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 38
Max. persons 3
Max. hp 10
Short shaft

290 ALU-RIB ULTRA LIGHT DARK-GREY



A-AA290026N

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Tow D-rings
- Multiple carrying handles
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.90
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 41
Max. persons 4
Max. hp 15
Short shaft

ALU-RIB - PVC

Imagine setting off on your next adventure with the Quicksilver Alu-RIB, available in sleek dark grey or pristine white. This versatile boat is designed for those who seek both performance and comfort on the water.
Visualize yourself adjusting the seat bench to your perfect position, with the anti-skid pads on the floor providing extra safety and stability. The double bow locker offers ample storage for all your gear, while the reinforced tow D-rings and keel protection ensure a smooth and secure journey. With sizes ranging from 320 to 420, there's a perfect fit for every explorer.

The Quicksilver Alu-RIB comes equipped with everything you need for a hassle-free experience: a double action hand-pump, repair kit, and aluminum oars. Whether you're heading out for a day of fishing, exploring new waters, or simply enjoying a leisurely cruise, the Quicksilver Alu-RIB is your reliable companion.

Embark on your next water adventure with the Quicksilver Alu-RIB and experience the perfect blend of innovation and practicality.

320 ALU-RIB DARK-GREY



A-AA320038N

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.2
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 61.3
Max. persons 5
Max. hp 20
Short shaft

350 ALU-RIB DARK-GREY



A-AA350069N

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.5
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 69
Max. persons 6
Max. hp 25
Short shaft

380 ALU-RIB DARK-GREY



A-AA380124N

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.8
Width (m) 1.69
Diameter tube (cm) 45
Weight (kg) 92
Max. persons 7
Max. hp 30
Short shaft

420 ALU-RIB DARK-GREY



A-AA410015N

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 4.2
Width (m) 1.69
Diameter tube (cm) 45
Weight (kg) 115
Max. persons 8
Max. hp 40
Short shaft

270 ALU-RIB ULTRA LIGHT WHITE



A-AA270160N

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Tow D-rings
- Multiple carrying handles
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.70
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 38
Max. persons 3
Max. hp 10
Short shaft

290 ALU-RIB ULTRA LIGHT WHITE



A-AA290024N

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Tow D-rings
- Multiple carrying handles
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.90
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 41
Max. persons 4
Max. hp 15
Short shaft

320 ALU-RIB WHITE



A-AA320042N

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.2
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 61.3
Max. persons 5
Max. hp 20
Short shaft

350 ALU-RIB WHITE



A-AA350073N

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.5
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 69
Max. persons 6
Max. hp 25
Short shaft

380 ALU-RIB WHITE



A-AA380129N

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.8
Width (m) 1.69
Diameter tube (cm) 45
Weight (kg) 92
Max. persons 7
Max. hp 30
Short shaft

420 ALU-RIB WHITE



A-**AA420005N**

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 4.2
Width (m) 1.69
Diameter tube (cm) 45
Weight (kg) 115
Max. persons 8
Max. hp 40
Short shaft

ALU-RIB - HYPALON

Set sail in style with the Quicksilver ALU-RIB Hypalon, the ultimate blend of luxury and durability. Available in a sophisticated cream-white, this boat is designed for those who crave adventure without compromising on elegance.
Picture yourself gliding across the water, the teak-look anti-skid pads underfoot adding a touch of class and safety. The double hull with a flat floor and spacious bow locker, perfect for your fuel tank, ensures you have everything you need for a day on the water. With reinforced transom and tow D-rings, plus multiple Hypalon carrying handles, this boat is built for both performance and convenience.

Choose from sizes 320 and 350, and enjoy the peace of mind that comes with Bravo overpressure valves and keel protection. The Quicksilver ALU-RIB Hypalon comes fully equipped with a double action hand-pump, repair kit, and aluminum oars, so you're always ready for your next adventure.

Elevate your water experiences with the Quicksilver ALU-RIB Hypalon —where luxury meets practicality. Get ready to make waves!

320 ALU-RIB HYPALON CREAM-WHITE



A-**AA320039N**

- 0,84mm cream-white Hypalon and white Hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Teak-look anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Reinforced Tow D-rings
- External lifeline
- Multiple Hypalon carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles
- Bravo overpressure relief valve

Length (m) 3.20
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 66.3
Max. persons 5
Max. hp 20
Short shaft

350 ALU-RIB HYPALON CREAM-WHITE



A-AA350070N

- 0,84mm cream-white Hypalon and white Hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Teak-look anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Reinforced Tow D-rings
- External lifeline
- Multiple Hypalon carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles
- Bravo overpressure relief valve

Length (m) 3.50
Width (m) 1.63
Diameter tube (cm) 42
Weight (kg) 73.4
Max. persons 6
Max. hp 25
Short shaft

Quicksilver Product Number	Model
A-AA350070N	350 ALU-RIB Hypalon Cream-White

Inflatable Boats

Quicksilver Product Number	Model
A-AA200059N	200 TENDY Slatted
A-AA200060N	200 TENDY Air Floor
A-AA240159N	240 TENDY Slatted
A-AA240160N	240 TENDY Air Floor
A-AA250032N	250 AIRDECK
A-AA300064N	300 AIRDECK
A-AA320036N	320 AIRDECK
A-AA250033N	250 SPORT (Alu Floor) Medium-Grey
A-AA300065N	300 SPORT (Alu Floor) Medium-Grey
A-AA320037N	320 SPORT (Alu Floor) Medium-Grey
A-AA360004N	365 SPORT HD (Alu Floor) Medium-Grey
A-AA430111N	420 SPORT HD (Alu Floor) Medium-Grey
A-AA470046N	470 SPORT HD (Alu Floor) Medium-Grey
A-AA380128N	365 SPORT HD (Alu Floor) Red
A-AA430111N	420 SPORT HD (Alu Floor) Red
A-AA470048N	470 SPORT HD (Alu Floor) Red
A-AA270162N	270 ALU-RIB Ultra Light Dark-Grey
A-AA290026N	290 ALU-RIB Ultra Light Dark-Grey
A-AA320038N	320 ALU-RIB Dark-Grey
A-AA350069N	350 ALU-RIB Dark-Grey
A-AA380124N	380 ALU-RIB Dark-Grey
A-AA410015N	420 ALU-RIB Dark-Grey
A-AA270160N	270 ALU-RIB Ultra Light White
A-AA290024N	290 ALU-RIB Ultra Light White
A-AA320042N	320 ALU-RIB White
A-AA350073N	350 ALU-RIB White
A-AA380129N	380 ALU-RIB White
A-AA420005N	420 ALU-RIB White
A-AA320039N	320 ALU-RIB Hypalon Cream-White

INFLATABLE ACCESSORIES

CONSOLES

1-PERSON CONSOLE



62-**8M0162901**

1-person pilot console FCT725

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 25
- Length (cm): 91,5
- Height (cm): 82
- Cushion seat width (cm): 72,5
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 320, 350, 380 and 420.

62-**8M0162900**

1-person pilot console FCT725

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 25
- Length (cm): 91,5
- Height (cm): 82
- Cushion seat width (cm): 72,5
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 320, 350, 380 and 420.

2-PERSON CONSOLE



62-**8M0162903**

2-person pilot console FCT880

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 27
- Length (cm): 95
- Height (cm): 85
- Cushion seat width (cm): 88
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 320, 350, 380 and 420.

62-**8M0162902**

2-person pilot console FCT880

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 27
- Length (cm): 95
- Height (cm): 85
- Cushion seat width (cm): 88
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 320, 350, 380 and 420.

JOCKEY CONSOLE



62-**8M0162905**

Jockey console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 25
- Length (cm): 116
- Height (cm): 91
- Cushion seat width (cm): 27
- Box seat width (cm): 40
- Seat height (cm): 40

For Quicksilver Alu-Rib 350, 380 and 420.

62-**8M0162904**

Jockey console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 25
- Length (cm): 116
- Height (cm): 91
- Cushion seat width (cm): 27
- Box seat width (cm): 40
- Seat height (cm): 40

For Quicksilver Alu-Rib 350, 380 and 420.

STEERING CONSOLE



62-**8M0162909**

Steering console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 17
- Length (cm): 66
- Height (cm): 89
- Cushion seat width (cm): 40
- Box seat width (cm): 40
- Seat height (cm): 36

For Quicksilver Alu-Rib 350, 380 and 420.

62-**8M0162908**

Steering console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 17
- Length (cm): 66
- Height (cm): 89
- Cushion seat width (cm): 40
- Box seat width (cm): 40
- Seat height (cm): 36

For Quicksilver Alu-Rib 350, 380 and 420.

SEATBENCHES

1-PERSON SEAT BENCH



62-**8M0162907**

1-person seatbench FCT550 for steering console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 15,6
- Length (cm): 35
- Height (cm): 78
- Cushion seat width (cm): 55
- Box seat width (cm): 55
- Seat height (cm): 45

For Quicksilver Alu-Rib 350, 380 and 420.

62-**8M0162906**

1-person seatbench FCT550 for steering console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 15,6
- Length (cm): 35
- Height (cm): 78
- Cushion seat width (cm): 55
- Box seat width (cm): 55
- Seat height (cm): 45

For Quicksilver Alu-Rib 350, 380 and 420.

1-PERSON SEAT BENCH



62-**8M0168453**

1-person seatbench FCT725 for steering console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 18
- Length (cm): 35
- Height (cm): 83
- Cushion seat width (cm): 72,5
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 350, 380 and 420.

62-**8M0168454**

1-person seatbench FCT725 for steering console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 18
- Length (cm): 35
- Height (cm): 83
- Cushion seat width (cm): 72,5
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 350, 380 and 420.

2-PERSON SEAT BENCH



62-**8M0165076**

2-person seatbench FCT880 for steering console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 20,7
- Length (cm): 35
- Height (cm): 83
- Cushion seat width (cm): 88
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 350, 380 and 420.

62-**8M0165061**


2-person seatbench FCT880 for steering console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 20,7
- Length (cm): 35
- Height (cm): 83
- Cushion seat width (cm): 88
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 350, 380 and 420.

SEAT BAGS/CUSHIONS

BOW CUSHION



62-**8M0162896**

Bow cushion for Alu-Ribs, grey/white

62-**8M0168455**

Bow cushion for Alu-Ribs, black/grey

SEATBAG



62-**8M0162897**

Seat bag with cushion 80 x 20 grey

62-**8M0162898**

Seat bag with cushion 85 x 20 grey

62-**8M0162899**

Seat bag with cushion 90 x 20 grey

BOAT BAGS

BOAT BAG



62-**8M0148919**

Boat bag 200-240

62-**8M0156326**

Boat bag 250-320

62-**8M0156327**

Boat bag 365

62-**8M0156328**

Boat bag 420-470

AIR PUMPS AND GAUGES

HAND PUMP



62-**8M0148926**

Hand pump all models

PRESSURE GAUGE



62-**8M0161869**

Pressure gauge for hand pump

REPAIR KITS

REPAIR KIT



62-**8M0156992**

Repair kit for Tendy (White PVC)

62-**8M0156990**

Repair kit Airdeck (White and Dark-Blue PVC)

62-**8M0156331**

Repair kit for Sport (Medium-Grey PVC 0.9mm)

62-**8M0156991**

Repair kit for Sport Heavy-Duty (Medium-Grey PVC 1.2mm)

62-**8M0156332**

Repair kit for Sport Heavy-Duty (Red PVC 1.2mm)

62-**8M0148942**

Repair kit for Alu-Rib (White PVC)

62-**8M0148941**

Repair kit for Alu-Rib (Dark-Grey PVC)

62-**8M0170209**

Repair kit for Alu-Rib Hypalon (Cream-White PVC)

Inflatable Accessories

Quicksilver Product Number	Models
62-8M0162900	1-person pilot console FCT725 Dark-Grey
62-8M0162902	2-person pilot console FCT880 Dark-Grey
62-8M0162904	Jockey console Dark-Grey
62-8M0162908	Steering console Dark-Grey
62-8M0162906	1-person seatbench FCT550 for steering console Dark-Grey
62-8M0168454	1-person seatbench FCT725 for steering console Dark-Grey
62-8M0165061	2-person seatbench FCT880 for steering console Dark-Grey
62-8M0162901	1-person pilot console FCT725 White
62-8M0162903	2-person pilot console FCT880 White
62-8M0162905	Jockey console White
62-8M0162909	Steering console White
62-8M0162907	1-person seatbench FCT550 for steering console White
62-8M0168453	1-person seatbench FCT725 for steering console White
62-8M0165076	2-person seatbench FCT880 for steering console White

TABLE OF CONTENTS

Watersports 826

Life Jackets and Accessories 826

WATERSPORTS

LIFE JACKETS AND ACCESSORIES

The following products are certified in accordance with the New European rules EN ISO 12402. In some countries, these new regulations are already in use.

LIFEJACK 165N AUT-HARNESS RED



20811248

3D fit provides a safe and comfortable neck support. This jacket is fitted with a crotch strap to allow better functionality and gives a higher freeboard. The vest is finished with an edge bonding around. The vest has a buoyancy of 165N. CE EN396 / ISO12402-3, Size/type Adult 50+ KG,
System United Moulders MK5, CO2 Cylinder 31-33gr CO2, all weather cartridge

SAFETY LINE



20613022

Lifeline with double action hook for Mercury Automatic lifejacket 20811248
Equipped with double action hooks
According to ISO 12401
Break strength max. 2000kg
With "Overload Indicator" according ISAF Racing Rules

LIFEJACK 165N AUT/WAISTBELT RED



20811249

This vest has no safety harness. With its 3D design and soft outer cover, the Mercury 165N provides a perfect fit. The collar is firmly connected to the back and neck. Due the 3D fit it provides a safe and comfortable neck support. This jacket is also fitted with a Crotch strap for better functionality and gives a higher freeboard. The vest is finished with an edge bonding around and has a buoyancy of 165N. CE EN396 / ISO12402-3, Size/type Adult 50+ KG, System United Moulders MK5, CO2 Cylinder 31-33gr CO2, All Weather Cartridge

RECHARGE KIT ADULT



20427020

Replacement set for Adult Mercury Automatic lifejackets 20811248 and 20811249

JUNIOR LIFEJACKET W/HARNESS RED



20811279

Automatic and additional manual control
Fitted, short design for the right fit
Stainless-steel closures and Stainless-steel D-ring for safety harness, according ISO12401
With leg strap
For children 15-40kg
According to ISO 12402-3

RECHARGE KIT JUNIOR



20427021

Replacement set for Junior Mercury Automatic lifejacket 20811279

48 - 11324A45 . . . . . 588, 590, 594, 632, 716, 725, 770, 777
25 - 11332 89
11606A 1 . . . . . 549, 551
12022A40 . . . . . 38, 43
50 - 12066K10 86
12092A13 . . . . . 47, 53
12092A18 . . . . . 51, 52
12092A20 . . . . . 47, 51, 52, 331
84 - 12334A 2 . . . . . 34, 35
12335A 1 . . . . . 88, 319
91 - 12427T 563
12612Q 2 . . . . . 59, 321, 322
12612T 2 58
43 - 12635T 58
12644A 1 . . . . . 132, 350
12756A 1 47
13191K01 798
22 - 13563Q 3 69
22 - 13563Q 7 69
22 - 13563T 3 69
22 - 13563T 7 69
33 - 13686Q 18
11 - 13914Q02 . . . . . 779, 790
22 - 14213K 69
22 - 14213Q 69
14359 798
14586 . . . . . 82, 85
14586A 3 82–84
14586A 6 . . . . . 82, 84, 85
14586A 7 . . . . . 82, 84
34 - 14594A 2 201
87 - 14645A 4 . . . . . 25, 510
14801A 1 . . . . . 136, 140, 143–146
33 - 14814568 15
15000A14 . . . . . 34, 321, 323, 324, 326, 327, 330, 490
15000A 7 . . . . . 34, 36, 322–324, 490
97 - 15300 . . . . . 98, 114
15768A 3 . . . . . 127, 351
15943A 1 . . . . . 87, 319
15967 88
15969A09 . . . . . 88, 319
15969A10 . . . . . 88, 319
15969A11 89
15969A13 89
15985A02 . . . . . 89, 333, 802
12 - 16140 780
12 - 16140 2 779
16145 2 779
16145Q01 . . . . . 779, 797
12 - 16146 . . . . . 779, 796
11 - 16147 . . . . . 779, 780, 793
11 - 16147 1 779
48 - 16436A45 . . . . . 588, 590, 595, 602, 608, 621, 632, 771
48 - 16436CP1 . . . . . 588, 590, 595, 632
48 - 16438A45 . . . . . 588, 590, 594, 632, 716, 771
48 - 16438CP1 . . . . . 588, 590, 595, 632
48 - 16440A45 . . . . . 588, 590, 594, 632, 716, 770, 771, 777
35 - 16595Q 291
26 - 16709A 2 249
16755T 1 250
16837A 2 . . . . . 22, 23
16838A 4 21–23
16839A 4 86
16841Q02 . . . . . 60, 322
16909A 2 . . . . . 316, 318, 325, 326, 328, 331, 334, 337, 405
17024 553
17024A03 551
17063T 405
85 - 17200 516
17264T 2 . . . . . 98, 106, 110, 111, 231
17280A 2 62
17611T 802
33 - 17719547 14
17729A 1 552
84 - 17829A10 . . . . . 329, 478, 505
84 - 17829A 2 505
84 - 17829A20 . . . . . 329, 479, 505
87 - 18286A17 511
87 - 18286A18 . . . . . 26, 316, 327, 330, 511
87 - 18286A19 . . . . . 316, 327, 330, 511
87 - 18286A46 . . . . . 333, 335, 510, 511
87 - 18286A47 . . . . . 333, 335, 511
35 - 18458Q 3 77
35 - 18458Q 4 . . . . . 77, 319
35 - 18458T 3 76
35 - 18458T 4 . . . . . 77, 234
18563A 1 . . . . . 135, 351
48 - 18606A 6 . . . . . 591, 643
48 - 18607A 6 . . . . . 591, 643
48 - 18608A 6 . . . . . 591, 643
48 - 18609A 6 . . . . . 591, 643
48 - 18610A 6 . . . . . 591, 643
48 - 18611A 6 . . . . . 591, 643
48 - 18612A 6 . . . . . 591, 643
48 - 18613A 6 . . . . . 591, 643
48 - 18614A40 . . . . . 591, 633, 773, 775
48 - 18614A 6 . . . . . 591, 643
48 - 18615A40 . . . . . 591, 633, 773, 775
48 - 18615A 6 . . . . . 591, 643
48 - 18616A40 . . . . . 591, 633, 773, 775
48 - 18616A 6 . . . . . 591, 643
48 - 18617A40 . . . . . 591, 633, 773, 775
48 - 18617A 6 . . . . . 591, 643
48 - 18618A40 . . . . . 591, 633, 773, 774
48 - 18618A 6 . . . . . 591, 643
48 - 18619A40 . . . . . 591, 633, 773, 774
48 - 18619A 6 . . . . . 591, 643
18787019 200
18787T 2 200
19220A 4 803
47 - 19453T 231, 232
35 - 19485 294
19608A14 . . . . . 328, 331, 549, 551
19609A 6 . . . . . 328, 331, 549, 551

19624A 1 552
48 - 19636A10 . . . . . 585, 630, 750, 762
48 - 19638A40 . . . . . 585, 630, 750, 762
48 - 19639A40 . . . . . 585, 630
48 - 19640A40 . . . . . 585, 630, 713, 750, 762
48 - 19642A40 750
19669T 779, 801
87 - 19674A05 . . . . . 350, 495
87 - 19674A06 . . . . . 350, 495
87 - 19674A07 . . . 316, 319, 327, 330, 333, 335, 338, 340, 350, 495
87 - 19674A08 316, 319, 327, 330, 333, 336, 338, 340, 350, 495, 498
87 - 19674A12 316, 319, 327, 330, 333, 336, 338, 340, 350, 496, 498
33 - 19796 14
12 - 20084 796
20427020 826
20427021 826
20613022 826
20811248 826
20811249 826
20811279 826
22831T 3 70
12 - 27025 796
12 - 29710 795
30185Q 3 61
30185T 3 70
30431123 492
30431124 492
30431125 492
30431126 492
30431127 492
30431128 492
30431129 492
30431130 492
30431131 493
30431132 493
30431133 493
30431134 493
91 - 30500 313
30635T 3 70
12 - 31211K03 . . . . . 779, 780, 795
97 - 31640Q 4 . . . . . 98, 186, 800
97 - 31640T 4 . . . . . 110–114, 186, 189, 190
97 - 31640T 6 . . . . . 98, 110–114, 186, 189, 190, 233
11 - 31990K02 791
11 - 31990Q02 . . . . . 779, 791
26 - 32511A 1 249
26 - 33144A 2 249
34127T 2 . . . . . 186, 189, 190
34762A 1 . . . . . 183, 189, 190
34765A 2 350
34765Q02 132
14 - 34817 797
22 - 34982 68
22 - 36305T 154
37293T 128, 506
91 - 37299A 2 313
91 - 37299Q 2 313
38859A 1 798
12 - 39701 796
12 - 39817 796
11 - 40140 . . . . . 779, 793
41323A03 . . . . . 549, 551
54 - 41582Q 7 71
54 - 41582T 7 . . . . . 71, 79, 177
41729A 3 . . . . . 88, 319
23 - 42091 1 . . . . . 779, 795
97 - 42121Q02 . . . . . 99, 105, 108, 109
42282A 4 . . . . . 23, 24
13 - 42351 1 796
42594T 790
42600A09 182
42600A14 181
42630 1 801
48 - 42738A45 . . . . . 586, 612, 613, 624, 625, 631, 714, 767
48 - 42738CP1 . . . . . 586, 631
48 - 42740A45 . . . . . 586, 612, 613, 624, 625, 631, 764, 767
47 - 43026Q02 . . . . . 233, 237
47 - 43026T 2 232–236
43615T 1 802
43636T 802
43672 802
43676T 779, 802
91 - 43693A 2 560
44267A02 . . . . . 133, 142, 350
44267A03 . . . . . 133, 142, 350
44267A04 . . . . . 133, 149
44267A05 . . . . . 133, 149, 153, 350
44267A06 . . . . . 134, 150, 153, 350
44267A07 . . . . . 134, 150, 153, 350
44267A08 . . . . . 134, 150, 153, 350
44349A 1 . . . . . 135, 351
44357Q 2 . . . 59, 167, 203, 317, 320, 322, 323, 325, 326, 328, 331, 333, 336, 339, 341, 351
44357T 2 . . 59, 167, 317, 320, 328, 331, 333, 336, 339, 341, 351
45676T 789
11 - 46335 793
46838A 4 512
46838A 6 512
97 - 47820A 1 99
18 - 47959 . . . . . 779, 780
35 - 49088T 2 73
5 -5010130CP 192
5 -5010147CP 192
5 -5010162CP 192
5 -5010181CP 192
5 -5010194CP 192
5 -5111200TP 192
5 -5111300TP 192
5 -5111400TP 192
5 -5111600TP 192
5 -5121200TP 192
5 -5121300TP 192
5 -5121400TP 192
5 -5121600TP 192

5 -5121700TP 192
5 -52100004P 192
5 -52300001P 194
5 -52300002P 194
5 -5231100TP 192
5 -5231200TP 193
5 -5231300TP 193
5 -5237100TP 193
5 -5237200TP 193
5 -5237300TP 193
11 - 52707Q 1 . . . . . 779, 780, 792
11 - 52707T 1 792
5 -5331200TP 193
5 -5331400TP 193
5 -5331500TP 193
5 -5331600TP 193
35 - 53336T 81, 245–247
5 -5337400TP 193
5 -5337500TP 193
5 -5337600TP 193
5 -5441200TP 194
5 -5441400TP 194
5 -5441500TP 194
5 -5441600TP 194
5 -5441700TP 194
5 -5447400TZ 194
5 -5447500TZ 194
5 -5447600TZ 194
54737T 789
12 - 54738 795
12 - 55072 795
12 - 55073A 2 796
55074T 799
97 - 55989Q 9 . . . . . 183, 189, 190
97 - 55989T 3 . . . . . 183, 189, 190
56762 517
57908 11 516
35 - 59072 74
47 - 59362T 6 . . . . . 247, 248
5 -5E31200UP 193
5 -5E31800TP 193
5 -5E31900UP 193
5 -5H41300UP 194
5 -5H41400UP 194
5 -5H41600TZ 194
5 -5J31200TP 193
5 -5J31300TP 193
5 -5J37200TP 193
5 -5J37300TP 193
5 -5K31500TP 194
5 -5K31600TP 193
5 -5K37400TP 194
5 -5K37600TP 194
5 -5L41300TP 194
5 -5L41400TP 194
5 -5L41500TP 194
5 -5L41600TP 194
5 -5L41700TP 194
5 -5L47400TP 194
5 -5L47500TP 194
5 -5L47600TP 194
5 -5M41600TP 194
6 -6010000CP 191
6 -6010000DP 191
86 - 60602T 516
86 - 60831T 517
86 - 60878T 516
60932A 4 249
6 -61000002P 191
6 -61000005P 191
61086A11 . . . . . 154, 159, 163
84 - 61378A 2 . . . . . 30, 201
6 -620000091 191
6 -62000010P 191
6 -62000012P 191
6 -62000024P 191
62351A10 . . . . . 21, 23, 24
6 -6315002TP 191
6 -6345002TP 191
11 - 64075A 1 . . . . . 790, 793
6 -6511002NZ 191
57 - 65607Q 245
87 - 66581 202
87 - 66582 202
32 - 67032A12 203
32 - 67032A24 203
32 - 67032A36 203
32 - 67032A72 203
32 - 67032A96 203
10 - 67755005 . . . . . 54, 57
10 - 67755 2 . . . . . 54, 57
10 - 67755A13 . . . . . 55, 57
10 - 67755A14 . . . . . 55, 57
10 - 67755A15 . . . . . 55, 57
10 - 67755A17 . . . . . 55, 57
10 - 67755A18 . . . . . 55, 57
10 - 67755A22 . . . . . 55, 57
10 - 67755A26 . . . . . 55, 57
68858T 789
68861T 789
84 - 69108A 5 505
6 -6911002TP 191
69356 517
11 - 69578Q 1 . . . . . 779, 791
11 - 69578T 1 791
6 -6A15002TP 192
6 -6A45002TP 192
22 - 72932A 3 . . . . . 130, 131
97 - 72957A 5 . . . . . 94, 182
72958A 5 . . . . . 94, 182
48 - 73132A45 . . . . . 586, 611–613, 624, 625, 631, 714, 764, 767
48 - 73134A45 . . . . . 586, 611–613, 623–625, 631, 714, 763
48 - 73136A45 . . . . . 586, 604, 611–613, 623–625, 631, 714, 763
48 - 73138A45 . . . . . 586, 604, 611–613, 623–625, 631, 714, 763

48 - 73140A45 . . . 586, 604, 611–613, 623–625, 631, 714, 763, 767
48 - 73142A45 . . . . . 586, 604, 611–613, 623–625, 631, 763, 767
48 - 73144A45 . . . . . 586, 604, 611–613, 623–625, 631, 763, 767
73345A 1 . . . . . 779, 797, 798
35 - 73532 73
91 - 74057A 6 313
91 - 74057Q 6 313
74639A 2 . . . . . 249, 250
75095Q 2 . . . . . 202, 497
75095T 2 496
97 - 76214 4 . . . . . 186, 190
97 - 76214 6 . . . . . 186, 190
97 - 76214A 6 . . . . . 99, 107, 108, 114, 186, 190, 233–236
97 - 76214Q 5 . . . . . 99, 114, 186, 232–236, 789, 801
97 - 76214T 1 99
76214T 3 99
97 - 76214T 5 . . . . . 99, 107, 108, 186, 190
14 - 76281Q 779
76535T 550, 553
26 - 76868A04 249
48 - 77338A45 587, 593, 602, 603, 609–612, 621–625, 631, 715, 764
48 - 77340A45 587, 593, 602, 603, 609–612, 621–625, 631, 715, 764
48 - 77342A33 632
48 - 77342A45 587, 593, 602–604, 609–612, 621–625, 632, 715, 764
48 - 77344A45 . . . 587, 593, 601–604, 609–611, 615, 616, 621–623, 632, 715, 764
48 - 77346A45 . . . 587, 593, 601–604, 609, 610, 615, 616, 621–623, 632, 715, 764, 769
48 - 77348A45 . . . 587, 593, 601–604, 609, 610, 615, 616, 621–623, 632, 715, 764, 769
48 - 77350A45 . . . 587, 593, 601–604, 609, 610, 615, 616, 621–623, 632, 715, 764, 769
48 - 78112A45 588, 590, 595, 602, 603, 608, 621, 632, 716, 759, 771
48 - 78112CP1 . . . . . 588, 590, 632
48 - 78114A45 . . . 588, 590, 595, 602, 603, 607, 608, 621, 632, 716, 759, 771
48 - 78114CP1 . . . . . 588, 590, 595, 632
48 - 78116A45 . . . 588, 590, 594, 600, 602, 603, 607–609, 621, 622, 632, 716, 759, 771
48 - 78116CP1 . . . . . 588, 590, 594, 632
88 - 79023A93 525
88 - 79023A94 525
84 - 79138A 8 95
79476A 4 180
79476A 5 180
79476A 6 180
10 - 79953Q04 304
802002Q 1 792
91 -802653Q02 . . . . . 93, 323, 325, 326, 328, 330
802889A 1 . . . . . 312, 351
802889Q 1 . . . . . 93, 312, 328, 330, 333, 336, 351
35 -802893A 4 . . . . . 76, 81, 175, 351
35 -802893Q01 76
35 -802893Q 4 . . . . . 81, 351
35 -802893T 76, 175, 245–248
30 -803097T 1 249
30 -803098T 1 249
30 -803099T 1 249
31 -803496T 1 58
35 - 80365M 73
97 -803731 105
803743Q01 . . . . . 779, 790
803743Q02 . . . . . 779, 790
47 -803748K01 . . . . . 229, 230
47 -803748K02 . . . . . 229, 230
97 -804043 . . . . . 102, 105, 106, 231
64 -804378A 1 . . . . . 546, 547
22 -804787Q 71, 333
22 -804787T 71, 333, 336
3302-804844002 245–247
805100 799
805101T 799
91 -805457T 1 805
91 -805475A 1 561
805759T 3 . . . . . 246, 247
35 -805809T 294
97 -806000 188
806054A 1 . . . . . 127, 351
97 -806105Q 1 187
97 -806105T 1 . . . . . 187, 190
97 -806187A 1 . . . . . 186, 190
97 -806188A 2 . . . . . 187, 190
97 -806188Q01 . . . . . 187, 190
97 -806189A 2 . . . . . 187, 190
97 -806189Q 1 187
97 -806189T 1 . . . . . 187, 190
97 -806190A 2 . . . . . 188, 190
97 -806190Q 1 188
97 -806190T 1 . . . . . 187, 190
806193A49 127
35 -806329A 1 . . . . . 171, 172
23 -806445A 1 127
806688A02 . . . . . 180, 803
91 -806794A02 560
22 -806836A 3 . . . . . 130, 131
22 -806837A 1 . . . . . 130, 131
22 -806837A 2 130
46 -807151A25 . . . . . 157, 164
46 -807151A 5 . . . . . 156, 163, 164
35 -807172A 1 175
807252T 5 245–248
35 -807256T 178
807459A09 . . . . . 171, 172
807459A 3 . . . . . 171, 172
807477A 5 . . . . . 136, 146
807611T 135, 351
807639A 3 . . . . . 155, 164, 165
807901A 3 . . . . . 128, 129, 156
807901A 5 . . . . . 156, 163, 164
807901T 6 . . . . . 156, 163
97 -808112 191
35 -808275 178
67 -808840Q 68
67 -808887Q 72, 174, 299
35 -809100 178

35 -809101 179
809485 . . . . . 214, 554
97 -809662T 104, 185, 189, 190, 788
809664A 1 . . . . . 104, 184, 185, 189, 190, 788
97 -809666A02 . . . . . 184, 190, 788
97 -809666A03 . . . . . 184, 190, 788
97 -809666T 185, 189, 190, 789
97 -809666T01 . . . . . 185, 190
97 -809670T 185, 189, 190, 789
97 -809690A 1 184
35 -809867 179
35 -809868T 179
811635K 2 245
84 -812441A10 . . . . . 349, 478, 479
84 -812441A15 . . . . . 349, 478, 479
84 -812441A20 . . . . . 349, 478, 479
84 -812475A20 . . . . . 349, 477
84 -812475A25 . . . . . 349, 477
84 -812475A 3 . . . . . 349, 477
812497A 4 . . . . . 397, 509
812497A 5 . . . . . 398, 509
812497A 6 . . . . . 398, 509
812497T03 . . . . . 397, 508
1263-812718A 2 87
48 -812948A10 . . . . . 585, 630
48 -812949A02 . . . . . 584, 629, 712, 720, 749
48 -812950A02 . . . . . 584, 629, 712, 720, 749
48 -812950A10 . . . . . 585, 630
48 -812951A02 . . . . . 584, 629, 712, 749
48 -812954A10 . . . . . 584, 630, 713, 720
46 -812966A12 . . . . . 231, 232
33 -813413 . . . . . 6, 16, 17
33 -813416 . . . . . 6, 14–17
33 -813418 . . . . . 14, 15
33 -813421 4 . . . . . 125, 126
33 -813425 . . . . . 120, 123, 124
33 -813471 1 . . . . . 121, 122
33 -813472 . . . . . 14, 19
86 -813936T 515
86 -813937A 2 515
86 -813937T 515
87 -813960A 4 34
10 -814259 . . . . . 54, 57
87 -814324A 2 . . . . . 350, 495
87 -814407A 3 . . . . . 29, 511
86 -814433T 515
86 -814434T 515
814951 4 552
18 -815026 . . . . . 779, 780, 795
18 -815026 4 779
48 -815083A01 . . . . . 584, 629, 748, 765
48 -815083A02 . . . . . 584, 629, 748
48 -815084A01 . . . . . 748, 765
48 -815084A02 . . . . . 748, 765
17 -815111Q02 . . . . . 779, 794
87 -815200A02 510
87 -815200A 1 510
34 -815242A 3 201
815279A 3 21
815407T 5 245
815632A02 . . . . . 180, 803
1623-815822A28 198
1623-815822A30 198
1623-815822A36 198
1623-815822A47 197
1623-815822A52 197
1623-815822A53 197
1623-815822A55 197
35 -816168 294
35 -816296A 3 73
35 -816296K03 72
35 -816296K 2 72
35 -816296Q 2 72
54 -816311T 517
816318A 4 804
33 -816336Q 122, 125
22 -816339 . . . . . 180, 351
816366A48 . . . . . 38, 42, 43
816431A 1 249
816492A 9 503
26 -816575A 4 249
84 -816626A11 . . . . . 321, 323, 324, 488
84 -816626A15 . . . . . 216, 321, 323, 324, 488
84 -816626A 2 . . . . . 216, 321, 323, 324, 488
84 -816626A20 . . . . . 216, 322–324, 488
84 -816626A24 . . . . . 216, 322–324, 488
84 -816626A25 488
84 -816626A29 . . . . . 322–324, 488
84 -816626A30 488
84 -816626A 8 . . . . . 321, 323, 324, 488
14 -816629K 797
14 -816629Q 797
816667A 2 . . . . . 45, 328, 331, 550, 551
816696A 1 . . . . . 49, 51, 52
816696A12 52
48 -816702A45 . . . . . 586, 631, 714, 767
48 -816704A45 . . . . . 586, 631, 714, 767
48 -816706A45 . . . . . 586, 631, 714, 767
33 -816737Q 14–18
47 -816814T 251, 252
22 -816856Q 3 71
22 -816856T 3 71
36 -816976Q 1 . . . . . 63, 64
817019Q 2 . . . . . 127, 351
817019T 2 . . . . . 127, 351
817275A09 . . . . . 235, 236
817782 1 . . . . . 494, 495
817883 1 . . . . . 494, 495
817891 1 . . . . . 494, 495
817928 1 . . . . . 494, 495
817929 1 . . . . . 494, 495
22 -818170A 2 179
97 -818298Q 1 . . . . . 101, 231–235, 237
97 -818298T 1 . . . . . 101, 105–108, 110–114, 231

97 -818298T 3 . . . . . 102, 106, 107, 110–114, 231–235
818377A 2 202
819012 . . . . . 494, 495
819013 . . . . . 494, 495
819014 . . . . . 494, 495
819015 . . . . . 494, 495
819016 495
97 -819232 104
48 -820110A20 . . . . . 708, 765, 768
56 -820386A85 437
97 -820503 1 217
22 -820543A 1 . . . . . 59, 216
22 -820543A 6 216
22 -820573 . . . . . 60, 216
821190A 1 47
821190A 3 47
821455A16 41
821455A24 41
821455T 8 . . . . . 38, 41
821468A 7 40
97 -821629A 2 . . . . . 184, 190
97 -821629Q 1 184
97 -821629T 1 . . . . . 184, 190
97 -821630A 2 . . . . . 184, 190
97 -821630Q 1 184
97 -821630T 1 . . . . . 184, 190
97 -821631Q 1 184
97 -821631T 1 . . . . . 184, 190
97 -821631T 3 . . . . . 184, 190
19 -821908 60
821932 1 779
822157T 2 . . . . . 100, 105, 106, 110, 111
822344A11 27
822344A13 26–28
822434 518
50 -822462A06 . . . . . 33, 36
50 -822462A 1 . . . . . 32, 36
50 -822462A 2 . . . . . 33, 36
50 -822462A 4 . . . . . 32, 36
822559Q01 788
822573A12 . . . . . 26–28, 325
35 -822626Q15 . . . . . 91, 287, 288
97 -822777A 2 . . . . . 100, 186, 190
97 -822777Q 1 . . . . . 100, 114
97 -822777T 1 . . . . . 100, 186, 190, 800
23 -822974 787
53 -822975 788
87 -823037A04 496
48 -823478A46 . . . . . 586, 611–613, 623–625, 642
23 -823516 787
87 -823609A 7 . . . . . 33, 35, 36
97 -823912 . . . . . 102, 104, 105, 108, 229
97 -823912002 . . . . . 105, 106, 231
97 -823913Q 100, 105, 108, 229, 231
19 -824431 804
84 -824477A 3 . . . . . 34, 36
824954A 1 . . . . . 88, 319
32 -825191A03 . . . . . 45, 46, 320, 334, 336, 341, 409, 410
825212A 1 . . . . . 82–84, 231, 328
97 -825271 1 . . . . . 102, 105, 106, 110, 111
87 -825294A 2 . . . . . 33, 36
826074Q 1 . . . . . 779, 780, 786
97 -826134Q 104, 231–236
97 -826134T 104–108, 110–114, 232, 235
97 -826134T 3 . . . . . 104, 106–108, 111–114, 231–236
64 -826464 546
64 -826465 546
64 -826472A13 543
64 -826472A 9 543
64 -826496A 1 548
64 -826501A 1 546
64 -826507A 2 . . . . . 548, 549
64 -826511A 2 549
64 -826512A 2 . . . . . 548, 549
64 -826513A14 547
64 -826513A16 547
64 -826513A24 547
64 -826525A 1 548
64 -826532A 1 548
826557A 1 408
11 -826709 11 793
11 -826711 12 792
11 -826711 17 57
11 -826711 27 794
1686-827214T25 204
48 -827312A45 . . . . . 586, 631
827598T 779, 801
11 -827614A 3 792
11 -827614Q01 . . . . . 779, 791
11 -827614Q04 791
827691A 1 181
82779 . . . . . 410, 417
33 -827858Q 12, 13
33 -827859 . . . . . 8, 12
82795T 100
828038A 1 . . . . . 22, 23
48 -828150A12 . . . . . 585, 629, 750, 761
48 -828152A12 . . . . . 585, 629, 713, 750, 761
48 -828154A12 . . . . . 585, 629, 713, 750
828155A 3 86
828155A 4 86
48 -828156A12 . . . . . 585, 629, 713, 750, 761
48 -828158A12 . . . . . 585, 629, 713, 750, 761
91 -828363A 1 560
828369 . . . . . 93, 313
57 -828507Q 4 234
57 -828507Q 5 234
47 -828989T 1 805
67 -829140A01 519
1641- 8294A14 198
1641- 8294A16 197
1641- 8294A19 197
1641- 8294J00 198
1641- 8294J01 197

1641- 8294J02 . . . 197
48 -831868A60 . . . 774
48 -831909L65 . . . 654, 674
48 -831910L60 . . . 649, 672
48 -831910L65 . . . 654, 674
48 -831910L80 . . . 649, 672
48 -831911L45 . . . 654, 674
48 -831911L65 . . . 654, 674
48 -831912L45 . . . 654, 674
48 -831912L60 . . . 649, 672
48 -831912L65 . . . 654, 674
48 -831912L80 . . . 649, 672
48 -831913L45 . . . 654, 674
48 -831913L65 . . . 654, 674
48 -831914L45 . . . 654, 674
48 -831914L60 . . . 649, 672
48 -831914L65 . . . 654, 674
48 -831914L80 . . . 649, 672
48 -831915L45 . . . 653, 674
48 -831915L65 . . . 654, 674
48 -831916L45 . . . 654, 674
48 -831916L60 . . . 649, 672
48 -831916L65 . . . 654, 674
48 -831916L80 . . . 649, 672
48 -831917L45 . . . 653, 674
48 -831917L65 . . . 653, 674
48 -831918L45 . . . 653, 674
48 -831918L60 . . . 649, 672
48 -831918L65 . . . 653, 674
48 -831918L80 . . . 649, 672
48 -831919L45 . . . 653, 674
48 -831919L65 . . . 653, 674
48 -831920L45 . . . 653, 674
48 -831920L65 . . . 653, 674
48 -832828A45 . . . 588, 590, 594, 600–603, 607–609, 615, 616, 621, 622, 632, 716, 759, 770, 771, 777
48 -832830A45 . . . 588, 590, 594, 600–603, 607–609, 615, 616, 621, 622, 632, 716, 770, 777
48 -832832A45 . . . 588, 590, 594, 600, 601, 603, 607, 609, 615, 616, 622, 632, 716, 759, 770, 777
48 -832834A45 . . . 588, 590, 594, 603, 609, 615, 616, 622, 632, 716, 758, 769, 770, 777
833006A 1 . . . 29, 320
833072003 . . . 234
833072004 . . . 233
97 -833163A 1 . . . 217
834839Q . . . 780, 786
834899Q . . . 786
835257K 1 . . . 781
835257K12 . . . 780
835257K 6 . . . 781
835257Q 1 . . . 779, 781
835257Q 6 . . . 779, 781
835258K 1 . . . 782
835258K 2 . . . 782
835258Q 1 . . . 779, 782
835258Q 2 . . . 779, 782
835266Q 1 . . . 780, 783
835271Q 2 . . . 779, 785
835272Q 1 . . . 779, 784
835274Q 1 . . . 779, 785
835277Q 1 . . . 780, 782
835278A 1 . . . 799
835278Q 1 . . . 780, 782
835279Q 2 . . . 780, 782
835281Q 1 . . . 780, 783
835282Q 1 . . . 780, 783
835283Q03 . . . 780, 784
835283Q 1 . . . 780, 783
835283Q 2 . . . 780, 783
835284Q 1 . . . 780, 784
835290Q 1 . . . 779, 780, 785
47 -835452T . . . 805
64 -835457A11 . . . 215, 554
64 -835457A13 . . . 215, 554
64 -835457A15 . . . 215, 554
64 -835457A17 . . . 215, 554
64 -835457A19 . . . 215, 554
64 -835457A21 . . . 215, 554
64 -835457A23 . . . 215
12 -835467008 . . . 780
12 -835467 5 . . . 779, 798
12 -835467 7 . . . 800
12 -835467K01 . . . 779, 780, 798
83859T . . . 100
44 -840377A 1 . . . 212
840382A02 . . . 788
12 -840383A 2 . . . 779, 792
91 -840393A 1 . . . 212
44 -840450A03 . . . 200
841944A02 . . . 556
841945A02 . . . 556
842049A01 . . . 210
842049A02 . . . 210
842049A03 . . . 210
842049A04 . . . 210
842049A06 . . . 210
842049A08 . . . 210
842064A01 . . . 210
842064A02 . . . 210
32 -842756T01 . . . 46, 203
842768A05 . . . 556
48 -842939L70 . . . 660, 676
48 -842940L70 . . . 660, 676
48 -842941L70 . . . 660, 676
48 -842941L80 . . . 660, 676
48 -842942L70 . . . 660, 676
48 -842942L80 . . . 660, 676
48 -842943L70 . . . 660, 676
48 -842943L80 . . . 659, 676
48 -842944L70 . . . 660, 676
48 -842944L80 . . . 659, 676
48 -842945L70 . . . 659, 676
48 -842945L80 . . . 659, 676
48 -842946L70 . . . 659, 676

48 -842946L80 . . . . . 659, 676
843042T03 206
843122T01 203
843426A 1 . . . . . 132, 205, 350
843426A 2 . . . . . 132, 205
843434A 1 . . . . . 132, 205, 350
843434A 2 . . . . . 132, 206
32 -843556A 1 557
32 -843675A 1 557
844399T01 211
845532A02 557
845630A02 557
845630A 1 557
32 -845976 557
32 -845977 557
32 -846051 558
846562A 1 204
846563A 1 204
846564A 1 204
846743A 1 204
846744A 1 204
846745A 1 204
846860T 1 557
847314A 1 807
45 -847633A 1 212
97 -847635 . . . . . 187, 190
97 -848653T 190
848703A 1 . . . . . 60, 203
32 -848789 558
848998A 1 . . . . . 60, 203
849143T 204
48 -849246L62 . . . . . 647, 671
48 -849248L62 . . . . . 647, 671
849335T 204
849339T 204
34 -849484A 1 201
849496T05 200
23 -849501Q 1 787
48 -849506L62 . . . . . 647, 671
48 -849508L62 . . . . . 647, 671
849996T 1 . . . . . 168, 203
850005A 2 . . . . . 215, 555
43 -850034T 58
850055A 2 . . . . . 82, 84, 85
12 -850076 . . . . . 779, 795
850330Q 780, 787
91 -850438 1 312
35 -850481 179
850697A 2 . . . . . 213, 215, 411, 555
850699 . . . . . 214, 554
91 -850730Q 1 304
850821Q11 . . . . . 779, 785
850821Q12 786
64 -851621A12 546
64 -851621A14 546
64 -851621A16 546
64 -851621A18 546
64 -851622A 1 544
64 -851622A10 544
64 -851622A11 544
64 -851622A12 544
64 -851622A13 544
64 -851622A14 544
64 -851622A15 544
64 -851622A16 544
64 -851622A17 544
64 -851622A18 544
67 -851766 517
67 -851773 517
398 -852387A11 21
22 -852400 61
852962T 216
12 -853359 . . . . . 780, 799
12 -853555 . . . . . 779, 800
35 -853733 1 231
853762 . . . . . 105, 106, 231
853762T01 . . . . . 105, 229, 230
853783A05 50
853783A06 50
853824A04 . . . . . 550, 551
12 -853948T 779, 780, 800
854256 1 231
48 -854340A45 . . . . . 587, 593, 611, 612, 631
48 -854342A45 . . . . . 587, 593, 611, 612, 631
48 -854352A45 . . . . . 587, 593, 602–604, 609–612, 621–625, 632
48 -854360A45 587, 593, 601–604, 609–611, 615, 616, 621–624, 632
12 -854621 . . . . . 780, 800
854810T 1 216
35 -855514002 251
855654A 6 . . . . . 25, 27
47 -855708115 805
47 -855708T25 804
47 -855708T40 804
48 -855856A46 . . . . . 586, 611–613, 623–625, 642, 763, 767
48 -855858A46 . . . 586, 604, 611–613, 623–625, 642, 714, 763, 767
48 -855860A46 . . . 586, 604, 611–613, 623–625, 642, 714, 763, 767
48 -855862A46 . . . 586, 604, 611–613, 623–625, 642, 714, 763, 767
23 -856163Q 1 . . . . . 779, 787
48 - 85632A45 . . . . . 586, 611–613, 623–625, 631, 714, 763, 767
84 -856554A02 408
856558A 2 23
97 -856581C 217
856627T 3 216
856642A 2 87
87 -856654A 1 202
87 -856654A 2 . . . . . 202, 496
87 -856654A 4 496
35 -858004Q 291
92 -858007Q01 300
92 -858058QB1 300
92 -858059QB1 300
92 -858061QB1 300
92 -858062QB1 . . . . . 300, 301
92 -858074QB1 309

92 -858075QB1 309
92 -858078QB1 . . . . . 309, 541
92 -858084QE1 . . . . . 281, 285
92 -858119QE1 . . . . . 281, 285
858342A10 . . . . . 213, 417
858342A12 . . . . . 213, 417
858342A14 . . . . . 213, 417
858342A16 . . . . . 213, 417
858342A18 . . . . . 213, 417
858342A20 . . . . . 213, 417
858342A22 . . . . . 213, 417
858498 . . . . . 779, 798
858566A02 . . . . . 60, 317
858566A03 . . . . . 60, 333
858566A 1 60
84 -858740T06 482
858915A 1 . . . . . 29, 320
91 -859046M 1 806
91 -859046M 2 806
91 -859046M 3 806
91 -859046M 4 806
32 -859055 50 . . . . . 46, 409
859074 3 375
859074B 1 375
859074B 2 375
859074B 3 375
859173 . . . . . 779, 801
859210A 1 461
859447A 1 . . . . . 89, 803
33 -859495Q 13
859648A 2 369
23 - 85964A 1 797
32 -859717A 2 . . . . . 94, 313, 333, 336
859915 . . . . . 780, 799
859929 . . . . . 780, 794
22 -860099001 . . . . . 128, 129
860315A 1 157
860427A 4 . . . . . 154, 163–165
860427A 5 . . . . . 155, 163–165
860427A 7 . . . . . 155, 164
35 -860603 . . . . . 180, 351
84 -860615002 479
84 -860618 477
84 -860622 479
84 -860625 479
1547-861063A10 195
1547-861063A12 195
1547-861063A 4 196
1547-861063A 6 195
1547-861063A 8 195
32 -861070T 157
90 - 86147A 1 806
861481A 2 . . . . . 351, 553
861505A 1 . . . . . 165, 351
32 -861590A05 165
861776A 2 . . . . . 133, 350
22 -861932A 1 166
33 -862029 . . . . . 120, 122–124, 245
57 -862054Q 245
22 -862210A01 154
862264A 7 174
862268A 4 169
862548A 1 26
35 -862889 294
11 -862907 793
862974A05 141
863187A 2 460
863188A 3 468
863188A 5 468
863188T 4 468
863330A 2 135
32 -863642 313
863674A05 . . . . . 156, 160
863714T01 141
84 -863736T 467
84 -863737T 467
1589-863836A50 195
1589-863836A51 195
1589-863836A52 195
1589-863836A56 195
1589-863836A66 195
1589-863836A67 195
84 -863931A 1 467
84 - 86396A24 505
84 - 86396A 8 . . . . . 322, 324, 505
84 -864218 467
45 -864286A 1 . . . . . 169, 170
864306A 2 . . . . . 137, 144
864306A 3 . . . . . 137, 144
864306A 4 . . . . . 137, 144
864306A 5 . . . . . 137, 144
864493 245–248
1589-864571A70 196
1589-864571A72 196
35 -864572 174
35 -864572A 1 . . . . . 174, 351
864908A 1 . . . . . 138, 145, 146
864908A 2 . . . . . 138, 145, 146
864920A02 . . . . . 154, 160–162
864929A 1 . . . . . 138, 143, 144
864929A 2 . . . . . 138, 143, 144
864929A 3 . . . . . 138, 143, 144
864929A 4 . . . . . 138, 143, 144
84 -864988 459
864990A 1 . . . . . 171, 172, 351
77 -865001T02 160
77 -865003T03 160
77 -865005T03 160
77 -865006T04 161
77 -865008T04 161
77 -865009T04 162
32 -865022A 1 . . . . . 139, 143, 145
32 -865024A 1 . . . . . 139, 143
32 -865027A 1 . . . . . 139, 143

32 -865029A 1 . . . 139, 143, 144
32 -865033A 1 . . . 139, 145, 146
32 -865035A 1 . . . 139, 145, 146
32 -865039A02 . . . 158
32 -865041A 1 . . . 139, 145, 146
32 -865043A 1 . . . 140, 143–146
32 -865090A01 . . . 158, 160
97 -865182A02 . . . 185, 187, 190
97 -865182Q01 . . . 185, 187, 190
865188T01 . . . 159
32 -865277A02 . . . 172, 173
32 -865278A03 . . . 172, 173
32 -865278A04 . . . 173
32 -865281A02 . . . 173
32 -865384A01 . . . 513
1589-865440H01 . . . 195
1589-865440H02 . . . 195
1589-865440H50 . . . 195
1589-865440H51 . . . 195
1589-865440H52 . . . 195
1589-865440H56 . . . 196
1589-865440H66 . . . 196
1589-865440H67 . . . 196
1589-865440H68 . . . 196
1589-865440H70 . . . 196
1589-865440H72 . . . 196
1589-865440H73 . . . 196
865585A02 . . . 127, 351
57 -865615Q02 . . . 128, 129
57 -865615Q03 . . . 156, 245–248
57 -865615Q04 . . . 245–247
57 -865615Q05 . . . 248
57 -865615Q06 . . . 247, 248
57 -865615Q07 . . . 128, 129, 156
57 -865615Q08 . . . 128, 129, 156, 245–248
57 -865615Q09 . . . 128, 129, 156, 245–247
57 -865615Q10 . . . 248
57 -865635Q01 . . . 249
57 -865635Q02 . . . 249
84 -865770A02 . . . 513
84 -865771A02 . . . 513
84 -865772T01 . . . 512
84 -865772T02 . . . 513
77 -865831T06 . . . 160
77 -865831T07 . . . 160
77 -865831T08 . . . 160
77 -865833T05 . . . 160
77 -865833T06 . . . 160
77 -865833T07 . . . 160
77 -865835T03 . . . 160
77 -865837T02 . . . 160
77 -865839T03 . . . 160
77 -865841T02 . . . 160
77 -865846T02 . . . 161
865949A01 . . . 140, 145
865995A01 . . . 137, 143
865996A01 . . . 137, 143
32 -865998A01 . . . 139, 145, 158
866000A01 . . . 140, 143
866001A01 . . . 140, 143
866002A01 . . . 140, 145
866003A01 . . . 140, 143
866004A01 . . . 140, 144
866005A01 . . . 141, 146
866007A01 . . . 137, 143
77 -866123T05 . . . 160
77 -866123T06 . . . 160
77 -866125T05 . . . 161
77 -866125T06 . . . 160
866127T04 . . . 161
77 -866127T05 . . . 161
77 -866130T05 . . . 161
866130T06 . . . 161
77 -866132T05 . . . 162
77 -866132T06 . . . 162
77 -866190T06 . . . 160
77 -866190T07 . . . 160
77 -866192T05 . . . 160
77 -866192T06 . . . 160
866208A02 . . . 138, 145
866208A03 . . . 138, 145
866209A01 . . . 141, 145
866237T04 . . . 160
866239T04 . . . 161
866241T06 . . . 161, 162
866243T05 . . . 161
866245T06 . . . 162
84 -866337T01 . . . 350, 483
35 -866340K01 . . . 245–249
35 -866340Q03 . . . 267, 291
84 -866377T01 . . . 483
1500-866458J00 . . . 196
1500-866458J01 . . . 195
1500-866458J02 . . . 195
1500-866458J03 . . . 196
1500-866458J04 . . . 196
1500-866459J00 . . . 196
1500-866459J01 . . . 196
1500-866459J02 . . . 196
1500-866459J03 . . . 196
1500-866459J04 . . . 196
91 -866590A02 . . . 560
35 -866594K01 . . . 175, 245
35 -866594Q01 . . . 175
84 -866704T01 . . . 507
84 - 86939A 2 . . . 23, 24
45 - 86978A 3 . . . 169
86 - 87223T . . . 515
1257- 8742A21 . . . 87, 369
1257- 8742A22 . . . 87, 369
1257- 8742A23 . . . 88, 369
1257- 8742A24 . . . 369
1257- 8742A25 . . . 87, 317, 370
97 -875208 . . . 102, 105, 106, 108, 229–231

875266A 2 . . . . . 46, 409, 410
35 -875284T01 . . . . . 233, 234
47 -877326T 805
35 -877565T 1 73
877581A 2 213
877581A 4 . . . . . 215, 555
877581A 5 . . . . . 213, 411
35 -877761K01 . . . . . 91, 232, 234, 286, 333, 339
35 -877761Q01 287
35 -877767K01 91
35 -877767Q01 . . . . . 91, 235, 286, 287
35 -877769K01 . . . . . 91, 341
35 -877769Q01 . . . . . 91, 235, 236, 287, 341
48 - 87818A45 . . . . . 586, 612, 613, 624, 625, 631, 714, 764, 767
91 -878373 312
91 -878375 312
878421 787
48 -878612A46 . . . . . 587, 604, 623–625, 641
48 -878614A46 . . . . . 587, 604, 623–625, 641
48 -878616A46 . . . . . 586, 604, 623–625, 641
879147T94 126
84 -879148T41 446
879150054 251
879150A88 . . . . . 52, 331
84 -879171T21 462
84 -879171T22 462
84 -879171T23 462
35 -879172104 . . . . . 177, 251
57 -879172120 251
35 -879172143 251
32 -879172A16 . . . . . 158, 160–162
32 -879172A17 . . . . . 158, 162
91 -879172T28 299
879172T80 160
84 -879172T90 447
84 -879172T91 447
84 -879172T93 447
47 -879194186 251
57 -879194425 251
30 -879194A00 . . . . . 126, 212
77 -879194T17 161
77 -879194T39 161
77 -879194T41 162
77 -879194T44 161
879194T73 161
77 -879194T83 160
77 -879194T85 160
77 -879194T87 160
77 -879194T89 161
77 -879194T91 161
77 -879194T97 162
77 -879194T99 160
879288A02 . . . . . 154, 159
879288A03 . . . . . 130, 131
879288A12 134
879288A13 . . . . . 134, 152, 153, 350
879288A14 . . . . . 134, 152, 153, 350
879288A15 . . . . . 134, 152, 153, 350
879288A35 . . . . . 147, 153
879288A36 . . . . . 147, 153
879288A37 . . . . . 148, 153
879288A38 . . . . . 148, 153
879288A39 . . . . . 155, 160–162
879288A40 . . . . . 166, 351
879288T03 161
879288T62 154
879288T84 . . . . . 149, 151, 153
77 -879288T91 161
77 -879288T93 161
77 -879288T95 162
77 -879288T99 162
87 -879303A01 506
87 -879303A02 506
87 -879303A03 506
87 -879303A04 506
879305A01 . . . . . 340, 486
47 -879312025 251
35 -879312041 . . . . . 251, 294
84 -879312T10 446
84 -879312T12 . . . . . 441, 446
84 -879312T13 446
84 -879312T20 448
84 -879312T21 448
84 -879312T22 448
84 -879312T44 . . . . . 456, 480
84 -879312T45 . . . . . 456, 480
84 -879312T46 . . . . . 456, 480
84 -879312T47 . . . . . 456, 480
84 -879312T77 . . . . . 442, 487
84 -879312T78 . . . . . 442, 487
84 -879312T79 . . . . . 442, 487
879315T01 491
879315T07 507
84 -879345T61 447
84 -879345T62 447
84 -879345T63 447
84 -879345T64 447
879346T24 526
77 -879355T80 162
77 -879355T82 161
879365A21 423
35 - 87946K04 73
64 -879686 . . . . . 214, 554
879871 1 378
879871 2 378
879871B 1 378
879872 1 380
879872 2 380
879872B 3 380
35 -879884T 74, 231, 232
35 -879885K 73, 231–236, 327, 330, 333, 336, 338, 341
35 -879885Q 232
79 -879896K21 . . . . . 318, 329, 332, 335, 340, 349, 381
79 -879903K11 381

79 -879905K11 . . . 381
79 -879905K21 . . . 382
79 -879914K21 . . . 382
79 -879921K21 . . . 382
879949 3 . . . 381
84 -879968T10 . . . 457, 481
84 -879968T15 . . . 457, 481
84 -879968T20 . . . 457, 481
84 -879968T30 . . . 457, 481
84 -879968T50 . . . 457, 481
84 -879968T 6 . . . 457, 481
84 -879969T10 . . . 456, 480
84 -879969T15 . . . 456, 480
84 -879969T20 . . . 456, 480
84 -879969T30 . . . 456, 480
84 -879979T11 . . . 454, 475
84 -879980T10 . . . 456, 480
84 -879980T15 . . . 456, 480
84 -879980T30 . . . 456, 480
84 -879981B20 . . . 457, 481
84 -879981T10 . . . 457, 481
84 -879981T15 . . . 457, 481
84 -879981T20 . . . 457, 481
84 -879981T25 . . . 457, 481
84 -879981T30 . . . 457, 481
84 -879981T50 . . . 457, 481
84 -879982B20 . . . 456, 480
84 -879982T25 . . . 456, 481
84 -879982T30 . . . 456, 481
880093A03 . . . 38, 41–43, 328, 331
880093A 1 . . . 408
880093A 2 . . . 408
880095A04 . . . 42, 43
880095A05 . . . 38, 42, 43
880095A08 . . . 327, 329, 408
880095A11 . . . 408
880095A12 . . . 408
97 -880653 . . . 103, 107, 108, 235, 237
1600-880686A51 . . . 118
1600-880686A52 . . . 118
1600-880686A53 . . . 118
1600-880686T56 . . . 119
10 -880717A01 . . . 272, 341
84 -880756T05 . . . 455, 476
84 -880756T 1 . . . 455, 476
84 -880756T10 . . . 456, 476
84 -880756T30 . . . 456, 476
35 -880830T . . . 178
87 - 88107A10 . . . 487
87 - 88107A13 . . . 321, 323, 324, 485, 487
87 - 88107A 3 . . . 487
87 - 88107A 5 . . . 487
87 - 88107T12 . . . 487
84 -881125A 1 . . . 512
881150K 1 . . . 59, 167, 204, 320, 341, 351
881150Q 1 . . . 59, 320, 341, 351
33 -881284Q . . . 13
881879A13 . . . 460
881879A15 . . . 461
881879A 2 . . . 460
881879A 3 . . . 460
11 - 88228 . . . 793
883053A 1 . . . 215, 555
33 -883323001 . . . 9, 12, 13
84 -883459T01 . . . 459
35 -883702K . . . 245, 267
35 -883702Q . . . 291
91 -883704K03 . . . 272
91 -883704Q03 . . . 304
91 -883705T01 . . . 94, 565
883710A01 . . . 321, 322, 324–326, 400
883710A02 316, 318, 321, 322, 324–326, 328, 331, 334, 337, 400
883710A03 . . . 347
47 -883796T01 . . . 805
26 - 88397A 1 . . . 249
88437 . . . 802
84 - 88439A25 . . . 30
84 - 88439A26 . . . 30
884481A 1 . . . 88, 319
67 -886560 . . . 218
67 -886561 . . . 218
67 -886562 . . . 218
1656- 8866A11 . . . 198
1656- 8866A62 . . . 197
1656- 8866A63 . . . 197
1656- 8866A64 . . . 198
1656- 8866A83 . . . 197
1656- 8866J00 . . . 198
1656- 8866J01 . . . 197
1656- 8866J07 . . . 198
1656- 8866J08 . . . 198
1656- 8866J09 . . . 198
1656- 8866J24 . . . 198
1656- 8866J25 . . . 198
1656- 8866J30 . . . 199
88688A22 . . . 316, 318, 327, 329, 331, 334, 337, 406
88688A23 . . . 347, 406
88688A24 . . . 327, 407
88688A25 . . . 316, 318, 327, 328, 331, 334, 337, 406
88688A26 . . . 347, 406
88688A27 . . . 327, 406
1589- 8868A15 . . . 196
1589- 8868G21 . . . 196
12 -887972 . . . 779, 780, 796
87 -887979A 2 . . . 29, 320
84 -888429K11 . . . 484
84 -888429K12 . . . 484
12 -888451 . . . 780, 799
88845A 1 . . . 179, 212
888462A 1 . . . 518
888507T . . . 453, 499
97 -888755K01 . . . 182, 249
97 -888755K02 . . . 182, 249
97 -888755Q03 . . . 249

97 -888755Q04 182
97 -888756K01 . . . . . 183, 249
97 -888756K02 . . . . . 182, 249
97 -888756Q03 249
97 -888756Q04 249
97 -888757K01 183
97 -888758K01 . . . . . 183, 249
97 -888758Q02 249
97 -888760K01 183
97 -888760K02 183
97 -888760Q03 183
97 -888760Q04 183
97 -888761K01 . . . . . 183, 250
97 -888761K02 . . . . . 183, 250
97 -888761Q03 250
97 -888761Q04 250
1600-888845T01 118
1600-888845T02 118
1600-888845T03 118
12 -888939 780
889074A 1 131
889246A16 229
889246A33 407
889246A34 407
889246A80 407
889246A81 407
33 -889246Q39 13
889250K01 . . . . . 332, 369, 458
91 -889277 . . . . . 92, 314
91 -889277002 . . . . . 92, 314
91 -889277K01 . . . . . 92, 176, 314, 333, 339
91 -889277K03 . . . . . 93, 314
91 -889277Q01 . . . . . 291, 333
91 -889277Q03 93
84 -889282A02 513
84 -889295T 333, 335, 511
87 -889305T01 395
87 -889305T02 395
889432A 1 . . . . . 128, 129, 155
889433A 1 . . . . . 128, 129, 155
889454A02 550
19 -889725047 804
19 -889725T28 804
19 -889725T35 804
64 -889930A03 545
64 -889932A12 544
64 -889932A17 544
64 -889934A05 . . . . . 317, 334, 337, 538, 541
64 -889934A08 544
64 -889934A14 544
64 -889937A01 545
64 -889937Q14 542
64 -889937Q27 542
64 -889939A19 544
64 -889940A11 542
64 -889940A12 542
64 -889940A13 542
64 -889940A14 542
64 -889940A15 543
64 -889940A16 543
64 -889940A17 543
64 -889940A18 543
64 -889940A19 543
64 -889940A20 543
64 -889940A21 543
64 -889940A22 543
64 -889940A27 543
64 -889940A28 543
64 -889940A32 543
64 -889940A40 543
64 -889940A50 543
48 -889964L44 . . . . . 658, 675
48 -889964L45 . . . . . 658, 675
48 -889964L48 . . . . . 659, 676
48 -889964L49 . . . . . 659, 676
48 -889964L63 . . . . . 658, 675
48 -889964L64 . . . . . 658, 675
48 -889964L65 . . . . . 658, 675
48 -889964L68 . . . . . 659, 676
48 -889964L69 . . . . . 659, 676
48 -889965L44 . . . . . 658, 675
48 -889965L45 . . . . . 658, 675
48 -889965L48 . . . . . 659, 676
48 -889965L49 . . . . . 659, 676
48 -889965L63 . . . . . 658, 675
48 -889965L64 . . . . . 658, 675
48 -889965L65 . . . . . 658, 675
48 -889965L68 . . . . . 659, 676
48 -889965L69 . . . . . 659, 676
48 -889966L44 . . . . . 658, 675
48 -889966L45 . . . . . 658, 675
48 -889966L48 . . . . . 659, 676
48 -889966L49 . . . . . 659, 676
48 -889966L63 . . . . . 658, 675
48 -889966L64 . . . . . 658, 675
48 -889966L65 . . . . . 658, 675
48 -889966L68 . . . . . 659, 676
48 -889966L69 . . . . . 659, 676
48 -889967L44 . . . . . 658, 675
48 -889967L45 . . . . . 658, 675
48 -889967L48 . . . . . 659, 676
48 -889967L49 . . . . . 659, 676
48 -889967L63 . . . . . 658, 675
48 -889967L64 . . . . . 658, 675
48 -889967L65 . . . . . 658, 675
48 -889967L68 . . . . . 659, 676
48 -889967L69 . . . . . 659, 676
48 -889968L44 . . . . . 658, 676
48 -889968L45 . . . . . 658, 676
48 -889968L48 . . . . . 659, 676
48 -889968L49 . . . . . 659, 676
48 -889968L63 . . . . . 658, 676
48 -889968L64 . . . . . 658, 676
48 -889968L65 . . . . . 658, 676

48 -889968L68 . . . . . 659, 676
48 -889968L69 . . . . . 659, 676
48 -889969L44 . . . . . 658, 676
48 -889969L45 . . . . . 658, 676
48 -889969L48 . . . . . 659, 676
48 -889969L49 . . . . . 659, 676
48 -889969L63 . . . . . 658, 676
48 -889969L64 . . . . . 658, 676
48 -889969L65 . . . . . 658, 676
48 -889969L68 . . . . . 659, 676
48 -889969L69 . . . . . 659, 676
48 -889970L44 . . . . . 658, 676
48 -889970L45 . . . . . 658, 676
48 -889970L48 . . . . . 659, 676
48 -889970L49 . . . . . 659, 676
48 -889970L63 . . . . . 658, 676
48 -889970L64 . . . . . 657, 676
48 -889970L65 . . . . . 657, 676
48 -889970L68 . . . . . 659, 676
48 -889970L69 . . . . . 659, 676
48 -889971L44 . . . . . 658, 676
48 -889971L45 . . . . . 658, 676
48 -889971L48 . . . . . 659, 676
48 -889971L49 . . . . . 659, 676
48 -889971L63 . . . . . 657, 676
48 -889971L64 . . . . . 657, 676
48 -889971L65 . . . . . 657, 676
48 -889971L68 . . . . . 659, 676
48 -889971L69 . . . . . 659, 676
48 -889972L44 . . . . . 657, 676
48 -889972L45 . . . . . 657, 676
48 -889972L48 . . . . . 659, 676
48 -889972L49 . . . . . 659, 676
48 -889972L63 . . . . . 657, 676
48 -889972L64 . . . . . 657, 676
48 -889972L65 . . . . . 657, 676
48 -889972L68 . . . . . 658, 676
48 -889972L69 . . . . . 658, 676
48 -889972L84 . . . . . 657, 676
48 -889972L85 . . . . . 657, 676
48 -889972L88 . . . . . 658, 676
48 -889972L89 . . . . . 658, 676
48 -889973L44 . . . . . 657, 676
48 -889973L45 . . . . . 657, 676
48 -889973L48 . . . . . 659, 676
48 -889973L49 . . . . . 659, 676
48 -889973L63 . . . . . 657, 676
48 -889973L64 . . . . . 657, 676
48 -889973L65 . . . . . 657, 676
48 -889973L68 . . . . . 658, 676
48 -889973L69 . . . . . 658, 676
48 -889973L84 . . . . . 657, 676
48 -889973L85 . . . . . 657, 676
48 -889973L88 . . . . . 658, 676
48 -889973L89 . . . . . 658, 676
48 -889974L44 . . . . . 658, 675
48 -889974L45 . . . . . 658, 675
48 -889974L48 . . . . . 659, 676
48 -889974L49 . . . . . 659, 676
48 -889974L63 . . . . . 658, 675
48 -889974L64 . . . . . 658, 675
48 -889974L65 . . . . . 658, 675
48 -889974L68 . . . . . 659, 676
48 -889974L69 . . . . . 659, 676
48 -889975L44 . . . . . 658, 675
48 -889975L45 . . . . . 658, 675
48 -889975L48 . . . . . 659, 676
48 -889975L49 . . . . . 659, 676
48 -889975L63 . . . . . 658, 675
48 -889975L64 . . . . . 658, 675
48 -889975L65 . . . . . 658, 675
48 -889975L68 . . . . . 659, 676
48 -889975L69 . . . . . 659, 676
64 -891665Q01 540
64 -891665Q04 540
64 -891666Q04 . . . . . 541, 548
64 -891666Q05 540
64 -891667Q01 . . . . . 538, 541, 542, 548
64 -891762A04 . . . . . 39, 522
891777A01 460
84 -892092T01 482
32 -892156A01 316
79 -892219K19 . . . . . 318, 329, 332, 335, 340, 349, 378
79 -892219K20 . . . . . 318, 329, 332, 335, 340, 349, 378
84 -892323A10 . . . . . 455, 475
84 -892323T01 . . . . . 454, 475
84 -892323T08 . . . . . 455, 475
91 -892333 564
22 -892356 71
26 - 89238A 2 57
84 -892451B20 479
84 -892451T06 . . . . . 341, 349, 472, 479
84 -892451T10 . . . . . 349, 472, 479
84 -892451T15 . . . . . 349, 472, 479
84 -892451T20 . . . . . 349, 472, 479
84 -892451T25 . . . . . 349, 472, 479
84 -892451T30 . . . . . 341, 350, 472, 479
84 -892452T01 457
84 -892473A01 . . . . . 322–324, 403, 505
892486K04 207
892486K05 207
892486K07 206
892486K08 . . . . . 337, 339
22 -892517 529
22 -892518 529
22 -892519 529
22 -892521 530
22 -892522 530
22 -892523 530
22 -892524 530
22 -892525 530
22 -892526 530
22 -892527 530
33 -892567Q 17

35 -892687A02 176
67 -892762A01 519
67 -892762A02 519
67 -892762A05 519
67 -892763A14 534
67 -892763A15 534
67 -892763A24 534
64 -892789Q22 . . . . . 320, 533, 545
64 -892789Q23 . . . . . 533, 545
64 -892789Q24 . . . . . 533, 546
64 -892789Q25 . . . . . 533, 546
64 -892789Q26 . . . . . 533, 546
64 -892789Q27 . . . . . 533, 546
64 -892790A01 410
64 -892790A02 410
892822A02 . . . . . 342, 534
32 -892825008 . . . . . 342, 528
32 -892825010 528
32 -892825012 529
32 -892825014 529
32 -892825016 529
32 -892825018 529
32 -892825020 529
32 -892825022 529
32 -892825024 529
32 -892825026 . . . . . 342, 529
91 -892866A01 . . . . . 93, 288, 341
84 -892868T01 . . . . . 341, 526
84 -892868T02 . . . . . 342, 526
84 -892868T03 526
84 -892955A02 432
84 -892955K05 . . . . . 341, 432
84 -892955T03 432
892984A01 339
892984A02 339
84 -892990T01 . . 316, 318, 322–325, 327, 329, 331, 334, 337, 349, 477, 489
84 -892990T10 . . 316, 318, 322, 324, 325, 327, 329, 332, 334, 337, 349, 477, 489
84 -892990T15 . . 316, 318, 323–325, 327, 329, 332, 334, 337, 349, 477, 490
35 -893318T02 . . . . . 90, 235, 236
87 -893353A02 . . . . . 340, 485, 491
87 -893353A03 . . . . . 340, 485, 491
87 -893353A04 . . . . . 340, 485, 491
87 -893353A05 . . . . . 340, 486, 492
87 -893353A06 . . . . . 340, 486, 492
87 -893353T04 486
893359K01 393
84 -893377K04 . . . . . 340, 432
84 -893378A02 432
893388A01 . . . . . 453, 499
893396A02 . . . . . 342, 533
97 -893404 . . . . . 102, 107, 108, 235–237
87 -893449T01 488
84 -893452A01 . . . . . 457, 481
89491 1 493
89491 10 493
89491 11 493
89491 12 493
89491 2 493
89491 3 493
89491 4 493
89491 5 493
89491 6 493
89491 7 493
89491 8 493
89491 9 493
91 -895040K01 . . . . . 527, 566
12 -895146 231
97 -895151001 229
1623- 8951A33 197
1623- 8951A37 198
1623- 8951A43 197
35 -895207 . . . . . 251, 293
895284A01 407
895284A02 407
895299A02 . . . . . 22, 23
895299A03 . . . . . 22, 23
91 -895343T02 . . . . . 94, 564
84 -895388T02 507
84 -895744A02 508
84 -895744A04 508
84 -895820T02 469
22 -896094A01 332
35 -896247 . . . . . 90, 235
896297A01 . . . . . 95, 322
67 -896305001 54
33 -896323 . . . . . 6, 15
33 -896329818 122
33 -896329827 . . . . . 5, 14–18
33 -896329833 14–17
33 -896329874 . . . . . 10, 15
33 -896329885 . . . . . 7, 18
33 -896329898 . . . . . 7, 14–18
47 -896332063 251
84 -896333T25 483
91 -896352A01 518
84 -896370T01 . . . . . 457, 481
84 -896377T02 435
84 -896380T05 491
67 -896392 56
84 -896394T01 507
84 -896537K02 . . . . . 319, 332, 335, 338, 350, 488
84 -896537K08 . . . . . 319, 332, 335, 338, 350, 489
84 -896537K11 . . . . . 316, 319, 326, 332, 335, 338, 350, 489
84 -896537K15 . . . 316, 319, 326, 327, 330, 332, 335, 338, 350, 489
84 -896537K20 . . . 316, 319, 326, 327, 330, 332, 335, 338, 350, 489
84 -896537K24 . . . . . 316, 319, 333, 335, 338, 350, 489
84 -896537K25 . . . . . 319, 338, 489
84 -896537K29 . . . . . 316, 319, 326, 338, 350, 489
84 -896537K30 . . . . . 319, 338, 489
84 -896537K40 . . . . . 350, 489
84 -896537T02 . . . . . 321, 323, 324, 349, 476, 489
84 -896537T08 . . . . . 321, 323, 324, 349, 476, 489

84 -896537T11 . . . 321, 323, 324, 349, 476, 489
84 -896537T15 . . . 321, 323, 324, 349, 476, 489
84 -896537T20 . . . 321, 323, 324, 349, 477, 489
84 -896537T24 . . . 321, 323, 324, 349, 477, 489
84 -896537T29 . . . 321, 323, 324, 349, 477, 489
84 -896537T40 . . . 349, 477, 489
84 -896537T99 . . . 322–324, 477
84 -896539T01 . . . 482
84 -896539T05 . . . 482
84 -896539T08 . . . 482
84 -896540T01 . . . 482
84 -896541T01 . . . 322–324, 482
84 -896541T05 . . . 482
84 -896542T01 . . . 482
84 -896542T05 . . . 482
84 -896542T08 . . . 482
11 -896602 . . . 57
896648A07 . . . 43, 44
91 -896661 . . . 176
84 -896691T05 . . . 487, 492
84 -896691T10 . . . 487, 492
896691T15 . . . 487, 492
48 -896890A10 . . . 586, 630, 710, 714
48 -896892A40 . . . 586, 630, 710, 714
48 -896896A40 . . . 586, 630, 710, 714
48 -896900A40 . . . 586, 631, 710, 714
896919951 . . . 493
896919952 . . . 493
896919953 . . . 493
896919954 . . . 493
896919955 . . . 493
896919956 . . . 493
896919957 . . . 493
896919958 . . . 493
896919959 . . . 493
896919960 . . . 493
896919961 . . . 493
896919962 . . . 493
896919963 . . . 493
896919964 . . . 493
896919965 . . . 493
896919966 . . . 493
896919967 . . . 493
896919968 . . . 493
896919969 . . . 493
896919970 . . . 493
897001T . . . 779, 801
84 -897345T08 . . . 425, 448
84 -897345T63 . . . 446
897453T . . . 779, 801
57 -897574Q01 . . . 233
48 -897614A10 . . . 584, 630, 713, 720
48 -897618A10 . . . 584, 630, 713, 720
32 -897643A01 . . . 526, 529
87 -897716451 . . . 493
87 -897716457 . . . 493
87 -897716460 . . . 494
87 -897716461 . . . 494
87 -897716462 . . . 494
87 -897716463 . . . 494
87 -897716821 . . . 494
87 -897716827 . . . 494
87 -897716830 . . . 494
87 -897716831 . . . 494
87 -897716832 . . . 494
87 -897716833 . . . 494
87 -897716841 . . . 494
87 -897716847 . . . 494
87 -897716850 . . . 494
87 -897716851 . . . 494
87 -897716852 . . . 494
87 -897716853 . . . 494
87 -897716K01 . . . 340, 486, 491
87 -897716K02 . . . 340, 486, 491
87 -897716K03 . . . 486
87 -897716K04 . . . 486
22 - 89771Q 2 . . . 71
22 - 89771T 2 . . . 71, 177
22 -897726 . . . 531
22 - 89772Q 1 . . . 69
22 - 89772T 1 . . . 68
48 -897748A11 . . . 585, 630, 713
48 -897750A11 . . . 585, 630, 713
48 -897752A11 . . . 585, 630, 713
48 -897754A11 . . . 585, 630
87 -897978T02 . . . 39, 317, 320, 331, 339, 522
84 -898059T15 . . . 468
84 -898059T20 . . . 468
84 -898059T25 . . . 468
84 -898059T30 . . . 468
898091T01 . . . 498
898091T02 . . . 498
898091T03 . . . 498
898091T04 . . . 498
898101045 . . . 550
87 -898101A01 . . . 37
898101A45 . . . 326, 550, 551
898103138 . . . 551
898103A90 . . . 22, 24
898103A92 . . . 45
898235A01 . . . 166, 351
898235A02 . . . 166, 351
898245A01 . . . 89, 341, 803
898253T28 . . . 246
35 -898272048 . . . 251
84 -898284T01 . . . 455, 475
84 -898285T01 . . . 459, 564
898289045 . . . 514
898289046 . . . 514
898289A21 . . . 410
898289A48 . . . 514
898289A71 . . . 514
84 -898289A72 . . . 319, 338, 496
898289Q45 . . . 513

898289T42 . . . . . 455, 476
898289T47 514
84 -898289T75 . . . . . 206, 459
84 -898289T76 459
898349A02 541
898349A03 541
898370A03 . . . . . 320, 533
19 -898432 . . . . . 538, 541, 548
89876A 3 . . . . . 79, 176
898966A02 . . . . . 320, 534
54 -899145 517
37 -899203A01 487
89949A 1 . . . . . 102, 114
899625K02 . . . . . 317, 320, 333, 509
899625K04 . . . . . 317, 320, 333, 509
899625K08 . . . . . 331, 509
50 -899783A01 . . . . . 33, 36
84 -899785K02 484
84 -899785K04 . . . . . 341, 484
84 -899785K15 484
84 -899785K30 484
48 -899818A05 . . . . . 586, 642
48 -899820A05 . . . . . 586, 642
47 - 89984T 4 234
47 - 89984T 5 249
899859K03 437
84 -899887T01 . . . . . 442, 446
84 -899887T02 446
84 -899887T08 447
84 -899887T13 . . . . . 441, 447
84 -899887T14 . . . . . 441, 447
84 -899887T17 . . . . . 441, 447
84 -899888T21 . . . . . 441, 447
84 -899888T22 . . . . . 441, 447
84 -899888T23 . . . . . 441, 447
35 -8M0000202 175
35 -8M0000493 175
22 -8M0001721 . . . . . 71, 317, 319, 327, 330, 333, 336, 338
48 -8M0002277 682
48 -8M0002278 682
48 -8M0002279 682
48 -8M0002280 682
48 -8M0002281 683
48 -8M0002282 683
48 -8M0002283 683
48 -8M0002284 683
48 -8M0002285 683
48 -8M0002286 683
48 -8M0002287 683
48 -8M0002288 683
48 -8M0002289 683
48 -8M0002290 683
48 -8M0002293 683
48 -8M0002294 683
48 -8M0002295 683
48 -8M0002296 683
48 -8M0002297 683
48 -8M0002298 683
48 -8M0002299 684
48 -8M0002300 684
48 -8M0002301 684
48 -8M0002302 684
48 -8M0002303 684
48 -8M0002304 684
48 -8M0002305 684
48 -8M0002306 684
48 -8M0002307 682
48 -8M0002308 682
48 -8M0002309 682
48 -8M0002310 682
48 -8M0002311 683
48 -8M0002312 683
48 -8M0002313 683
48 -8M0002314 683
48 -8M0002315 683
48 -8M0002316 683
48 -8M0002317 683
48 -8M0002318 683
48 -8M0002319 683
48 -8M0002320 683
48 -8M0002321 683
48 -8M0002322 683
48 -8M0002323 683
48 -8M0002324 683
48 -8M0002325 683
48 -8M0002326 683
48 -8M0002327 683
48 -8M0002328 683
48 -8M0002329 684
48 -8M0002330 684
48 -8M0002331 684
48 -8M0002332 684
48 -8M0002333 684
48 -8M0002334 684
48 -8M0002335 684
48 -8M0002336 684
48 -8M0002337 682
48 -8M0002338 682
48 -8M0002339 682
48 -8M0002340 682
48 -8M0002341 683
48 -8M0002342 683
48 -8M0002343 683
48 -8M0002344 683
48 -8M0002345 683
48 -8M0002346 683
48 -8M0002347 683
48 -8M0002348 683
48 -8M0002349 683
48 -8M0002350 683
48 -8M0002351 683
48 -8M0002352 683
48 -8M0002353 683
48 -8M0002354 683

48 -8M0002355 . . . 683
48 -8M0002356 . . . 683
48 -8M0002357 . . . 683
48 -8M0002358 . . . 683
48 -8M0002359 . . . 684
48 -8M0002360 . . . 684
48 -8M0002361 . . . 684
48 -8M0002362 . . . 684
48 -8M0002363 . . . 684
48 -8M0002364 . . . 684
48 -8M0002365 . . . 684
48 -8M0002366 . . . 684
48 -8M0002367 . . . 682
48 -8M0002368 . . . 682
48 -8M0002369 . . . 682
48 -8M0002370 . . . 682
48 -8M0002371 . . . 683
48 -8M0002372 . . . 683
48 -8M0002373 . . . 683
48 -8M0002374 . . . 683
48 -8M0002375 . . . 683
48 -8M0002376 . . . 683
48 -8M0002377 . . . 683
48 -8M0002378 . . . 683
48 -8M0002379 . . . 683
48 -8M0002380 . . . 683
48 -8M0002381 . . . 683
48 -8M0002382 . . . 683
48 -8M0002383 . . . 683
48 -8M0002384 . . . 683
48 -8M0002385 . . . 683
48 -8M0002386 . . . 683
48 -8M0002387 . . . 683
48 -8M0002388 . . . 683
48 -8M0002389 . . . 684
48 -8M0002390 . . . 684
48 -8M0002391 . . . 684
48 -8M0002392 . . . 684
48 -8M0002393 . . . 684
48 -8M0002394 . . . 684
48 -8M0002395 . . . 684
48 -8M0002396 . . . 684
48 -8M0002397 . . . 682
48 -8M0002398 . . . 682
48 -8M0002399 . . . 682
48 -8M0002400 . . . 682
48 -8M0002401 . . . 683
48 -8M0002402 . . . 683
48 -8M0002403 . . . 683
48 -8M0002404 . . . 683
48 -8M0002405 . . . 683
48 -8M0002406 . . . 683
48 -8M0002407 . . . 683
48 -8M0002408 . . . 683
48 -8M0002409 . . . 683
48 -8M0002410 . . . 683
48 -8M0002411 . . . 683
48 -8M0002412 . . . 683
48 -8M0002413 . . . 683
48 -8M0002414 . . . 683
48 -8M0002415 . . . 683
48 -8M0002416 . . . 683
48 -8M0002417 . . . 683
48 -8M0002418 . . . 683
48 -8M0002419 . . . 684
48 -8M0002420 . . . 684
48 -8M0002421 . . . 684
48 -8M0002422 . . . 684
48 -8M0002423 . . . 684
48 -8M0002424 . . . 684
48 -8M0002425 . . . 684
48 -8M0002426 . . . 684
48 -8M0002427 . . . 682
48 -8M0002428 . . . 682
48 -8M0002429 . . . 682
48 -8M0002430 . . . 682
48 -8M0002431 . . . 683
48 -8M0002432 . . . 683
48 -8M0002433 . . . 683
48 -8M0002434 . . . 683
48 -8M0002435 . . . 683
48 -8M0002436 . . . 683
48 -8M0002437 . . . 683
48 -8M0002438 . . . 683
48 -8M0002439 . . . 683
48 -8M0002440 . . . 683
48 -8M0002441 . . . 683
48 -8M0002442 . . . 683
48 -8M0002443 . . . 683
48 -8M0002444 . . . 683
48 -8M0002445 . . . 683
48 -8M0002446 . . . 683
48 -8M0002447 . . . 683
48 -8M0002448 . . . 683
48 -8M0002449 . . . 684
48 -8M0002450 . . . 684
48 -8M0002451 . . . 684
48 -8M0002452 . . . 684
48 -8M0002453 . . . 684
48 -8M0002454 . . . 684
48 -8M0002455 . . . 684
48 -8M0002456 . . . 684
48 -8M0002457 . . . 682
48 -8M0002458 . . . 682
48 -8M0002459 . . . 682
48 -8M0002460 . . . 682
48 -8M0002461 . . . 683
48 -8M0002462 . . . 683
48 -8M0002463 . . . 683
48 -8M0002464 . . . 683
48 -8M0002465 . . . 683
48 -8M0002466 . . . 683
48 -8M0002467 . . . 683
48 -8M0002468 . . . 683

48 -8M0002469 . . . 683
48 -8M0002470 . . . 683
48 -8M0002471 . . . 683
48 -8M0002472 . . . 683
48 -8M0002473 . . . 683
48 -8M0002474 . . . 683
48 -8M0002475 . . . 683
48 -8M0002476 . . . 683
48 -8M0002477 . . . 683
48 -8M0002478 . . . 683
48 -8M0002479 . . . 684
48 -8M0002480 . . . 684
48 -8M0002481 . . . 684
48 -8M0002482 . . . 684
48 -8M0002483 . . . 684
48 -8M0002484 . . . 684
48 -8M0002485 . . . 684
48 -8M0002486 . . . 684
48 -8M0002487 . . . 682
48 -8M0002488 . . . 682
48 -8M0002489 . . . 682
48 -8M0002490 . . . 682
48 -8M0002491 . . . 683
48 -8M0002492 . . . 683
48 -8M0002493 . . . 683
48 -8M0002494 . . . 683
48 -8M0002495 . . . 683
48 -8M0002496 . . . 683
48 -8M0002497 . . . 683
48 -8M0002498 . . . 683
48 -8M0002499 . . . 683
48 -8M0002500 . . . 683
48 -8M0002501 . . . 683
48 -8M0002502 . . . 683
48 -8M0002503 . . . 683
48 -8M0002504 . . . 683
48 -8M0002505 . . . 683
48 -8M0002506 . . . 683
48 -8M0002507 . . . 684
48 -8M0002508 . . . 684
48 -8M0002509 . . . 684
48 -8M0002510 . . . 684
48 -8M0002511 . . . 684
48 -8M0002512 . . . 684
48 -8M0002513 . . . 684
48 -8M0002514 . . . 684
48 -8M0002515 . . . 684
48 -8M0002516 . . . 684
48 -8M0002517 . . . 682
48 -8M0002518 . . . 682
48 -8M0002519 . . . 682
48 -8M0002520 . . . 682
48 -8M0002521 . . . 683
48 -8M0002522 . . . 683
48 -8M0002523 . . . 683
48 -8M0002524 . . . 683
48 -8M0002525 . . . 683
48 -8M0002526 . . . 683
48 -8M0002527 . . . 683
48 -8M0002528 . . . 683
48 -8M0002529 . . . 683
48 -8M0002530 . . . 683
48 -8M0002531 . . . 683
48 -8M0002532 . . . 683
48 -8M0002533 . . . 683
48 -8M0002534 . . . 683
48 -8M0002535 . . . 683
48 -8M0002536 . . . 683
48 -8M0002537 . . . 684
48 -8M0002538 . . . 684
48 -8M0002539 . . . 684
48 -8M0002540 . . . 684
48 -8M0002541 . . . 684
48 -8M0002542 . . . 684
48 -8M0002543 . . . 684
48 -8M0002544 . . . 684
48 -8M0002545 . . . 684
48 -8M0002546 . . . 684
48 -8M0002547 . . . 682
48 -8M0002548 . . . 682
48 -8M0002549 . . . 682
48 -8M0002550 . . . 682
48 -8M0002551 . . . 683
48 -8M0002552 . . . 683
48 -8M0002553 . . . 683
48 -8M0002554 . . . 683
48 -8M0002555 . . . 683
48 -8M0002556 . . . 683
48 -8M0002557 . . . 683
48 -8M0002558 . . . 683
48 -8M0002559 . . . 683
48 -8M0002560 . . . 683
48 -8M0002561 . . . 683
48 -8M0002562 . . . 683
48 -8M0002563 . . . 683
48 -8M0002564 . . . 683
48 -8M0002565 . . . 683
48 -8M0002566 . . . 683
48 -8M0002567 . . . 684
48 -8M0002568 . . . 684
48 -8M0002569 . . . 684
48 -8M0002570 . . . 684
48 -8M0002571 . . . 684
48 -8M0002572 . . . 684
48 -8M0002573 . . . 684
48 -8M0002574 . . . 684
48 -8M0002575 . . . 684
48 -8M0002576 . . . 684
48 -8M0002577 . . . 682
48 -8M0002578 . . . 682
48 -8M0002579 . . . 682
48 -8M0002580 . . . 682
48 -8M0002581 . . . 683
48 -8M0002582 . . . 683

48 -8M0002583 . . . 683
48 -8M0002584 . . . 683
48 -8M0002585 . . . 683
48 -8M0002586 . . . 683
48 -8M0002587 . . . 683
48 -8M0002588 . . . 683
48 -8M0002589 . . . 683
48 -8M0002590 . . . 683
48 -8M0002591 . . . 683
48 -8M0002592 . . . 683
48 -8M0002593 . . . 683
48 -8M0002594 . . . 683
48 -8M0002595 . . . 683
48 -8M0002596 . . . 683
48 -8M0002597 . . . 684
48 -8M0002598 . . . 684
48 -8M0002599 . . . 684
48 -8M0002600 . . . 684
48 -8M0002601 . . . 684
48 -8M0002602 . . . 684
48 -8M0002603 . . . 684
48 -8M0002604 . . . 684
48 -8M0002605 . . . 684
48 -8M0002606 . . . 684
48 -8M0002607 . . . 682
48 -8M0002608 . . . 682
48 -8M0002609 . . . 682
48 -8M0002610 . . . 682
48 -8M0002611 . . . 683
48 -8M0002612 . . . 683
48 -8M0002613 . . . 683
48 -8M0002614 . . . 683
48 -8M0002615 . . . 683
48 -8M0002616 . . . 683
48 -8M0002617 . . . 683
48 -8M0002618 . . . 683
48 -8M0002619 . . . 683
48 -8M0002620 . . . 683
48 -8M0002621 . . . 683
48 -8M0002622 . . . 683
48 -8M0002623 . . . 683
48 -8M0002624 . . . 683
48 -8M0002625 . . . 683
48 -8M0002626 . . . 683
48 -8M0002627 . . . 684
48 -8M0002628 . . . 684
48 -8M0002629 . . . 684
48 -8M0002630 . . . 684
48 -8M0002631 . . . 684
48 -8M0002632 . . . 684
48 -8M0002633 . . . 684
48 -8M0002634 . . . 684
48 -8M0002635 . . . 684
48 -8M0002636 . . . 684
48 -8M0002637 . . . 682
48 -8M0002638 . . . 682
48 -8M0002639 . . . 683
48 -8M0002640 . . . 683
48 -8M0002641 . . . 683
48 -8M0002642 . . . 683
48 -8M0002643 . . . 683
48 -8M0002644 . . . 683
48 -8M0002645 . . . 683
48 -8M0002646 . . . 683
48 -8M0002647 . . . 683
48 -8M0002648 . . . 683
48 -8M0002649 . . . 683
48 -8M0002650 . . . 683
48 -8M0002651 . . . 683
48 -8M0002652 . . . 683
48 -8M0002653 . . . 683
48 -8M0002654 . . . 683
48 -8M0002655 . . . 683
48 -8M0002656 . . . 683
48 -8M0002657 . . . 684
48 -8M0002658 . . . 684
48 -8M0002659 . . . 684
48 -8M0002660 . . . 684
48 -8M0002661 . . . 684
48 -8M0002662 . . . 684
48 -8M0002663 . . . 684
48 -8M0002664 . . . 684
48 -8M0002665 . . . 684
48 -8M0002666 . . . 684
48 -8M0002667 . . . 696
48 -8M0002668 . . . 696
48 -8M0002669 . . . 696
48 -8M0002670 . . . 696
48 -8M0002671 . . . 696
48 -8M0002672 . . . 696
48 -8M0002673 . . . 696
48 -8M0002674 . . . 696
48 -8M0002675 . . . 697
48 -8M0002676 . . . 697
48 -8M0002677 . . . 697
48 -8M0002678 . . . 697
48 -8M0002679 . . . 697
48 -8M0002680 . . . 697
48 -8M0002681 . . . 697
48 -8M0002682 . . . 697
48 -8M0002683 . . . 697
48 -8M0002684 . . . 697
48 -8M0002685 . . . 697
48 -8M0002686 . . . 697
48 -8M0002687 . . . 697
48 -8M0002688 . . . 697
48 -8M0002689 . . . 697
48 -8M0002690 . . . 697
48 -8M0002691 . . . 697
48 -8M0002692 . . . 697
48 -8M0002693 . . . 698
48 -8M0002694 . . . 698
48 -8M0002695 . . . 698
48 -8M0002696 . . . 698

48 -8M0002697 696
48 -8M0002698 696
48 -8M0002699 696
48 -8M0002700 696
48 -8M0002701 696
48 -8M0002702 696
48 -8M0002703 696
48 -8M0002704 696
48 -8M0002705 697
48 -8M0002706 697
48 -8M0002707 697
48 -8M0002708 697
48 -8M0002709 697
48 -8M0002710 697
48 -8M0002711 697
48 -8M0002712 697
48 -8M0002713 697
48 -8M0002714 697
48 -8M0002715 697
48 -8M0002716 697
48 -8M0002717 697
48 -8M0002718 697
48 -8M0002719 697
48 -8M0002720 697
48 -8M0002721 697
48 -8M0002722 697
48 -8M0002723 698
48 -8M0002724 698
48 -8M0002725 698
48 -8M0002726 698
48 -8M0002727 696
48 -8M0002728 696
48 -8M0002729 696
48 -8M0002730 696
48 -8M0002731 696
48 -8M0002732 696
48 -8M0002733 696
48 -8M0002734 696
48 -8M0002735 697
48 -8M0002736 697
48 -8M0002737 697
48 -8M0002738 697
48 -8M0002739 697
48 -8M0002740 697
48 -8M0002741 697
48 -8M0002742 697
48 -8M0002743 697
48 -8M0002744 697
48 -8M0002745 697
48 -8M0002746 697
48 -8M0002747 697
48 -8M0002748 697
48 -8M0002749 697
48 -8M0002750 697
48 -8M0002751 697
48 -8M0002752 697
48 -8M0002753 698
48 -8M0002754 698
48 -8M0002755 698
48 -8M0002756 698
48 -8M0002757 696
48 -8M0002758 696
48 -8M0002759 696
48 -8M0002760 696
48 -8M0002761 696
48 -8M0002762 696
48 -8M0002763 696
48 -8M0002764 696
48 -8M0002765 697
48 -8M0002766 697
48 -8M0002767 697
48 -8M0002768 697
48 -8M0002769 697
48 -8M0002770 697
48 -8M0002771 697
48 -8M0002772 697
48 -8M0002773 697
48 -8M0002774 697
48 -8M0002775 697
48 -8M0002776 697
48 -8M0002777 697
48 -8M0002778 697
48 -8M0002779 697
48 -8M0002780 697
48 -8M0002781 697
48 -8M0002782 697
48 -8M0002783 698
48 -8M0002784 698
48 -8M0002785 698
48 -8M0002786 698
48 -8M0002787 696
48 -8M0002788 696
48 -8M0002789 696
48 -8M0002790 696
48 -8M0002791 696
48 -8M0002792 696
48 -8M0002793 696
48 -8M0002794 696
48 -8M0002795 697
48 -8M0002796 697
48 -8M0002797 697
48 -8M0002798 697
48 -8M0002799 697
48 -8M0002800 697
48 -8M0002801 697
48 -8M0002802 697
48 -8M0002803 697
48 -8M0002804 697
48 -8M0002805 697
48 -8M0002806 697
48 -8M0002807 697
48 -8M0002808 697
48 -8M0002809 697
48 -8M0002810 697

48 -8M0002811 . . . 697
48 -8M0002812 . . . 697
48 -8M0002813 . . . 698
48 -8M0002814 . . . 698
48 -8M0002815 . . . 698
48 -8M0002816 . . . 698
48 -8M0002817 . . . 696
48 -8M0002818 . . . 696
48 -8M0002819 . . . 696
48 -8M0002820 . . . 696
48 -8M0002821 . . . 696
48 -8M0002822 . . . 696
48 -8M0002823 . . . 696
48 -8M0002824 . . . 696
48 -8M0002825 . . . 697
48 -8M0002826 . . . 697
48 -8M0002827 . . . 697
48 -8M0002828 . . . 697
48 -8M0002829 . . . 697
48 -8M0002830 . . . 697
48 -8M0002831 . . . 697
48 -8M0002832 . . . 697
48 -8M0002833 . . . 697
48 -8M0002834 . . . 697
48 -8M0002835 . . . 697
48 -8M0002836 . . . 697
48 -8M0002837 . . . 697
48 -8M0002838 . . . 697
48 -8M0002839 . . . 697
48 -8M0002840 . . . 697
48 -8M0002841 . . . 697
48 -8M0002842 . . . 697
48 -8M0002843 . . . 698
48 -8M0002844 . . . 698
48 -8M0002845 . . . 698
48 -8M0002846 . . . 698
48 -8M0002847 . . . 696
48 -8M0002848 . . . 696
48 -8M0002849 . . . 696
48 -8M0002850 . . . 696
48 -8M0002851 . . . 696
48 -8M0002852 . . . 696
48 -8M0002853 . . . 696
48 -8M0002854 . . . 696
48 -8M0002855 . . . 697
48 -8M0002856 . . . 697
48 -8M0002857 . . . 697
48 -8M0002858 . . . 697
48 -8M0002859 . . . 697
48 -8M0002860 . . . 697
48 -8M0002861 . . . 697
48 -8M0002862 . . . 697
48 -8M0002863 . . . 697
48 -8M0002864 . . . 697
48 -8M0002865 . . . 697
48 -8M0002866 . . . 697
48 -8M0002867 . . . 697
48 -8M0002868 . . . 697
48 -8M0002869 . . . 697
48 -8M0002870 . . . 697
48 -8M0002871 . . . 697
48 -8M0002872 . . . 697
48 -8M0002873 . . . 698
48 -8M0002874 . . . 698
48 -8M0002875 . . . 698
48 -8M0002876 . . . 698
48 -8M0002877 . . . 696
48 -8M0002878 . . . 696
48 -8M0002879 . . . 696
48 -8M0002880 . . . 696
48 -8M0002881 . . . 696
48 -8M0002882 . . . 696
48 -8M0002883 . . . 696
48 -8M0002884 . . . 696
48 -8M0002885 . . . 697
48 -8M0002886 . . . 697
48 -8M0002887 . . . 697
48 -8M0002888 . . . 697
48 -8M0002889 . . . 697
48 -8M0002890 . . . 697
48 -8M0002891 . . . 697
48 -8M0002892 . . . 697
48 -8M0002893 . . . 697
48 -8M0002894 . . . 697
48 -8M0002895 . . . 697
48 -8M0002896 . . . 697
48 -8M0002897 . . . 697
48 -8M0002898 . . . 697
48 -8M0002899 . . . 697
48 -8M0002900 . . . 697
48 -8M0002901 . . . 698
48 -8M0002902 . . . 698
48 -8M0002903 . . . 698
48 -8M0002904 . . . 698
48 -8M0002905 . . . 698
48 -8M0002906 . . . 698
48 -8M0002907 . . . 696
48 -8M0002908 . . . 696
48 -8M0002909 . . . 696
48 -8M0002910 . . . 696
48 -8M0002911 . . . 696
48 -8M0002912 . . . 696
48 -8M0002913 . . . 696
48 -8M0002914 . . . 696
48 -8M0002915 . . . 697
48 -8M0002916 . . . 697
48 -8M0002917 . . . 697
48 -8M0002918 . . . 697
48 -8M0002919 . . . 697
48 -8M0002920 . . . 697
48 -8M0002921 . . . 697
48 -8M0002922 . . . 697
48 -8M0002923 . . . 697
48 -8M0002924 . . . 697

48 -8M0002925 . . . 697
48 -8M0002926 . . . 697
48 -8M0002927 . . . 697
48 -8M0002928 . . . 697
48 -8M0002929 . . . 697
48 -8M0002930 . . . 697
48 -8M0002931 . . . 698
48 -8M0002932 . . . 698
48 -8M0002933 . . . 698
48 -8M0002934 . . . 698
48 -8M0002935 . . . 698
48 -8M0002936 . . . 698
48 -8M0002937 . . . 696
48 -8M0002938 . . . 696
48 -8M0002939 . . . 696
48 -8M0002940 . . . 696
48 -8M0002941 . . . 696
48 -8M0002942 . . . 696
48 -8M0002943 . . . 696
48 -8M0002944 . . . 696
48 -8M0002945 . . . 697
48 -8M0002946 . . . 697
48 -8M0002947 . . . 697
48 -8M0002948 . . . 697
48 -8M0002949 . . . 697
48 -8M0002950 . . . 697
48 -8M0002951 . . . 697
48 -8M0002952 . . . 697
48 -8M0002953 . . . 697
48 -8M0002954 . . . 697
48 -8M0002955 . . . 697
48 -8M0002956 . . . 697
48 -8M0002957 . . . 697
48 -8M0002958 . . . 697
48 -8M0002959 . . . 697
48 -8M0002960 . . . 697
48 -8M0002961 . . . 698
48 -8M0002962 . . . 698
48 -8M0002963 . . . 698
48 -8M0002964 . . . 698
48 -8M0002965 . . . 698
48 -8M0002966 . . . 698
48 -8M0002967 . . . 696
48 -8M0002968 . . . 696
48 -8M0002969 . . . 696
48 -8M0002970 . . . 696
48 -8M0002971 . . . 696
48 -8M0002972 . . . 696
48 -8M0002973 . . . 696
48 -8M0002974 . . . 696
48 -8M0002975 . . . 697
48 -8M0002976 . . . 697
48 -8M0002977 . . . 697
48 -8M0002978 . . . 697
48 -8M0002979 . . . 697
48 -8M0002980 . . . 697
48 -8M0002981 . . . 697
48 -8M0002982 . . . 697
48 -8M0002983 . . . 697
48 -8M0002984 . . . 697
48 -8M0002985 . . . 697
48 -8M0002986 . . . 697
48 -8M0002987 . . . 697
48 -8M0002988 . . . 697
48 -8M0002989 . . . 697
48 -8M0002990 . . . 697
48 -8M0002991 . . . 698
48 -8M0002992 . . . 698
48 -8M0002993 . . . 698
48 -8M0002994 . . . 698
48 -8M0002995 . . . 698
48 -8M0002996 . . . 698
48 -8M0002997 . . . 696
48 -8M0002998 . . . 696
48 -8M0002999 . . . 696
48 -8M0003000 . . . 696
48 -8M0003001 . . . 696
48 -8M0003002 . . . 696
48 -8M0003003 . . . 696
48 -8M0003004 . . . 696
48 -8M0003005 . . . 697
48 -8M0003006 . . . 697
48 -8M0003007 . . . 697
48 -8M0003008 . . . 697
48 -8M0003009 . . . 697
48 -8M0003010 . . . 697
48 -8M0003011 . . . 697
48 -8M0003012 . . . 697
48 -8M0003013 . . . 697
48 -8M0003014 . . . 697
48 -8M0003015 . . . 697
48 -8M0003016 . . . 697
48 -8M0003017 . . . 697
48 -8M0003018 . . . 697
48 -8M0003019 . . . 697
48 -8M0003020 . . . 697
48 -8M0003021 . . . 698
48 -8M0003022 . . . 698
48 -8M0003023 . . . 698
48 -8M0003024 . . . 698
48 -8M0003025 . . . 698
48 -8M0003026 . . . 698
48 -8M0003027 . . . 696
48 -8M0003028 . . . 696
48 -8M0003029 . . . 696
48 -8M0003030 . . . 696
48 -8M0003031 . . . 696
48 -8M0003032 . . . 696
48 -8M0003033 . . . 697
48 -8M0003034 . . . 697
48 -8M0003035 . . . 697
48 -8M0003036 . . . 697
48 -8M0003037 . . . 697
48 -8M0003038 . . . 697

48 -8M0003039 . . . 697
48 -8M0003040 . . . 697
48 -8M0003041 . . . 697
48 -8M0003042 . . . 697
48 -8M0003043 . . . 697
48 -8M0003044 . . . 697
48 -8M0003045 . . . 697
48 -8M0003046 . . . 697
48 -8M0003047 . . . 697
48 -8M0003048 . . . 697
48 -8M0003049 . . . 697
48 -8M0003050 . . . 697
48 -8M0003051 . . . 698
48 -8M0003052 . . . 698
48 -8M0003053 . . . 698
48 -8M0003054 . . . 698
48 -8M0003055 . . . 698
48 -8M0003056 . . . 698
48 -8M0003447 . . . 684
48 -8M0003448 . . . 684
48 -8M0003449 . . . 684
48 -8M0003450 . . . 684
48 -8M0003451 . . . 684
48 -8M0003452 . . . 684
48 -8M0003453 . . . 685
48 -8M0003454 . . . 685
48 -8M0003455 . . . 685
48 -8M0003456 . . . 685
48 -8M0003457 . . . 685
48 -8M0003458 . . . 685
48 -8M0003459 . . . 685
48 -8M0003460 . . . 685
48 -8M0003461 . . . 683, 685
48 -8M0003462 . . . 683, 685
48 -8M0003463 . . . 685
48 -8M0003464 . . . 685
48 -8M0003465 . . . 685
48 -8M0003466 . . . 685
48 -8M0003467 . . . 685
48 -8M0003468 . . . 685
48 -8M0003469 . . . 685
48 -8M0003470 . . . 685
48 -8M0003471 . . . 686
48 -8M0003472 . . . 686
48 -8M0003473 . . . 686
48 -8M0003474 . . . 686
48 -8M0003475 . . . 686
48 -8M0003476 . . . 686
48 -8M0003479 . . . 684
48 -8M0003480 . . . 684
48 -8M0003481 . . . 684
48 -8M0003482 . . . 684
48 -8M0003483 . . . 685
48 -8M0003484 . . . 685
48 -8M0003485 . . . 685
48 -8M0003486 . . . 685
48 -8M0003487 . . . 685
48 -8M0003488 . . . 685
48 -8M0003489 . . . 685
48 -8M0003490 . . . 685
48 -8M0003491 . . . 685
48 -8M0003492 . . . 685
48 -8M0003493 . . . 685
48 -8M0003494 . . . 685
48 -8M0003495 . . . 685
48 -8M0003496 . . . 685
48 -8M0003497 . . . 685
48 -8M0003498 . . . 685
48 -8M0003499 . . . 685
48 -8M0003500 . . . 685
48 -8M0003501 . . . 686
48 -8M0003502 . . . 686
48 -8M0003503 . . . 686
48 -8M0003504 . . . 686
48 -8M0003505 . . . 686
48 -8M0003506 . . . 686
48 -8M0003507 . . . 684
48 -8M0003508 . . . 684
48 -8M0003511 . . . 684
48 -8M0003512 . . . 684
48 -8M0003513 . . . 685
48 -8M0003514 . . . 685
48 -8M0003515 . . . 685
48 -8M0003516 . . . 685
48 -8M0003517 . . . 685
48 -8M0003518 . . . 685
48 -8M0003519 . . . 685
48 -8M0003520 . . . 685
48 -8M0003521 . . . 685
48 -8M0003522 . . . 685
48 -8M0003523 . . . 685
48 -8M0003524 . . . 685
48 -8M0003525 . . . 685
48 -8M0003526 . . . 685
48 -8M0003527 . . . 685
48 -8M0003528 . . . 685
48 -8M0003529 . . . 685
48 -8M0003530 . . . 685
48 -8M0003531 . . . 686
48 -8M0003532 . . . 686
48 -8M0003533 . . . 686
48 -8M0003534 . . . 686
48 -8M0003535 . . . 686
48 -8M0003536 . . . 686
48 -8M0003537 . . . 684
48 -8M0003538 . . . 684
48 -8M0003539 . . . 684
48 -8M0003541 . . . 684
48 -8M0003542 . . . 684
48 -8M0003543 . . . 685
48 -8M0003544 . . . 685
48 -8M0003545 . . . 685
48 -8M0003546 . . . 685
48 -8M0003547 . . . 685

48 -8M0003548 . . . 685
48 -8M0003549 . . . 685
48 -8M0003550 . . . 685
48 -8M0003551 . . . 685
48 -8M0003552 . . . 685
48 -8M0003553 . . . 685
48 -8M0003554 . . . 685
48 -8M0003555 . . . 685
48 -8M0003556 . . . 685
48 -8M0003557 . . . 685
48 -8M0003558 . . . 685
48 -8M0003559 . . . 685
48 -8M0003560 . . . 685
48 -8M0003561 . . . 686
48 -8M0003562 . . . 686
48 -8M0003563 . . . 686
48 -8M0003564 . . . 686
48 -8M0003565 . . . 686
48 -8M0003566 . . . 686
48 -8M0003567 . . . 684
48 -8M0003568 . . . 684
48 -8M0003569 . . . 684
48 -8M0003570 . . . 684
48 -8M0003571 . . . 684
48 -8M0003572 . . . 684
48 -8M0003573 . . . 685
48 -8M0003574 . . . 685
48 -8M0003575 . . . 685
48 -8M0003576 . . . 685
48 -8M0003577 . . . 685
48 -8M0003578 . . . 685
48 -8M0003579 . . . 685
48 -8M0003580 . . . 685
48 -8M0003581 . . . 685
48 -8M0003582 . . . 685
48 -8M0003583 . . . 685
48 -8M0003584 . . . 685
48 -8M0003585 . . . 685
48 -8M0003586 . . . 685
48 -8M0003587 . . . 685
48 -8M0003588 . . . 685
48 -8M0003589 . . . 686
48 -8M0003590 . . . 686
48 -8M0003591 . . . 686
48 -8M0003592 . . . 686
48 -8M0003593 . . . 686
48 -8M0003594 . . . 686
48 -8M0003595 . . . 686
48 -8M0003596 . . . 686
48 -8M0003597 . . . 684
48 -8M0003598 . . . 684
48 -8M0003599 . . . 684
48 -8M0003600 . . . 684
48 -8M0003601 . . . 684
48 -8M0003602 . . . 684
48 -8M0003603 . . . 685
48 -8M0003604 . . . 685
48 -8M0003605 . . . 685
48 -8M0003606 . . . 685
48 -8M0003607 . . . 685
48 -8M0003608 . . . 685
48 -8M0003609 . . . 685
48 -8M0003610 . . . 685
48 -8M0003611 . . . 685
48 -8M0003612 . . . 685
48 -8M0003613 . . . 685
48 -8M0003614 . . . 685
48 -8M0003615 . . . 685
48 -8M0003616 . . . 685
48 -8M0003617 . . . 685
48 -8M0003618 . . . 685
48 -8M0003619 . . . 686
48 -8M0003620 . . . 686
48 -8M0003621 . . . 686
48 -8M0003622 . . . 686
48 -8M0003623 . . . 686
48 -8M0003624 . . . 686
48 -8M0003625 . . . 686
48 -8M0003626 . . . 686
48 -8M0003627 . . . 684
48 -8M0003628 . . . 684
48 -8M0003629 . . . 684
48 -8M0003630 . . . 684
48 -8M0003631 . . . 684
48 -8M0003632 . . . 684
48 -8M0003633 . . . 685
48 -8M0003634 . . . 685
48 -8M0003635 . . . 685
48 -8M0003636 . . . 685
48 -8M0003637 . . . 685
48 -8M0003638 . . . 685
48 -8M0003639 . . . 685
48 -8M0003640 . . . 685
48 -8M0003641 . . . 685
48 -8M0003642 . . . 685
48 -8M0003643 . . . 685
48 -8M0003644 . . . 685
48 -8M0003645 . . . 685
48 -8M0003646 . . . 685
48 -8M0003647 . . . 685
48 -8M0003648 . . . 685
48 -8M0003649 . . . 686
48 -8M0003650 . . . 686
48 -8M0003651 . . . 686
48 -8M0003652 . . . 686
48 -8M0003653 . . . 686
48 -8M0003654 . . . 686
48 -8M0003655 . . . 686
48 -8M0003656 . . . 686
48 -8M0003657 . . . 684
48 -8M0003658 . . . 684
48 -8M0003659 . . . 684
48 -8M0003660 . . . 684
48 -8M0003661 . . . 684

48 -8M0003662 . . . 684
48 -8M0003663 . . . 685
48 -8M0003664 . . . 685
48 -8M0003665 . . . 685
48 -8M0003666 . . . 685
48 -8M0003667 . . . 685
48 -8M0003668 . . . 685
48 -8M0003669 . . . 685
48 -8M0003670 . . . 685
48 -8M0003671 . . . 685
48 -8M0003672 . . . 685
48 -8M0003673 . . . 685
48 -8M0003674 . . . 685
48 -8M0003675 . . . 685
48 -8M0003676 . . . 685
48 -8M0003677 . . . 685
48 -8M0003678 . . . 685
48 -8M0003679 . . . 686
48 -8M0003680 . . . 686
48 -8M0003681 . . . 686
48 -8M0003682 . . . 686
48 -8M0003683 . . . 686
48 -8M0003684 . . . 686
48 -8M0003685 . . . 686
48 -8M0003686 . . . 686
48 -8M0003687 . . . 684
48 -8M0003688 . . . 684
48 -8M0003691 . . . 684
48 -8M0003692 . . . 684
48 -8M0003693 . . . 685
48 -8M0003694 . . . 685
48 -8M0003695 . . . 685
48 -8M0003696 . . . 685
48 -8M0003697 . . . 685
48 -8M0003698 . . . 685
48 -8M0003699 . . . 685
48 -8M0003700 . . . 685
48 -8M0003701 . . . 685
48 -8M0003702 . . . 685
48 -8M0003703 . . . 685
48 -8M0003704 . . . 685
48 -8M0003705 . . . 685
48 -8M0003706 . . . 685
48 -8M0003707 . . . 685
48 -8M0003708 . . . 685
48 -8M0003709 . . . 686
48 -8M0003710 . . . 686
48 -8M0003711 . . . 686
48 -8M0003712 . . . 686
48 -8M0003713 . . . 686
48 -8M0003714 . . . 686
48 -8M0003715 . . . 686
48 -8M0003716 . . . 686
48 -8M0003717 . . . 684
48 -8M0003718 . . . 684
48 -8M0003719 . . . 684
48 -8M0003720 . . . 684
48 -8M0003721 . . . 685
48 -8M0003722 . . . 685
48 -8M0003723 . . . 685
48 -8M0003724 . . . 685
48 -8M0003725 . . . 685
48 -8M0003726 . . . 685
48 -8M0003727 . . . 685
48 -8M0003728 . . . 685
48 -8M0003729 . . . 685
48 -8M0003730 . . . 685
48 -8M0003731 . . . 685
48 -8M0003732 . . . 685
48 -8M0003733 . . . 685
48 -8M0003734 . . . 685
48 -8M0003737 . . . 685
48 -8M0003738 . . . 685
48 -8M0003739 . . . 686
48 -8M0003740 . . . 686
48 -8M0003741 . . . 686
48 -8M0003742 . . . 686
48 -8M0003743 . . . 686
48 -8M0003744 . . . 686
48 -8M0003745 . . . 686
48 -8M0003746 . . . 686
48 -8M0003747 . . . 684
48 -8M0003748 . . . 684
48 -8M0003749 . . . 684
48 -8M0003750 . . . 684
48 -8M0003751 . . . 685
48 -8M0003752 . . . 685
48 -8M0003753 . . . 685
48 -8M0003754 . . . 685
48 -8M0003755 . . . 685
48 -8M0003756 . . . 685
48 -8M0003757 . . . 685
48 -8M0003758 . . . 685
48 -8M0003759 . . . 685
48 -8M0003760 . . . 685
48 -8M0003761 . . . 685
48 -8M0003762 . . . 685
48 -8M0003763 . . . 685
48 -8M0003764 . . . 685
48 -8M0003765 . . . 685
48 -8M0003766 . . . 685
48 -8M0003767 . . . 685
48 -8M0003768 . . . 685
48 -8M0003769 . . . 686
48 -8M0003770 . . . 686
48 -8M0003771 . . . 686
48 -8M0003772 . . . 686
48 -8M0003773 . . . 686
48 -8M0003774 . . . 686
48 -8M0003775 . . . 686
48 -8M0003776 . . . 686
48 -8M0003777 . . . 684
48 -8M0003778 . . . 684
48 -8M0003779 . . . 684

48 -8M0003780 684
48 -8M0003781 685
48 -8M0003782 685
48 -8M0003783 685
48 -8M0003784 685
48 -8M0003785 685
48 -8M0003786 685
48 -8M0003787 685
48 -8M0003788 685
48 -8M0003789 685
48 -8M0003790 685
48 -8M0003791 685
48 -8M0003792 685
48 -8M0003793 685
48 -8M0003794 685
48 -8M0003795 685
48 -8M0003796 685
48 -8M0003797 685
48 -8M0003798 685
48 -8M0003799 686
48 -8M0003800 686
48 -8M0003801 686
48 -8M0003802 686
48 -8M0003803 686
48 -8M0003804 686
48 -8M0003805 686
48 -8M0003806 686
48 -8M0003807 684
48 -8M0003808 684
48 -8M0003809 684
48 -8M0003810 684
48 -8M0003811 685
48 -8M0003812 685
48 -8M0003813 685
48 -8M0003814 685
48 -8M0003815 685
48 -8M0003816 685
48 -8M0003817 685
48 -8M0003818 685
48 -8M0003819 685
48 -8M0003820 685
48 -8M0003821 685
48 -8M0003822 685
48 -8M0003823 685
48 -8M0003824 685
48 -8M0003825 685
48 -8M0003826 685
48 -8M0003827 685
48 -8M0003828 685
48 -8M0003829 686
48 -8M0003830 686
48 -8M0003831 686
48 -8M0003832 686
48 -8M0003835 . . . . . 685, 686
48 -8M0003836 . . . . . 685, 686
48 -8M0003837 698
48 -8M0003838 698
48 -8M0003839 698
48 -8M0003840 698
48 -8M0003841 698
48 -8M0003842 698
48 -8M0003843 698
48 -8M0003844 698
48 -8M0003845 698
48 -8M0003846 698
48 -8M0003847 698
48 -8M0003848 698
48 -8M0003849 699
48 -8M0003850 699
48 -8M0003851 699
48 -8M0003852 699
48 -8M0003853 699
48 -8M0003854 699
48 -8M0003855 699
48 -8M0003856 699
48 -8M0003857 699
48 -8M0003858 699
48 -8M0003859 699
48 -8M0003860 699
48 -8M0003861 699
48 -8M0003862 699
48 -8M0003863 699
48 -8M0003864 699
48 -8M0003865 699
48 -8M0003866 699
48 -8M0003867 698
48 -8M0003868 698
48 -8M0003869 698
48 -8M0003870 698
48 -8M0003871 698
48 -8M0003872 698
48 -8M0003873 698
48 -8M0003874 698
48 -8M0003875 698
48 -8M0003876 698
48 -8M0003877 698
48 -8M0003878 698
48 -8M0003879 699
48 -8M0003880 699
48 -8M0003881 699
48 -8M0003882 699
48 -8M0003883 699
48 -8M0003884 699
48 -8M0003885 699
48 -8M0003886 699
48 -8M0003887 699
48 -8M0003888 699
48 -8M0003889 699
48 -8M0003890 699
48 -8M0003891 699
48 -8M0003892 699
48 -8M0003893 699
48 -8M0003894 699
48 -8M0003895 699

48 -8M0003896 . . . 699
48 -8M0003897 . . . 698
48 -8M0003898 . . . 698
48 -8M0003899 . . . 698
48 -8M0003900 . . . 698
48 -8M0003901 . . . 698
48 -8M0003902 . . . 698
48 -8M0003903 . . . 698
48 -8M0003904 . . . 698
48 -8M0003905 . . . 698
48 -8M0003906 . . . 698
48 -8M0003907 . . . 698
48 -8M0003908 . . . 698
48 -8M0003909 . . . 699
48 -8M0003910 . . . 699
48 -8M0003911 . . . 699
48 -8M0003912 . . . 699
48 -8M0003913 . . . 699
48 -8M0003914 . . . 699
48 -8M0003915 . . . 699
48 -8M0003916 . . . 699
48 -8M0003917 . . . 699
48 -8M0003918 . . . 699
48 -8M0003919 . . . 699
48 -8M0003920 . . . 699
48 -8M0003921 . . . 699
48 -8M0003922 . . . 699
48 -8M0003923 . . . 699
48 -8M0003924 . . . 699
48 -8M0003925 . . . 699
48 -8M0003926 . . . 699
48 -8M0003927 . . . 698
48 -8M0003928 . . . 698
48 -8M0003929 . . . 698
48 -8M0003930 . . . 698
48 -8M0003931 . . . 698
48 -8M0003932 . . . 698
48 -8M0003933 . . . 698
48 -8M0003934 . . . 698
48 -8M0003935 . . . 698
48 -8M0003936 . . . 698
48 -8M0003937 . . . 698
48 -8M0003938 . . . 698
48 -8M0003939 . . . 699
48 -8M0003940 . . . 699
48 -8M0003941 . . . 699
48 -8M0003942 . . . 699
48 -8M0003943 . . . 699
48 -8M0003944 . . . 699
48 -8M0003945 . . . 699
48 -8M0003946 . . . 699
48 -8M0003947 . . . 699
48 -8M0003948 . . . 699
48 -8M0003949 . . . 699
48 -8M0003950 . . . 699
48 -8M0003951 . . . 699
48 -8M0003952 . . . 699
48 -8M0003953 . . . 699
48 -8M0003954 . . . 699
48 -8M0003955 . . . 700
48 -8M0003956 . . . 700
48 -8M0003957 . . . 698
48 -8M0003958 . . . 698
48 -8M0003959 . . . 698
48 -8M0003960 . . . 698
48 -8M0003961 . . . 698
48 -8M0003962 . . . 698
48 -8M0003963 . . . 698
48 -8M0003964 . . . 698
48 -8M0003965 . . . 698
48 -8M0003966 . . . 698
48 -8M0003967 . . . 698
48 -8M0003968 . . . 698
48 -8M0003969 . . . 699
48 -8M0003970 . . . 699
48 -8M0003971 . . . 699
48 -8M0003972 . . . 699
48 -8M0003973 . . . 699
48 -8M0003974 . . . 699
48 -8M0003975 . . . 699
48 -8M0003976 . . . 699
48 -8M0003977 . . . 699
48 -8M0003978 . . . 699
48 -8M0003979 . . . 699
48 -8M0003980 . . . 699
48 -8M0003981 . . . 699
48 -8M0003982 . . . 699
48 -8M0003983 . . . 699
48 -8M0003984 . . . 699
48 -8M0003985 . . . 700
48 -8M0003986 . . . 700
48 -8M0003987 . . . 698
48 -8M0003988 . . . 698
48 -8M0003989 . . . 698
48 -8M0003990 . . . 698
48 -8M0003991 . . . 698
48 -8M0003992 . . . 698
48 -8M0003993 . . . 698
48 -8M0003994 . . . 698
48 -8M0003995 . . . 698
48 -8M0003996 . . . 698
48 -8M0003997 . . . 698
48 -8M0003998 . . . 698
48 -8M0003999 . . . 699
48 -8M0004000 . . . 699
48 -8M0004001 . . . 699
48 -8M0004002 . . . 699
48 -8M0004003 . . . 699
48 -8M0004004 . . . 699
48 -8M0004005 . . . 699
48 -8M0004006 . . . 699
48 -8M0004007 . . . 699
48 -8M0004008 . . . 699
48 -8M0004009 . . . 699

48 -8M0004010 699
48 -8M0004011 699
48 -8M0004012 699
48 -8M0004013 699
48 -8M0004014 699
48 -8M0004015 700
48 -8M0004016 700
48 -8M0004017 698
48 -8M0004018 698
48 -8M0004019 698
48 -8M0004020 698
48 -8M0004021 698
48 -8M0004022 698
48 -8M0004023 698
48 -8M0004024 698
48 -8M0004025 698
48 -8M0004026 698
48 -8M0004027 698
48 -8M0004028 698
48 -8M0004029 699
48 -8M0004030 699
48 -8M0004031 699
48 -8M0004032 699
48 -8M0004033 699
48 -8M0004034 699
48 -8M0004035 699
48 -8M0004036 699
48 -8M0004037 699
48 -8M0004038 699
48 -8M0004039 699
48 -8M0004040 699
48 -8M0004041 699
48 -8M0004042 699
48 -8M0004043 699
48 -8M0004044 699
48 -8M0004045 700
48 -8M0004046 700
48 -8M0004047 698
48 -8M0004048 698
48 -8M0004049 698
48 -8M0004050 698
48 -8M0004051 698
48 -8M0004052 698
48 -8M0004053 698
48 -8M0004054 698
48 -8M0004055 698
48 -8M0004056 698
48 -8M0004057 698
48 -8M0004058 698
48 -8M0004059 699
48 -8M0004060 699
48 -8M0004061 699
48 -8M0004062 699
48 -8M0004063 699
48 -8M0004064 699
48 -8M0004065 699
48 -8M0004066 699
48 -8M0004067 699
48 -8M0004068 699
48 -8M0004069 699
48 -8M0004070 699
48 -8M0004071 699
48 -8M0004072 699
48 -8M0004073 699
48 -8M0004074 699
48 -8M0004075 700
48 -8M0004076 700
48 -8M0004077 698
48 -8M0004078 698
48 -8M0004079 698
48 -8M0004080 698
48 -8M0004081 698
48 -8M0004082 698
48 -8M0004083 698
48 -8M0004084 698
48 -8M0004085 698
48 -8M0004086 698
48 -8M0004087 699
48 -8M0004088 699
48 -8M0004089 699
48 -8M0004090 699
48 -8M0004091 699
48 -8M0004092 699
48 -8M0004093 699
48 -8M0004094 699
48 -8M0004095 699
48 -8M0004096 699
48 -8M0004097 699
48 -8M0004098 699
48 -8M0004099 699
48 -8M0004100 699
48 -8M0004101 699
48 -8M0004102 699
48 -8M0004103 699
48 -8M0004104 699
48 -8M0004105 700
48 -8M0004106 700
48 -8M0004107 698
48 -8M0004108 698
48 -8M0004109 698
48 -8M0004110 698
48 -8M0004111 698
48 -8M0004112 698
48 -8M0004113 698
48 -8M0004114 698
48 -8M0004115 698
48 -8M0004116 698
48 -8M0004117 699
48 -8M0004118 699
48 -8M0004119 699
48 -8M0004120 699
48 -8M0004121 699
48 -8M0004122 699
48 -8M0004123 699

48 -8M0004124 . . . 699
48 -8M0004125 . . . 699
48 -8M0004126 . . . 699
48 -8M0004127 . . . 699
48 -8M0004128 . . . 699
48 -8M0004129 . . . 699
48 -8M0004130 . . . 699
48 -8M0004131 . . . 699
48 -8M0004132 . . . 699
48 -8M0004133 . . . 699
48 -8M0004134 . . . 699
48 -8M0004135 . . . 700
48 -8M0004136 . . . 700
48 -8M0004137 . . . 698
48 -8M0004138 . . . 698
48 -8M0004139 . . . 698
48 -8M0004140 . . . 698
48 -8M0004141 . . . 698
48 -8M0004142 . . . 698
48 -8M0004143 . . . 698
48 -8M0004144 . . . 698
48 -8M0004145 . . . 698
48 -8M0004146 . . . 698
48 -8M0004147 . . . 699
48 -8M0004148 . . . 699
48 -8M0004149 . . . 699
48 -8M0004150 . . . 699
48 -8M0004151 . . . 699
48 -8M0004152 . . . 699
48 -8M0004153 . . . 699
48 -8M0004154 . . . 699
48 -8M0004155 . . . 699
48 -8M0004156 . . . 699
48 -8M0004157 . . . 699
48 -8M0004158 . . . 699
48 -8M0004159 . . . 699
48 -8M0004160 . . . 699
48 -8M0004161 . . . 699
48 -8M0004162 . . . 699
48 -8M0004163 . . . 699
48 -8M0004164 . . . 699
48 -8M0004165 . . . 700
48 -8M0004166 . . . 700
48 -8M0004167 . . . 698
48 -8M0004168 . . . 698
48 -8M0004169 . . . 698
48 -8M0004170 . . . 698
48 -8M0004171 . . . 698
48 -8M0004172 . . . 698
48 -8M0004173 . . . 698
48 -8M0004174 . . . 698
48 -8M0004175 . . . 698
48 -8M0004176 . . . 698
48 -8M0004177 . . . 699
48 -8M0004178 . . . 699
48 -8M0004179 . . . 699
48 -8M0004180 . . . 699
48 -8M0004181 . . . 699
48 -8M0004182 . . . 699
48 -8M0004183 . . . 699
48 -8M0004184 . . . 699
48 -8M0004185 . . . 699
48 -8M0004186 . . . 699
48 -8M0004187 . . . 699
48 -8M0004188 . . . 699
48 -8M0004189 . . . 699
48 -8M0004190 . . . 699
48 -8M0004191 . . . 699
48 -8M0004192 . . . 699
48 -8M0004193 . . . 699
48 -8M0004194 . . . 699
48 -8M0004195 . . . 700
48 -8M0004196 . . . 700
48 -8M0004197 . . . 698
48 -8M0004198 . . . 698
48 -8M0004199 . . . 698
48 -8M0004200 . . . 698
48 -8M0004201 . . . 698
48 -8M0004202 . . . 698
48 -8M0004203 . . . 698
48 -8M0004204 . . . 698
48 -8M0004205 . . . 698
48 -8M0004206 . . . 698
48 -8M0004207 . . . 699
48 -8M0004208 . . . 699
48 -8M0004209 . . . 699
48 -8M0004210 . . . 699
48 -8M0004211 . . . 699
48 -8M0004212 . . . 699
48 -8M0004213 . . . 699
48 -8M0004214 . . . 699
48 -8M0004215 . . . 699
48 -8M0004216 . . . 699
48 -8M0004217 . . . 699
48 -8M0004218 . . . 699
48 -8M0004219 . . . 699
48 -8M0004220 . . . 699
48 -8M0004221 . . . 699
48 -8M0004222 . . . 699
48 -8M0004223 . . . 699
48 -8M0004224 . . . 699
48 -8M0004225 . . . 700
48 -8M0004226 . . . 700
48 -8M0004617 . . . 686
48 -8M0004618 . . . 686
48 -8M0004619 . . . 686
48 -8M0004620 . . . 686
48 -8M0004621 . . . 686
48 -8M0004622 . . . 686
48 -8M0004623 . . . 686
48 -8M0004624 . . . 686
48 -8M0004625 . . . 687
48 -8M0004626 . . . 687
48 -8M0004627 . . . 687

48 -8M0004628 687
48 -8M0004629 687
48 -8M0004630 687
48 -8M0004631 687
48 -8M0004632 687
48 -8M0004633 687
48 -8M0004634 687
48 -8M0004635 687
48 -8M0004636 687
48 -8M0004637 687
48 -8M0004638 687
48 -8M0004639 687
48 -8M0004640 687
48 -8M0004641 687
48 -8M0004642 687
48 -8M0004643 688
48 -8M0004644 688
48 -8M0004645 688
48 -8M0004646 688
48 -8M0004647 686
48 -8M0004648 686
48 -8M0004649 686
48 -8M0004650 686
48 -8M0004651 686
48 -8M0004652 686
48 -8M0004653 686
48 -8M0004654 686
48 -8M0004655 687
48 -8M0004656 687
48 -8M0004657 687
48 -8M0004658 687
48 -8M0004659 687
48 -8M0004660 687
48 -8M0004661 687
48 -8M0004662 687
48 -8M0004663 687
48 -8M0004664 687
48 -8M0004665 687
48 -8M0004666 687
48 -8M0004667 687
48 -8M0004668 687
48 -8M0004669 687
48 -8M0004670 687
48 -8M0004671 688
48 -8M0004672 688
48 -8M0004673 688
48 -8M0004674 688
48 -8M0004675 688
48 -8M0004676 688
48 -8M0004677 686
48 -8M0004678 686
48 -8M0004679 686
48 -8M0004680 686
48 -8M0004681 686
48 -8M0004682 686
48 -8M0004683 686
48 -8M0004684 686
48 -8M0004685 687
48 -8M0004686 687
48 -8M0004687 687
48 -8M0004688 687
48 -8M0004689 687
48 -8M0004690 687
48 -8M0004691 687
48 -8M0004692 687
48 -8M0004693 687
48 -8M0004694 687
48 -8M0004695 687
48 -8M0004696 687
48 -8M0004697 687
48 -8M0004698 687
48 -8M0004701 . . . . . 687, 688
48 -8M0004702 . . . . . 687, 688
48 -8M0004703 688
48 -8M0004704 688
48 -8M0004705 688
48 -8M0004706 688
48 -8M0004707 686
48 -8M0004708 686
48 -8M0004709 686
48 -8M0004710 686
48 -8M0004711 686
48 -8M0004712 686
48 -8M0004713 686
48 -8M0004714 686
48 -8M0004715 687
48 -8M0004716 687
48 -8M0004717 687
48 -8M0004718 687
48 -8M0004719 687
48 -8M0004720 687
48 -8M0004721 687
48 -8M0004722 687
48 -8M0004723 687
48 -8M0004724 687
48 -8M0004725 687
48 -8M0004726 687
48 -8M0004727 687
48 -8M0004728 687
48 -8M0004731 . . . . . 687, 688
48 -8M0004732 . . . . . 687, 688
48 -8M0004733 688
48 -8M0004734 688
48 -8M0004735 688
48 -8M0004736 688
48 -8M0004737 686
48 -8M0004738 686
48 -8M0004739 686
48 -8M0004740 686
48 -8M0004741 686
48 -8M0004742 686
48 -8M0004743 686
48 -8M0004744 686
48 -8M0004745 687

48 -8M0004746 . . . 687
48 -8M0004747 . . . 687
48 -8M0004748 . . . 687
48 -8M0004749 . . . 687
48 -8M0004750 . . . 687
48 -8M0004751 . . . 687
48 -8M0004752 . . . 687
48 -8M0004753 . . . 687
48 -8M0004754 . . . 687
48 -8M0004755 . . . 687
48 -8M0004756 . . . 687
48 -8M0004757 . . . 687
48 -8M0004758 . . . 687
48 -8M0004761 . . . 687, 688
48 -8M0004762 . . . 687, 688
48 -8M0004763 . . . 688
48 -8M0004764 . . . 688
48 -8M0004765 . . . 688
48 -8M0004766 . . . 688
48 -8M0004767 . . . 686
48 -8M0004768 . . . 686
48 -8M0004769 . . . 686
48 -8M0004770 . . . 686
48 -8M0004771 . . . 686
48 -8M0004772 . . . 686
48 -8M0004773 . . . 686
48 -8M0004774 . . . 686
48 -8M0004775 . . . 687
48 -8M0004776 . . . 687
48 -8M0004777 . . . 687
48 -8M0004778 . . . 687
48 -8M0004779 . . . 687
48 -8M0004780 . . . 687
48 -8M0004781 . . . 687
48 -8M0004782 . . . 687
48 -8M0004783 . . . 687
48 -8M0004784 . . . 687
48 -8M0004785 . . . 687
48 -8M0004786 . . . 687
48 -8M0004787 . . . 687
48 -8M0004788 . . . 687
48 -8M0004791 . . . 687, 688
48 -8M0004792 . . . 687, 688
48 -8M0004793 . . . 688
48 -8M0004794 . . . 688
48 -8M0004795 . . . 688
48 -8M0004796 . . . 688
48 -8M0004797 . . . 686
48 -8M0004798 . . . 686
48 -8M0004799 . . . 686
48 -8M0004800 . . . 686
48 -8M0004801 . . . 686
48 -8M0004802 . . . 686
48 -8M0004803 . . . 687
48 -8M0004804 . . . 687
48 -8M0004805 . . . 687
48 -8M0004806 . . . 687
48 -8M0004807 . . . 687
48 -8M0004808 . . . 687
48 -8M0004809 . . . 687
48 -8M0004810 . . . 687
48 -8M0004811 . . . 687
48 -8M0004812 . . . 687
48 -8M0004813 . . . 687
48 -8M0004814 . . . 687
48 -8M0004815 . . . 687
48 -8M0004816 . . . 687
48 -8M0004817 . . . 687
48 -8M0004818 . . . 687
48 -8M0004821 . . . 687, 688
48 -8M0004822 . . . 687, 688
48 -8M0004823 . . . 688
48 -8M0004824 . . . 688
48 -8M0004825 . . . 688
48 -8M0004826 . . . 688
48 -8M0004827 . . . 686
48 -8M0004828 . . . 686
48 -8M0004829 . . . 686
48 -8M0004830 . . . 686
48 -8M0004831 . . . 686
48 -8M0004832 . . . 686
48 -8M0004833 . . . 687
48 -8M0004834 . . . 687
48 -8M0004835 . . . 687
48 -8M0004836 . . . 687
48 -8M0004837 . . . 687
48 -8M0004838 . . . 687
48 -8M0004839 . . . 687
48 -8M0004840 . . . 687
48 -8M0004841 . . . 687
48 -8M0004842 . . . 687
48 -8M0004843 . . . 687
48 -8M0004844 . . . 687
48 -8M0004845 . . . 687
48 -8M0004846 . . . 687
48 -8M0004847 . . . 687
48 -8M0004848 . . . 687
48 -8M0004849 . . . 687
48 -8M0004850 . . . 687
48 -8M0004851 . . . 688
48 -8M0004852 . . . 688
48 -8M0004853 . . . 688
48 -8M0004854 . . . 688
48 -8M0004855 . . . 688
48 -8M0004856 . . . 688
48 -8M0004857 . . . 686
48 -8M0004858 . . . 686
48 -8M0004859 . . . 686
48 -8M0004860 . . . 686
48 -8M0004861 . . . 686
48 -8M0004862 . . . 686
48 -8M0004863 . . . 687
48 -8M0004864 . . . 687
48 -8M0004865 . . . 687

48 -8M0004866 . . . 687
48 -8M0004867 . . . 687
48 -8M0004868 . . . 687
48 -8M0004869 . . . 687
48 -8M0004870 . . . 687
48 -8M0004871 . . . 687
48 -8M0004872 . . . 687
48 -8M0004873 . . . 687
48 -8M0004874 . . . 687
48 -8M0004875 . . . 687
48 -8M0004876 . . . 687
48 -8M0004877 . . . 687
48 -8M0004878 . . . 687
48 -8M0004879 . . . 687
48 -8M0004880 . . . 687
48 -8M0004881 . . . 688
48 -8M0004882 . . . 688
48 -8M0004883 . . . 688
48 -8M0004884 . . . 688
48 -8M0004885 . . . 688
48 -8M0004886 . . . 688
48 -8M0004887 . . . 686
48 -8M0004888 . . . 686
48 -8M0004889 . . . 686
48 -8M0004890 . . . 686
48 -8M0004891 . . . 686
48 -8M0004892 . . . 686
48 -8M0004893 . . . 687
48 -8M0004894 . . . 687
48 -8M0004895 . . . 687
48 -8M0004896 . . . 687
48 -8M0004897 . . . 687
48 -8M0004898 . . . 687
48 -8M0004899 . . . 687
48 -8M0004900 . . . 687
48 -8M0004901 . . . 687
48 -8M0004902 . . . 687
48 -8M0004903 . . . 687
48 -8M0004904 . . . 687
48 -8M0004905 . . . 687
48 -8M0004906 . . . 687
48 -8M0004907 . . . 687
48 -8M0004908 . . . 687
48 -8M0004909 . . . 687
48 -8M0004910 . . . 687
48 -8M0004911 . . . 688
48 -8M0004912 . . . 688
48 -8M0004913 . . . 688
48 -8M0004914 . . . 688
48 -8M0004915 . . . 688
48 -8M0004916 . . . 688
48 -8M0004917 . . . 686
48 -8M0004918 . . . 686
48 -8M0004919 . . . 686
48 -8M0004920 . . . 686
48 -8M0004921 . . . 686
48 -8M0004922 . . . 686
48 -8M0004923 . . . 687
48 -8M0004924 . . . 687
48 -8M0004925 . . . 687
48 -8M0004926 . . . 687
48 -8M0004927 . . . 687
48 -8M0004928 . . . 687
48 -8M0004929 . . . 687
48 -8M0004930 . . . 687
48 -8M0004931 . . . 687
48 -8M0004932 . . . 687
48 -8M0004933 . . . 687
48 -8M0004934 . . . 687
48 -8M0004935 . . . 687
48 -8M0004936 . . . 687
48 -8M0004937 . . . 687
48 -8M0004938 . . . 687
48 -8M0004939 . . . 687
48 -8M0004940 . . . 687
48 -8M0004941 . . . 688
48 -8M0004942 . . . 688
48 -8M0004943 . . . 688
48 -8M0004944 . . . 688
48 -8M0004945 . . . 688
48 -8M0004946 . . . 688
48 -8M0004947 . . . 686
48 -8M0004948 . . . 686
48 -8M0004949 . . . 686
48 -8M0004950 . . . 686
48 -8M0004951 . . . 686
48 -8M0004952 . . . 686
48 -8M0004953 . . . 687
48 -8M0004954 . . . 687
48 -8M0004955 . . . 687
48 -8M0004956 . . . 687
48 -8M0004957 . . . 687
48 -8M0004958 . . . 687
48 -8M0004959 . . . 687
48 -8M0004960 . . . 687
48 -8M0004961 . . . 687
48 -8M0004962 . . . 687
48 -8M0004963 . . . 687
48 -8M0004964 . . . 687
48 -8M0004965 . . . 687
48 -8M0004966 . . . 687
48 -8M0004967 . . . 687
48 -8M0004968 . . . 687
48 -8M0004971 . . . 687, 688
48 -8M0004972 . . . 687, 688
48 -8M0004973 . . . 688
48 -8M0004974 . . . 688
48 -8M0004975 . . . 688
48 -8M0004976 . . . 688
48 -8M0004977 . . . 686
48 -8M0004978 . . . 686
48 -8M0004979 . . . 686
48 -8M0004980 . . . 686
48 -8M0004981 . . . 686

48 -8M0004982 . . . 686
48 -8M0004983 . . . 687
48 -8M0004984 . . . 687
48 -8M0004985 . . . 687
48 -8M0004986 . . . 687
48 -8M0004987 . . . 687
48 -8M0004988 . . . 687
48 -8M0004989 . . . 687
48 -8M0004990 . . . 687
48 -8M0004991 . . . 687
48 -8M0004992 . . . 687
48 -8M0004993 . . . 687
48 -8M0004994 . . . 687
48 -8M0004995 . . . 687
48 -8M0004996 . . . 687
48 -8M0004997 . . . 687
48 -8M0004998 . . . 687
48 -8M0004999 . . . 687
48 -8M0005000 . . . 687
48 -8M0005001 . . . 688
48 -8M0005002 . . . 688
48 -8M0005003 . . . 688
48 -8M0005004 . . . 688
48 -8M0005005 . . . 688
48 -8M0005006 . . . 688
48 -8M0005007 . . . 700
48 -8M0005008 . . . 700
48 -8M0005009 . . . 700
48 -8M0005010 . . . 700
48 -8M0005011 . . . 700
48 -8M0005012 . . . 700
48 -8M0005013 . . . 700
48 -8M0005014 . . . 700
48 -8M0005015 . . . 700
48 -8M0005016 . . . 700
48 -8M0005017 . . . 700
48 -8M0005018 . . . 700
48 -8M0005019 . . . 700
48 -8M0005020 . . . 700
48 -8M0005021 . . . 701
48 -8M0005022 . . . 701
48 -8M0005023 . . . 701
48 -8M0005024 . . . 701
48 -8M0005025 . . . 701
48 -8M0005026 . . . 701
48 -8M0005027 . . . 701
48 -8M0005028 . . . 701
48 -8M0005029 . . . 701
48 -8M0005030 . . . 701
48 -8M0005031 . . . 701
48 -8M0005032 . . . 701
48 -8M0005033 . . . 701
48 -8M0005034 . . . 701
48 -8M0005035 . . . 701
48 -8M0005036 . . . 701
48 -8M0005037 . . . 700
48 -8M0005038 . . . 700
48 -8M0005039 . . . 700
48 -8M0005040 . . . 700
48 -8M0005041 . . . 700
48 -8M0005042 . . . 700
48 -8M0005043 . . . 700
48 -8M0005044 . . . 700
48 -8M0005045 . . . 700
48 -8M0005046 . . . 700
48 -8M0005047 . . . 700
48 -8M0005048 . . . 700
48 -8M0005049 . . . 700
48 -8M0005050 . . . 700
48 -8M0005051 . . . 701
48 -8M0005052 . . . 701
48 -8M0005053 . . . 701
48 -8M0005054 . . . 701
48 -8M0005055 . . . 701
48 -8M0005056 . . . 701
48 -8M0005057 . . . 701
48 -8M0005058 . . . 701
48 -8M0005059 . . . 701
48 -8M0005060 . . . 701
48 -8M0005061 . . . 701
48 -8M0005062 . . . 701
48 -8M0005063 . . . 701
48 -8M0005064 . . . 701
48 -8M0005065 . . . 701
48 -8M0005066 . . . 701
48 -8M0005067 . . . 700
48 -8M0005068 . . . 700
48 -8M0005069 . . . 700
48 -8M0005070 . . . 700
48 -8M0005071 . . . 700
48 -8M0005072 . . . 700
48 -8M0005073 . . . 700
48 -8M0005074 . . . 700
48 -8M0005075 . . . 700
48 -8M0005076 . . . 700
48 -8M0005077 . . . 700
48 -8M0005078 . . . 700
48 -8M0005079 . . . 700
48 -8M0005080 . . . 700
48 -8M0005081 . . . 701
48 -8M0005082 . . . 701
48 -8M0005083 . . . 701
48 -8M0005084 . . . 701
48 -8M0005085 . . . 701
48 -8M0005086 . . . 701
48 -8M0005087 . . . 701
48 -8M0005088 . . . 701
48 -8M0005089 . . . 701
48 -8M0005090 . . . 701
48 -8M0005091 . . . 701
48 -8M0005092 . . . 701
48 -8M0005093 . . . 701
48 -8M0005094 . . . 701
48 -8M0005095 . . . 701

48 -8M0005096 701
48 -8M0005097 700
48 -8M0005098 700
48 -8M0005099 700
48 -8M0005100 700
48 -8M0005101 700
48 -8M0005102 700
48 -8M0005103 700
48 -8M0005104 700
48 -8M0005105 700
48 -8M0005106 700
48 -8M0005107 700
48 -8M0005108 700
48 -8M0005109 700
48 -8M0005110 700
48 -8M0005111 701
48 -8M0005112 701
48 -8M0005113 701
48 -8M0005114 701
48 -8M0005115 701
48 -8M0005116 701
48 -8M0005117 701
48 -8M0005118 701
48 -8M0005119 701
48 -8M0005120 701
48 -8M0005121 701
48 -8M0005122 701
48 -8M0005123 701
48 -8M0005124 701
48 -8M0005125 701
48 -8M0005126 701
48 -8M0005127 700
48 -8M0005128 700
48 -8M0005129 700
48 -8M0005130 700
48 -8M0005131 700
48 -8M0005132 700
48 -8M0005133 700
48 -8M0005134 700
48 -8M0005135 700
48 -8M0005136 700
48 -8M0005137 700
48 -8M0005138 700
48 -8M0005139 700
48 -8M0005140 700
48 -8M0005141 701
48 -8M0005142 701
48 -8M0005143 701
48 -8M0005144 701
48 -8M0005145 701
48 -8M0005146 701
48 -8M0005147 701
48 -8M0005148 701
48 -8M0005149 701
48 -8M0005150 701
48 -8M0005151 701
48 -8M0005152 701
48 -8M0005153 701
48 -8M0005154 701
48 -8M0005155 701
48 -8M0005156 701
48 -8M0005157 700
48 -8M0005158 700
48 -8M0005159 700
48 -8M0005160 700
48 -8M0005161 700
48 -8M0005162 700
48 -8M0005163 700
48 -8M0005164 700
48 -8M0005165 700
48 -8M0005166 700
48 -8M0005167 700
48 -8M0005168 700
48 -8M0005169 700
48 -8M0005170 700
48 -8M0005171 701
48 -8M0005172 701
48 -8M0005173 701
48 -8M0005174 701
48 -8M0005175 701
48 -8M0005176 701
48 -8M0005177 701
48 -8M0005178 701
48 -8M0005179 701
48 -8M0005180 701
48 -8M0005181 701
48 -8M0005182 701
48 -8M0005183 701
48 -8M0005184 701
48 -8M0005185 701
48 -8M0005186 701
48 -8M0005187 700
48 -8M0005188 700
48 -8M0005189 700
48 -8M0005190 700
48 -8M0005191 700
48 -8M0005192 700
48 -8M0005193 700
48 -8M0005194 700
48 -8M0005195 700
48 -8M0005196 700
48 -8M0005197 700
48 -8M0005198 700
48 -8M0005199 700
48 -8M0005200 700
48 -8M0005201 701
48 -8M0005202 701
48 -8M0005203 701
48 -8M0005204 701
48 -8M0005205 701
48 -8M0005206 701
48 -8M0005207 701
48 -8M0005208 701
48 -8M0005209 701

48 -8M0005210 . . . 701
48 -8M0005211 . . . 701
48 -8M0005212 . . . 701
48 -8M0005213 . . . 701
48 -8M0005214 . . . 701
48 -8M0005215 . . . 701
48 -8M0005216 . . . 701
48 -8M0005217 . . . 700
48 -8M0005218 . . . 700
48 -8M0005219 . . . 700
48 -8M0005220 . . . 700
48 -8M0005221 . . . 700
48 -8M0005222 . . . 700
48 -8M0005223 . . . 700
48 -8M0005224 . . . 700
48 -8M0005225 . . . 700
48 -8M0005226 . . . 700
48 -8M0005227 . . . 700
48 -8M0005228 . . . 700
48 -8M0005229 . . . 700
48 -8M0005230 . . . 700
48 -8M0005231 . . . 701
48 -8M0005232 . . . 701
48 -8M0005233 . . . 701
48 -8M0005234 . . . 701
48 -8M0005235 . . . 701
48 -8M0005236 . . . 701
48 -8M0005237 . . . 701
48 -8M0005238 . . . 701
48 -8M0005239 . . . 701
48 -8M0005240 . . . 701
48 -8M0005241 . . . 701
48 -8M0005242 . . . 701
48 -8M0005243 . . . 701
48 -8M0005244 . . . 701
48 -8M0005245 . . . 701
48 -8M0005246 . . . 701
48 -8M0005247 . . . 700
48 -8M0005248 . . . 700
48 -8M0005249 . . . 700
48 -8M0005250 . . . 700
48 -8M0005251 . . . 700
48 -8M0005252 . . . 700
48 -8M0005253 . . . 700
48 -8M0005254 . . . 700
48 -8M0005255 . . . 700
48 -8M0005256 . . . 700
48 -8M0005257 . . . 700
48 -8M0005258 . . . 700
48 -8M0005259 . . . 700
48 -8M0005260 . . . 700
48 -8M0005261 . . . 701
48 -8M0005262 . . . 701
48 -8M0005263 . . . 701
48 -8M0005264 . . . 701
48 -8M0005265 . . . 701
48 -8M0005266 . . . 701
48 -8M0005267 . . . 701
48 -8M0005268 . . . 701
48 -8M0005269 . . . 701
48 -8M0005270 . . . 701
48 -8M0005271 . . . 701
48 -8M0005272 . . . 701
48 -8M0005273 . . . 701
48 -8M0005274 . . . 701
48 -8M0005275 . . . 701
48 -8M0005276 . . . 701
48 -8M0005277 . . . 700
48 -8M0005278 . . . 700
48 -8M0005279 . . . 700
48 -8M0005280 . . . 700
48 -8M0005281 . . . 700
48 -8M0005282 . . . 700
48 -8M0005283 . . . 700
48 -8M0005284 . . . 700
48 -8M0005285 . . . 700
48 -8M0005286 . . . 700
48 -8M0005287 . . . 700
48 -8M0005288 . . . 700
48 -8M0005289 . . . 700
48 -8M0005290 . . . 700
48 -8M0005291 . . . 701
48 -8M0005292 . . . 701
48 -8M0005293 . . . 701
48 -8M0005294 . . . 701
48 -8M0005295 . . . 701
48 -8M0005296 . . . 701
48 -8M0005297 . . . 701
48 -8M0005298 . . . 701
48 -8M0005299 . . . 701
48 -8M0005300 . . . 701
48 -8M0005301 . . . 701
48 -8M0005302 . . . 701
48 -8M0005303 . . . 701
48 -8M0005304 . . . 701
48 -8M0005305 . . . 701
48 -8M0005306 . . . 701
48 -8M0005307 . . . 700
48 -8M0005308 . . . 700
48 -8M0005309 . . . 700
48 -8M0005310 . . . 700
48 -8M0005311 . . . 700
48 -8M0005312 . . . 700
48 -8M0005313 . . . 700
48 -8M0005314 . . . 700
48 -8M0005315 . . . 700
48 -8M0005316 . . . 700
48 -8M0005317 . . . 700
48 -8M0005318 . . . 700
48 -8M0005319 . . . 701
48 -8M0005320 . . . 701
48 -8M0005321 . . . 701
48 -8M0005322 . . . 701
48 -8M0005323 . . . 701

48 -8M0005324 701
48 -8M0005325 701
48 -8M0005326 701
48 -8M0005327 701
48 -8M0005328 701
48 -8M0005329 701
48 -8M0005330 701
48 -8M0005331 701
48 -8M0005332 701
48 -8M0005333 701
48 -8M0005334 701
48 -8M0005335 701
48 -8M0005336 701
48 -8M0005337 700
48 -8M0005338 700
48 -8M0005339 700
48 -8M0005340 700
48 -8M0005341 700
48 -8M0005342 700
48 -8M0005343 700
48 -8M0005344 700
48 -8M0005345 700
48 -8M0005346 700
48 -8M0005347 700
48 -8M0005348 700
48 -8M0005349 701
48 -8M0005350 701
48 -8M0005351 701
48 -8M0005352 701
48 -8M0005353 701
48 -8M0005354 701
48 -8M0005355 701
48 -8M0005356 701
48 -8M0005357 701
48 -8M0005358 701
48 -8M0005359 701
48 -8M0005360 701
48 -8M0005361 701
48 -8M0005362 701
48 -8M0005363 701
48 -8M0005364 701
48 -8M0005365 701
48 -8M0005366 701
48 -8M0005367 700
48 -8M0005368 700
48 -8M0005369 700
48 -8M0005370 700
48 -8M0005371 700
48 -8M0005372 700
48 -8M0005373 700
48 -8M0005374 700
48 -8M0005375 700
48 -8M0005376 700
48 -8M0005377 700
48 -8M0005378 700
48 -8M0005379 701
48 -8M0005380 701
48 -8M0005381 701
48 -8M0005382 701
48 -8M0005383 701
48 -8M0005384 701
48 -8M0005385 701
48 -8M0005386 701
48 -8M0005387 701
48 -8M0005388 701
48 -8M0005389 701
48 -8M0005390 701
48 -8M0005391 701
48 -8M0005392 701
48 -8M0005393 701
48 -8M0005394 701
48 -8M0005395 701
48 -8M0005396 701
8M0011212 . . . . . 321, 322, 324–326, 399
8M0011213 316, 318, 321, 322, 324–326, 328, 331, 334, 337, 399
8M0011214 . . . . . 347, 399
8M0011215 . . . . . 347, 399
8M0012221 207
48 -8M0013507 689
48 -8M0013508 689
48 -8M0013509 689
48 -8M0013510 689
48 -8M0013511 689
48 -8M0013512 689
48 -8M0013513 690
48 -8M0013514 690
48 -8M0013515 690
48 -8M0013516 690
48 -8M0013517 690
48 -8M0013518 690
48 -8M0013519 690
48 -8M0013520 690
48 -8M0013521 690
48 -8M0013522 690
48 -8M0013523 690
48 -8M0013524 690
48 -8M0013525 690
48 -8M0013526 690
48 -8M0013527 690
48 -8M0013528 690
48 -8M0013537 689
48 -8M0013538 689
48 -8M0013539 689
48 -8M0013540 689
48 -8M0013541 689
48 -8M0013542 689
48 -8M0013543 690
48 -8M0013544 690
48 -8M0013545 690
48 -8M0013546 690
48 -8M0013547 690
48 -8M0013548 690
48 -8M0013549 690
48 -8M0013550 690

48 -8M0013551 . . . 690
48 -8M0013552 . . . 690
48 -8M0013553 . . . 690
48 -8M0013554 . . . 690
48 -8M0013555 . . . 690
48 -8M0013556 . . . 690
48 -8M0013557 . . . 690
48 -8M0013558 . . . 690
48 -8M0013567 . . . 689
48 -8M0013568 . . . 689
48 -8M0013569 . . . 689
48 -8M0013570 . . . 689
48 -8M0013571 . . . 689
48 -8M0013572 . . . 689
48 -8M0013573 . . . 690
48 -8M0013574 . . . 690
48 -8M0013575 . . . 690
48 -8M0013576 . . . 690
48 -8M0013577 . . . 690
48 -8M0013578 . . . 690
48 -8M0013579 . . . 690
48 -8M0013580 . . . 690
48 -8M0013581 . . . 690
48 -8M0013582 . . . 690
48 -8M0013583 . . . 690
48 -8M0013584 . . . 690
48 -8M0013585 . . . 690
48 -8M0013586 . . . 690
48 -8M0013587 . . . 690
48 -8M0013588 . . . 690
48 -8M0013597 . . . 689
48 -8M0013598 . . . 689
48 -8M0013599 . . . 689
48 -8M0013600 . . . 689
48 -8M0013601 . . . 689
48 -8M0013602 . . . 689
48 -8M0013603 . . . 690
48 -8M0013604 . . . 690
48 -8M0013605 . . . 690
48 -8M0013606 . . . 690
48 -8M0013607 . . . 690
48 -8M0013608 . . . 690
48 -8M0013609 . . . 690
48 -8M0013610 . . . 690
48 -8M0013611 . . . 690
48 -8M0013612 . . . 690
48 -8M0013613 . . . 690
48 -8M0013614 . . . 690
48 -8M0013615 . . . 690
48 -8M0013616 . . . 690
48 -8M0013617 . . . 690
48 -8M0013618 . . . 690
48 -8M0013627 . . . 689
48 -8M0013628 . . . 689
48 -8M0013629 . . . 689
48 -8M0013630 . . . 689
48 -8M0013631 . . . 689
48 -8M0013632 . . . 689
48 -8M0013633 . . . 690
48 -8M0013634 . . . 690
48 -8M0013635 . . . 690
48 -8M0013636 . . . 690
48 -8M0013637 . . . 690
48 -8M0013638 . . . 690
48 -8M0013639 . . . 690
48 -8M0013640 . . . 690
48 -8M0013641 . . . 690
48 -8M0013642 . . . 690
48 -8M0013643 . . . 690
48 -8M0013644 . . . 690
48 -8M0013645 . . . 690
48 -8M0013646 . . . 690
48 -8M0013647 . . . 690
48 -8M0013648 . . . 690
48 -8M0013657 . . . 689
48 -8M0013658 . . . 689
48 -8M0013659 . . . 689
48 -8M0013660 . . . 689
48 -8M0013661 . . . 689
48 -8M0013662 . . . 689
48 -8M0013663 . . . 690
48 -8M0013664 . . . 690
48 -8M0013665 . . . 690
48 -8M0013666 . . . 690
48 -8M0013667 . . . 690
48 -8M0013668 . . . 690
48 -8M0013669 . . . 690
48 -8M0013670 . . . 690
48 -8M0013671 . . . 690
48 -8M0013672 . . . 690
48 -8M0013673 . . . 690
48 -8M0013674 . . . 690
48 -8M0013675 . . . 690
48 -8M0013676 . . . 690
48 -8M0013677 . . . 690
48 -8M0013678 . . . 690
48 -8M0013687 . . . 689
48 -8M0013688 . . . 689
48 -8M0013689 . . . 689
48 -8M0013690 . . . 689
48 -8M0013691 . . . 689
48 -8M0013692 . . . 689
48 -8M0013693 . . . 690
48 -8M0013694 . . . 690
48 -8M0013695 . . . 690
48 -8M0013696 . . . 690
48 -8M0013697 . . . 690
48 -8M0013698 . . . 690
48 -8M0013699 . . . 690
48 -8M0013700 . . . 690
48 -8M0013701 . . . 690
48 -8M0013702 . . . 690
48 -8M0013703 . . . 690
48 -8M0013704 . . . 690

48 -8M0013705 690
48 -8M0013706 690
48 -8M0013707 690
48 -8M0013708 690
48 -8M0013717 689
48 -8M0013718 689
48 -8M0013719 689
48 -8M0013720 689
48 -8M0013721 690
48 -8M0013722 690
48 -8M0013723 690
48 -8M0013724 690
48 -8M0013725 690
48 -8M0013726 690
48 -8M0013727 690
48 -8M0013728 690
48 -8M0013729 690
48 -8M0013730 690
48 -8M0013731 690
48 -8M0013732 690
48 -8M0013733 690
48 -8M0013734 690
48 -8M0013735 690
48 -8M0013736 690
48 -8M0013737 690
48 -8M0013738 690
48 -8M0013747 689
48 -8M0013748 689
48 -8M0013749 689
48 -8M0013750 689
48 -8M0013751 690
48 -8M0013752 690
48 -8M0013753 690
48 -8M0013754 690
48 -8M0013755 690
48 -8M0013756 690
48 -8M0013757 690
48 -8M0013758 690
48 -8M0013759 690
48 -8M0013760 690
48 -8M0013761 690
48 -8M0013762 690
48 -8M0013763 690
48 -8M0013764 690
48 -8M0013765 690
48 -8M0013766 690
48 -8M0013767 690
48 -8M0013768 690
48 -8M0013777 689
48 -8M0013778 689
48 -8M0013779 689
48 -8M0013780 689
48 -8M0013781 690
48 -8M0013782 690
48 -8M0013783 690
48 -8M0013784 690
48 -8M0013785 690
48 -8M0013786 690
48 -8M0013787 690
48 -8M0013788 690
48 -8M0013789 690
48 -8M0013790 690
48 -8M0013791 690
48 -8M0013792 690
48 -8M0013793 690
48 -8M0013794 690
48 -8M0013795 690
48 -8M0013796 690
48 -8M0013797 690
48 -8M0013798 690
48 -8M0013807 689
48 -8M0013808 689
48 -8M0013809 689
48 -8M0013810 689
48 -8M0013811 690
48 -8M0013812 690
48 -8M0013813 690
48 -8M0013814 690
48 -8M0013815 690
48 -8M0013816 690
48 -8M0013817 690
48 -8M0013818 690
48 -8M0013819 690
48 -8M0013820 690
48 -8M0013821 690
48 -8M0013822 690
48 -8M0013823 690
48 -8M0013824 690
48 -8M0013825 690
48 -8M0013826 690
48 -8M0013827 690
48 -8M0013828 690
48 -8M0013837 689
48 -8M0013838 689
48 -8M0013839 689
48 -8M0013840 689
48 -8M0013841 690
48 -8M0013842 690
48 -8M0013843 690
48 -8M0013844 690
48 -8M0013845 690
48 -8M0013846 690
48 -8M0013847 690
48 -8M0013848 690
48 -8M0013849 690
48 -8M0013850 690
48 -8M0013851 690
48 -8M0013852 690
48 -8M0013853 690
48 -8M0013854 690
48 -8M0013855 690
48 -8M0013856 690
48 -8M0013857 690
48 -8M0013858 690

48 -8M0013867 . . . 689
48 -8M0013868 . . . 689
48 -8M0013869 . . . 689
48 -8M0013870 . . . 689
48 -8M0013871 . . . 690
48 -8M0013872 . . . 690
48 -8M0013873 . . . 690
48 -8M0013874 . . . 690
48 -8M0013875 . . . 690
48 -8M0013876 . . . 690
48 -8M0013877 . . . 690
48 -8M0013878 . . . 690
48 -8M0013879 . . . 690
48 -8M0013880 . . . 690
48 -8M0013881 . . . 690
48 -8M0013882 . . . 690
48 -8M0013883 . . . 690
48 -8M0013884 . . . 690
48 -8M0013885 . . . 690
48 -8M0013886 . . . 690
48 -8M0013887 . . . 690
48 -8M0013888 . . . 690
48 -8M0013897 . . . 702
48 -8M0013898 . . . 702
48 -8M0013899 . . . 702
48 -8M0013900 . . . 702
48 -8M0013901 . . . 702
48 -8M0013902 . . . 702
48 -8M0013903 . . . 702
48 -8M0013904 . . . 702
48 -8M0013905 . . . 702
48 -8M0013906 . . . 702
48 -8M0013907 . . . 702
48 -8M0013908 . . . 702
48 -8M0013909 . . . 702
48 -8M0013910 . . . 702
48 -8M0013911 . . . 702
48 -8M0013912 . . . 702
48 -8M0013913 . . . 703
48 -8M0013914 . . . 703
48 -8M0013915 . . . 703
48 -8M0013916 . . . 703
48 -8M0013917 . . . 703
48 -8M0013918 . . . 703
48 -8M0013927 . . . 702
48 -8M0013928 . . . 702
48 -8M0013929 . . . 702
48 -8M0013930 . . . 702
48 -8M0013931 . . . 702
48 -8M0013932 . . . 702
48 -8M0013933 . . . 702
48 -8M0013934 . . . 702
48 -8M0013935 . . . 702
48 -8M0013936 . . . 702
48 -8M0013937 . . . 702
48 -8M0013938 . . . 702
48 -8M0013939 . . . 702
48 -8M0013940 . . . 702
48 -8M0013941 . . . 702
48 -8M0013942 . . . 702
48 -8M0013943 . . . 703
48 -8M0013944 . . . 703
48 -8M0013945 . . . 703
48 -8M0013946 . . . 703
48 -8M0013947 . . . 703
48 -8M0013948 . . . 703
48 -8M0013957 . . . 702
48 -8M0013958 . . . 702
48 -8M0013959 . . . 702
48 -8M0013960 . . . 702
48 -8M0013961 . . . 702
48 -8M0013962 . . . 702
48 -8M0013963 . . . 702
48 -8M0013964 . . . 702
48 -8M0013965 . . . 702
48 -8M0013966 . . . 702
48 -8M0013967 . . . 702
48 -8M0013968 . . . 702
48 -8M0013969 . . . 702
48 -8M0013970 . . . 702
48 -8M0013971 . . . 703
48 -8M0013972 . . . 703
48 -8M0013973 . . . 703
48 -8M0013974 . . . 703
48 -8M0013975 . . . 703
48 -8M0013976 . . . 703
48 -8M0013977 . . . 703
48 -8M0013978 . . . 703
48 -8M0013987 . . . 702
48 -8M0013988 . . . 702
48 -8M0013989 . . . 702
48 -8M0013990 . . . 702
48 -8M0013991 . . . 702
48 -8M0013992 . . . 702
48 -8M0013993 . . . 702
48 -8M0013994 . . . 702
48 -8M0013995 . . . 702
48 -8M0013996 . . . 702
48 -8M0013997 . . . 702
48 -8M0013998 . . . 702
48 -8M0013999 . . . 702
48 -8M0014000 . . . 702
48 -8M0014001 . . . 703
48 -8M0014002 . . . 703
48 -8M0014003 . . . 703
48 -8M0014004 . . . 703
48 -8M0014005 . . . 703
48 -8M0014006 . . . 703
48 -8M0014007 . . . 703
48 -8M0014008 . . . 703
48 -8M0014017 . . . 702
48 -8M0014018 . . . 702
48 -8M0014019 . . . 702
48 -8M0014020 . . . 702

48 -8M0014021 702
48 -8M0014022 702
48 -8M0014023 702
48 -8M0014024 702
48 -8M0014025 702
48 -8M0014026 702
48 -8M0014027 702
48 -8M0014028 702
48 -8M0014029 702
48 -8M0014030 702
48 -8M0014031 703
48 -8M0014032 703
48 -8M0014033 703
48 -8M0014034 703
48 -8M0014035 703
48 -8M0014036 703
48 -8M0014037 703
48 -8M0014038 703
48 -8M0014047 702
48 -8M0014048 702
48 -8M0014049 702
48 -8M0014050 702
48 -8M0014051 702
48 -8M0014052 702
48 -8M0014053 702
48 -8M0014054 702
48 -8M0014055 702
48 -8M0014056 702
48 -8M0014057 702
48 -8M0014058 702
48 -8M0014059 702
48 -8M0014060 702
48 -8M0014061 703
48 -8M0014062 703
48 -8M0014063 703
48 -8M0014064 703
48 -8M0014065 703
48 -8M0014066 703
48 -8M0014067 703
48 -8M0014068 703
48 -8M0014077 702
48 -8M0014078 702
48 -8M0014079 702
48 -8M0014080 702
48 -8M0014081 702
48 -8M0014082 702
48 -8M0014083 702
48 -8M0014084 702
48 -8M0014085 702
48 -8M0014086 702
48 -8M0014087 702
48 -8M0014088 702
48 -8M0014089 702
48 -8M0014090 702
48 -8M0014091 703
48 -8M0014092 703
48 -8M0014093 703
48 -8M0014094 703
48 -8M0014095 703
48 -8M0014096 703
48 -8M0014097 703
48 -8M0014098 703
48 -8M0014107 702
48 -8M0014108 702
48 -8M0014109 702
48 -8M0014110 702
48 -8M0014111 702
48 -8M0014112 702
48 -8M0014113 702
48 -8M0014114 702
48 -8M0014115 702
48 -8M0014116 702
48 -8M0014117 702
48 -8M0014118 702
48 -8M0014119 702
48 -8M0014120 702
48 -8M0014121 703
48 -8M0014122 703
48 -8M0014123 703
48 -8M0014124 703
48 -8M0014125 703
48 -8M0014126 703
48 -8M0014127 703
48 -8M0014128 703
48 -8M0014137 702
48 -8M0014138 702
48 -8M0014139 702
48 -8M0014140 702
48 -8M0014141 702
48 -8M0014142 702
48 -8M0014143 702
48 -8M0014144 702
48 -8M0014145 702
48 -8M0014146 702
48 -8M0014147 702
48 -8M0014148 702
48 -8M0014149 702
48 -8M0014150 702
48 -8M0014151 703
48 -8M0014152 703
48 -8M0014153 703
48 -8M0014154 703
48 -8M0014155 703
48 -8M0014156 703
48 -8M0014157 703
48 -8M0014158 703
48 -8M0014167 702
48 -8M0014168 702
48 -8M0014169 702
48 -8M0014170 702
48 -8M0014171 702
48 -8M0014172 702
48 -8M0014173 702
48 -8M0014174 702

48 -8M0014175 702
48 -8M0014176 702
48 -8M0014177 702
48 -8M0014178 702
48 -8M0014179 702
48 -8M0014180 . . . . . 693, 702
48 -8M0014181 703
48 -8M0014182 703
48 -8M0014183 703
48 -8M0014184 703
48 -8M0014185 703
48 -8M0014186 703
48 -8M0014187 703
48 -8M0014188 703
48 -8M0014197 702
48 -8M0014198 702
48 -8M0014199 702
48 -8M0014200 702
48 -8M0014201 702
48 -8M0014202 702
48 -8M0014203 702
48 -8M0014204 702
48 -8M0014205 702
48 -8M0014206 702
48 -8M0014207 702
48 -8M0014208 702
48 -8M0014209 702
48 -8M0014210 702
48 -8M0014211 703
48 -8M0014212 703
48 -8M0014213 703
48 -8M0014214 703
48 -8M0014215 703
48 -8M0014216 703
48 -8M0014217 703
48 -8M0014218 703
48 -8M0014227 702
48 -8M0014228 702
48 -8M0014229 702
48 -8M0014230 702
48 -8M0014231 702
48 -8M0014232 702
48 -8M0014233 702
48 -8M0014234 702
48 -8M0014235 702
48 -8M0014236 702
48 -8M0014237 702
48 -8M0014238 702
48 -8M0014239 702
48 -8M0014240 702
48 -8M0014241 703
48 -8M0014242 703
48 -8M0014243 703
48 -8M0014244 703
48 -8M0014245 703
48 -8M0014246 703
48 -8M0014247 703
48 -8M0014248 703
48 -8M0014257 702
48 -8M0014258 702
48 -8M0014259 702
48 -8M0014260 702
48 -8M0014261 702
48 -8M0014262 702
48 -8M0014263 702
48 -8M0014264 702
48 -8M0014265 702
48 -8M0014266 702
48 -8M0014267 702
48 -8M0014268 702
48 -8M0014269 702
48 -8M0014270 . . . . . 693, 702
48 -8M0014271 703
48 -8M0014272 703
48 -8M0014273 703
48 -8M0014274 703
48 -8M0014275 703
48 -8M0014276 703
48 -8M0014277 703
48 -8M0014278 703
48 -8M0014677 691
48 -8M0014678 691
48 -8M0014679 691
48 -8M0014680 691
48 -8M0014681 691
48 -8M0014682 691
48 -8M0014683 691
48 -8M0014684 691
48 -8M0014685 691
48 -8M0014686 691
48 -8M0014687 691
48 -8M0014688 691
48 -8M0014689 691
48 -8M0014690 691
48 -8M0014691 691
48 -8M0014692 691
48 -8M0014693 692
48 -8M0014694 692
48 -8M0014695 692
48 -8M0014696 692
48 -8M0014697 692
48 -8M0014698 692
48 -8M0014707 691
48 -8M0014708 691
48 -8M0014709 691
48 -8M0014710 691
48 -8M0014711 691
48 -8M0014712 691
48 -8M0014713 691
48 -8M0014714 691
48 -8M0014715 691
48 -8M0014716 691
48 -8M0014717 691
48 -8M0014718 691

48 -8M0014719 . . . 691
48 -8M0014720 . . . 691
48 -8M0014721 . . . 691
48 -8M0014722 . . . 691
48 -8M0014723 . . . 692
48 -8M0014724 . . . 692
48 -8M0014725 . . . 692
48 -8M0014726 . . . 692
48 -8M0014727 . . . 692
48 -8M0014728 . . . 692
48 -8M0014737 . . . 691
48 -8M0014738 . . . 691
48 -8M0014739 . . . 691
48 -8M0014740 . . . 691
48 -8M0014741 . . . 691
48 -8M0014742 . . . 691
48 -8M0014743 . . . 691
48 -8M0014744 . . . 691
48 -8M0014745 . . . 691
48 -8M0014746 . . . 691
48 -8M0014747 . . . 691
48 -8M0014748 . . . 691
48 -8M0014749 . . . 691
48 -8M0014750 . . . 691
48 -8M0014751 . . . 691
48 -8M0014752 . . . 691
48 -8M0014753 . . . 692
48 -8M0014754 . . . 692
48 -8M0014755 . . . 692
48 -8M0014756 . . . 692
48 -8M0014757 . . . 692
48 -8M0014758 . . . 692
48 -8M0014767 . . . 691
48 -8M0014768 . . . 691
48 -8M0014769 . . . 691
48 -8M0014770 . . . 691
48 -8M0014771 . . . 691
48 -8M0014772 . . . 691
48 -8M0014773 . . . 691
48 -8M0014774 . . . 691
48 -8M0014775 . . . 691
48 -8M0014776 . . . 691
48 -8M0014777 . . . 691
48 -8M0014778 . . . 691
48 -8M0014779 . . . 691
48 -8M0014780 . . . 691
48 -8M0014781 . . . 691
48 -8M0014782 . . . 691
48 -8M0014783 . . . 692
48 -8M0014784 . . . 692
48 -8M0014785 . . . 692
48 -8M0014786 . . . 692
48 -8M0014787 . . . 692
48 -8M0014788 . . . 692
48 -8M0014797 . . . 691
48 -8M0014798 . . . 691
48 -8M0014799 . . . 691
48 -8M0014800 . . . 691
48 -8M0014801 . . . 691
48 -8M0014802 . . . 691
48 -8M0014803 . . . 691
48 -8M0014804 . . . 691
48 -8M0014805 . . . 691
48 -8M0014806 . . . 691
48 -8M0014807 . . . 691
48 -8M0014808 . . . 691
48 -8M0014809 . . . 691
48 -8M0014810 . . . 691
48 -8M0014811 . . . 692
48 -8M0014812 . . . 692
48 -8M0014813 . . . 692
48 -8M0014814 . . . 692
48 -8M0014815 . . . 692
48 -8M0014816 . . . 692
48 -8M0014817 . . . 692
48 -8M0014818 . . . 692
48 -8M0014827 . . . 691
48 -8M0014828 . . . 691
48 -8M0014829 . . . 691
48 -8M0014830 . . . 691
48 -8M0014831 . . . 691
48 -8M0014832 . . . 691
48 -8M0014833 . . . 691
48 -8M0014834 . . . 691
48 -8M0014835 . . . 691
48 -8M0014836 . . . 691
48 -8M0014837 . . . 691
48 -8M0014838 . . . 691
48 -8M0014839 . . . 691
48 -8M0014840 . . . 691
48 -8M0014841 . . . 692
48 -8M0014842 . . . 692
48 -8M0014843 . . . 692
48 -8M0014844 . . . 692
48 -8M0014845 . . . 692
48 -8M0014846 . . . 692
48 -8M0014847 . . . 692
48 -8M0014848 . . . 692
48 -8M0014857 . . . 691
48 -8M0014858 . . . 691
48 -8M0014859 . . . 691
48 -8M0014860 . . . 691
48 -8M0014861 . . . 691
48 -8M0014862 . . . 691
48 -8M0014863 . . . 691
48 -8M0014864 . . . 691
48 -8M0014865 . . . 691
48 -8M0014866 . . . 691
48 -8M0014867 . . . 691
48 -8M0014868 . . . 691
48 -8M0014869 . . . 691
48 -8M0014870 . . . 691
48 -8M0014871 . . . 692
48 -8M0014872 . . . 692

48 -8M0014873 . . . 692
48 -8M0014874 . . . 692
48 -8M0014875 . . . 692
48 -8M0014876 . . . 692
48 -8M0014877 . . . 692
48 -8M0014878 . . . 692
48 -8M0014887 . . . 691
48 -8M0014888 . . . 691
48 -8M0014889 . . . 691
48 -8M0014890 . . . 691
48 -8M0014891 . . . 691
48 -8M0014892 . . . 691
48 -8M0014893 . . . 691
48 -8M0014894 . . . 691
48 -8M0014895 . . . 691
48 -8M0014896 . . . 691
48 -8M0014897 . . . 691
48 -8M0014898 . . . 691
48 -8M0014899 . . . 691
48 -8M0014900 . . . 691
48 -8M0014901 . . . 692
48 -8M0014902 . . . 692
48 -8M0014903 . . . 692
48 -8M0014904 . . . 692
48 -8M0014905 . . . 692
48 -8M0014906 . . . 692
48 -8M0014907 . . . 692
48 -8M0014908 . . . 692
48 -8M0014917 . . . 691
48 -8M0014918 . . . 691
48 -8M0014919 . . . 691
48 -8M0014920 . . . 691
48 -8M0014921 . . . 691
48 -8M0014922 . . . 691
48 -8M0014923 . . . 691
48 -8M0014924 . . . 691
48 -8M0014925 . . . 691
48 -8M0014926 . . . 691
48 -8M0014927 . . . 691
48 -8M0014928 . . . 691
48 -8M0014929 . . . 691
48 -8M0014930 . . . 691
48 -8M0014931 . . . 692
48 -8M0014932 . . . 692
48 -8M0014933 . . . 692
48 -8M0014934 . . . 692
48 -8M0014935 . . . 692
48 -8M0014936 . . . 692
48 -8M0014937 . . . 692
48 -8M0014938 . . . 692
48 -8M0014947 . . . 691
48 -8M0014948 . . . 691
48 -8M0014949 . . . 691
48 -8M0014950 . . . 691
48 -8M0014951 . . . 691
48 -8M0014952 . . . 691
48 -8M0014953 . . . 691
48 -8M0014954 . . . 691
48 -8M0014955 . . . 691
48 -8M0014956 . . . 691
48 -8M0014957 . . . 691
48 -8M0014958 . . . 691
48 -8M0014959 . . . 691
48 -8M0014960 . . . 691
48 -8M0014961 . . . 692
48 -8M0014962 . . . 692
48 -8M0014963 . . . 692
48 -8M0014964 . . . 692
48 -8M0014965 . . . 692
48 -8M0014966 . . . 692
48 -8M0014967 . . . 692
48 -8M0014968 . . . 692
48 -8M0014977 . . . 691
48 -8M0014978 . . . 691
48 -8M0014979 . . . 691
48 -8M0014980 . . . 691
48 -8M0014981 . . . 691
48 -8M0014982 . . . 691
48 -8M0014983 . . . 691
48 -8M0014984 . . . 691
48 -8M0014985 . . . 691
48 -8M0014986 . . . 691
48 -8M0014987 . . . 691
48 -8M0014988 . . . 691
48 -8M0014989 . . . 691
48 -8M0014990 . . . 691
48 -8M0014991 . . . 692
48 -8M0014992 . . . 692
48 -8M0014993 . . . 692
48 -8M0014994 . . . 692
48 -8M0014995 . . . 692
48 -8M0014996 . . . 692
48 -8M0014997 . . . 692
48 -8M0014998 . . . 692
48 -8M0015007 . . . 691
48 -8M0015008 . . . 691
48 -8M0015009 . . . 691
48 -8M0015010 . . . 691
48 -8M0015011 . . . 691
48 -8M0015012 . . . 691
48 -8M0015013 . . . 691
48 -8M0015014 . . . 691
48 -8M0015015 . . . 691
48 -8M0015016 . . . 691
48 -8M0015017 . . . 691
48 -8M0015018 . . . 691
48 -8M0015019 . . . 691
48 -8M0015020 . . . 691
48 -8M0015021 . . . 692
48 -8M0015022 . . . 692
48 -8M0015023 . . . 692
48 -8M0015024 . . . 692
48 -8M0015025 . . . 692
48 -8M0015026 . . . 692

48 -8M0015027 692
48 -8M0015028 692
48 -8M0015037 691
48 -8M0015038 691
48 -8M0015039 691
48 -8M0015040 691
48 -8M0015041 691
48 -8M0015042 691
48 -8M0015043 691
48 -8M0015044 691
48 -8M0015045 691
48 -8M0015046 691
48 -8M0015047 691
48 -8M0015048 691
48 -8M0015049 691
48 -8M0015050 691
48 -8M0015051 692
48 -8M0015052 692
48 -8M0015053 692
48 -8M0015054 692
48 -8M0015055 692
48 -8M0015056 692
48 -8M0015057 692
48 -8M0015058 692
48 -8M0015067 703
48 -8M0015068 703
48 -8M0015069 703
48 -8M0015070 703
48 -8M0015071 703
48 -8M0015072 703
48 -8M0015073 703
48 -8M0015074 703
48 -8M0015075 704
48 -8M0015076 704
48 -8M0015077 704
48 -8M0015078 704
48 -8M0015079 704
48 -8M0015080 704
48 -8M0015081 704
48 -8M0015082 704
48 -8M0015083 704
48 -8M0015084 704
48 -8M0015085 704
48 -8M0015086 704
48 -8M0015087 704
48 -8M0015088 704
48 -8M0015097 703
48 -8M0015098 703
48 -8M0015099 703
48 -8M0015100 703
48 -8M0015101 703
48 -8M0015102 703
48 -8M0015103 703
48 -8M0015104 703
48 -8M0015105 704
48 -8M0015106 704
48 -8M0015107 704
48 -8M0015108 704
48 -8M0015109 704
48 -8M0015110 704
48 -8M0015111 704
48 -8M0015112 704
48 -8M0015113 704
48 -8M0015114 704
48 -8M0015115 704
48 -8M0015116 704
48 -8M0015117 704
48 -8M0015118 704
48 -8M0015127 703
48 -8M0015128 703
48 -8M0015129 703
48 -8M0015130 703
48 -8M0015131 703
48 -8M0015132 703
48 -8M0015133 703
48 -8M0015134 703
48 -8M0015135 704
48 -8M0015136 704
48 -8M0015137 704
48 -8M0015138 704
48 -8M0015139 704
48 -8M0015140 704
48 -8M0015141 704
48 -8M0015142 704
48 -8M0015143 704
48 -8M0015144 704
48 -8M0015145 704
48 -8M0015146 704
48 -8M0015147 704
48 -8M0015148 704
48 -8M0015157 703
48 -8M0015158 703
48 -8M0015159 703
48 -8M0015160 703
48 -8M0015161 703
48 -8M0015162 703
48 -8M0015163 703
48 -8M0015164 703
48 -8M0015165 704
48 -8M0015166 704
48 -8M0015167 704
48 -8M0015168 704
48 -8M0015169 704
48 -8M0015170 704
48 -8M0015171 704
48 -8M0015172 704
48 -8M0015173 704
48 -8M0015174 704
48 -8M0015175 704
48 -8M0015176 704
48 -8M0015177 704
48 -8M0015178 704
48 -8M0015187 703
48 -8M0015188 703

48 -8M0015189 . . . 703
48 -8M0015190 . . . 703
48 -8M0015191 . . . 703
48 -8M0015192 . . . 703
48 -8M0015193 . . . 703
48 -8M0015194 . . . 703
48 -8M0015195 . . . 704
48 -8M0015196 . . . 704
48 -8M0015197 . . . 704
48 -8M0015198 . . . 704
48 -8M0015199 . . . 704
48 -8M0015200 . . . 704
48 -8M0015201 . . . 704
48 -8M0015202 . . . 704
48 -8M0015203 . . . 704
48 -8M0015204 . . . 704
48 -8M0015205 . . . 704
48 -8M0015206 . . . 704
48 -8M0015207 . . . 704
48 -8M0015208 . . . 704
48 -8M0015217 . . . 703
48 -8M0015218 . . . 703
48 -8M0015219 . . . 703
48 -8M0015220 . . . 703
48 -8M0015221 . . . 703
48 -8M0015222 . . . 703
48 -8M0015223 . . . 703
48 -8M0015224 . . . 703
48 -8M0015225 . . . 704
48 -8M0015226 . . . 704
48 -8M0015227 . . . 704
48 -8M0015228 . . . 704
48 -8M0015229 . . . 704
48 -8M0015230 . . . 704
48 -8M0015231 . . . 704
48 -8M0015232 . . . 704
48 -8M0015233 . . . 704
48 -8M0015234 . . . 704
48 -8M0015235 . . . 704
48 -8M0015236 . . . 704
48 -8M0015237 . . . 704
48 -8M0015238 . . . 704
48 -8M0015247 . . . 703
48 -8M0015248 . . . 703
48 -8M0015249 . . . 703
48 -8M0015250 . . . 703
48 -8M0015251 . . . 703
48 -8M0015252 . . . 703
48 -8M0015253 . . . 703
48 -8M0015254 . . . 703
48 -8M0015255 . . . 704
48 -8M0015256 . . . 704
48 -8M0015257 . . . 704
48 -8M0015258 . . . 704
48 -8M0015259 . . . 704
48 -8M0015260 . . . 704
48 -8M0015261 . . . 704
48 -8M0015262 . . . 704
48 -8M0015263 . . . 704
48 -8M0015264 . . . 704
48 -8M0015265 . . . 704
48 -8M0015266 . . . 704
48 -8M0015267 . . . 704
48 -8M0015268 . . . 704
48 -8M0015277 . . . 703
48 -8M0015278 . . . 703
48 -8M0015279 . . . 703
48 -8M0015280 . . . 703
48 -8M0015281 . . . 703
48 -8M0015282 . . . 703
48 -8M0015283 . . . 703
48 -8M0015284 . . . 703
48 -8M0015285 . . . 704
48 -8M0015286 . . . 704
48 -8M0015287 . . . 704
48 -8M0015288 . . . 704
48 -8M0015289 . . . 704
48 -8M0015290 . . . 704
48 -8M0015291 . . . 704
48 -8M0015292 . . . 704
48 -8M0015293 . . . 704
48 -8M0015294 . . . 704
48 -8M0015295 . . . 704
48 -8M0015296 . . . 704
48 -8M0015297 . . . 704
48 -8M0015298 . . . 704
48 -8M0015307 . . . 703
48 -8M0015308 . . . 703
48 -8M0015309 . . . 703
48 -8M0015310 . . . 703
48 -8M0015311 . . . 703
48 -8M0015312 . . . 703
48 -8M0015313 . . . 703
48 -8M0015314 . . . 703
48 -8M0015315 . . . 704
48 -8M0015316 . . . 704
48 -8M0015317 . . . 704
48 -8M0015318 . . . 704
48 -8M0015319 . . . 704
48 -8M0015320 . . . 704
48 -8M0015321 . . . 704
48 -8M0015322 . . . 704
48 -8M0015323 . . . 704
48 -8M0015324 . . . 704
48 -8M0015325 . . . 704
48 -8M0015326 . . . 704
48 -8M0015327 . . . 704
48 -8M0015328 . . . 704
48 -8M0015337 . . . 703
48 -8M0015338 . . . 703
48 -8M0015339 . . . 703
48 -8M0015340 . . . 703
48 -8M0015341 . . . 703
48 -8M0015342 . . . 703

48 -8M0015343 . . . 703
48 -8M0015344 . . . 703
48 -8M0015345 . . . 704
48 -8M0015346 . . . 704
48 -8M0015347 . . . 704
48 -8M0015348 . . . 704
48 -8M0015349 . . . 704
48 -8M0015350 . . . 704
48 -8M0015351 . . . 704
48 -8M0015352 . . . 704
48 -8M0015353 . . . 704
48 -8M0015354 . . . 704
48 -8M0015355 . . . 704
48 -8M0015356 . . . 704
48 -8M0015357 . . . 704
48 -8M0015358 . . . 704
48 -8M0015367 . . . 703
48 -8M0015368 . . . 703
48 -8M0015369 . . . 703
48 -8M0015370 . . . 703
48 -8M0015371 . . . 703
48 -8M0015372 . . . 703
48 -8M0015373 . . . 703
48 -8M0015374 . . . 703
48 -8M0015375 . . . 704
48 -8M0015376 . . . 704
48 -8M0015377 . . . 704
48 -8M0015378 . . . 704
48 -8M0015379 . . . 704
48 -8M0015380 . . . 704
48 -8M0015381 . . . 704
48 -8M0015382 . . . 704
48 -8M0015383 . . . 704
48 -8M0015384 . . . 704
48 -8M0015385 . . . 704
48 -8M0015386 . . . 704
48 -8M0015387 . . . 704
48 -8M0015388 . . . 704
48 -8M0015397 . . . 703
48 -8M0015398 . . . 703
48 -8M0015399 . . . 703
48 -8M0015400 . . . 703
48 -8M0015401 . . . 703
48 -8M0015402 . . . 703
48 -8M0015403 . . . 703
48 -8M0015404 . . . 703
48 -8M0015405 . . . 704
48 -8M0015406 . . . 704
48 -8M0015407 . . . 704
48 -8M0015408 . . . 704
48 -8M0015409 . . . 704
48 -8M0015410 . . . 704
48 -8M0015411 . . . 704
48 -8M0015412 . . . 704
48 -8M0015413 . . . 704
48 -8M0015414 . . . 704
48 -8M0015415 . . . 704
48 -8M0015416 . . . 704
48 -8M0015417 . . . 704
48 -8M0015418 . . . 704
48 -8M0015427 . . . 703
48 -8M0015428 . . . 703
48 -8M0015429 . . . 703
48 -8M0015430 . . . 703
48 -8M0015431 . . . 703
48 -8M0015432 . . . 703
48 -8M0015433 . . . 704
48 -8M0015434 . . . 704
48 -8M0015435 . . . 704
48 -8M0015436 . . . 704
48 -8M0015437 . . . 704
48 -8M0015438 . . . 704
48 -8M0015439 . . . 704
48 -8M0015440 . . . 704
48 -8M0015441 . . . 704
48 -8M0015442 . . . 704
48 -8M0015443 . . . 704
48 -8M0015444 . . . 704
48 -8M0015445 . . . 704
48 -8M0015446 . . . 704
48 -8M0015447 . . . 704
48 -8M0015448 . . . 704
48 -8M0017089 . . . 693
48 -8M0017090 . . . 693
48 -8M0017091 . . . 693
48 -8M0017092 . . . 693
48 -8M0017093 . . . 693
48 -8M0017094 . . . 693
48 -8M0017095 . . . 694
48 -8M0017096 . . . 694
48 -8M0017097 . . . 694
48 -8M0017098 . . . 694
48 -8M0017099 . . . 694
48 -8M0017100 . . . 694
48 -8M0017101 . . . 694
48 -8M0017102 . . . 694
48 -8M0017103 . . . 694
48 -8M0017104 . . . 694
48 -8M0017105 . . . 694
48 -8M0017106 . . . 694
48 -8M0017107 . . . 694
48 -8M0017108 . . . 694
48 -8M0017109 . . . 694
48 -8M0017110 . . . 694
48 -8M0017119 . . . 693
48 -8M0017120 . . . 693
48 -8M0017121 . . . 693
48 -8M0017122 . . . 693
48 -8M0017123 . . . 693
48 -8M0017124 . . . 693
48 -8M0017125 . . . 694
48 -8M0017126 . . . 694
48 -8M0017127 . . . 694
48 -8M0017128 . . . 694

48 -8M0017129 . . . 694
48 -8M0017130 . . . 694
48 -8M0017131 . . . 694
48 -8M0017132 . . . 694
48 -8M0017133 . . . 694
48 -8M0017134 . . . 694
48 -8M0017135 . . . 694
48 -8M0017136 . . . 694
48 -8M0017137 . . . 694
48 -8M0017138 . . . 694
48 -8M0017139 . . . 694
48 -8M0017140 . . . 694
48 -8M0017149 . . . 693
48 -8M0017150 . . . 693
48 -8M0017151 . . . 693
48 -8M0017152 . . . 693
48 -8M0017153 . . . 693
48 -8M0017154 . . . 693
48 -8M0017155 . . . 694
48 -8M0017156 . . . 694
48 -8M0017157 . . . 694
48 -8M0017158 . . . 694
48 -8M0017159 . . . 694
48 -8M0017160 . . . 694
48 -8M0017161 . . . 694
48 -8M0017162 . . . 694
48 -8M0017163 . . . 694
48 -8M0017164 . . . 694
48 -8M0017165 . . . 694
48 -8M0017166 . . . 694
48 -8M0017167 . . . 694
48 -8M0017168 . . . 694
48 -8M0017169 . . . 694
48 -8M0017170 . . . 694
48 -8M0017179 . . . 693
48 -8M0017181 . . . 693
48 -8M0017182 . . . 693
48 -8M0017183 . . . 693
48 -8M0017184 . . . 693
48 -8M0017185 . . . 694
48 -8M0017186 . . . 694
48 -8M0017187 . . . 694
48 -8M0017188 . . . 694
48 -8M0017189 . . . 694
48 -8M0017190 . . . 694
48 -8M0017191 . . . 694
48 -8M0017192 . . . 694
48 -8M0017193 . . . 694
48 -8M0017194 . . . 694
48 -8M0017195 . . . 694
48 -8M0017196 . . . 694
48 -8M0017197 . . . 694
48 -8M0017198 . . . 694
48 -8M0017199 . . . 694
48 -8M0017200 . . . 694
48 -8M0017209 . . . 693
48 -8M0017210 . . . 693
48 -8M0017211 . . . 693
48 -8M0017212 . . . 693
48 -8M0017213 . . . 693
48 -8M0017214 . . . 693
48 -8M0017215 . . . 694
48 -8M0017216 . . . 694
48 -8M0017217 . . . 694
48 -8M0017218 . . . 694
48 -8M0017219 . . . 694
48 -8M0017220 . . . 694
48 -8M0017221 . . . 694
48 -8M0017222 . . . 694
48 -8M0017223 . . . 694
48 -8M0017224 . . . 694
48 -8M0017225 . . . 694
48 -8M0017226 . . . 694
48 -8M0017227 . . . 694
48 -8M0017228 . . . 694
48 -8M0017229 . . . 694
48 -8M0017230 . . . 694
48 -8M0017239 . . . 693
48 -8M0017240 . . . 693
48 -8M0017241 . . . 693
48 -8M0017242 . . . 693
48 -8M0017243 . . . 693
48 -8M0017244 . . . 693
48 -8M0017245 . . . 694
48 -8M0017246 . . . 694
48 -8M0017247 . . . 694
48 -8M0017248 . . . 694
48 -8M0017249 . . . 694
48 -8M0017250 . . . 694
48 -8M0017251 . . . 694
48 -8M0017252 . . . 694
48 -8M0017253 . . . 694
48 -8M0017254 . . . 694
48 -8M0017255 . . . 694
48 -8M0017256 . . . 694
48 -8M0017257 . . . 694
48 -8M0017258 . . . 694
48 -8M0017259 . . . 694
48 -8M0017260 . . . 694
48 -8M0017269 . . . 693
48 -8M0017271 . . . 693
48 -8M0017272 . . . 693
48 -8M0017273 . . . 693
48 -8M0017274 . . . 693
48 -8M0017275 . . . 694
48 -8M0017276 . . . 694
48 -8M0017277 . . . 694
48 -8M0017278 . . . 694
48 -8M0017279 . . . 694
48 -8M0017280 . . . 694
48 -8M0017281 . . . 694
48 -8M0017282 . . . 694
48 -8M0017283 . . . 694
48 -8M0017284 . . . 694

48 -8M0017285 694
48 -8M0017286 694
48 -8M0017287 694
48 -8M0017288 694
48 -8M0017289 694
48 -8M0017290 694
48 -8M0017299 693
48 -8M0017300 693
48 -8M0017301 693
48 -8M0017302 693
48 -8M0017303 694
48 -8M0017304 694
48 -8M0017305 694
48 -8M0017306 694
48 -8M0017307 694
48 -8M0017308 694
48 -8M0017309 694
48 -8M0017310 694
48 -8M0017311 694
48 -8M0017312 694
48 -8M0017313 694
48 -8M0017314 694
48 -8M0017315 694
48 -8M0017316 694
48 -8M0017317 694
48 -8M0017318 694
48 -8M0017319 694
48 -8M0017320 694
48 -8M0017329 693
48 -8M0017330 693
48 -8M0017331 693
48 -8M0017332 693
48 -8M0017333 694
48 -8M0017334 694
48 -8M0017335 694
48 -8M0017336 694
48 -8M0017337 694
48 -8M0017338 694
48 -8M0017339 694
48 -8M0017340 694
48 -8M0017341 694
48 -8M0017342 694
48 -8M0017343 694
48 -8M0017344 694
48 -8M0017345 694
48 -8M0017346 694
48 -8M0017347 694
48 -8M0017348 694
48 -8M0017349 694
48 -8M0017350 694
48 -8M0017359 693
48 -8M0017360 693
48 -8M0017361 693
48 -8M0017362 693
48 -8M0017363 694
48 -8M0017364 694
48 -8M0017365 694
48 -8M0017366 694
48 -8M0017367 694
48 -8M0017368 694
48 -8M0017369 694
48 -8M0017370 694
48 -8M0017371 694
48 -8M0017372 694
48 -8M0017373 694
48 -8M0017374 694
48 -8M0017375 694
48 -8M0017376 694
48 -8M0017377 694
48 -8M0017378 694
48 -8M0017379 694
48 -8M0017380 694
48 -8M0017389 693
48 -8M0017390 693
48 -8M0017391 693
48 -8M0017392 693
48 -8M0017393 694
48 -8M0017394 694
48 -8M0017395 694
48 -8M0017396 694
48 -8M0017397 694
48 -8M0017398 694
48 -8M0017399 694
48 -8M0017400 694
48 -8M0017401 694
48 -8M0017402 694
48 -8M0017403 694
48 -8M0017404 694
48 -8M0017405 694
48 -8M0017406 694
48 -8M0017407 694
48 -8M0017408 694
48 -8M0017409 694
48 -8M0017410 694
48 -8M0017419 693
48 -8M0017420 693
48 -8M0017421 693
48 -8M0017422 693
48 -8M0017423 694
48 -8M0017424 694
48 -8M0017425 694
48 -8M0017426 694
48 -8M0017427 694
48 -8M0017428 694
48 -8M0017429 694
48 -8M0017430 694
48 -8M0017431 694
48 -8M0017432 694
48 -8M0017433 694
48 -8M0017434 694
48 -8M0017435 694
48 -8M0017436 694
48 -8M0017437 694
48 -8M0017438 694

48 -8M0017439 . . . 694
48 -8M0017440 . . . 694
48 -8M0017449 . . . 693
48 -8M0017450 . . . 693
48 -8M0017451 . . . 693
48 -8M0017452 . . . 693
48 -8M0017453 . . . 694
48 -8M0017454 . . . 694
48 -8M0017455 . . . 694
48 -8M0017456 . . . 694
48 -8M0017457 . . . 694
48 -8M0017458 . . . 694
48 -8M0017459 . . . 694
48 -8M0017460 . . . 694
48 -8M0017461 . . . 694
48 -8M0017462 . . . 694
48 -8M0017463 . . . 694
48 -8M0017464 . . . 694
48 -8M0017465 . . . 694
48 -8M0017466 . . . 694
48 -8M0017467 . . . 694
48 -8M0017468 . . . 694
48 -8M0017469 . . . 694
48 -8M0017470 . . . 694
48 -8M0018259 . . . 695
48 -8M0018260 . . . 695
48 -8M0018261 . . . 695
48 -8M0018262 . . . 695
48 -8M0018263 . . . 695
48 -8M0018264 . . . 695
48 -8M0018265 . . . 695
48 -8M0018266 . . . 695
48 -8M0018267 . . . 695
48 -8M0018268 . . . 695
48 -8M0018269 . . . 695
48 -8M0018270 . . . 695
48 -8M0018271 . . . 695
48 -8M0018272 . . . 695
48 -8M0018273 . . . 695
48 -8M0018274 . . . 695
48 -8M0018275 . . . 695
48 -8M0018276 . . . 695
48 -8M0018277 . . . 696
48 -8M0018278 . . . 696
48 -8M0018279 . . . 696
48 -8M0018280 . . . 696
48 -8M0018289 . . . 695
48 -8M0018290 . . . 695
48 -8M0018291 . . . 695
48 -8M0018292 . . . 695
48 -8M0018293 . . . 695
48 -8M0018294 . . . 695
48 -8M0018295 . . . 695
48 -8M0018296 . . . 695
48 -8M0018297 . . . 695
48 -8M0018298 . . . 695
48 -8M0018299 . . . 695
48 -8M0018300 . . . 695
48 -8M0018301 . . . 695
48 -8M0018302 . . . 695
48 -8M0018303 . . . 695
48 -8M0018304 . . . 695
48 -8M0018305 . . . 696
48 -8M0018306 . . . 696
48 -8M0018307 . . . 696
48 -8M0018308 . . . 696
48 -8M0018309 . . . 696
48 -8M0018310 . . . 696
48 -8M0018319 . . . 695
48 -8M0018320 . . . 695
48 -8M0018321 . . . 695
48 -8M0018322 . . . 695
48 -8M0018323 . . . 695
48 -8M0018324 . . . 695
48 -8M0018325 . . . 695
48 -8M0018326 . . . 695
48 -8M0018327 . . . 695
48 -8M0018328 . . . 695
48 -8M0018329 . . . 695
48 -8M0018330 . . . 695
48 -8M0018331 . . . 695
48 -8M0018332 . . . 695
48 -8M0018333 . . . 695
48 -8M0018334 . . . 695
48 -8M0018335 . . . 696
48 -8M0018336 . . . 696
48 -8M0018337 . . . 696
48 -8M0018338 . . . 696
48 -8M0018339 . . . 696
48 -8M0018340 . . . 696
48 -8M0018349 . . . 695
48 -8M0018350 . . . 695
48 -8M0018351 . . . 695
48 -8M0018352 . . . 695
48 -8M0018353 . . . 695
48 -8M0018354 . . . 695
48 -8M0018355 . . . 695
48 -8M0018356 . . . 695
48 -8M0018357 . . . 695
48 -8M0018358 . . . 695
48 -8M0018359 . . . 695
48 -8M0018360 . . . 695
48 -8M0018361 . . . 695
48 -8M0018362 . . . 695
48 -8M0018363 . . . 695
48 -8M0018364 . . . 695
48 -8M0018365 . . . 696
48 -8M0018366 . . . 696
48 -8M0018367 . . . 696
48 -8M0018368 . . . 696
48 -8M0018369 . . . 696
48 -8M0018370 . . . 696
48 -8M0018379 . . . 695
48 -8M0018380 . . . 695

48 -8M0018381 . . . 695
48 -8M0018382 . . . 695
48 -8M0018383 . . . 695
48 -8M0018384 . . . 695
48 -8M0018385 . . . 695
48 -8M0018386 . . . 695
48 -8M0018387 . . . 695
48 -8M0018388 . . . 695
48 -8M0018389 . . . 695
48 -8M0018390 . . . 695
48 -8M0018391 . . . 695
48 -8M0018392 . . . 695
48 -8M0018393 . . . 695
48 -8M0018394 . . . 695
48 -8M0018395 . . . 696
48 -8M0018396 . . . 696
48 -8M0018397 . . . 696
48 -8M0018398 . . . 696
48 -8M0018399 . . . 696
48 -8M0018400 . . . 696
48 -8M0018409 . . . 695
48 -8M0018410 . . . 695
48 -8M0018411 . . . 695
48 -8M0018412 . . . 695
48 -8M0018413 . . . 695
48 -8M0018414 . . . 695
48 -8M0018415 . . . 695
48 -8M0018416 . . . 695
48 -8M0018417 . . . 695
48 -8M0018418 . . . 695
48 -8M0018419 . . . 695
48 -8M0018420 . . . 695
48 -8M0018421 . . . 695
48 -8M0018422 . . . 695
48 -8M0018423 . . . 695
48 -8M0018424 . . . 695
48 -8M0018425 . . . 696
48 -8M0018426 . . . 696
48 -8M0018427 . . . 696
48 -8M0018428 . . . 696
48 -8M0018429 . . . 696
48 -8M0018430 . . . 696
48 -8M0018439 . . . 695
48 -8M0018440 . . . 695
48 -8M0018441 . . . 695
48 -8M0018442 . . . 695
48 -8M0018443 . . . 695
48 -8M0018444 . . . 695
48 -8M0018445 . . . 695
48 -8M0018446 . . . 695
48 -8M0018447 . . . 695
48 -8M0018448 . . . 695
48 -8M0018449 . . . 695
48 -8M0018450 . . . 695
48 -8M0018451 . . . 695
48 -8M0018452 . . . 695
48 -8M0018453 . . . 695
48 -8M0018454 . . . 695
48 -8M0018455 . . . 696
48 -8M0018456 . . . 696
48 -8M0018457 . . . 696
48 -8M0018458 . . . 696
48 -8M0018459 . . . 696
48 -8M0018460 . . . 696
48 -8M0018469 . . . 695
48 -8M0018470 . . . 695
48 -8M0018471 . . . 695
48 -8M0018472 . . . 695
48 -8M0018473 . . . 695
48 -8M0018474 . . . 695
48 -8M0018475 . . . 695
48 -8M0018476 . . . 695
48 -8M0018477 . . . 695
48 -8M0018478 . . . 695
48 -8M0018479 . . . 695
48 -8M0018480 . . . 695
48 -8M0018481 . . . 695
48 -8M0018482 . . . 695
48 -8M0018483 . . . 695
48 -8M0018484 . . . 695
48 -8M0018485 . . . 696
48 -8M0018486 . . . 696
48 -8M0018487 . . . 696
48 -8M0018488 . . . 696
48 -8M0018489 . . . 696
48 -8M0018490 . . . 696
48 -8M0018499 . . . 695
48 -8M0018500 . . . 695
48 -8M0018501 . . . 695
48 -8M0018502 . . . 695
48 -8M0018503 . . . 695
48 -8M0018504 . . . 695
48 -8M0018505 . . . 695
48 -8M0018506 . . . 695
48 -8M0018507 . . . 695
48 -8M0018508 . . . 695
48 -8M0018509 . . . 695
48 -8M0018510 . . . 695
48 -8M0018511 . . . 695
48 -8M0018512 . . . 695
48 -8M0018513 . . . 695
48 -8M0018514 . . . 695
48 -8M0018515 . . . 696
48 -8M0018516 . . . 696
48 -8M0018517 . . . 696
48 -8M0018518 . . . 696
48 -8M0018519 . . . 696
48 -8M0018520 . . . 696
48 -8M0018529 . . . 695
48 -8M0018530 . . . 695
48 -8M0018531 . . . 695
48 -8M0018532 . . . 695
48 -8M0018533 . . . 695
48 -8M0018534 . . . 695

48 -8M0018535 . . . 695
48 -8M0018536 . . . 695
48 -8M0018537 . . . 695
48 -8M0018538 . . . 695
48 -8M0018539 . . . 695
48 -8M0018540 . . . 695
48 -8M0018541 . . . 695
48 -8M0018542 . . . 695
48 -8M0018543 . . . 695
48 -8M0018544 . . . 695
48 -8M0018545 . . . 696
48 -8M0018546 . . . 696
48 -8M0018547 . . . 696
48 -8M0018548 . . . 696
48 -8M0018549 . . . 696
48 -8M0018550 . . . 696
48 -8M0018559 . . . 695
48 -8M0018560 . . . 695
48 -8M0018561 . . . 695
48 -8M0018562 . . . 695
48 -8M0018563 . . . 695
48 -8M0018564 . . . 695
48 -8M0018565 . . . 695
48 -8M0018566 . . . 695
48 -8M0018567 . . . 695
48 -8M0018568 . . . 695
48 -8M0018569 . . . 695
48 -8M0018570 . . . 695
48 -8M0018571 . . . 695
48 -8M0018572 . . . 695
48 -8M0018573 . . . 695
48 -8M0018574 . . . 695
48 -8M0018575 . . . 696
48 -8M0018576 . . . 696
48 -8M0018577 . . . 696
48 -8M0018578 . . . 696
48 -8M0018579 . . . 696
48 -8M0018580 . . . 696
48 -8M0018589 . . . 695
48 -8M0018590 . . . 695
48 -8M0018591 . . . 695
48 -8M0018592 . . . 695
48 -8M0018593 . . . 695
48 -8M0018594 . . . 695
48 -8M0018595 . . . 695
48 -8M0018596 . . . 695
48 -8M0018597 . . . 695
48 -8M0018598 . . . 695
48 -8M0018599 . . . 695
48 -8M0018600 . . . 695
48 -8M0018601 . . . 695
48 -8M0018602 . . . 695
48 -8M0018603 . . . 695
48 -8M0018604 . . . 695
48 -8M0018605 . . . 696
48 -8M0018606 . . . 696
48 -8M0018607 . . . 696
48 -8M0018608 . . . 696
48 -8M0018609 . . . 696
48 -8M0018610 . . . 696
48 -8M0018619 . . . 695
48 -8M0018620 . . . 695
48 -8M0018621 . . . 695
48 -8M0018622 . . . 695
48 -8M0018623 . . . 695
48 -8M0018624 . . . 695
48 -8M0018625 . . . 695
48 -8M0018626 . . . 695
48 -8M0018627 . . . 695
48 -8M0018628 . . . 695
48 -8M0018629 . . . 695
48 -8M0018630 . . . 695
48 -8M0018631 . . . 695
48 -8M0018632 . . . 695
48 -8M0018633 . . . 695
48 -8M0018634 . . . 695
48 -8M0018635 . . . 696
48 -8M0018636 . . . 696
48 -8M0018637 . . . 696
48 -8M0018638 . . . 696
48 -8M0018639 . . . 696
48 -8M0018640 . . . 696
91 -8M0026088 . . . 805
8M0026098 . . . 552
57 -8M0026410 . . . 233
10 -8M0028080 . . . 54, 57
91 -8M0029055 . . . 564
48 -8M0029395 . . . 689
48 -8M0029396 . . . 689
8M0030501 . . . 396
8M0030550 316, 318, 321, 322, 324–326, 328, 331, 334, 337, 399
8M0030551 . . . 400
8M0031424 . . . 323–325
22 -8M0031467 . . . 428
22 -8M0031539 . . . 428
8M0032454 . . . 378
35 -8M0032639 . . . 79
91 -8M0036608 . . . 209
8M0037021 . . . 209
10 -8M0038370 . . . 54, 57
32 -8M0038468 . . . 66
32 -8M0038500 . . . 66, 317, 319, 327, 330, 333, 336, 338
32 -8M0038563 . . . 66, 317, 319, 327, 330, 333, 336, 338, 341
8M0038928 . . . 209
22 -8M0041173 . . . 539
8M0041425 . . . 347
77 -8M0041671 . . . 440
77 -8M0041674 . . . 440
77 -8M0041718 . . . 440
77 -8M0041733 . . . 440
77 -8M0041734 . . . 440
77 -8M0041757 . . . 440
87 -8M0042301 . . . 26
12 -8M0042329 . . . 780

84 -8M0042697 77
84 -8M0042976 . . . . . 455, 476, 512
37 -8M0043699 225
37 -8M0043700 225
37 -8M0043701 225
37 -8M0043702 225
37 -8M0043703 225
37 -8M0043705 225
37 -8M0043707 225
8M0044575 229
8M0044576 229
8M0044577 230
22 -8M0045175 . . . . . 130, 131
57 -8M0045227 249
8M0045604 553
1200-8M0045691 317, 319, 322, 323, 325, 326, 328, 330, 333, 336, 338
1200-8M0045692 . . . . . 321–323, 325, 326
84 -8M0045743 515
57 -8M0045986 249
8M0045990 249
33 -8M0046007 . . . . . 121, 123
8M0046250 . . . . . 411, 417
8M0046339 . . . . . 454, 499
12 -8M0046466 799
8M0046481 . . . . . 478, 503
1656-8M0046682 198
1656-8M0046683 199
1656-8M0046733 197
1656-8M0046735 197
1656-8M0046738 198
35 -8M0046751 . . . . . 75, 245
1656-8M0046831 198
8M0047148 . . . . . 780, 785
1200-8M0047598 . . . . . 321–323, 325, 326
1200-8M0047599 64
1200-8M0047603 . . . . . 63, 328, 330
1200-8M0047607 . . . . . 63, 328, 330
84 -8M0047784 508
35 -8M0047848 251
84 -8M0048040 . . . . . 478, 503
84 -8M0048049 . . . . . 478, 503
84 -8M0048054 . . . . . 478, 503
84 -8M0048055 . . . . . 478, 503
84 -8M0048056 . . . . . 478, 503
84 -8M0048057 . . . . . 478, 503
84 -8M0048058 . . . . . 478, 503
48 -8M0049063 681
48 -8M0049064 681
48 -8M0049065 681
48 -8M0049066 681
48 -8M0049067 681
48 -8M0049068 681
48 -8M0049069 681
48 -8M0049070 681
48 -8M0049071 681
48 -8M0049072 681
48 -8M0049073 681
48 -8M0049074 681
48 -8M0049075 681
48 -8M0049076 681
48 -8M0049077 681
48 -8M0049078 681
48 -8M0049079 682
48 -8M0049080 682
48 -8M0049081 682
48 -8M0049082 682
48 -8M0049083 682
48 -8M0049084 682
48 -8M0049085 682
48 -8M0049086 682
48 -8M0049087 682
48 -8M0049088 682
48 -8M0049089 682
48 -8M0049090 682
48 -8M0049091 682
48 -8M0049092 682
48 -8M0049093 681
48 -8M0049094 681
48 -8M0049095 681
48 -8M0049096 681
48 -8M0049097 681
48 -8M0049098 681
48 -8M0049099 681
48 -8M0049100 681
48 -8M0049101 681
48 -8M0049102 681
48 -8M0049103 681
48 -8M0049104 681
48 -8M0049105 681
48 -8M0049106 681
48 -8M0049107 681
48 -8M0049108 681
48 -8M0049109 682
48 -8M0049110 682
48 -8M0049111 682
48 -8M0049112 682
48 -8M0049113 682
48 -8M0049114 682
48 -8M0049115 682
48 -8M0049116 682
48 -8M0049117 682
48 -8M0049118 682
48 -8M0049119 682
48 -8M0049120 682
48 -8M0049121 682
48 -8M0049122 682
48 -8M0049123 681
48 -8M0049124 681
48 -8M0049125 681
48 -8M0049126 681
48 -8M0049127 681
48 -8M0049128 681
48 -8M0049129 681
48 -8M0049130 681

48 -8M0049131 . . . 681
48 -8M0049132 . . . 681
48 -8M0049133 . . . 681
48 -8M0049134 . . . 681
48 -8M0049135 . . . 681
48 -8M0049136 . . . 681
48 -8M0049137 . . . 681
48 -8M0049138 . . . 681
48 -8M0049139 . . . 682
48 -8M0049140 . . . 682
48 -8M0049141 . . . 682
48 -8M0049142 . . . 682, 684
48 -8M0049143 . . . 682
48 -8M0049144 . . . 682
48 -8M0049145 . . . 682
48 -8M0049146 . . . 682
48 -8M0049147 . . . 682
48 -8M0049148 . . . 682
48 -8M0049149 . . . 682
48 -8M0049150 . . . 682
48 -8M0049151 . . . 682
48 -8M0049152 . . . 682
48 -8M0049153 . . . 681
48 -8M0049154 . . . 681
48 -8M0049155 . . . 681
48 -8M0049156 . . . 681
48 -8M0049157 . . . 681
48 -8M0049158 . . . 681
48 -8M0049159 . . . 681
48 -8M0049160 . . . 681
48 -8M0049161 . . . 681
48 -8M0049162 . . . 681
48 -8M0049163 . . . 681
48 -8M0049164 . . . 681
48 -8M0049165 . . . 681
48 -8M0049166 . . . 681
48 -8M0049167 . . . 681
48 -8M0049168 . . . 681
48 -8M0049169 . . . 682
48 -8M0049170 . . . 682
48 -8M0049171 . . . 682
48 -8M0049172 . . . 682
48 -8M0049173 . . . 682
48 -8M0049174 . . . 682
48 -8M0049175 . . . 682
48 -8M0049176 . . . 682
48 -8M0049177 . . . 682
48 -8M0049178 . . . 682
48 -8M0049179 . . . 682
48 -8M0049180 . . . 682
48 -8M0049181 . . . 682
48 -8M0049182 . . . 682
48 -8M0049183 . . . 681
48 -8M0049184 . . . 681
48 -8M0049185 . . . 681
48 -8M0049186 . . . 681
48 -8M0049187 . . . 681
48 -8M0049188 . . . 681
48 -8M0049189 . . . 681
48 -8M0049190 . . . 681
48 -8M0049191 . . . 681
48 -8M0049192 . . . 681
48 -8M0049193 . . . 681
48 -8M0049194 . . . 681
48 -8M0049195 . . . 681
48 -8M0049196 . . . 681
48 -8M0049197 . . . 682
48 -8M0049198 . . . 682
48 -8M0049199 . . . 682
48 -8M0049200 . . . 682
48 -8M0049201 . . . 682
48 -8M0049202 . . . 682
48 -8M0049203 . . . 682
48 -8M0049204 . . . 682
48 -8M0049205 . . . 682
48 -8M0049206 . . . 682
48 -8M0049207 . . . 682
48 -8M0049208 . . . 682
48 -8M0049209 . . . 682
48 -8M0049210 . . . 682
48 -8M0049211 . . . 682
48 -8M0049212 . . . 682
48 -8M0049213 . . . 681
48 -8M0049214 . . . 681
48 -8M0049215 . . . 681
48 -8M0049216 . . . 681
48 -8M0049217 . . . 681
48 -8M0049218 . . . 681
48 -8M0049219 . . . 681
48 -8M0049220 . . . 681
48 -8M0049221 . . . 681
48 -8M0049222 . . . 681
48 -8M0049223 . . . 681
48 -8M0049224 . . . 681
48 -8M0049225 . . . 681
48 -8M0049226 . . . 681
48 -8M0049227 . . . 682
48 -8M0049228 . . . 682
48 -8M0049229 . . . 682
48 -8M0049230 . . . 682
48 -8M0049231 . . . 682
48 -8M0049232 . . . 682
48 -8M0049233 . . . 682
48 -8M0049234 . . . 682
48 -8M0049235 . . . 682
48 -8M0049236 . . . 682
48 -8M0049237 . . . 682
48 -8M0049238 . . . 682
48 -8M0049239 . . . 682
48 -8M0049240 . . . 682
48 -8M0049241 . . . 682
48 -8M0049242 . . . 682
48 -8M0049243 . . . 681
48 -8M0049244 . . . 681

48 -8M0049245 . . . 681
48 -8M0049246 . . . 681
48 -8M0049247 . . . 681
48 -8M0049248 . . . 681
48 -8M0049249 . . . 681
48 -8M0049250 . . . 681
48 -8M0049251 . . . 681
48 -8M0049252 . . . 681
48 -8M0049253 . . . 681
48 -8M0049254 . . . 681
48 -8M0049255 . . . 681
48 -8M0049256 . . . 681
48 -8M0049257 . . . 682
48 -8M0049258 . . . 682
48 -8M0049259 . . . 682
48 -8M0049260 . . . 682
48 -8M0049261 . . . 682
48 -8M0049262 . . . 682
48 -8M0049263 . . . 682
48 -8M0049264 . . . 682
48 -8M0049265 . . . 682
48 -8M0049266 . . . 682
48 -8M0049267 . . . 682
48 -8M0049268 . . . 682
48 -8M0049269 . . . 682
48 -8M0049270 . . . 682
48 -8M0049271 . . . 682
48 -8M0049272 . . . 682
48 -8M0049273 . . . 681
48 -8M0049274 . . . 681
48 -8M0049275 . . . 681
48 -8M0049276 . . . 681
48 -8M0049277 . . . 681
48 -8M0049278 . . . 681
48 -8M0049279 . . . 681
48 -8M0049280 . . . 681
48 -8M0049281 . . . 681
48 -8M0049282 . . . 681
48 -8M0049283 . . . 681
48 -8M0049284 . . . 681
48 -8M0049285 . . . 681
48 -8M0049286 . . . 681
48 -8M0049287 . . . 682
48 -8M0049288 . . . 682
48 -8M0049289 . . . 682
48 -8M0049290 . . . 682
48 -8M0049291 . . . 682
48 -8M0049292 . . . 682
48 -8M0049293 . . . 682
48 -8M0049294 . . . 682
48 -8M0049295 . . . 682
48 -8M0049296 . . . 682
48 -8M0049297 . . . 682
48 -8M0049298 . . . 682
48 -8M0049299 . . . 682
48 -8M0049300 . . . 682
48 -8M0049301 . . . 682
48 -8M0049302 . . . 682
48 -8M0049303 . . . 681
48 -8M0049304 . . . 681
48 -8M0049305 . . . 681
48 -8M0049306 . . . 681
48 -8M0049307 . . . 681
48 -8M0049308 . . . 681
48 -8M0049309 . . . 681
48 -8M0049310 . . . 681
48 -8M0049311 . . . 681
48 -8M0049312 . . . 681
48 -8M0049313 . . . 681
48 -8M0049314 . . . 681
48 -8M0049315 . . . 681
48 -8M0049316 . . . 681
48 -8M0049317 . . . 682
48 -8M0049318 . . . 682
48 -8M0049319 . . . 682
48 -8M0049320 . . . 682
48 -8M0049321 . . . 682
48 -8M0049322 . . . 682
48 -8M0049323 . . . 682
48 -8M0049324 . . . 682
48 -8M0049325 . . . 682
48 -8M0049326 . . . 682
48 -8M0049327 . . . 682
48 -8M0049328 . . . 682
48 -8M0049329 . . . 682
48 -8M0049330 . . . 682
48 -8M0049331 . . . 682
48 -8M0049332 . . . 682
48 -8M0049333 . . . 688
48 -8M0049334 . . . 688
48 -8M0049335 . . . 688
48 -8M0049336 . . . 688
48 -8M0049337 . . . 688
48 -8M0049338 . . . 688
48 -8M0049339 . . . 688
48 -8M0049340 . . . 688
48 -8M0049341 . . . 688
48 -8M0049342 . . . 688
48 -8M0049343 . . . 688
48 -8M0049344 . . . 688
48 -8M0049345 . . . 689
48 -8M0049346 . . . 689
48 -8M0049347 . . . 689
48 -8M0049348 . . . 689
48 -8M0049349 . . . 689
48 -8M0049350 . . . 689
48 -8M0049351 . . . 689
48 -8M0049352 . . . 689
48 -8M0049353 . . . 689
48 -8M0049354 . . . 689
48 -8M0049355 . . . 688
48 -8M0049356 . . . 688
48 -8M0049357 . . . 688
48 -8M0049358 . . . 688

48 -8M0049359 . . . 688
48 -8M0049360 . . . 688
48 -8M0049361 . . . 688
48 -8M0049362 . . . 688
48 -8M0049363 . . . 688
48 -8M0049364 . . . 688
48 -8M0049365 . . . 688
48 -8M0049366 . . . 688
48 -8M0049367 . . . 689
48 -8M0049368 . . . 689
48 -8M0049369 . . . 689
48 -8M0049370 . . . 689
48 -8M0049371 . . . 689
48 -8M0049372 . . . 689
48 -8M0049373 . . . 689
48 -8M0049374 . . . 689
48 -8M0049375 . . . 689
48 -8M0049376 . . . 689
48 -8M0049377 . . . 688
48 -8M0049378 . . . 688
48 -8M0049379 . . . 688
48 -8M0049380 . . . 688
48 -8M0049381 . . . 688
48 -8M0049382 . . . 688
48 -8M0049383 . . . 688
48 -8M0049384 . . . 688
48 -8M0049385 . . . 688
48 -8M0049386 . . . 688
48 -8M0049387 . . . 688
48 -8M0049388 . . . 688
48 -8M0049389 . . . 689
48 -8M0049390 . . . 689
48 -8M0049391 . . . 689
48 -8M0049392 . . . 689
48 -8M0049393 . . . 689
48 -8M0049394 . . . 689
48 -8M0049395 . . . 689
48 -8M0049396 . . . 689
48 -8M0049397 . . . 689
48 -8M0049398 . . . 689
48 -8M0049399 . . . 688
48 -8M0049400 . . . 688
48 -8M0049401 . . . 688
48 -8M0049402 . . . 688
48 -8M0049403 . . . 688
48 -8M0049404 . . . 688
48 -8M0049405 . . . 688
48 -8M0049406 . . . 688
48 -8M0049407 . . . 688
48 -8M0049408 . . . 688
48 -8M0049409 . . . 688
48 -8M0049410 . . . 688
48 -8M0049411 . . . 689
48 -8M0049412 . . . 689
48 -8M0049413 . . . 689
48 -8M0049414 . . . 689
48 -8M0049415 . . . 689
48 -8M0049416 . . . 689
48 -8M0049417 . . . 689
48 -8M0049418 . . . 689
48 -8M0049419 . . . 689
48 -8M0049420 . . . 689
48 -8M0049421 . . . 688
48 -8M0049422 . . . 688
48 -8M0049423 . . . 688
48 -8M0049424 . . . 688
48 -8M0049425 . . . 688
48 -8M0049426 . . . 688
48 -8M0049427 . . . 688
48 -8M0049428 . . . 688
48 -8M0049429 . . . 688
48 -8M0049430 . . . 688
48 -8M0049431 . . . 688
48 -8M0049432 . . . 688
48 -8M0049433 . . . 689
48 -8M0049434 . . . 689
48 -8M0049435 . . . 689
48 -8M0049436 . . . 689
48 -8M0049437 . . . 689
48 -8M0049438 . . . 689
48 -8M0049439 . . . 689
48 -8M0049440 . . . 689
48 -8M0049441 . . . 689
48 -8M0049442 . . . 689
48 -8M0049443 . . . 688
48 -8M0049444 . . . 688
48 -8M0049445 . . . 688
48 -8M0049446 . . . 688
48 -8M0049447 . . . 688
48 -8M0049448 . . . 688
48 -8M0049449 . . . 688
48 -8M0049450 . . . 688
48 -8M0049451 . . . 688
48 -8M0049452 . . . 688
48 -8M0049453 . . . 688
48 -8M0049454 . . . 688
48 -8M0049455 . . . 689
48 -8M0049456 . . . 689
48 -8M0049457 . . . 689
48 -8M0049458 . . . 689
48 -8M0049459 . . . 689
48 -8M0049460 . . . 689
48 -8M0049461 . . . 689
48 -8M0049462 . . . 689
48 -8M0049463 . . . 689
48 -8M0049464 . . . 689
48 -8M0049465 . . . 688
48 -8M0049466 . . . 688
48 -8M0049467 . . . 688
48 -8M0049468 . . . 688
48 -8M0049469 . . . 688
48 -8M0049470 . . . 688
48 -8M0049471 . . . 688
48 -8M0049472 . . . 688

48 -8M0049473 688
48 -8M0049474 688
48 -8M0049475 689
48 -8M0049476 689
48 -8M0049477 689
48 -8M0049478 689
48 -8M0049479 689
48 -8M0049480 689
48 -8M0049481 689
48 -8M0049482 689
48 -8M0049483 689
48 -8M0049484 689
48 -8M0049485 689
48 -8M0049486 689
48 -8M0049487 688
48 -8M0049488 688
48 -8M0049489 688
48 -8M0049490 688
48 -8M0049491 688
48 -8M0049492 688
48 -8M0049493 688
48 -8M0049494 688
48 -8M0049495 688
48 -8M0049496 688
48 -8M0049497 689
48 -8M0049498 689
48 -8M0049499 689
48 -8M0049500 689
48 -8M0049501 689
48 -8M0049502 689
48 -8M0049503 689
48 -8M0049504 689
48 -8M0049505 689
48 -8M0049506 689
48 -8M0049507 689
48 -8M0049508 689
48 -8M0049509 688
48 -8M0049510 688
48 -8M0049511 688
48 -8M0049512 688
48 -8M0049513 688
48 -8M0049514 688
48 -8M0049515 688
48 -8M0049516 688
48 -8M0049517 688
48 -8M0049518 688
48 -8M0049519 689
48 -8M0049520 689
48 -8M0049521 689
48 -8M0049522 689
48 -8M0049523 689
48 -8M0049524 689
48 -8M0049525 689
48 -8M0049526 689
48 -8M0049527 689
48 -8M0049528 689
48 -8M0049529 689
48 -8M0049530 689
48 -8M0049531 692
48 -8M0049532 692
48 -8M0049533 692
48 -8M0049534 692
48 -8M0049535 692
48 -8M0049536 692
48 -8M0049537 693
48 -8M0049538 693
48 -8M0049539 693
48 -8M0049540 693
48 -8M0049541 693
48 -8M0049542 693
48 -8M0049543 693
48 -8M0049544 693
48 -8M0049545 693
48 -8M0049546 693
48 -8M0049547 693
48 -8M0049548 693
48 -8M0049549 693
48 -8M0049550 693
48 -8M0049551 693
48 -8M0049552 693
48 -8M0049553 692
48 -8M0049554 692
48 -8M0049555 692
48 -8M0049556 692
48 -8M0049557 692
48 -8M0049558 692
48 -8M0049559 693
48 -8M0049560 693
48 -8M0049561 693
48 -8M0049562 693
48 -8M0049563 693
48 -8M0049564 693
48 -8M0049565 693
48 -8M0049566 693
48 -8M0049567 693
48 -8M0049568 693
48 -8M0049569 693
48 -8M0049570 693
48 -8M0049571 693
48 -8M0049572 693
48 -8M0049573 693
48 -8M0049574 693
48 -8M0049575 692
48 -8M0049576 692
48 -8M0049577 692
48 -8M0049578 692
48 -8M0049579 692
48 -8M0049580 692
48 -8M0049581 693
48 -8M0049582 693
48 -8M0049583 693
48 -8M0049584 693
48 -8M0049585 693
48 -8M0049586 693

48 -8M0049587 . . . 693
48 -8M0049588 . . . 693
48 -8M0049589 . . . 693
48 -8M0049590 . . . 693
48 -8M0049591 . . . 693
48 -8M0049592 . . . 693
48 -8M0049593 . . . 693
48 -8M0049594 . . . 693
48 -8M0049595 . . . 693
48 -8M0049596 . . . 693
48 -8M0049597 . . . 692
48 -8M0049598 . . . 692
48 -8M0049599 . . . 692
48 -8M0049600 . . . 692
48 -8M0049601 . . . 692
48 -8M0049602 . . . 692
48 -8M0049603 . . . 693
48 -8M0049604 . . . 693
48 -8M0049605 . . . 693
48 -8M0049606 . . . 693
48 -8M0049607 . . . 693
48 -8M0049608 . . . 693
48 -8M0049609 . . . 693
48 -8M0049610 . . . 693
48 -8M0049611 . . . 693
48 -8M0049612 . . . 693
48 -8M0049613 . . . 693
48 -8M0049614 . . . 693
48 -8M0049615 . . . 693
48 -8M0049616 . . . 693
48 -8M0049617 . . . 693
48 -8M0049618 . . . 693
48 -8M0049619 . . . 692
48 -8M0049620 . . . 692
48 -8M0049621 . . . 692
48 -8M0049622 . . . 692
48 -8M0049623 . . . 692
48 -8M0049624 . . . 692
48 -8M0049625 . . . 693
48 -8M0049626 . . . 693
48 -8M0049627 . . . 693
48 -8M0049628 . . . 693
48 -8M0049629 . . . 693
48 -8M0049630 . . . 693
48 -8M0049631 . . . 693
48 -8M0049632 . . . 693
48 -8M0049633 . . . 693
48 -8M0049634 . . . 693
48 -8M0049635 . . . 693
48 -8M0049636 . . . 693
48 -8M0049637 . . . 693
48 -8M0049638 . . . 693
48 -8M0049639 . . . 693
48 -8M0049640 . . . 693
48 -8M0049641 . . . 692
48 -8M0049642 . . . 692
48 -8M0049643 . . . 692
48 -8M0049644 . . . 692
48 -8M0049645 . . . 692
48 -8M0049646 . . . 692
48 -8M0049647 . . . 693
48 -8M0049648 . . . 693
48 -8M0049649 . . . 693
48 -8M0049650 . . . 693
48 -8M0049651 . . . 693
48 -8M0049652 . . . 693
48 -8M0049653 . . . 693
48 -8M0049654 . . . 693
48 -8M0049655 . . . 693
48 -8M0049656 . . . 693
48 -8M0049657 . . . 693
48 -8M0049658 . . . 693
48 -8M0049659 . . . 693
48 -8M0049660 . . . 693
48 -8M0049661 . . . 693
48 -8M0049662 . . . 693
48 -8M0049663 . . . 692
48 -8M0049664 . . . 692
48 -8M0049665 . . . 692
48 -8M0049666 . . . 692
48 -8M0049667 . . . 692
48 -8M0049668 . . . 692
48 -8M0049669 . . . 693
48 -8M0049670 . . . 693
48 -8M0049671 . . . 693
48 -8M0049672 . . . 693
48 -8M0049673 . . . 693
48 -8M0049674 . . . 693
48 -8M0049675 . . . 693
48 -8M0049676 . . . 693
48 -8M0049677 . . . 693
48 -8M0049678 . . . 693
48 -8M0049679 . . . 693
48 -8M0049680 . . . 693
48 -8M0049681 . . . 693
48 -8M0049682 . . . 693
48 -8M0049683 . . . 693
48 -8M0049684 . . . 693
48 -8M0049685 . . . 692
48 -8M0049686 . . . 692
48 -8M0049687 . . . 692
48 -8M0049688 . . . 692
48 -8M0049689 . . . 692
48 -8M0049690 . . . 692
48 -8M0049691 . . . 693
48 -8M0049692 . . . 693
48 -8M0049693 . . . 693
48 -8M0049694 . . . 693
48 -8M0049695 . . . 693
48 -8M0049696 . . . 693
48 -8M0049697 . . . 693
48 -8M0049698 . . . 693
48 -8M0049699 . . . 693
48 -8M0049700 . . . 693

48 -8M0049701 693
48 -8M0049702 693
48 -8M0049703 693
48 -8M0049704 693
48 -8M0049705 693
48 -8M0049706 693
48 -8M0049707 692
48 -8M0049708 692
48 -8M0049709 692
48 -8M0049710 692
48 -8M0049711 692
48 -8M0049712 692
48 -8M0049713 693
48 -8M0049714 693
48 -8M0049715 693
48 -8M0049716 693
48 -8M0049717 693
48 -8M0049718 693
48 -8M0049719 693
48 -8M0049720 693
48 -8M0049721 693
48 -8M0049722 693
48 -8M0049723 693
48 -8M0049724 693
48 -8M0049725 693
48 -8M0049726 693
48 -8M0049727 693
48 -8M0049728 693
8M0049841 159
8M0050098 . . . . . 317, 334, 337, 535
8M0050099 . . . . . 317, 334, 337, 536
8M0050396 200
79 -8M0050399 . . 316, 318, 320, 321, 323, 324, 327, 329, 337, 348
35 -8M0050833 . . . . . 202, 207
8M0051062 . . . . . 37, 40, 41
32 -8M0051174 . . . . . 148, 153, 159
32 -8M0051175 . . . . . 148, 153, 159
32 -8M0051176 . . . . . 148, 153, 159
8M0051178 . . . . . 155, 160
8M0051209 207
8M0051522 200
8M0052100 . . . . . 90, 93, 314
8M0052735 161
8M0052737 162
8M0052739 161
8M0052742 162
84 -8M0052774 . . . . . 455, 476
79 -8M0052842 376
79 -8M0052843 376
79 -8M0052844 376
79 -8M0052845 376
79 -8M0052846 376
79 -8M0052847 377
79 -8M0052848 377
79 -8M0052850 377
79 -8M0052851 377
79 -8M0052852 377
79 -8M0052853 379
79 -8M0052854 379
79 -8M0052857 380
79 -8M0052863 376
79 -8M0052864 376
79 -8M0052865 376
79 -8M0052867 376
79 -8M0052868 376
79 -8M0052869 376
79 -8M0052870 376
79 -8M0052871 376
79 -8M0052873 376
79 -8M0052874 379
79 -8M0052875 379
79 -8M0052877 380
79 -8M0052878 380
8M0052921 62
8M0052924 . . . . . 89, 341, 803
8M0052975 67
8M0052976 67
8M0053074 791
84 -8M0053250 504
32 -8M0053474 . . . . . 317, 320, 334, 337, 339, 538, 547
32 -8M0053475 . . . . . 538, 547
32 -8M0053476 . . . . . 538, 547
32 -8M0053477 . . . . . 538, 547
32 -8M0053478 . . . . . 538, 547
32 -8M0053479 . . . . . 538, 547
32 -8M0053480 . . . . . 538, 547
32 -8M0053481 . . . . . 538, 547
32 -8M0053482 . . . . . 538, 547
32 -8M0053483 . . . . . 538, 547
32 -8M0053484 . . . . . 538, 547
32 -8M0053485 . . . . . 538, 547
32 -8M0053486 . . . . . 538, 547
32 -8M0053487 . . . . . 538, 547
32 -8M0053488 . . . . . 538, 547
32 -8M0053489 . . . . . 538, 547
32 -8M0053490 . . . . . 538, 547
32 -8M0053491 . . . . . 334, 337, 538, 547
32 -8M0053492 . . . . . 339, 538, 547
8M0054004 160
8M0054006 160
67 -8M0054121 502
67 -8M0054122 502
67 -8M0054123 502
84 -8M0054183 505
84 -8M0054185 505
84 -8M0054186 505
84 -8M0054187 505
8M0054313 . . . . . 317, 319, 328, 330
8M0054314 . . . . . 66, 317, 319, 328, 330
8M0054316 66
32 -8M0054325 65
32 -8M0054326 . . . . . 317, 319
32 -8M0054328 64
32 -8M0054329 64

32 -8M0054330 65
32 -8M0054332 66
79 -8M0054360 377
79 -8M0054374 376
1200-8M0054600 . . 317, 319, 322, 323, 325–327, 330, 333, 336, 338
48 -8M0054727 692
48 -8M0054728 692
8M0054769 . . . . . 779, 801
8M0054999 28
8M0055000 27
8M0055001 25–28
8M0055002 26
8M0055003 25–27
8M0055008 25–28
22 -8M0055326 539
48 -8M0055531 . . 707, 711, 715, 719, 724–726, 730–733, 737, 744
48 -8M0055533 . . 707, 711, 715, 719, 724–726, 730–733, 737, 744
48 -8M0055534 . . 707, 711, 715, 719, 724–727, 730–733, 737, 744
48 -8M0055535 . . 707, 711, 715, 719, 724–727, 730–733, 737, 744
48 -8M0055536 . . 707, 711, 715, 719, 724–727, 730–733, 737, 744
48 -8M0055537 . . 707, 711, 716, 719, 724–727, 730–733, 737, 744
48 -8M0055559 . . . . . 709, 711, 715, 718, 721, 724, 738, 744
48 -8M0055560 . . . . . 709, 711, 715, 718, 721, 724, 738, 744
48 -8M0055561 . . . . . 709, 711, 715, 718, 721, 724, 738, 744
48 -8M0055562 . . . . . 709, 711, 715, 718, 722, 724, 738, 744
48 -8M0055563 . . . . . 709, 711, 715, 718, 722, 724, 738, 744
8M0055652 . . . . . 453, 499
8M0056139 . . . . . 320, 339, 536
8M0056140 . . . . . 320, 339, 536
8M0056141 537
8M0056142 537
8M0056143 537
8M0056144 537
1200-8M0056211 64
11 -8M0056234 792
11 -8M0056235 792
8M0056275 369
8M0056547 75
8M0056548 23
8M0056549 . . . . . 22, 23
32 -8M0056640 65
8M0056956 . . . . . 251, 252
8M0056987 501
8M0056988 501
84 -8M0056993 501
8M0056994 501
8M0057047 . . . . . 58, 321
1200-8M0057254 . . . . . 64, 328, 330
8M0057307 234
8M0057574 . . . . . 150, 153
8M0057575 . . . . . 150, 153
8M0057576 . . . . . 150, 153
8M0057577 . . . . . 166, 351
97 -8M0057772 . . . . . 101, 107, 233
22 -8M0058389 304
22 -8M0058419 . . . . . 68, 177
8M0058449 201
84 -8M0058668 . . 325, 326, 328, 331, 334, 337, 403, 454, 475, 477
33 -8M0058933 10
33 -8M0058935 10
33 -8M0058936 9
48 -8M0059068 689
48 -8M0059069 689
48 -8M0059070 689
48 -8M0059071 689
78 -8M0059248 162
78 -8M0059257 161
78 -8M0059259 162
78 -8M0059270 160
78 -8M0059272 161
78 -8M0059274 161
97 -8M0059338 97
97 -8M0059339 98
97 -8M0059344 98
78 -8M0059346 159
78 -8M0059348 160
78 -8M0059350 160
78 -8M0059352 160
78 -8M0059354 160
78 -8M0059356 160
78 -8M0059358 161
78 -8M0059360 . . . . . 161, 162
78 -8M0059363 161
78 -8M0059364 162
78 -8M0059366 160
78 -8M0059368 161
8M0059430 501
84 -8M0059434 501
8M0059529 337
8M0059531 . . . . . 338, 458
8M0059532 . . . . . 339, 510
8M0060147 . . . . . 90, 336, 339, 803
84 -8M0060271 95
84 -8M0060420 459
84 -8M0060421 459
32 -8M0061293 65
8M0061334 401
8M0061335 . . . . . 247, 248
8M0061384 211
8M0061875 . . . . . 317, 319, 321–323, 325, 326, 328, 330
8M0061876 . . . . . 67, 317, 319, 321–323, 325, 326, 328, 330
32 -8M0061887 . . . . . 316, 319
32 -8M0061892 65
32 -8M0061895 65
32 -8M0061896 . . . . . 317, 319
32 -8M0061897 66
32 -8M0061899 . . . . . 65, 316, 319
8M0061986 786
8M0062051 . . . . . 149, 151, 153
8M0062052 . . . . . 149, 151–153
8M0062053 . . . . . 142, 149, 151–153
8M0062054 152
48 -8M0062239 700
48 -8M0062240 700

8M0062241 . . . . . 320, 408
8M0062406 250
48 -8M0062421 700
8M0062583 409
32 -8M0062693 . . . . . 45, 46, 339, 409, 410
48 -8M0063206 686
98 -8M0063432 129
64 -8M0063473 . . . . . 320, 339, 532
64 -8M0063474 532
64 -8M0063475 533
64 -8M0063476 533
64 -8M0063477 . . . . . 339, 533
32 -8M0063663 337
48 -8M0063951 646
48 -8M0063952 646
54 -8M0064023 517
54 -8M0064024 517
67 -8M0064433 339
48 -8M0064450 . . . . . 650, 672
48 -8M0064468 . . . . . 650, 673
48 -8M0064469 . . . . . 650, 673
48 -8M0064470 . . . . . 650, 673
48 -8M0064471 . . . . . 650, 673
48 -8M0064472 . . . . . 650, 673
48 -8M0064473 . . . . . 650, 673
48 -8M0064475 . . . . . 650, 673
48 -8M0064476 . . . . . 650, 673
48 -8M0064477 . . . . . 650, 673
48 -8M0064647 700
8M0064759 160
8M0064760 160
91 -8M0064794 209
48 -8M0064815 700
48 -8M0064816 700
23 -8M0064826 . . . . . 779, 800
97 -8M0065073 231
8M0065285 . . . . . 245, 246
48 -8M0065293 686
48 -8M0065294 686
48 -8M0065295 686
48 -8M0065296 686
48 -8M0065413 686
79 -8M0065962 377
79 -8M0065963 377
79 -8M0065970 377
79 -8M0065971 377
79 -8M0065972 377
79 -8M0065974 377
79 -8M0065975 377
79 -8M0065976 378
79 -8M0065977 378
79 -8M0065978 378
79 -8M0065980 379
79 -8M0065981 379
35 -8M0066483 . . . . . 251, 252, 294
8M0066847 440
8M0066848 440
35 -8M0067597 251
79 -8M0069415 376
79 -8M0069416 376
79 -8M0069419 379
79 -8M0069426 376
79 -8M0069427 377
79 -8M0069428 377
79 -8M0069429 377
79 -8M0069431 380
79 -8M0069433 379
79 -8M0069460 379
79 -8M0069461 379
8M0069693 . . . . . 32, 35
84 -8M0070053 443
84 -8M0070055 443
84 -8M0070056 442
84 -8M0070058 442
84 -8M0070060 . . . . . 442, 443
84 -8M0070064 443
84 -8M0070071 443
84 -8M0070072 443
8M0070435 442
48 -8M0071088 . . . . . 650, 672
48 -8M0071089 . . . . . 650, 673
48 -8M0071090 . . . . . 650, 673
48 -8M0071091 . . . . . 650, 673
48 -8M0071092 . . . . . 650, 673
48 -8M0071093 . . . . . 650, 673
48 -8M0071094 . . . . . 650, 673
48 -8M0071095 . . . . . 650, 673
48 -8M0071096 . . . . . 650, 673
48 -8M0071097 . . . . . 650, 673
8M0071493 445
8M0071494 445
10 -8M0071653 341
8M0071875 160
8M0071877 160
8M0071878 160
8M0071880 161
8M0071881 . . . . . 161, 162
8M0071884 160
8M0071885 161
8M0071886 162
8M0071888 160
8M0071889 161
8M0071890 161
48 -8M0071911 686
91 -8M0072133 304
91 -8M0072135 272
84 -8M0072192 485
8M0072341 504
8M0072599 443
8M0072610 29
8M0072745 219
1689-8M0072953 118
48 -8M0073456 . . . . . 654, 674
48 -8M0073457 . . . . . 654, 674

48 -8M0073458 . . . . . 660, 676
48 -8M0073459 . . . . . 660, 676
8M0073922 537
8M0073923 537
8M0073924 537
8M0073925 537
8M0073927 537
8M0073928 537
84 -8M0074825 485
48 -8M0074865 . . . . . 592, 645
48 -8M0074866 . . . . . 592, 645
48 -8M0074867 . . . . . 592, 645
48 -8M0074868 . . . . . 592, 645
48 -8M0074869 . . . . . 592, 645
48 -8M0074870 . . . . . 592, 645
48 -8M0074871 . . . . . 592, 645
48 -8M0074872 . . . . . 592, 645
98 -8M0075237 401
8M0075244 . . . . . 325, 327, 401
8M0075245 . . . . . 316, 318, 325, 327, 329, 331, 334, 337, 401
8M0075246 401
8M0075402 . . . . . 779, 785
77 -8M0075767 445
77 -8M0075769 445
77 -8M0075773 445
77 -8M0075786 445
77 -8M0075787 445
77 -8M0075794 445
77 -8M0075795 445
77 -8M0075809 445
77 -8M0075824 444
77 -8M0075826 444
77 -8M0075829 444
77 -8M0075831 444
77 -8M0075833 444
77 -8M0075835 444
77 -8M0075836 444
77 -8M0075842 444
77 -8M0075843 444
48 -8M0075896 686
48 -8M0075897 686
84 -8M0075945 458
48 -8M0076180 700
48 -8M0076181 700
48 -8M0076406 700
48 -8M0076407 700
8M0076435 559
8M0076464 249
32 -8M0077079 426
32 -8M0077080 426
32 -8M0077081 426
32 -8M0077082 . . . . . 426, 528
32 -8M0077083 426
32 -8M0077084 . . . . . 426, 528
8M0077126 425
8M0077129 425
8M0077130 425
8M0077133 425
8M0077134 425
8M0077135 425
8M0077136 426
8M0077137 426
8M0077138 426
8M0077139 426
87 -8M0077850 492
77 -8M0078044 444
77 -8M0078045 444
8M0078858 . . . . . 235, 236
98 -8M0078873 439
98 -8M0078876 439
98 -8M0078883 439
8M0078892 506
8M0079198 126
48 -8M0079236 646
48 -8M0079237 646
8M0079291 393
48 -8M0079692 . . . . . 648, 671
48 -8M0079693 . . . . . 648, 671
48 -8M0079694 . . . . . 648, 671
48 -8M0079695 . . . . . 648, 671
48 -8M0079696 . . . . . 648, 672
48 -8M0079698 . . . . . 648, 671
48 -8M0079699 . . . . . 648, 671
48 -8M0079700 . . . . . 648, 671
48 -8M0079701 . . . . . 648, 671
48 -8M0079702 . . . . . 648, 671
48 -8M0079703 . . . . . 648, 671
48 -8M0079704 . . . . . 648, 671
48 -8M0079705 . . . . . 648, 671
48 -8M0079706 . . . . . 647, 672
48 -8M0079707 . . . . . 647, 672
92 -8M0079743 298
92 -8M0079744 298
92 -8M0079745 298
84 -8M0079847 440
84 -8M0079849 441
84 -8M0079850 440
8M0079945 426
35 -8M0079962 78
35 -8M0079963 . . . . . 78, 175
10 -8M0080049 564
37 -8M0080152 225
84 -8M0080191 441
84 -8M0080192 441
84 -8M0080193 441
8M0080432 416
8M0080433 416
8M0080434 416
8M0080435 416
8M0080436 416
8M0080437 416
8M0080438 416
8M0080439 416
8M0080440 416

8M0080441 416
8M0080442 416
8M0080443 416
8M0080444 416
8M0080445 416
8M0080446 416
8M0080447 416
8M0080448 416
84 -8M0080787 441
48 -8M0081238 . . . . . 712, 720
48 -8M0081239 . . . . . 712, 720
48 -8M0081418 700
32 -8M0082066 . . . . . 158, 159
35 -8M0082290 174
35 -8M0082291 . . . . . 79, 174
8M0082351 . . . . . 39, 333, 336
8M0082352 . . . . . 39, 317
8M0082353 . . . . . 39, 320
8M0082354 . . . . . 39, 331
8M0082355 . . . . . 39, 339, 521
8M0082479 . . . . . 324, 327, 329, 331, 334, 412
8M0082480 412
8M0082481 412
8M0082482 412
8M0082483 412
8M0082484 412
8M0082485 412
8M0082486 412
8M0082487 412
8M0082488 412
8M0082489 412
8M0082490 412
8M0082491 412
8M0082492 412
8M0082493 412
8M0082494 412
8M0082495 412
8M0082496 412
8M0082497 412
8M0082498 412
8M0082499 412
8M0082500 412
8M0082501 412
8M0082502 412
8M0082503 412
8M0082504 412
8M0082505 412
8M0082506 412
8M0082507 412
8M0082508 . . . . . 324, 327, 329, 331, 334, 412
8M0082526 . . . . 316, 318, 321, 322, 324, 325, 327, 329, 331, 334, 337, 347, 413
8M0082527 413
8M0082528 413
8M0082529 413
8M0082530 413
8M0082531 413
8M0082532 413
8M0082533 413
8M0082534 413
8M0082535 413
8M0082536 413
8M0082537 413
8M0082538 413
8M0082539 413
8M0082540 413
8M0082541 413
8M0082542 413
8M0082543 413
8M0082544 413
8M0082545 413
8M0082546 413
8M0082547 413
8M0082548 413
8M0082549 413
8M0082550 413
8M0082551 413
8M0082552 413
8M0082553 . . . . . 321, 322, 324, 325, 413
8M0082554 413
8M0082555 413
8M0082556 413
8M0082557 413
8M0082558 . . . . . 347, 413
8M0082575 . . . . . 213, 347, 416
8M0082576 . . . . . 213, 416
8M0082577 . . . . . 213, 416
8M0082578 . . . . . 213, 416
8M0082579 . . . . . 213, 416
8M0082580 . . . . . 213, 416
8M0082581 . . . . . 213, 416
8M0082582 . . . . . 214, 416
8M0082583 . . . . . 214, 416
8M0082584 . . . . . 214, 416
8M0082585 . . . . . 214, 416
8M0082586 . . . . . 214, 416
8M0082587 . . . . . 214, 416
8M0082588 . . . . . 214, 417
8M0082589 . . . . . 214, 417
8M0082590 . . . . . 214, 417
8M0082591 . . . . . 214, 417
8M0082592 . . . . . 214, 417
8M0082593 . . . . . 214, 417
8M0082594 . . . . . 214, 417
8M0082595 . . . . . 214, 417
8M0082596 . . . . . 214, 417
8M0082597 . . . . . 214, 417
8M0082598 . . . . . 214, 417
8M0082599 . . . . . 214, 417
8M0082600 . . . . . 214, 417
8M0082601 . . . . . 214, 417
8M0082602 . . . . . 214, 417
8M0082603 . . . . . 214, 417
8M0082604 . . . . . 214, 417

8M0082605 . . . . . 214, 417
8M0082606 . . . . . 214, 417
8M0082607 . . . . . 214, 347, 417
35 -8M0082911 . . . . . 90, 233
8M0083288 556
48 -8M0083389 691
48 -8M0083390 691
87 -8M0083437 . . . . . 39, 317, 320, 331, 339, 512, 522
87 -8M0083438 512
87 -8M0083439 512
1200-8M0083449 63
1200-8M0083451 . . . . . 63, 317, 319, 328, 330, 333, 336, 338
1200-8M0083452 . . . . . 63, 317, 319, 328, 330, 333, 336, 338
8M0083500 521
84 -8M0084296 . . . . . 439, 440
48 -8M0084491 . . . . 588, 590, 594, 602, 603, 607, 608, 621, 629, 715, 725, 726
48 -8M0084493 588, 590, 594, 602, 603, 607, 608, 621, 629, 725, 726
48 -8M0084494 . . . . 588, 590, 594, 600–603, 607–609, 615, 616, 621, 622, 629, 715, 725–727
48 -8M0084495 . . . . 588, 590, 594, 600–603, 607–609, 615, 616, 621, 622, 629, 715, 725–727
48 -8M0084496 . . . . 588, 590, 594, 600–603, 607–609, 615, 616, 621, 622, 629, 715, 725–727
48 -8M0084497 . . . . 588, 590, 594, 600, 602, 607–609, 615, 616, 620, 622, 629, 716, 725–727
8M0085107 413
8M0085108 414
8M0085109 414
8M0085110 414
8M0085111 414
8M0085112 414
8M0085113 414
8M0085114 414
8M0085115 414
8M0085116 414
8M0085117 414
8M0085121 414
8M0085122 414
8M0085123 414
8M0085124 414
8M0085125 . . . . . 316, 318, 327, 329, 331, 334, 337, 414
8M0085477 396
8M0085481 396
8M0085491 397
8M0085611 396
8M0085613 396
8M0085615 396
8M0085617 397
8M0085619 396
8M0085664 . . . . . 169, 170
8M0085693 181
8M0085733 402
8M0085790 402
8M0085794 129
8M0085804 397
8M0085806 397
48 -8M0085857 691
48 -8M0085858 691
8M0085937 . . . . . 320, 414
8M0085939 415
8M0085940 414
8M0085941 414
8M0085942 . . . . . 347, 414
8M0085943 415
8M0085944 415
8M0085945 414
8M0085946 414
8M0085947 415
8M0085949 414
8M0085951 414
8M0085952 414
8M0085953 . . . . . 347, 415
8M0085954 415
8M0085956 415
8M0085957 415
8M0085958 415
8M0085959 415
8M0085960 414
8M0085962 415
8M0085963 . . . . . 320, 414
8M0085964 414
8M0085966 . . . . . 347, 415
8M0085967 415
8M0085968 415
8M0085969 415
8M0085970 415
8M0085971 415
8M0085972 415
8M0085973 415
8M0085974 415
8M0085975 415
8M0085976 415
8M0085977 415
8M0085978 415
8M0085979 415
8M0085980 415
8M0085981 415
8M0085982 415
8M0085983 415
8M0085984 415
8M0085985 415
8M0085986 415
8M0085987 415
8M0085988 415
8M0085989 416
8M0085990 416
8M0085991 . . . . . 347, 416
92 -8M0086220 . . . . . 281, 282
92 -8M0086221 . . . . . 281, 282
92 -8M0086222 . . . . . 281, 282
92 -8M0086223 284
92 -8M0086224 284
92 -8M0086225 . . . . . 281, 284
92 -8M0086226 284

92 -8M0086227 285
92 -8M0086228 . . . . . 281, 285
8M0086395 788
8M0086400 252
77 -8M0086454 440
77 -8M0086455 439
77 -8M0086456 439
77 -8M0086459 439
77 -8M0086462 439
77 -8M0086463 440
77 -8M0086464 440
77 -8M0086465 440
77 -8M0086467 440
77 -8M0086469 440
8M0086565 . . . . . 442, 443
8M0086567 442
8M0086774 550
67 -8M0087245 220
67 -8M0087246 220
67 -8M0087248 221
67 -8M0087255 221
8M0088039 791
8M0088792 443
32 -8M0088822 409
35 -8M0088825 231
32 -8M0088855 334
64 -8M0088973 . . . . . 531, 539
8M0089497 181
8M0089504 . . . . . 148, 153
77 -8M0089513 444
77 -8M0089514 444
77 -8M0089515 444
77 -8M0089516 444
92 -8M0089690 292
92 -8M0089691 292
92 -8M0089692 292
8M0089715 . . . . . 246, 248
84 -8M0089989 448
87 -8M0090402 490
8M0090442 . . . . . 89, 336
8M0090447 . . . . . 335, 338, 461
48 -8M0090451 . . . . . 650, 672
48 -8M0090453 . . . . . 650, 672
48 -8M0090455 . . . . . 650, 672
48 -8M0090457 . . . . . 650, 672
8M0090559 240
8M0090764 229
35 -8M0090809 . . . . . 74, 233, 234, 236, 238
8M0090819 . . . . . 85, 232–234
8M0091565 425
48 -8M0092002 . . . . . 653, 674
48 -8M0092003 . . . . . 653, 674
48 -8M0092004 . . . . . 653, 674
48 -8M0092005 . . . . . 653, 674
48 -8M0092006 . . . . . 653, 674
48 -8M0092007 . . . . . 653, 674
48 -8M0092008 . . . . . 653, 674
48 -8M0092009 . . . . . 653, 674
48 -8M0092010 . . . . . 653, 674
48 -8M0092011 . . . . . 653, 674
48 -8M0092012 . . . . . 653, 674
48 -8M0092013 . . . . . 653, 674
8M0092022 20
8M0092088 397
8M0092091 397
48 -8M0092608 691
48 -8M0092609 691
8M0092927 209
48 -8M0093360 689
48 -8M0093361 689
8M0093480 251
57 -8M0093495 251
57 -8M0093513 252
8M0093561 251
35 -8M0093688 . . . . . 176, 247–249
8M0094135 207
8M0094136 208
8M0094232 241
8M0094233 241
84 -8M0094239 514
84 -8M0094269 507
8M0094529 232–234
48 -8M0094553 682
48 -8M0094554 682
22 -8M0094865 131
8M0095310 460
8M0095447 159
33 -8M0095454 . . . . . 123, 124
8M0095485 249
8M0095543 425
8M0095632 396
84 -8M0095716 368
84 -8M0095826 369
84 -8M0095827 369
84 -8M0095828 369
8M0095832 . . . . . 134, 151, 153, 350
8M0095833 . . . . . 135, 151, 153, 351
8M0095834 . . . . . 135, 151, 153, 351
92 -8M0096256 . . . . . 281, 285
8M0096701 . . . . . 148, 153
92 -8M0096727 267
92 -8M0096794 292
92 -8M0096795 292
8M0097129 45
91 -8M0097143 209
8M0097268 . . . . . 342, 532
8M0097838 78
8M0097850 534
8M0097854 241
8M0097855 241
8M0097856 241
8M0097857 241
8M0097858 241
8M0097859 242

8M0098264 . . . . . 26–28, 316, 327, 332, 334
8M0098273 28
8M0098561 170
8M0098562 170
8M0098892 135
8M0099084 534
8M0099085 534
8M0099090 534
8M0099092 535
8M0099093 535
8M0099094 535
8M0099104 535
23 -8M0099105 535
8M0099152 439
1600-8M0099218 119
1600-8M0099221 119
8M0099412 368
8M0099429 249
48 -8M0099430 691
48 -8M0099431 691
8M0100069 468
48 -8M0100104 . . . . . 649, 672
48 -8M0100105 . . . . . 649, 672
48 -8M0100106 . . . . . 649, 672
48 -8M0100107 . . . . . 649, 672
48 -8M0100109 . . . . . 649, 672
48 -8M0100110 . . . . . 649, 672
48 -8M0100111 . . . . . 649, 672
48 -8M0100112 . . . . . 649, 672
48 -8M0100496 692
48 -8M0100497 692
48 -8M0100498 692
48 -8M0100499 692
8M0100517 181
47 -8M0100527 249
8M0101387 168
48 -8M0101559 689
48 -8M0101560 689
8M0101603 . . . . . 779, 781
8M0101604 . . . . . 779, 781
84 -8M0101642 467
84 -8M0101643 467
8M0101650 467
48 -8M0102348 689
48 -8M0102349 689
22 -8M0102849 179
8M0103315 461
8M0103451 404
8M0103454 404
48 -8M0103516 707, 712, 716, 719, 724, 726–728, 730–733, 737, 744
48 -8M0103517 . . . . 707, 712, 716, 719, 724, 726–728, 730–732, 734, 737, 744
48 -8M0103518 . . . . 707, 712, 716, 719, 724, 726–728, 730–732, 734, 737, 744
48 -8M0103519 . . . . 707, 712, 716, 719, 724, 726–728, 730–732, 734, 738, 744
48 -8M0103520 . . . . 707, 712, 716, 719, 724, 726–728, 730, 731, 733, 734, 738, 744
48 -8M0103521 . . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103522 . . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103523 . . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103525 . . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103526 707, 712, 716, 719, 725–728, 730, 733, 734, 738, 744
48 -8M0103527 . . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103528 . . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103529 . . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103530 . . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103531 . . . . 708, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103532 707, 712, 716, 719, 726–728, 730, 731, 734, 738, 744
48 -8M0103533 . . . . 708, 712, 716, 719, 725–728, 730, 731, 733, 734, 738, 744
48 -8M0103650 682
48 -8M0103651 682
98 -8M0103686 81
8M0103837 . . . . . 37, 40
8M0103839 . . . . . 37, 40
8M0103840 40
35 -8M0103963 177
8M0103982 126
8M0104197 . . . . . 37, 40
8M0104198 . . . . . 37, 40
47 -8M0104229 245–249
48 -8M0104250 682
48 -8M0104251 682
48 -8M0104252 686
48 -8M0104253 686
48 -8M0104417 . . . . . 650, 673
48 -8M0104418 . . . . . 650, 673
48 -8M0104419 . . . . . 650, 673
48 -8M0104420 . . . . . 650, 673
48 -8M0104716 689
48 -8M0104717 689
8M0105087 . . . . . 47, 53, 339
8M0105089 . . . . . 47, 53, 336
8M0105090 . . . . . 47, 53, 336
11 -8M0105210 794
84 -8M0105263 80
84 -8M0105264 80
8M0105518 467
35 -8M0105781 252
35 -8M0106015 252
35 -8M0106058 252
8M0106193 252
35 -8M0106323 252
35 -8M0106324 252
8M0106368 252
48 -8M0106504 689

48 -8M0106505 689
35 -8M0106635 . . . . . 80, 237
48 -8M0106640 684
48 -8M0106641 684
48 -8M0106643 684
98 -8M0106961 170
98 -8M0106963 171
8M0107220 783
97 -8M0107546 . . . . . 96, 232
97 -8M0107547 . . . . . 95, 232
97 -8M0107548 232
97 -8M0107549 . . . . . 96, 232, 233
97 -8M0107550 96
97 -8M0107551 96
48 -8M0107948 689
48 -8M0107949 689
98 -8M0108250 168
48 -8M0108350 . . . . . 651, 673
48 -8M0108351 . . . . . 651, 673
48 -8M0108352 . . . . . 651, 673
48 -8M0108353 . . . . . 651, 673
48 -8M0108354 . . . . . 651, 673
48 -8M0108357 . . . . . 651, 673
48 -8M0108441 691
48 -8M0108442 691
23 -8M0108472 787
53 -8M0108475 788
67 -8M0108696 221
8M0108999 426
8M0109000 426
8M0109049 . . . . . 132, 206
8M0109050 . . . . . 132, 206
48 -8M0109051 689
48 -8M0109052 689
98 -8M0109256 132
84 -8M0109294 446
84 -8M0109337 446
84 -8M0109408 508
77 -8M0109482 437
48 -8M0109490 684
48 -8M0109491 684
48 -8M0109500 686
48 -8M0109501 686
8M0109505 504
8M0109506 504
8M0109507 504
8M0109508 503
8M0109543 . . . . . 75, 336, 338
11 -8M0109756 56
48 -8M0110303 . . . . . 651, 673
48 -8M0110304 . . . . . 651, 673
67 -8M0110408 220
67 -8M0110410 220
8M0110639 . . . . . 340, 364
8M0110641 . . . . . 340, 364
8M0110642 464
8M0110643 . . . . . 318, 329, 332, 335, 338, 340, 349, 363
8M0110644 . . . . . 340, 364
8M0110646 . . . . . 318, 329, 332, 335, 338, 340, 349, 363
8M0110649 367
50 -8M0110703 86
50 -8M0110715 86
57 -8M0110926 252
48 -8M0111147 . . . . . 649, 672
48 -8M0111148 . . . . . 649, 672
48 -8M0111149 . . . . . 649, 672
48 -8M0111150 . . . . . 649, 672
48 -8M0111151 . . . . . 649, 672
8M0111459 448
8M0111544 450
8M0111545 451
8M0111546 451
8M0111547 451
8M0111550 450
8M0111552 451
8M0111553 451
8M0111554 450
84 -8M0111668 366
84 -8M0111669 366
84 -8M0111670 366
84 -8M0111860 219
8M0112041 453
97 -8M0112332 252
48 -8M0112359 691
48 -8M0112360 691
48 -8M0112362 684
48 -8M0112363 684
98 -8M0112578 . . . . . 157, 161
98 -8M0112579 . . . . . 157, 162
98 -8M0112580 . . . . . 158, 162
48 -8M0112981 . . . . . 648, 671
48 -8M0112982 . . . . . 648, 671
48 -8M0112983 . . . . . 648, 671
48 -8M0112984 . . . . . 648, 671
48 -8M0112985 . . . . . 648, 671
48 -8M0112986 . . . . . 648, 671
48 -8M0112987 . . . . . 648, 671
48 -8M0112988 . . . . . 648, 671
48 -8M0112989 . . . . . 647, 671
48 -8M0112990 . . . . . 647, 672
8M0113313 179
8M0113442 451
8M0113483 240
35 -8M0113498 78
84 -8M0113732 . . . . . 341, 483
46 -8M0113799 233
46 -8M0113801 232
84 -8M0114012 464
84 -8M0114502 453
35 -8M0114618 . . . . . 77, 341
33 -8M0114739 . . . . . 14–17, 19, 20
33 -8M0114743 . . . . . 5, 14
33 -8M0114744 14
33 -8M0114746 15

33 -8M0114747 125
8M0114782 406
91 -8M0114829 561
91 -8M0114831 561
91 -8M0114832 561
91 -8M0114833 561
8M0114911 556
8M0114912 556
27 -8M0115016 674
84 -8M0115495 425
35 -8M0116378 291
97 -8M0116589 97
97 -8M0116590 96
35 -8M0116793 77
8M0117114 504
98 -8M0117124 . . . . . 133, 350
98 -8M0117125 . . . . . 133, 142, 149, 152, 350
87 -8M0117136 490
87 -8M0117137 490
87 -8M0117138 490
87 -8M0117139 490
87 -8M0117140 491
92 -8M0117687 297
98 -8M0117938 167
98 -8M0117939 167
98 -8M0117940 167
98 -8M0117941 167
48 -8M0117982 . . . . . 655, 675
48 -8M0117983 . . . . . 655, 675
48 -8M0117984 . . . . . 655, 675
48 -8M0117985 . . . . . 655, 675
48 -8M0117986 . . . . . 655, 675
48 -8M0117987 . . . . . 655, 675
48 -8M0117988 . . . . . 655, 675
48 -8M0117989 . . . . . 655, 675
48 -8M0117990 . . . . . 655, 675
48 -8M0117991 . . . . . 655, 675
48 -8M0117992 . . . . . 655, 675
48 -8M0117993 . . . . . 655, 675
48 -8M0117994 . . . . . 654, 675
48 -8M0117995 . . . . . 654, 675
48 -8M0117996 . . . . . 654, 675
48 -8M0117997 . . . . . 654, 675
48 -8M0117998 . . . . . 654, 675
48 -8M0117999 . . . . . 654, 675
48 -8M0118000 . . . . . 654, 675
48 -8M0118001 . . . . . 654, 675
48 -8M0118002 . . . . . 654, 675
48 -8M0118003 . . . . . 654, 675
48 -8M0118004 . . . . . 654, 675
48 -8M0118005 . . . . . 654, 675
48 -8M0118006 . . . . . 654, 674
48 -8M0118007 . . . . . 654, 674
48 -8M0118008 . . . . . 654, 674
48 -8M0118009 . . . . . 654, 674
48 -8M0118010 . . . . . 654, 674
48 -8M0118011 . . . . . 654, 674
48 -8M0118012 . . . . . 654, 674
48 -8M0118013 . . . . . 654, 674
48 -8M0118014 . . . . . 654, 674
48 -8M0118015 . . . . . 654, 674
48 -8M0118016 654
48 -8M0118017 . . . . . 654, 674
8M0118141 525
84 -8M0118364 440
84 -8M0118368 447
48 -8M0118468 . . . . . 649, 672
48 -8M0118469 . . . . . 650, 672
48 -8M0118470 . . . . . 649, 672
48 -8M0118471 . . . . . 650, 672
8M0118725 . . . . . 336, 510
8M0118806 424
8M0118808 424
48 -8M0119052 . . . . . 651, 673
48 -8M0119053 . . . . . 651, 673
48 -8M0119055 . . . . . 651, 673
48 -8M0119056 . . . . . 651, 673
48 -8M0119057 . . . . . 651, 673
48 -8M0119058 . . . . . 651, 673
8M0119081 . . . . . 780, 784
8M0119082 . . . . . 780, 784
8M0119083 . . . . . 780, 784
8M0119207 230
22 -8M0119308 . . . . . 130, 131
48 -8M0119331 682
48 -8M0119332 682
79 -8M0119406 . . . . . 318, 329, 332, 335, 337, 340, 349, 368
91 -8M0119480 560
98 -8M0120321 . . . . . 169, 170
8M0120657 . . . . . 236, 242
8M0120836 . . . . . 229, 239
8M0120837 . . . . . 229, 239
8M0120838 239
8M0120839 240
8M0120867 . . . . . 229, 239
77 -8M0121241 432
8M0121295 519
8M0121296 519
8M0121297 519
8M0121300 520
48 -8M0121589 . . . . . 649, 672
48 -8M0121590 . . . . . 649, 672
48 -8M0121591 . . . . . 649, 672
48 -8M0121592 . . . . . 649, 672
48 -8M0121593 . . . . . 649, 672
48 -8M0121594 . . . . . 649, 672
48 -8M0121595 . . . . . 648, 672
48 -8M0121596 . . . . . 648, 672
48 -8M0121597 . . . . . 648, 672
48 -8M0121598 . . . . . 648, 672
48 -8M0121599 . . . . . 648, 672
48 -8M0121600 . . . . . 648, 672
48 -8M0121601 . . . . . 648, 672
48 -8M0121602 . . . . . 648, 672

48 -8M0121603 . . . . . 648, 672
48 -8M0121604 . . . . . 648, 672
92 -8M0121914 284
92 -8M0121963 300
92 -8M0121969 298
98 -8M0122010 181
46 -8M0122064 230
8M0122079 130
35 -8M0122423 74
35 -8M0122424 . . . . . 74, 176, 233–236, 246, 248, 316, 319, 341
46 -8M0122666 . . . . . 156, 160
84 -8M0122787 459
8M0123001 208
35 -8M0123025 . . . . . 91, 237
98 -8M0123083 . . . . . 166, 351
48 -8M0123399 . . . . . 729, 740
48 -8M0123400 . . . . . 729, 740
48 -8M0123401 . . . . . 729, 740
48 -8M0123402 . . . . . 729, 740
48 -8M0123403 . . . . . 729, 740
48 -8M0123404 . . . . . 729, 740
48 -8M0123405 . . . . . 729, 740
48 -8M0123406 . . . . . 729, 740
48 -8M0123407 . . . . . 729, 740
48 -8M0123408 . . . . . 729, 740
48 -8M0123409 . . . . . 729, 740
48 -8M0123410 . . . . . 729, 740
48 -8M0123411 . . . . . 729, 740
48 -8M0123412 . . . . . 729, 740
98 -8M0123588 . . . . . 155, 161, 162
98 -8M0123590 . . . . . 157, 161
98 -8M0123592 . . . . . 157, 162
98 -8M0123593 . . . . . 158, 162
98 -8M0124068 141
98 -8M0124069 142
98 -8M0124070 141
8M0124227 . . . . . 249, 250
8M0124495 . . . . . 318, 330, 332, 335, 338, 340, 349, 363
8M0124496 . . . . . 318, 330, 332, 335, 338, 340, 349, 363
8M0124497 . . . . . 340, 363
8M0124498 . . . . . 318, 329, 332, 335, 338, 340, 349, 364
98 -8M0124634 . . . . . 168, 169, 351
22 -8M0125175 . . . . . 68, 177
91 -8M0125730 561
48 -8M0125738 . . . . . 660, 676
48 -8M0125739 . . . . . 660, 676
48 -8M0125740 . . . . . 660, 676
48 -8M0125741 . . . . . 660, 676
48 -8M0125742 . . . . . 660, 676
48 -8M0125743 . . . . . 660, 676
48 -8M0125744 . . . . . 660, 676
48 -8M0125745 . . . . . 660, 676
48 -8M0125746 . . . . . 659, 676
48 -8M0125747 . . . . . 659, 676
84 -8M0125748 488
84 -8M0125749 488
84 -8M0125750 488
84 -8M0125751 488
84 -8M0125752 488
84 -8M0125753 488
84 -8M0125754 488
84 -8M0125755 488
84 -8M0125756 488
35 -8M0126144 . . . . . 80, 237
48 -8M0126236 . . . . . 649, 672
48 -8M0126237 . . . . . 649, 672
97 -8M0126670 96
97 -8M0126671 96
67 -8M0126685 502
67 -8M0126686 502
8M0126959 . . . . . 518, 566
8M0126960 . . . . . 518, 566
84 -8M0127018 482
48 -8M0127244 . . . . . 665, 678
48 -8M0127245 . . . . . 665, 678
98 -8M0127351 551
84 -8M0127681 483
84 -8M0127682 . . . . . 341, 483
48 -8M0128332 . . . . . 650, 673
48 -8M0128333 . . . . . 650, 673
48 -8M0128334 . . . . . 650, 673
48 -8M0128335 . . . . . 650, 673
8M0128829 47
48 -8M0129046 . . . . . 648, 672
48 -8M0129048 . . . . . 648, 672
48 -8M0129049 . . . . . 648, 672
91 -8M0129072 806
91 -8M0129074 806
33 -8M0129146 . . . . . 120, 125, 248
48 -8M0129147 . . . . . 653, 674
48 -8M0129148 . . . . . 653, 674
48 -8M0129149 . . . . . 653, 674
48 -8M0129397 . . . . . 650, 673
8M0129437 451
8M0129438 452
8M0129439 452
8M0129440 452
8M0129442 452
8M0129456 452
8M0129457 452
8M0129458 452
8M0129513 525
8M0129527 525
8M0129543 . . . . . 318, 330, 332, 335, 338, 340, 349, 363
8M0129544 . . . . . 340, 363
8M0129545 . . . . . 318, 330, 332, 335, 338, 340, 349, 363
57 -8M0129918 251
91 -8M0130705 565
8M0130792 461
8M0130835 241
48 -8M0131144 . . . . . 655, 675
48 -8M0131145 . . . . . 655, 675
48 -8M0131146 . . . . . 655, 675
48 -8M0131147 . . . . . 655, 675

48 -8M0131148 . . . . . 655, 675
48 -8M0131149 . . . . . 655, 675
48 -8M0131150 . . . . . 655, 675
48 -8M0131151 . . . . . 655, 675
48 -8M0131152 . . . . . 655, 675
48 -8M0131153 . . . . . 654, 675
48 -8M0131154 . . . . . 654, 675
48 -8M0131155 . . . . . 654, 675
48 -8M0131156 . . . . . 654, 675
48 -8M0131157 . . . . . 654, 675
48 -8M0131158 . . . . . 654, 675
48 -8M0131159 . . . . . 654, 675
48 -8M0131160 . . . . . 654, 675
48 -8M0131161 . . . . . 654, 675
48 -8M0131162 . . . . . 654, 674
48 -8M0131163 . . . . . 654, 674
48 -8M0131164 . . . . . 654, 674
48 -8M0131165 . . . . . 654, 674
48 -8M0131166 . . . . . 654, 674
48 -8M0131167 . . . . . 654, 674
22 -8M0131184 428
8M0131240 . . . . . 779, 797
8M0131497 252
35 -8M0131725 253
8M0131810 504
10 -8M0131814 . . . . . 54, 57
92 -8M0132061 274
8M0133237 . . . . . 393, 429
8M0133240 . . . . . 394, 430
8M0133242 . . . . . 394, 430
8M0133243 . . . . . 394, 430
8M0133244 . . . . . 395, 430
8M0133245 . . . . . 395, 430
8M0133246 . . . . . 395, 431
8M0133247 . . . . . 395, 431
8M0133439 365
84 -8M0133542 30
8M0133617 . . . . . 236, 242
92 -8M0133921 274
92 -8M0133931 . . . . . 308, 808
92 -8M0133935 308
92 -8M0133937 308
92 -8M0133951 . . . . . 275, 526
92 -8M0133953 262
92 -8M0133957 274
92 -8M0133959 311
92 -8M0133963 297
92 -8M0133977 295
92 -8M0133985 306
92 -8M0133993 . . . . . 262, 276
92 -8M0133995 271
92 -8M0133997 271
8M0133999 274
92 -8M0134001 274
92 -8M0134003 297
8M0134100 808
8M0134101 808
8M0134102 808
8M0134104 808
35 -8M0134466 . . . . . 230, 231
8M0134605 . . . . . 515, 527
35 -8M0135210 . . . . . 178, 251
35 -8M0135386 80
79 -8M0135536 . . . . . 318, 329, 332, 335, 337, 340, 349, 367
79 -8M0135617 . . . . . 318, 329, 332, 335, 337, 340, 349, 367
79 -8M0135618 . . . . . 318, 329, 332, 335, 337, 340, 349, 367
79 -8M0135619 . . . . . 318, 329, 332, 335, 337, 340, 349, 367
79 -8M0135624 374
79 -8M0135625 374
79 -8M0135627 374
79 -8M0135629 374
79 -8M0135630 374
79 -8M0135631 374
79 -8M0135634 . . . . . 318, 329, 332, 335, 338, 340, 349, 374
79 -8M0135638 374
79 -8M0135641 . . . . . 318, 329, 332, 335, 338, 340, 349, 374
79 -8M0135644 375
79 -8M0135645 . . . . . 318, 329, 332, 335, 338, 340, 349, 375
79 -8M0135646 375
79 -8M0135654 375
79 -8M0135656 374
79 -8M0135657 374
79 -8M0135658 . . . . . 332, 374
47 -8M0135803 230
46 -8M0135821 230
97 -8M0135965 98
91 -8M0135998 . . . . . 94, 182
67 -8M0136137 221
67 -8M0136144 221
48 -8M0136308 . . . . . 665, 678
48 -8M0136309 . . . . . 665, 678
84 -8M0136941 32
84 -8M0136942 30
84 -8M0137199 459
97 -8M0137344 . . . . . 105, 230
8M0137442 523
8M0137447 . . . . . 341, 522
8M0137451 523
8M0137456 . . . . . 522, 524
8M0137461 524
84 -8M0137667 . . . . . 464, 481, 483, 560
97 -8M0137814 . . . . . 101, 108, 236, 237
8M0137842 22
8M0137846 32
8M0137849 . . . . . 21, 230
8M0137852 47
8M0137854 37
84 -8M0138268 464
91 -8M0138402 562
84 -8M0138593 . . . . . 454, 475
84 -8M0138676 . . . . . 341, 527
84 -8M0138677 . . . . . 341, 527
84 -8M0138678 . . . . . 341, 527
8M0138978 504

8M0138979 252
48 -8M0139055 . . . . . 665, 678
48 -8M0139056 . . . . . 665, 678
8M0139419 496
8M0139420 496
8M0139434 230
84 -8M0139671 445
48 -8M0139763 . . . . . 665, 678
48 -8M0139764 . . . . . 665, 678
98 -8M0139981 . . . . . 156, 160
98 -8M0139982 . . . . . 155, 159
46 -8M0139983 . . . . . 157, 160, 163, 164
48 -8M0140247 . . . . . 665, 678
48 -8M0140248 . . . . . 665, 678
48 -8M0140854 . . . . . 664, 678
48 -8M0140855 . . . . . 664, 678
35 -8M0140873 252
98 -8M0140877 45
48 -8M0141471 678
48 -8M0141472 678
48 -8M0141473 678
48 -8M0141474 678
8M0141864 365
8M0141907 521
8M0142084 787
48 -8M0142097 . . . . . 649, 672
48 -8M0142098 . . . . . 649, 672
48 -8M0142099 . . . . . 649, 672
48 -8M0142100 . . . . . 649, 672
48 -8M0142101 . . . . . 649, 672
48 -8M0142102 . . . . . 648, 672
48 -8M0142103 . . . . . 648, 672
48 -8M0142104 . . . . . 648, 672
48 -8M0142105 . . . . . 648, 672
48 -8M0142106 . . . . . 648, 672
48 -8M0142107 . . . . . 648, 672
48 -8M0142110 . . . . . 651, 673
48 -8M0142111 . . . . . 651, 673
48 -8M0142112 . . . . . 651, 673
48 -8M0142113 . . . . . 651, 673
48 -8M0142114 . . . . . 651, 673
48 -8M0142115 . . . . . 650, 673
48 -8M0142116 . . . . . 650, 673
48 -8M0142117 . . . . . 650, 673
48 -8M0142118 . . . . . 650, 673
100 -8M0142205 115
100 -8M0142206 115
100 -8M0142207 115
100 -8M0142208 115
100 -8M0142209 115
100 -8M0142210 115
100 -8M0142211 114
100 -8M0142212 114
100 -8M0142213 114
100 -8M0142214 114
100 -8M0142215 114
100 -8M0142216 114
8M0142265 . . . . . 94, 458
71 -8M0142696 . . . . . 335, 458, 459
8M0143358 521
8M0143359 458
54 -8M0143696 237
48 -8M0143702 678
48 -8M0143703 678
48 -8M0144040 . . . . . 653, 674
48 -8M0144042 . . . . . 653, 674
48 -8M0144044 . . . . . 653, 674
48 -8M0144046 . . . . . 653, 674
48 -8M0144111 678
48 -8M0144112 678
8M0144227 . . . . . 393, 429
56 -8M0144608 31
84 -8M0144917 . . . . . 341, 526
84 -8M0144923 526
84 -8M0144924 . . . . . 341, 526
48 -8M0145071 678
48 -8M0145072 678
48 -8M0145081 678
48 -8M0145082 678
35 -8M0145281 252
48 -8M0145698 . . . . . 664, 678
48 -8M0145699 . . . . . 664, 678
48 -8M0145700 . . . . . 664, 678
48 -8M0145701 . . . . . 664, 678
84 -8M0145987 478
35 -8M0146203 76
35 -8M0146206 76
8M0146247 . . . . . 427, 532
84 -8M0146321 458
48 -8M0146583 678
48 -8M0146584 678
84 -8M0146742 479
84 -8M0146743 479
84 -8M0146744 480
84 -8M0146745 480
84 -8M0146746 480
84 -8M0146747 . . . . . 341, 480
84 -8M0146748 480
84 -8M0146749 480
84 -8M0146750 480
84 -8M0146751 480
84 -8M0146752 480
84 -8M0146753 480
84 -8M0146754 480
84 -8M0146755 480
84 -8M0146756 480
84 -8M0146757 480
84 -8M0146758 480
84 -8M0146759 . . . . . 341, 480
48 -8M0146898 678
48 -8M0146899 678
8M0147011 531
8M0147048 254
8M0147049 254

8M0147050 254
8M0147051 255
8M0147052 255
8M0147053 255
8M0147054 256
8M0147055 256
8M0147056 257
8M0147057 257
8M0147058 258
8M0147061 254
8M0147062 254
8M0147063 254
8M0147064 255
8M0147065 255
8M0147066 255
8M0147067 255
8M0147068 255
8M0147069 256
8M0147070 256
8M0147071 256
8M0147072 256
8M0147073 257
8M0147074 257
8M0147075 257
8M0147076 258
48 -8M0147732 . . . . . 665, 678
48 -8M0147733 . . . . . 665, 678
8M0147933 219
32 -8M0148099 528
48 -8M0148161 . . . . . 665, 678
48 -8M0148162 . . . . . 665, 678
48 -8M0148163 . . . . . 665, 678
48 -8M0148164 . . . . . 665, 678
48 -8M0148290 . . . . . 665, 678
48 -8M0148291 . . . . . 665, 678
48 -8M0148310 . . . . . 665, 678
48 -8M0148311 . . . . . 665, 678
48 -8M0148847 678
48 -8M0148848 678
57 -8M0148883 251
62 -8M0148919 823
62 -8M0148926 823
62 -8M0148941 823
62 -8M0148942 823
84 -8M0149414 30
8M0149427 244
8M0149428 . . . . . 236, 244
48 -8M0149444 678
48 -8M0149445 678
91 -8M0149520 561
91 -8M0149525 562
91 -8M0149526 562
91 -8M0149527 562
8M0149598 409
84 -8M0149640 479
87 -8M0149746 527
10 -8M0149747 . . . . . 54, 57
84 -8M0149788 31
84 -8M0149789 31
84 -8M0149790 31
8M0149929 242
8M0149930 242
8M0149931 242
8M0149932 242
8M0150152 . . . . . 779, 781
98 -8M0150504 80
32 -8M0150604 . . . . . 339, 426, 528, 531
32 -8M0150605 . . . . . 426, 531
32 -8M0150606 . . . . . 426, 528, 531
32 -8M0150607 . . . . . 426, 528, 531
32 -8M0150608 . . . . . 427, 528, 531
32 -8M0150610 . . . . . 427, 528, 531
32 -8M0150612 . . . . . 427, 531
32 -8M0150613 . . . . . 427, 528, 531
32 -8M0150614 . . . . . 427, 531
32 -8M0150615 . . . . . 427, 528, 532
32 -8M0150616 . . . . . 427, 528, 532
32 -8M0150617 . . . . . 427, 528, 532
32 -8M0150618 . . . . . 427, 528, 532
32 -8M0150619 . . . . . 427, 528, 532
32 -8M0150620 . . . . . 427, 528, 532
32 -8M0150621 . . . . . 427, 532
32 -8M0150622 . . . . . 427, 532
32 -8M0150623 . . . . . 427, 532
32 -8M0150624 . . . . . 339, 427, 532
35 -8M0150911 177
35 -8M0150917 293
57 -8M0151040 . . . . . 231, 232
48 -8M0151077 . . . . . 664, 678
48 -8M0151078 . . . . . 664, 678
47 -8M0151113 253
48 -8M0151210 . . . . . 589, 590, 596, 635, 639
48 -8M0151211 . . . . . 589, 590, 596, 635, 639
48 -8M0151212 . . . . . 589, 590, 596, 635, 639
48 -8M0151213 . . . . . 589, 590, 596, 635, 639
48 -8M0151214 . . . . . 589, 590, 596, 635, 639
48 -8M0151215 . . . . . 589, 590, 596, 635, 639
48 -8M0151216 . . . . . 589, 590, 596, 635, 639
48 -8M0151217 . . . . . 589, 590, 596, 635, 639
48 -8M0151218 . . . . . 589, 590, 596, 635, 639
48 -8M0151219 . . . . . 589, 590, 596, 635, 639
48 -8M0151220 . . . . . 589, 590, 596, 635, 639
48 -8M0151221 . . . . . 590, 596, 635, 639
48 -8M0151224 . . . . . 588, 590, 595, 620, 635, 636, 727, 728
48 -8M0151225 . . . . 588, 590, 595, 602, 603, 607–609, 620, 635, 636, 716, 726–728
48 -8M0151226 . . . . . 588, 590, 595, 605, 606, 620, 635, 637
48 -8M0151227 . . . . 588, 590, 595, 602, 603, 605–609, 620, 635, 637, 716, 726
48 -8M0151228 . . . . . 588, 590, 595, 605, 606, 620, 635, 637
48 -8M0151229 . . . . 588, 590, 595, 601, 603, 605–609, 620, 621, 635, 637, 716, 726–728
48 -8M0151230 . . . . . 588, 590, 595, 605, 606, 618–620, 635, 637
48 -8M0151231 . . 588, 590, 595, 598–601, 603, 605–609, 618–621, 635, 637, 716, 726–728

48 -8M0151233 . . . . 588, 590, 595, 598–601, 603–609, 618–621, 635, 637, 716, 726–728
48 -8M0151234 . . . . . 588, 590, 595, 605, 606, 618–620, 635, 637
48 -8M0151235 . . . . 588, 590, 595, 598–601, 603–609, 618–621, 635, 637, 716, 726–728
48 -8M0151237 . . . . 588, 590, 595, 598–601, 603–609, 618–621, 635, 637, 716, 726–728
48 -8M0151238 . . . . . 588, 590, 595, 605, 606, 618–620, 635, 637
48 -8M0151239 . . . . 588, 590, 595, 598–601, 603–609, 618–621, 635, 637, 716, 726–728
48 -8M0151241 588, 590, 595, 598–601, 603–609, 618–621, 635, 637
48 -8M0151242 . . . . . 588, 590, 595, 605, 606, 618–620, 635, 637
48 -8M0151243 . . . . 588, 590, 595, 598–601, 603–606, 608, 609, 618–621, 635, 637, 716, 727, 728
48 -8M0151245 . . 588, 590, 595, 598–601, 604–606, 608, 618–621, 635, 637
48 -8M0151250 . . . . . 589, 591, 595, 605, 606, 617–619, 635, 637
48 -8M0151251 . . 589–591, 595, 598, 605, 606, 617–619, 635, 637
48 -8M0151252 . . . . . 589, 591, 595, 605, 606, 617–619, 635, 637
48 -8M0151253 . . 589, 591, 595, 598, 605, 606, 617–619, 635, 637
48 -8M0151254 . . . . . 589, 591, 595, 605, 617–619, 635, 637
48 -8M0151255 . . . . . 589, 591, 595, 598, 605, 616–619, 635, 637
48 -8M0151256 . . . . . 588, 591, 595, 605, 617–619, 635, 637
48 -8M0151257 . . . . . 588, 591, 595, 598, 605, 616–619, 635, 637
48 -8M0151258 . . . . . 588, 591, 595, 605, 617–619, 635, 637
48 -8M0151259 . . . . . 588, 595, 598, 605, 616–619, 635, 637
48 -8M0151260 . . . . . 588, 591, 595, 605, 617–619, 635, 637
48 -8M0151261 . . . . . 588, 595, 598, 605, 616–619, 635, 637
48 -8M0151262 . . . . . 588, 590, 595, 605, 617–619, 635, 637
48 -8M0151263 . . . . . 588, 591, 595, 598, 605, 616–619, 635, 637
48 -8M0151270 . . . . . 589, 595, 613–616, 635, 638
48 -8M0151271 . . . . . 589, 595, 613–616, 635, 638
48 -8M0151272 . . . . . 589, 595, 613–616, 635, 638
48 -8M0151273 . . . . . 589, 595, 613–615, 635, 638
48 -8M0151274 . . . . . 589, 595, 613, 614, 635, 638
48 -8M0151275 . . . . . 589, 595, 613, 614, 635, 638
48 -8M0151290 . . . . . 589, 590, 596, 635, 641
48 -8M0151291 . . . . . 589, 590, 596, 635, 641
48 -8M0151292 . . . . . 589, 590, 596, 635, 641
48 -8M0151301 . . . . . 589, 591, 595, 606, 607, 618–620, 635, 641
48 -8M0151302 . . . . 589, 591, 595, 606, 607, 617–620, 635, 641, 716, 725, 727
48 -8M0151303 . . . . 589, 591, 595, 606, 607, 618–620, 635, 641, 716, 726–728
48 -8M0151304 . . . . 589, 591, 595, 606, 607, 617–620, 635, 641, 716, 725, 727
48 -8M0151307 . . . . 589, 591, 595, 606, 607, 618–620, 635, 641, 716, 726–728
48 -8M0151308 . . . . 589, 591, 595, 606, 607, 617–620, 635, 641, 716, 725–727
48 -8M0151309 . . . . . 589, 591, 595, 606, 607, 618–620, 635, 641
48 -8M0151310 . . . . 589, 591, 595, 606, 607, 617–620, 635, 641, 716, 726–728
48 -8M0151311 . . . . . 589, 591, 595, 607, 618–620, 635, 641
48 -8M0151312 . . . . . 589, 591, 595, 607, 617–620, 635, 641
48 -8M0151313 . . . . . 589, 591, 595, 607, 617, 635, 641
48 -8M0151314 . . . . . 589, 591, 596, 605–607, 617–619, 635, 637
48 -8M0151315 589, 591, 596, 598, 599, 605–607, 617–619, 635, 637
48 -8M0151316 . . . . 589, 591, 596, 605–607, 617–619, 635, 637, 716, 726–728
48 -8M0151317 . . . . 589, 591, 596, 598, 599, 605–607, 617–619, 635, 637, 716, 726–728
48 -8M0151318 . . . . . 589, 591, 596, 605–607, 617–619, 635, 637
48 -8M0151319 589, 591, 596, 598, 599, 605–607, 617–619, 635, 637
48 -8M0151320 589, 591, 596, 605, 606, 617–619, 635, 637, 726–728
48 -8M0151321 . . . . 589, 591, 596, 598, 599, 605, 606, 617–619, 635, 637, 716, 726–728
48 -8M0151322 . . . . . 589, 591, 596, 605, 606, 617–619, 636, 638
48 -8M0151323 589, 591, 596, 598, 599, 605, 606, 617–619, 636, 638
48 -8M0151324 589, 591, 596, 605, 606, 617–619, 636, 638, 726–728
48 -8M0151325 . . . . 589, 591, 596, 598, 599, 605, 606, 617–619, 636, 638, 716, 726–728
48 -8M0151326 . . . . 589, 591, 596, 605, 606, 617–619, 636, 638, 716, 726, 728
48 -8M0151327 . . . . 589, 591, 596, 598, 599, 605, 606, 617–619, 636, 638, 716, 726–728
48 -8M0151328 . . 589, 591, 596, 605, 606, 617–619, 636, 638, 727
48 -8M0151329 589, 591, 596, 598, 599, 605, 606, 617–619, 636, 638
48 -8M0151331 636
48 -8M0151334 636
48 -8M0151336 636
48 -8M0151340 636
48 -8M0151341 636
48 -8M0151352 . . . . . 587, 631
48 -8M0151353 . . . . . 587, 631
48 -8M0151354 . . . . . 587, 631
48 -8M0151355 . . . . . 587, 631
48 -8M0151356 . . . . . 587, 631, 709, 715, 718
48 -8M0151357 . . . . . 587, 631
48 -8M0151358 . . . . . 587, 631, 709, 715, 718
48 -8M0151359 587
48 -8M0151360 587, 594, 602, 609–612, 621–624, 636, 639, 709, 715
48 -8M0151361 . . 587, 594, 601–604, 609–612, 615, 616, 621–624, 636, 639, 709, 715
48 -8M0151362 . . 587, 594, 601–604, 609–611, 615, 616, 621–623, 636, 639, 709, 715
48 -8M0151363 . . . . 587, 594, 601–604, 609, 610, 615, 616, 621, 622, 636, 639, 709, 715
48 -8M0151364 . . . . 587, 594, 601–604, 609, 610, 615, 616, 621, 636, 639, 709, 715
48 -8M0151380 . . 589, 595, 598–602, 615, 616, 620, 622, 636, 640
48 -8M0151381 . . 589, 595, 598–602, 615, 616, 620, 622, 636, 640
48 -8M0151382 . . 589, 595, 598–602, 615, 616, 620, 622, 636, 640
48 -8M0151383 . . 589, 595, 598–602, 614–616, 620, 621, 636, 640
48 -8M0151384 . . . . 589, 595, 598, 599, 601, 602, 613–616, 620, 621, 636, 640
48 -8M0151385 . . . . . 589, 595, 601, 613–616, 620, 636, 640
48 -8M0151386 . . . . . 589, 595, 601, 613–615, 620, 636, 640
48 -8M0151387 . . . . . 589, 595, 613, 614, 636, 640
48 -8M0151388 . . . . . 589, 595, 613, 614, 636, 640
48 -8M0151389 . . . . . 588, 589, 594, 596, 636, 640
48 -8M0151390 . . . . . 588, 589, 594, 596, 636, 640
48 -8M0151391 . . . . . 587, 589, 594, 596, 636, 640
48 -8M0151392 . . . . . 587, 589, 594, 596, 636, 640
48 -8M0151393 . . . . . 587, 589, 594, 595, 636, 640
48 -8M0151394 . . . . . 587, 589, 594, 595, 636, 640
48 -8M0151395 . . . . . 587, 589, 594, 595, 636, 640

48 -8M0151397 . . . . . 587, 594, 612, 636, 642, 764
48 -8M0151398 . . . . 587, 594, 602–604, 609, 610, 612, 621, 622, 636, 642, 764
48 -8M0151399 . . . . 587, 594, 602–604, 609, 610, 612, 621, 622, 636, 642, 709, 715, 718, 764, 765, 777
48 -8M0151400 . . 587, 594, 601–604, 609, 610, 621, 622, 636, 642
48 -8M0151401 . . . . 587, 594, 601–604, 609, 610, 621, 622, 636, 642, 709, 715, 718
48 -8M0151402 . . . . 587, 594, 601–604, 609, 610, 621, 622, 636, 642, 709, 715, 718, 764
48 -8M0151403 588, 590, 595, 636, 642, 716, 725–727, 744, 759, 771
48 -8M0151404 . . . . . 588, 590, 595, 636, 642, 759, 771
48 -8M0151405 . . . . 588, 590, 595, 603, 622, 636, 642, 716, 725, 727, 759, 771
48 -8M0151406 . . . . . 588, 590, 595, 636, 642, 759, 770
48 -8M0151407 . . . . 588, 590, 595, 603, 622, 636, 642, 716, 725, 727, 759, 770, 771
48 -8M0151408 . . . . 588, 590, 595, 603, 622, 636, 642, 716, 725, 727, 758, 759, 770, 771
8M0151469 240
8M0151470 240
97 -8M0151540 188
97 -8M0151541 . . . . . 188, 191, 251
98 -8M0151560 521
98 -8M0151561 521
98 -8M0151564 521
84 -8M0151976 31
84 -8M0151977 31
84 -8M0151978 31
84 -8M0151979 31
48 -8M0152315 . . . . . 664, 678
48 -8M0152316 . . . . . 664, 678
48 -8M0152451 678
48 -8M0152452 678
92 -8M0152563 282
92 -8M0152564 282
92 -8M0152565 . . . . . 281, 282
48 -8M0152624 . . . . . 650, 673
57 -8M0153039 252
8M0153154 539
48 -8M0153316 . . . . . 664, 678
48 -8M0153317 . . . . . 664, 678
84 -8M0153356 . . . . . 350, 483
8M0153486 . . . . . 147, 153
8M0153670 . . . . . 147, 153
8M0153671 . . . . . 147, 153
8M0153980 431
8M0154660 74
84 -8M0154726 438
84 -8M0154727 438
84 -8M0154728 438
84 -8M0154729 438
84 -8M0154730 438
84 -8M0154731 438
84 -8M0154732 438
84 -8M0154733 438
84 -8M0154734 438
48 -8M0154967 . . . . . 666, 679
48 -8M0154968 . . . . . 666, 679
48 -8M0154969 . . . . . 667, 679
48 -8M0154970 . . . . . 667, 679
48 -8M0155023 . . . . . 591, 632, 728, 740
48 -8M0155024 . . . . . 591, 632, 728, 740
48 -8M0155025 . . . . . 591, 632, 728, 740
48 -8M0155026 . . . . . 591, 633, 728, 740
48 -8M0155027 . . . . . 591, 633, 728, 740, 775
48 -8M0155028 . . . . . 591, 633, 728, 740, 775
48 -8M0155029 . . . . . 591, 633, 728, 740, 775
48 -8M0155030 . . . . . 591, 633, 728, 740, 775
98 -8M0155341 464
48 -8M0155383 . . . . . 667, 679
48 -8M0155384 . . . . . 667, 679
48 -8M0155385 . . . . . 667, 679
48 -8M0155386 . . . . . 667, 679
8M0155395 229
48 -8M0155573 . . . . . 666, 679
48 -8M0155574 . . . . . 666, 679
48 -8M0155575 . . . . . 666, 679
48 -8M0155576 . . . . . 666, 679
48 -8M0155582 . . . . . 666, 679
48 -8M0155583 . . . . . 666, 679
84 -8M0156168 . . . . . 531, 560
62 -8M0156326 823
62 -8M0156327 823
62 -8M0156328 823
62 -8M0156331 823
62 -8M0156332 823
48 -8M0156434 . . . . . 655, 675
48 -8M0156435 655
48 -8M0156436 . . . . . 655, 675
48 -8M0156437 . . . . . 655, 675
48 -8M0156438 655
48 -8M0156439 . . . . . 655, 675
48 -8M0156440 . . . . . 655, 675
48 -8M0156441 . . . . . 655, 675
48 -8M0156444 . . . . . 655, 675
48 -8M0156445 . . . . . 655, 675
48 -8M0156446 . . . . . 655, 675
48 -8M0156447 . . . . . 655, 675
48 -8M0156448 . . . . . 655, 675
48 -8M0156449 . . . . . 655, 675
48 -8M0156450 . . . . . 655, 675
48 -8M0156451 . . . . . 655, 675
48 -8M0156454 655
48 -8M0156455 . . . . . 655, 675
48 -8M0156456 . . . . . 655, 675
48 -8M0156457 . . . . . 655, 675
48 -8M0156458 . . . . . 655, 675
48 -8M0156459 . . . . . 655, 675
48 -8M0156460 . . . . . 655, 675
48 -8M0156461 . . . . . 655, 675
48 -8M0156464 . . . . . 655, 675
48 -8M0156465 . . . . . 655, 675
48 -8M0156466 . . . . . 655, 675
48 -8M0156467 . . . . . 655, 675

48 -8M0156468 . . . . . 655, 675
48 -8M0156469 . . . . . 655, 675
48 -8M0156470 . . . . . 655, 675
48 -8M0156471 . . . . . 655, 675
48 -8M0156474 . . . . . 655, 675
48 -8M0156475 . . . . . 655, 675
48 -8M0156476 . . . . . 655, 675
48 -8M0156477 . . . . . 655, 675
48 -8M0156478 . . . . . 655, 675
48 -8M0156479 . . . . . 655, 675
48 -8M0156480 . . . . . 655, 675
48 -8M0156481 . . . . . 655, 675
48 -8M0156484 . . . . . 655, 675
48 -8M0156485 . . . . . 655, 675
48 -8M0156486 . . . . . 655, 675
48 -8M0156487 . . . . . 656, 675
48 -8M0156488 . . . . . 655, 675
48 -8M0156489 . . . . . 656, 675
48 -8M0156490 . . . . . 655, 675
48 -8M0156491 . . . . . 656, 675
48 -8M0156494 . . . . . 656, 675
48 -8M0156495 . . . . . 656, 675
48 -8M0156496 . . . . . 656, 675
48 -8M0156497 . . . . . 656, 675
48 -8M0156498 . . . . . 656, 675
48 -8M0156499 . . . . . 656, 675
48 -8M0156500 . . . . . 656, 675
48 -8M0156501 . . . . . 656, 675
48 -8M0156504 . . . . . 656, 675
48 -8M0156505 . . . . . 656, 675
48 -8M0156506 . . . . . 656, 675
48 -8M0156507 . . . . . 656, 675
48 -8M0156508 . . . . . 656, 675
48 -8M0156509 . . . . . 656, 675
48 -8M0156510 . . . . . 656, 675
48 -8M0156511 . . . . . 656, 675
48 -8M0156514 . . . . . 656, 675
48 -8M0156515 . . . . . 656, 675
48 -8M0156516 . . . . . 656, 675
48 -8M0156517 . . . . . 656, 675
48 -8M0156518 . . . . . 656, 675
48 -8M0156519 . . . . . 656, 675
48 -8M0156520 . . . . . 656, 675
48 -8M0156521 . . . . . 656, 675
48 -8M0156524 . . . . . 656, 675
48 -8M0156525 . . . . . 656, 675
48 -8M0156526 . . . . . 656, 675
48 -8M0156527 . . . . . 656, 675
48 -8M0156528 . . . . . 656, 675
48 -8M0156529 . . . . . 656, 675
48 -8M0156530 . . . . . 656, 675
48 -8M0156531 . . . . . 656, 675
48 -8M0156534 . . . . . 656, 675
48 -8M0156535 . . . . . 656, 675
48 -8M0156536 . . . . . 656, 675
48 -8M0156537 . . . . . 656, 675
48 -8M0156538 . . . . . 656, 675
48 -8M0156539 . . . . . 656, 675
48 -8M0156540 . . . . . 656, 675
48 -8M0156541 . . . . . 656, 675
48 -8M0156544 . . . . . 656, 675
48 -8M0156545 . . . . . 656, 675
48 -8M0156546 . . . . . 656, 675
48 -8M0156547 . . . . . 656, 675
48 -8M0156548 . . . . . 656, 675
48 -8M0156549 . . . . . 656, 675
48 -8M0156550 . . . . . 656, 675
48 -8M0156551 . . . . . 656, 675
48 -8M0156780 678
48 -8M0156781 678
48 -8M0156783 . . . . . 664, 678
48 -8M0156784 . . . . . 664, 678
48 -8M0156787 . . . . . 667, 679
48 -8M0156788 . . . . . 667, 679
62 -8M0156990 823
62 -8M0156991 823
62 -8M0156992 823
35 -8M0157133 . . . . . 73, 229, 230
84 -8M0157213 433
84 -8M0157214 433
84 -8M0157215 434
84 -8M0157216 434
84 -8M0157217 434
84 -8M0157218 434
84 -8M0157219 434
84 -8M0157220 434
84 -8M0157222 435
33 -8M0157328 . . . . . 13, 233
87 -8M0157375 492
33 -8M0157387 20
8M0157616 . . . . . 75, 236, 237
8M0157620 75
8M0157707 81
8M0157708 78
48 -8M0157711 . . . . . 667, 679
48 -8M0157712 . . . . . 667, 679
98 -8M0157716 431
8M0157779 78
84 -8M0158087 437
84 -8M0158088 437
84 -8M0158089 437
84 -8M0158090 437
84 -8M0158127 509
8M0158400 520
98 -8M0158580 166
48 -8M0159338 . . . . . 668, 679
48 -8M0159339 . . . . . 668, 679
48 -8M0159340 . . . . . 668, 679
48 -8M0159341 . . . . . 668, 679
98 -8M0159447 . . . . . 42, 520
98 -8M0159449 . . . . . 42, 520
98 -8M0159451 . . . . . 41, 520
98 -8M0159453 . . . . . 42, 520
98 -8M0159456 . . . . . 43, 44, 520

98 -8M0159458 520
98 -8M0159460 . . . . . 44, 520
84 -8M0159746 433
84 -8M0159747 433
84 -8M0159748 433
84 -8M0159749 433
84 -8M0159751 436
84 -8M0159752 436
84 -8M0159753 436
84 -8M0159754 436
84 -8M0159755 436
84 -8M0159756 436
84 -8M0159758 436
84 -8M0159759 436
84 -8M0159760 436
84 -8M0159761 436
84 -8M0159763 436
84 -8M0159764 436
84 -8M0159765 436
84 -8M0159766 437
84 -8M0159767 437
84 -8M0159768 437
84 -8M0159769 437
48 -8M0159882 . . . . . 666, 679
48 -8M0159883 . . . . . 666, 679
48 -8M0159892 . . . . . 667, 679
48 -8M0159893 . . . . . 667, 679
48 -8M0159953 . . . . . 666, 679
48 -8M0159954 . . . . . 666, 679
48 -8M0159955 . . . . . 667, 679
48 -8M0159956 . . . . . 667, 679
48 -8M0159972 . . . . . 667, 679
48 -8M0159973 . . . . . 667, 679
48 -8M0159974 . . . . . 668, 679
48 -8M0159975 . . . . . 668, 679
48 -8M0159976 . . . . . 668, 679
48 -8M0159977 . . . . . 668, 679
48 -8M0159978 . . . . . 668, 679
48 -8M0159979 . . . . . 668, 679
48 -8M0160037 . . . . . 667, 679
48 -8M0160038 . . . . . 667, 679
48 -8M0160039 . . . . . 667, 679
48 -8M0160040 . . . . . 667, 679
48 -8M0160041 . . . . . 668, 679
48 -8M0160042 . . . . . 668, 679
48 -8M0160043 . . . . . 668, 679
48 -8M0160044 . . . . . 668, 679
48 -8M0160045 . . . . . 668, 679
48 -8M0160046 . . . . . 668, 679
48 -8M0160051 . . . . . 667, 679
48 -8M0160052 . . . . . 667, 679
48 -8M0160053 . . . . . 666, 679
48 -8M0160054 . . . . . 666, 679
48 -8M0160055 . . . . . 666, 679
48 -8M0160056 . . . . . 666, 679
48 -8M0160057 . . . . . 666, 679
48 -8M0160058 . . . . . 666, 679
48 -8M0160105 . . . . . 667, 679
48 -8M0160106 . . . . . 667, 679
48 -8M0160111 . . . . . 667, 679
48 -8M0160112 . . . . . 667, 679
48 -8M0160113 . . . . . 667, 679
48 -8M0160114 . . . . . 667, 679
48 -8M0160120 . . . . . 666, 679
48 -8M0160121 . . . . . 666, 679
48 -8M0160122 . . . . . 666, 679
48 -8M0160123 . . . . . 666, 679
48 -8M0160127 . . . . . 666, 679
48 -8M0160128 . . . . . 666, 679
48 -8M0160129 . . . . . 666, 679
48 -8M0160130 . . . . . 666, 679
48 -8M0160131 . . . . . 666, 679
48 -8M0160132 . . . . . 666, 679
48 -8M0160483 . . . . . 667, 679
48 -8M0160484 . . . . . 667, 679
48 -8M0160485 . . . . . 667, 679
48 -8M0160486 . . . . . 667, 679
48 -8M0160487 . . . . . 667, 679
48 -8M0160488 . . . . . 667, 679
48 -8M0160538 . . . . . 666, 679
48 -8M0160539 . . . . . 666, 679
48 -8M0160540 . . . . . 666, 679
48 -8M0160541 . . . . . 666, 679
48 -8M0160542 . . . . . 666, 679
48 -8M0160543 . . . . . 666, 679
48 -8M0160581 . . . . . 668, 679
48 -8M0160582 . . . . . 668, 679
48 -8M0160583 . . . . . 668, 679
48 -8M0160584 . . . . . 668, 679
48 -8M0160585 . . . . . 668, 679
48 -8M0160586 . . . . . 668, 679
48 -8M0160589 . . . . . 666, 679
48 -8M0160590 . . . . . 666, 679
48 -8M0160591 . . . . . 666, 679
48 -8M0160592 . . . . . 666, 679
48 -8M0160593 . . . . . 666, 679
48 -8M0160594 . . . . . 666, 679
48 -8M0160652 . . . . . 668, 679
48 -8M0160653 . . . . . 668, 679
48 -8M0160654 . . . . . 668, 679
48 -8M0160655 . . . . . 668, 679
48 -8M0160656 . . . . . 668, 679
48 -8M0160657 . . . . . 668, 679
48 -8M0160659 . . . . . 666, 679
48 -8M0160660 . . . . . 666, 679
48 -8M0160661 . . . . . 666, 679
48 -8M0160662 . . . . . 666, 679
48 -8M0160737 . . . . . 668, 679
48 -8M0160738 . . . . . 668, 679
48 -8M0160739 . . . . . 668, 679
48 -8M0160740 . . . . . 668, 679
48 -8M0160741 . . . . . 668, 679
48 -8M0160742 . . . . . 668, 679
48 -8M0160751 . . . . . 666, 679

48 -8M0160752 . . . . . 666, 679
48 -8M0160803 . . . . . 668, 679
48 -8M0160804 . . . . . 668, 679
48 -8M0160805 . . . . . 668, 679
48 -8M0160806 . . . . . 668, 679
48 -8M0160807 . . . . . 668, 679
48 -8M0160808 . . . . . 668, 679
48 -8M0160826 . . . . . 667, 679
48 -8M0160827 . . . . . 667, 679
48 -8M0160828 . . . . . 668, 679
48 -8M0160829 . . . . . 668, 679
48 -8M0160830 . . . . . 668, 679
48 -8M0160831 . . . . . 668, 679
48 -8M0160832 . . . . . 668, 679
48 -8M0160833 . . . . . 668, 679
48 -8M0160834 . . . . . 668, 679
48 -8M0160835 . . . . . 668, 679
48 -8M0160836 . . . . . 668, 679
48 -8M0160837 . . . . . 668, 679
48 -8M0160850 . . . . . 666, 679
48 -8M0160851 . . . . . 666, 679
48 -8M0160852 . . . . . 668, 679
48 -8M0160853 . . . . . 668, 679
48 -8M0160854 . . . . . 668, 679
48 -8M0160855 . . . . . 668, 679
48 -8M0160856 . . . . . 666, 679
48 -8M0160857 . . . . . 666, 679
48 -8M0160858 . . . . . 666, 679
48 -8M0160859 . . . . . 666, 679
48 -8M0160860 . . . . . 666, 679
48 -8M0160861 . . . . . 666, 679
22 -8M0161199 428
22 -8M0161234 68
62 -8M0161869 823
8M0161902 439
8M0161904 439
8M0161907 439
8M0161908 439
8M0161909 439
8M0162139 . . . . . 83, 85, 237
56 -8M0162160 308
8M0162224 523
8M0162225 523
11 -8M0162394 502
8M0162395 502
35 -8M0162829 . . . . . 90, 231, 232, 286, 328, 330, 336
35 -8M0162830 . . . . . 233, 287, 328
35 -8M0162831 . . . . . 90, 230, 231, 286, 323, 325, 326
35 -8M0162832 287
62 -8M0162896 823
62 -8M0162897 823
62 -8M0162898 823
62 -8M0162899 823
62 -8M0162900 . . . . . 821, 824
62 -8M0162901 . . . . . 821, 824
62 -8M0162902 . . . . . 821, 824
62 -8M0162903 . . . . . 821, 824
62 -8M0162904 . . . . . 821, 824
62 -8M0162905 . . . . . 821, 824
62 -8M0162906 . . . . . 822, 824
62 -8M0162907 . . . . . 822, 824
62 -8M0162908 . . . . . 822, 824
62 -8M0162909 . . . . . 822, 824
48 -8M0163002 678
48 -8M0163003 678
8M0163132 244
22 -8M0163134 . . . . . 62, 168, 565
84 -8M0163378 508
84 -8M0163379 507
84 -8M0163380 508
84 -8M0163381 437
84 -8M0163382 437
84 -8M0163383 437
84 -8M0163384 437
84 -8M0163385 437
84 -8M0163386 437
48 -8M0163488 . . . . . 667, 679
48 -8M0163489 . . . . . 667, 679
48 -8M0163490 . . . . . 667, 679
48 -8M0163491 . . . . . 667, 679
48 -8M0163492 . . . . . 667, 679
48 -8M0163493 . . . . . 667, 679
48 -8M0163513 . . . . . 667, 679
48 -8M0163514 . . . . . 667, 679
48 -8M0163515 . . . . . 667, 679
48 -8M0163516 . . . . . 667, 679
48 -8M0163517 . . . . . 667, 679
48 -8M0163518 . . . . . 667, 679
48 -8M0163521 . . . . . 667, 679
48 -8M0163522 . . . . . 667, 679
48 -8M0163523 . . . . . 667, 679
48 -8M0163524 . . . . . 667, 679
48 -8M0163525 . . . . . 667, 679
48 -8M0163526 . . . . . 667, 679
48 -8M0163751 678
48 -8M0163752 678
8M0163800 199
8M0163917 . . . . . 394, 429
48 -8M0164146 . . . . . 665, 678
48 -8M0164147 . . . . . 665, 678
98 -8M0164826 431
8M0164890 497
62 -8M0165061 . . . . . 823, 824
62 -8M0165076 . . . . . 822, 824
48 -8M0165313 678
48 -8M0165314 678
48 -8M0165498 . . . . . 665, 678
48 -8M0165499 . . . . . 665, 678
98 -8M0165540 434
98 -8M0165541 434
98 -8M0165544 433
84 -8M0165555 . . . . . 454, 499
98 -8M0165557 . . . . . 454, 500
84 -8M0165559 508

98 -8M0165589 368
98 -8M0165598 368
92 -8M0165791 282
92 -8M0165792 285
8M0165957 497
48 -8M0166025 . . . . . 665, 678
48 -8M0166026 . . . . . 665, 678
8M0166540 81
8M0166583 . . . . . 394, 429
8M0166584 . . . . . 394, 430
8M0166596 . . . . . 75, 237
84 -8M0166624 . . . . . 456, 480
48 -8M0166979 643
48 -8M0166980 643
48 -8M0166981 643
48 -8M0166982 643
48 -8M0166983 643
48 -8M0166984 643
48 -8M0166985 643
48 -8M0166986 643
48 -8M0166987 643
48 -8M0166988 643
48 -8M0166989 643
48 -8M0166990 643
48 -8M0166991 643
48 -8M0166992 643
48 -8M0166993 643
48 -8M0166994 643
48 -8M0166995 643
48 -8M0166996 643
48 -8M0167001 . . . . . 592, 644
48 -8M0167002 . . . . . 592, 644
48 -8M0167003 . . . . . 592, 644
48 -8M0167004 . . . . . 592, 644
48 -8M0167005 . . . . . 592, 644
48 -8M0167006 . . . . . 592, 644
48 -8M0167007 . . . . . 592, 644
48 -8M0167008 . . . . . 592, 644
48 -8M0167009 . . . . . 592, 644
48 -8M0167010 . . . . . 592, 644
32 -8M0167281 . . . . . 342, 527
32 -8M0167282 527
32 -8M0167284 527
32 -8M0167285 527
32 -8M0167287 527
32 -8M0167288 527
32 -8M0167289 527
32 -8M0167290 527
32 -8M0167291 528
32 -8M0167292 528
32 -8M0167293 528
32 -8M0167294 528
32 -8M0167295 528
32 -8M0167296 528
32 -8M0167297 528
32 -8M0167298 . . . . . 342, 528
32 -8M0167299 528
48 -8M0167641 . . . . . 647, 671
48 -8M0167642 . . . . . 647, 671
48 -8M0167643 . . . . . 647, 671
48 -8M0167659 . . . . . 647, 671
48 -8M0167660 . . . . . 647, 671
48 -8M0167661 . . . . . 647, 671
48 -8M0167662 . . . . . 647, 671
48 -8M0167664 . . . . . 647, 671
48 -8M0167665 . . . . . 647, 671
48 -8M0167666 . . . . . 647, 671
48 -8M0167667 . . . . . 647, 671
48 -8M0167697 . . . . . 647, 671
48 -8M0167698 . . . . . 647, 671
48 -8M0167699 . . . . . 647, 671
48 -8M0167700 . . . . . 647, 671
48 -8M0167702 . . . . . 647, 671
48 -8M0167703 . . . . . 647, 671
48 -8M0167704 . . . . . 647, 671
48 -8M0167705 . . . . . 647, 671
48 -8M0167787 . . . . . 665, 678
48 -8M0167788 . . . . . 665, 678
48 -8M0167837 679
48 -8M0167838 679
45 -8M0168203 48
45 -8M0168204 48
45 -8M0168206 48
45 -8M0168208 48
45 -8M0168209 48
45 -8M0168210 48
35 -8M0168366 . . . . . 92, 237
48 -8M0168392 . . . . . 665, 678
48 -8M0168393 . . . . . 665, 678
62 -8M0168453 . . . . . 822, 824
62 -8M0168454 . . . . . 822, 824
62 -8M0168455 823
8M0168463 425
35 -8M0168897 74
91 -8M0168921 560
84 -8M0169292 437
84 -8M0169293 437
84 -8M0169294 437
48 -8M0169470 677
48 -8M0169471 677
48 -8M0169474 . . . . . 664, 678
48 -8M0169475 . . . . . 664, 678
84 -8M0169503 507
84 -8M0169506 507
98 -8M0169899 . . . . . 435, 468
98 -8M0169904 . . . . . 435, 565
98 -8M0169905 . . . . . 435, 565
98 -8M0169906 . . . . . 435, 565
98 -8M0169907 . . . . . 435, 565
62 -8M0170209 823
67 -8M0170456 221
35 -8M0170811 252
67 -8M0171186 67
84 -8M0171478 30

82 -8M0171627 . . . . . 453, 499
8M0171817 25
10 -8M0171826 . . . . . 55, 57
10 -8M0171827 . . . . . 55, 57
10 -8M0171828 . . . . . 55, 57
10 -8M0171829 . . . . . 55, 57
10 -8M0171830 . . . . . 55, 57
10 -8M0171831 . . . . . 55, 57
10 -8M0171832 . . . . . 55, 57
10 -8M0171833 . . . . . 55, 57
10 -8M0171834 . . . . . 55, 57
10 -8M0171835 . . . . . 55, 57
10 -8M0171836 . . . . . 55, 57
10 -8M0171837 . . . . . 56, 57
97 -8M0172259 98
8M0172447 242
8M0172448 243
8M0173049 . . . . . 779, 786
8M0173051 . . . . . 779, 785
98 -8M0173128 364
98 -8M0173129 364
48 -8M0173179 679
48 -8M0173180 679
77 -8M0173267 432
48 -8M0173545 677
48 -8M0173546 677
48 -8M0173547 677
48 -8M0173548 677
84 -8M0173571 436
84 -8M0173572 436
84 -8M0173573 436
84 -8M0173574 436
84 -8M0173575 436
84 -8M0173576 436
84 -8M0173580 437
84 -8M0173581 437
84 -8M0173582 437
48 -8M0173605 677
48 -8M0173606 677
98 -8M0173694 365
98 -8M0173703 365
98 -8M0173704 364
98 -8M0173751 435
98 -8M0173753 436
98 -8M0173754 436
98 -8M0173755 436
98 -8M0173878 435
98 -8M0173879 436
98 -8M0173880 436
98 -8M0173881 436
48 -8M0173918 . . . . . 652, 673
48 -8M0173919 . . . . . 652, 673
48 -8M0173920 . . . . . 652, 673
48 -8M0173921 . . . . . 652, 673
48 -8M0173922 . . . . . 652, 673
48 -8M0173923 . . . . . 652, 673
48 -8M0173924 . . . . . 652, 673
48 -8M0173925 . . . . . 652, 673
48 -8M0173940 . . . . . 652, 674
48 -8M0173941 . . . . . 652, 674
48 -8M0173942 . . . . . 652, 674
48 -8M0173943 . . . . . 652, 674
48 -8M0173944 . . . . . 652, 674
48 -8M0173945 . . . . . 652, 674
48 -8M0173946 . . . . . 652, 674
48 -8M0173947 . . . . . 652, 674
48 -8M0173948 . . . . . 653, 674
48 -8M0173949 . . . . . 653, 674
48 -8M0173950 . . . . . 653, 674
48 -8M0173951 . . . . . 653, 674
48 -8M0173952 . . . . . 653, 674
48 -8M0173953 . . . . . 653, 674
48 -8M0173954 . . . . . 653, 674
48 -8M0173955 . . . . . 653, 674
48 -8M0174086 677
48 -8M0174087 677
88 -8M0174088 31
23 -8M0174363 . . . . . 454, 500
8M0174561 . . . . . 83, 85, 235, 236
48 -8M0175041 677
48 -8M0175042 677
84 -8M0175114 32
8M0175293 . . . . . 454, 500
48 -8M0175691 677
48 -8M0175692 677
48 -8M0175698 677
48 -8M0175699 677
48 -8M0175764 678
48 -8M0175765 678
48 -8M0175873 677
48 -8M0175874 677
48 -8M0176005 679
48 -8M0176006 679
8M0176287 . . . . . 324, 328, 331, 334, 402
8M0176288 . . . . . 328, 331, 334, 402
8M0176289 . . . . . 326, 404
8M0176290 402
8M0176291 402
8M0176294 . . . . . 326, 402
8M0176295 . . . . . 326, 402
8M0176297 402
35 -8M0176312 92
35 -8M0176313 77
8M0176362 465
8M0176522 250
8M0176525 249
33 -8M0176612 . . . . . 8, 11
33 -8M0176613 . . . . . 121, 245–247
33 -8M0176614 121
33 -8M0176615 6
33 -8M0176616 . . . . . 11, 237
33 -8M0176618 8
33 -8M0176619 9
33 -8M0176622 . . . . . 120, 246, 248

33 -8M0176625 8
33 -8M0176626 6
33 -8M0176627 6
33 -8M0176629 . . . . . 8, 11, 230, 231
33 -8M0176631 9
33 -8M0176633 121
33 -8M0176634 121
33 -8M0176642 8
33 -8M0176649 . . . . . 120, 249
33 -8M0176651 121
33 -8M0176653 . . . . . 10, 235, 236
33 -8M0176654 10
33 -8M0176655 11
33 -8M0176657 . . . . . 9, 234
33 -8M0176659 8
33 -8M0176661 8
33 -8M0176665 5
33 -8M0176668 6
33 -8M0176669 5
33 -8M0176670 8
33 -8M0176673 . . . . . 11, 121, 246–248
33 -8M0176674 121
33 -8M0176677 . . . . . 10, 18
33 -8M0176678 . . . . . 10, 17, 18, 233, 234
33 -8M0176681 9
33 -8M0176682 5
33 -8M0176683 10
33 -8M0176684 5
33 -8M0176690 6
33 -8M0176691 11
33 -8M0176692 . . . . . 9, 232–234
8M0176702 21
84 -8M0176937 31
84 -8M0176939 31
84 -8M0176940 31
84 -8M0176941 31
84 -8M0176942 31
10 -8M0176953 . . . . . 56, 57
10 -8M0176954 56
98 -8M0177357 72
97 -8M0177453 . . . . . 101, 108
8M0177471 238
25 -8M0177478 238
27 -8M0177479 238
97 -8M0177560 . . . . . 103, 108
35 -8M0177646 . . . . . 92, 238
8M0177662 . . . . . 83, 85, 238
98 -8M0177855 . . . . . 48, 53
98 -8M0177856 . . . . . 48, 53
98 -8M0177989 . . . . . 49, 53
8M0178012 423
48 -8M0178073 677
48 -8M0178074 677
57 -8M0178243 . . . . . 237, 238
8M0178521 403
8M0178524 403
8M0178526 404
8M0178527 405
8M0178528 404
8M0178529 405
8M0178530 405
8M0178532 404
8M0178533 403
8M0178534 403
8M0178535 404
8M0178536 403
8M0178537 403
8M0178538 405
8M0178539 402
97 -8M0179229 . . . . . 101, 108
97 -8M0179705 108
97 -8M0179780 . . . . . 103, 108
97 -8M0179781 . . . . . 103, 108
48 -8M0179843 678
48 -8M0179844 678
8M0179906 168
97 -8M0179981 . . . . . 97, 238
97 -8M0179982 97
8M0179987 243
8M0179988 243
8M0180081 . . . . . 95, 181, 326, 327, 330
8M0180141 431
33 -8M0180173 . . . . . 11, 13, 238
91 -8M0180314 564
8M0180481 95
48 -8M0180533 627
91 -8M0180599 562
91 -8M0180731 562
91 -8M0180741 562
91 -8M0180742 562
92 -8M0180930 281
92 -8M0180931 281
92 -8M0180933 283
92 -8M0180934 283
92 -8M0180935 284
92 -8M0180936 283
92 -8M0180937 283
92 -8M0180938 283
91 -8M0180953 312
48 -8M0181196 677
48 -8M0181197 677
48 -8M0181200 . . . . . 665, 678
48 -8M0181201 . . . . . 665, 678
97 -8M0181304 95
92 -8M0181583 310
92 -8M0181584 275
92 -8M0181585 310
91 -8M0181805 94
33 -8M0181925 . . . . . 16, 19
33 -8M0181926 20
8M0182201 80
8M0182202 . . . . . 56, 237
48 -8M0182365 677
48 -8M0182366 677

91 -8M0182653 564
48 -8M0182941 638
48 -8M0182942 638
48 -8M0182943 638
48 -8M0182944 638
48 -8M0182945 638
48 -8M0182946 638
48 -8M0182947 638
48 -8M0182948 638
48 -8M0182949 638
48 -8M0182950 638
48 -8M0182951 638
48 -8M0182952 638
48 -8M0182953 638
48 -8M0182954 638
48 -8M0182955 638
48 -8M0182956 638
48 -8M0182957 638
48 -8M0182958 638
48 -8M0182959 638
48 -8M0182960 638
48 -8M0182961 638
48 -8M0182962 638
8M0182969 638
8M0182970 638
35 -8M0183282 . . . . . 251, 294
48 -8M0183477 . . . . . 664, 678
48 -8M0183478 . . . . . 664, 678
8M0183487 782
26 -8M0183616 . . . . . 93, 272, 304
8M0183698 . . . . . 317, 334, 337, 535
8M0183699 536
8M0183700 535
8M0183754 536
8M0184092 551
8M0184531 . . . . . 339, 524, 540
8M0184532 . . . . . 339, 524, 540
8M0184533 . . . . . 320, 339, 536
8M0184534 . . . . . 320, 339, 536
8M0184535 525
8M0184536 . . . . . 525, 540
8M0184537 533
92 -8M0184794 296
48 -8M0185635 631
48 -8M0185636 631
48 -8M0185637 631
48 -8M0185638 631
48 -8M0185639 631
48 -8M0185640 631
48 -8M0185642 735
48 -8M0185643 735
48 -8M0185644 735
48 -8M0185645 735
48 -8M0185647 735
10 -8M0185652 . . . . . 54, 237
10 -8M0185653 . . . . . 54, 237
10 -8M0185654 . . . . . 54, 237
10 -8M0185655 . . . . . 54, 57, 237
92 -8M0185748 308
92 -8M0185749 308
79 -8M0185891 . . . . . 329, 332, 335, 374
79 -8M0185892 . . . . . 329, 335, 374
79 -8M0185893 . . . . . 329, 332, 335, 374
79 -8M0185894 . . . . . 329, 332, 335, 374
79 -8M0185895 . . . . . 329, 332, 335
79 -8M0185906 . . . . . 329, 332, 335
8M0185982 . . . . . 48, 53
48 -8M0186214 . . . . . 664, 678
48 -8M0186215 . . . . . 664, 678
48 -8M0186216 . . . . . 664, 678
48 -8M0186217 . . . . . 664, 678
48 -8M0186218 . . . . . 664, 678
48 -8M0186219 . . . . . 664, 678
48 -8M0186220 . . . . . 664, 678
48 -8M0186221 . . . . . 664, 678
48 -8M0186222 678
48 -8M0186223 678
48 -8M0186234 678
48 -8M0186235 678
48 -8M0186236 678
48 -8M0186237 678
48 -8M0186238 . . . . . 664, 678
48 -8M0186239 . . . . . 664, 678
48 -8M0186240 . . . . . 664, 678
48 -8M0186241 . . . . . 664, 678
48 -8M0186242 . . . . . 664, 678
48 -8M0186243 . . . . . 664, 678
48 -8M0186280 . . . . . 664, 678
48 -8M0186281 . . . . . 664, 678
48 -8M0186282 678
48 -8M0186283 678
48 -8M0186284 678
48 -8M0186285 678
48 -8M0186286 678
48 -8M0186287 678
48 -8M0186288 678
48 -8M0186289 678
48 -8M0186290 . . . . . 664, 678
48 -8M0186291 . . . . . 664, 678
48 -8M0186362 . . . . . 664, 678
48 -8M0186363 . . . . . 664, 678
48 -8M0186364 678
48 -8M0186365 678
48 -8M0186366 678
48 -8M0186367 678
48 -8M0186368 . . . . . 664, 678
48 -8M0186369 . . . . . 664, 678
48 -8M0186370 . . . . . 664, 678
48 -8M0186371 . . . . . 664, 678
48 -8M0186372 . . . . . 664, 678
48 -8M0186373 . . . . . 664, 678
48 -8M0186414 678
48 -8M0186415 678
48 -8M0186416 678

48 -8M0186417 678
48 -8M0186418 678
48 -8M0186419 678
48 -8M0186420 . . . . . 664, 678
48 -8M0186421 . . . . . 664, 678
48 -8M0186422 . . . . . 664, 678
48 -8M0186423 . . . . . 664, 678
8M0186873 231
48 -8M0187106 678
48 -8M0187107 678
48 -8M0187108 678
48 -8M0187109 678
48 -8M0187110 . . . . . 664, 678
48 -8M0187111 . . . . . 664, 678
48 -8M0187112 678
48 -8M0187113 678
48 -8M0187114 678
48 -8M0187115 678
8M0187127 531
48 -8M0187134 . . . . . 664, 678
48 -8M0187135 . . . . . 664, 678
48 -8M0187136 664
48 -8M0187137 664
48 -8M0187140 . . . . . 665, 678
48 -8M0187141 . . . . . 665, 678
48 -8M0187142 678
48 -8M0187143 678
48 -8M0187160 . . . . . 665, 678
48 -8M0187161 . . . . . 665, 678
48 -8M0187162 678
48 -8M0187163 678
48 -8M0187164 678
48 -8M0187165 678
48 -8M0187166 . . . . . 665, 678
48 -8M0187167 . . . . . 665, 678
48 -8M0187168 678
48 -8M0187169 678
48 -8M0187186 678
48 -8M0187187 678
48 -8M0187188 . . . . . 665, 678
48 -8M0187189 . . . . . 665, 678
48 -8M0187190 678
48 -8M0187191 678
48 -8M0187192 679
48 -8M0187193 679
48 -8M0187194 679
48 -8M0187195 679
48 -8M0187196 . . . . . 665, 678
48 -8M0187197 . . . . . 665, 678
48 -8M0187338 . . . . . 665, 678
48 -8M0187339 . . . . . 665, 678
48 -8M0187340 679
48 -8M0187341 679
48 -8M0187342 679
48 -8M0187343 679
48 -8M0187344 . . . . . 665, 678
48 -8M0187345 . . . . . 665, 678
48 -8M0187346 . . . . . 665, 678
48 -8M0187347 . . . . . 665, 678
48 -8M0187410 . . . . . 665, 678
48 -8M0187411 . . . . . 665, 678
48 -8M0187412 . . . . . 665, 678
48 -8M0187413 . . . . . 665, 678
48 -8M0187414 . . . . . 665, 678
48 -8M0187415 . . . . . 665, 678
48 -8M0187416 . . . . . 665, 678
48 -8M0187417 . . . . . 665, 678
48 -8M0187418 . . . . . 665, 678
48 -8M0187419 . . . . . 665, 678
48 -8M0187420 . . . . . 665, 678
48 -8M0187421 . . . . . 665, 678
84 -8M0187441 437
48 -8M0187508 . . . . . 665, 678
48 -8M0187509 . . . . . 665, 678
48 -8M0187510 . . . . . 665, 678
48 -8M0187511 . . . . . 665, 678
48 -8M0187512 . . . . . 665, 678
48 -8M0187513 678
48 -8M0187768 676
48 -8M0187769 676
48 -8M0187770 676
48 -8M0187771 676
48 -8M0187772 676
48 -8M0187773 676
48 -8M0187774 677
48 -8M0187775 677
48 -8M0187834 677
48 -8M0187835 677
48 -8M0187836 677
48 -8M0187837 677
48 -8M0187838 677
48 -8M0187839 677
48 -8M0187840 676
48 -8M0187841 676
48 -8M0187842 676
48 -8M0187843 676
48 -8M0188070 676
48 -8M0188071 676
48 -8M0188072 676
48 -8M0188073 676
48 -8M0188074 677
48 -8M0188075 677
48 -8M0188076 677
48 -8M0188077 677
48 -8M0188078 677
48 -8M0188079 677
48 -8M0188192 677
48 -8M0188193 677
48 -8M0188194 677
48 -8M0188195 677
48 -8M0188196 677
48 -8M0188197 677
42 -8M0188206 53
8M0188305 199

8M0188308 199
8M0188309 199
8M0188311 199
8M0188312 199
8M0188313 199
8M0188314 199
8M0188617 231
48 -8M0189082 677
48 -8M0189083 677
48 -8M0189084 677
48 -8M0189085 677
48 -8M0189086 677
48 -8M0189087 677
48 -8M0189088 677
48 -8M0189089 677
48 -8M0189090 677
48 -8M0189091 677
48 -8M0189092 677
48 -8M0189093 677
48 -8M0189094 677
48 -8M0189095 677
48 -8M0189120 677
48 -8M0189121 677
48 -8M0189122 677
48 -8M0189123 677
48 -8M0189124 677
48 -8M0189125 677
48 -8M0189126 677
48 -8M0189127 677
48 -8M0189128 677
48 -8M0189129 677
48 -8M0189130 677
48 -8M0189131 677
48 -8M0189132 677
48 -8M0189133 677
48 -8M0189134 677
48 -8M0189135 677
48 -8M0189136 677
48 -8M0189139 677
48 -8M0189142 677
48 -8M0189143 677
48 -8M0189368 677
48 -8M0189369 677
48 -8M0189370 677
48 -8M0189371 677
48 -8M0189372 677
48 -8M0189373 677
48 -8M0189374 677
48 -8M0189375 677
48 -8M0189376 677
48 -8M0189377 677
48 -8M0189378 677
48 -8M0189379 677
48 -8M0189380 677
48 -8M0189381 677
48 -8M0189382 677
48 -8M0189383 677
48 -8M0189384 677
48 -8M0189385 677
48 -8M0189386 677
48 -8M0189387 677
48 -8M0189388 677
48 -8M0189389 677
48 -8M0189390 677
48 -8M0189391 677
48 -8M0189392 677
48 -8M0189393 677
48 -8M0189394 677
48 -8M0189395 677
48 -8M0189396 677
48 -8M0189397 677
48 -8M0189398 677
48 -8M0189399 677
48 -8M0189400 677
48 -8M0189401 677
48 -8M0189402 677
48 -8M0189403 677
48 -8M0189404 677
48 -8M0189405 677
48 -8M0189406 677
48 -8M0189407 677
48 -8M0189432 677
48 -8M0189433 677
48 -8M0189434 677
48 -8M0189435 677
48 -8M0189436 677
48 -8M0189437 677
48 -8M0189438 677
48 -8M0189439 677
48 -8M0189440 677
48 -8M0189441 677
48 -8M0189442 677
48 -8M0189443 677
48 -8M0189444 677
48 -8M0189445 677
48 -8M0189446 677
48 -8M0189447 677
48 -8M0189448 677
48 -8M0189449 677
48 -8M0189450 677
48 -8M0189451 677
48 -8M0189452 677
48 -8M0189453 677
48 -8M0189454 677
48 -8M0189455 677
48 -8M0189456 677
48 -8M0189457 677
48 -8M0189458 677
48 -8M0189459 677
48 -8M0189460 677
48 -8M0189461 677
48 -8M0189462 677
48 -8M0189463 677
48 -8M0189464 677

48 -8M0189465 . . . 677
48 -8M0189466 . . . 677
48 -8M0189467 . . . 677
48 -8M0189468 . . . 677
48 -8M0189469 . . . 677
48 -8M0189470 . . . 677
48 -8M0189471 . . . 677
48 -8M0189472 . . . 677
48 -8M0189473 . . . 677
48 -8M0189474 . . . 677
48 -8M0189475 . . . 677
48 -8M0189476 . . . 677
48 -8M0189477 . . . 677
48 -8M0189478 . . . 677
48 -8M0189479 . . . 677
48 -8M0189480 . . . 677
48 -8M0189481 . . . 677
48 -8M0189482 . . . 677
48 -8M0189483 . . . 677
48 -8M0189484 . . . 677
48 -8M0189485 . . . 677
48 -8M0189486 . . . 677
48 -8M0189487 . . . 677
48 -8M0189488 . . . 677
48 -8M0189489 . . . 677
48 -8M0189490 . . . 677
48 -8M0189491 . . . 677
48 -8M0189492 . . . 677
48 -8M0189493 . . . 677
48 -8M0189494 . . . 677
48 -8M0189495 . . . 677
48 -8M0189496 . . . 677
48 -8M0189497 . . . 677
48 -8M0189498 . . . 677
48 -8M0189499 . . . 677
48 -8M0189500 . . . 677
48 -8M0189501 . . . 677
48 -8M0189502 . . . 677
48 -8M0189503 . . . 677
48 -8M0189504 . . . 677
48 -8M0189505 . . . 677
48 -8M0189506 . . . 677
48 -8M0189507 . . . 677
48 -8M0189508 . . . 677
48 -8M0189509 . . . 677
48 -8M0189510 . . . 677
48 -8M0189511 . . . 677
48 -8M0189512 . . . 677
48 -8M0189513 . . . 677
48 -8M0189616 . . . 678
48 -8M0189617 . . . 678
48 -8M0189618 . . . 678
48 -8M0189619 . . . 678
8M0189638 . . . 471
8M0189676 . . . 393, 429
98 -8M0190127 . . . 393
8M0190879 . . . 471
8M0190880 . . . 471
8M0191051 . . . 38
8M0191052 . . . 38
8M0191055 . . . 33, 36
34 -8M0192191 . . . 201
8M0192216 . . . 806, 807
8M0192217 . . . 557
84 -8M0192268 . . . 212
84 -8M0192269 . . . 212
8M0192279 . . . 790
8M0193968 . . . 155, 160
22 -8M0194236 . . . 529
48 -8M0199620 . . . 741
48 -8M0199621 . . . 741
48 -8M0199622 . . . 741
8M0199643 . . . 231
8M0199976 . . . 79
97 -8M0200103 . . . 101
47 -8M0200136 . . . 237
8M0200168 . . . 48, 53, 237
8M0200174 . . . 48, 53, 237
8M0202721 . . . 170
94 -8M0203820 . . . 115
94 -8M0203821 . . . 115
94 -8M0203822 . . . 115
94 -8M0203823 . . . 115
94 -8M0203824 . . . 115
94 -8M0203825 . . . 115
8M0203918 . . . 231
8M0204291 . . . 472
8M0204579 . . . 542
12 -8M0204648 . . . 56
22 -8M0204652 . . . 69, 79
11 -8M0204653 . . . 793
12 -8M0204665 . . . 56
47 -8M0204676 . . . 229
26 -8M0204693 . . . 237, 238
11 -8M0204697 . . . 368
11 -8M0204699 . . . 368
86 -8M0204701 . . . 484
22 -8M0204702 . . . 530
12 -8M0204704 . . . 56
32 -8M0204713 . . . 45, 409
8M0204724 . . . 779, 780, 797
33 -8M0204728 . . . 13
85 -8M0204731 . . . 31, 516
22 -8M0204732 . . . 68
11 -8M0204734 . . . 57
33 -8M0204737 . . . 13
33 -8M0204739 . . . 122–124
8M0204742 . . . 464
33 -8M0204752 . . . 120, 122–126
37 -8M0204800 . . . 115
37 -8M0204801 . . . 115
37 -8M0204802 . . . 115
8M0204910 . . . 375
8M0204911 . . . 380

8M0204914 . . . . . 378, 501
97 -8M0204939 . . . . . 103, 108, 237
47 -8M0205803 237
35 -8M0205848 . . . . . 92, 237
35 -8M0205859 92
8M0205953 97
8M0205954 97
8M0205955 97
8M0205956 97
8M0206585 377
92 -8M0206950 265
92 -8M0206952 265
92 -8M0206953 . . . . . 265, 266, 281
92 -8M0206954 . . . . . 265, 266, 281
92 -8M0206955 . . . . . 265, 266, 281
92 -8M0206956 . . . . . 265, 267, 281
92 -8M0206992 270
92 -8M0206994 275
92 -8M0206995 . . . . . 265, 281
92 -8M0206996 . . . . . 265, 266, 281
92 -8M0206997 266
92 -8M0206998 266
92 -8M0207010 269
92 -8M0207011 . . . . . 270, 300
92 -8M0207031 270
92 -8M0207032 270
92 -8M0207033 270
92 -8M0207034 270
92 -8M0207035 273
92 -8M0207038 275
92 -8M0207039 273
92 -8M0207040 273
35 -8M0207396 62
84 -8M0207790 483
84 -8M0207791 457
8M0207807 . . . . . 237, 243
8M0207808 243
97 -8M0207809 237
92 -8M0207813 261
8M0208402 . . . . . 352, 553
8M0208403 553
84 -8M0208440 471
8M0208458 433
92 -8M0208462 306
92 -8M0208463 . . . . . 305, 808
92 -8M0208464 . . . . . 305, 807
92 -8M0208465 . . . . . 305, 807
92 -8M0208805 306
92 -8M0208806 306
8M0208905 231
8M0210331 563
8M0210332 563
8M0210333 563
8M0210334 563
8M0210335 563
23 -8M0210336 563
23 -8M0210338 563
84 -8M0210355 473
84 -8M0210356 473
84 -8M0210357 473
84 -8M0210358 473
84 -8M0210359 473
84 -8M0210360 473
8M0210361 473
84 -8M0210362 472
84 -8M0210363 472
84 -8M0210364 472
84 -8M0210365 472
84 -8M0210366 472
84 -8M0210367 472
84 -8M0210393 472
84 -8M0210394 472
84 -8M0210395 472
84 -8M0210396 472
84 -8M0210397 472
84 -8M0210398 472
8M0210400 473
8M0210401 473
84 -8M0210402 474
84 -8M0210403 474
8M0210412 473
8M0210413 473
8M0210415 474
8M0210752 . . . . . 453, 499
8M0210753 . . . . . 453, 499
8M0210754 . . . . . 453, 499
84 -8M0210757 . . . . . 456, 480
84 -8M0210758 . . . . . 456, 480
84 -8M0210759 . . . . . 455, 476
84 -8M0210761 . . . . . 30, 341, 400
48 -8M0211323 679
48 -8M0211324 679
48 -8M0211325 679
48 -8M0211326 679
48 -8M0211327 679
48 -8M0211328 679
48 -8M0211329 679
48 -8M0211330 680
48 -8M0211331 680
48 -8M0211332 680
48 -8M0211333 680
48 -8M0211334 680
48 -8M0211335 680
48 -8M0211336 680
48 -8M0211337 680
48 -8M0211338 680
48 -8M0211339 680
48 -8M0211340 680
48 -8M0211341 680
48 -8M0211342 680
48 -8M0211343 680
48 -8M0211344 680
48 -8M0211345 680
48 -8M0211346 680

48 -8M0211347 . . . 680
48 -8M0211348 . . . 680
48 -8M0211349 . . . 680
48 -8M0211350 . . . 680
48 -8M0211351 . . . 680
48 -8M0211352 . . . 680
48 -8M0211353 . . . 680
48 -8M0211354 . . . 680
48 -8M0211355 . . . 680
48 -8M0211356 . . . 680
48 -8M0211357 . . . 680
48 -8M0211358 . . . 680
48 -8M0211359 . . . 680
48 -8M0211360 . . . 680
48 -8M0211361 . . . 680
48 -8M0211362 . . . 680
48 -8M0211363 . . . 680
48 -8M0211364 . . . 680
48 -8M0211365 . . . 680
48 -8M0211366 . . . 680
48 -8M0211367 . . . 680
48 -8M0211368 . . . 680
48 -8M0211369 . . . 680
48 -8M0211370 . . . 680
48 -8M0211371 . . . 680
48 -8M0211372 . . . 680
48 -8M0211373 . . . 680
48 -8M0211374 . . . 680
48 -8M0211375 . . . 680
48 -8M0211376 . . . 680
48 -8M0211377 . . . 680
48 -8M0211378 . . . 680
48 -8M0211379 . . . 680
48 -8M0211380 . . . 680
48 -8M0211381 . . . 680
48 -8M0211382 . . . 680
48 -8M0211383 . . . 680
48 -8M0211384 . . . 680
48 -8M0211385 . . . 680
48 -8M0211386 . . . 680
48 -8M0211387 . . . 680
48 -8M0211388 . . . 680
48 -8M0211389 . . . 680
48 -8M0211390 . . . 680
48 -8M0211391 . . . 680
48 -8M0211392 . . . 680
48 -8M0211393 . . . 680
48 -8M0211394 . . . 680
48 -8M0211395 . . . 680
48 -8M0211396 . . . 680
48 -8M0211397 . . . 680
48 -8M0211398 . . . 680
48 -8M0211399 . . . 680
48 -8M0211400 . . . 680
48 -8M0211401 . . . 680
48 -8M0211402 . . . 680
48 -8M0211403 . . . 680
48 -8M0211404 . . . 680
48 -8M0211405 . . . 680
48 -8M0211406 . . . 680
48 -8M0211407 . . . 680
48 -8M0211408 . . . 680
48 -8M0211409 . . . 680
48 -8M0211410 . . . 680
48 -8M0211411 . . . 680
48 -8M0211412 . . . 680
48 -8M0211413 . . . 680
48 -8M0211414 . . . 680
48 -8M0211415 . . . 680
48 -8M0211416 . . . 680
48 -8M0211417 . . . 680
48 -8M0211418 . . . 680
48 -8M0211419 . . . 680
48 -8M0211420 . . . 680
48 -8M0211421 . . . 680
48 -8M0211422 . . . 680
48 -8M0211423 . . . 680
48 -8M0211424 . . . 680
48 -8M0211425 . . . 680
48 -8M0211426 . . . 680
48 -8M0211427 . . . 680
48 -8M0211428 . . . 680
48 -8M0211429 . . . 680
48 -8M0211430 . . . 680
48 -8M0211431 . . . 680
48 -8M0211432 . . . 680
48 -8M0211433 . . . 680
48 -8M0211434 . . . 680
48 -8M0211435 . . . 680
48 -8M0211436 . . . 680
48 -8M0211437 . . . 680
48 -8M0211438 . . . 680
48 -8M0211439 . . . 680
48 -8M0211440 . . . 680
48 -8M0211441 . . . 680
48 -8M0211442 . . . 681
48 -8M0211443 . . . 681
48 -8M0211444 . . . 681
48 -8M0211445 . . . 681
48 -8M0211446 . . . 681
48 -8M0211447 . . . 681
48 -8M0211448 . . . 681
48 -8M0211449 . . . 681
48 -8M0211450 . . . 680
48 -8M0211451 . . . 680
48 -8M0211452 . . . 680
48 -8M0211453 . . . 680
48 -8M0211454 . . . 680
48 -8M0211455 . . . 680
48 -8M0211456 . . . 680
48 -8M0211457 . . . 680
48 -8M0211458 . . . 681
48 -8M0211459 . . . 681
48 -8M0211460 . . . 681

48 -8M0211461 . . . 681
48 -8M0211462 . . . 681
48 -8M0211463 . . . 681
48 -8M0211464 . . . 681
48 -8M0211465 . . . 681
48 -8M0211466 . . . 680
48 -8M0211467 . . . 680
48 -8M0211468 . . . 680
48 -8M0211469 . . . 680
48 -8M0211470 . . . 680
48 -8M0211471 . . . 680
48 -8M0211472 . . . 680
48 -8M0211473 . . . 680
48 -8M0211474 . . . 681
48 -8M0211475 . . . 681
48 -8M0211476 . . . 681
48 -8M0211477 . . . 681
48 -8M0211478 . . . 681
48 -8M0211479 . . . 681
48 -8M0211480 . . . 681
48 -8M0211481 . . . 681
48 -8M0211482 . . . 680
48 -8M0211483 . . . 680
48 -8M0211484 . . . 680
48 -8M0211485 . . . 680
48 -8M0211486 . . . 680
48 -8M0211487 . . . 680
48 -8M0211488 . . . 680
48 -8M0211489 . . . 680
48 -8M0211490 . . . 681
48 -8M0211491 . . . 681
48 -8M0211492 . . . 681
48 -8M0211493 . . . 681
48 -8M0211494 . . . 681
48 -8M0211495 . . . 681
48 -8M0211496 . . . 681
48 -8M0211497 . . . 681
48 -8M0211498 . . . 680
48 -8M0211499 . . . 680
48 -8M0211500 . . . 680
48 -8M0211501 . . . 680
48 -8M0211502 . . . 680
48 -8M0211503 . . . 680
48 -8M0211504 . . . 680
48 -8M0211505 . . . 680
48 -8M0211506 . . . 681
48 -8M0211507 . . . 681
48 -8M0211508 . . . 681
48 -8M0211509 . . . 681
48 -8M0211510 . . . 681
48 -8M0211511 . . . 681
48 -8M0211512 . . . 681
48 -8M0211513 . . . 681
48 -8M0211514 . . . 680
48 -8M0211515 . . . 680
48 -8M0211516 . . . 680
48 -8M0211517 . . . 680
48 -8M0211518 . . . 680
48 -8M0211519 . . . 680
48 -8M0211520 . . . 680
48 -8M0211521 . . . 680
48 -8M0211522 . . . 680
48 -8M0211523 . . . 680
48 -8M0211524 . . . 680
48 -8M0211525 . . . 680
48 -8M0211526 . . . 680
48 -8M0211527 . . . 680
48 -8M0211528 . . . 680
48 -8M0211529 . . . 680
48 -8M0211530 . . . 680
48 -8M0211531 . . . 680
48 -8M0211532 . . . 680
48 -8M0211533 . . . 680
48 -8M0211534 . . . 680
48 -8M0211535 . . . 680
48 -8M0211536 . . . 680
48 -8M0211537 . . . 680
48 -8M0211558 . . . 679
8M0211714 . . . 115
8M0211715 . . . 116
8M0211716 . . . 116
92 -8M0213123 . . . 305, 807
8M0213276 . . . 342
8M0213278 . . . 342, 532
8M0213279 . . . 342
8M0213281 . . . 342
8M0213282 . . . 342
8M0213284 . . . 342, 532
8M0213285 . . . 534
8M0213287 . . . 342
8M0213292 . . . 342
8M0213293 . . . 342, 532
8M0213294 . . . 342, 532
8M0213297 . . . 342, 532
57 -8M0214514 . . . 251
48 -8M0214710 . . . 651, 673
48 -8M0214711 . . . 651, 673
48 -8M0214712 . . . 651, 673
48 -8M0214713 . . . 651, 673
48 -8M0214714 . . . 651, 673
48 -8M0214715 . . . 651, 673
48 -8M0214716 . . . 651, 673
48 -8M0214717 . . . 651, 673
48 -8M0214718 . . . 651, 673
48 -8M0214719 . . . 651, 673
48 -8M0214720 . . . 651, 673
48 -8M0214721 . . . 651, 673
48 -8M0214722 . . . 651, 673
48 -8M0214723 . . . 651, 673
48 -8M0214724 . . . 651, 673
48 -8M0214725 . . . 651, 673
48 -8M0214726 . . . 651, 673
48 -8M0214727 . . . 651, 673
48 -8M0214728 . . . 651, 673

48 -8M0214729 . . . 651, 673
48 -8M0214730 . . . 651, 673
48 -8M0214731 . . . 652, 673
48 -8M0214732 . . . 652, 673
48 -8M0214733 . . . 652, 673
48 -8M0214734 . . . 652, 673
48 -8M0214735 . . . 652, 673
48 -8M0214736 . . . 652, 673
48 -8M0214737 . . . 652, 673
48 -8M0214738 . . . 652, 673
48 -8M0214739 . . . 652, 673
48 -8M0214740 . . . 652, 673
48 -8M0214741 . . . 652, 673
48 -8M0214742 . . . 652, 673
48 -8M0214743 . . . 652, 673
48 -8M0214744 . . . 652, 673
48 -8M0214745 . . . 652, 673
48 -8M0214746 . . . 652, 673
48 -8M0214747 . . . 652, 673
48 -8M0214748 . . . 652, 673
48 -8M0214749 . . . 652, 673
48 -8M0214750 . . . 652, 673
48 -8M0214751 . . . 652, 673
48 -8M0214752 . . . 652, 673
48 -8M0214753 . . . 652, 673
48 -8M0214754 . . . 652, 673
48 -8M0214755 . . . 652, 673
48 -8M0214756 . . . 652, 674
48 -8M0214757 . . . 652, 674
48 -8M0214758 . . . 652, 674
48 -8M0214759 . . . 652, 674
48 -8M0214760 . . . 653, 674
48 -8M0214761 . . . 653, 674
48 -8M0214762 . . . 653, 674
48 -8M0214763 . . . 653, 674
48 -8M0214764 . . . 653, 674
48 -8M0214765 . . . 653, 674
47 -8M0214912 . . . 231
85 -8M0214913 . . . 516
85 -8M0214914 . . . 516
8M0214940 . . . 517
14 -8M0214942 . . . 797
47 -8M0214944 . . . 229, 230
47 -8M0214945 . . . 229, 230
8M0214969 . . . 375
8M0214972 . . . 779, 780, 794
19 -8M0214985 . . . 804
18 -8M0214988 . . . 780, 794
8M0214989 . . . 79
92 -8M0215162 . . . 296
35 -8M0215223 . . . 62
22 -8M0215250 . . . 70
22 -8M0215251 . . . 72
17 -8M0215660 . . . 794
8M0215687 . . . 471
8M0215691 . . . 471
84 -8M0215698 . . . 471
48 -8M0215700 . . . 679
48 -8M0215701 . . . 679
48 -8M0215702 . . . 680
48 -8M0215703 . . . 680
48 -8M0215704 . . . 680
48 -8M0215705 . . . 680
48 -8M0215706 . . . 680
48 -8M0215707 . . . 680
48 -8M0215708 . . . 680
48 -8M0215709 . . . 680
48 -8M0215710 . . . 680
48 -8M0215711 . . . 680
48 -8M0215712 . . . 680
48 -8M0215713 . . . 680
48 -8M0215714 . . . 680
48 -8M0215715 . . . 680
48 -8M0215716 . . . 680
48 -8M0215717 . . . 680
48 -8M0215718 . . . 680
48 -8M0215719 . . . 680
48 -8M0215720 . . . 680
48 -8M0215721 . . . 680
48 -8M0215722 . . . 680
48 -8M0215723 . . . 680
48 -8M0215724 . . . 680
48 -8M0215725 . . . 680
48 -8M0215726 . . . 680
48 -8M0215727 . . . 680
48 -8M0215728 . . . 680
48 -8M0215729 . . . 680
48 -8M0215730 . . . 681
48 -8M0215731 . . . 681
48 -8M0215732 . . . 680
48 -8M0215733 . . . 680
48 -8M0215734 . . . 681
48 -8M0215735 . . . 681
48 -8M0215736 . . . 680
48 -8M0215737 . . . 680
48 -8M0215738 . . . 681
48 -8M0215739 . . . 681
48 -8M0215740 . . . 680
48 -8M0215741 . . . 680
48 -8M0215742 . . . 681
48 -8M0215743 . . . 681
48 -8M0215744 . . . 680
48 -8M0215745 . . . 680
48 -8M0215746 . . . 681
48 -8M0215747 . . . 681
48 -8M0215748 . . . 680
48 -8M0215749 . . . 680
48 -8M0215750 . . . 680
48 -8M0215751 . . . 680
48 -8M0215754 . . . 680
48 -8M0215755 . . . 680
8M0215914 . . . 249
8M0215915 . . . 257
8M0215916 . . . 257

8M0215917 258
48 -8M0217210 741
48 -8M0217211 741
48 -8M0217212 741
8M0217240 444
8M0217241 444
8M0217242 444
8M0217517 116
67 -8M0217518 503
97 -8M0217561 . . . . . 103, 108, 236, 237
97 -8M0217563 . . . . . 102, 108
97 -8M0218220 231
57 -8M0218433 237
84 -8M0218479 472
84 -8M0218480 472
92 -8M0219012 . . . . . 300, 302
92 -8M0219013 . . . . . 300, 302
35 -8M0219171 74
92 -8M0219574 . . . . . 300, 301
92 -8M0219575 . . . . . 300, 301
92 -8M0219576 302
92 -8M0219577 . . . . . 300, 302
8M0219845 83
8M0219846 83
8M0219903 474
8M0220189 240
57 -8M0220620 . . . . . 246, 248
57 -8M0220621 246
57 -8M0220622 . . . . . 246, 248
97 -8M0220986 . . . . . 103, 107, 108
97 -8M0220987 . . . . . 103, 107, 108
25 -8M0221321 20
8M0221490 224
8M0221491 224
8M0221492 224
8M0221494 224
8M0221495 224
8M0221496 224
8M0221497 224
8M0221498 224
8M0221499 224
92 -8M0222056 300
8M0222282 38
8M0222285 240
8M0223832 . . . . . 232, 237
8M0224262 424
8M0224768 807
8M0224769 807
84 -8M0225088 472
84 -8M0225089 473
84 -8M0225090 473
84 -8M0225091 473
84 -8M0225092 473
84 -8M0225093 473
8M0225355 20
8M0225356 20
8M0225358 533
48 -8M0226298 662
48 -8M0226299 662
48 -8M0226300 662
48 -8M0226301 662
48 -8M0226302 662
48 -8M0226303 662
48 -8M0226304 663
48 -8M0226305 663
48 -8M0226314 663
48 -8M0226315 663
48 -8M0226316 663
48 -8M0226317 663
48 -8M0226318 663
48 -8M0226319 663
48 -8M0226320 663
48 -8M0226321 663
48 -8M0226330 663
48 -8M0226331 663
48 -8M0226332 663
48 -8M0226333 663
48 -8M0226334 663
48 -8M0226335 663
48 -8M0226336 663
48 -8M0226337 663
48 -8M0226354 663
48 -8M0226355 663
48 -8M0226356 663
48 -8M0226357 663
48 -8M0226358 663
48 -8M0226359 663
48 -8M0226360 663
48 -8M0226361 663
48 -8M0226370 663
48 -8M0226371 663
48 -8M0226372 663
48 -8M0226373 663
48 -8M0226374 663
48 -8M0226375 663
48 -8M0226376 663
48 -8M0226377 663
48 -8M0226386 663
48 -8M0226387 663
48 -8M0226388 663
48 -8M0226389 663
48 -8M0226390 663
48 -8M0226391 663
48 -8M0226392 663
48 -8M0226393 663
48 -8M0226402 663
48 -8M0226403 663
48 -8M0226404 663
48 -8M0226405 663
48 -8M0226406 663
48 -8M0226407 663
48 -8M0226408 663
48 -8M0226409 663
48 -8M0226418 663

48 -8M0226419 . . . 663
48 -8M0226420 . . . 663
48 -8M0226421 . . . 663
48 -8M0226422 . . . 663
48 -8M0226423 . . . 663
48 -8M0226424 . . . 663
48 -8M0226425 . . . 663
48 -8M0226434 . . . 663
48 -8M0226435 . . . 663
48 -8M0226436 . . . 663
48 -8M0226437 . . . 663
48 -8M0226438 . . . 663
48 -8M0226439 . . . 663
48 -8M0226440 . . . 663
48 -8M0226441 . . . 663
48 -8M0226490 . . . 661
48 -8M0226491 . . . 661
48 -8M0226492 . . . 661
48 -8M0226493 . . . 661
48 -8M0226494 . . . 661
48 -8M0226495 . . . 661
48 -8M0226496 . . . 661
48 -8M0226497 . . . 661
48 -8M0226506 . . . 661
48 -8M0226507 . . . 661
48 -8M0226508 . . . 661
48 -8M0226509 . . . 661
48 -8M0226510 . . . 661
48 -8M0226511 . . . 661
48 -8M0226512 . . . 661
48 -8M0226513 . . . 661
48 -8M0226522 . . . 661
48 -8M0226523 . . . 661
48 -8M0226524 . . . 661
48 -8M0226525 . . . 661
48 -8M0226526 . . . 661
48 -8M0226527 . . . 661
48 -8M0226528 . . . 662
48 -8M0226529 . . . 662
48 -8M0226546 . . . 662
48 -8M0226547 . . . 662
48 -8M0226548 . . . 662
48 -8M0226549 . . . 662
48 -8M0226550 . . . 662
48 -8M0226551 . . . 662
48 -8M0226552 . . . 662
48 -8M0226553 . . . 662
48 -8M0226562 . . . 662
48 -8M0226563 . . . 662
48 -8M0226564 . . . 662
48 -8M0226565 . . . 662
48 -8M0226566 . . . 662
48 -8M0226567 . . . 662
48 -8M0226568 . . . 662
48 -8M0226569 . . . 662
48 -8M0226578 . . . 662
48 -8M0226579 . . . 662
48 -8M0226580 . . . 662
48 -8M0226581 . . . 662
48 -8M0226582 . . . 662
48 -8M0226583 . . . 662
48 -8M0226584 . . . 662
48 -8M0226585 . . . 662
48 -8M0226594 . . . 662
48 -8M0226595 . . . 662
48 -8M0226596 . . . 662
48 -8M0226597 . . . 662
48 -8M0226598 . . . 662
48 -8M0226599 . . . 662
48 -8M0226600 . . . 662
48 -8M0226601 . . . 662
48 -8M0226610 . . . 662
48 -8M0226611 . . . 662
48 -8M0226612 . . . 662
48 -8M0226613 . . . 662
48 -8M0226614 . . . 662
48 -8M0226615 . . . 662
48 -8M0226616 . . . 662
48 -8M0226617 . . . 662
48 -8M0226626 . . . 662
48 -8M0226627 . . . 662
48 -8M0226628 . . . 662
48 -8M0226629 . . . 662
48 -8M0226630 . . . 662
48 -8M0226631 . . . 662
48 -8M0226632 . . . 662
48 -8M0226633 . . . 662
48 -8M0226682 . . . 660
48 -8M0226683 . . . 660
48 -8M0226684 . . . 660
48 -8M0226685 . . . 660
48 -8M0226686 . . . 660
48 -8M0226687 . . . 660
48 -8M0226688 . . . 660
48 -8M0226689 . . . 660
48 -8M0226698 . . . 660
48 -8M0226699 . . . 660
48 -8M0226700 . . . 660
48 -8M0226701 . . . 660
48 -8M0226702 . . . 660
48 -8M0226703 . . . 660
48 -8M0226704 . . . 660
48 -8M0226705 . . . 660
48 -8M0226714 . . . 660
48 -8M0226715 . . . 660
48 -8M0226716 . . . 660
48 -8M0226717 . . . 660
48 -8M0226718 . . . 660
48 -8M0226719 . . . 660
48 -8M0226720 . . . 660
48 -8M0226721 . . . 660
48 -8M0226738 . . . 660
48 -8M0226739 . . . 660
48 -8M0226740 . . . 660

48 -8M0226741 660
48 -8M0226742 660
48 -8M0226743 660
48 -8M0226744 660
48 -8M0226745 660
48 -8M0226754 660
48 -8M0226755 660
48 -8M0226756 660
48 -8M0226757 660
48 -8M0226758 660
48 -8M0226759 660
48 -8M0226760 661
48 -8M0226761 661
48 -8M0226770 661
48 -8M0226771 661
48 -8M0226772 661
48 -8M0226773 661
48 -8M0226774 661
48 -8M0226775 661
48 -8M0226776 661
48 -8M0226777 661
48 -8M0226786 661
48 -8M0226787 661
48 -8M0226788 661
48 -8M0226789 661
48 -8M0226790 661
48 -8M0226791 661
48 -8M0226792 661
48 -8M0226793 661
48 -8M0226802 661
48 -8M0226803 661
48 -8M0226804 661
48 -8M0226805 661
48 -8M0226806 661
48 -8M0226807 661
48 -8M0226808 661
48 -8M0226809 661
48 -8M0226818 661
48 -8M0226819 661
48 -8M0226820 661
48 -8M0226821 661
48 -8M0226822 661
48 -8M0226823 661
48 -8M0226824 661
48 -8M0226825 661
92 -8M0227057 283
64 -8M0227075 545
64 -8M0227076 545
64 -8M0227077 545
64 -8M0227078 544
64 -8M0227079 544
64 -8M0227080 545
64 -8M0227081 545
64 -8M0227082 545
64 -8M0227083 545
64 -8M0227084 545
64 -8M0227085 545
64 -8M0227086 545
64 -8M0227087 545
64 -8M0227088 545
64 -8M0227089 545
64 -8M0227090 545
64 -8M0227091 545
64 -8M0227092 545
64 -8M0227093 543
64 -8M0227094 543
64 -8M0227095 543
64 -8M0227096 543
64 -8M0227097 543
64 -8M0227098 543
64 -8M0227099 543
64 -8M0227100 543
64 -8M0227101 543
64 -8M0227102 543
64 -8M0227103 543
64 -8M0227104 543
64 -8M0227105 543
64 -8M0227112 542
64 -8M0227115 542
64 -8M0227116 542
64 -8M0227118 542
8M0227353 239
8M0227355 239
8M0227886 . . . . . 340, 363
8M0228079 . . . . . 48, 53
8M0228164 365
10 -8M0228165 365
8M0228166 365
98 -8M0228242 243
8M0228409 229
92 -8M0228448 292
92 -8M0228449 268
92 -8M0228450 292
8M0228502 220
8M0228503 220
8M0228504 220
8M0228506 220
8M0228508 220
8M0228509 220
8M0228510 220
8M0228511 223
8M0228512 223
8M0228513 221
8M0228514 221
8M0228515 221
8M0228516 221
8M0228517 221
8M0228518 221
8M0228520 223
8M0228521 223
8M0228522 223
8M0228523 223
8M0228524 223
8M0228525 223

8M0228526 . . . 223
8M0228527 . . . 223
8M0228528 . . . 223
8M0228529 . . . 223
8M0228530 . . . 220
8M0228531 . . . 220
8M0228532 . . . 220
8M0228533 . . . 220
8M0228534 . . . 220
8M0228535 . . . 220
8M0228536 . . . 220
8M0228537 . . . 224
8M0228538 . . . 224
8M0228539 . . . 224
8M0228544 . . . 83, 85, 237
92 -8M0229824 . . . 292
92 -8M0229825 . . . 292
92 -8M0229826 . . . 292
48 -8M0230124 . . . 657
48 -8M0230125 . . . 657
48 -8M0230126 . . . 657
48 -8M0230127 . . . 657
48 -8M0230128 . . . 657
48 -8M0230129 . . . 657
48 -8M0230130 . . . 657
48 -8M0230131 . . . 657
48 -8M0230132 . . . 657
48 -8M0230133 . . . 657
48 -8M0230134 . . . 657
48 -8M0230135 . . . 657
48 -8M0230136 . . . 657
48 -8M0230137 . . . 657
48 -8M0230138 . . . 657
48 -8M0230139 . . . 657
48 -8M0230140 . . . 657
48 -8M0230141 . . . 657
48 -8M0230142 . . . 657
48 -8M0230143 . . . 657
48 -8M0230144 . . . 657
48 -8M0230145 . . . 657
48 -8M0230146 . . . 657
48 -8M0230147 . . . 657
8M0230288 . . . 48, 53
8M0230290 . . . 48, 53, 237
8M0230292 . . . 48
32 -8M0230561 . . . 67
8M0230630 . . . 471
47 -8M0230713 . . . 805
92 -8M0230923 . . . 277
92 -8M0230926 . . . 276, 278
92 -8M0230927 . . . 277
92 -8M0230928 . . . 276, 277
92 -8M0230929 . . . 276
92 -8M0230930 . . . 277
92 -8M0230932 . . . 261, 262, 276
92 -8M0230933 . . . 276, 277
92 -8M0230935 . . . 261
92 -8M0230937 . . . 261, 276
92 -8M0230939 . . . 261, 276
92 -8M0230940 . . . 276
92 -8M0230942 . . . 276, 277
92 -8M0230943 . . . 276, 278
92 -8M0230959 . . . 276
8M0231194 . . . 25, 28
35 -8M0231398 . . . 178, 251
8M0231519 . . . 219
8M0231857 . . . 101, 107, 232, 233, 336
57 -8M0232583 . . . 235, 236
8M0232685 . . . 251
8M0232733 . . . 240
8M0232927 . . . 808
8M0232928 . . . 808
8M0233835 . . . 442
8M0233836 . . . 443
8M0233837 . . . 443
8M0233839 . . . 444
8M0233840 . . . 444
33 -8M0234113 . . . 12, 229, 230
8M0234140 . . . 497
8M0234141 . . . 498
8M0234460 . . . 497
8M0234462 . . . 497
8M0234463 . . . 497
57 -8M0235013 . . . 234
8M0235016 . . . 364
8M0235017 . . . 364
8M0235018 . . . 364
1600-8M0236231 . . . 117
1600-8M0236242 . . . 117
1623-8M0236249 . . . 117
1600-8M0236250 . . . 118
1600-8M0236251 . . . 118
1600-8M0236255 . . . 119
1600-8M0236256 . . . 119
1600-8M0236258 . . . 117, 119
1600-8M0236259 . . . 117, 119
1600-8M0236260 . . . 119
1600-8M0236261 . . . 119
1600-8M0236262 . . . 119
1600-8M0236263 . . . 119
1600-8M0236264 . . . 119
1600-8M0236265 . . . 119
1600-8M0236267 . . . 119
1600-8M0236269 . . . 119
1600-8M0236270 . . . 119
1600-8M0236271 . . . 118
8M0236553 . . . 99, 106, 107, 111–114, 231–233
84 -8M0236618 . . . 465
84 -8M0236619 . . . 465
84 -8M0236621 . . . 465
84 -8M0236622 . . . 465
84 -8M0236623 . . . 465
84 -8M0236624 . . . 465
8M0236627 . . . 466

8M0236628 466
8M0236629 466
8M0236630 466
8M0236632 466
8M0236724 61
8M0236725 61
8M0236729 223
8M0236730 223
33 -8M0236887 . . . . . 5, 14, 19
22 -8M0237339 61
8M0237340 61
8M0237545 207
8M0237776 424
8M0238171 243
84 -8M0238747 . . . . . 11, 238
48 -8M0238904 . . . . . 589, 595, 613–615, 635, 639
48 -8M0238905 . . . . . 589, 595, 613–615, 635, 639
48 -8M0238906 . . . . . 589, 595, 613–615, 635, 639
48 -8M0238907 . . . . . 589, 595, 613, 614, 635, 639
8M0239069 423
8M0239070 423
8M0239071 423
84 -8M0239094 466
84 -8M0239095 466
84 -8M0239096 466
8M0239418 466
8M0240079 523
8M0240080 . . . . . 341, 522
8M0240081 523
8M0240083 . . . . . 341, 523
8M0240084 . . . . . 341, 524
87 -8M0240486 . . . . . 31, 514
35 -8M0241364 79
8M0242036 565
8M0242393 559
33 -8M0244155 7
33 -8M0244156 7
8M0244993 222
8M0245912 431
8M0245913 431
91 -8M2001017 561
84 -8M2004357 446
8M2004360 444
8M2004362 444
22 -8M2007090 428
8M2011935 448
21 -8M2017060 246–248
87 -8M3001384 448
98 -8M3800000 445
8M4507538 . . . . . 327, 328, 331, 334, 400
8M4507539 401
8M4507540 . . . . . 327, 400
8M4507541 401
84 -8M6000699 442
84 -8M6000701 443
84 -8M6000703 443
86 -8M6000708 465
22 -8M6000760 538
22 -8M6001381 539
22 -8M6001390 539
22 -8M6001392 539
84 -8M6001454 443
84 -8M6001455 443
84 -8M6001456 443
22 -8M6001488 427
22 -8M6001495 427
22 -8M6001497 428
8M6002180 425
22 -8M6002264 427
8M6002274 . . . . . 251, 252
35 -8M6002390 . . . . . 178, 252
35 -8M6002552 252
79 -8M6002607 377
8M6002740 201
8M6002741 202
8M6003460 366
8M6003662 381
8M6003663 381
8M6003706 366
8M6003707 366
35 -8M6004711 251
8M6004830 465
8M6004831 464
8M6005011 365
8M6005014 366
8M6005019 366
8M6005025 365
87 -8M6005583 514
98 -8M6007933 500
98 -8M6007934 500
98 -8M6007937 500
98 -8M6007938 500
98 -8M6007943 500
98 -8M6007944 501
98 -8M6009518 461
98 -8M6009519 461
58 -8M6010612 470
58 -8M6011242 470
8M6012009 470
8M6012010 470
8M6012011 470
8M6012097 470
8M6012098 470
8M6012099 470
8M6012227 461
8M6012726 470
8M6012727 470
8M6012728 470
8M6014824 424
8M6014825 424
8M6014870 524
8M6015250 61
8M6015251 62
8M6015252 62

79 -8M6020001 . . . 347, 392
79 -8M6020002 . . . 347, 392
79 -8M6020003 . . . 392
79 -8M6020004 . . . 347, 392
79 -8M6020005 . . . 348, 392
79 -8M6020006 . . . 348, 392
79 -8M6020007 . . . 348, 392
79 -8M6020008 . . . 348, 392
79 -8M6020009 . . . 348, 392
79 -8M6020010 . . . 348, 392
79 -8M6020011 . . . 348, 392
79 -8M6020012 . . . 348, 392
79 -8M6020013 . . . 347, 391
79 -8M6020014 . . . 347, 391
79 -8M6020015 . . . 347, 391
79 -8M6020016 . . . 347, 391
79 -8M6020017 . . . 348, 391
79 -8M6020018 . . . 348, 392
79 -8M6020019 . . . 348, 392
79 -8M6020020 . . . 348, 392
79 -8M6020021 . . . 348, 392
79 -8M6020022 . . . 348, 392
79 -8M6020023 . . . 348, 392
79 -8M6020024 . . . 348, 392
79 -8M6020025 . . . 347, 389
79 -8M6020026 . . . 347, 389
79 -8M6020027 . . . 347, 389
79 -8M6020028 . . . 347, 389
79 -8M6020029 . . . 347, 389
79 -8M6020030 . . . 348, 389
79 -8M6020031 . . . 348, 389
79 -8M6020032 . . . 348, 389
79 -8M6020033 . . . 348, 389
79 -8M6020034 . . . 348, 389
79 -8M6020035 . . . 348, 389
79 -8M6020036 . . . 348, 389
79 -8M6020037 . . . 347, 389
79 -8M6020038 . . . 347, 389
79 -8M6020039 . . . 347, 389
79 -8M6020040 . . . 347, 389
79 -8M6020041 . . . 347, 389
79 -8M6020042 . . . 348, 390
79 -8M6020043 . . . 348, 390
79 -8M6020044 . . . 348, 390
79 -8M6020045 . . . 348, 390
79 -8M6020046 . . . 348, 390
79 -8M6020047 . . . 348, 390
79 -8M6020048 . . . 348, 390
79 -8M6020049 . . . 347, 390
79 -8M6020050 . . . 347, 390
79 -8M6020051 . . . 347, 390
79 -8M6020052 . . . 347, 390
79 -8M6020053 . . . 347, 390
79 -8M6020054 . . . 348, 390
79 -8M6020055 . . . 348, 390
79 -8M6020056 . . . 348, 390
79 -8M6020057 . . . 348, 390
79 -8M6020058 . . . 348, 390
79 -8M6020059 . . . 348, 390
79 -8M6020060 . . . 348, 390
79 -8M6020061 . . . 347, 391
79 -8M6020062 . . . 347, 391
79 -8M6020063 . . . 347, 391
79 -8M6020064 . . . 347, 391
79 -8M6020065 . . . 347, 391
79 -8M6020066 . . . 348, 391
79 -8M6020067 . . . 348, 391
79 -8M6020068 . . . 348, 391
79 -8M6020069 . . . 348, 391
79 -8M6020070 . . . 348, 391
79 -8M6020071 . . . 348, 391
79 -8M6020072 . . . 348, 391
8M8020356 . . . 211
8M8021162 . . . 210
48 -8M8021430 . . . 645
48 -8M8021440 . . . 645
48 -8M8021450 . . . 645
48 -8M8021460 . . . 645
48 -8M8021470 . . . 645
48 -8M8021480 . . . 645
48 -8M8021490 . . . 645
48 -8M8021500 . . . 645
48 -8M8021510 . . . 645
48 -8M8021520 . . . 645
48 -8M8021530 . . . 645
48 -8M8021540 . . . 645
48 -8M8021550 . . . 645
48 -8M8021560 . . . 645
48 -8M8021590 . . . 645
48 -8M8021600 . . . 645
48 -8M8021610 . . . 645
48 -8M8021620 . . . 645
48 -8M8021630 . . . 645
48 -8M8021640 . . . 645
48 -8M8021650 . . . 645
48 -8M8021660 . . . 645
48 -8M8021670 . . . 646
48 -8M8021680 . . . 646
48 -8M8021690 . . . 646
48 -8M8021700 . . . 646
8M8022198 . . . 211
8M8022263 . . . 210, 786
48 -8M8022340 . . . 592, 644
48 -8M8022350 . . . 592, 644
48 -8M8022360 . . . 592, 644
48 -8M8022370 . . . 592, 644
48 -8M8022380 . . . 592, 644
48 -8M8022390 . . . 592, 644
48 -8M8022400 . . . 592, 644
48 -8M8022410 . . . 592, 644
48 -8M8022420 . . . 592, 644
48 -8M8022430 . . . 592, 644
48 -8M8022440 . . . 592, 644
48 -8M8022450 . . . 592, 644

48 -8M8022460 . . . . . 592, 644
48 -8M8022470 . . . . . 592, 644
8M8023320 209
8M8023358 208
8M8023359 208
48 -8M8023600 645
48 -8M8023610 645
8M8023624 208
8M8023625 208
8M8023626 208
8M8023627 208
8M8023731 205
8M8023733 205
8M8023735 205
8M8023737 205
8M8023739 205
8M8023741 205
48 -8M8023800 646
48 -8M8023810 646
48 -8M8023820 646
48 -8M8023830 646
48 -8M8023840 646
48 -8M8023850 646
48 -8M8023860 646
48 -8M8023870 646
48 -8M8023880 646
48 -8M8023890 646
48 -8M8023900 646
48 -8M8023910 646
48 -8M8023920 646
48 -8M8023930 646
48 -8M8023940 646
48 -8M8023950 646
48 -8M8023960 646
48 -8M8023970 646
48 -8M8023980 646
48 -8M8023990 646
48 -8M8024000 646
48 -8M8024010 646
48 -8M8024110 646
48 -8M8024120 646
8M8025733 424
8M8025968 205
8M8025969 205
8M8025970 205
8M8025971 205
8M8025972 205
8M8025973 205
8M8026004 211
8M8026006 211
8M8026029 206
48 -8M8026555 . . . . . 587, 594, 610–612, 628, 709, 715
48 -8M8026560 587, 594, 602, 603, 609–612, 621–624, 628, 709, 715
48 -8M8026570 587, 594, 602, 603, 609–612, 621–624, 628, 709, 715
48 -8M8026580 . . 587, 594, 601–604, 609–612, 615, 616, 621–624, 628, 715
48 -8M8026590 . . 587, 594, 601–604, 609–611, 615, 616, 621–623, 628, 709, 715
48 -8M8026600 . . 587, 594, 601–604, 609, 610, 615, 616, 621–623, 628, 709, 715
48 -8M8026620 . . . . . 586, 628, 708, 714
48 -8M8026625 . . . . . 586, 611–613, 623–625, 628, 708, 714
48 -8M8026630 . . . . . 586, 604, 611–613, 623–625, 628, 708, 714
48 -8M8026635 . . . . . 586, 604, 611–613, 623–625, 628, 708, 714
48 -8M8026640 . . . . . 586, 604, 611–613, 623–625, 628, 709, 714
48 -8M8026650 . . . . . 586, 628, 710, 714
48 -8M8026655 . . . . . 586, 628, 710, 714
32 -8M8026967 . . . . . 317, 319
8M8027354 209
8M8027372 210
48 -8M8027497 . . . . . 709, 711, 715, 718, 721, 723, 737
48 -8M8027498 . . . . . 709, 711, 715, 718, 721, 724, 737
48 -8M8027500 . . . . . 709, 711, 715, 718, 721, 724, 737
48 -8M8027502 . . . . . 709, 711, 715, 718, 721, 724, 737
48 -8M8027504 . . . . . 709, 711, 715, 718, 721, 724, 737
48 -8M8027506 . . . . . 709, 711, 715, 718, 721, 724, 737
48 -8M8027510 . . . . . 708, 710, 714, 717, 721, 723, 736
48 -8M8027511 . . . . . 708, 710, 714, 717, 721, 723, 736
48 -8M8027512 . . . . . 708, 710, 714, 717, 721, 723, 736
48 -8M8027513 . . . . . 708, 710, 714, 717, 721, 723, 736
48 -8M8027514 . . . . . 709, 710, 714, 717, 721, 723, 737
48 -8M8027516 . . . . . 710, 714, 720, 736
48 -8M8027517 . . . . . 710, 714, 720, 736
8M8027677 . . . . . 46, 409, 410
67 -8M9200702 67
67 -8M9200903 218
1667- 9011G90 118
1667- 9011J15 116
1667- 9011J16 . . . . . 58, 116
1667- 9011J 2 118
1667- 9011J29 118
1667- 9011J33 117
1667- 9011J35 117
1667- 9011J37 117
1667- 9011J39 117
1667- 9011J 6 116
1667- 9011J 7 117
90185A 1 . . . . . 180, 803
91 - 90455 1 564
90468A 1 495
50 - 90983A 5 . . . . . 32, 35, 36
1647- 9148T81 . . . . . 57, 117
1647- 9148T82 117
1647- 9148T84 117
1647- 9148T85 117
1647- 9148T86 117
84 - 91942A 4 . . . . . 350, 506
92020A 2 . . . . . 352, 554
92020A 3 . . . . . 352, 554
92418 802
56 - 92729A49 . . . . . 56, 322
92876A12 551
92876A12 . . . . . 317, 334, 336, 549, 551

92876A 8 . . . . . 317, 320, 334, 336, 552
92876A 9 . . . . . 317, 320, 334, 336, 552
93320A13 . . . . . 136, 143, 144
93320A14 . . . . . 136, 144
93320A15 . . . . . 136, 143, 144
93322A10 . . . . . 136, 145, 146
93322A12 . . . . . 136, 145, 146
33 - 938 . . . . . 7, 14–18
33 - 941 . . . . . 7, 18
1547- 9412A19 195
1547- 9412A20 195
1547- 9412A21 195
1547- 9412A22 195
1547- 9412A23 195
94286T 1 . . . . . 100, 109
45 - 94819T 5 . . . . . 169, 170
27 - 94996T 2 249
18 - 95295Q 779, 795
95419A 1 41
87 - 95810A 8 . . . . . 33, 35, 36
398 - 9610A27 200
46 - 96148T 8 234
96186A 2 553
96708A 4 . . . . . 352, 554
33 - 97389 122
86 - 98199T 516
91 - 98234A 2 561
97 - 98432T 6 . . . . . 100, 105, 109, 110
98634A20 . . . . . 168, 169, 351
A -AA200059N 810, 820
A -AA200060N 810, 820
A -AA240159N 810, 820
A -AA240160N 811, 820
A -AA250032N 811, 820
A -AA250033N 812, 820
A -AA270160N 817, 820
A -AA270162N 815, 820
A -AA290024N 818, 820
A -AA290026N 816, 820
A -AA300064N 812, 820
A -AA300065N 813, 820
A -AA320036N 812, 820
A -AA320037N 813, 820
A -AA320038N 816, 820
A -AA320039N 819, 820
A -AA320042N 818, 820
A -AA350069N 817, 820
A -AA350070N 820
A -AA350073N 818, 820
A -AA360004N 813, 820
A -AA380124N 817, 820
A -AA380128N 814, 820
A -AA380129N 818, 820
A -AA410015N 817, 820
A -AA420005N 819, 820
A -AA430110N 814
A -AA430111N 814, 820
A -AA470046N 814, 820
A -AA470048N 815, 820
F197787Q3 61
F197787T3 70
F213238Q2 70
F213238T2 70
F5H078 485
F5H268 485
11 -F7048 792
FA324101 794
FA94094-2 790
48 -MAF12406T 584, 627, 748
NA 674
NLA 23, 24, 35, 36, 40–42, 44, 51, 53, 114, 143, 329–333, 335, 336, 340, 742, 744, 747, 764, 768, 769
QA1912X . . . 707, 711, 716, 719, 724–727, 730–733, 736, 742, 745–747
QA1916X . . . 707, 711, 716, 719, 724–727, 730–733, 736, 742, 745–747
QA1918X . . . 707, 711, 716, 719, 724–727, 730–733, 736, 742, 745–747
QA1920X . . . 707, 712, 716, 719, 724–727, 730–733, 736, 742, 745–747
QA1940R 728, 740
QA1941R 728, 740
QA1946R 728, 740
QA1947R 728, 740
QA1952R 728, 740
QA1953R 728, 740
QA2000X 711, 716, 724–727, 730–733, 736, 745
QA2004X . 707, 711, 716, 724–727, 730–733, 736, 742, 745, 746
QA2006X 711, 716, 724–727, 730–733, 736, 744, 745
QA2008X . . . 707, 711, 716, 719, 724–727, 730–733, 736, 742, 745–747
QA2010X 711, 716, 724–727, 733, 736, 744, 745, 747
QA2014X 711, 716, 724–727, 730–733, 736, 744, 745
QA2026X 709, 711, 715, 718, 721, 723, 735, 743, 746
QA2028X 709, 711, 715, 718, 721, 723, 735, 743, 746
QA2030X 709, 711, 715, 718, 721, 723, 735, 743–747
QA2032X 709, 711, 715, 718, 721, 723, 735, 743–747
QA2034X 709, 711, 715, 718, 721, 723, 735, 743–747
QA2036X 709, 711, 715, 718, 721, 723, 735, 743–747
QA2038X 709, 711, 715, 718, 721, 723, 735, 743–747
QA2040X 709, 711, 715, 718, 721, 723, 735, 743–747
QA2042X . . . 709, 711, 715, 718, 721, 723, 735, 743–745, 747
QA2060X 708, 710, 714, 717, 721, 723, 735, 743, 745
QA2062X . . . 708, 710, 714, 717, 721, 723, 735, 743, 746, 747
QA2064X . . . 708, 710, 714, 717, 721, 723, 735, 743, 745, 747
QA2070X . . . 708, 710, 714, 721, 723, 735, 743, 744, 746, 747
QA2072X 708, 710, 714, 717, 721, 735, 743, 745
QA2074X 708, 710, 714, 721, 723, 735, 743, 745, 747
QA2076X 708, 710, 714, 717, 721, 735, 743, 746
QA2078X 705, 708, 710, 714, 717, 721, 723, 735, 743, 745–747
QA2080X 708, 710, 714, 717, 721, 735, 743, 744, 746
QA2082X . . . 708, 710, 714, 717, 721, 723, 735, 743, 745, 747
QA2084X 708, 710, 714, 717, 721, 723, 735, 743–745
QA2106R 708, 713, 743, 745
QA2124R 708, 713, 743, 746

QA2126R 708, 713, 743, 746
QA2128R 708, 713, 743, 746
QA2130R 708, 713, 743, 746
QA2148R 713, 720
QA2154R 713, 720
QA2158R 713, 720
QA2171R 713, 720
QA2173R 713, 720
QA2175R 713, 720
QA2178R 713, 720
QA2190R 710, 714, 720
QA2192R 710, 714, 720
QA2196R 710, 714, 720
QA2200R 710, 714, 720
QA2206X 706, 718, 729, 736, 746
QA2208X 706, 718, 729, 736, 746
QA2828X 709, 711, 715, 718, 721, 723, 735
QA2830X 709, 711, 715, 718, 721, 723, 735
QA2832X 709, 711, 715, 718, 721, 723, 735
QA3114R 705, 742
QA3118R 705, 742
QA3150R 705, 709, 713, 722, 742, 746, 747
QA3152R 705, 709, 713, 722, 742, 746, 747
QA3168R 705, 742
QA3170R 705, 742
QA3178R 705, 712, 722, 742, 746
QA3182R 712, 720
QA3184R 712, 720
QA3808R 714, 722, 745, 747, 762
QA3810R 714, 722, 746, 747, 762
QA3832X 706, 718, 729, 736
QA3906R 710, 722, 743, 747, 761
QA3914R 710, 722, 743, 747, 761
QS5002X 707, 712, 716, 719, 724–727, 730–733, 739
QS5004X 707, 712, 716, 719, 724–727, 730–733, 739, 745, 747
QS5005X . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 739, 746, 747
QS5006X 707, 712, 716, 719, 724–727, 730–733, 739, 744, 747
QS5007X . . . 707, 712, 716, 719, 725–728, 730, 731, 733, 734, 739, 744, 747
QS5008X . . . 707, 712, 716, 719, 724, 726–728, 730–733, 739, 744, 747
QS5050X . . . 707, 712, 716, 719, 724–727, 730–733, 739, 742, 744, 746, 747
QS5052X 707, 712, 716, 719, 724–727, 730–733, 739, 742–744, 746, 747
QS5054X 707, 712, 716, 719, 724–727, 730–733, 739, 742–744, 747
QS5056X 707, 712, 716, 719, 724–727, 730–733, 739, 742–744, 747
QS5114X 709, 711, 715, 718, 722, 724, 739, 743–745, 747
QS5116X 709, 711, 715, 718, 722, 724, 739, 743–745, 747
QS5118X 709, 711, 715, 718, 722, 724, 739, 743–745, 747
QS5166X 709, 710, 714, 717, 721, 723, 739, 743, 744, 746, 747
QS5168X . . . 709, 710, 714, 717, 721, 723, 739, 743, 746, 747
QS5170X . . . 709, 710, 714, 717, 721, 723, 739, 743, 746, 747

Notes:

OE to Quicksilver Cross Reference

Chris Craft

OE Part No.	Description	QS Part No.
Chris Craft		
16.81-06536	Oil Filter	35-8M0116378
16.81-08746	Oil Filter	35-866340Q03

Chrysler Inboard

OE Part No.	Description	QS Part No.
Chrysler Inboard		
1851658	Oil Filter	35-8M0116378
4142885	Thermostat	8M0089715
47-19453	Water Pump Impeller	47- 19453T
47-43026-2	Water Pump Impeller	47- 43026T 2
47-803631T	Water Pump Impeller	47- 89984T 4
47-F694065	Water Pump Impeller	47- 89984T 4
694065	Water Pump Impeller	47- 89984T 4
F697140	Tab Washer	14-816629Q
L-319	Oil Filter	35-883702Q

Crusader

OE Part No.	Description	QS Part No.
Crusader		
201104	Oil Filter	35-866340Q03
9002514	Oil Filter	35-8M0116378
96319	Thermostat	8M0089715
98041	Fuel Filter	35-802893T

Honda Marine

OE Part No.	Description	QS Part No.
Honda Marine		
15400-PFB-014	FourStroke Outboard Oil Filter	35-8M0162832
15400-PLM-A01PE	FourStroke Outboard Oil Filter	35-8M0162830
19210-ZW1-003	Water Pump Impeller	47- 43026T 2
41107-ZW1-003ZA	Trim Tab	97- 31640Q 4
41109-ZW1-003	Anode Side Pocket Bulk Pack	97-8M0059344
41109-ZW1-003	Side Pocket Anode	97-826134Q
90508-ZW1-003	Tab Washer	14-816629Q

McCulloh/Scott-Atwater

OE Part No.	Description	QS Part No.
McCulloh/Scott-Atwater		
	Oil Filter	35-866340Q03

Outboard Marine Corp.

OE Part No.	Description	QS Part No.
Outboard Marine Corp.		
127084	Thrust Washer	859915
173231	Oil Filter	35-8M0116378
173232	Oil Filter	35-866340Q03
173233	Oil Filter	35-866340Q03
173233	Oil Filter	35- 16595Q
173834	Oil Filter	35-883702Q
174511	Primer Bulb Assembly	8M0061876
174511	Primer Bulb Assembly	8M0052976
174511	Primer Bulb Assembly	8M0052975
174512	Primer Bulb Assembly	8M0061876
175267	Prop Nut Kit	802002Q 1
175985	Primer Bulb Assembly	8M0052976
175985	Primer Bulb Assembly	8M0052975
314503	Prop Nut	859929
317893	Cable Ties	56762
318841	Thrust Washer	859915
322652	Fuel Line Snapper Clamp	54- 41582Q 7
378101	Spark Plug	33-813413
398327	Inline Fuel Filter	35-816296K 2
398327	Inline Fuel Filter	35-816296Q 2
500476	Spark Plug	33-883323001
502895	Spark Plug	33-813413
502900	Oil Filter	35-8M0116378
502901	Oil Filter	35-866340Q03
502901	Oil Filter	35- 16595Q
502902	Oil Filter	35-866340Q03
502903	Oil Filter	35-883702Q
502905	Fuel Filter	35-802893T
503708	Spark Plug - Shop Pack	33-8M0176614
505448	Spark Plug	33- 938
509569	Spark Plug	33-8M0176668
509572	Spark Plug	33-8M0176684
770242	Floating Prop Wrench	91-859046M 4
775638	Primer Bulb Assembly	8M0052976
775638	Primer Bulb Assembly	8M0052975

Pleasure Craft

OE Part No.	Description	QS Part No.
Pleasure Craft		
R077002	Oil Filter	35-866340Q03
R096117	Tab Washer	14-816629Q
RO26002E	Thermostat	8M0089715
RO77001	Oil Filter	35-8M0116378

Suzuki

OE Part No.	Description	QS Part No.
Suzuki		
65750-98505	Quick Disconnect-Engine End	F197787Q3
99105-20001	Fuel Filter	35-802893T
99105-20001	Water Separating Fuel Filter Kit	35-802893Q 4

Volvo Penta North America, Inc.

OE Part No.	Description	QS Part No.
Volvo Penta North America, Inc.		
3852170	Fuel Line Snapper Clamp	54- 41582Q 7
835440-9	Oil Filter	35-866340Q03

Yamaha Motor Corp.

OE Part No.	Description	QS Part No.
Yamaha Motor Corp.		
16231-20-0C	Oil Filter	35-883702Q
3FV-13440-10-00	FourStroke Outboard Oil Filter	35-8M0162832
5GH-13440-00-00	FourStroke Outboard Oil Filter	35-8M0162830
68V-24563-00-00	Fuel Filter Element	35-8M0168897
69J-13440-00-00	FourStroke Outboard Oil Filter	35-822626Q15
6E5-24305-05	Quick Disconnect-Engine End	22- 13563Q 3
6G1-24305-04	Quick Disconnect-Engine End	22- 14213Q
6Y1-24305-04	Quick Disconnect-Engine End	22- 14213Q
6Y1-24360-52-00	Primer Bulb Assembly	8M0052976
6Y1-24360-52-00	Primer Bulb Assembly	8M0052975
6Y2-24305-05	Quick Disconnect-Engine End	22- 13563Q 3
6Y2-24360-52-00	Primer Bulb Assembly	8M0061876
835274Q 1	Flo-Torq II Hub Kit Yamaha	8M0075402
835274Q 1	Flo-Torq II Hub Kit	835274Q 1
ABA-SEPAR-AT-OR	Fuel Filter	35-802893T
ABA-SEPAR-AT-OR	Water Separating Fuel Filter Kit	35-802893Q 4
ABB-SEPAR-AT-OR	Water Separating Fuel Filter Kit	35-802893Q 4
YSC-10231-20-0C	Oil Filter	35-866340Q03
YSC-16231-20-0C	Oil Filter	35-8M0116378

#NUMERIC

1/10 AWG 30
1000 Hour Maintenance Kit 243
1000 Hour Service Kit 243
100 Hour Kit 237, 243
100 Hour Service Kit 236, 240–242, 254–258
100 Hr Kit 240
10W30 Full Synthetic Oil 266, 283
10W30 Marine Oil 265, 266, 282
10W40 Marine Engine Oil 284
10W40 Marine Oil 265, 282, 283
115-Amp Alternator Kit 21
12 Volt Battery 218
14 Pin Bracket 559
14 Pin Extension Harness 479, 480
15FT Harness 31
15W40 292
1st Mate 500, 501
2.0L Diesel Rigging 439
2.5 Inch Spacer Kit 205
200 Hour Service Kit 243
2-4-C Grease Gun 305, 807
2-4-C Lubricant 273, 305, 807, 808
25FT Harness 31
25W40 Synthetic 4-Stroke Oil 285
25W40 Synthetic Blend 266, 267, 284, 285
25W40 Synthetic Blend 4-Stroke Oil 285
25W50 285
25W50 High Performance oil 267
2-Pin Harness Extension 31
2-Stroke PWC 295
3.4L Accent Panels 114
3.4L V6 Accent Panels 114
300 Hour Kit 243
300 Hour Maintenance Kit 240
300 Hour Service Kit 236, 240–242, 244, 254–258
300 Hour Service Kit No Anodes 236, 244
350HP Decal 115
4.6L Accent Panels 115
4.6L V8 Accent Panels 115
400HP Decal 115
5.5" Bolt Kit 54, 237
5" spacer kit 48
5 Inch Spacer Kit 48
5W30 292
5W30 Marine Engine Oil 281
5W30 Marine Oil 281
7.5" Bolt Kit 54, 237
8" Bolt Kit 54, 237

A

Absorber Oil 68
Accent Panel 115
Accent Panels 114, 115
Active Trim 450–453
Active Trim Side Mount Adapter 453
Actuator Extension Harness 441, 446
Actuator Kit 557
Adapter 457, 786
Adapter 10 Pin 457
Adapter Cable 410, 417
Adapter Crankcase 93, 313
Adapter Crankcase Oil Pump 94, 313
Adapter Drive Sleeve 786, 787
Adapter Fitting 428
Adapter Gear Lube Pump 272, 304
Adapter Harness . 446, 454, 459, 464, 475, 479, 481–483, 507, 526, 560
Adapter Harness Analog Gauge 483
Adapter Harness Boat 459, 564
Adapter Harness Instrument 455, 475
Adapter Harness Quad 455, 475
Adapter Harness Remote Control 403, 505
Adapter Harness Trim Switch 507
Adapter Hose Oil Pump 313
Adapter Kit Cable 410
Adapter Kit Non Power Steering 211
Adapter Kit Transom 181
Adapter Plate Engine Twin 549
Adapter Replacement Tank 88
Adapter Tee 473
Adapter Transom Kit 181
Adhesive Bellows 311
Advanced Sound Control 458
Airdeck Inflatable 811, 812

Air Filter 90, 233, 235, 236, 251, 252
Air Intake Tube Kit 129
Alcohol Tester 299
Alignment Shaft 561
Altenator Belt 233, 234
Alternator Belt 233–238
Alternator Cable 30
Alternator Energy Kit 21
Alternator To Isolator Cable 30
Altitude Propeller 660–663
Aluminum Anode 101, 103
Aluminum Anode Kit 96, 99, 182, 183, 249, 250
Aluminum Power Trim Anode 103
Aluminum Transom Bracket Anode 103
Alu-Rib Inflatable 815–820
Analog Conversion Kit Digital 369
Analog Digital Conversion Kit 369
Analog Gauge Interface 206, 207
Anchor 518
Anode . . . 97, 98, 100–104, 184–187, 217, 229–231, 236, 237, 251, 252
Anode Assembly 95, 217
Anode Bearing Carrier 187
Anode Driveshaft Housing 184
Anode Engine 188, 251
Anode Gearcase Aluminum 101
Anode Gimbal Housing 184
Anode Heat Exchanger 188
Anode Housing Driveshaft 184
Anode Housing Gimbal 184
Anode Kit 95–99, 102, 182, 183, 217, 232, 233, 237, 238, 249, 250
Anode Kit Aluminum 96, 99, 182, 183, 249, 250
Anode Kit Magnesium 97, 99, 182, 183, 249
Anode Kit Prop Nut 104, 184, 788
Anode Mercathode 94, 182
Anode Nut Prop Kit 104, 184, 788
Anode Nut Prop Replacement 104, 185, 788, 789
Anode Plate . . . 96, 98, 99, 182, 183, 186, 232–236, 249, 250, 789, 801
Anode Plug 98
Anode Power Trim 101–103, 231–237
Anode Prop Nut Kit 104, 184, 788
Anode Prop Nut Replacement 104, 185, 788, 789
Anode Side Pocket 98, 104, 231–236
Anode Tab Trim 100, 186, 229, 230, 800
Anode Trim Cylinder 187, 188
Anode Trim Tab 100, 186, 229, 230, 800
Anti-Collision Cable 425, 426
Antifreeze Coolant 269, 297
Anti-Icing Carburetor Kit 86, 87
Antivent Plate 101
Anti Vent Plate Anode 101, 236, 237
Assembly Grease 306
Assembly Tailstock 206
Assembly Thermostat 83, 238
Automatic Power Switch 527
Automatic Transmission Fluid 310
Automotive Grease 273
Auxiliary Joystick 424
Avator Harness 472
Avator Propeller 741
Avator Remote Control 471

B

Bag Set 116
Barb Fitting 68
Barrel Pump 312
Base Kit 363
Basic 6 Hole Drill Fixture 563
Basic 6 Hole Standard Drill Fixture 563
Battery 218, 470
Battery Analyser 219
Battery Bag 115
Battery Cable 30, 201
Battery Cable Kit 30, 400
Battery Cables 30
Battery Charger 219, 470
Battery Charging Kit 21, 22
Battery Connector Cable 219
Battery Cover 514
Battery Harness 473
Battery Isolator 514
Battery Isolator Harness Kit 514
Battery Plate 513, 514
Battery Power Button 466
Bearing Anode Carrier 187

Bearing Carrier Anode 187
Bearing Kit Gimbal 126, 212
Bell Housing Exhaust Bellows 249, 250
Bellows Adhesive 311
Bellows Bulkhead Kit 213, 215, 411, 555
Bellows Kit Bulkhead 213, 215, 411, 555
Bellows Shift Cable 213, 249, 250, 411
Bellows Steering Cable 215, 555
Bellows U-Joint 249, 250
Belt Alternator 233, 234, 237, 238
Belt Cover Kit 130
Belt Kit Serpentine 128, 155, 156
Belt Serpentine 128, 156, 245–249
Belt Serpentine Kit 128, 155, 156
Bezel 375, 378, 380, 501
Bezel Gauge Black 52 mm 378
Bezel Gauge Black 85 mm 375, 380
Bezel Gauge Chrome 110 mm 381
Bezel Gauge Chrome 52 mm 378
Bezel Gauge Chrome 85 mm 375, 380
Bezel Gauge White 52 mm 378
Bezel Gauge White 85 mm 375, 380
Bezel Mounting 545
Bezel Start Stop Switch Black 491
Bezel Steering 214, 546, 554
Bezel System Monitor 381
Bezel Trim Switch 507
Big Tiller Steering Kit 525
Black 735
Black Cowl Accent 115
Black Diamond Bravo Two 632, 633, 740
Black Diamond Bravo Two Propeller 740
Black Diamond Propeller 735, 736, 740
Black Key Cover Plastic 495
Black Max Kicker Propeller 630
Black Max Propeller 629–632
Black Paint Phantom 308
Black Propeller Paint 308, 808
Block Off Plate 159
Block Off Plate Exhaust 133
Blue Cowl Accent 115
Boat Bag 823
Bolt Kit 54, 237
Bolt Mounting 54
Bonding Harness 472
Boost Activation 559
Boost Pump Kit 174
Boot Key Adapter Harness 466
Bow Cushion 823
Bow Trim Harness 507
Bracket 207, 550, 559
Bracket, Drop Down 141
Bracket Extension Plate 207
Bracket Filter Water Separating 79, 176
Bracket Front Lifting Eye 159
Bracket Steering 550, 553
Bracket Steering Arm 553
Bracket Steering Handle 45, 550
Bracket Transom Support 54
Bravo Driveshaft Housing 195, 196
Bravo Four S Propeller 644
Bravo Gear Housing 197–199
Bravo I FS Propeller 650
Bravo I Lab Finished Propeller 653, 654
Bravo I LT Propeller 648, 649
Bravo I LT Propellers 649
Bravo I OC Propeller 653
Bravo I Propeller 639
Bravo I XC Propeller 649
Bravo I XS Propeller 649
Bravo Propeller 633, 639, 643
Bravo Sterndrive 192–194
Bravo Three Diesel 645
Bravo Three Diesel Propeller 645
Bravo Three Propeller 644
Bravo Three XR Propeller 659, 660
Bravo Transom 191
Bravo Two Propeller 632, 633, 740
Bulb Assembly Primer 66, 67
Bulk Anode Kit 98
Bulk Anodes 98
Bulkhead Fitting 427, 428, 539
Bulkhead Kit Bellows 213, 215, 411, 555
Bullet Insulator Terminal Receptacle 516
Bullet Receptacle Terminal Insulator 516
Bullet Terminal 515

Bullet Terminal Receptacle 515
Bushing Fixture Drill 562
Bushing Flo-Torq Hub Kit 781
Bushing Kit 535, 563
Bushing Kit Flo-Torq Hub 781
Bushing Power 2 Propeller 787
Bushing Prop 787
Bushing Prop Hub 787
Button Cowl Mounted 33
Button Handle Tiller Harness 33
Button Harness Tiller Handle 33

C

Cable, Steering 542–544
Cable Adapter 410, 417
Cable Adapter Kit 410
Cable Assembly 95
Cable Attaching Kit Dual 552
Cable Attachment Steering 553
Cable Battery 30, 201
Cable Boot 31, 516
Cable Puller 518
Cable Replacement 546
Cable Rotary System 544
Cable Shift 213, 417
Cable Shift Bellows 213, 249, 250, 411
Cable Shift Kit 249, 250
Cable Steering 215, 554
Cable Throttle Shift 412–414
Cable Tie 517
Cable Ties 517
Cable Tie Standard 517
CAN H Adapter 425
CAN H Gateway 425
CAN Track Pad 395
Cap Female Power Steering 530
Cap Kit Rotor 245–248
Cap Male Power Steering 530
Cap Non Vented Steering 538, 541, 548
Cap Replacement 63, 64
Cap Replacement Flushing 60
Cap Rotor Kit 245–248
Carburetor Anti-Icing Kit 86, 87
Carburetor Fuel Filter 81, 245–247
Carburetor Kit Anti-Icing 86, 87
Carburetor Kit Repair 245–247
Carburetor Kit Wedge 154
Carburetor Repair Kit 229–231, 245–247
Carburetor Wedge Kit 154
Carrier Bearing Anode 187
CCM Module 445
Charge Cable 31
Charger 470
Charging Battery Kit 22
Charging Kit 22
Charging Kit Battery 21, 22
Choke Harness 477
Circulating Hose Pump 165
Circulating Pump Hose 165
Clamp 237
clamp kit 20
Clamps Fuel Line 71, 79, 177
Clean Power Harness 437, 466
Clevis Assembly Kit 535
Clip 517
Clip Splice 517
Clip Trailering 29, 127
Close Couple Hardware Kit 208
Close Couple Tailpipe Kit 207, 208
Closed Cooling Hose Kit 148, 157–159
Closed Cooling Kit 154, 155
Combo GPS/IMU 425
Combustion Chamber Cleaner 298
Command Module 432, 437
Command Module Kit 432
Command Module Kit Panel Mount 432
Complete Water Pump 235, 236
Connector 71
Connector Engine Flush Kit 166
Connector Engine Fuel End 70
Connector Flush Kit Engine 166
Connector Fuel 71
Connector Fuel Engine End 70
Connector Kit 71
Console 821, 822
Console Control Remote Mount 401, 406, 407

Console Mount 401
Console Mount Remote Control 401, 406, 407
Continuity Washer 796
Control, Remote 400
Control Drilling Fixture 560
Control Engine Remote Harness 34
Control Harness Remote Engine 34
Control Remote Attaching Kit 408
Control Remote Conversion Kit 407
Control Remote Engine Harness 34
Control Side Mount Remote 402–405
Control Unit Mercathode 182
Conversion Digital Analog Kit 369
Conversion Kit 401
Conversion Kit Analog Digital 369
Conversion Kit Digital Analog 369
Conversion Kit Remote Control 402, 407, 408
Conversion Kit SC Sensor 369, 458
Conversion Kit Sideshift 47
Conversion Kit Tiller Handle 37
Conversion Remote Control Kit 407
Conversion Sideshift Kit 47
Coolant Engine 297
Coolant Temperature Gauge 376, 377
Cooler Pump Kit 553
Co-Pilot Kit 45
Co-Pilot Kit Sail 45
Corner Caps 365
Corrosion Guard 296
Cotter Pin 795
Coupler Assembly Kit 534
Coupler Hose 128
Coupler Male 517
Coupler Propeller Shaft 180
Cover 220, 221, 223, 224
Cover Black Plastic Key 495
Cover Impeller Housing 156
Cover Kit Belt 130
Cowl Cover 220, 221, 223, 224
Cowl Finish Compound 274
Cowl Fitting 46, 409
Cowl Harness 472, 473
Cowl Storage Cover 308
Crankcase Oil Pump 93, 312
Cruiselog 390–392
Cruiselog Gauge 389–392
Cylinder Assembly 525, 540, 553
Cylinder Head 200
Cylinder Head O-Ring 200
Cylinder Seal Kit 548
Cylinder Short Stroke 525

D

Dampener Hose 526, 529
Data Harness 455, 456, 476, 480
Decal Washer Kit 487
Deck Fill Oil Kit 89
Deck Oil Fill Kit 88
Depinning Tool 518
Diagnostic Tool Kit 560
Diesel Harness Fuel Level 448
Diesel Mechanical Helm Harness 439, 440
Diesel Oil 268, 292
Diffuser Ring 789, 790
Digital Analog Conversion Kit 369
Digital Block Water Pressure 458, 459
Digital Block Water Pressure Kit 458
Digital Control Zero Effort 396, 397
Diode Kit 397, 398, 508, 509
Diode Kit Lanyard 496
Diode Lanyard Kit 496
Direct Injection Engine Oil 262, 277, 278
Direction Injection Engine Oil 278
Display Kit 471
Docking Station - TDS 501
Drain Exhaust Elbow Manifold 154
Drain Exhaust Manifold Elbow 154
Drain Gearcase Screw 304
Drain Kit Oil 172, 173
Drain Kit Seawater Hose 165
Drain Plug Seal 231, 237, 238
Drain Screw Gasket 93, 272, 304
Drain Screw Gearcase 272, 304
Drain Screw Seal 272
Drain Seal 93, 272, 304
Drain Seawater Hose Kit 165

Drillable Inlet Screens 62
Drill Bushing 563
Drill Bushing Fixture 562
Drill Fixture Assembly 562
Drill Fixture Kit 560
Drill Fixture Plate 563
Drill Guide Block 1-Inch 562
Drill Guide Block - 2 inch 562
Drill Guide Block OEM - 2 inch 562
Drill Guide Bushing 563
Drilling Transom Fixture 561
Drive Adapter Sleeve 786
Drive Alignment Tool 564
Drive Bracket 534
Drive Bravo Housing Shaft 195, 196
Drive Bravo Shaft Housing 195, 196
Drive Installation Kit 249, 250
Drive Kit 47
Driveline Hardware Kit 208
Driveline Kit 210
Driveline Tailpipe Kit 208
Driveshaft 48
Driveshaft Alpha Housing 195, 196
Driveshaft Assembly 212
Driveshaft Bravo Housing 195, 196
Driveshaft Extension 48, 237
Drive Shaft Extension 48, 49
Driveshaft Extension Kit 47, 48, 237
Drive Shaft Extension Kit 48, 49
Driveshaft Housing Anode 184
Driveshaft Kit 48, 169, 237
Driveshaft Washer 231
Drive Sleeve 780, 785
Drive Sleeve Adapter 786, 787
Drive Spacer 205
Drive Spacer Kit 204
DTS Analog Gauge Harness 368, 369
DTS Clean Power Helm 483
DTS Pass Through Kit 531
DTS Tiller Handle Kit 521
Dual Attaching Cable Kit 552
Dual Battery Isolator 31, 514
Dual Cable Attaching Kit 552
Dual Engine Mount Kit 405
Dual Engine Tie Bar 552, 554
Dual Flush Kit 61
Dual Legacy ERC 393
Dual Station Rig Harness 560
Dual Zero Effort Trim All Harness 508

E

Elbow/Riser Exhaust Kit 141, 142
Elbow Exhaust Kit 141
Elbow Exhaust Manifold 154
Elbow Exhaust Manifold Drain 154
Elbow Fitting 530
Elbow Fitting Power Steering 531
Elbow Intermediate Kit 133, 134, 142, 149, 150
Elbow Kit 133, 134, 149, 150
Elbow Kit Exhaust 141
Elbow Kit Intermediate 133–135, 142, 149–152
Electrical Hardware Kit 515
Electric Start Kit 32, 33
Electrode Mercathode 94, 182
Electrode Mercathode Reference Tester 94, 182
Electronic Remote Controls 394, 395, 430, 431
Electronic Steering Helm 424
End Steering Rod 215, 555
Enertia ECO Propeller 637
Enertia ECO XP Propeller 651
Enertia Propeller 636, 637
Engine Anode 188, 251
Engine cleaner 298
Engine Coolant 269, 297
Engine Cover 116, 126
Engine End Fuel Connector 70
Engine Flush Kit 166, 167
Engine Flush Kit Connector 166
Engine Hot Stud Kit 30
Engine Mount 204
Engine Mounting Fixture 560, 561
Engine Mount Kit Dual 405
Engine Oil 266, 284
Engine Oil Pressure Sender 128, 506
Engine Tie Bar Dual 552, 554
Engine Treatment 298

ERC Panel Mount 393, 429
Exhaust Bellows Bell Housing 249, 250
Exhaust Block Off Plate 133
Exhaust Elbow/Riser Kit 141, 142
Exhaust Elbow Kit 141, 142, 149–152
Exhaust Elbow Manifold Drain 154
Exhaust Flange Kit 169
Exhaust Flappers 132
Exhaust Manifold Gasket 238
Exhaust Pipe Kit 133, 135, 142, 149, 152
Exhaust Plate Block Off 133
Exhaust Reducer Kit 135
Exhaust Ring Seal 787
Exhaust Seal 238
Exhaust Shutter 132
Exhaust Tip 132, 205
Exhaust Tip Flapper Assembly 132, 206
Extension Arm Kit 534
Extension Arm Steering Kit 552
Extension Harness 31, 435–437, 447, 468, 478, 479, 505, 509
Extension Harness Actuator 441, 446
Extension Harness Instrument 478, 479
Extension Harness Kit 436
Extension Harness Paddle Wheel 459
Extension Harness Power Trim 512
Extension Harness Start Stop 491
Extension Harness Vessel Sensor 441, 447
Extension Harness WIF 80
Extension Hose Kit 157
Extension Kit 47–49
Extension Kit Driveshaft 47
Extension Kit Steering Arm 552
Extension Kit Trim Hose 209
Extension Plate Bracket 207
Extreme Grease 273, 306
Extreme Performance Gear Oil 271

F

Fast Charger 470
FCW 285
Female Fuel Connector 70
Filler Bottle Kit 548
Fill Kit Deck Oil 89
Filter Air 90, 233, 235, 236
Filter Bracket Water Separating 79, 176
Filter Fuel 72–75, 78, 229–237
Filter Fuel Assembly 202, 207
Filter Fuel Pump 73, 75, 245
Filter Fuel Separating 175–177, 245
Filter Fuel Water Separating . . . 175, 176, 178, 179, 245, 247–249
Filter Kit Remote Oil 171
Filter Kit Water Separating 81
Filter Oil . . 90–93, 230–237, 245–249, 251, 252, 267, 287, 288, 291, 293, 294
Filter Oil Wrench 92, 93, 176, 291, 314
Filter Remote Oil Kit 171
Filter Transmission 92, 238
Filter Water Separating Fuel 175
Fire Compliant Fuel Filter Kit 78, 81
Fitting 529
Fitting 90 degree 538, 539
Fitting Barb 180
Fitting Bulkhead 427, 428, 529
Fitting Cowl 46, 409
Fitting Hot Water Kit 130, 131
Fitting Kit Bulkhead 427, 531, 532, 539
Fitting Kit Hot Water 130, 131
Fitting Power Steering Male to Male 530
Fitting Steering Cylinder 428
Fitting Straight 529
Fitting Tee 539
Fixture Bushing Drill 562
Fixture Drilling Control 560
Fixture Drilling Transom 561
Fixture Drill Kit 560
Fixture Engine Mounting 560
Flange Kit Exhaust 169
Flappers Exhaust 132
Flat Washer 56
Flo-Torq Bushing Hub Kit 781
Flo Torq Hub 781
Flo-Torq Hub 781
Flo-Torq Hub Kit 781–785
Flo-Torq Hub Kit Solid 782
Flo-Torq Hub Kit Suzuki 783, 784

Flo-Torq Hub Kit Tohatsu 784
Flo-Torq Reflex Hub Kit 780
Fluid Power Trim Steering 275, 309
Flush Connector Engine Kit 166
Flush Cover 61
Flushing Attachment 58–60, 167, 168, 203, 216
Flushing Kit 60, 61, 166–168, 203, 216
Flush Kit 60, 61
Flush Kit Coastal 60
Flush Kit Engine Connector 166
Flush Kit Seal 59, 167, 204
Flush Mount Trim Pad 506
Flywheel Puller 94, 564
Fob Controller TDS 501
Fogging Oil 296
Foot Throttle Kit 393
Four Stroke High Performance Oil 267
Fuel Additive 298
Fuel Assembly Connector 72
Fuel Assembly Filter 202, 207
Fuel Assembly Line 64–66
Fuel Assembly Line Universal 66
Fuel Can 67
Fuel Connector 70–72
Fuel Connector End Engine 70
Fuel Element 74
Fuel Filter . . 72–75, 78, 81, 174, 176, 178, 229–237, 246, 248, 251, 252
Fuel Filter Assembly 202, 207
Fuel Filter Carburetor 81, 245–247
Fuel Filter Element 74
Fuel Filter Kit 73, 74, 80, 174, 175, 231
Fuel Filter Portable 79
Fuel Filter Pump 73, 75, 245
Fuel Filter Removal Install Tool 176
Fuel Filter Screen 74, 233, 234, 236, 238
Fuel Filter Separating 175–177, 245
Fuel Filter Water Separating . . 75–81, 174–179, 234, 236, 237, 245–249, 251
Fuel Fitting In-Line 174
Fuel Flow Gauge 376
Fuel Level 389, 391
Fuel Level Gauge 389–392
Fuel Level Harness Diesel 448
Fuel Line 66, 67
Fuel Line Assembly 64–67
Fuel Line Clamps 71, 79, 177
Fuel Line Connector 72
Fuel Line Coupler 71
Fuel Line Fitting 68
Fuel Line Kit 157
Fuel Line Universal Assembly 66
Fuel Pump Coupler 202
Fuel Pump Electric 201
Fuel Pump Filter 73, 75, 245
Fuel Separating Filter 175–177, 245
Fuel Stabilizer 298
Fuel System Treatment & Stabilizer 298
Fuel Tank Premium 63, 64
Fuel Tank Standard 64
Fuel Tank Super 63
Fuel Treatment 298
Fuel Water Separating Filter 175
Funnel Oil Drain 93, 288
Fury4 Propeller 639
Fury Propeller 638
Fuse 50 Amp 525
Fuse Assembly 525
Fuse Bar Holder Kit 31
Fuse Block 31
Fuse Cover Asy 526
Fuse Harness Assembly 526

G

Gateway Module 368
Gateway Multi Engine 368
Gauge 389
Gauge Coolant Temperature 376, 377
Gauge Flow Fuel 376
Gauge Fuel Flow 376
Gauge Fuel Level 376, 377
Gauge Fuel Level 2 . . . . . 376, 377
Gauge Oil Level 377
Gauge Oil Pressure 376, 377
Gauge Oil Temperature 376–378
Gauge Pressure 823
Gauge Rudder Angle 377, 378

Gauge Speed 379, 380
Gauge Tach 379, 380
Gauge Tachometer 379
Gauge Trim 376, 377
Gauge Voltage 376, 377
Gauge Waste Level 376, 377
Gauge Water Level 376, 377
Gauge Water Pressure 376–378
Gearcase Anode 101
Gearcase Assembly 117–119
Gearcase Assembly Complete 118, 119
Gearcase Drain Screw 272, 304
Gearcase Drain Seal 93, 272, 304
Gearcase Filler Plugs 62, 168, 565
Gearcase Height Tool Kit 565
Gear Harness Actuator 446
Gear Housing 204
Gear Housing Alpha 197, 198
Gear Housing Assembly Complete 117
Gear Housing Bravo 197–199
Gear Housing Outboard 57, 58, 116, 117
Gearhousing Replacement Skeg 89, 90, 803
Gear Lube 270, 300–302
Gear Lube Monitor Kit 127
Gear Lube Pump 270, 272, 302, 304
Gear Lube Pump Adapter 272, 304
Gear Lube Reservoir Kit 127
Gear Oil Extreme Performance 271
Gimbal Bearing Kit 126, 212
Gimbal Housing Anode 184
Gimbal Ring Kit 211
GPS 462
GPS Antenna 425, 461
GPS KIT 461
Grate Inlet Replacement 216
Grate Replacement Inlet 216
Grease 273
Grease Extreme 306
Grease Gun 313
Grey Cowl Accent 115
Grommet Ingress 409
Ground Cable 31
Grounding Cable 31
Guide Starter Rope 86

H

Handle Kit Tiller 37, 38
Handle Steering Bracket 45, 550
Hand Pump 823
Hardware Bag 437
Hardware Kit 534, 535
Hardware Kit Close Couple 208
Hardware Kit Driveline 208
Harness 31, 437, 457, 459, 481, 489, 507, 526
Harness Actuator 459, 564
Harness Adapter . . . 441, 448, 459, 474, 479, 482, 483, 508
Harness Adapter Analog Gauge 483
Harness Adapter Halon 448
Harness Adaptor 474
Harness Analog Gauge 477, 489, 490
Harness and Key Switch 488, 489
Harness Assembly 212, 435, 446, 455, 475, 483, 485
Harness Auxiliary Trim 507
Harness Auxiliary Trim Switch 507
Harness Bow Trim 507
Harness Clean Power 437
Harness Control Pump 513
Harness Data 472, 479
Harness Engine Remote Control 34
Harness Engine to Helm 467
Harness Extension . . . 403, 436, 437, 447, 454, 468, 475, 477–479, 505
Harness Extension 14 Pin 479, 480
Harness Extension Engine to VIP 447
Harness Extension Instrument 478, 479
Harness Extension Power Trim 512
Harness Extension Start Stop 491
Harness Fuel Paddle 458
Harness Fuel Tank 206, 459
Harness Global Wake 437
Harness Ignition 476, 477, 489
Harness Key Switch 489
Harness Keyswitch Extension 442, 487
Harness Kit 435, 436, 484, 507, 508, 565
Harness Kit Battery Isolator 514
Harness Link 455, 476

Harness Malfunction Light 478, 503
Harness MerCathode 446
Harness MP Alert 505
Harness Paddle Wheel 459
Harness Power Clean 483
Harness Power Steering 527
Harness Power Trim Adapter 513
Harness Power Trim Extension 512
Harness SC100 . . . . . 455, 456, 476
Harness SC1000 . . . . . 456, 457, 480, 481
Harness SC1000R 457, 481
Harness SC1000 System Tachometer 454, 475
Harness SC5000 . . . . . 456, 480
Harness Speedo Pitot 467
Harness Tachometer 505
Harness Tank 3 Pin 467
Harness TDS 501
Harness Transom 467
Harness Vessel Sensor Inboard 447
Harness Vessel Sensor Sterndrive 447
Harness Y Station 506
Head Cylinder 200
Head Cylinder O-Ring 200
Head O-Ring Cylinder 200
Heat Exchanger Anode 188
Heat Grip Kit 520
Heat Shrink Tubing 516
Heavy Duty Helm 523, 524
Heavy Duty Suction Cup 563
Helm Board DTS Kit 437, 445
Helm Harness 433–435, 471
Helm Hyd Std 535
Helm Hyd Tilt 536
Helm Kit 433, 523
Helm Kit Mechanical SmartTow 467
Helm Panel 445
Helm Panel Board, Cummins DTS 445
Helm Power Steering 522–524
Helm Pump 536, 537, 540, 541, 548
Helm Replacement Parts 544
Helm Start Button 466
Helm Steering 545
Helm Vented Cap 538, 541, 542, 548
HighFive Propeller 641
High-Output Alternator Kit - 115-Amp 21
High Performance Gear Lube 270, 301, 302
High Performance Oil Four Stroke 267
High Performance Oil Two Stroke 262
Hold Kit Oil Tank 88
Horn Kit Warning 503
Horn Warning Kit 503
Hose Adapter Oil Pump 313
Hose Circulating Pump 165
Hose Coupler 128
Hose Drain Kit Seawater 165
Hose End Threaded 68, 69, 71, 177
Hose Extension Kit 157
Hose Extension Oil Tank 88
Hose Fitting 61
Hose Hydraulic 538, 547
Hose Kit 148, 157–159, 426, 427, 527, 528, 531, 532
Hose Kit Extension 157
Hose Kit K-Planes 557
Hose Kit SeaStar 547
Hose Kit Seawater Drain 165
Hose K-Plane 557, 558
Hose Power Steering Dampener 526, 529
Hose Pressure Power Steering 528, 529
Hose Rigging 46, 409
Hose SeaStar Kit 547
Hose Seawater Drain Kit 165
Hose Threaded End 68, 69, 71, 177
Hot Water Fitting Kit 130, 131
HP Decal 115
Hub Bushing Flo-Torq Kit 781
Hub Bushing Kit Flo-Torq 781
Hub Bushing Prop 787
Hub Flo-Torq Bushing Kit 781
Hub Flo-Torq Kit 781–785
Hub Flo-Torq Kit Evinrude 783
Hub Flo-Torq Kit Suzuki 783, 784
Hub Flo-Torq Kit Tohatsu 784
Hub Flo-Torq Reflex Kit 780
Hub Kit 210, 638, 782, 786
Hydraulic and Power Steering Cylinder 525
Hydraulic Bolt On Steering Kit 541

Hydraulic Helm Steering Fluid 309, 541
Hydraulic Hose Kit 527, 528
Hydraulic Pump 556, 557
Hydraulic Steering Actuator Kit 536
Hydraulic Steering Kit 536, 537, 539
Hydraulic Steering Remote Fill Kit 538, 541

I

Idle Relief Outlet Side Discharge 209
Idle Relief Outlet Transom Discharge 209
Ignition Harness 488
Ignition Key 493, 494
Ignition Key Replacement 492–495
Ignition Key Switch Transom Mounted 34, 490
Ignition Mounted Key Switch Transom 34, 490
Ignition Replacement Key 492–495
Impeller 229–232, 252, 805
Impeller Housing Cover 156
Impeller Kit 251, 252
Impeller Outboard Jet 804, 805
Impeller Pump Kit 245–249
Impeller repair kit 229
Impeller SportJet 805
Impeller Water Pump 232–237
IMU 425
Inflatable 810–820
Inlet Grate Replacement 216
Inlet Replacement Grate 216
Inlet Screens 62
Inlet Water 62
Inline Fuel Filter 74, 231, 232
In-Line Oil Filter 233, 234
Installation Kit Drive 249, 250
Instrument Extension Harness 478, 479
Instrument Harness 477
Instrument Harness Extension 479
Insulator Cable Boot 31, 516
Insulator Receptacle Bullet Terminal 516
Interface Module Kit 435, 468
Interface Panel 443, 444
Intermediate Elbow Kit 134, 135, 151, 152
Iridium Antenna 501
Isolator 31, 32, 514
Isolator Adaptor 32
Isolator Cable 30
Isolator Charge Cables 31
Isolator Kit 448, 515, 527
Isolator Starter Cable 515

J

Jackshaft Kit 168, 169
Jackshaft Kit Main 168
J-Box 454, 499, 500
J-Box Plug Kit 454, 500
Jet Anode 231
Jet Outboard Impeller 804, 805
Johnny Throttle Extension Harness 440
Joining Plate 562
Joining Plate Tool 562
Joystick Assembly 423, 424
Joystick Steering 424
Joystick Steering Hose 426, 528
Junction Box 473

K

Key Assembly Switch 216, 485, 487, 488
Key Cover Black Plastic 495
Key Ignition 493
Key Ignition Replacement 492–495
Keyless Ignition Assembly 466
Keyless Ignition Extension Harness 465
Keyless Ignition Harness 465
Keyless Ignition Kit 466
Key Replacement Ignition 492–495
Key Switch 485–488, 491, 492
Key Switch Assembly 216, 485, 487, 488
Key Switch Dual 486, 491
Key Switch Housing Kit 486
Key Switch Ignition Transom Mounted 34, 490
Key Switch Kit 448, 489
Key Switch Quad 486
Key Switch Triple 486
Kicker 631, 735
Kicker Bracket 534
Kicker Bushing Kit 563
Kicker Electrical Kit 542

Kicker Engine Bracket 534
Kicker Kit 431
Kicker Propeller Black Max 630
Kicker Strap 95
Kit Anode 97, 238
Kit M8 Prop Aerator 210
K-Plane Harness 469
K-Plane Hose 557, 558
K-Planes 556
K-Planes Hose Kit 557
K-Plane Sport 556

L

Lanyard Assembly 497
Lanyard Cap Stop Switch 202, 496, 497
Lanyard Cord 497
Lanyard Diode Kit 496
Lanyard Stop Switch 495, 496, 498
LED Light and Switch Kit 39, 522
Legacy Command Module 432
Level 389
Level 2 Harness Assembly 212
Leveler 308
License Key 565
Life Jacket 826
Lifting Eye 94, 564
Lifting Strap 94, 565
Light and Switch Kit LED 39, 522
Lightning E.T. Propeller 647
Lock Outboard 502
Lock Turnbuckle 502
Low Loss Harness 438
Lube Pump 270, 302, 304

M

M8 Prop Aerator Kit 210
Machete Propeller 627
Magnesium Anode 97, 101, 103
Magnesium Anode Kit 99, 182, 183, 249
Main Jackshaft Kit 168
Maintenance Kit 237, 239, 240, 243
Maintenence Kit 243
Male Coupler 517
Manifold Exhaust Elbow 154
Manifold Gasket Exhaust 238
Marine Engine Oil 266, 284
MAX 5 Propeller 654–656
MAX 5 ST Propeller 656
Maximus Long Tube Lab Finished Propeller 657, 658
Maximus Propeller 657
Maximus Short Tube Lab Finished Propeller 658, 659
Mechanical Power Harness Assembly 466
Mechanical Tiller 520, 521
MerCathode 95
Mercathode Anode 94, 182
Mercathode Control Unit 181, 182
Mercathode Electrode 94, 182
MerCathode kit 95, 181
Mercathode Module 95
Mercathode Reference Electrode Tester 94, 182
MercMonitor 367, 368
Metal Suction Cup 563
M-Icon 225
Mil Light 478, 503
Mirage Plus Propeller 641
Module 368
Module - Controller TDS 501
Module MP Alert 504
Monitor Kit Gear Lubricant 127
Monitor SC1000 SmartCraft System 378, 381
Motor Bag 116
Mounting Bezel 545
Mounting Bolt 54
Mounting Bolt Kit 55
Mounting Bracket Pump 26
Mounting Engine Fixture 560
Mounting Nuts 56
MP Alert 504
MP Alert Bezel 504
MP Alert Kit 503, 504
MP Alert Light 504
MP Alert Y-Harness 504
MP Light + Y-Harness 504
Muffler Kit X-Haust 209
MUS ID Jumper 446

N

N2K GPS Kit 461
Needle Bearing Assembly Grease 306
Negative Battery Cable 30
Nemesis Pontoon Propeller 737
Nemesis Propeller 736, 737
NMEA2000 464
NMEA 2000 . . . . . 464, 465
NMEA 2000 Power 464
NMEA 2000 Starter Kit 464
NMEA 2000 Weather Cap 465
Non Power Steering Adapter Kit 211
No Trim Remote Control 404
Nut 57, 368
Nut Anode Prop Kit 104, 184, 788
Nut Anode Prop Replacement 104, 185, 788, 789
Nut Brass Hex 57
Nut Kit Double 56, 237
Nut Kit Prop 790–792
Nut Lock 793
Nut Prop 792–794
NXT1 Spacer Kit 205
NXT1 Torpedo Bore Cover Assembly 211

O

Oetiker 237
Oil Absorber 68
Oil Change Pump 312
Oil Crankcase Pump 93, 312
Oil Deck Fill Kit 88, 89
Oil Diesel 268, 292
Oil Drain Funnel 93, 288
Oil Drain Kit 172, 173
Oil Drip Tray 90, 93, 314
Oil Engine 266, 284
Oil Extension Hose Tank 88
Oil Fill Deck Kit 88, 89
Oil Fill Kit Deck 89
Oil Filter . . 90–93, 230–237, 245–249, 251–253, 267, 287, 288, 291, 293, 294
Oil Filter Diesel 294
Oil Filter In-Line 233, 234
Oil Filter Remote Kit 171
Oil Filter Wrench 92, 93, 176, 291, 314
Oil Hose Extension Tank 88
Oil Kit Drain 172, 173
Oil Level Gauge 376
Oil Level Status 94, 458
Oil Outboard 265, 282
Oil Outboard Premium TC-W3 276
Oil Pressure 390
Oil Pressure Gauge 389–392
Oil Pump Crankcase 93, 312
Oil Pump Hose Adapter 313
Oil Remote Filter Kit 171
Oil Remote Tank 87, 88, 369
Oil Remote Tank Kit 87, 370
Oil Sender Engine Pressure 128, 506
Oil Tank Extension Hose 88
Oil Tank Hold Kit 88
Oil Tank Hose Extension 88
Oil Tank Remote 87, 88, 369
Oil Tank Remote Kit 87, 370
Omega Bezel 375
Omega Gauge Nut 368
On-Engine Water Separating Fuel Filter 77
OptiMax Oil 262
O-Ring 238
O-Ring Cylinder Head 200
O-Ring Fill Cap 89
O-Ring Head Cylinder 200
O-ring Kit 20
O-rings 20
Outboard 400, 401
Outboard Motor Lock 502, 503
Outboard Stabilizer Clip 39, 522
Outboard Thermostat 231
Outer Extension Plate 207

P

Paint 308
Paint Cold Fusion 274
Paint Phantom Black 274, 308
Paint Propeller Black 308, 808
Paint Warm Fusion 274
PCV Valve 245–249

Performance Pedal 431
Performance Pedal Kit 431
Pickup Seawater 179, 212
Pin 794
Pin Cotter 794
Pipe Kit Exhaust 133, 135, 142, 149, 152
Pipe Plug 69, 79
Pitot/Speed Sensor Kit 460
Pitot Sensor 461
Pitot Sensor Kit 461
Pitot Speed Sensor Kit 460, 461
Plastic Suction Cup 563
Plate Assembly Transom Bracket 102
Plate Trim Tab 99
Plug Asy 454, 499, 531, 560
Plug Wrench/Screw 805
Portable Fuel Filter 79
Port Remote Control Side Mount 423
Port Side Mount Remote Control 423
Port Side Remote Control 423
Positive Battery Cable 32
Power Center 472
Power Center Harness 472
Power Clean Harness 483
Power Harness 441, 447, 483, 501
Power Harness Center 472
Power Relay Harness 425, 448
Powersports Grease 273
Power Steering Cylinder 525
Power Steering Fluid 275, 526
Power Steering Helm 522, 523
Power Steering Hydraulic Kit 536
Power Steering Primer Module 527, 566
Power Steering Reservoir Kit 211
Power Steering Tilt Mechanism 524
Power Steering Trim Fluid 275, 309
Power Trim 389
Power Trim Anode 101–103, 231–237
Power Trim Cable 513
Power Trim Extension Harness 512
Power Trim Gauge 390–392
Power Trim Harness Extension 512
Power Trim Harness Kit 408
Power Trim Kit 25, 513
Power Trim Kit Switch 25, 26, 510, 511
Power Trim Kit Tilt 25
Power Trim Remote Control 403
Power Trim Sender 460
Power Trim Steering Fluid 275, 309
Power Trim Switch Kit 25, 26, 510, 511
Power Trim Tilt Kit 25
Power Tune 298
Power Tune Cleaner Engine 298
Power Valve Block 211
Precision Joystick 424
Preliminary Shift Tool 563
Premium Oil 261, 276
Premium Plus Oil 261, 277
Premium TCW3 Oil 277
Pressure Gauge 823
Pressure Sender Engine Oil 128, 506
Pressure Transducer Kit 461
Primed Accent Panel 115
Primer Bulb Assembly 66, 67
Primered 115
Primer Light Grey 308
Primer Module Power Steering 527, 566
Pro Max Propeller 647, 648
Prop Anode Nut Kit 104, 184, 788
Prop Anode Nut Replacement 104, 185, 788, 789
Prop Bushing 787
Prop Bushing Hub 787
Prop Cover 808
Propeller 627, 652, 653, 658
Propeller Black Diamond 632, 633, 735, 740
Propeller Black Max 629–631
Propeller Block 806
Propeller Bravo 633, 639, 643
Propeller Bravo I FS 650
Propeller Bravo I Lab Finished 653, 654
Propeller Bravo I LT 648, 649
Propeller Bravo I OC 653
Propeller Bravo I XC 649
Propeller Bravo I XS 649
Propeller Bravo Three Diesel 645
Propeller Bravo Three XR 659, 660

Propeller Case 807
Propeller CNC Cleaver 664–668
Propeller Coupler Shaft 180
Propeller Enertia 637, 651
Propeller Fury 638
Propeller HighFive 641
Propeller Lightning E.T. 647
Propeller Machete 627
Propeller MAX 5 654–656
Propeller MAX 5 ST 656
Propeller Maximus Long Tube Lab Finished 657, 658
Propeller Maximus Short Tube Lab Finished 658, 659
Propeller Mirage Plus 641
Propeller M-Series 646
Propeller Nemesis 736, 737
Propeller Nemesis Pontoon 737
Propeller Paint Black 308, 808
Propeller Pro Max 647, 648
Propeller Revolution 4 . . . . . 637, 638
Propeller Revolution 4 XP 650, 651
Propeller Revolution X 638
Propellers Bravo I LT 649
Propeller Shaft Coupler 180
Propeller Silverado 739
Propeller Spitfire 629
Propeller Spitfire CT 629
Propeller Spitfire X7 639
Propeller Spitfire XP 647
Propeller Tempest Plus 640
Propeller Trophy Plus 640
Propeller Trophy Sport 641
Propeller Vengeance 642
Propeller Wrench 806
Propeller Zeus 645, 646
Prop Grease 273
Prop Hub Bushing 787
Prop Hub Bushing Kit 787
Prop Kit Anode Nut 104, 184, 788
Prop Kit Nut 790–793
Prop Kit Nut Anode 104, 184, 788
Prop Kit Reverse 788
Prop Nut 792–794
Prop Nut Anode Kit 104, 184, 788
Prop Nut Anode Replacement 104, 185, 788, 789
Prop Nut Kit 790–792
Prop Nut Wrench 805
Prop Replacement Anode Nut 104, 185, 788, 789
Prop Reverse Kit 788
Propshaft Kit 200, 212
Prop Slip Calculator 806
Prop Stow 806, 807
Prop Wrench 806
Pump Adapter Hose Oil 313
Pump Barrel 312
Pump Circulating Hose 165
Pump Fuel Filter 73, 75, 245
Pump Gear Lube 270, 272, 302, 304
Pump Hose Circulating 165
Pump Hydraulic 556
Pump Impeller Kit 245–249
Pump Impeller Water 232–237
Pump Kit, Boost 174
Pump Kit Cooler 553
Pump Kit Impeller 245–249
Pump Kit Repair Water 234
Pump Kit Seawater 156, 157
Pump Kit Trim 202
Pump Oil Crankcase 93, 312
Pump Oil Hose Adapter 313
Pump Repair Kit Water 234
Pump Seawater Kit 156, 157
Pump Water 231–233, 235, 236
Pump Water Impeller 232–237
PWC 2-Stroke 295

Q

Q3 Propeller 737, 738
Q4 Propeller 738
Quad Flush Kit 62
Quickare 298
Quick Connect Flush Kit 61
Quick Connect Hose Fitting 61
Quick Disconnect 69
Quick Disconnect End 61, 69, 70
Quickleen 298
Quicksilver Bravo Sterndrive 192, 194

Quicksilver Bravo Three 740
Quickstor 298

R

Racing Bracket 207
Racing Propeller 652
Racing Propeller Cover 808
Rack Steering System 542
Recharge Kit 826
Redline Accent Panel Kit 115
Reed Valves Plastic 201
Reference Electrode Mercathode Tester 94, 182
Regulator/Rectifier Voltage Kit 21
Rejuvenate 262
Relay Harness Kit 484
Relay Kit 484
Remote Control . . 393, 394, 399, 400, 402, 404, 429, 430, 432, 471
Remote Control, Panel Finger Release 399, 400
Remote Control Attaching Kit 408
Remote Control Console Mount 401, 406, 407
Remote Control Conversion Kit 38, 407, 408
Remote Control Engine Harness 34
Remote Control Side Mount 402–405
Remote Control Spacer 406
Remote Control Spacer Plate 405
Remote Dash Pad-SmartTow 395
Remote Display Extension Harness 471
Remote Engine Display 471
Remote Engine Display Kit 471
Remote Joystick Kit 424
Remote Oil Filter Kit 171
Remote Oil Tank 87, 88, 369
Remote Oil Tank Kit 87, 370
Repair Kit 823
Repair Kit Carburetor 229, 231, 245–247
Repair Kit Impeller 229
Repair Kit Pump Water 234
Repair Kit Transom Exhaust Tip 132, 205, 206
Repair Kit Transom Seal 249
Repair Kit Water Pump 230, 234
Repair Pump Kit Water 234
Repair Pump Water Kit 234
Repair Seal Transom Kit 249
Replacement Skeg 89
Repower Harness 478
Reservoir Cap Power Steering 211
Reservoir Kit Gear Lube 127
Reservoir Kit Power Steering 211
Reservoir Relocation Kit 127
Resistor 453, 499
Resistor Assembly - Shadow Mode 498
Resistor Pack 498
Resistor Termination 2 Pin 453, 499
Retainer Wrench 212
Retaining Ring 788
Reverse Gear 58
Reverse Kit Prop 788
Revolution 4 Propeller 637, 638
Revolution 4 XP Propeller 650, 651
Revolution X Propeller 638
Rigging Hose 45, 46, 409
Rigging Hose Kit 45, 409
Rigging Kit 46, 203, 439
Rigging Kit Optimax 369
Ring Diffuser 789, 790
Ring Exhaust Seal 787
Ring Terminal 516
Ring Vent Control 788
Riser Hose Kit 139, 140, 158
Riser Installation Kit 136, 140, 141, 147, 148
Riser Kit 135–138, 141, 147
Rope Guide Starter 86
Rope Starter 86
Rope Starter Guide 86
Rotary Cable System 544
Rotary Steering Cable 544, 545
Rotary Steering Helm 545
Rotary Steering Kit 543
Rotary Steering System 542, 543
Rotor Cap Kit 245–248
Rubber Hub 801, 802
Running Cover 220, 221, 223
Rust Inhibitor 296

S

SAE 85W90 Gear Oil 271
Safety Line 826
Satin Finish 653
SC1000 Harness 457, 481
SC1000 Harness Tachometer System 454, 475
SC100 Harness 455, 456, 476
SC100 Speedometer System Link 381, 382
Screen Fuel Filter 74, 233, 234, 236, 238
Screen Fuel Filter Kit 74
Screen Fuel Pump 74
Screw Seal 365
Seal 237, 238
Seal Exhaust Ring 787
Seal Flush Kit 59, 167, 204
Seal Kit 57, 249, 552, 553
Seal Kit Bearing Bearing 58
Seal Kit Cylinder 548
Seal Kit Flush 59
Seal Kit Transom Repair 249
SeaPro 350HP Decal 115
SeaPro Decal 115
SeaStar Helm 546
Seatbag 823
Seat Bench 822, 823
Seawater Hose Drain Kit 165
Seawater Pickup 179, 212
Seawater Pump Impeller Kit 251–253
Seawater Pump Kit 156, 157
Seawater Strainer 180
Sender Engine Oil Pressure 128, 506
Sender Power Trim 460
Sensor 79
Sensor Kit Pitot/Speed 460
Sensor Kit Pitot Speed 460, 461
Sensor Kit Steering 468
Sensor Kit Steering Speedo 468
Sensor Steering Kit 468
Sensor Steering Speedo Kit 468
Separating Water Fuel Filter 175, 176, 178, 179, 245
Serpentine Belt 128, 156, 245–249, 251, 252
Serpentine Belt Kit 128, 155, 156
Service Harness 564
Service Kit 240, 243
Service Kit 100 Hour 236, 240–242, 254–258
Service Kit 300 Hour 229, 236, 239–243, 254–258
Service Kit 300 Hour No Anodes 236, 244
Shaft Alignment 561
Shear Pin 794
Shear Pin Kit 794
Shfit Actuator 448
Shift Cable 213, 417
Shift Cable Bellows 213, 249, 250, 411
Shift Cable Kit 249, 250
Shift Preliminary Tool 563
Shift Throttle Cable 412–414
Shrink Tubing Heat 516
Side Discharge Idle Relief Outlet 209
Side Mount 404
Side Mount Remote Control 402, 404
Silencer Kit 129
Silverado 739
Silver Cowl Accent 115
Sim Module 444
Sim Module service 439, 440
Sims Module 444
Single Console Outboard Trim 401
Single Engine Helm Kit 433
Single Outboard No Trim 400
Single Outboard Trim 400
Skeg 89, 803
Skeg Replacement 89, 90, 180, 802, 803
Sleeve Adapter Drive 786
Sleeve Assembly Hub 785, 786
Sleeve Drive 780, 785
Sleeve Drive Adapter 786, 787
Sleeve Hub Assembly 785, 786
Slip Calculator Prop 806
Smartcraft Connect 364
SmartCraft Connect Single Engine Under Helm 365
SmartCraft Connect Under Cowl Single Engine 364
SmartCraft Connect Under Helm Triple & Quad 365
SmartCraft Extension 454, 475
SmartCraft Gauge Housing 368
SmartCraft Interface Device 467
SmartCraft Monitor SC1000 System 378, 381

SmartCraft SC1000 System Monitor 378, 381
SmartCraft System Monitor SC1000 . . . . . 378, 381
Snapper Clamps Fuel Line 71, 79, 177
Snubber Strip 788
Spacer 795
Spacer Drive 205
Spacer Drive Kit 204
Spacer Kit 48, 401, 402
Spacer Kit 2.5 Inch 205
Spacer Kit NXT1 205
Spacer Kit Trim Limit 127
Spacer Propeller 795
Spacer Remote Control 406
Spark Plug 5–11, 120, 121, 229–238, 245–249
Spark Plugs 7
Spark Plug Wires 11, 238
Speed Kit 374
Speed Kit Dual 374
Speedometer 389–391
Speedometer Gauge 389–392
Speedometer Link SC100 System 381, 382
Speedometer SC100 System Link 381, 382
Speedo Pitot Harness 467
Spitfire Pontoon Propeller 628
Spitfire Propeller 628
Spitfire X7 Propeller 639
Spitfire XP Propeller 647
Splash Cover 220, 221
Splash Plate 206
Splice Clip 517
Sport HD Inflatable 813–815
Sport Inflatable 812, 813
SportJet Impeller 805
Standard Drill Fixture 563
Standard Rotary Steering System 543
Standard Tiller Conversion Kit 38
Start/Stop Station Panel 506
Starter Guide Rope 86
Starter Rope 86
Starter Rope Guide 86
Start Kit Electric 32, 33
Start Stop Pad 490
Start Stop Switch Pad 490, 491
Stator 200
Steering Actuator 524, 525, 540
Steering Arm Bracket 553
Steering Arm Extension Kit 552
Steering Assembly 535
Steering Attaching Kit 549, 550
Steering Attachment Cable 553
Steering Bracket 550, 553
Steering Bracket Arm 553
Steering Bracket Handle 45, 550
Steering Cable 215, 542–544, 554
Steering Cable Attachment 553
Steering Cable Bellows 215, 555
Steering Cylinder Assembly 524, 535, 540
Steering Cylinder Fitting 428
Steering Cylinder Front Mount 546
Steering Fluid Helm Hydraulic 309, 541
Steering Fluid Power Trim 275, 309
Steering Handle Bracket 45, 550
Steering Helm 214, 524, 545, 554
Steering Hose Joystick 426, 528
Steering Kit 525, 550
Steering Kit Extension Arm 552
Steering Kit Hydraulic 539
Steering Link Rod 549, 550
Steering Position Indicator Kit 210
Steering Sensor Kit 468
Steering System 542–544
Steering Wheel 519, 520
Sterndrive Alpha 192
Sterndrive Bravo 192–194
Sterndrive Kit 548
Stop Cap Lanyard Switch 202, 496, 497
Stop Switch Lanyard 202, 495, 496
Storage Bag 308
Storage Cover 224
Storage Seal 296
Story Pole 562
Story Pole Kit 562
Suction Cup 563
Sun Cover 365, 431
Switch, Stop 496
Switch Assembly Key 216, 485, 487, 488

Switch Assembly Neutral Interlock 34
Switch Box Plug Kit 474
Switch Emergency Stop 442
Switch Kit 487, 492
Switch Kit Power Trim 25, 26, 510, 511
Switch Kit Trim Limit 29, 509–511
Switch Momentary Toggle 202
Switch Stop 496
Switch Toggle 202
Switch Toggle Momentary 202
Synthetic Blend SAE 25W50 285
System Link Adapter 455, 476
System Link Harness 455, 476
System Speed SmartCraft Gauge 374, 375
System Tach SmartCraft Gauge 374, 375

T

Tab Disconnect 517
Tab Trim 97–100, 186, 229–233, 800
Tab Trim Anode 100, 186, 229, 230, 800
Tab Washer 797
Tachometer 391
Tachometer Gauge 389–392
Tachometer Harness 505
Tachometer Harness SC1000 System 454, 475
Tachometer Link SC100 System 379–381
Tachometer SC100 System Link 379–381
Tachometer Speed Kit 374
Tailpipe Kit Close Couple 207, 208
Tailpipe Kit Driveline 208
Tailstock Assembly 206
Tailstock KIt 170
Tank Adapter Replacement 88
TC-W3 Premium Outboard Oil 276
TDI Drive Extension Harness 441
TDI Engine Assembly Kit 439
TDI Engine Harness 440
TDI Engine Oil 292
TDI Lift Pump Extension Harness 440
TDI Sterndrive Harness Kit 439
TDI Vessel Sensor Harness 440
Tee 464
Tee Fitting Female 530
Telltale 72
Telltale Kit 72
Tendy Inflatable 810, 811
Terminal Block 484
Terminal Bullet 515
Terminal Bullet Receptacle 515
Terminal Ring 516
Terminator 453, 499
Terminator Resistor Cap 473
Thermostat 82, 83, 230–237, 245–249, 251, 252
Thermostat Assembly 83, 232–238
Thermostat Kit 82, 83, 231, 237, 245–248
Threaded Hose Barb 68, 177
Threaded Hose End 68, 69, 71, 177
Throttle/Shift Kit Station 411, 417
Throttle and Shift 414–416
Throttle and Shift Cable 416
Throttle Shift Cable 213, 214, 412–414, 416, 417
Throttle Shift Kit 39, 521
Thrust Washer 791, 797–800
Thrust Washer Prop 799
Thunderbolt 739
Tie Bar 532, 533
Tie Bar Dual Engine 552, 554
Tie Bar Engine Kit 532
Tie Bar Extension 552
Tie Bar Kicker Kit Port 533
Tie Bar Kicker Kit Starboard 534
Tie Bar Kit 532–534, 548
Tie Bar Kit Liquid 533
Tie Bars-Dual Engines 533, 545, 546
Tie Bar Trolling Motor 534
Tie Rod Kit 535
Tie Strap 517
Tiller Handle 520
Tiller Handle Conversion 37
Tiller Handle Conversion Kit 37
Tiller Handle Kit 37, 38
Tiller Harness 472
Tiller Power Harness 472
Tilt Panel 510
Tilt Support 29
Timing Belt 231, 232

Toggle Switch 202
Toggle Switch Momentary 202
Tool 564
Top Cowl Storage Bag 308
Torpedo Bore Cover Assembly NXT1 211
Trailering Clip 29, 127
Transducer Pressure Kit 461
Transmission 199
Transmission Assembly 199
Transmission Filter 92, 238
Transmission Oil Temp Gauge 377
Transom Anode 103
Transom Assembly 191, 192
Transom Bolt 54–56, 237
Transom Bolt Kit 54–56, 237
Transom Bolt Nuts 56
Transom Bracket Anode 103
Transom Discharge Idle Relief Outlet 209
Transom Drill Fixture 562
Transom Drill Fixture X-Haust 209
Transom Drilling Fixture 561, 562
Transom Driveline Kit 210
Transom Exhaust Tip 132, 205, 206
Transom Fixture Assembly 562
Transom Mounted Ignition Key Switch 34, 490
Transom Nut Lock 502
Transom Repair Seal Kit 249
Transom Saver 474
Trim Adaptor 508
Trim Anode 103, 237
Trim Cylinder Anode 187, 188
Trim Gauge 377, 382
Trim Harness 508
Trim Hose 203
Trim Hose Extension Kit 209
Trim Limit Spacer Kit 127
Trim Limit Switch Kit 29, 509–511
Trim Pad 506
Trim Pad Flush Mount 506
Trim Pump Kit 202
Trim Reducer Kit 29
Trim Remote Control 402
Trim Sensor Assembly 460
Trim Switch Adapter Harness 507
Trim Switch Harness 511
Trim Switch Kit 37
Trim Tab 97–101, 186, 229–233, 800
Trim Tab Anode 100, 186, 229, 230, 800
Trim Tab Interface Kit 468
Trim Tilt Kit 510
Triple Engine Tie Bar 533
Triple Flush Kit 62
Troll Control 512
Troll Control Kit 39, 512, 522
Trophy Plus Propeller 640
Trophy Sport Propeller 641
TVS Harness 485
Two Stroke Race Oil 262

U

U-Joint Bellows 249, 250
Union Fitting 539

V

V10 Filter 92
V6 Water Pump 237
V8 Water Pump 237
Valve PCV 246–249
V-Belt 245, 252
Vengeance Propeller 642
Vent Control Ring 788
Vented Cover 220, 221, 223
Vented Splash Cover 223
Ventera Lab Finish Propeller 652
Ventera Lab Satin 653
Ventera Lab Satin Finish 653
Ventera Lab Satin Finish Propeller 653
Ventera Lab Satin Propeller 652, 653
Ventera Propeller 651–653
Ventera Satin Lab Propeller 652, 653
Vent Fitting 804
Vent Plug 803, 804
Verado12 Propeller 643
Verado Anode Kit 97
Verado Decal 115
Verado Oil 285

Verado Paint 274
Verado Panel 115
Verado V10 . . . . . 237, 243
Vessel Interface Panel 442–444
Vessel Panel 442, 443
Vessel Panel Kit 442, 443
Vessel Sensor Extension Harness 441, 447
VesselView403 . . . . . 364, 366
VesselView403 Bezel 366
VesselView502 . . . . . 363, 364
VesselView502 Bezel 366
VesselView502 Power Harness 366
VesselView502 Sun Cover 366
VesselView702 Power Harness 366
VesselView703 . . . . . 363, 365
VesselView703 Sun Cover 365
VesselView903 . . . . . 363, 365
VesselView903 Sun Cover 365
VesselView Link 364
VesselView Link Bracket 367
VesselView Link Harness 366
VesselView Video Cable 366
VIP Module 444
Voltage Gauge 382
Voltage Regulator/Rectifier Kit 21
Voltmeter 389, 390
Voltmeter Gauge 389, 390, 392

W

Warning Horn Kit 503
Warning Kit Horn 503
Washer 56, 231, 795
Washer Flat 56
Washer Forward Thrust 797
Washer Propeller 796
Washer Propeller Shaft 796
Washer System Link 796
Washer Tab 797
Washer Thrust 791, 797–800
Washer Transom Support 56
Water Eliminator 72, 174, 299
Water Gauge 389
Water Impeller Kit 21, 230, 249
Water Impeller Repair Kit 21, 230
Water In Fuel Sensor 77–79
Water Inlet 62
Water Inlet Plug Kit 62
Water Pick Up Kit 210
Water Pressure Gauge 389–392
Water Pressure Kit 458
Water Pump 231–236
Water Pump, Complete 235, 236
Water Pump Impeller 229–237
Water Pump Kit 20, 231–234, 237
Water Pump Kit Heavy Abrasion 20
Water Pump Kit Repair 234
Water Pump Repair 237
Water Pump Repair Kit 230, 231, 234, 237
Water Separating Filter 174
Water Separating Filter Kit 81
Water Separating Fuel Filter . . . 75–79, 81, 174–179, 234, 236, 237, 245–249, 251, 252
Water Separating Fuel Filter - Boat Mounted 80, 237
Water Separating Fuel Filter Kit 78, 80, 81
Water Separating Fuel Filter - On Engine 80, 237
Water Temperature 390, 391
Water Temperature Gauge 389–392
Water Thermostat 233
Weather Cap 453, 473, 499, 518, 566
Weather Cap NMEA2K 465
Wedge Carburetor Kit 154
Wedge Kit Carburetor 154
White Paint 274
WIF 77, 79
WIF Harness Extension 80
WIF Sensor 78
Wing Plate 207
Wrench Oil Filter 92, 93, 176, 291, 314
Wrench Prop 806
Wrench Retainer 212
Wrist Strap 497, 498

X

X-Haust Muffler Kit 208, 209
X-Haust Transom Drill Fixture 209

Y

Y-Harness 455, 476, 504, 512

Z

Zero Effort Digital Control 396, 397
Zero Effort Trim Adapter Harness 508
Zeus Helm Board 445
Zeus Propeller 645, 646
Zeus Propeller M-Series 646

MERCURY Precision Parts

QUICKSILVER Marine Parts & Accessories

CONSULT PART AVAILABILITY & PRICING | PLACE ORDERS | PRINT INVOICES | REGISTER PRODUCTS

https://extranet.brunswick-marine.com



MercuryMarine.com

©2026, Mercury Marine. All rights reserved. Reproduction in whole or in part without permission is prohibited.

Printed in U.S.A. P/N 90-8M0240060